Straight Line Diagram

(Including Drain Pipes)

Forest
27

January 2020

This document was produced by the Pennsylvania Department of Transportation (PENNDOT) as an internal management tool for State maintained highways and is not to be used for other purposes. The printed information was compiled from the Department's computerized Roadway Management System (RMS) and is subject to change without notice. Use of any or all of the printed information for purposes other than those intended by the Department may not satisfy other accuracy and completeness requirements and the Department does not warrant that such printed information is accurate or complete.

ROADWAY MANAGEMENT SYSTEM

INDEX FOR SR'S LOCATED IN THE COUNTY OF FOREST

SR	BGN PAGE	END PAGE	SR	BGN PAGE	END PAGE	SR	BGN PAGE	END PAGE
0036	1	9						
0062	10	22						
0066	23	33						
0127	34	37						
0227	38	40						
0666	41	61						
0899	62	68						
0948	69	70						
1001	71	71						
1003	72	76						
1005	77	81						
2001	82	85						
2002	86	91						
2003	92	92						
2004	93	93						
2005	94	97						
2006	98	98						
2007	99	101						
2008	102	103						
3001	104	108						
3002	109	109						
3003	110	111						
3004	112	125						
3005	126	127						
3006	128	128						
4001	129	133						
4002	134	139						
4003	140	141						
4004	142	148						
4005	149	149						
4006	150	152						
4008	153	153						
4010	154	154						
4012	155	156						
4014	157	157						

pennsylvania
DEPARTMENT OF TRANSPORTATION

December 30, 2019

Pennsylvania State Roads - Straight Line Diagrams

Contained within this document are the 2020 Pennsylvania Straight Line Diagram's (SLD's) for State Routes by county within a particular PennDOT district. At the end of each year, PennDOT takes a snapshot of its current SLD database and creates PDF files from the SLD snapshot. The SLD's are a graphical representation of State Routes (SR's) that PennDOT maintains. The information shown on the SLD's is generated from data found in PennDOT's Roadway Management System (RMS) database. The data from RMS is constantly being updated to match actual roadway inventory data found on Pennsylvania's state highways. PennDOT's SR system is explained briefly in this document along with symbol definitions for each type of roadway feature or attribute found on the SLD. This PDF version of the SLD contains an individual county list of all state roads found in that county. The SR's found on the list are linked to the actual pages that show the individual SLD's. To find an SLD for a particular road that you want, simply point to that road on the SR index list and click on it to jump to the beginning page of that SLD.

If you have any questions or comments concerning information found in this document, please contact Janice L. Arellano, P.E., Chief, Roadway Inventory and Testing Unit, Asset Management Division, Bureau of Maintenance and Operations, by calling (717) 787-7294.

Additional information on state owned highways is available from your local PENNDOT Engineering District Office, RMS Unit, RMS Coordinator.

Straight Line Diagram Disclaimer: This document is for informational purposes only and may be viewed by anyone. No part of the information contained in this document may be altered or redistributed without prior written consent of PENNDOT. Straight Line Diagram information is provided "as is" without warranty of any kind, either expressed or implied. This information could include technical inaccuracies or errors of omission. Changes may be made periodically to the information herein.

Copyright © 2019 by the Commonwealth of Pennsylvania. All rights reserved.

pennsylvania
DEPARTMENT OF TRANSPORTATION

Asset Management Division
Mission Statement

To protect and preserve Pennsylvania's infrastructure by providing meaningful, timely, and accurate pavement and roadway management, design, standards, strategies, inventory and condition, as well as fair, consistent and efficient application of Commonwealth laws and regulations.

CUSTOMER SERVICE RATING FORM

Straight Line Diagram (SLD) – Customer Service Rating

As means to improve customer service, we would like you to rate the product/ service you have received, by circling a "grade" from "A" (excellent) to "E" (fail).

A **B** **C** **D** **E**

If your rating is not an "A," please let us know what we could do better.

_____

_____

_____

_____

_____

Name and Organization (optional)

_____

Thank You.

(Fold along line, and tape or staple together before mailing)

(Cut along dashed line

_____

_____

_____

Bureau of Maintenance and Operations
Asset Management Division – BOMO Annex
907 Elmerton Avenue
Harrisburg, PA 17110
ATTN: Janice Arellano

F-CS-02

PENNSYLVANIA DEPARTMENT OF TRANSPORTATION
Bureau of Maintenance and Operations, Asset Management Division

Location Referencing System (LRS) – Definitions, Uses & Testing

The Department's LRS, implemented in 1987, is the mechanism to designate the State highway network, to define roadway lengths, locations, and route connectivity, and to serve as the basis for the collection, storage, and integration of roadway information.

An LRS key is a unique series of numbers that identifies the location of each point or feature along a State route. The fourteen digit number is an integral part of the Roadway Management System (RMS) where roadway data is stored. 07/4016/0100/0857 is an example of an LRS key, which identifies County (CO) = 07, State Route (SR) = 4016, Segment (SEG) = 0100, and Offset = 0857.

County (CO)

Each of Pennsylvania's sixty-seven counties is identified by a number.

Name	#	Name	#	Name	#	Name	#
Adams	1	Clinton	18	Lackawanna	35	Potter	52
Allegheny	2	Columbia	19	Lancaster	36	Schuylkill	53
Armstrong	3	Crawford	20	Lawrence	37	Snyder	54
Beaver	4	Cumberland	21	Lebanon	38	Somerset	55
Bedford	5	Dauphin	22	Lehigh	39	Sullivan	56
Berks	6	Delaware	23	Luzerne	40	Susquehanna	57
Blair	7	Elk	24	Lycoming	41	Tioga	58
Bradford	8	Erie	25	McKean	42	Union	59
Bucks	9	Fayette	26	Mercer	43	Venango	60
Butler	10	Forest	27	Mifflin	44	Warren	61
Cambria	11	Franklin	28	Monroe	45	Washington	62
Cameron	12	Fulton	29	Montgomery	46	Wayne	63
Carbon	13	Greene	30	Montour	47	Westmoreland	64
Centre	14	Huntingdon	31	Northampton	48	Wyoming	65
Chester	15	Indiana	32	Northumberland	49	York	66
Clarion	16	Jefferson	33	Perry	50	Philadelphia	67
Clearfield	17	Juniata	34	Pike	51		

State Route (SR)

State Routes (SR's) are identified by four-digit numbers. SR numbers are assigned as follows:

1. Traffic Routes: Routes designated as Interstates, US or PA Routes 0001-0999
2. Quadrant Routes (Non-Traffic Routes) 1001-4999
3. Relocated Traffic Routes 6000-6999
4. Turned Back, Abandoned, or Null Routes 7000-7999
5. Interchanges 8001-8999
6. WYE's 9101-9199
7. Rest Areas 9201-9299
8. Truck Escape Ramps 9301-9399
9. Others 9401-9499

Even/Odd Convention: Even numbers are typically given to SR's in the East/West direction, and odd numbers to SR's that run North/South. This convention applies to Interstate Routes (except those that are Beltways or Spurs), and Quadrant Routes. This convention may or may not apply to PA or US Traffic Routes.

Hierarchy: If two or more traffic routes occupy the same section of roadway, the SR number is based on the "higher" type route, according to the following hierarchy. If the traffic routes are the same hierarchy class, then the SR number is assigned the lower numbered traffic route (Figure 1).

1. Interstates
2. U.S. Routes
3. PA Routes
4. Quadrant Routes



FIGURE 1

Other Numbering Conventions:

1. The first digit of a quadrant route is based on which quadrant of the county the route is located, as shown in the following diagram (Figure 2).
2. The last three digits of a Relocated Traffic Route are the same as the Traffic Route that was relocated.
3. Interchanges are numbered sequentially. Odd numbers are given to interchanges along SR's in the North/South direction; even numbers are given to interchanges along SR's in the East/West direction (Figure 3).
4. WYE's are given odd numbers if the connecting SR is odd numbered, and even numbers if the connecting SR is even numbered.
5. Rest Areas or Truck Escape Ramps are given odd numbers if they connect to the Southbound or Westbound side of an SR, and even numbers if they connect to the Northbound or Eastbound side.



FIGURE 2



FIGURE 3

Segment (SEG)

State routes are divided into segments, which are approximately one-half mile long, and are identified by a four-digit number. Segment begin and end points are placed at physical features where possible. Segment numbers increase in the North or East direction, and typically by 10's (Figure 4). Segments are even numbered on undivided roadways, and in the Northbound or Eastbound direction of divided roadways. Segments are odd numbered in the Southbound or Westbound direction of divided roadways (Figure 5). Interstate segments are associated with the mile posts (Figure 6).

<u>Undivided Roadways</u>



FIGURE 4

<u>Divided Roadways</u>



FIGURE 5

<u>Interstate Roadways</u>



FIGURE 6

Turned Back, Abandoned, and Null Segments are given numbers in the range of 7000-7999. For two coincident State routes, the route with "lower" hierarchy is "nulled."

Segment numbering restarts on Traffic Routes at County boundaries, except Interstates (Figure 7).



FIGURE 7

Offset

The offset, a subdivision of the segment, is the distance (in feet) from the beginning of the segment, expressed as a four-digit number. Offsets are measured in the increasing segment direction.

Segment Markers

Segment markers, which allow for easy identification of the LRS location on the State highway system, indicate the State route and segment number at the point that each segment is entered. If the beginning of a segment occurs at a physical feature, then the point of reference is at the physical feature and not the sign. At intersections, signs are used to identify beginning or ending State routes or segments.

Users of the LRS

Locations of all intersections, structures, and other points of interest are field verified and inventoried in the RMS. This information can be displayed on Straight Line Diagrams (SLD's) which can be viewed in the RMS, or hardcopy form. SLD books are refreshed and printed annually for distribution to the Department's District and County offices, as well as too many external entities.

A list of those within the Department that use the LRS to identify locations in the RMS and in the field includes personnel from the following organizations: Pavement Testing, County Maintenance, Traffic, Design, Surveys, Construction, Bridge, Permits, Crash Review, Planning and Programming, Posted & Bonded Roads, Tort Liability, and Emergency Management.

Users outside the Department include: County & Municipal governments, County 911, Planning Commissions, Federal Highway Administration, State & Local Police, Local Emergency Management, Delivery Services (UPS, Fed Ex, etc.), Fire Departments, Utility Companies, Contractors, and Consultants.

Without segment markers located in the field, all of these users would have to rely solely on the SLD, which would be extremely cumbersome at best and impossible for some.

Verification, QA & QC

In order to assure that LRS information is indicated properly in the RMS, on SLD's, and in the field, LRS Quality Assurance (QA) and Quality Commitment (QC) programs are performed each year. The Bureau of Maintenance and Operations, Asset Management Division, Roadway Inventory & Testing Unit (RITU) performs all Statewide QC testing. Field verification and QA is also performed by RITS, except in Engineering Districts 2-0, 11-0, and 12-0, where it is done "in-house." Each Engineering District is responsible for its own LRS completeness and maintenance with respect to the RMS.

Twenty percent of each county is field tested annually as part of the QA program, and five percent of each county is tested for the annual QC program. The goal of the QC program is to maintain at least 90% accuracy between the RMS and the actual field locations of highway features. Annual QC ratings are developed and reported to the Engineering Districts.

Field testing is performed by two-person teams (a permanent employee that operates the test, and a temporary employee that drives the device) with the use of vans equipped with an on-board computer and a Data Measurement Subsystem. Testing is typically performed during the months of April through November.

Vehicle location and roadway features are displayed on the van's computer screen in SLD format, and the software accepts operator inputs verifying or modifying roadway feature locations, as well as comments. Though the system can function at greater speed, test speeds are typically less than 25 mph to ensure accuracy.

There are five categories of information that is verified and/or modified:

1. State Route Length
2. Segment Length
3. Roadway Geometry (lane count, pavement & shoulder types & widths)
4. Intersecting Feature Location (intersections & bridges)
5. Segment Marker Location

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY

SEGMENT MARKER	AHEAD LEFT INTER STATE OWNED	RAILROAD CROSSING	INTERSTATE MILEPOST
TURNBACK	AHEAD LEFT INTER NON-STATE	RAILROAD OVER-PASS	MFC BEGIN
NULL	AHEAD RIGHT INTE STATE OWNED	OVER-PASS	MUNICIPAL BOUNDARY
UNDIVIDED HIGHWAY	AHEAD RIGHT INTE NON-STATE	BRIDGE END	VILLAGE BEGIN
PHYSICALLY DIVIDED	BACK LEFT INTER STATE OWNED	BRIDGE BEGIN	AH - LENGTH FORWARD TO NEXT SEGMENT BEGIN BK - LENGTH BACK WARD TO PREVIOUS SEGMENT BEGIN
PAINT DIVIDED	BACK LEFT INTER NON-STATE	TUNNEL	
INTERSECTION AHEAD	BACK RIGHT INTER STATE OWNED	SIGN STRUCTURE	MFC - MAINTENANCE FUNCTIONAL CLASS A = INTERSTATE B = EXPRESSWAY AND/OR PRINCIPLE ARTERIAL C = MINOR ARTERIAL D = COLLECTOR E = LOCAL ACCESS F = INTERCHANGE RAMP
INTERSECTION BACK	BACK RIGHT INTER NON-STATE	RBR P3 BRIDGE	
REFERENCE AHEAD/BACK	T-LEFT INTERSEC STATE OWNED	RETAINING WALL	
DIVIDED CONNECTOR	T-LEFT INTERSEC NON-STATE	BRIDGE/CULVERT UNDER FILL	NULL AND TURNBACK SEGMENTS ARE DISPLAYED IN THE DEPARTMENT"S ROADWAY MANAGEMENT SYSTEM (RMS) AS 100 FEET IN LENGTH. ACTUAL SEGMENT AND SECTION LENGTHS MAY VARY SIGNIFICANTLY
CROSS INTERSEC STATE OWNED	T-RIGHT INTERSEC STATE OWNED	PIPE (STAMPP)	
CROSS INTERSEC NON-STATE	T-RIGHT INTERSEC NON-STATE	ROTARY INTERSEC	

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY

ROAD CLOSED	POI POINT OF INTEREST	BRIDGE CLOSED	P BRIDGE POSTED
M MONITORING SITE	TRAFFIC SIGNAL	W RWIS SITE	NC - STREET NAME CHANGE

DIR: B TOTAL LEN: .000 MI. DIST: 01-3 SR: 4014
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

000100 FT

000100 FT BK-FOREST (27)
7010/0000 LENGTH(AH 0100 BK 0000)

DIR: B TOTAL LEN: 1.630 MI. DIST: 01-3 SR: 4012
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

008604 FT 008604 FT

DIR: B TOTAL LEN: 1.630 MI. DIST: 01-3 SR: 4012
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

```
                                          * REF-AHD    TRUNKEYVILLE RD
                                            0030/3072  (T340)
                                                       072 "DIA CIRC ALUMIN
                                            0030/2965  LEN=0047 INSTALLED 2000
                                                       018 "DIA CIR PLASTIC
                                            0030/2372  LEN=0025 INSTALLED 2000
                                                       018 "DIA CIR PLASTIC
                                            0030/1994  LEN=0060 INSTALLED 2008
                                                       018 "DIA CIR PLASTIC
                                            0030/1600  LEN=0060 INSTALLED 2008
                                                       018 "DIA CIR PLASTIC
                                            0030/1247  LEN=0060 INSTALLED 2008
                                                       018 "DIA CIR PLASTIC
                                            0030/0948  LEN=0060 INSTALLED 2008
                                                       018 "DIA CIR PLASTIC
                                            0030/0655  LEN=0030 INSTALLED 2000
                                                       018 "DIA CIR PLASTIC
                                            0030/0259  LEN=0060 INSTALLED 2008
005532 FT                                   005532 FT  2 0 27022 0 00 0055+62
                                          S 0030/0000  LENGTH(AH 3072 BK 2998)
                                                       018 "DIA CIR PLASTIC
                                            0020/2809  LEN=0040 INSTALLED 2000

                                                       018"H 20"W ELLIP CONC
                                            0020/2187  LEN=0030 INSTALLED 2000
                                                       018 "DIA CIRC METAL
                                            0020/1820  LEN=0030 INSTALLED 2000


                                                       018 "DIA CIR PLASTIC
                                            0020/0377  LEN=0040 INSTALLED 2008
002534 FT                                   002534 FT  2 0 27022 0 00 0025+67
                                          S 0020/0000  LENGTH(AH 2998 BK 2534)
                                                       018 "DIA CIR PLASTIC
                                            0010/2097  LEN=0040 INSTALLED UNKN


                                                       018 "DIA CIR PLASTIC
                                            0010/1056  LEN=0040 INSTALLED 2008


                                                       018 "DIA CIRC METAL
                                            0010/0017  LEN=0070 INSTALLED 2000
000000 FT                                   000000 FT  2 0 27022 0 00 0000+00
                                                       FLEMING HILL RD
                                                       (SR0127 SEG 0090/2448)
                                                 NC TRUNKEYVILLE RD
FLEMING HILL RD                                        MFC BEGIN = E
(SR0127 SEG 0090/2448)  0010/0000         S 0010/0000  LENGTH(AH 2534 BK 0000)
```

DIR: B TOTAL LEN: .000 MI. DIST: 01-3 SR: 4010
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

000000 FT
000000 FT

000000 FT
7020/0000 LENGTH(AH 0485 BK 1795)
000000 FT
7010/0000 LENGTH(AH 1795 BK 0000)

DIR: B TOTAL LEN: 2.013 MI. DIST: 01-3 SR: 4008
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

```
010626 FT                    010626 FT GERMAN HILL RD
                             0040/3153 (SR4004 SEG 0150/0000)

                                       KINGSLEY
                             0040/1798 GREEN T

                                       024 "DIA CIR PLASTIC
                             0040/0955 LEN=0050 INSTALLED 2003
                                       018 "DIA CIR PLASTIC
                             0040/0445 LEN=0040 INSTALLED 2003
007473 FT                    007473 FT 2 0 27031 0 00 0075+00
                           S 0040/0000 LENGTH(AH 3153 BK 2495)
                                       018 "DIA CIR PLASTIC
                             0030/1967 LEN=0040 INSTALLED 2003

                                       018 "DIA CIR PLASTIC
                             0030/0485 LEN=0028 INSTALLED 2000
004978 FT                    004978 FT 2 0 27031 0 00 0050+00
                           S 0030/0000 LENGTH(AH 2495 BK 2490)
                                       018 "DIA CIR PLASTIC
                             0020/2087 LEN=0040 INSTALLED 2003

                                       015 "DIA CIR PLASTIC
                             0020/0575 LEN=0028 INSTALLED 2000
002488 FT                    002488 FT 2 0 27031 0 00 0025+00
                           S 0020/0000 LENGTH(AH 2490 BK 2488)

                                       024 "DIA CIRC METAL
                             0010/1678 LEN=0035 INSTALLED 2000

000000 FT                    000000 FT 2 0 27031 0 00 0000+00
                                  NC GRANGEHALL RD
                                       LITTLE HICKORY RD
                                       (SR3004 SEG 0090/0000)
                                       MFC BEGIN = E
                           S 0010/0000 LENGTH(AH 2488 BK 0000)
```

DIR: B TOTAL LEN: 3.267 MI. DIST: 01-3 SR: 4006
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

DAVID ZEISBURGER HW 017248 FT
(SR0666 SEG 0110/0000) 0070/2222

017248 FT DAVID ZEISBURGER HW
0070/2222 (SR0666 SEG 0110/0000)
018 "DIA CIR PLASTIC
0070/2160 LEN=0045 INSTALLED 1998

DIR: B TOTAL LEN: 3.267 MI. DIST: 01-3 SR: 4006
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

			018 "DIA CIR PLASTIC
		0070/1615	LEN=0035 INSTALLED UNKN
			015 "DIA CIRC ALUMIN
		0070/1385	LEN=0035 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0070/1140	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0635	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0450	LEN=0035 INSTALLED UNKN
015026 FT		015026 FT	2 0 27028 0 00 0142+58
		S 0070/0000	LENGTH(AH 2222 BK 2546)
			024 "DIA CIR PLASTIC
		0060/2100	LEN=0035 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0060/1792	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/1701	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0060/1494	LEN=0035 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0060/1047	LEN=0030 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0060/0660	LEN=0025 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0060/0360	LEN=0025 INSTALLED 1998
012480 FT		012480 FT	2 0 27028 0 00 0117+43
		S 0060/0000	LENGTH(AH 2546 BK 2461)
			018 "DIA CIR PLASTIC
		0050/2305	LEN=0050 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0050/1986	LEN=0035 INSTALLED 1998
			018 "DIA CIRC METAL
		0050/1599	LEN=0030 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0050/1137	LEN=0056 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/1019	LEN=0040 INSTALLED 1998
			015 "DIA CIRC ALUMIN
		0050/0745	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/0400	LEN=0040 INSTALLED 1998
010019 FT		010019 FT	2 0 27028 0 00 0092+50
		S 0050/0000	LENGTH(AH 2461 BK 2508)
			018 "DIA CIRC METAL
		0040/2435	LEN=0040 INSTALLED UNKN
BRECHT RD (T330)	0040/1871		NC YELLOW HAMMER RD

DIR: B TOTAL LEN: 3.267 MI. DIST: 01-3 SR: 4006
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

```
                                                  018 "DIA CIR PLASTIC
                                     0040/1235 LEN=0035 INSTALLED UNKN

007511 FT                            007511 FT 2 0 27028 0 00 0067+07
                                   S 0040/0000 LENGTH(AH 2508 BK 2511)
                                                  018 "DIA CIR PLASTIC
                                     0030/2443 LEN=0040 INSTALLED 1998

                                                  018 "DIA CIR PLASTIC
                                     0030/1634 LEN=0035 INSTALLED 1998

005000 FT                            005000 FT 2 0 27028 0 00 0042+17
                                   S 0030/0000 LENGTH(AH 2511 BK 2551)

                                                  018 "DIA CIR PLASTIC
                                     0020/1545 LEN=0045 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                     0020/0475 LEN=0050 INSTALLED 2004
                                                  018 "DIA CIR PLASTIC
                                     0020/0245 LEN=0045 INSTALLED 1998
002449 FT                            002449 FT 2 0 27028 0 00 0017+18
                                   S 0020/0000 LENGTH(AH 2551 BK 2449)
                                                  018 "DIA CIR PLASTIC
                                     0010/2393 LEN=0045 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                     0010/2000 LEN=0045 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                     0010/1750 LEN=0034 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                     0010/1246 LEN=0042 INSTALLED 2005
                                                  015 "DIA CIR PLASTIC
                                     0010/0680 LEN=0050 INSTALLED 1998
                                                  018 "DIA CIRC METAL
                                     0010/0438 LEN=0030 INSTALLED 1998
                                                  018 "DIA CIRC METAL
                                     0010/0204 LEN=0045 INSTALLED 2005
000000 FT                            000000 FT 2 0 27028 0 00 0000+00
                                           NC KIFFER HILL RD
                                                  DAVID ZEISBURGER HW
                                                  (SR0666 SEG 0100/0000)
                                                  MFC BEGIN = E
                                   S 0010/0000 LENGTH(AH 2449 BK 0000)
```

DIR: B TOTAL LEN: .000 MI. DIST: 01-3 SR: 4005
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

000000 FT

000000 FT
7010/0000 LENGTH(AH 2033 BK 0000)

DIR: B TOTAL LEN: 11.344 MI. DIST: 01-3 SR: 4004
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

059894 FT

059894 FT WHIG HILL CORNERS RD
0230/3003 (SR0666 SEG 0150/0000)
024 "DIA CIR PLASTIC
0230/2908 LEN=0060 INSTALLED 1997

015 "DIA CIRC CONCR
0230/0557 LEN=0040 INSTALLED 1997
056891 FT 056891 FT 2 0 27007 0 00 0569+89
S 0230/0000 LENGTH(AH 3003 BK 2996)
015 "DIA CIRC METAL

DIR: B TOTAL LEN: 11.344 MI. DIST: 01-3 SR: 4004
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

```
                                        0220/2965 LEN=0030 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                        0220/1890 LEN=0050 INSTALLED 1997
                                                  015 "DIA CIRC CONCR
                                        0220/1472 LEN=0045 INSTALLED 1997

                                                  018 "DIA CIR PLASTIC
                                        0220/0246 LEN=0050 INSTALLED 2000
053895 FT                               053895 FT 2 0 27007 0 00 0539+89
                                      S 0220/0000 LENGTH(AH 2996 BK 3069)
                                                  018 "DIA CIR PLASTIC
                                        0210/2783 LEN=0050 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
                                        0210/2442 LEN=0050 INSTALLED 1997
                                                  015 "DIA CIRC METAL
                                        0210/1970 LEN=0050 INSTALLED 1997

                                                  ROSS RUN BR.
                                                  STRUCTURE LENGTH  12 FT
                                        0210/1307 BMSID 27/4004/0210/1307

                                        0210/0036 BMSEN 27/4004/0210/0000
050826 FT                               050826 FT 2 0 27007 0 00 0509+20
                                                  ROSS RUN BRANCH
                                                  BMSBG 27/4004/0210/0000
                                      S 0210/0000 LENGTH(AH 3069 BK 2661)

                                                  018 "DIA CIR PLASTIC
                                        0200/1616 LEN=0050 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
                                        0200/1206 LEN=0040 INSTALLED 2015

                                                  018 "DIA CIR PLASTIC
                                        0200/0427 LEN=0040 INSTALLED 2015
                                        0200/0021 BMSEN 27/4004/0200/0000
048165 FT                               048165 FT 2 0 27007 0 00 0482+37
                                                  ROSS RUN
                                                  BMSBG 27/4004/0200/0000
                                      S 0200/0000 LENGTH(AH 2661 BK 3203)
                                                  CRYSTAL SPRINGS RD
                                        0190/3097 (TWP )
                                                  TO CRYSTAL SPRINGS R
                                        0190/2976 (CONN)
```

DIR: B TOTAL LEN: 11.344 MI. DIST: 01-3 SR: 4004
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

			024 "DIA CIR PLASTIC
		0190/2884	LEN=0060 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0190/2236	LEN=0050 INSTALLED 1997
			024 "DIA CIR PLASTIC
		0190/1940	LEN=0060 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0190/1650	LEN=0050 INSTALLED 2000
			024 "DIA CIR PLASTIC
		0190/1377	LEN=0060 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0190/0840	LEN=0040 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0190/0520	LEN=0040 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0190/0215	LEN=0050 INSTALLED 2000
	044962 FT	044962 FT	2 0 27007 0 00 0449+51
		S 0190/0000	LENGTH(AH 3203 BK 3105)
			015 "DIA CIRC METAL
		0180/2345	LEN=0045 INSTALLED 1997
			018 "DIA CIRC CONCR
		0180/0320	LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0180/0035	LEN=0050 INSTALLED 1997
	041857 FT	041857 FT	2 0 27007 0 00 0418+46
			ROSS RUN RD
			(T338)
		S 0180/0000	LENGTH(AH 3105 BK 3624)
			024 "DIA CIRC CONCR
		0170/2283	LEN=0040 INSTALLED 1997
2 0 27007 0 00 0382+22	038233 FT	038233 FT	
CHURCH HILL RD			
(T357)	0170/0000	S 0170/0000	LENGTH(AH 3624 BK 2227)
			024 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 11.344 MI. DIST: 01-3 SR: 4004
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

		0160/2127	LEN=0050 INSTALLED 1997
			048 "DIA CIRC METAL
		0160/0850	LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0160/0465	LEN=0030 INSTALLED 1997
	036006 FT	036006 FT	2 0 27007 0 00 0359+91
		S 0160/0000	LENGTH(AH 2227 BK 1991)
			018 "DIA CIRC CONCR
		0150/1830	LEN=0040 INSTALLED 1997
			018 "DIA CIRC METAL
		0150/1609	LEN=0050 INSTALLED 1997
			015 "DIA CIRC METAL
		0150/1220	LEN=0050 INSTALLED 1997
2 0 27007 0 00 0340+00	034015 FT	034015 FT	
GRANGE HALL RD			
(SR4008 SEG 0040/3153)	0150/0000	S 0150/0000	LENGTH(AH 1991 BK 2611)
			018 "DIA CIR PLASTIC
		0140/2233	LEN=0045 INSTALLED 1997
			015 "DIA CIRC CONCR
		0140/1685	LEN=0040 INSTALLED 2019
			015 "DIA CIRC CONCR
		0140/0490	LEN=0040 INSTALLED 1997
	031404 FT	031404 FT	2 0 27007 0 00 0313+47
		S 0140/0000	LENGTH(AH 2611 BK 2493)
			015 "DIA CIRC CONCR
		0130/2428	LEN=0040 INSTALLED 2019
			015 "DIA CIRC CONCR
		0130/1852	LEN=0040 INSTALLED 2019
			018 "DIA CIRC CONCR
		0130/0902	LEN=0030 INSTALLED 1997
			018 "DIA CIRC CONCR
		0130/0090	LEN=0035 INSTALLED 1997
	028911 FT	028911 FT	2 0 27007 0 00 0288+54
		S 0130/0000	LENGTH(AH 2493 BK 1829)
			015 "DIA CIRC CONCR
		0120/0724	LEN=0030 INSTALLED 1997
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 11.344 MI. DIST: 01-3 SR: 4004
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

		0120/0440	LEN=0040 INSTALLED 2019 015 "DIA CIRC METAL
		0120/0067	LEN=0040 INSTALLED 1997
027082 FT		027082 FT	2 0 27007 0 00 0270+25 JUGHANDLE RD (T394)
		S 0120/0000	LENGTH(AH 1829 BK 2145) 015 "DIA CIRC CONCR
		0110/2115	LEN=0040 INSTALLED 1997 KINGSLEY
		0110/1687	GREEN T 018 "DIA CIR PLASTIC
		0110/1685	LEN=0055 INSTALLED 2019 015 "DIA CIRC METAL
		0110/1092	LEN=0040 INSTALLED 1997 018 "DIA CIR PLASTIC
		0110/0685	LEN=0040 INSTALLED 2019
024937 FT		024937 FT	2 0 27007 0 00 0249+94
		S 0110/0000	LENGTH(AH 2145 BK 3196) 018 "DIA CIR PLASTIC
		0100/2645	LEN=0040 INSTALLED 2019 018 "DIA CIR PLASTIC
		0100/2377	LEN=0040 INSTALLED 2019 015 "DIA CIRC METAL
		0100/1784	LEN=0030 INSTALLED 1997
2 0 27007 0 00 0218+00 021741 FT LITTLE HICKORY RD (SR3004 SEG 0100/0000) 0100/0000		021741 FT	NEBRASKA RD (SR3004 SEG 0100/0000)
		S 0100/0000	LENGTH(AH 3196 BK 1858) 015 "DIA CIRC METAL
		0090/1621	LEN=0030 INSTALLED 1997
019883 FT		019883 FT	2 0 27007 0 00 0199+51
		S 0090/0000	LENGTH(AH 1858 BK 2484)
			015 "DIA CIRC METAL
		0080/0576	LEN=0030 INSTALLED 1997
017399 FT		017399 FT	2 0 27007 0 00 0174+67
		S 0080/0000	LENGTH(AH 2484 BK 3670)

DIR: B TOTAL LEN: 11.344 MI. DIST: 01-3 SR: 4004
LEFT MUN: GREEN T RIGHT MUN: GREEN T

		015 "DIA CIRC METAL
	0070/2384	LEN=0048 INSTALLED UNKN
		015 "DIA CIRC METAL
	0070/1452	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC METAL
	0070/1160	LEN=0045 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0070/0354	LEN=0045 INSTALLED UNKN
013729 FT	013729 FT	2 0 27007 0 00 0137+75
		GREEN
		TIONESTA T
	S 0070/0000	LENGTH(AH 3670 BK 1725)
		018 "DIA CIR PLASTIC
	0060/1723	LEN=0040 INSTALLED 2018
		018 "DIA CIR PLASTIC
	0060/0734	LEN=0040 INSTALLED 2004
012004 FT	012004 FT	2 0 27007 0 00 0120+24
	S 0060/0000	LENGTH(AH 1725 BK 2050)
		#493 FORESTRY RD
	0050/1487	(FRST)
		015 "DIA CIRC METAL
	0050/1455	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC METAL
	0050/0086	LEN=0040 INSTALLED 1997
009954 FT	009954 FT	2 0 27007 0 00 0099+74
	S 0050/0000	LENGTH(AH 2050 BK 2488)
		018 "DIA CIR PLASTIC
	0040/1306	LEN=0050 INSTALLED 1998
		015 "DIA CIRC METAL
	0040/0893	LEN=0045 INSTALLED UNKN
007466 FT	007466 FT	2 0 27007 0 00 0074+86
	S 0040/0000	LENGTH(AH 2488 BK 2371)
		015 "DIA CAST IRON
	0030/2071	LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 11.344 MI. DIST: 01-3 SR: 4004
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

```
                                                                  005095 FT 2 0 27007 0 00 0051+15
                                                                            TIONESTA
                                                                            TIONESTA B
                                                                  0030/0000 LENGTH(AH 2371 BK 2587)
                                                                            018 "DIA CIR PLASTIC
                                                                  0020/2293 LEN=0060 INSTALLED 2006
                                                                            018 "DIA CIR PLASTIC
                                                                  0020/1949 LEN=0060 INSTALLED 2001
                                                                            018 "DIA CIR PLASTIC
                                                                  0020/1725 LEN=0075 INSTALLED UNKN
                                                                            018 "DIA CIR PLASTIC
                                                                  0020/1424 LEN=0050 INSTALLED 2001
                                                                            018 "DIA CIR PLASTIC
                                                                  0020/1144 LEN=0060 INSTALLED UNKN
                                                                            018 "DIA CIR PLASTIC
                                                                  0020/0648 LEN=0060 INSTALLED 2001
                                                                            018 "DIA CIR PLASTIC
                                                                  0020/0333 LEN=0075 INSTALLED UNKN
                                                                            018 "DIA CIR PLASTIC
                                                                  0020/0037 LEN=0060 INSTALLED 2001
                                                                  002508 FT 2 0 27007 0 00 0025+08
                                                                  0020/0000 LENGTH(AH 2587 BK 2508)
                                                                            018 "DIA CIRC METAL
                                                                  0010/2155 LEN=0065 INSTALLED UNKN
                                                                            018 "DIA CIR PLASTIC
                                                                  0010/1820 LEN=0075 INSTALLED UNKN
                                                                            018 "DIA CIR PLASTIC
                                                                  0010/1375 LEN=0075 INSTALLED UNKN
                                                                            018 "DIA CIR PLASTIC
                                                                  0010/1180 LEN=0060 INSTALLED 2001
                                                                            018 "DIA CIR PLASTIC
                                                                  0010/0975 LEN=0075 INSTALLED UNKN
                                                                            018 "DIA CIR PLASTIC
                                                                  0010/0785 LEN=0075 INSTALLED UNKN
                                                                            015 "DIA CIRC METAL
                                                                  0010/0405 LEN=0050 INSTALLED UNKN
VINE ST
(BORO)                                                                      FROM 0036/0140 SH
                                                                  0010/0083 (CONN)
                                                                  000000 FT 2 0 27007 0 00 0000+00
                                                                            ELM ST
                                                                            (SR0036 SEG 0150/0000)
                                                                      NC GERMAN HILL RD
ELM ST                                                                      MFC BEGIN = D
(SR0036 SEG 0150/0000)                                            0010/0000 LENGTH(AH 2508 BK 0000)
```

DIR: B TOTAL LEN: 1.489 MI. DIST: 01-3 SR: 4003
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

TIONESTA NEILLTOWN RD 007863 FT
(SR4001 SEG 0060/0000)
GREEN HILL RD
(T351) 0040/1425

007863 FT
TIONESTA NEILLTOWN RD
0040/1425 (SR4001 SEG 0060/0000)
01B "DIA CIR PLASTIC
0040/0988 LEN=0040 INSTALLED 2000

DIR: B TOTAL LEN: 1.489 MI. DIST: 01-3 SR: 4003
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

			024 "DIA CIR PLASTIC
		0040/0700	LEN=0042 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0040/0425	LEN=0030 INSTALLED 2000
	006438 FT	006438 FT	2 0 27024 0 00 0064+37
		S 0040/0000	LENGTH(AH 1425 BK 1867)
			018 "DIA CIRC METAL
		0030/1397	LEN=0045 INSTALLED 2000
			036 "DIA CIR PLASTIC
		0030/0960	LEN=0050 INSTALLED 2000
			018 "DIA CIRC METAL
		0030/0535	LEN=0060 INSTALLED 2000
SHIELDS HILL RD (T349)	0030/0047		
			015 "DIA CIRC METAL
		0030/0025	LEN=0056 INSTALLED 2000
	004571 FT	004571 FT	2 0 27024 0 00 0045+70
			SHIELDS HILL RD
			(T349)
		S 0030/0000	LENGTH(AH 1867 BK 2069)
			018 "DIA CIRC METAL
		0020/1775	LEN=0035 INSTALLED 2000
			024 "DIA CIR PLASTIC
		0020/1373	LEN=0042 INSTALLED 2000
			018 "DIA CIRC METAL
		0020/0738	LEN=0036 INSTALLED 2000
	002502 FT	002502 FT	2 0 27024 0 00 0025+02
			NC SR 4003 SH
		S 0020/0000	LENGTH(AH 2069 BK 2502)
			018 "DIA CIR PLASTIC
		0010/2171	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/1670	LEN=0040 INSTALLED 2004
			018 "DIA CIRC METAL
		0010/1533	LEN=0045 INSTALLED 2000
			018 "DIA CIRC METAL
		0010/0640	LEN=0060 INSTALLED 2000
			DORY CARSON RD
		0010/0584	(T300)
			018 "DIA CIR PLASTIC
		0010/0430	LEN=0045 INSTALLED 2000
	000000 FT	000000 FT	2 0 27024 0 00 0000+00
			NC STEWARTS RUN RD.
			COL DRAKE RD
			(SR0036 SEG 0260/0000)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 2502 BK 0000)

DIR: B TOTAL LEN: 8.526 MI. DIST: 01-3 SR: 4002
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

045016 FT

FLEMING HILL RD
(SR0127 SEG 0020/0000) 0150/3438
WALNUT ST
(T384) 0150/3090
CENTER CIRCLE ST
(T383) 0150/2810

HOLLOW RD
(T378) 0150/1316

2 0 27025 0 00 0227+09 041578 FT
MCARTHUR RUN RD
(T353) 0150/0000

045016 FT
INTER-AHD FLEMING HILL RD
(SR0127 SEG 0020/0000)
DEPOT ST
0150/3438 (T382)
DEPOT ST
0150/3090 (T382)

0150/1470 BMSEN 27/4002/0150/1459
2 0 27025 0 00 0241+94
SIGGINS RUN
0150/1459 BMSBG 27/4002/0150/1459

018"H 24"W ELLIP CONC
0150/0742 LEN=0035 INSTALLED 1998
018 "DIA CIRC METAL
0150/0148 LEN=0060 INSTALLED 1998
041578 FT
S 0150/0000 LENGTH(AH 3438 BK 1514)
018 "DIA CIRC METAL

DIR: B TOTAL LEN: 8.526 MI. DIST: 01-3 SR: 4002
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

		0140/1432	LEN=0035 INSTALLED 1998 018 "DIA CIR PLASTIC
		0140/1033	LEN=0050 INSTALLED 1998
		0140/0376	BMSEN 27/4002/0140/0272 2 0 27025 0 00 0215+11 WEST HICKORY
2 0 27025 0 00 0212+10 040064 FT TANK HILL RD (T357)		0140/0315	BMSBG 27/4002/0140/0272 040064 FT
	0140/0000	S 0140/0000	LENGTH(AH 1514 BK 3883)
			018 "DIA CIRC METAL
		0130/3232	LEN=0030 INSTALLED 1998 018 "DIA CIRC METAL
		0130/2954	LEN=0035 INSTALLED UNKN 018 "DIA CIRC METAL
		0130/2420	LEN=0040 INSTALLED UNKN 018 "DIA CIRC METAL
		0130/2065	LEN=0040 INSTALLED 1998 018 "DIA CIRC METAL
		0130/1618	LEN=0040 INSTALLED 1998 018 "DIA CIRC METAL
		0130/1179	LEN=0040 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0130/0673	LEN=0040 INSTALLED 1998 036 "DIA CIRC CONCR
		0130/0214	LEN=0042 INSTALLED 1998
	036181 FT	036181 FT	2 0 27025 0 00 0172+88
		S 0130/0000	LENGTH(AH 3883 BK 2352) 018 "DIA CIR PLASTIC
		0120/2216	LEN=0030 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0120/1872	LEN=0030 INSTALLED 1998 018 "DIA CIR PLASTIC
		0120/1740	LEN=0035 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0120/1624	LEN=0030 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0120/1332	LEN=0040 INSTALLED UNKN 036 "DIA CIRC METAL
		0120/1138	LEN=0045 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0120/0637	LEN=0035 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0120/0574	LEN=0040 INSTALLED 2015
	033829 FT	033829 FT	2 0 27025 0 00 0149+36
		S 0120/0000	LENGTH(AH 2352 BK 2554) 018 "DIA CIR PLASTIC
		0110/2447	LEN=0035 INSTALLED 1998

DIR: B TOTAL LEN: 8.526 MI. DIST: 01-3 SR: 4002
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

			018 "DIA CIR PLASTIC
		0110/2156	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0110/1760	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0110/1360	LEN=0035 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0110/1072	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0110/0557	LEN=0035 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0110/0202	LEN=0030 INSTALLED 1998
031275 FT		031275 FT	2 0 27025 0 00 0124+32
		S 0110/0000	LENGTH(AH 2554 BK 3472)
			018 "DIA CIR PLASTIC
		0100/3081	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0100/2765	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0100/2640	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0100/2173	LEN=0030 INSTALLED 1998
			015 "DIA CIR PLASTIC
		0100/2071	LEN=0040 INSTALLED 1998
			015 "DIA CIRC METAL
		0100/1280	LEN=0038 INSTALLED 1998
		0100/0819	BMSEN 27/4002/0100/0791
			2 0 27025 0 00 0097+52
			DAWSON RUN
		0100/0791	BMSBG 27/4002/0100/0791
			048 "DIA CIR PLASTIC
		0100/0068	LEN=0060 INSTALLED 1997
027803 FT		027803 FT	2 0 27025 0 00 0089+61
		S 0100/0000	LENGTH(AH 3472 BK 3623)
			018 "DIA CIR PLASTIC
		0090/3293	LEN=0050 INSTALLED 2007
			018 "DIA CIR PLASTIC
		0090/2475	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0090/1723	LEN=0035 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0090/1209	LEN=0035 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0090/1013	LEN=0035 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0090/0646	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 8.526 MI. DIST: 01-3 SR: 4002
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

```
                                                  018 "DIA CIR PLASTIC
                                  0090/0270 LEN=0035 INSTALLED 1998
024180 FT                         024180 FT 2 0 27025 0 00 0053+17
                                     NC DAWSON RD
                                S 0090/0000 LENGTH(AH 3623 BK 2887)
                                                  HARMONY
                                  0080/2874 TIONESTA T
                                                  045 "DIA CIR PLASTIC
                                  0080/2633 LEN=0060 INSTALLED 1998

                                                  018 "DIA CIR PLASTIC
                                  0080/1706 LEN=0040 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
                                  0080/1480 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0080/1061 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                  0080/0830 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0080/0671 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                  0080/0082 LEN=0040 INSTALLED 1998
021293 FT                         021293 FT 2 0 27025 0 00 0024+26
                                S 0080/0000 LENGTH(AH 2887 BK 2475)
                                                  018 "DIA CIR PLASTIC
                                  0070/2150 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0070/1582 LEN=0035 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                  0070/1372 LEN=0035 INSTALLED 1998

                                                  018 "DIA CIR PLASTIC
                                  0070/0506 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0070/0041 LEN=0050 INSTALLED UNKN
018818 FT                         018818 FT 2 0 27025 0 00 0000+00
                                S 0070/0000 LENGTH(AH 2475 BK 2500)

                                                  018 "DIA CIR PLASTIC
                                  0060/1582 LEN=0030 INSTALLED 2017
                                                  018 "DIA CIR PLASTIC
                                  0060/1460 LEN=0040 INSTALLED 2017

                                                  018 "DIA CIR PLASTIC
                                  0060/0855 LEN=0040 INSTALLED 2016
                                                  018 "DIA CIR PLASTIC
                                  0060/0636 LEN=0040 INSTALLED 2016
                                                  018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 8.526 MI. DIST: 01-3 SR: 4002
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

```
                                          0060/0162 LEN=0025 INSTALLED 2017
016318 FT                                 016318 FT 2 0 27034 0 00 0025+43
                                        S 0060/0000 LENGTH(AH 2500 BK 3167)
                                                    018 "DIA CIR PLASTIC
                                          0050/2992 LEN=0040 INSTALLED 2016
                                                    018 "DIA CIR PLASTIC
                                          0050/2546 LEN=0040 INSTALLED 2012
                                                    048"H 00"W MULT PLSTIC
                                          0050/1968 LEN=0030 INSTALLED 2016


                                                    018 "DIA CIR PLASTIC
                                          0050/0860 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                          0050/0790 LEN=0040 INSTALLED 1998
                                                    024"H 48"W ELLIP METAL
                                          0050/0525 LEN=0040 INSTALLED UNKN
                                                    036"H 00"W MULT PLSTIC
                                          0050/0100 LEN=0030 INSTALLED 2016
013151 FT                                 013151 FT 2 0 27034 0 00 0057+52
                                                    JAMISON RUN RD
                                                    (T341)
                                        S 0050/0000 LENGTH(AH 3167 BK 3277)
                                                    018 "DIA CIR PLASTIC
                                          0040/3234 LEN=0040 INSTALLED 2007
                                                    018 "DIA CIR PLASTIC
                                          0040/2793 LEN=0040 INSTALLED 2007
                                                    018 "DIA CIR PLASTIC
                                          0040/2357 LEN=0030 INSTALLED UNKN

                                                    018 "DIA CIRC METAL
                                          0040/1540 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                          0040/1107 LEN=0025 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0040/0563 LEN=0050 INSTALLED 2007
                                                    015 "DIA CIRC METAL
                                          0040/0156 LEN=0020 INSTALLED 1998
009874 FT                                 009874 FT 2 0 27034 0 00 0090+50
                                                    TIONESTA
                                                    HARMONY T
                                        S 0040/0000 LENGTH(AH 3277 BK 3458)
                                                    018 "DIA CIR PLASTIC
                                          0030/3413 LEN=0040 INSTALLED 2016
                                                    018 "DIA CIR PLASTIC
                                          0030/3058 LEN=0040 INSTALLED 2016
                                                    015 "DIA CIRC METAL
                                          0030/2750 LEN=0036 INSTALLED UNKN
                                                    015 "DIA CIRC METAL
                                          0030/2377 LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 8.526 MI. DIST: 01-3 SR: 4002
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

		015 "DIA CIRC METAL
	0030/1965	LEN=0030 INSTALLED UNKN
		015 "DIA CIRC METAL
	0030/1532	LEN=0040 INSTALLED 1998
		015 "DIA CIRC METAL
	0030/0420	LEN=0036 INSTALLED 1998
		015 "DIA CIRC METAL
	0030/0129	LEN=0030 INSTALLED 1998
006416 FT	006416 FT	2 0 27034 0 00 0125+85
	S 0030/0000	LENGTH(AH 3458 BK 2972)
		015 "DIA CIRC METAL
	0020/2725	LEN=0030 INSTALLED UNKN
		015 "DIA CIRC METAL
	0020/1716	LEN=0030 INSTALLED 1998
		015 "DIA CIRC METAL
	0020/1401	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC METAL
	0020/0981	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0020/0661	LEN=0040 INSTALLED 1998
003444 FT	003444 FT	2 0 27034 0 00 0155+84
	S 0020/0000	LENGTH(AH 2972 BK 3444)
		015 "DIA CIRC METAL
	0010/3308	LEN=0040 INSTALLED 1998
		015 "DIA CIRC METAL
	0010/1943	LEN=0040 INSTALLED 1998
		015 "DIA CIRC METAL
	0010/1730	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC METAL
	0010/1031	LEN=0042 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0010/0247	LEN=0044 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0010/0031	LEN=0056 INSTALLED 1998
000000 FT	000000 FT	2 0 27034 0 00 0189+32
		TIONESTA NEILLTOWN RD
		(SR4001 SEG 0050/0000)
		NC JAMISON RUN RD
		MFC BEGIN = D
TIONESTA NEILLTOWN RD (SR4001 SEG 0050/0000) 0010/0000	S 0010/0000	LENGTH(AH 3444 BK 0000)

DIR: B TOTAL LEN: 7.451 MI. DIST: 01-3 SR: 4001
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

039341 FT

2 0 27005 0 00 0050+51 037261 FT
CARSONVILLE RD
(T366) 0160/0000

039341 FT AH-WARREN (61)
REF-AHD PINEVILLE RD
0160/2080 (SR3003 SEG 0010/0000)
020 "DIA CIR PLASTIC
0160/1953 LEN=0012 INSTALLED 2014
018 "DIA CIR PLASTIC
0160/1377 LEN=0012 INSTALLED 2014
020 "DIA CIR PLASTIC
0160/0973 LEN=0012 INSTALLED 2014

037261 FT MCFATE RD
(T365)
0160/0000 LENGTH(AH 2080 BK 3399)

018 "DIA CIR PLASTIC
0150/2461 LEN=0008 INSTALLED UNKN
018 "DIA CIR PLASTIC
0150/2275 LEN=0012 INSTALLED UNKN

018 "DIA CIRC METAL
0150/1103 LEN=0008 INSTALLED UNKN

018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 7.451 MI. DIST: 01-3 SR: 4001
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

		0150/0182	LEN=0015 INSTALLED UNKN
	033862 FT	033862 FT	2 0 27005 0 00 0016+63
		S 0150/0000	LENGTH(AH 3399 BK 1642)
			CHAPMAN RD
		0140/1572	(T302)
	032220 FT	032220 FT	2 0 27005 0 00 0000+00
			BUTCHER KNIFE HILL RD
			(SR0227 SEG 0020/0000)
			MFC BEGIN = E
		S 0140/0000	LENGTH(AH 1642 BK 2742)
			018 "DIA CIRC METAL
		0130/2478	LEN=0008 INSTALLED UNKN
			018 "DIA CIRC METAL
		0130/1720	LEN=0012 INSTALLED UNKN
			018 "DIA CIRC METAL
		0130/0075	LEN=0010 INSTALLED UNKN
1 0 00511 0 02 0447+45	029478 FT	029478 FT	
PIKE RD			
(T355)	0130/0000	S 0130/0000	LENGTH(AH 2742 BK 2633)
			018 "DIA CIRC METAL
		0120/1188	LEN=0012 INSTALLED UNKN
			026 "DIA CIRC METAL
		0120/0533	LEN=0012 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0120/0011	LEN=0040 INSTALLED 2019
	026845 FT	026845 FT	1 0 00511 0 02 0411+15
			MCCARTHY RUN RD
			(T353)
		S 0120/0000	LENGTH(AH 2633 BK 1901)
			018 "DIA CIRC METAL
		0110/1377	LEN=0012 INSTALLED UNKN
		0110/0083	BMSEN 27/4001/0110/0000
	024944 FT	024944 FT	1 0 00511 0 02 0392+13
			PITHOLE CREEK

DIR: B TOTAL LEN: 7.451 MI. DIST: 01-3 SR: 4001
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

			BMSBG 27/4001/0110/0000
		S 0110/0000	LENGTH(AH 1901 BK 1656)
			018 "DIA CIR PLASTIC
		0100/0845	LEN=0015 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0100/0435	LEN=0012 INSTALLED 2001
1 0 00511 0 02 0376+36 023288 FT		023288 FT	
HARMONY			
JENKS T 0100/0000		S 0100/0000	LENGTH(AH 1656 BK 2507)
			018 "DIA CIRC METAL
		0090/2233	LEN=0012 INSTALLED UNKN
			018 "DIA CIRC METAL
		0090/1271	LEN=0010 INSTALLED UNKN
			018 "DIA CIRC METAL
		0090/1052	LEN=0010 INSTALLED UNKN
			018 "DIA CIRC METAL
		0090/0558	LEN=0012 INSTALLED 2003
1 0 00511 0 02 0351+29 020781 FT		020781 FT	
JENKS			
HARMONY T 0090/0000		S 0090/0000	LENGTH(AH 2507 BK 2501)
			018 "DIA CIRC METAL
		0080/2236	LEN=0010 INSTALLED UNKN
			018 "DIA CIRC METAL
		0080/1594	LEN=0015 INSTALLED UNKN
018280 FT		018280 FT	1 0 00511 0 02 0326+28
		S 0080/0000	LENGTH(AH 2501 BK 2728)
			018 "DIA CIRC METAL
		0070/2495	LEN=0012 INSTALLED UNKN
			018 "DIA CIRC METAL
		0070/2166	LEN=0012 INSTALLED UNKN
			018 "DIA CIRC METAL
		0070/1918	LEN=0012 INSTALLED UNKN
			022 "DIA CIR PLASTIC
		0070/1592	LEN=0015 INSTALLED 2014
015552 FT		015552 FT	1 0 00511 0 02 0298+50
			FOGLE FARM RD
			(T304)
		S 0070/0000	LENGTH(AH 2728 BK 2948)

DIR: B TOTAL LEN: 7.451 MI. DIST: 01-3 SR: 4001
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

		0060/2370	FOGLE FARM RD (T304)
		0060/2320	018 "DIA CIRC METAL LEN=0018 INSTALLED 2014
		0060/2010	018 "DIA CIR PLASTIC LEN=0015 INSTALLED 2014
		0060/1260	015 "DIA CIRC METAL LEN=0015 INSTALLED UNKN
		0060/0875	018 "DIA CIR PLASTIC LEN=0015 INSTALLED 2014
		0060/0473	LC TO TANK HILL RD (CONN)
		0060/0453	015 "DIA CIRC CONCR LEN=0016 INSTALLED 2006
		0060/0401	TANK HILL RD (T357)
		0060/0237	018 "DIA CIR PLASTIC LEN=0016 INSTALLED 2006
		0060/0075	018 "DIA CIR PLASTIC LEN=0016 INSTALLED UNKN
1 0 00511 0 02 0268+58 012604 FT		012604 FT	
GREEN HILL RD (T351)			
STEWART RUN RD (SR4003 SEG 0040/1425)	0060/0000	S 0060/0000	LENGTH(AH 2948 BK 1573)
		0050/1155	024 "DIA CIRC METAL LEN=0018 INSTALLED 1998
		0050/0850	024 "DIA CIRC METAL LEN=0018 INSTALLED UNKN
		0050/0500	018 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
	011031 FT	011031 FT	1 0 00511 0 02 0253+00
			JAMISON RUN RD (SR4002 SEG 0010/0000)
		S 0050/0000	LENGTH(AH 1573 BK 3251)
		0040/3170	024 "DIA CIR PLASTIC LEN=0014 INSTALLED 2014
		0040/1285	018 "DIA CIRC METAL LEN=0014 INSTALLED UNKN
SHIELDS HILL RD (T349)	0040/0932		
	007780 FT	007780 FT	1 0 00511 0 02 0220+04

DIR: B TOTAL LEN: 7.451 MI. DIST: 01-3 SR: 4001
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

```
                                          S 0040/0000 LENGTH(AH 3251 BK 3062)
                                                      018 "DIA CIRC METAL
                                            0030/2577 LEN=0014 INSTALLED UNKN

                                                      018 "DIA CIR PLASTIC
                                            0030/1900 LEN=0014 INSTALLED 2014
                                                      018 "DIA CIRC METAL
                                            0030/1686 LEN=0016 INSTALLED UNKN
                                                      018 "DIA CIRC METAL
                                            0030/1464 LEN=0015 INSTALLED UNKN
                                                      020 "DIA CIRC METAL
                                            0030/1104 LEN=0016 INSTALLED UNKN
                                                      018 "DIA CIRC METAL
                                            0030/0911 LEN=0011 INSTALLED UNKN
                                                      018 "DIA CIRC METAL
                                            0030/0613 LEN=0012 INSTALLED UNKN

004718 FT                                   004718 FT 1 0 00511 0 02 0190+04
                                                      HARMONY
                                                      TIONESTA T
                                          S 0030/0000 LENGTH(AH 3062 BK 3390)
                                                      036 "DIA CIR PLASTIC
                                            0020/2985 LEN=0010 INSTALLED UNKN
                                                      018 "DIA CIRC METAL
                                            0020/2510 LEN=0010 INSTALLED UNKN
                                                      018 "DIA CIRC METAL
                                            0020/2256 LEN=0010 INSTALLED UNKN

                                                      018 "DIA CIRC METAL
                                            0020/1418 LEN=0015 INSTALLED UNKN


                                                      018 "DIA CIRC METAL
                                            0020/0416 LEN=0012 INSTALLED UNKN
001328 FT                                   001328 FT 1 0 00511 0 02 0159+09
                                          S 0020/0000 LENGTH(AH 3390 BK 1328)
                                                      018 "DIA CIR PLASTIC
                                            0010/1270 LEN=0011 INSTALLED 2004
                                                      018 "DIA CIR PLASTIC
                                            0010/0751 LEN=0022 INSTALLED 2014
                                                      018 "DIA CIRC METAL
                                            0010/0366 LEN=0016 INSTALLED UNKN
                                                      TO 0036/0210 SH
                                            0010/0063 (CONN)
000000 FT                                   000000 FT 1 0 00511 0 01 0141+00
                                                 NC NEILLTOWN RD
                                                      COL DRAKE HW
                                                      (SR0036 SEG 0220/0000)
                                                      MFC BEGIN = D
                                          S 0010/0000 LENGTH(AH 1328 BK 0000)
```

DIR: B TOTAL LEN: .354 MI. DIST: 01-3 SR: 3006
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

COL DRAKE HW	001869 FT	001869 FT	COL DRAKE HW
(SR0036 SEG 0100/0000)	0010/1869	0010/1869	(SR0036 SEG 0100/0000)
TO 0036/0100 SH			
(CONN)	0010/1514		
			018 "DIA CIRC CONCR
		0010/1448	LEN=0075 INSTALLED 2000
			018 "DIA CIRC METAL
		0010/0660	LEN=0040 INSTALLED 2000
	000000 FT	000000 FT	2 0 27019 0 00 0000+00
			RED BRUSH RD
			(SR3001 SEG 0150/0000)
			NC SR 3006 SH
SMOKY HILL RD			MFC BEGIN = E
(SR3001 SEG 0150/0000)	0010/0000	0010/0000	LENGTH(AH 1869 BK 0000)

DIR: B TOTAL LEN: 2.293 MI. DIST: 01-3 SR: 3005
LEFT MUN: GREEN T RIGHT MUN: GREEN T

NEBRASKA RD	012109 FT		012109 FT	GOLINZA RD
(SR3004 SEG 0170/0000)	0050/1095		0050/1095	(SR3004 SEG 0170/0000)
				PINEY CREEK
				STRUCTURE LENGTH 12 FT
			0050/0943	BMSID 27/3005/0050/0943
				018 "DIA CIR PLASTIC
			0050/0711	LEN=0035 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0050/0460	LEN=0040 INSTALLED 1997
				018 "DIA CIR PLASTIC
			0050/0200	LEN=0040 INSTALLED UNKN
	011014 FT		011014 FT	2 0 27019 0 00 0099+21
			S 0050/0000	LENGTH(AH 1095 BK 2290)
				018 "DIA CIR PLASTIC
			0040/2260	LEN=0035 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0040/2200	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0040/2005	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0040/1620	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0040/1207	LEN=0050 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0040/0865	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0040/0520	LEN=0050 INSTALLED UNKN
	008724 FT		008724 FT	2 0 27019 0 00 0075+82
			S 0040/0000	LENGTH(AH 2290 BK 2640)

DIR: B TOTAL LEN: 2.293 MI. DIST: 01-3 SR: 3005
LEFT MUN: GREEN T RIGHT MUN: GREEN T

			TAYLOR RD
		0030/2421	(T322)
			018 "DIA CIR PLASTIC
		0030/1985	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/1885	LEN=0040 INSTALLED UNKN
GREEN			
TIONESTA T	0030/0690		
	006084 FT	006084 FT	2 0 27019 0 00 0049+58
		0030/0000	LENGTH(AH 2640 BK 2941)
			048 "DIA CIRC METAL
		0020/2904	LEN=0040 INSTALLED 1997
			024 "DIA CIRC METAL
		0020/1278	LEN=0030 INSTALLED 1997
	003143 FT	003143 FT	2 0 27019 0 00 0020+17
			COL DRAKE HW
			(SR0036 SEG 0040/0000)
			MFC BEGIN = D
		0020/0000	LENGTH(AH 2941 BK 3143)
			018 "DIA CIR PLASTIC
		0010/1350	LEN=0045 INSTALLED 1997
			012"H 18"W ELLIP METAL
		0010/0778	LEN=0040 INSTALLED 2019
			018 "DIA CIR PLASTIC
		0010/0618	LEN=0040 INSTALLED 2019
			024 "DIA CIR PLASTIC
		0010/0130	LEN=0060 INSTALLED 2019
			018 "DIA CIR PLASTIC
		0010/0025	LEN=0040 INSTALLED 2019
	000000 FT	000000 FT	2 0 27030 0 00 0000+00
			NC SAGE RD
		REF-BK	SR 4019 SH
			(SR4019 SEG 0030/2575)
			MFC BEGIN = E
			BK-CLARION (16)
		0010/0000	LENGTH(AH 3143 BK 0000)

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: JENKS T RIGHT MUN: JENKS T

SR 0066 SH	118936 FT		118936 FT	SR 0066 SH
(SR0066 SEG 0080/0706)	0450/2029		0450/2029	(SR0066 SEG 0080/0706)
				018 "DIA CIRC METAL
			0450/1049	LEN=0014 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0450/0599	LEN=0014 INSTALLED UNKN
				018 "DIA CIRC METAL
			0450/0558	LEN=0014 INSTALLED UNKN
	116907 FT		116907 FT	2 0 27010 0 00 0724+77
			S 0450/0000	LENGTH(AH 2029 BK 1661)
				SCHRECENGOST RD
		==	0440/0041	(T352)
	115246 FT		115246 FT	2 0 27010 0 00 0708+00
			S 0440/0000	LENGTH(AH 1661 BK 1614)
				024 "DIA CIRC METAL
			0430/1222	LEN=0012 INSTALLED UNKN
				024 "DIA CIRC METAL
			0430/0821	LEN=0012 INSTALLED UNKN
				018 "DIA CIRC METAL
			0430/0085	LEN=0012 INSTALLED UNKN
	113632 FT		113632 FT	2 0 27010 0 00 0689+71
			S 0430/0000	LENGTH(AH 1614 BK 2592)
				018 "DIA CIRC METAL
			0420/1090	LEN=0012 INSTALLED UNKN
				018 "DIA CIRC METAL
			0420/0300	LEN=0016 INSTALLED UNKN
	111040 FT		111040 FT	2 0 27010 0 00 0665+07
			S 0420/0000	LENGTH(AH 2592 BK 2602)
				018 "DIA CIRC METAL
			0410/2290	LEN=0014 INSTALLED UNKN
SALMON CREEK RD				
(FRST)	0410/1858	==		
				016 "DIA CIRC METAL

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: JENKS T RIGHT MUN: JENKS T

```
                                          0410/1035 LEN=0014 INSTALLED UNKN
                                                    018 "DIA CIRC METAL
                                          0410/0825 LEN=0012 INSTALLED UNKN

                                                    016 "DIA CIRC METAL
                                          0410/0123 LEN=0012 INSTALLED UNKN
                108438 FT                 108438 FT 2 0 27010 0 00 0639+89
                                        S 0410/0000 LENGTH(AH 2602 BK 1984)
                                                    016 "DIA CIRC METAL
                                          0400/1610 LEN=0012 INSTALLED UNKN


                                                    018 "DIA CIRC METAL
                                          0400/0577 LEN=0014 INSTALLED UNKN
                                                    018 "DIA CIRC METAL
                                          0400/0113 LEN=0015 INSTALLED UNKN
                106454 FT                 106454 FT 2 0 27010 0 00 0620+05
                                        S 0400/0000 LENGTH(AH 1984 BK 3194)
                                                    #540 FORESTRY RD.
                                             ==   0390/2792 (FRST)
#213 FORESTRY RD.
(FRST)           0390/2627                  ==
                                                    018 "DIA CIR PLASTIC
                                          0390/2413 LEN=0014 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                          0390/1880 LEN=0016 INSTALLED UNKN
                                                    016 "DIA CIRC METAL
                                          0390/1440 LEN=0012 INSTALLED UNKN


                103260 FT                 103260 FT 2 0 27010 0 00 0588+11
                                                    JENKS
                                                    KINGSLEY T
                                        S 0390/0000 LENGTH(AH 3194 BK 2798)
                                                    018 "DIA CIRC METAL
                                          0380/2690 LEN=0012 INSTALLED UNKN
                                                    018 "DIA CIRC METAL
                                          0380/2290 LEN=0015 INSTALLED UNKN


                                                    016 "DIA CIRC METAL
                                          0380/1075 LEN=0014 INSTALLED UNKN

                100462 FT                 100462 FT 2 0 27010 0 00 0560+13
                                        S 0380/0000 LENGTH(AH 2798 BK 2788)
```

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

		0370/1841	016 "DIA CIR PLASTIC LEN=0012 INSTALLED 2003
		0370/1065	018 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
		0370/0650	024 "DIA CIR PLASTIC LEN=0012 INSTALLED 2003
		0370/0430	024 "DIA CIRC METAL LEN=0012 INSTALLED UNKN
097674 FT		097674 FT	2 0 27010 0 00 0532+25
		S 0370/0000	WARDS RANCH RD (SR2007 SEG 0060/1961) LENGTH(AH 2788 BK 2938)
		0360/2617	024 "DIA CIRC CONCR LEN=0014 INSTALLED UNKN
		0360/1135	015 "DIA CIRC METAL LEN=0014 INSTALLED UNKN
		0360/0611	018 "DIA CIRC METAL LEN=0012 INSTALLED UNKN
		0360/0139	015 "DIA CIRC METAL LEN=0014 INSTALLED UNKN
094736 FT		094736 FT	2 0 27010 0 00 0502+87
		S 0360/0000	LENGTH(AH 2938 BK 2926)
		0350/2631	024 "DIA CIRC METAL LEN=0014 INSTALLED UNKN
		0350/2387	018 "DIA CIRC METAL LEN=0014 INSTALLED UNKN
LEWIS RD (FRST)	0350/2059		
		0350/1638	024 "DIA CIRC METAL LEN=0014 INSTALLED UNKN
		0350/1295	018 "DIA CIRC METAL LEN=0014 INSTALLED UNKN
		0350/0955	018 "DIA CIRC METAL LEN=0015 INSTALLED UNKN
		0350/0875	#577 FORESTRY RD (FRST)
		0350/0794	036 "DIA CIRC METAL LEN=0014 INSTALLED UNKN
		0350/0437	018"H 00"W MULT PLSTIC LEN=0014 INSTALLED UNKN
		0350/0044	018 "DIA CIR PLASTIC LEN=0014 INSTALLED 1999
091810 FT		091810 FT	2 0 27010 0 00 0473+32
		S 0350/0000	LENGTH(AH 2926 BK 3254)
		0340/2879	KINGSLEY GREEN T

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

			024 "DIA CIR PLASTIC
		0340/2878	LEN=0012 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0340/1656	LEN=0014 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0340/0925	LEN=0012 INSTALLED 2003
			018 "DIA CIR PLASTIC
		0340/0555	LEN=0016 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0340/0427	LEN=0012 INSTALLED 2013
			024 "DIA CIR PLASTIC
		0340/0155	LEN=0012 INSTALLED 2013
	088556 FT	088556 FT	2 0 27010 0 00 0440+78
		S 0340/0000	LENGTH(AH 3254 BK 2577)
		0330/0603	BMSEN 27/3004/0330/0579
			0 0 00000 0 00 0000+00
			LT.COON CK.
		0330/0595	BMSBG 27/3004/0330/0579
			060"H 84"W ELLIP METAL
		0330/0548	LEN=0012 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0330/0341	LEN=0012 INSTALLED UNKN
2 0 27010 0 00 0415+20	085979 FT	085979 FT	
JONES FARM RD			
(T321)	0330/0000	S 0330/0000	LENGTH(AH 2577 BK 1533)
			018 "DIA CIR PLASTIC
		0320/1508	LEN=0015 INSTALLED UNKN
			018 "DIA CIRC METAL
		0320/1244	LEN=0014 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0320/0963	LEN=0014 INSTALLED UNKN
			015 "DIA CIRC METAL
		0320/0016	LEN=0014 INSTALLED UNKN
	084446 FT	084446 FT	2 0 27010 0 00 0399+49
		S 0320/0000	LENGTH(AH 1533 BK 2526)
			024 "DIA CIR PLASTIC
		0310/2370	LEN=0014 INSTALLED UNKN
			015 "DIA CIRC METAL
		0310/2298	LEN=0012 INSTALLED UNKN

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: GREEN T RIGHT MUN: GREEN T

		018 "DIA CIR PLASTIC
	0310/1914	LEN=0012 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0310/0877	LEN=0012 INSTALLED 1999
081920 FT	081920 FT	2 0 27010 0 00 0373+94
		018 "DIA CIR PLASTIC
		LEN=0012 INSTALLED 1999
	S 0310/0000	LENGTH(AH 2526 BK 2462)
		018 "DIA CIR PLASTIC
	0300/1967	LEN=0014 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0300/1450	LEN=0014 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0300/0824	LEN=0012 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0300/0303	LEN=0012 INSTALLED UNKN
079458 FT	079458 FT	2 0 27010 0 00 0349+32
	S 0300/0000	LENGTH(AH 2462 BK 2507)
		018 "DIA CIR PLASTIC
	0290/1903	LEN=0012 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0290/1662	LEN=0012 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0290/1363	LEN=0012 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0290/0948	LEN=0012 INSTALLED UNKN
076951 FT	076951 FT	2 0 27010 0 00 0324+25
	S 0290/0000	LENGTH(AH 2507 BK 2473)
		018 "DIA CIR PLASTIC
	0280/2403	LEN=0012 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0280/1934	LEN=0012 INSTALLED UNKN
		018 "DIA CIRC METAL
	0280/1092	LEN=0012 INSTALLED UNKN
074478 FT	074478 FT	2 0 27010 0 00 0299+75
	S 0280/0000	LENGTH(AH 2473 BK 2297)
		018 "DIA CIR PLASTIC
	0270/2156	LEN=0012 INSTALLED UNKN

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: GREEN T RIGHT MUN: GREEN T

		018 "DIA CIRC METAL
	0270/0558	LEN=0012 INSTALLED UNKN
072181 FT	072181 FT	2 0 27010 0 00 0276+78
	S 0270/0000	LENGTH(AH 2297 BK 2725)
		036 "DIA CIR PLASTIC
	0260/2285	LEN=0012 INSTALLED UNKN
		015 "DIA CIRC METAL
	0260/1980	LEN=0012 INSTALLED UNKN
		018 "DIA CIRC METAL
	0260/0538	LEN=0014 INSTALLED UNKN
069456 FT	069456 FT	2 0 27010 0 00 0249+74
		018 "DIA CIRC METAL
		LEN=0012 INSTALLED UNKN
	S 0260/0000	LENGTH(AH 2725 BK 2467)
		018 "DIA CIR PLASTIC
	0250/2104	LEN=0015 INSTALLED 2018
		018 "DIA CIR PLASTIC
	0250/1707	LEN=0018 INSTALLED 2018
		015 "DIA CIRC METAL
	0250/1255	LEN=0014 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0250/1023	LEN=0014 INSTALLED UNKN
		018 "DIA CIRC METAL
	0250/0680	LEN=0044 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0250/0305	LEN=0015 INSTALLED 2003
066989 FT	066989 FT	2 0 27010 0 00 0225+68
	S 0250/0000	LENGTH(AH 2467 BK 2486)
		018 "DIA CIR PLASTIC
	0240/2253	LEN=0014 INSTALLED UNKN
		018 "DIA CIRC METAL
	0240/2203	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC METAL
	0240/1888	LEN=0015 INSTALLED UNKN
		015 "DIA CIRC METAL
	0240/1420	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC METAL
	0240/0962	LEN=0014 INSTALLED UNKN
		018 "DIA CIRC METAL
	0240/0673	LEN=0014 INSTALLED UNKN
		018 "DIA CIRC METAL
	0240/0166	LEN=0014 INSTALLED UNKN
064503 FT	064503 FT	2 0 27010 0 00 0200+18
		018 "DIA CIR PLASTIC
		LEN=0012 INSTALLED 2007

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: GREEN T RIGHT MUN: GREEN T

	0240/0000	LENGTH(AH 2486 BK 1478)
		018 "DIA CIR UNKNOWN
	0230/0890	LEN=0012 INSTALLED UNKN
	0230/0121	BMSEN 27/3004/0230/0045
		2 0 27010 0 00 0185+62
		COON CREEK
	0230/0045	BMSBG 27/3004/0230/0045
063025 FT	063025 FT	2 0 27010 0 00 0185+20
		VILLAGE: GOLINZA
		GOLINZA MILL RD
		(T334)
	0230/0000	LENGTH(AH 1478 BK 3496)
		067"H 95"W ELLIP METAL
	0220/3294	LEN=0022 INSTALLED 2018
		018 "DIA CIR PLASTIC
	0220/2710	LEN=0014 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0220/2329	LEN=0014 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0220/2090	LEN=0016 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0220/1700	LEN=0016 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0220/1350	LEN=0016 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0220/0949	LEN=0016 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0220/0450	LEN=0014 INSTALLED UNKN
059529 FT	059529 FT	2 0 27010 0 00 0149+88
	0220/0000	LENGTH(AH 3496 BK 3276)
		018 "DIA CIR PLASTIC
	0210/3100	LEN=0014 INSTALLED 2007
		018 "DIA CIR PLASTIC
	0210/2493	LEN=0012 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0210/1368	LEN=0012 INSTALLED UNKN
		018 "DIA CIRC METAL
	0210/0978	LEN=0012 INSTALLED UNKN
056253 FT	056253 FT	2 0 27010 0 00 0117+12
		ALLIO RD
		(T332)
	0210/0000	LENGTH(AH 3276 BK 1956)

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: GREEN T RIGHT MUN: GREEN T

			018 "DIA CIR PLASTIC
		0200/0582	LEN=0020 INSTALLED 2018
	054297 FT	054297 FT	2 0 27010 0 00 0099+52
			COON CK.BR.
			STRUCTURE LENGTH 10 FT
			BMSID 27/3004/0200/0000
		S 0200/0000	LENGTH(AH 1956 BK 3143)
			018 "DIA CIR PLASTIC
		0190/2527	LEN=0014 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0190/1950	LEN=0012 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0190/0269	LEN=0014 INSTALLED 2016
	051154 FT	051154 FT	2 0 27010 0 00 0066+06
			NEBRASKA RD
			(T392)
		NC	GUITONVILLE RD
		S 0190/0000	LENGTH(AH 3143 BK 3374)
			018 "DIA CIR PLASTIC
		0180/3362	LEN=0020 INSTALLED 2018
			PINEY RD
BIG SIX RD		0180/3352	(PRDR)
(PRDR)	0180/3202		
			018 "DIA CIR PLASTIC
		0180/3036	LEN=0014 INSTALLED 2017
			018 "DIA CIR PLASTIC
		0180/2691	LEN=0014 INSTALLED 2018
			030 "DIA CIR PLASTIC
		0180/2362	LEN=0016 INSTALLED 2018
			018 "DIA CIR PLASTIC
		0180/2020	LEN=0014 INSTALLED 2018
			024 "DIA CIR PLASTIC
		0180/1573	LEN=0016 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0180/1261	LEN=0014 INSTALLED 2017
			018 "DIA CIR PLASTIC
		0180/0921	LEN=0018 INSTALLED 2017
			018 "DIA CIR PLASTIC
		0180/0502	LEN=0016 INSTALLED 2017
			018 "DIA CIR PLASTIC
		0180/0192	LEN=0016 INSTALLED 2017
	047780 FT	047780 FT	2 0 27010 0 00 0032+19
			048"H 60"W CON BOX CUL

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: GREEN T RIGHT MUN: GREEN T

		LEN=0016 INSTALLED UNKN
	S 0180/0000	LENGTH(AH 3374 BK 3243)
		015 "DIA CIRC METAL
	0170/3039	LEN=0016 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0170/2933	LEN=0016 INSTALLED 2018
		018 "DIA CIR PLASTIC
	0170/2645	LEN=0016 INSTALLED 2016
		018 "DIA CIR PLASTIC
	0170/2313	LEN=0016 INSTALLED 2016
		018 "DIA CIR PLASTIC
	0170/1879	LEN=0016 INSTALLED 2017
		018 "DIA CIR PLASTIC
	0170/1594	LEN=0016 INSTALLED 2017
		018 "DIA CIR PLASTIC
	0170/1317	LEN=0040 INSTALLED 2017
		030 "DIA CIRC CONCR
	0170/0762	LEN=0016 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0170/0442	LEN=0012 INSTALLED 2017
		018 "DIA CIR PLASTIC
	0170/0139	LEN=0016 INSTALLED 2018
044537 FT	044537 FT	2 0 27010 0 00 0000+00
		SR 3005 SAGE RD
		(SR3005 SEG 0050/1095)
	S 0170/0000	LENGTH(AH 3243 BK 3614)
		015 "DIA CIRC CONCR
	0160/3558	LEN=0016 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0160/3410	LEN=0016 INSTALLED 2018
		018 "DIA CIR PLASTIC
	0160/3177	LEN=0016 INSTALLED 2018
		018 "DIA CIRC CONCR
	0160/2851	LEN=0018 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0160/2547	LEN=0015 INSTALLED 2018
		015 "DIA CIRC CONCR
	0160/2330	LEN=0016 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0160/2130	LEN=0018 INSTALLED 2018
		015 "DIA CIRC CONCR
	0160/1975	LEN=0016 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0160/1666	LEN=0016 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0160/1431	LEN=0016 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0160/1170	LEN=0018 INSTALLED 2018
		018 "DIA CIR PLASTIC
	0160/0862	LEN=0018 INSTALLED UNKN

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: GREEN T RIGHT MUN: GREEN T

		018 "DIA CIR PLASTIC
	0160/0507	LEN=0018 INSTALLED UNKN
	0160/0028	BMSEN 27/3004/0160/0000
040923 FT	040923 FT	2 0 27008 0 00 0036+14
		PINEY CREEK
		BMSBG 27/3004/0160/0000
	S 0160/0000	LENGTH(AH 3614 BK 2169)
		018 "DIA CIR PLASTIC
	0150/2062	LEN=0014 INSTALLED 2018
		015 "DIA CIRC CONCR
	0150/1735	LEN=0014 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0150/1412	LEN=0016 INSTALLED UNKN
		BMSEN 27/3004/0150/0000
	0150/0187	BRIDGE POSTED (TONS)
038754 FT	038754 FT	2 0 27008 0 00 0057+43
		SGL 15 COMB
		TIONESTA CK.
		BMSBG 27/3004/0150/0000
	S 0150/0000	LENGTH(AH 2169 BK 2161)
		018 "DIA CIR PLASTIC
	0140/1291	LEN=0016 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0140/0750	LEN=0016 INSTALLED 2000
		015 "DIA CIR PLASTIC
	0140/0426	LEN=0018 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0140/0162	LEN=0016 INSTALLED 2003
036593 FT	036593 FT	2 0 27008 0 00 0080+24
	S 0140/0000	LENGTH(AH 2161 BK 2760)
		018 "DIA CIR PLASTIC
	0130/2432	LEN=0016 INSTALLED 2000
		018 "DIA CIR PLASTIC
	0130/1759	LEN=0020 INSTALLED 2000
		018 "DIA CIR PLASTIC
	0130/1371	LEN=0018 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0130/0788	LEN=0018 INSTALLED 2003
		018 "DIA CIR PLASTIC
	0130/0520	LEN=0020 INSTALLED 2000
033833 FT	033833 FT	2 0 27008 0 00 0107+84
		018 "DIA CIR PLASTIC
		LEN=0014 INSTALLED 2000
	S 0130/0000	LENGTH(AH 2760 BK 3252)

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: GREEN T RIGHT MUN: GREEN T

		015 "DIA CIR PLASTIC
	0120/1327	LEN=0018 INSTALLED 2000
		018 "DIA CIR PLASTIC
	0120/1040	LEN=0017 INSTALLED UNKN
030581 FT	030581 FT	2 0 27008 0 00 0140+36
	S 0120/0000	LENGTH(AH 3252 BK 3562)
		018 "DIA CIR PLASTIC
	0110/3411	LEN=0015 INSTALLED 2000
		015 "DIA CIRC METAL
	0110/1904	LEN=0012 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0110/1337	LEN=0014 INSTALLED 2000
027019 FT	027019 FT	2 0 27008 0 00 0175+98
	S 0110/0000	LENGTH(AH 3562 BK 1461)
		018 "DIA CIRC METAL
	0100/1461	LEN=0018 INSTALLED UNKN
		024 "DIA CIRC METAL
	0100/1025	LEN=0014 INSTALLED UNKN
025558 FT	025558 FT	2 0 27008 0 00 0190+59
		VILLAGE: KISER CORNERS
		NC NEBRASKA RD
		GERMAN HILL RD
		(SR4004 SEG 0100/0000)
	S 0100/0000	LENGTH(AH 1461 BK 2571)
		018 "DIA CIRC METAL
	0094/1875	LEN=0018 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0094/0920	LEN=0014 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0094/0574	LEN=0018 INSTALLED UNKN
		048"H 72"W UNKN CONC
	0094/0001	LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: GREEN T RIGHT MUN: GREEN T

	022987 FT	022987 FT	2 0 27008 0 00 0216+34 060 "DIA CIRC OTHER LEN=0018 INSTALLED 2003
		0094/0000	LENGTH(AH 2571 BK 3447) 027 "DIA CIR PLASTIC
		0090/2963	LEN=0014 INSTALLED 2003
2 0 27008 0 00 0250+81 GRANGE HALL RD (SR4008 SEG 0010/0000)	019540 FT 0090/0000	019540 FT	
		0090/0000	LENGTH(AH 3447 BK 2773) 018 "DIA CIR PLASTIC
		0080/2411	LEN=0016 INSTALLED 2015
			015 "DIA CIRC METAL
		0080/1684	LEN=0014 INSTALLED UNKN
	016767 FT	016767 FT	2 0 27008 0 00 0278+45 PIGEON HILL RD (T337)
		0080/0000	LENGTH(AH 2773 BK 2345) 015 "DIA CIRC CONCR
		0070/1858	LEN=0014 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0070/0684	LEN=0014 INSTALLED UNKN
	014422 FT	014422 FT	2 0 27008 0 00 0301+90 GREEN HICKORY T
		0070/0000	LENGTH(AH 2345 BK 2231) 018 "DIA CIR PLASTIC
		0060/2021	LEN=0013 INSTALLED 2009 018 "DIA CIR PLASTIC
		0060/1640	LEN=0014 INSTALLED 2015 018 "DIA CIR PLASTIC
		0060/1426	LEN=0014 INSTALLED 2015 018 "DIA CIRC METAL
		0060/1421	LEN=0014 INSTALLED UNKN HI ROCK RD

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

		0060/1174	(PRDR)
			FIFTH AVE
		0060/0498	(PRDR)
			018 "DIA CIR PLASTIC
		0060/0299	LEN=0014 INSTALLED UNKN
012191 FT		012191 FT	2 0 27008 0 00 0324+28
			015 "DIA CIR PLASTIC
			LEN=0016 INSTALLED UNKN
		S 0060/0000	LENGTH(AH 2231 BK 3108)
			FOURTH AV
		0050/2637	(PRDR)
			015 "DIA CIR PLASTIC
		0050/2495	LEN=0012 INSTALLED UNKN
			018 "DIA CIRC METAL
		0050/1855	LEN=0018 INSTALLED UNKN
			048 "DIA CIR PLASTIC
		0050/0247	LEN=0060 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0050/0006	LEN=0006 INSTALLED UNKN
009083 FT		009083 FT	2 0 27008 0 00 0355+63
			VILLAGE: LITTLE HICKORY
		S 0050/0000	LENGTH(AH 3108 BK 2971)
ALBAUGH HILL RD (T347)	0040/2951		
			018 "DIA CIR PLASTIC
		0040/2940	LEN=0015 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/2810	LEN=0015 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0040/2442	LEN=0012 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/1613	LEN=0012 INSTALLED 2007
			018 "DIA CIR PLASTIC
		0040/1292	LEN=0015 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/0922	LEN=0015 INSTALLED 2015
			018 "DIA CIR PLASTIC
		0040/0679	LEN=0050 INSTALLED 2015
			015 "DIA CIR PLASTIC
		0040/0653	LEN=0015 INSTALLED UNKN
			018 "DIA CIRC METAL
		0040/0457	LEN=0015 INSTALLED UNKN
		0040/0016	BMSEN 27/3004/0040/0000

DIR: B TOTAL LEN: 22.526 MI. DIST: 01-3 SR: 3004
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

	006112 FT	006112 FT	2 0 27008 0 00 0385+21
			LT. HICKORY
			BMSBG 27/3004/0040/0000
		0040/0000	LENGTH(AH 2971 BK 1722)
		0030/0990	BMSEN 27/3004/0030/0955
			0 0 00000 0 00 0000+00
			LT.HICK.CK.
		0030/0955	BMSBG 27/3004/0030/0955
			018 "DIA CIRC METAL
		0030/0451	LEN=0015 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/0092	LEN=0012 INSTALLED UNKN
2 0 27008 0 00 0403+21	004390 FT	004390 FT	
CONNELLY HILL RD			
(T326)	0030/0000	0030/0000	LENGTH(AH 1722 BK 3037)
			036 "DIA CIR PLASTIC
		0020/2790	LEN=0015 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/2137	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/1936	LEN=0015 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1740	LEN=0012 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/1360	LEN=0015 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/1075	LEN=0015 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/0918	LEN=0015 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/0710	LEN=0014 INSTALLED UNKN
		0020/0031	BMSEN 27/3004/0020/0000
	001353 FT	001353 FT	2 0 27008 0 00 0433+48
			LT.HICK.CK.
			BMSBG 27/3004/0020/0000
		0020/0000	LENGTH(AH 3037 BK 1353)
			024 "DIA CIRC CONCR
		0010/0468	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0019	LEN=0050 INSTALLED UNKN
	000000 FT	000000 FT	2 0 27008 0 00 0447+15
			NC LITTLE HICKORY RD
			SR 0062 SH
			(SR0062 SEG 0230/0000)
			MFC BEGIN = D
		0010/0000	LENGTH(AH 1353 BK 0000)

DIR: B TOTAL LEN: 1.926 MI. DIST: 01-3 SR: 3003
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

COL DRAKE HW	010169 FT	010169 FT	COL DRAKE HW
(SR0036 SEG 0050/0000)	0040/2174	0040/2174	(SR0036 SEG 0050/0000)
			018 "DIA CIR PLASTIC
		0040/1825	LEN=0040 INSTALLED 2016
			PENNDOT STOCKPILE YD #8
		0040/1624	(GOVT)
			018 "DIA CIR PLASTIC
		0040/0476	LEN=0050 INSTALLED 1999
	007995 FT	007995 FT	2 0 27026 0 00 0079+91

DIR: B TOTAL LEN: 1.926 MI. DIST: 01-3 SR: 3003
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

```
                                          S 0040/0000 LENGTH(AH 2174 BK 2143)
                                                      018 "DIA CIR PLASTIC
                                            0030/1970 LEN=0060 INSTALLED 1997
                                                      015 "DIA CIRC METAL
                                            0030/1498 LEN=0050 INSTALLED 1997
                                                      015 "DIA CIRC METAL
                                            0030/1225 LEN=0050 INSTALLED 1997
                                                      018 "DIA CIR PLASTIC
                                            0030/0828 LEN=0045 INSTALLED 1997
                                                      018 "DIA CIR PLASTIC
                                            0030/0675 LEN=0045 INSTALLED 1999

005852 FT                                   005852 FT 2 0 27026 0 00 0058+48
                                                      LT.TIONESTA
                                                      STRUCTURE LENGTH  15 FT
                                                      BMSID 27/3003/0030/0000
                                          S 0030/0000 LENGTH(AH 2143 BK 3357)

                                                      018 "DIA CIR PLASTIC
                                            0020/2740 LEN=0050 INSTALLED 1999

                                                      018 "DIA CIR PLASTIC
                                            0020/2054 LEN=0050 INSTALLED 1999

                                                      018 "DIA CIR PLASTIC
                                            0020/1330 LEN=0045 INSTALLED 1999
                                                      024 "DIA CIR PLASTIC
                                            0020/1110 LEN=0055 INSTALLED 1999
                                                      015 "DIA CIRC METAL
                                            0020/0540 LEN=0045 INSTALLED 1997
                                                      018 "DIA CIR PLASTIC
                                            0020/0208 LEN=0045 INSTALLED 1997
002495 FT                                   002495 FT 2 0 27026 0 00 0024+95
                                                 NC WALTONBAUGH RD
                                          S 0020/0000 LENGTH(AH 3357 BK 2495)



                                                      036 "DIA CIRC METAL
                                            0010/0400 LEN=0040 INSTALLED 1997
000000 FT                                   000000 FT 2 0 27026 0 00 0000+00
                                                 NC SHRIVER RD
                                                      RED BRUSH RD
                                                      (SR3001 SEG 0020/0000)
                                            INTER-BK  STITZINGER RD
                                                      (T318)
                                                      MFC BEGIN = E
                                          S 0010/0000 LENGTH(AH 2495 BK 0000)
```

DIR: B TOTAL LEN: .788 MI. DIST: 01-3 SR: 3002
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

SR 0062 SH	004160 FT	004160 FT	SR 0062 SH
(SR0062 SEG 0030/0379)	0020/2194	0020/2194	(SR0062 SEG 0030/0379)
			015 "DIA CIRC METAL
		0020/1706	LEN=0012 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0820	LEN=0018 INSTALLED 2010
	001966 FT	001966 FT	1 0 00750 1 00 0019+80
		S 0020/0000	LENGTH(AH 2194 BK 1966)
		0010/0343	BMSEN 27/3002/0010/0330
			1 0 00750 1 00 0003+45
			HOLEMAN RUN
		0010/0330	BMSBG 27/3002/0010/0330
			015 "DIA CIRC METAL
		0010/0015	LEN=0012 INSTALLED UNKN
	000000 FT	000000 FT	1 0 00750 1 00 0000+00
			NC STEWART RUN RD
		* REF-BK	STEWART RUN RD
			(T537)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 1966 BK 0000)

DIR: B TOTAL LEN: 8.045 MI. DIST: 01-3 SR: 3001
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

COL DRAKE HW	042475 FT		042475 FT COL DRAKE HW
(SR0036 SEG 0130/0000)	0170/2594		0170/2594 (SR0036 SEG 0130/0000)
			018 "DIA CIR PLASTIC
			0170/2200 LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0170/2000 LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0170/1880 LEN=0060 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0170/1575 LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0170/1200 LEN=0045 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0170/0780 LEN=0045 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0170/0470 LEN=0045 INSTALLED 2001
			015 "DIA CIRC METAL
			0170/0182 LEN=0045 INSTALLED UNKN
	039881 FT		039881 FT 2 0 27001 0 00 0402+08
		S	0170/0000 LENGTH(AH 2594 BK 2498)
			018 "DIA CIR PLASTIC
			0160/2435 LEN=0060 INSTALLED 1997
			015 "DIA CIRC METAL
			0160/2030 LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0160/1823 LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0160/1687 LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0160/1045 LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0160/0882 LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0160/0560 LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0160/0215 LEN=0050 INSTALLED 1997
	037383 FT		037383 FT 2 0 27001 0 00 0377+10
		S	0160/0000 LENGTH(AH 2498 BK 2328)

DIR: B TOTAL LEN: 8.045 MI. DIST: 01-3 SR: 3001
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

		015 "DIA CIR PLASTIC
	0150/0960	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0150/0615	LEN=0031 INSTALLED 2006
035055 FT	035055 FT	2 0 27001 0 00 0353+82
		NC SMOKEY HILL RD
		SMOKEY HILL RD
		(SR3006 SEG 0010/0000)
	S 0150/0000	LENGTH(AH 2328 BK 2676)
		015 "DIA CIRC METAL
	0140/2430	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0140/2048	LEN=0040 INSTALLED 1999
		015 "DIA CIRC METAL
	0140/1664	LEN=0050 INSTALLED 1997
		018 "DIA CIRC METAL
	0140/1239	LEN=0050 INSTALLED 1997
		024 "DIA CIRC METAL
	0140/0690	LEN=0050 INSTALLED 2007
		018 "DIA CIR PLASTIC
	0140/0342	LEN=0050 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0140/0038	LEN=0060 INSTALLED 2010
032379 FT	032379 FT	2 0 27001 0 00 0326+21
	S 0140/0000	LENGTH(AH 2676 BK 2571)
		018 "DIA CIR PLASTIC
	0130/2341	LEN=0050 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0130/2120	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0130/1850	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0130/1590	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0130/1200	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0130/0960	LEN=0040 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0130/0520	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0130/0318	LEN=0040 INSTALLED 1997
	0130/0039	BMSEN 27/3001/0130/0017
029808 FT	029808 FT	2 0 27001 0 00 0299+75
		LT.TIONESTA
		BMSBG 27/3001/0130/0017
	S 0130/0000	LENGTH(AH 2571 BK 2332)
		ALLIO RD

DIR: B TOTAL LEN: 8.045 MI. DIST: 01-3 SR: 3001
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

		0120/2291	(T314)
		0120/1960	BMSEN 27/3001/0120/2013
			2 0 27001 0 00 0276+59
			KORB RUN
		0120/1948	BMSBG 27/3001/0120/2013
			018 "DIA CIR PLASTIC
		0120/1595	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0120/1325	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0120/1000	LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0120/0400	LEN=0040 INSTALLED 1999
	027476 FT	027476 FT	2 0 27001 0 00 0276+59
			018 "DIA CIR PLASTIC
			LEN=0040 INSTALLED 2019
		S 0120/0000	LENGTH(AH 2332 BK 2537)
			018 "DIA CIR PLASTIC
		0110/1900	LEN=0045 INSTALLED 1997
			015 "DIA CIRC METAL
		0110/0840	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0110/0562	LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0110/0300	LEN=0050 INSTALLED 1997
			030 "DIA CIR PLASTIC
		0110/0060	LEN=0060 INSTALLED 2016
	024939 FT	024939 FT	2 0 27001 0 00 0251+22
		S 0110/0000	LENGTH(AH 2537 BK 3322)
			018 "DIA CIR PLASTIC
		0100/2814	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0100/2482	LEN=0045 INSTALLED 1997
			024 "DIA CIRC METAL
		0100/1979	LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0100/1144	LEN=0040 INSTALLED 1997
LC TO PRESIDENT RD (CONN)	0100/0154		
2 0 27001 0 00 0218+00	021617 FT	021617 FT	
PRESIDENT RD (T317)	0100/0000	S 0100/0000	LENGTH(AH 3322 BK 1629)

DIR: B TOTAL LEN: 8.045 MI. DIST: 01-3 SR: 3001
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

	019988 FT		019988 FT 2 0 27001 0 00 0201+02
		S	0090/0000 LENGTH(AH 1629 BK 2489)
			018 "DIA CIRC METAL
			0080/1857 LEN=0040 INSTALLED 2007
			018 "DIA CIR PLASTIC
			0080/1590 LEN=0050 INSTALLED 1997
			030 "DIA CIR PLASTIC
			0080/1125 LEN=0040 INSTALLED 2006
			036 "DIA CIR PLASTIC
			0080/1039 LEN=0050 INSTALLED 1998
			018 "DIA CIR PLASTIC
			0080/0284 LEN=0045 INSTALLED 1997
	017499 FT		017499 FT 2 0 27001 0 00 0176+13
		S	0080/0000 LENGTH(AH 2489 BK 2625)
			024 "DIA CIR PLASTIC
			0070/1349 LEN=0035 INSTALLED 2005
	014874 FT		014874 FT 2 0 27001 0 00 0149+88
			ALLIO RD
			(T314)
		S	0070/0000 LENGTH(AH 2625 BK 2690)
			024 "DIA CIR PLASTIC
			0060/1730 LEN=0032 INSTALLED 1997
			015 "DIA CIRC METAL
			0060/0923 LEN=0050 INSTALLED 1997
2 0 27001 0 00 0122+77	012184 FT		012184 FT
HEMLOCK RD			
(T316)	0060/0000	S	0060/0000 LENGTH(AH 2690 BK 2078)
			018 "DIA CIR PLASTIC
			0050/1300 LEN=0035 INSTALLED UNKN
	010106 FT		010106 FT 2 0 27001 0 00 0101+87

DIR: B TOTAL LEN: 8.045 MI. DIST: 01-3 SR: 3001
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

```
                                                  S 0050/0000 LENGTH(AH 2078 BK 2584)
                                                            018 "DIA CIR PLASTIC
                                                    0040/2076 LEN=0045 INSTALLED 2010

                                                            015 "DIA CIRC METAL
                                                    0040/0786 LEN=0040 INSTALLED 1997

                        007522 FT                   007522 FT 2 0 27001 0 00 0076+03
                                                  S 0040/0000 LENGTH(AH 2584 BK 2507)
                                                            015 "DIA CIR PLASTIC
                                                    0030/2275 LEN=0030 INSTALLED 1997

                                                            015 "DIA CIR PLASTIC
                                                    0030/1382 LEN=0033 INSTALLED 1997

                                                            015 "DIA CIRC METAL
                                                    0030/0370 LEN=0035 INSTALLED 1997
                                                            018 "DIA CIR PLASTIC
                                                    0030/0088 LEN=0036 INSTALLED 1997
                        005015 FT                   005015 FT 2 0 27001 0 00 0050+96
                                                  S 0030/0000 LENGTH(AH 2507 BK 2098)

                                                            018 "DIA CIR PLASTIC
                                                    0020/1275 LEN=0045 INSTALLED 1997

2 0 27001 0 00 0029+98  002917 FT                   002917 FT STITZINGER RD
STITZINGER RD                                               (SR3003 SEG 0010/0000)
(T318)                   0020/0000                  S 0020/0000 LENGTH(AH 2098 BK 2917)

                                                            018 "DIA CIR PLASTIC
                                                    0010/2195 LEN=0040 INSTALLED 2015
                                                            015 "DIA CIRC METAL
                                                    0010/1830 LEN=0035 INSTALLED 1997
                                                            018 "DIA CIR PLASTIC
                                                    0010/1254 LEN=0040 INSTALLED 1997

                        000000 FT                   000000 FT 2 0 27001 0 00 0000+00
                                                          NC RED BRUSH RD
                                                  * REF-BK  SR 4017 SH
                                                            (SR4017 SEG 0060/3121)
                                                            MFC BEGIN = D
                                                             BK-CLARION        (16)
                                                  S 0010/0000 LENGTH(AH 2917 BK 0000)
```

DIR: B TOTAL LEN: 3.059 MI. DIST: 01-3 SR: 2008
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

```
016149 FT                    016149 FT SR 0899 SH
                             0060/2718 (SR0899 SEG 0100/0000)
                                       027 "DIA CIRC METAL
                             0060/2410 LEN=0013 INSTALLED UNKN

                                       018 "DIA CIR PLASTIC
                             0060/0313 LEN=0011 INSTALLED UNKN
013431 FT                    013431 FT 2 0 27033 0 00 0134+67
                           5 0060/0000 LENGTH(AH 2718 BK 2468)
                                       018 "DIA CIR PLASTIC
                             0050/1981 LEN=0015 INSTALLED 2007
                                       018 "DIA CIR PLASTIC
                             0050/1635 LEN=0016 INSTALLED 2007
                                       018 "DIA CIR PLASTIC
                             0050/1429 LEN=0020 INSTALLED 2007

                                       024 "DIA CIR PLASTIC
                             0050/0744 LEN=0023 INSTALLED UNKN
                                       060 "DIA CIR PLASTIC
                             0050/0599 LEN=0050 INSTALLED UNKN
010963 FT                    010963 FT 2 0 27033 0 00 0109+99
                           5 0050/0000 LENGTH(AH 2468 BK 2528)
                                       018 "DIA CIR PLASTIC
                             0040/2047 LEN=0020 INSTALLED UNKN
```

DIR: B TOTAL LEN: 3.059 MI. DIST: 01-3 SR: 2008
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

		060 "DIA CIRC CONCR
	0040/0140	LEN=0015 INSTALLED 2007
008435 FT	008435 FT	2 0 27033 0 00 0084+71
	S 0040/0000	LENGTH(AH 2528 BK 2596)
		018 "DIA CIR PLASTIC
	0030/2532	LEN=0015 INSTALLED 2007
		018 "DIA CIRC METAL
	0030/2274	LEN=0015 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/1821	LEN=0012 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0030/1038	LEN=0012 INSTALLED 2007
	0030/0062	BMSEN 27/2008/0030/0000
005839 FT	005839 FT	2 0 27033 0 00 0058+99
		MAPLE CREEK
		BMSBG 27/2008/0030/0000
	S 0030/0000	LENGTH(AH 2596 BK 3349)
		018 "DIA CIR PLASTIC
	0020/2513	LEN=0015 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/1995	LEN=0020 INSTALLED UNKN
		018 "DIA CIRC METAL
	0020/1175	LEN=0011 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/0499	LEN=0039 INSTALLED UNKN
002490 FT	002490 FT	2 0 27033 0 00 0025+82
	S 0020/0000	LENGTH(AH 3349 BK 2490)
		018 "DIA CIR PLASTIC
	0010/1362	LEN=0014 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/0555	LEN=0013 INSTALLED 2007
000000 FT	000000 FT	2 0 27033 0 00 0000+00
		024"H 00"W MULT PLSTIC
		LEN=0015 INSTALLED UNKN
		NC BEAR RUN RD
		GREENWOOD RD
		(SR2001 SEG 0090/0000)
		MFC BEGIN = E
	S 0010/0000	LENGTH(AH 2490 BK 0000)

DIR: B TOTAL LEN: 3.200 MI. DIST: 01-3 SR: 2007
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

016894 FT



016894 FT GUITONVILLE RD
0060/1961 (SR3004 SEG 0370/0000)
018 "DIA CIR PLASTIC
0060/1555 LEN=0024 INSTALLED 1997

014933 FT

014933 FT 2 0 27035 0 00 0149+88
018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.200 MI. DIST: 01-3 SR: 2007
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

		LEN=0040 INSTALLED 2005
	S 0060/0000	LENGTH(AH 1961 BK 1936)
		018 "DIA CIR PLASTIC
	0050/1319	LEN=0060 INSTALLED 2001
		018 "DIA CIRC METAL
	0050/1023	LEN=0025 INSTALLED 1997
		036 "DIA CIR PLASTIC
	0050/0737	LEN=0040 INSTALLED 2004
		018 "DIA CIR PLASTIC
	0050/0318	LEN=0040 INSTALLED 2001
		024 "DIA CIR PLASTIC
	0050/0150	LEN=0040 INSTALLED UNKN
012997 FT	012997 FT	2 0 27035 0 00 0130+60
		KINGSLEY
		GREEN T
	S 0050/0000	LENGTH(AH 1936 BK 3076)
		024 "DIA CIR PLASTIC
	0040/3068	LEN=0032 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0040/2854	LEN=0043 INSTALLED 1997
		024 "DIA CIR PLASTIC
	0040/2441	LEN=0040 INSTALLED 2001
		015 "DIA CIRC METAL
	0040/2070	LEN=0030 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0040/1535	LEN=0040 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0040/0915	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/0486	LEN=0040 INSTALLED 2005
		018 "DIA CIR PLASTIC
	0040/0203	LEN=0040 INSTALLED 1997
009921 FT	009921 FT	2 0 27035 0 00 0099+26
		024 "DIA CIR PLASTIC
		LEN=0040 INSTALLED 1997
	S 0040/0000	LENGTH(AH 3076 BK 3445)
		024 "DIA CIR PLASTIC
	0030/3210	LEN=0040 INSTALLED 2001
		018 "DIA CIR PLASTIC
	0030/2545	LEN=0030 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0030/2430	LEN=0040 INSTALLED 2005
		015 "DIA CIR PLASTIC
	0030/1911	LEN=0030 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0030/1485	LEN=0030 INSTALLED 1997
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.200 MI. DIST: 01-3 SR: 2007
LEFT MUN: GREEN T RIGHT MUN: GREEN T

```
                                          0030/1193 LEN=0040 INSTALLED 2001
                                                    024 "DIA CIR PLASTIC
                                          0030/1011 LEN=0040 INSTALLED 2001
                                                    018 "DIA CIR PLASTIC
                                          0030/0795 LEN=0040 INSTALLED 2001
                                                    018 "DIA CIR PLASTIC
                                          0030/0546 LEN=0040 INSTALLED 2001
                                                    018 "DIA CIR PLASTIC
                                          0030/0145 LEN=0030 INSTALLED 1997
                                          0030/0029 BMSEN 27/2007/0030/0000
006476 FT                                 006476 FT 2 0 27035 0 00 0065+00
                                                    COON CREEK
                                                    BMSBG 27/2007/0030/0000
                                        S 0030/0000 LENGTH(AH 3445 BK 3514)

                                                    018 "DIA CIR PLASTIC
                                          0020/2778 LEN=0040 INSTALLED 1997
                                                    018 "DIA CIRC METAL
                                          0020/2507 LEN=0040 INSTALLED 1997
                                                    018 "DIA CIRC METAL
                                          0020/2237 LEN=0040 INSTALLED 1997
                                                    018 "DIA CIR PLASTIC
                                          0020/1986 LEN=0040 INSTALLED 1997
                                                    015 "DIA CIRC METAL
                                          0020/1638 LEN=0040 INSTALLED 1997
                                                    018 "DIA CIR PLASTIC
                                          0020/1462 LEN=0040 INSTALLED 2001
                                                    018 "DIA CIR PLASTIC
                                          0020/1188 LEN=0040 INSTALLED 1997
                                                    018 "DIA CIRC METAL
                                          0020/0623 LEN=0040 INSTALLED 1997

002962 FT                                 002962 FT 2 0 27035 0 00 0029+62
                                        S 0020/0000 LENGTH(AH 3514 BK 2962)

                                                    018 "DIA CIRC METAL
                                          0010/2080 LEN=0040 INSTALLED 2001
                                                    018 "DIA CIR PLASTIC
                                          0010/1568 LEN=0040 INSTALLED 1997
                                                    018 "DIA CIR PLASTIC
                                          0010/1093 LEN=0040 INSTALLED 2001
                                                    018 "DIA CIR PLASTIC
                                          0010/0745 LEN=0040 INSTALLED 1997

000000 FT                                 000000 FT 2 0 27035 0 00 0000+00
                                                NC WARDS RANCH RD
                                        * REF-BK    MCDONALD RD
                                                    (T640)
                                                    MFC BEGIN = E
                                        S 0010/0000 LENGTH(AH 2962 BK 0000)
```

DIR: B TOTAL LEN: .000 MI. DIST: 01-3 SR: 2006
LEFT MUN: JENKS T RIGHT MUN: JENKS T

000000 FT		000000 FT
		7060/0000 LENGTH(AH 1623 BK 2643)
000000 FT		000000 FT
		7050/0000 LENGTH(AH 2643 BK 2693)
000000 FT		000000 FT
		7040/0000 LENGTH(AH 2693 BK 2605)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 2605 BK 2511)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 2511 BK 2873)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 2873 BK 0000)

DIR: B TOTAL LEN: 4.735 MI. DIST: 01-3 SR: 2005
LEFT MUN: JENKS T RIGHT MUN: JENKS T

	025001 FT	025001 FT	
		REF-AHD	BEAVER MEADOWS RD
		0110/1472	(T358)
			BIRCH ST
		0110/1275	(T331)
			MAPLE ST
		0110/0860	(T329)
			015 "DIA CIRC CONCR
		0110/0842	LEN=0040 INSTALLED 2001
			015 "DIA CIRC METAL
		0110/0607	LEN=0030 INSTALLED UNKN
1 1 06380 0 00 0013+24	023529 FT	023529 FT	
WALNUT ST			CHESTNUT ST
(T357)			(SR0066 SEG 0130/0264)
SPRUCE ST			SPRUCE ST
(T379)			(T379)
CHESTNUT ST			MFC BEGIN = E
(SR0066 SEG 0130/0264)	0110/0000	0110/0000	LENGTH(AH 1472 BK 1284)
			018 "DIA CIR PLASTIC
		0100/1150	LEN=0015 INSTALLED UNKN
TOWN CR			
(T376)	0100/1079		
		0100/0974	(AAR 148537A)#TRKS 02
			012 "DIA CIRC METAL
		0100/0934	LEN=0012 INSTALLED UNKN
			018 "DIA CIRC METAL
		0100/0549	LEN=0012 INSTALLED UNKN
			012 "DIA CIRC METAL

DIR: B TOTAL LEN: 4.735 MI. DIST: 01-3 SR: 2005
LEFT MUN: JENKS T RIGHT MUN: JENKS T

```
                                        0100/0397 LEN=0015 INSTALLED UNKN
                                                  FORRESTRY DR
                                   ==   0100/0361 (TWP )
                                                  LOCUST ST
                                   ==   0100/0100 (T375)
022245 FT                               022245 FT 1 1 06380 0 00 0000+00
                                      S 0100/0000 LENGTH(AH 1284 BK 1327)
                                            NC FOREST ST
                                                  CYPRESS ST
                                   ==   0090/0925 (T373)
                                                  024 "DIA CIRC METAL
                                        0090/0750 LEN=0013 INSTALLED UNKN

020918 FT                               020918 FT 2 0 27027 0 00 0209+78
                                      S 0090/0000 LENGTH(AH 1327 BK 2285)
                                                  015 "DIA CIRC CONCR
                                        0080/1962 LEN=0011 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0080/1590 LEN=0017 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0080/1330 LEN=0012 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0080/1062 LEN=0012 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0080/0789 LEN=0015 INSTALLED UNKN

                                        0080/0076 BMSEN 27/2005/0080/0000
018633 FT                               018633 FT 2 0 27027 0 00 0186+90
                                                  WEST BRANCH MILLSTONE C
                                                  BMSBG 27/2005/0080/0000
                                      S 0080/0000 LENGTH(AH 2285 BK 3183)
                                                  015 "DIA CIRC CONCR
                                        0070/2896 LEN=0013 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0070/2601 LEN=0013 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0070/2220 LEN=0020 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0070/1964 LEN=0017 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0070/1645 LEN=0013 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0070/1354 LEN=0012 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0070/1197 LEN=0012 INSTALLED UNKN
                                                  BUZZARD SWAMP ROAD
                                   ==   0070/1008 (TWP )
                                                  015 "DIA CIRC CONCR
                                        0070/0887 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 4.735 MI. DIST: 01-3 SR: 2005
LEFT MUN: JENKS T RIGHT MUN: JENKS T

```
                                        0070/0529 LEN=0013 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0070/0346 LEN=0012 INSTALLED UNKN
015450 FT                               015450 FT 2 0 27027 0 00 0155+07
                                      S 0070/0000 LENGTH(AH 3183 BK 2474)
                                                  015 "DIA CIRC CONCR
                                        0060/2428 LEN=0013 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0060/2130 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0060/1937 LEN=0012 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0060/1613 LEN=0013 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                        0060/0507 LEN=0015 INSTALLED UNKN
012976 FT                               012976 FT 2 0 27027 0 00 0129+95
                                                  015 "DIA CIRC CONCR
                                                  LEN=0012 INSTALLED UNKN
                                      S 0060/0000 LENGTH(AH 2474 BK 2497)



                                                  015 "DIA CIRC CONCR
                                        0050/0530 LEN=0013 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/0080 LEN=0015 INSTALLED UNKN
010479 FT                               010479 FT 2 0 27027 0 00 0104+98
                                      S 0050/0000 LENGTH(AH 2497 BK 2431)
                                                  018 "DIA CIRC CONCR
                                        0040/2364 LEN=0017 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/2052 LEN=0020 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/1753 LEN=0015 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/1225 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0040/0808 LEN=0015 INSTALLED UNKN

                                        0040/0021 BMSEN 27/2005/0040/0000
008048 FT                               008048 FT 2 0 27027 0 00 0080+69
                                                  BUSH CREEK
                                                  BMSBG 27/2005/0040/0000
                                      S 0040/0000 LENGTH(AH 2431 BK 3044)
                                                  018 "DIA CIRC CONCR
                                        0030/2862 LEN=0015 INSTALLED 2003
```

DIR: B TOTAL LEN: 4.735 MI. DIST: 01-3 SR: 2005
LEFT MUN: JENKS T RIGHT MUN: JENKS T

		018 "DIA CIRC CONCR
	0030/2481	LEN=0012 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/2182	LEN=0020 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/1935	LEN=0020 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/0915	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/0513	LEN=0012 INSTALLED UNKN
005004 FT	005004 FT	2 0 27027 0 00 0050+24
	0030/0000	LENGTH(AH 3044 BK 2523)
		018"H 18"W CON BOX CUL
	0020/2033	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/1768	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/1285	LEN=0012 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/0909	LEN=0015 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0020/0505	LEN=0012 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0020/0148	LEN=0015 INSTALLED UNKN
002481 FT	002481 FT	2 0 27027 0 00 0025+01
	0020/0000	LENGTH(AH 2523 BK 2481)
		015 "DIA CIRC CONCR
	0010/2403	LEN=0012 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0010/1925	LEN=0042 INSTALLED UNKN
JENKS		
BARNETT T	0010/1200	
		018 "DIA CIRC CONCR
	0010/1157	LEN=0012 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/0806	LEN=0012 INSTALLED UNKN
		027 "DIA CIRC CONCR
	0010/0551	LEN=0020 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/0202	LEN=0020 INSTALLED UNKN
000000 FT	000000 FT	2 0 27027 0 00 0000+00
		NC LOLETA RD
	REF-BK	SR 3002 SH
		(SR3002 SEG 0010/0000)
		MFC BEGIN = D
		BK-ELK (24)
	0010/0000	LENGTH(AH 2481 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 01-3 SR: 2004
LEFT MUN: JENKS T RIGHT MUN: JENKS T

000000 FT		000000 FT
		7040/0000 LENGTH(AH 3685 BK 2387)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 2387 BK 2989)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 2989 BK 3519)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 3519 BK 0000)

DIR: B TOTAL LEN: 1.563 MI. DIST: 01-3 SR: 2003
LEFT MUN: JENKS T RIGHT MUN: JENKS T

WINKLE LN
(PRDR)

008254 FT

0030/0450
004987 FT

002497 FT

000000 FT

008254 FT SR 0066 SH
0030/3267 (SR0066 SEG 0040/0000)

018 "DIA CIR PLASTIC
0030/2053 LEN=0040 INSTALLED UNKN

018 "DIA CIR PLASTIC
0030/1440 LEN=0040 INSTALLED UNKN

018 "DIA CIR PLASTIC
0030/0582 LEN=0040 INSTALLED UNKN

004987 FT 2 0 27029 0 00 0049+44
S 0030/0000 LENGTH(AH 3267 BK 2490)
018 "DIA CIR PLASTIC
0020/2058 LEN=0040 INSTALLED 2007

015 "DIA CIR PLASTIC
0020/0997 LEN=0040 INSTALLED 2007

002497 FT 2 0 27029 0 00 0025+41
NC SR 2003 SH
S 0020/0000 LENGTH(AH 2490 BK 2497)

018 "DIA CIRC METAL
0010/0800 LEN=0040 INSTALLED 2007

015 "DIA CIR PLASTIC
0010/0121 LEN=0060 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/0018 LEN=0050 INSTALLED UNKN
000000 FT 2 0 27029 0 00 0000+00
NC BLOOD RD
SR 0066 SH
(SR0066 SEG 0010/0000)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 2497 BK 0000)

DIR: B TOTAL LEN: 8.094 MI. DIST: 01-3 SR: 2002
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

GREENWOOD RD	042735 FT		042735 FT	GREENWOOD RD
(SR2001 SEG 0010/1134)	0160/2575		0160/2575	(SR2001 SEG 0010/1134)
				024 "DIA CIRC CONCR
			0160/2568	LEN=0072 INSTALLED 1998
				015 "DIA CIRC CONCR
			0160/1235	LEN=0032 INSTALLED 1998
				015 "DIA CIRC METAL
			0160/1100	LEN=0036 INSTALLED 1998
				018 "DIA CIRC CONCR
			0160/0790	LEN=0035 INSTALLED 1998
				018 "DIA CIRC CONCR
			0160/0160	LEN=0040 INSTALLED 1998
	040160 FT		040160 FT	2 0 27003 0 00 0125+05
			S 0160/0000	LENGTH(AH 2575 BK 2502)
				015 "DIA CIRC CONCR
			0150/2390	LEN=0036 INSTALLED 1998

DIR: B TOTAL LEN: 8.094 MI. DIST: 01-3 SR: 2002
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

	0150/1680	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1998
	0150/1412	036 "DIA CIR PLASTIC LEN=0060 INSTALLED 2004
	0150/0896	015 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
	0150/0349	015 "DIA CIRC CONCR LEN=0034 INSTALLED 1998
037658 FT	037658 FT	2 0 27003 0 00 0100+03
	S 0150/0000	LENGTH(AH 2502 BK 2497)
	0140/2465	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1998
	0140/1766	015 "DIA CIRC METAL LEN=0035 INSTALLED 1998
	0140/1294	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2005
	0140/0543	018 "DIA CIRC METAL LEN=0040 INSTALLED 1998
035161 FT	035161 FT	2 0 27003 0 00 0075+06
	S 0140/0000	LENGTH(AH 2497 BK 2506)
	0130/2190	018 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
	0130/1828	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1998
	0130/1085	018 "DIA CIRC METAL LEN=0030 INSTALLED 1998
	0130/0148	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1998
032655 FT	032655 FT	2 0 27003 0 00 0049+96
	S 0130/0000	LENGTH(AH 2506 BK 2497)
	0120/1270	018 "DIA CIR PLASTIC LEN=0032 INSTALLED 1998
	0120/0824	015 "DIA CIRC METAL LEN=0032 INSTALLED 1998
	0120/0690	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2002
	0120/0450	015 "DIA CIRC CONCR LEN=0030 INSTALLED 1998
	0120/0310	018 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
030158 FT	030158 FT	2 0 27003 0 00 0024+99

DIR: B TOTAL LEN: 8.094 MI. DIST: 01-3 SR: 2002
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

			015 "DIA CIRC METAL
			LEN=0030 INSTALLED 1998
		S 0120/0000	LENGTH(AH 2497 BK 2501)
			015 "DIA CIR PLASTIC
		0110/1874	LEN=0030 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0110/1745	LEN=0042 INSTALLED 2018
			018 "DIA CIR PLASTIC
		0110/1224	LEN=0040 INSTALLED 2014
			015 "DIA CIRC METAL
		0110/0866	LEN=0032 INSTALLED 1998
			012 "DIA CAST IRON
		0110/0493	LEN=0032 INSTALLED 1998
			015 "DIA CIRC METAL
		0110/0333	LEN=0030 INSTALLED 2005
		0110/0143	BMSEN 27/2002/0110/0121
			2 0 27003 0 00 0001+22
			COLEMAN RUN
		0110/0121	BMSBG 27/2002/0110/0121
2 0 27003 0 00 0000+00 027657 FT		027657 FT	
COLEMAN RUN RD			
(T305) 0110/0000	==	S 0110/0000	LENGTH(AH 2501 BK 2562)
			018 "DIA CIRC METAL
		0100/2514	LEN=0042 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0100/2036	LEN=0030 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0100/1540	LEN=0045 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0100/1170	LEN=0037 INSTALLED 1998
			015 "DIA CIRC METAL
		0100/0540	LEN=0035 INSTALLED 1998
025095 FT		025095 FT	2 0 27018 0 00 0251+21
		S 0100/0000	LENGTH(AH 2562 BK 3578)
			018 "DIA CIR PLASTIC
		0090/3573	LEN=0036 INSTALLED 1998
			018 "DIA CIRC METAL
		0090/3364	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0090/2963	LEN=0037 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/2460	LEN=0040 INSTALLED 2014
			018 "DIA CIRC METAL
		0090/2369	LEN=0030 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0090/2042	LEN=0030 INSTALLED 1998
			024 "DIA CIRC METAL
		0090/1680	LEN=0032 INSTALLED 1998

DIR: B TOTAL LEN: 8.094 MI. DIST: 01-3 SR: 2002
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

				018 "DIA CIR PLASTIC
			0090/1365	LEN=0040 INSTALLED 2014
				018 "DIA CIRC METAL
			0090/1035	LEN=0034 INSTALLED 1998
				015 "DIA CIRC METAL
			0090/0647	LEN=0030 INSTALLED 1998
	021517 FT		021517 FT	2 0 27018 0 00 0215+43
				015 "DIA CIRC METAL
				LEN=0028 INSTALLED 1998
			S 0090/0000	LENGTH(AH 3578 BK 3263)
				018 "DIA CIRC METAL
			0080/2950	LEN=0028 INSTALLED 1998
				018 "DIA CIRC METAL
			0080/2360	LEN=0030 INSTALLED 1998
				018 "DIA CIRC METAL
			0080/1170	LEN=0040 INSTALLED 1998
				024 "DIA CIRC METAL
			0080/0517	LEN=0040 INSTALLED UNKN
COOK FOREST PARK RD (FRST)	0080/0461	==		
	018254 FT		018254 FT	2 0 27018 0 00 0182+80
			S 0080/0000	LENGTH(AH 3263 BK 3736)
				018 "DIA CIR PLASTIC
			0070/3736	LEN=0040 INSTALLED 2014
				018 "DIA CIR PLASTIC
			0070/2894	LEN=0040 INSTALLED 2014
				018 "DIA CIR PLASTIC
			0070/2445	LEN=0040 INSTALLED 2014
				018 "DIA CIR PLASTIC
			0070/2034	LEN=0040 INSTALLED 2016
				018 "DIA CIR PLASTIC
			0070/1630	LEN=0040 INSTALLED 2016
				015 "DIA CIRC METAL
			0070/1340	LEN=0034 INSTALLED 1998
				015 "DIA CIRC METAL
			0070/0735	LEN=0034 INSTALLED 1998
				018 "DIA CIR PLASTIC
			0070/0454	LEN=0040 INSTALLED 2016
				018 "DIA CIR PLASTIC
			0070/0170	LEN=0040 INSTALLED 2016
	014518 FT		014518 FT	2 0 27018 0 00 0145+44
			S 0070/0000	LENGTH(AH 3736 BK 2534)
				018 "DIA CIR PLASTIC
			0060/2270	LEN=0040 INSTALLED 2016

DIR: B TOTAL LEN: 8.094 MI. DIST: 01-3 SR: 2002
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

		0060/2093	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2016
		0060/1974	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2016
		0060/1761	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2016
		0060/1220	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2016
		0060/0320	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2016
		0060/0065	060 "DIA CIRC METAL LEN=0046 INSTALLED 1998
2 0 27018 0 00 0120+10	011984 FT		011984 FT
JACKS HOLLOW RD (T346)	0060/0000	S 0060/0000	LENGTH(AH 2534 BK 1984)
		0050/1312	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 2016
		0050/0128	018 "DIA CIR PLASTIC LEN=0037 INSTALLED 2016
	010000 FT		010000 FT 2 0 27018 0 00 0100+38
		S 0050/0000	LENGTH(AH 1984 BK 2494)
		0040/2185	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 2016
		0040/1697	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2016
		0040/1050	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 2016
		0040/0894	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1998
		0040/0752	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 1998
		0040/0586	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2002
	007506 FT		007506 FT 2 0 27018 0 00 0075+44
		S 0040/0000	LENGTH(AH 2494 BK 2501)
		0030/2425	018 "DIA CIR PLASTIC LEN=0052 INSTALLED UNKN
		0030/2210	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1998
		0030/2001	018 "DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
		0030/1689	018 "DIA CIR PLASTIC LEN=0052 INSTALLED 1998
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 8.094 MI. DIST: 01-3 SR: 2002
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

		0030/1515	LEN=0052 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0030/1306	LEN=0050 INSTALLED 1998
			048 "DIA CIR PLASTIC
		0030/0750	LEN=0040 INSTALLED 2016
	005005 FT	005005 FT	2 0 27018 0 00 0050+43
		5 0030/0000	LENGTH(AH 2501 BK 3543)
			018 "DIA CIRC METAL
		0020/3440	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/1986	LEN=0045 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0020/1858	LEN=0035 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0020/1436	LEN=0040 INSTALLED 1998
			024 "DIA CIRC METAL
		0020/1286	LEN=0030 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0020/1012	LEN=0040 INSTALLED 1998
			015 "DIA CIRC METAL
		0020/0504	LEN=0042 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0020/0320	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0010	LEN=0040 INSTALLED 1997
2 0 27018 0 00 0015+00	001462 FT	001462 FT	
CEMETERY RD			
(TBC)	0020/0000	5 0020/0000	LENGTH(AH 3543 BK 1462)
			024 "DIA CIR PLASTIC
		0010/1421	LEN=0050 INSTALLED 1998
		0010/0508	BMSEN 27/2002/0010/0448
			2 0 27018 0 00 0004+53
			TOM'S RUN
		0010/0448	BMSBG 27/2002/0010/0448
COOK FOREST STATE PARK			
(FRST)	0010/0363		
	000000 FT	000000 FT	2 0 27018 0 00 0000+00
			018 "DIA CIRC METAL
			LEN=0067 INSTALLED 1998
		NC RIVER RD	
			RIVER RD
			(SR0036 SEG 0010/0070)
RIVER RD			MFC BEGIN = D
(SR0036 SEG 0010/0000)	0010/0000	5 0010/0000	LENGTH(AH 1462 BK 0000)

DIR: B TOTAL LEN: 5.453 MI. DIST: 01-3 SR: 2001
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

028791 FT

028791 FT AH-CLARION (16)
* REF-AHD SR 1012 SH
0100/1977 (SR1012 SEG 0010/3265)
015 "DIA CIRC METAL
0100/1747 LEN=0032 INSTALLED 1996

DIR: B TOTAL LEN: 5.453 MI. DIST: 01-3 SR: 2001
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

JACKS HOLLOW RD
(T346)

	0100/0839		JACKS HOLLOW RD
		0100/0839	(T346)
			018 "DIA CIR PLASTIC
		0100/0576	LEN=0034 INSTALLED 2000
026814 FT		026814 FT	2 0 27011 0 00 0019+98
		S 0100/0000	LENGTH(AH 1977 BK 1808)
			018 "DIA CIR PLASTIC
		0090/0572	LEN=0033 INSTALLED 2000
025006 FT		025006 FT	2 0 27011 0 00 0038+07
			BEAR RUN RD
			(SR2008 SEG 0010/0000)
		S 0090/0000	LENGTH(AH 1808 BK 3690)
			036 "DIA CIRC METAL
		0080/3595	LEN=0050 INSTALLED 2000
			015 "DIA CIRC METAL
		0080/2562	LEN=0040 INSTALLED 2000
			015 "DIA CIRC METAL
		0080/2172	LEN=0057 INSTALLED 2000
			015 "DIA CIRC METAL
		0080/0452	LEN=0049 INSTALLED 2000
021316 FT		021316 FT	2 0 27011 0 00 0074+97
		S 0080/0000	LENGTH(AH 3690 BK 2634)
			015 "DIA CIRC METAL
		0070/2634	LEN=0036 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0070/0634	LEN=0070 INSTALLED 2002
018682 FT		018682 FT	2 0 27011 0 00 0100+01
		S 0070/0000	LENGTH(AH 2634 BK 3639)
			018 "DIA CIRC METAL
		0060/3635	LEN=0070 INSTALLED 2000
			048 "DIA CIRC METAL
		0060/2882	LEN=0062 INSTALLED 2000

DIR: B TOTAL LEN: 5.453 MI. DIST: 01-3 SR: 2001
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

				0060/2244	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2002
				0060/0680	036 "DIA CIRC CONCR LEN=0046 INSTALLED 2000
	015043 FT			015043 FT	2 0 27011 0 00 0137+57 COON RD (T350)
			==	5 0060/0000	LENGTH(AH 3639 BK 3808)
				0050/3687	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2006
				0050/2135	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2006
				0050/0629	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2008
	011235 FT			011235 FT	2 0 27011 0 00 0175+65
				0050/0000	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2008 LENGTH(AH 3808 BK 2246)
			==	0040/1036	GREENWOOD GLEN RD (T300)
				0040/0645	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2008
				0040/0218	015 "DIA CIRC METAL LEN=0036 INSTALLED 2000
	008989 FT			008989 FT	2 0 27011 0 00 0200+01
				5 0040/0000	LENGTH(AH 2246 BK 2762)
MAINWARING RD (PRDR)	0030/2542	==	==	0030/2542	OLIVER LN (PRDR)
				0030/2097	015 "DIA CIRC METAL LEN=0030 INSTALLED UNKN
					018 "DIA CIRC METAL

DIR: B TOTAL LEN: 5.453 MI. DIST: 01-3 SR: 2001
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

			0030/1445 LEN=0030 INSTALLED UNKN
			015 "DIA CIRC METAL
			0030/0640 LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0030/0237 LEN=0040 INSTALLED 2000
2 0 27011 0 00 0225+02	006227 FT		006227 FT
RIGGS PLAN LN			
(PRDR)	0030/0000		5 0030/0000 LENGTH(AH 2762 BK 2597)
			018 "DIA CIR PLASTIC
			0020/2565 LEN=0030 INSTALLED 2000
			018 "DIA CIR PLASTIC
			0020/0605 LEN=0040 INSTALLED 2000
			018 "DIA CIR PLASTIC
			0020/0097 LEN=0030 INSTALLED 2000
	003630 FT		003630 FT 2 0 27011 0 00 0251+26
			5 0020/0000 LENGTH(AH 2597 BK 3630)
			018 "DIA CIR PLASTIC
			0010/3344 LEN=0050 INSTALLED 2000
			018 "DIA CIR PLASTIC
			0010/2884 LEN=0040 INSTALLED 2000
			018 "DIA CIR PLASTIC
			0010/2565 LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0010/2286 LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0010/2013 LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0010/1672 LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0010/1340 LEN=0050 INSTALLED 2006
RIVER RD			
(SR2002 SEG 0160/2575)	0010/1134		
			0010/1132 BMSEN 27/2001/0010/1063
			2 0 27011 0 00 0276+91
			MAPLE CREEK
			0010/1063 BMSBG 27/2001/0010/1063
			024 "DIA CIRC CONCR
			0010/0475 LEN=0055 INSTALLED 2000
	000000 FT		000000 FT 2 0 27011 0 00 0287+56
			NC GREENWOOD RD
			SR 0899 SH
			(SR0899 SEG 0030/0000)
			MFC BEGIN = E
			5 0010/0000 LENGTH(AH 3630 BK 0000)

DIR: B TOTAL LEN: 5.750 MI. DIST: 01-3 SR: 1005
LEFT MUN: HOWE T RIGHT MUN: HOWE T

030360 FT

BROOKSTON RD

030360 FT
INTER-AHD FORK RUN RD
(T372)
BROOKSTON RD

DIR: B TOTAL LEN: 5.750 MI. DIST: 01-3 SR: 1005
LEFT MUN: HOWE T RIGHT MUN: HOWE T

(SR0948 SEG 0060/0000)	0110/2888	0110/2888	(SR0948 SEG 0060/0000)
			018 "DIA CIRC METAL
		0110/2858	LEN=0080 INSTALLED 1998
			018"H 15"W METAL ARCH
		0110/2522	LEN=0040 INSTALLED 2004
			021"H 15"W METAL ARCH
		0110/2262	LEN=0040 INSTALLED 2004
			015"H 20"W ELLIP METAL
		0110/2072	LEN=0040 INSTALLED 2004
			015"H 20"W ELLIP METAL
		0110/1986	LEN=0030 INSTALLED 1998
			015"H 20"W ELLIP METAL
		0110/1937	LEN=0030 INSTALLED 2004
		0110/1803	BMSEN 27/1005/0110/1765
			2 0 27021 0 00 0292+65
			BOGUS CK.
		0110/1789	BMSBG 27/1005/0110/1765
			018 "DIA CIR PLASTIC
		0110/1344	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0110/0616	LEN=0040 INSTALLED 2004
	027472 FT	027472 FT	2 0 27021 0 00 0275+00
		S 0110/0000	LENGTH(AH 2888 BK 2439)
			018 "DIA CIR PLASTIC
		0100/2187	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0100/1777	LEN=0035 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0100/0932	LEN=0040 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0100/0514	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0100/0125	LEN=0040 INSTALLED 2004
	025033 FT	025033 FT	2 0 27021 0 00 0250+61
		S 0100/0000	LENGTH(AH 2439 BK 2957)
			018 "DIA CIR PLASTIC
		0090/2727	LEN=0046 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0090/2432	LEN=0045 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0090/2141	LEN=0045 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0090/1860	LEN=0040 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0090/1523	LEN=0040 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0090/1288	LEN=0040 INSTALLED 2004

DIR: B TOTAL LEN: 5.750 MI. DIST: 01-3 SR: 1005
LEFT MUN: HOWE T RIGHT MUN: HOWE T

			036 "DIA CIR PLASTIC
		0090/0540	LEN=0045 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0090/0186	LEN=0040 INSTALLED 2004
	022076 FT	022076 FT	2 0 27021 0 00 0220+33
		S 0090/0000	LENGTH(AH 2957 BK 2075)
			018 "DIA CIR PLASTIC
		0080/1747	LEN=0030 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0080/1515	LEN=0030 INSTALLED 1998
#223 FORESTRY RD (FRST)	0080/0501		
			018 "DIA CIR PLASTIC
		0080/0250	LEN=0030 INSTALLED 1998
	020001 FT	020001 FT	2 0 27021 0 00 0199+58
		S 0080/0000	LENGTH(AH 2075 BK 2492)
			036 "DIA CIR PLASTIC
		0070/2400	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/2200	LEN=0050 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0070/1345	LEN=0030 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0070/0502	LEN=0010 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0267	LEN=0030 INSTALLED 1998
	017509 FT	017509 FT	2 0 27021 0 00 0174+66
		S 0070/0000	LENGTH(AH 2492 BK 2530)
			018 "DIA CIR PLASTIC
		0060/1678	LEN=0040 INSTALLED 2006
			018 "DIA CIR PLASTIC
		0060/0218	LEN=0030 INSTALLED 1998
	014979 FT	014979 FT	2 0 27021 0 00 0149+59
			SHEFFIELD JUNCTION RD (T374)
		S 0060/0000	LENGTH(AH 2530 BK 2828)
			018 "DIA CIR PLASTIC
		0050/1660	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 5.750 MI. DIST: 01-3 SR: 1005
LEFT MUN: HOWE T RIGHT MUN: HOWE T

```
                                                  018 "DIA CIR PLASTIC
                                     0050/0060 LEN=0030 INSTALLED 1998
012151 FT                            012151 FT 2 0 27021 0 00 0121+12
                                     0050/0000 LENGTH(AH 2828 BK 3382)
                                                  018 "DIA CIR PLASTIC
                                     0040/2906 LEN=0027 INSTALLED 1998


                                                  018 "DIA CIR PLASTIC
                                     0040/1625 LEN=0030 INSTALLED 1998

                                                  018 "DIA CIR PLASTIC
                                     0040/0855 LEN=0030 INSTALLED 1998

                                                  015"H 21"W ELLIP METAL
                                     0040/0009 LEN=0035 INSTALLED 1998
008769 FT                            008769 FT 2 0 27021 0 00 0087+59
                                          NC WATSON FARM RD
                                                  WATSON FARM RD
                                                  (T373)
                                     0040/0000 LENGTH(AH 3382 BK 3279)

                                                  018 "DIA CIR PLASTIC
                                     0030/2350 LEN=0060 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                     0030/2004 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                     0030/1612 LEN=0050 INSTALLED 2007
                                                  018 "DIA CIR PLASTIC
                                     0030/1231 LEN=0040 INSTALLED 2007
                                                  018 "DIA CIR PLASTIC
                                     0030/1031 LEN=0040 INSTALLED 2007
                                                  036 "DIA CIR PLASTIC
                                     0030/0745 LEN=0035 INSTALLED 1998
                                                  024 "DIA CIR PLASTIC
                                     0030/0588 LEN=0030 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                     0030/0222 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                     0030/0165 LEN=0040 INSTALLED 2006
005490 FT                            005490 FT 2 0 27021 0 00 0054+80
                                     0030/0000 LENGTH(AH 3279 BK 2989)
                                                  030 "DIA CIR PLASTIC
                                     0020/2810 LEN=0048 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 5.750 MI. DIST: 01-3 SR: 1005
LEFT MUN: HOWE T RIGHT MUN: HOWE T

```
                                  0020/2402 LEN=0065 INSTALLED 1998
                                            018 "DIA CIR PLASTIC
                                  0020/2172 LEN=0050 INSTALLED 1998
                                            018 "DIA CIR PLASTIC
                                  0020/1913 LEN=0055 INSTALLED 1998
                                            018 "DIA CIR PLASTIC
                                  0020/1689 LEN=0040 INSTALLED 1998
                                            018 "DIA CIR PLASTIC
                                  0020/1305 LEN=0040 INSTALLED 1998
                                            018 "DIA CIR PLASTIC
                                  0020/1208 LEN=0035 INSTALLED 1998
                                            018 "DIA CIR PLASTIC
                                  0020/1013 LEN=0040 INSTALLED 1997
                                            018 "DIA CIR PLASTIC
                                  0020/0896 LEN=0040 INSTALLED 1997
                                            018 "DIA CIR PLASTIC
                                  0020/0821 LEN=0035 INSTALLED 1998
                                            018 "DIA CIR PLASTIC
                                  0020/0745 LEN=0040 INSTALLED 2000
                                            018 "DIA CIR PLASTIC
                                  0020/0621 LEN=0040 INSTALLED 1997
                                            032 "DIA CIR PLASTIC
                                  0020/0316 LEN=0040 INSTALLED 2006
                                            018 "DIA CIR PLASTIC
                                  0020/0177 LEN=0040 INSTALLED 1998
                                            018 "DIA CIR PLASTIC
                                  0020/0080 LEN=0040 INSTALLED 1998
002501 FT                         002501 FT 2 0 27021 0 00 0025+01
                                S 0020/0000 LENGTH(AH 2989 BK 2501)
                                            018 "DIA CIR PLASTIC
                                  0010/1920 LEN=0040 INSTALLED 1998

                                            018 "DIA CIR PLASTIC
                                  0010/1102 LEN=0050 INSTALLED 1998
                                            030 "DIA CIRC CONCR
                                  0010/0943 LEN=0040 INSTALLED 1998
                                            018 "DIA CIR PLASTIC
                                  0010/0815 LEN=0035 INSTALLED 1998
                                            012"H 18"W ELLIP METAL
                                  0010/0600 LEN=0040 INSTALLED 1998
                                  0010/0097 BMSEN 27/1005/0010/0045
                                            2 0 27021 0 00 0000+45
                                            BLUE JAY CK.
                                  0010/0045 BMSBG 27/1005/0010/0045
000000 FT                         000000 FT 2 0 27021 0 00 0000+00
                                        NC ROBENSON HILL RD
                                            BLUE JAY RD
                                            (SR1003 SEG 0090/0000)
                                            MFC BEGIN = D
                                S 0010/0000 LENGTH(AH 2501 BK 0000)
```

DIR: B TOTAL LEN: 5.413 MI. DIST: 01-3 SR: 1003
LEFT MUN: HOWE T RIGHT MUN: HOWE T

028578 FT

FOREST RD
(FRST)

0110/2518



028578 FT SR 0666 SH
0110/3104 (SR0666 SEG 0510/0000)
0110/3058 BMSEN 27/1003/0110/2852
2 0 27015 0 00 0283+54
OVER TIONESTA CREEK
0110/2856 BMSBG 27/1003/0110/2852
018 "DIA CIRC CONCR
0110/2817 LEN=0024 INSTALLED 2010
018 "DIA CIRC CONCR
0110/2596 LEN=0080 INSTALLED UNKN
018 "DIA CIR PLASTIC
0110/2181 LEN=0037 INSTALLED UNKN
018 "DIA CIR PLASTIC
0110/1874 LEN=0040 INSTALLED 1996
018 "DIA CIRC METAL
0110/1600 LEN=0035 INSTALLED UNKN
018 "DIA CIR PLASTIC
0110/1309 LEN=0035 INSTALLED 1996
0110/0886 BMSEN 27/1003/0110/0813
2 0 27015 0 00 0263+16

DIR: B TOTAL LEN: 5.413 MI. DIST: 01-3 SR: 1003
LEFT MUN: HOWE T RIGHT MUN: HOWE T

			BLUE JAY CREEK
		0110/0813	BMSBG 27/1003/0110/0813
			015 "DIA CIRC METAL
		0110/0373	LEN=0040 INSTALLED 1996
	025474 FT	025474 FT	2 0 27015 0 00 0255+03
		S 0110/0000	LENGTH(AH 3104 BK 3119)
			018 "DIA CIR PLASTIC
		0100/3088	LEN=0035 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0100/2915	LEN=0040 INSTALLED 1996
			018 "DIA CIRC METAL
		0100/2590	LEN=0040 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0100/2307	LEN=0040 INSTALLED 2000
			018 "DIA CIRC METAL
		0100/2157	LEN=0040 INSTALLED 1996
			018 "DIA CIRC METAL
		0100/1972	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0100/1572	LEN=0045 INSTALLED 1996
			024 "DIA CIRC METAL
		0100/1330	LEN=0045 INSTALLED 1996
			015 "DIA CIRC METAL
		0100/0453	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0100/0155	LEN=0050 INSTALLED 1996
2 0 27015 0 00 0224+07	022355 FT	022355 FT	
JOB CORP RD			
(T371)	0100/0000	S 0100/0000	LENGTH(AH 3119 BK 2247)
			015 "DIA CIRC METAL
		0090/1145	LEN=0035 INSTALLED UNKN
			015 "DIA CIRC METAL
		0090/1018	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0090/0771	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/0460	LEN=0035 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0090/0115	LEN=0050 INSTALLED 2019
	020108 FT	020108 FT	2 0 27015 0 00 0201+32
			ROBENSON HILL RD
			(SR1005 SEG 0010/0000)
		S 0090/0000	LENGTH(AH 2247 BK 1891)
			018 "DIA CIR PLASTIC
		0080/1731	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.413 MI. DIST: 01-3 SR: 1003
LEFT MUN: HOWE T RIGHT MUN: HOWE T

	0080/0936	LEN=0036 INSTALLED UNKN 015 "DIA CIRC METAL
	0080/0707	LEN=0040 INSTALLED 1996 018 "DIA CIR PLASTIC
	0080/0469	LEN=0040 INSTALLED 2000 018 "DIA CIR PLASTIC
	0080/0276	LEN=0045 INSTALLED 2000
	0080/0041	BMSEN 27/1003/0080/0000
018217 FT	018217 FT	2 0 27015 0 00 0182+40 BLUE JAY CK. BMSBG 27/1003/0080/0000
	S 0080/0000	LENGTH(AH 1891 BK 2848) 015 "DIA CIRC METAL
	0070/2450	LEN=0040 INSTALLED 1996 018 "DIA CIR PLASTIC
	0070/2243	LEN=0042 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0070/1974	LEN=0040 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0070/1770	LEN=0040 INSTALLED 1996 018 "DIA CIR PLASTIC
	0070/1596	LEN=0040 INSTALLED 2000 018 "DIA CIR PLASTIC
	0070/1314	LEN=0040 INSTALLED 2000 018 "DIA CIR PLASTIC
	0070/1080	LEN=0040 INSTALLED 1996 FORESTRY RD
	0070/0934	(FRST) 018 "DIA CIR PLASTIC
	0070/0862	LEN=0040 INSTALLED 1996 018 "DIA CIR PLASTIC
	0070/0741	LEN=0040 INSTALLED 2000 018 "DIA CIR PLASTIC
	0070/0608	LEN=0040 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0070/0235	LEN=0040 INSTALLED 2000
015369 FT	015369 FT	2 0 27015 0 00 0153+83 054"H 72"W CON BOX CUL LEN=0035 INSTALLED 1996
	S 0070/0000	LENGTH(AH 2848 BK 2856)
	0060/2035	BMSEN 27/1003/0060/2020 2 0 27015 0 00 0145+48 ROCK SPRINGS
	0060/2020	BMSBG 27/1003/0060/2020
	0060/1677	BMSEN 27/1003/0060/1600 2 0 27015 0 00 0141+27 BLUE JAY CK.
	0060/1600	BMSBG 27/1003/0060/1600 018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.413 MI. DIST: 01-3 SR: 1003
LEFT MUN: HOWE T RIGHT MUN: HOWE T

```
                                                 0060/1407 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0060/1137 LEN=0040 INSTALLED 2015
                                                           018 "DIA CIR PLASTIC
                                                 0060/0835 LEN=0045 INSTALLED UNKN
                                                           024 "DIA CIR PLASTIC
                                                 0060/0508 LEN=0045 INSTALLED 1996
                                                           015 "DIA CIRC METAL
                                                 0060/0042 LEN=0040 INSTALLED UNKN
                012513 FT                        012513 FT 2 0 27015 0 00 0125+27
                                               5 0060/0000 LENGTH(AH 2856 BK 2504)


                                                           018 "DIA CIRC METAL
                                                 0050/1275 LEN=0035 INSTALLED 1996
                                                           036 "DIA CIRC METAL
                                                 0050/1024 LEN=0052 INSTALLED UNKN
                                                           024 "DIA CIR PLASTIC
                                                 0050/0651 LEN=0052 INSTALLED UNKN
                                                           024 "DIA CIR PLASTIC
                                                 0050/0530 LEN=0050 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0050/0264 LEN=0045 INSTALLED UNKN
                010009 FT                        010009 FT 2 0 27015 0 00 0100+24
                                                           018 "DIA CIRC METAL
                                                           LEN=0050 INSTALLED UNKN
                                               5 0050/0000 LENGTH(AH 2504 BK 2163)
                                                           018 "DIA CIRC METAL
                                                 0040/1940 LEN=0045 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0040/1661 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0040/1340 LEN=0040 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0040/0741 LEN=0040 INSTALLED UNKN
                                                           036 "DIA CIRC METAL
                                                 0040/0509 LEN=0050 INSTALLED UNKN
                                                           030 "DIA CIR PLASTIC
                                                 0040/0308 LEN=0050 INSTALLED 2015
                007846 FT                        007846 FT 2 0 27015 0 00 0078+61
                                                           036 "DIA CIRC METAL
                                                           LEN=0052 INSTALLED UNKN
                                               5 0040/0000 LENGTH(AH 2163 BK 2016)
#222 FORESTRY RD
(FRST)           0030/1635
                                                           018 "DIA CIR PLASTIC
                                                 0030/1583 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0030/1125 LEN=0045 INSTALLED 2006
```

DIR: B TOTAL LEN: 5.413 MI. DIST: 01-3 SR: 1003
LEFT MUN: HOWE T RIGHT MUN: HOWE T

		0030/0016	BMSEN 27/1003/0030/0000
	005830 FT	005830 FT	2 0 27015 0 00 0058+44
			SLATER CREEK
			BMSBG 27/1003/0030/0000
		S 0030/0000	LENGTH(AH 2016 BK 3335)
#221 FORESTRY RD (FRST)	0020/3064		
			SNOWMOBILE TRAIL
		0020/2988	(FRST)
			018 "DIA CIR PLASTIC
		0020/2677	LEN=0040 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0020/2254	LEN=0080 INSTALLED 1996
			PENNDOT STOCKPILE YD #9
		0020/2150	(GOVT)
		0020/1895	BMSEN 27/1003/0020/1879
			2 0 27015 0 00 0058+44
			BLUE JAY CK.
		0020/1879	BMSBG 27/1003/0020/1879
			#286 FORESTRY RD
		0020/1775	(FRST)
			015 "DIA CIRC METAL
		0020/1461	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0440	LEN=0050 INSTALLED UNKN
	002495 FT	002495 FT	2 0 27015 0 00 0024+98
		S 0020/0000	LENGTH(AH 3335 BK 2495)
			030 "DIA CIRC METAL
		0010/2116	LEN=0043 INSTALLED 1996
			024 "DIA CIR PLASTIC
		0010/1972	LEN=0040 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0010/1582	LEN=0046 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/1193	LEN=0040 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0010/0982	LEN=0040 INSTALLED 1996
			024 "DIA CIR PLASTIC
		0010/0274	LEN=0052 INSTALLED UNKN
	000000 FT	000000 FT	2 0 27015 0 00 0000+00
			SR 0066 SH
			(SR0066 SEG 0260/0000)
			NC BLUE JAY CREEK RD
			MFC BEGIN = C
SR 0066 SH (SR0066 SEG 0260/0000)	0010/0000	S 0010/0000	LENGTH(AH 2495 BK 0000)

DIR: B TOTAL LEN: .426 MI. DIST: 01-3 SR: 1001
LEFT MUN: HOWE T RIGHT MUN: HOWE T

002250 FT

000000 FT

DAVID ZINZBERGER RD
(SR0666 SEG 0390/0000) 0010/0000



002250 FT AH-WARREN (61)
REF-AHD CHERRY GROVE RD
0010/2250 (SR2001 SEG 0010/0000)
024 "DIA CIR PLASTIC
0010/2130 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0010/1714 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0010/1585 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0010/1370 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0010/1150 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0010/0902 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0010/0700 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0010/0325 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0010/0140 LEN=0040 INSTALLED UNKN
000000 FT 2 0 27014 0 00 0000+00
NC MINISTER HILL RD
DAVID ZINZBERGER RD
(SR0666 SEG 0390/0000)
MFC BEGIN = D
0010/0000 LENGTH(AH 2250 BK 0000)

DIR: B TOTAL LEN: 3.084 MI. DIST: 01-3 SR: 948
LEFT MUN: HOWE T RIGHT MUN: HOWE T

```
                                016286 FT                    016286 FT  AH-WARREN                (61)
                                                           * REF-AHD    BROOKSTON RD
                                                             0070/2359  (SR0948 SEG 0010/0000)

                                                                        054 "DIA CIRC CONCR
                                                             0070/1248  LEN=0060 INSTALLED 1997
                                                                        018 "DIA CIRC CONCR
                                                             0070/0918  LEN=0050 INSTALLED UNKN
                                                                        018 "DIA CIRC CONCR
                                                             0070/0722  LEN=0060 INSTALLED 1997
                                                                        018 "DIA CIRC CONCR
                                                             0070/0195  LEN=0050 INSTALLED UNKN
                                013927 FT                    013927 FT  2 0 27013 0 00 0139+64
                                                           S 0070/0000  LENGTH(AH 2359 BK 2664)
                                                                        024 "DIA CIRC CONCR
                                                             0060/2356  LEN=0060 INSTALLED 1997
                                                                        015 "DIA CIRC METAL
                                                             0060/2063  LEN=0100 INSTALLED 1997
                                                                        018 "DIA CIRC CONCR
                                                             0060/1492  LEN=0050 INSTALLED 1997
                                                                        018 "DIA CIRC CONCR
                                                             0060/1220  LEN=0050 INSTALLED 1997
                                                                        018 "DIA CIRC CONCR
                                                             0060/1088  LEN=0100 INSTALLED 1997

                                                                        018 "DIA CIRC CONCR
                                                             0060/0448  LEN=0050 INSTALLED 1997
                                                             0060/0199  BMSEN 27/0948/0060/0179
                                                                        2 0 27013 0 00 0114+90
                                                                        BOGUS RUN
                                                             0060/0179  BMSBG 27/0948/0060/0179
                                011263 FT                    011263 FT  2 0 27013 0 00 0113+00
                                                                        FORK RUN RD
WATSON FARM RD                                                          (T372)
(SR1005 SEG 0110/2888)          0060/0000                  S 0060/0000  LENGTH(AH 2664 BK 1217)

                                010046 FT                    010046 FT  2 0 27013 0 00 0099+34
                                                           S 0050/0000  LENGTH(AH 1217 BK 2732)
                                                                        018 "DIA CIRC CONCR
                                                             0040/2350  LEN=0060 INSTALLED 1997
```

DIR: B TOTAL LEN: 3.084 MI. DIST: 01-3 SR: 948
LEFT MUN: HOWE T RIGHT MUN: HOWE T

```
                                                  018 "DIA CIRC CONCR
                                  0040/2098 LEN=0060 INSTALLED 1997
                                                  018 "DIA CIRC CONCR
                                  0040/1643 LEN=0060 INSTALLED 1997
                                                  018 "DIA CIRC CONCR
                                  0040/1083 LEN=0060 INSTALLED 1997
                                                  018 "DIA CIRC CONCR
                                  0040/0819 LEN=0060 INSTALLED 1997
                                                  018 "DIA CIRC CONCR
                                  0040/0300 LEN=0060 INSTALLED 1997
007314 FT                         007314 FT 2 0 27013 0 00 0073+14
                                S 0040/0000 LENGTH(AH 2732 BK 2349)
                                                  018 "DIA CIRC CONCR
                                  0030/2274 LEN=0060 INSTALLED 1997
                                                  018 "DIA CIRC CONCR
                                  0030/1920 LEN=0060 INSTALLED 1997

                                                  018 "DIA CIRC CONCR
                                  0030/1173 LEN=0050 INSTALLED 1997

                                                  018 "DIA CIRC CONCR
                                  0030/0514 LEN=0050 INSTALLED 1998
004965 FT                         004965 FT 2 0 27013 0 00 0049+65
                                S 0030/0000 LENGTH(AH 2349 BK 2514)
                                                  018 "DIA CIRC CONCR
                                  0020/2384 LEN=0060 INSTALLED 1997
                                                  018 "DIA CIRC CONCR
                                  0020/1809 LEN=0060 INSTALLED 1997
                                                  018 "DIA CIRC CONCR
                                  0020/1380 LEN=0060 INSTALLED 1997

                                                  018 "DIA CIRC CONCR
                                  0020/0685 LEN=0050 INSTALLED 1997
002451 FT                         002451 FT 2 0 27013 0 00 0024+51
                                S 0020/0000 LENGTH(AH 2514 BK 2451)


                                                  018 "DIA CIRC CONCR
                                  0010/1499 LEN=0050 INSTALLED 1997


000000 FT                         000000 FT 2 0 27013 0 00 0000+00
                                        NC SR 0948 SH
                                * REF-BK     SR 0948 SH
                                             (SR0948 SEG 0560/2992)
                                             MFC BEGIN = D
                                              BK-ELK              (24)
                                S 0010/0000 LENGTH(AH 2451 BK 0000)
```

DIR: B TOTAL LEN: 9.657 MI. DIST: 01-3 SR: 899
LEFT MUN: JENKS T RIGHT MUN: JENKS T

050991 FT



050991 FT SR 0066 SH
0180/1756 (SR0066 SEG 0100/0000)
018 "DIA CIRC CONCR
0180/1752 LEN=0020 INSTALLED UNKN
018 "DIA CIRC CONCR
0180/1302 LEN=0012 INSTALLED UNKN

DIR: B TOTAL LEN: 9.657 MI. DIST: 01-3 SR: 899
LEFT MUN: JENKS T RIGHT MUN: JENKS T

			OLD RT 899 RD
		0180/0839	(T319)
			018 "DIA CIRC CONCR
		0180/0640	LEN=0020 INSTALLED UNKN
2 0 27012 0 00 0226+12 049235 FT		049235 FT	
ROSES RD			
(T325) 0180/0000		5 0180/0000	LENGTH(AH 1756 BK 2427)
			024 "DIA CIRC CONCR
		0170/2113	LEN=0014 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0170/1716	LEN=0014 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0170/1153	LEN=0012 INSTALLED UNKN
046808 FT		046808 FT	2 0 27012 0 00 0200+66
			MAPLE CK.
			STRUCTURE LENGTH 10 FT
			BMSID 27/0899/0170/0000
		5 0170/0000	LENGTH(AH 2427 BK 2586)
			018 "DIA CIRC CONCR
		0160/1830	LEN=0012 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0160/1531	LEN=0012 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0160/1032	LEN=0012 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0160/0253	LEN=0012 INSTALLED UNKN
044222 FT		044222 FT	2 0 27012 0 00 0174+61
		5 0160/0000	LENGTH(AH 2586 BK 3510)
			036 "DIA CIRC CONCR
		0150/3366	LEN=0057 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0150/2244	LEN=0046 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0150/1991	LEN=0051 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0150/1609	LEN=0055 INSTALLED UNKN
			042 "DIA CIRC CONCR
		0150/1463	LEN=0064 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0150/0957	LEN=0043 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0150/0672	LEN=0046 INSTALLED UNKN

DIR: B TOTAL LEN: 9.657 MI. DIST: 01-3 SR: 899
LEFT MUN: JENKS T RIGHT MUN: JENKS T

```
2 0 27012 0 00 0139+51 040712 FT                040712 FT
GILFOYLE RD
(T323)                  0150/0000          S 0150/0000 LENGTH(AH 3510 BK 2964)
                                                       018 "DIA CIRC CONCR
                                             0140/2859 LEN=0044 INSTALLED UNKN
                                                       018 "DIA CIRC CONCR
                                             0140/2411 LEN=0040 INSTALLED UNKN

                                                       018 "DIA CIRC CONCR
                                             0140/1384 LEN=0041 INSTALLED UNKN
                                                       018 "DIA CIRC CONCR
                                             0140/0870 LEN=0058 INSTALLED UNKN
                                                       018 "DIA CIRC CONCR
                                             0140/0554 LEN=0054 INSTALLED UNKN
                                                       018 "DIA CIRC CONCR
                                             0140/0231 LEN=0053 INSTALLED UNKN
                                                       018 "DIA CIRC CONCR
                                             0140/0067 LEN=0056 INSTALLED UNKN
                        037748 FT                037748 FT 2 0 27012 0 00 0109+85
                                             S 0140/0000 LENGTH(AH 2964 BK 2800)

                                                       018 "DIA CIRC CONCR
                                             0130/2132 LEN=0054 INSTALLED UNKN

                                                       030 "DIA CIRC CONCR
                                             0130/0050 LEN=0054 INSTALLED UNKN
                                                       JENKS
                                             0130/0035 BARNETT T
                        034948 FT                034948 FT 2 0 27012 0 00 0081+85
                                             S 0130/0000 LENGTH(AH 2800 BK 2936)

                                                       024 "DIA CIRC CONCR
                                             0120/2042 LEN=0052 INSTALLED UNKN
                                                       024 "DIA CIRC CONCR
                                             0120/1878 LEN=0050 INSTALLED UNKN
                                                       018 "DIA CIRC CONCR
                                             0120/1559 LEN=0044 INSTALLED UNKN
                                                       015 "DIA CIRC CONCR
                                             0120/1206 LEN=0046 INSTALLED UNKN
                                                       024 "DIA CIRC CONCR
                                             0120/0815 LEN=0045 INSTALLED UNKN

2 0 27012 0 00 0052+49 032012 FT                032012 FT
MAPLE CREEK DR
(T311)                  0120/0000          S 0120/0000 LENGTH(AH 2936 BK 2779)
```

DIR: B TOTAL LEN: 9.657 MI. DIST: 01-3 SR: 899
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

			018 "DIA CIRC CONCR
		0110/2218	LEN=0044 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0110/1769	LEN=0063 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0110/1063	LEN=0044 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0110/1025	LEN=0045 INSTALLED 2016
			018 "DIA CIRC CONCR
		0110/0631	LEN=0048 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0110/0253	LEN=0051 INSTALLED UNKN
	029233 FT	029233 FT	2 0 27012 0 00 0024+92
		S 0110/0000	LENGTH(AH 2779 BK 2492)
			018 "DIA CIRC CONCR
		0100/2047	LEN=0052 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0100/1026	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0100/0552	LEN=0043 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0100/0252	LEN=0042 INSTALLED UNKN
2 0 27012 0 00 0000+00	026741 FT	026741 FT	
BEAR RUN RD			
(SR2008 SEG 0060/2718)	0100/0000	S 0100/0000	LENGTH(AH 2492 BK 3561)
COON RD			
(T350)	0090/3149		
			048 "DIA CIRC CONCR
		0090/3074	LEN=0072 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/2930	LEN=0050 INSTALLED UNKN
LC TO/FROM COON RD			
(T350)	0090/2590		
			018 "DIA CIRC CONCR
		0090/2578	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/2185	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/1832	LEN=0057 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/1535	LEN=0057 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/1287	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/1055	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/0682	LEN=0053 INSTALLED UNKN

DIR: B TOTAL LEN: 9.657 MI. DIST: 01-3 SR: 899
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

	0090/0024	BMSEN 27/0899/0090/0000
023180 FT	023180 FT	1 0 00600 0 01 0241+67
		MAPLE CK.BR.
		BMSBG 27/0899/0090/0000
	S 0090/0000	LENGTH(AH 3561 BK 3961)
		018 "DIA CIRC CONCR
	0080/3323	LEN=0060 INSTALLED UNKN
		048 "DIA CIRC CONCR
	0080/2149	LEN=0108 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/1231	LEN=0052 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/0591	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/0242	LEN=0054 INSTALLED UNKN
019219 FT	019219 FT	1 0 00600 0 01 0202+64
	S 0080/0000	LENGTH(AH 3961 BK 3406)
		024 "DIA CIRC CONCR
	0070/3298	LEN=0056 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/2788	LEN=0062 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/1658	LEN=0052 INSTALLED UNKN
015813 FT	015813 FT	1 0 00600 0 01 0168+58
		BLUE RIDGE RD
		(T360)
	S 0070/0000	LENGTH(AH 3406 BK 3322)
		018 "DIA CIRC CONCR
	0060/3102	LEN=0058 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/2714	LEN=0020 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/2235	LEN=0055 INSTALLED UNKN
		048 "DIA CIRC CONCR
	0060/1116	LEN=0046 INSTALLED UNKN

DIR: B TOTAL LEN: 9.657 MI. DIST: 01-3 SR: 899
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

		018 "DIA CIRC CONCR
	0060/0239	LEN=0058 INSTALLED UNKN
012491 FT	012491 FT	1 0 00600 0 01 0134+57
	S 0060/0000	LENGTH(AH 3322 BK 3451)
		018 "DIA CIRC CONCR
	0050/2793	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/2361	LEN=0020 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/1234	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/0912	LEN=0015 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0050/0058	LEN=0015 INSTALLED UNKN
009040 FT	009040 FT	1 0 00600 0 01 0100+06
	S 0050/0000	LENGTH(AH 3451 BK 2520)
		018 "DIA CIRC CONCR
	0040/2243	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/1897	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/1597	LEN=0056 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0040/1319	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/1189	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/0931	LEN=0015 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0040/0599	LEN=0052 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/0281	LEN=0015 INSTALLED UNKN
006520 FT	006520 FT	1 0 00600 0 01 0074+86
	S 0040/0000	LENGTH(AH 2520 BK 2418)
		018 "DIA CIRC CONCR
	0030/2079	LEN=0015 INSTALLED UNKN
		RETAINING WALL END
	0030/2012	BMSID 27/0899/0030/1820
		RETAINING WALL BEGIN
	0030/1820	BMSID 27/0899/0030/1820
		018 "DIA CIRC CONCR
	0030/1776	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0030/1577	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 9.657 MI. DIST: 01-3 SR: 899
LEFT MUN: BARNETT T RIGHT MUN: BARNETT T

```
                                                  0030/1282 LEN=0054 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/0878 LEN=0052 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/0486 LEN=0015 INSTALLED UNKN
                                                            RETAINING WALL END
                                                  0030/0400 BMSID 27/0899/0030/0925
                                                            018 "DIA CIRC CONCR
                                                  0030/0259 LEN=0015 INSTALLED UNKN
                                                            RETAINING WALL BEGIN
                                                  0030/0040 BMSID 27/0899/0030/0925
1 0 00600 0 01 0050+68 004102 FT                  004102 FT
GREENWOOD RD
(SR2001 SEG 0010/0000)  0030/0000                 0030/0000 LENGTH(AH 2418 BK 2583)
                                                            024 "DIA CIRC CONCR
                                                  0020/2286 LEN=0015 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/1951 LEN=0015 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0020/1811 LEN=0015 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/1473 LEN=0015 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/1208 LEN=0015 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0020/0557 LEN=0015 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/0256 LEN=0015 INSTALLED UNKN
                        001519 FT                 001519 FT 1 0 00600 0 01 0017+00
                                                  0020/0000 LENGTH(AH 2583 BK 1519)
                                                            018 "DIA CIRC CONCR
                                                  0010/1196 LEN=0055 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/1178 LEN=0010 INSTALLED 2016
                                                            018 "DIA CIR PLASTIC
                                                  0010/0897 LEN=0022 INSTALLED UNKN
BACK ST
(T363)                   0010/0572

                                                            BACK ST
                                                  0010/0562 (T363)
                                                            MAPLE ST
                                                  0010/0424 (T362)
                        000000 FT                 000000 FT 1 0 00600 0 00 0001+98
                                                        NC SR 0899 SH
                                                  REF-BK    SR 0899 SH
                                                            (SR0899 SEG 0020/2937)
                                                            MFC BEGIN = C
                                                             BK-JEFFERSON      (33)
                                                  0010/0000 LENGTH(AH 1519 BK 0000)
```

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HOWE T RIGHT MUN: HOWE T

140001 FT

137725 FT

```
140001 FT   AH-WARREN                (61)
* REF-AHD   SR 0666 SH
0540/2276   (SR0666 SEG 0010/0000)
            018 "DIA CIR PLASTIC
0540/2060   LEN=0045 INSTALLED UNKN
            036 "DIA CIR PLASTIC
0540/1463   LEN=0060 INSTALLED 2005

            018 "DIA CIR PLASTIC
0540/0471   LEN=0042 INSTALLED 1998
137725 FT   1 0 00253 0 02 1389+85
S 0540/0000 LENGTH(AH 2276 BK 2992)
            018 "DIA CIR PLASTIC
0530/2770   LEN=0040 INSTALLED UNKN
            024 "DIA CIR PLASTIC
0530/2674   LEN=0050 INSTALLED 2000
            018 "DIA CIR PLASTIC
0530/2416   LEN=0040 INSTALLED 2000
            018 "DIA CIR PLASTIC
0530/2270   LEN=0040 INSTALLED UNKN
            018 "DIA CIR PLASTIC
0530/2122   LEN=0040 INSTALLED 2000
            018 "DIA CIR PLASTIC
0530/1940   LEN=0045 INSTALLED UNKN
            018 "DIA CIR PLASTIC
0530/1906   LEN=0040 INSTALLED 2000
            018 "DIA CIR PLASTIC
0530/1677   LEN=0045 INSTALLED 2000
            018 "DIA CIR PLASTIC
0530/1412   LEN=0045 INSTALLED UNKN
```

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HOWE T RIGHT MUN: HOWE T

```
                                                 015 "DIA CIR PLASTIC
                                0530/0630 LEN=0040 INSTALLED UNKN
                                                 024 "DIA CIRC METAL
                                0530/0407 LEN=0038 INSTALLED 1998
134733 FT                       134733 FT 1 0 00253 0 02 1359+93
                                S 0530/0000 LENGTH(AH 2992 BK 3082)
                                                 018 "DIA CIR PLASTIC
                                0520/2970 LEN=0045 INSTALLED UNKN
                                                 048 "DIA CIR PLASTIC
                                0520/2479 LEN=0058 INSTALLED 1998

                                                 018 "DIA CIR PLASTIC
                                0520/1660 LEN=0058 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0520/1224 LEN=0058 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0520/0855 LEN=0058 INSTALLED 1998
                                                 024 "DIA CIR PLASTIC
                                0520/0523 LEN=0058 INSTALLED 1998
131651 FT                       131651 FT 1 0 00253 0 02 1329+33
                                S 0520/0000 LENGTH(AH 3082 BK 1618)
                                                 018 "DIA CIR PLASTIC
                                0510/1269 LEN=0040 INSTALLED UNKN
                                                 018 "DIA CIR PLASTIC
                                0510/1221 LEN=0040 INSTALLED UNKN
                                                 018 "DIA CIR PLASTIC
                                0510/1059 LEN=0040 INSTALLED 2000
                                                 015 "DIA CIRC METAL
                                0510/0854 LEN=0038 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0510/0430 LEN=0040 INSTALLED 2000
                                                 018 "DIA CIRC CONCR
                                0510/0029 LEN=0040 INSTALLED 2000
130033 FT                       130033 FT 1 0 00253 0 02 1311+98
                                                 BLUE JAY RD
                                                 (SR1003 SEG 0110/3104)
                                S 0510/0000 LENGTH(AH 1618 BK 3684)
                                0500/3591 MFC BEGIN = C
                                                 018 "DIA CIRC CONCR
                                0500/3494 LEN=0060 INSTALLED UNKN
                                                 018 "DIA CIRC CONCR
                                0500/3199 LEN=0045 INSTALLED UNKN
                                                 018 "DIA CIRC CONCR
                                0500/2871 LEN=0045 INSTALLED UNKN
                                                 018 "DIA CIRC CONCR
                                0500/2618 LEN=0045 INSTALLED 1998
                                                 018 "DIA CIRC CONCR
                                0500/2455 LEN=0045 INSTALLED 1998
                                                 018 "DIA CIRC CONCR
                                0500/2037 LEN=0045 INSTALLED 1998
```

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HOWE T RIGHT MUN: HOWE T

		018 "DIA CIRC CONCR
	0500/1408	LEN=0045 INSTALLED 1998
		018 "DIA CIRC CONCR
	0500/0442	LEN=0045 INSTALLED 1998
	0500/0025	BMSEN 27/0666/0500/0000
126349 FT	126349 FT	1 0 00253 0 02 1276+11
		BUSH CREEK
		BMSBG 27/0666/0500/0000
	S 0500/0000	LENGTH(AH 3684 BK 2593)
		018 "DIA CIRC CONCR
	0490/2262	LEN=0045 INSTALLED 1998
		018 "DIA CIRC CONCR
	0490/1903	LEN=0045 INSTALLED 1998
		024 "DIA CIRC CONCR
	0490/1688	LEN=0045 INSTALLED 1998
		018 "DIA CIRC CONCR
	0490/1250	LEN=0045 INSTALLED 1998
123756 FT	123756 FT	1 0 00253 0 02 1249+94
		018 "DIA CIRC CONCR
		LEN=0045 INSTALLED 1998
	S 0490/0000	LENGTH(AH 2593 BK 1880)
		018 "DIA CIRC CONCR
	0480/0902	LEN=0038 INSTALLED 1998
		018 "DIA CIRC CONCR
	0480/0728	LEN=0038 INSTALLED 1998
		018 "DIA CIRC CONCR
	0480/0275	LEN=0038 INSTALLED 1998
121876 FT	121876 FT	1 0 00253 0 02 1231+09
		BUSH CREEK
		STRUCTURE LENGTH 9 FT
		BMSID 27/0666/0480/0000
	S 0480/0000	LENGTH(AH 1880 BK 3635)
		015 "DIA CIRC CONCR
	0470/3272	LEN=0048 INSTALLED 1998
		018 "DIA CIRC CONCR
	0470/2578	LEN=0048 INSTALLED 1998
		015 "DIA CIRC CONCR
	0470/1569	LEN=0075 INSTALLED UNKN
		018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HOWE T RIGHT MUN: HOWE T

		0470/1022	LEN=0048 INSTALLED 1998
			018 "DIA CIRC CONCR
		0470/0537	LEN=0048 INSTALLED 1998
			018 "DIA CIRC CONCR
		0470/0187	LEN=0048 INSTALLED 1998
			018 "DIA CIRC CONCR
		0470/0029	LEN=0048 INSTALLED 1998
	118241 FT	118241 FT	1 0 00253 0 02 1194+56
		S 0470/0000	LENGTH(AH 3635 BK 1439)
			018 "DIA CIRC CONCR
		0460/1230	LEN=0037 INSTALLED 1998
			018 "DIA CIRC CONCR
		0460/0979	LEN=0037 INSTALLED 1998
			018 "DIA CIRC CONCR
		0460/0299	LEN=0037 INSTALLED 1998
		0460/0020	BMSEN 27/0666/0460/0000
	116802 FT	116802 FT	1 0 00253 0 02 1180+17
			MARTIN RUN
			BMSBG 27/0666/0460/0000
		S 0460/0000	LENGTH(AH 1439 BK 2813)
			018 "DIA CIRC CONCR
		0450/2435	LEN=0045 INSTALLED 1998
COOPER TRACK RD (T368)	0450/1826		
			018 "DIA CIRC CONCR
		0450/1815	LEN=0045 INSTALLED 1998
			018 "DIA CIRC CONCR
		0450/1685	LEN=0045 INSTALLED 1998
			018 "DIA CIRC CONCR
		0450/1558	LEN=0045 INSTALLED 1998
			018 "DIA CIRC CONCR
		0450/1171	LEN=0045 INSTALLED 1998
			018 "DIA CIRC CONCR
		0450/0950	LEN=0045 INSTALLED 1998
			018 "DIA CIRC CONCR
		0450/0341	LEN=0045 INSTALLED 1998
		0450/0012	BMSEN 27/0666/0450/0000
	113989 FT	113989 FT	1 0 00253 0 02 1151+96
			REAGAN RUN
			BMSBG 27/0666/0450/0000
		S 0450/0000	LENGTH(AH 2813 BK 2589)
			018 "DIA CIR PLASTIC
		0440/2125	LEN=0040 INSTALLED 1998
			015 "DIA CIRC METAL
		0440/1865	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0440/1674	LEN=0040 INSTALLED 1998

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HOWE T RIGHT MUN: HOWE T

```
                                                 018 "DIA CIR PLASTIC
                                0440/1599 LEN=0040 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0440/1452 LEN=0040 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0440/1290 LEN=0040 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0440/1014 LEN=0050 INSTALLED 2005
                                                 024 "DIA CIR PLASTIC
                                0440/0694 LEN=0040 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0440/0338 LEN=0040 INSTALLED 1998
111400 FT                       111400 FT 1 0 00253 0 02 1125+19
                                0440/0000 LENGTH(AH 2589 BK 2180)
                                                 018 "DIA CIR PLASTIC
                                0430/2165 LEN=0045 INSTALLED UNKN
                                                 018 "DIA CIR PLASTIC
                                0430/1789 LEN=0080 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0430/1694 LEN=0080 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0430/1591 LEN=0080 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0430/1408 LEN=0080 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0430/0950 LEN=0080 INSTALLED 1998
                                0430/0760 BMSEN 27/0666/0430/0733
                                                 1 0 00253 0 02 1110+41
                                                 UP.SHERIFF
                                0430/0733 BMSBG 27/0666/0430/0733
                                                 018 "DIA CIR PLASTIC
                                0430/0141 LEN=0080 INSTALLED 1998
                                0430/0021 BMSEN 27/0666/0430/0000
109220 FT                       109220 FT 1 0 00253 0 02 1103+11
                                                 L.SHERIFF
                                                 BMSBG 27/0666/0430/0000
                                0430/0000 LENGTH(AH 2180 BK 2754)
                                                 018 "DIA CIR PLASTIC
                                0420/2534 LEN=0040 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0420/2343 LEN=0040 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0420/2115 LEN=0040 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0420/1952 LEN=0040 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0420/1544 LEN=0040 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                0420/1191 LEN=0040 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HOWE T RIGHT MUN: HOWE T

	0420/1004	LEN=0040 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0420/0655	LEN=0040 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0420/0496	LEN=0040 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0420/0368	LEN=0040 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0420/0160	LEN=0040 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0420/0052	LEN=0040 INSTALLED 1998
106466 FT	106466 FT	1 0 00253 0 02 1075+27
	S 0420/0000	LENGTH(AH 2754 BK 2747)
		018 "DIA CIR PLASTIC
	0410/2586	LEN=0042 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0410/2165	LEN=0042 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0410/2018	LEN=0042 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0410/1468	LEN=0042 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0410/1329	LEN=0042 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0410/1091	LEN=0042 INSTALLED 1998
		018 "DIA CIRC METAL
	0410/0662	LEN=0042 INSTALLED 1998
		036 "DIA CIRC METAL
	0410/0392	LEN=0042 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0410/0320	LEN=0040 INSTALLED 2019
	0410/0032	BMSEN 27/0666/0410/0000
103719 FT	103719 FT	1 0 00253 0 02 1048+08
		FOOLS CREEK
		BMSBG 27/0666/0410/0000
	S 0410/0000	LENGTH(AH 2747 BK 2292)
		018 "DIA CIR PLASTIC
	0400/1437	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0400/1369	LEN=0040 INSTALLED 2005
		018 "DIA CIR PLASTIC
	0400/1231	LEN=0040 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0400/1030	LEN=0040 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0400/0720	LEN=0040 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0400/0639	LEN=0040 INSTALLED 1998
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HOWE T RIGHT MUN: HOWE T

		0400/0359 LEN=0040 INSTALLED 1998
101427 FT		101427 FT 1 0 00253 0 02 1024+95
		S 0400/0000 LENGTH(AH 2292 BK 3104)
		018 "DIA CIR PLASTIC
		0390/3071 LEN=0035 INSTALLED 1998
		018 "DIA CIR PLASTIC
		0390/2820 LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0390/2663 LEN=0035 INSTALLED 1998
		018 "DIA CIR PLASTIC
		0390/2553 LEN=0035 INSTALLED 1998
		018 "DIA CIR PLASTIC
		0390/2485 LEN=0035 INSTALLED 1998
		018 "DIA CIR PLASTIC
		0390/2263 LEN=0032 INSTALLED 1998
		018 "DIA CIR PLASTIC
		0390/2136 LEN=0032 INSTALLED 1998
		018 "DIA CIR PLASTIC
		0390/2048 LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0390/1610 LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0390/1254 LEN=0032 INSTALLED 1998
		018 "DIA CIR PLASTIC
		0390/1104 LEN=0032 INSTALLED 1998
		018 "DIA CIR PLASTIC
		0390/0868 LEN=0032 INSTALLED 1998
		018 "DIA CIR PLASTIC
		0390/0722 LEN=0032 INSTALLED 1998
		018 "DIA CIR PLASTIC
		0390/0593 LEN=0032 INSTALLED 1998
		018 "DIA CIR PLASTIC
		0390/0358 LEN=0032 INSTALLED 1998
		018 "DIA CIR PLASTIC
		0390/0177 LEN=0032 INSTALLED 1998
1 0 00253 0 02 0994+10 098323 FT		098323 FT
MINISTER HILL RD		
(SR1001 SEG 0010/0000) 0390/0000		S 0390/0000 LENGTH(AH 3104 BK 1813)
		0380/1753 BMSEN 27/0666/0380/1714
		1 0 00253 0 02 0993+19
		MINISTER CK.
		0380/1714 BMSBG 27/0666/0380/1714
MINISTER CAMPGROUND RD		
(FRST) 0380/1607		
		018 "DIA CIR PLASTIC
		0380/1204 LEN=0040 INSTALLED 1998
		018 "DIA CIR PLASTIC
		0380/0604 LEN=0040 INSTALLED 1998
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HOWE T RIGHT MUN: HOWE T

```
                                          0380/0386 LEN=0040 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0380/0019 LEN=0040 INSTALLED 1998
096510 FT                                 096510 FT 1 0 00253 0 02 0975+01
                                        S 0380/0000 LENGTH(AH 1813 BK 3184)
                                                    018 "DIA CIR PLASTIC
                                          0370/3030 LEN=0040 INSTALLED 2009
                                                    018 "DIA CIR PLASTIC
                                          0370/2758 LEN=0032 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0370/2191 LEN=0032 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0370/2021 LEN=0032 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0370/1764 LEN=0032 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0370/1514 LEN=0032 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0370/1441 LEN=0032 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0370/1198 LEN=0032 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0370/0843 LEN=0032 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0370/0626 LEN=0032 INSTALLED 1998
                                          0370/0053 BMSEN 27/0666/0370/0000
093326 FT                                 093326 FT 1 0 00253 0 02 0943+17
                                                    PORCUPINE RUN
                                                    BMSBG 27/0666/0370/0000
                                        S 0370/0000 LENGTH(AH 3184 BK 1824)
                                                    018 "DIA CIR PLASTIC
                                          0360/1269 LEN=0040 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0360/1073 LEN=0040 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0360/1026 LEN=0040 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0360/0976 LEN=0040 INSTALLED 1998

                                                    018 "DIA CIR PLASTIC
                                          0360/0151 LEN=0040 INSTALLED 1998
091502 FT                                 091502 FT 1 0 00253 0 02 0924+61
                                        S 0360/0000 LENGTH(AH 1824 BK 2479)
                                                    018 "DIA CIR PLASTIC
                                          0350/2381 LEN=0032 INSTALLED 1998
                                                    018 "DIA CIRC METAL
                                          0350/2265 LEN=0028 INSTALLED 1998
                                                    018 "DIA CIRC METAL
                                          0350/2159 LEN=0042 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HOWE T RIGHT MUN: HOWE T

```
                                        0350/1875 LEN=0030 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0350/1572 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0350/1314 LEN=0040 INSTALLED 1998
                                                  015 "DIA CIRC METAL
                                        0350/0870 LEN=0032 INSTALLED 1998
                                                  015 "DIA CIRC METAL
                                        0350/0692 LEN=0032 INSTALLED 1998

089023 FT                               089023 FT 1 0 00253 0 02 0899+82
                                      S 0350/0000 LENGTH(AH 2479 BK 1773)
                                                  015 "DIA CIRC METAL
                                        0340/1654 LEN=0024 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0340/1154 LEN=0024 INSTALLED 1996
                                                  015 "DIA CIRC METAL
                                        0340/1039 LEN=0024 INSTALLED 1998
                                                  015 "DIA CIR PLASTIC
                                        0340/0480 LEN=0024 INSTALLED 1998
                                                  048 "DIA CIR PLASTIC
                                        0340/0019 LEN=0035 INSTALLED 1998
087250 FT                               087250 FT 1 0 00253 0 02 0882+09
                                      S 0340/0000 LENGTH(AH 1773 BK 3250)
                                                  018 "DIA CIR PLASTIC
                                        0330/2813 LEN=0040 INSTALLED 1998

                                                  018 "DIA CIR PLASTIC
                                        0330/2060 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0330/1803 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0330/1407 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0330/1193 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0330/1075 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0330/0970 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0330/0672 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0330/0610 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0330/0269 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0330/0183 LEN=0040 INSTALLED 1998
084000 FT                               084000 FT 1 0 00253 0 02 0849+59
                                      S 0330/0000 LENGTH(AH 3250 BK 2522)
                                                  018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HOWE T RIGHT MUN: HOWE T

	0320/2490	LEN=0035 INSTALLED 1998 018 "DIA CIR PLASTIC
	0320/2317	LEN=0035 INSTALLED 1998 018 "DIA CIR PLASTIC
	0320/2118	LEN=0035 INSTALLED 1998 018 "DIA CIR PLASTIC
	0320/1981	LEN=0035 INSTALLED 1998 018 "DIA CIR PLASTIC
	0320/1709	LEN=0035 INSTALLED 1998 018 "DIA CIR PLASTIC
	0320/1454	LEN=0035 INSTALLED 1998 018 "DIA CIR PLASTIC
	0320/0875	LEN=0035 INSTALLED 1998 018 "DIA CIR PLASTIC
	0320/0807	LEN=0035 INSTALLED 1998 018 "DIA CIR PLASTIC
	0320/0673	LEN=0035 INSTALLED 1998 018 "DIA CIR PLASTIC
	0320/0493	LEN=0035 INSTALLED 1998 015 "DIA CIRC CONCR
	0320/0342	LEN=0035 INSTALLED 1998 015 "DIA CIRC METAL
	0320/0266	LEN=0035 INSTALLED 1998
081478 FT	081478 FT	1 0 00253 0 02 0824+48 018 "DIA CIR PLASTIC LEN=0035 INSTALLED 1998
	S 0320/0000	LENGTH(AH 2522 BK 2721) 018 "DIA CIR PLASTIC
	0310/2539	LEN=0028 INSTALLED 1998 018 "DIA CIR PLASTIC
	0310/2380	LEN=0028 INSTALLED 1998 015 "DIA CIR PLASTIC
	0310/2180	LEN=0028 INSTALLED 1998 060 "DIA CIRC CONCR
	0310/1732	LEN=0065 INSTALLED 1998 018 "DIA CIRC CONCR
	0310/1315	LEN=0042 INSTALLED 1998 018 "DIA CIRC CONCR
	0310/1042	LEN=0025 INSTALLED 1998 015 "DIA CIR PLASTIC
	0310/0750	LEN=0038 INSTALLED 1998 018 "DIA CIRC CONCR
	0310/0556	LEN=0020 INSTALLED 1998 015 "DIA CIRC METAL
	0310/0245	LEN=0025 INSTALLED 1998 018 "DIA CIRC CONCR
	0310/0145	LEN=0028 INSTALLED 1998
078757 FT	078757 FT	1 0 00253 0 02 0797+27 HOWE KINGSLEY T

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HOWE T RIGHT MUN: HOWE T

```
                                                  S 0310/0000 LENGTH(AH 2721 BK 3334)
                                                            018 "DIA CIRC CONCR
                                                    0300/2764 LEN=0040 INSTALLED 1998
                                                            018 "DIA CIRC CONCR
                                                    0300/2612 LEN=0040 INSTALLED 1998
                                                            018 "DIA CIRC CONCR
                                                    0300/2405 LEN=0040 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                    0300/2069 LEN=0040 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                    0300/1888 LEN=0040 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                    0300/1580 LEN=0040 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                    0300/1206 LEN=0040 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                    0300/0910 LEN=0040 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                    0300/0665 LEN=0040 INSTALLED 1998
                                                            MAYBURG RD
                                                    0300/0503 (TWP )
                                                    0300/0082 BMSEN 27/0666/0300/0000
                075423 FT                           075423 FT 1 0 00253 0 02 0763+90
                                                            BOBBS CREEK
                                                            BMSBG 27/0666/0300/0000
                                                  S 0300/0000 LENGTH(AH 3334 BK 1374)
FORESTRY RD
(FRST)                0290/1255
                                                            024 "DIA CIR PLASTIC
                                                    0290/1130 LEN=0030 INSTALLED 2016
                                                            018 "DIA CIR PLASTIC
                                                    0290/0974 LEN=0040 INSTALLED 2016
                                                            018 "DIA CIR PLASTIC
                                                    0290/0554 LEN=0040 INSTALLED 2009
                                                            015 "DIA CIRC METAL
                                                    0290/0334 LEN=0040 INSTALLED 1998
                074049 FT                           074049 FT 1 0 00253 0 02 0750+17
                                                            018 "DIA CIR PLASTIC
                                                            LEN=0040 INSTALLED 2007
                                                  S 0290/0000 LENGTH(AH 1374 BK 2507)
                                                            018 "DIA CIRC METAL
                                                    0280/2301 LEN=0050 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                    0280/2177 LEN=0040 INSTALLED 2013
                                                            018 "DIA CIR PLASTIC
                                                    0280/2029 LEN=0040 INSTALLED 2013
                                                            018 "DIA CIR PLASTIC
                                                    0280/1621 LEN=0040 INSTALLED 2015
                                                            018 "DIA CIR PLASTIC
                                                    0280/1408 LEN=0040 INSTALLED 2015
```

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

			024 "DIA CIR PLASTIC
		0280/1158	LEN=0040 INSTALLED 2015
			018 "DIA CIR PLASTIC
		0280/0791	LEN=0040 INSTALLED 2015
			018 "DIA CIRC METAL
		0280/0455	LEN=0050 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0280/0329	LEN=0040 INSTALLED 2009
			015 "DIA CIR PLASTIC
		0280/0068	LEN=0030 INSTALLED 1998
071542 FT		071542 FT	1 0 00253 0 02 0725+10
	S	0280/0000	LENGTH(AH 2507 BK 2528)
			018 "DIA CIR PLASTIC
		0270/2455	LEN=0040 INSTALLED 2007
			018 "DIA CIR PLASTIC
		0270/2334	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0270/1833	LEN=0040 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0270/0860	LEN=0032 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0270/0125	LEN=0040 INSTALLED 2013
069014 FT		069014 FT	1 0 00253 0 02 0699+82
	S	0270/0000	LENGTH(AH 2528 BK 2494)
			018 "DIA CIR PLASTIC
		0260/2129	LEN=0040 INSTALLED 2015
			018 "DIA CIR PLASTIC
		0260/2076	LEN=0040 INSTALLED 2015
			018 "DIA CIR PLASTIC
		0260/1917	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC METAL
		0260/1666	LEN=0042 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0260/1575	LEN=0042 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0260/1473	LEN=0040 INSTALLED 2016
			015 "DIA CIRC METAL
		0260/1278	LEN=0032 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0260/1175	LEN=0032 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0260/0830	LEN=0042 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0260/0530	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0260/0392	LEN=0032 INSTALLED 1998
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

```
                                          0260/0173 LEN=0040 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0260/0072 LEN=0040 INSTALLED 1998
066520 FT                                 066520 FT 1 0 00253 0 02 0674+88
                                        S 0260/0000 LENGTH(AH 2494 BK 2488)
                                                    015 "DIA CIRC METAL
                                          0250/2438 LEN=0035 INSTALLED 1998
                                                    015 "DIA CIRC METAL
                                          0250/1945 LEN=0035 INSTALLED 1998

                                                    018 "DIA CIR PLASTIC
                                          0250/1318 LEN=0035 INSTALLED 1998
                                                    048 "DIA CIR PLASTIC
                                          0250/1062 LEN=0050 INSTALLED 2009

                                                    018 "DIA CIR PLASTIC
                                          0250/0364 LEN=0035 INSTALLED 1998
                                                    018 "DIA CIRC METAL
                                          0250/0050 LEN=0035 INSTALLED 1998
064032 FT                                 064032 FT 1 0 00253 0 02 0650+00
                                        S 0250/0000 LENGTH(AH 2488 BK 2520)
                                                    018 "DIA CIR PLASTIC
                                          0240/2187 LEN=0040 INSTALLED 1998

                                                    018 "DIA CIR PLASTIC
                                          0240/1558 LEN=0040 INSTALLED 1998
                                                    024 "DIA CIR PLASTIC
                                          0240/1375 LEN=0040 INSTALLED 1997
                                                    024 "DIA CIR PLASTIC
                                          0240/1127 LEN=0050 INSTALLED 2009
                                                    018 "DIA CIR PLASTIC
                                          0240/0673 LEN=0040 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0240/0397 LEN=0040 INSTALLED 1998
061512 FT                                 061512 FT 1 0 00253 0 02 0624+80
                                        S 0240/0000 LENGTH(AH 2520 BK 2479)
                                                    018 "DIA CIR PLASTIC
                                          0230/2372 LEN=0030 INSTALLED 1998
                                                    024 "DIA CIRC METAL
                                          0230/2257 LEN=0030 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0230/2049 LEN=0030 INSTALLED 1998
                                                    015 "DIA CIRC METAL
                                          0230/1822 LEN=0035 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                          0230/1564 LEN=0030 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0230/1387 LEN=0030 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0230/1256 LEN=0030 INSTALLED 1998
```

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

		018 "DIA CIR PLASTIC
	0230/1177	LEN=0030 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0230/1038	LEN=0030 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0230/0822	LEN=0030 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0230/0453	LEN=0030 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0230/0365	LEN=0030 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0230/0137	LEN=0030 INSTALLED 1998
059033 FT	059033 FT	1 0 00253 0 02 0600+01
	S 0230/0000	LENGTH(AH 2479 BK 2684)
		015 "DIA CIR PLASTIC
	0220/2094	LEN=0070 INSTALLED 1998
		015 "DIA CIR PLASTIC
	0220/1787	LEN=0070 INSTALLED 1998
		015 "DIA CIRC METAL
	0220/1457	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0220/0990	LEN=0045 INSTALLED 1998
		015 "DIA CIR PLASTIC
	0220/0340	LEN=0080 INSTALLED 1998
056349 FT	056349 FT	1 0 00253 0 01 0573+17
		LT. MINISTER
		STRUCTURE LENGTH 14 FT
		BMSID 27/0666/0220/0000
	S 0220/0000	LENGTH(AH 2684 BK 2316)
		014"H 22"W ELLIP CONC
	0210/1809	LEN=0050 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0210/0942	LEN=0050 INSTALLED 2010
		018 "DIA CIR PLASTIC
	0210/0741	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0210/0653	LEN=0050 INSTALLED 2010
		018 "DIA CIR PLASTIC
	0210/0337	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0210/0084	LEN=0040 INSTALLED UNKN
054033 FT	054033 FT	1 0 00253 0 01 0549+96
	S 0210/0000	LENGTH(AH 2316 BK 2380)
		018 "DIA CIR PLASTIC
	0200/2225	LEN=0040 INSTALLED 2014
		BRANCH BRIDGE RD

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

```
                                                 0200/1243 (T345)
                                                           018 "DIA CIRC CONCR
                                                 0200/0875 LEN=0040 INSTALLED 1998
                                                           018 "DIA CIRC CONCR
                                                 0200/0546 LEN=0045 INSTALLED 1998
PIERSON HILL
(T342)                0200/0514
                                                           018 "DIA CIRC CONCR
                                                 0200/0152 LEN=0035 INSTALLED 1998
                      051653 FT                  051653 FT 1 0 00253 0 01 0526+16
                                                 5 0200/0000 LENGTH(AH 2380 BK 3006)
                                                           018 "DIA CIRC CONCR
                                                 0190/2829 LEN=0060 INSTALLED 1998
FORK RUN RD
(PRDR)                0190/2462
                                                 0190/2420 BMSEN 27/0666/0190/2397
                                                           2 0 27009 0 00 0450+69
                                                           FORK RUN
                                                 0190/2397 BMSBG 27/0666/0190/2397
                                                           018 "DIA CIRC CONCR
                                                 0190/2017 LEN=0042 INSTALLED 1998
                                                           CREEK RD
                                                 0190/2014 (TBC )
                                                           015 "DIA CIRC METAL
                                                 0190/1592 LEN=0035 INSTALLED 1998
                                                           018 "DIA CIRC CONCR
                                                 0190/1079 LEN=0042 INSTALLED 1998
                                                           018 "DIA CIRC METAL
                                                 0190/0506 LEN=0042 INSTALLED 1998
                                                           015 "DIA CIRC METAL
                                                 0190/0303 LEN=0042 INSTALLED 1998
                      048647 FT                  048647 FT 2 0 27009 0 00 0424+80
                                                           015 "DIA CIRC CONCR
                                                           LEN=0035 INSTALLED 1998
                                                 5 0190/0000 LENGTH(AH 3006 BK 2629)
                                                           024 "DIA CIRC CONCR
                                                 0180/2305 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0180/1876 LEN=0035 INSTALLED 1998
                                                           036 "DIA CIRC CONCR
                                                 0180/1725 LEN=0035 INSTALLED 1998
                                                           018 "DIA CIRC CONCR
                                                 0180/1423 LEN=0050 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0180/1178 LEN=0035 INSTALLED 1998
                                                           018 "DIA CIRC CONCR
                                                 0180/0922 LEN=0035 INSTALLED 1998
                                                           018 "DIA CIRC CONCR
                                                 0180/0700 LEN=0035 INSTALLED 1998
                                                           018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

```
                                        0180/0495 LEN=0035 INSTALLED 1998
046018 FT                               046018 FT 2 0 27009 0 00 0398+51
                                      S 0180/0000 LENGTH(AH 2629 BK 2459)
                                                  024 "DIA CIRC METAL
                                        0170/2242 LEN=0035 INSTALLED 1998
                                                  036 "DIA CIRC CONCR
                                        0170/1960 LEN=0042 INSTALLED 1998

                                                  018 "DIA CIRC CONCR
                                        0170/0946 LEN=0042 INSTALLED 1998
                                                  015 "DIA CIRC CONCR
                                        0170/0572 LEN=0042 INSTALLED 1998
                                                  015 "DIA CIRC METAL
                                        0170/0228 LEN=0052 INSTALLED 1998
                                                  015 "DIA CIRC CONCR
                                        0170/0025 LEN=0035 INSTALLED 1998
043559 FT                               043559 FT 2 0 27009 0 00 0375+42
                                      S 0170/0000 LENGTH(AH 2459 BK 1748)
                                                  018 "DIA CIRC CONCR
                                        0160/1314 LEN=0042 INSTALLED 1998
                                                  018 "DIA CIRC CONCR
                                        0160/0817 LEN=0042 INSTALLED 1998

                                                  018 "DIA CIRC CONCR
                                        0160/0215 LEN=0042 INSTALLED 1998
041811 FT                               041811 FT 2 0 27009 0 00 0358+15
                                                  WHIG HILL RD
                                                  (T336)
                                      S 0160/0000 LENGTH(AH 1748 BK 2648)

                                                  018 "DIA CIR PLASTIC
                                        0150/1885 LEN=0042 INSTALLED 1998


039163 FT                               039163 FT 2 0 27009 0 00 0331+67
                                                  GERMAN HILL RD
                                                  (SR4004 SEG 0230/3003)
                                      S 0150/0000 LENGTH(AH 2648 BK 3677)
                                                  015 "DIA CIRC CONCR
                                        0140/3205 LEN=0050 INSTALLED 1998
                                                  014"H 22"W ELLIP CONC
                                        0140/3054 LEN=0060 INSTALLED 1998
                                                  018 "DIA CIRC CONCR
                                        0140/2780 LEN=0055 INSTALLED 1998
                                                  015 "DIA CIRC CONCR
                                        0140/2509 LEN=0050 INSTALLED 1998
```

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: KINGSLEY T RIGHT MUN: KINGSLEY T

			018 "DIA CIRC METAL
		0140/2253	LEN=0060 INSTALLED 1998
			014"H 22"W ELLIP CONC
		0140/1333	LEN=0055 INSTALLED 1998
			014"H 22"W ELLIP CONC
		0140/0809	LEN=0050 INSTALLED 1998
			015 "DIA CIRC METAL
		0140/0356	LEN=0040 INSTALLED 1998
035486 FT		035486 FT	2 0 27009 0 00 0295+16
		S 0140/0000	LENGTH(AH 3677 BK 3853)
			018 "DIA CIRC METAL
		0130/3523	LEN=0040 INSTALLED 1998
			018 "DIA CIRC CONCR
		0130/3289	LEN=0040 INSTALLED 2007
			015 "DIA CIRC CONCR
		0130/3078	LEN=0045 INSTALLED 1998
			018 "DIA CIRC METAL
		0130/2750	LEN=0040 INSTALLED 1998
			014"H 22"W ELLIP CONC
		0130/1971	LEN=0042 INSTALLED 1998
			024 "DIA CIR PLASTIC
		0130/1776	LEN=0040 INSTALLED 2006
			014"H 22"W ELLIP CONC
		0130/0431	LEN=0035 INSTALLED 1998
031633 FT		031633 FT	2 0 27009 0 00 0257+56
			TOWNLINE RD
			(T363)
	==	S 0130/0000	LENGTH(AH 3853 BK 3128)
			KINGSLEY
		0120/2815	HICKORY T
			018 "DIA CIR PLASTIC
		0120/2565	LEN=0040 INSTALLED 2015
			018 "DIA CIR PLASTIC
		0120/2325	LEN=0048 INSTALLED 1998
FORESTRY RD (FRST) 0120/2000	==		
			018 "DIA CIR PLASTIC
		0120/1670	LEN=0048 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0120/1415	LEN=0048 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0120/1050	LEN=0048 INSTALLED 1998
			018 "DIA CIRC CONCR
		0120/0618	LEN=0048 INSTALLED 1998

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

			024 "DIA CIRC CONCR
		0120/0345	LEN=0048 INSTALLED 1998
	028505 FT	028505 FT	2 0 27009 0 00 0224+96
		S 0120/0000	LENGTH(AH 3128 BK 2700)
			015 "DIA CIRC CONCR
		0110/2350	LEN=0035 INSTALLED 1998
			014"H 22"W ELLIP CONC
		0110/2069	LEN=0035 INSTALLED 1998
			014"H 22"W ELLIP CONC
		0110/1654	LEN=0042 INSTALLED 1998
			015 "DIA CIRC CONCR
		0110/0988	LEN=0035 INSTALLED 1998
			015 "DIA CIRC CONCR
		0110/0669	LEN=0042 INSTALLED 1998
			RBR
		0110/0322	BMSEN 27/0666/0110/0240
			2 0 27009 0 00 0200+92
			P3
			RBR
			BEAVER RUN
		0110/0270	BMSBG 27/0666/0110/0240
2 0 27009 0 00 0198+30	025805 FT	025805 FT	
YELLOW HAMMER RD			
(SR4006 SEG 0070/2222)	0110/0000	S 0110/0000	LENGTH(AH 2700 BK 3277)
			015 "DIA CIRC CONCR
		0100/2993	LEN=0035 INSTALLED 1998
			024 "DIA CIRC CONCR
		0100/2634	LEN=0035 INSTALLED 1998
			024 "DIA CIRC CONCR
		0100/1701	LEN=0042 INSTALLED 1998
			015 "DIA CIR PLASTIC
		0100/0025	LEN=0048 INSTALLED 1998
2 0 27009 0 00 0165+40	022528 FT	022528 FT	
KIFFER HILL RD			
(SR4006 SEG 0010/0000)	0100/0000	S 0100/0000	LENGTH(AH 3277 BK 3195)
			024 "DIA CIRC CONCR
		0090/3138	LEN=0035 INSTALLED 1998
			014"H 22"W ELLIP CONC
		0090/2956	LEN=0035 INSTALLED 1998
			014"H 22"W ELLIP CONC
		0090/2772	LEN=0035 INSTALLED 1998
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

```
                                        0090/2464 LEN=0035 INSTALLED 1998
                                                  018 "DIA CIRC CONCR
                                        0090/1953 LEN=0035 INSTALLED 1998
                                                  018 "DIA CIRC CONCR
                                        0090/1803 LEN=0035 INSTALLED 1998
                                                  015 "DIA CIRC CONCR
                                        0090/1561 LEN=0035 INSTALLED 1998


                                                  014"H 22"W ELLIP CONC
                                        0090/0625 LEN=0035 INSTALLED 1998
                                                  014"H 22"W ELLIP CONC
                                        0090/0387 LEN=0035 INSTALLED 1998

                                        RBR
                                        0090/0030 BMSEN 27/0666/0090/0000
019333 FT                               019333 FT 2 0 27009 0 00 0133+40
                                                  P3
                                                  BEAVER RUN
                                        RBR       BMSBG 27/0666/0090/0000
                                      S 0090/0000 LENGTH(AH 3195 BK 1943)
                                                  048 "DIA CIRC CONCR
                                        0080/1679 LEN=0048 INSTALLED 1998
                                                  018 "DIA CIRC CONCR
                                        0080/1163 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIRC CONCR
                                        0080/0964 LEN=0036 INSTALLED 1998
                                                  018 "DIA CIRC CONCR
                                        0080/0703 LEN=0036 INSTALLED 1998
                                                  018 "DIA CIRC CONCR
                                        0080/0391 LEN=0035 INSTALLED 1998
                                                  018 "DIA CIRC CONCR
                                        0080/0153 LEN=0035 INSTALLED 1998
017390 FT                               017390 FT 2 0 27009 0 00 0114+54
                                      S 0080/0000 LENGTH(AH 1943 BK 2274)
                                                  018 "DIA CIRC CONCR
                                        0070/2067 LEN=0042 INSTALLED 1998
                                                  014"H 22"W ELLIP CONC
                                        0070/1641 LEN=0042 INSTALLED 1998
                                                  015 "DIA CIRC CONCR
                                        0070/1302 LEN=0048 INSTALLED 1998


                                        RBR
                                        0070/0095 BMSEN 27/0666/0070/0000
015116 FT                               015116 FT 2 0 27009 0 00 0091+18
                                        RBR       P3
                                                  BEAVER RUN
```

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

			BMSBG 27/0666/0070/0000
		S 0070/0000	LENGTH(AH 2274 BK 3222)
	011894 FT	011894 FT	2 0 27009 0 00 0058+96
		S 0060/0000	LENGTH(AH 3222 BK 2603)
			024 "DIA CIRC CONCR
		0050/2512	LEN=0060 INSTALLED 1998
			014"H 22"W ELLIP CONC
		0050/2224	LEN=0050 INSTALLED 1998
			014"H 22"W ELLIP CONC
		0050/1898	LEN=0040 INSTALLED 1998
			014"H 22"W ELLIP CONC
		0050/1456	LEN=0050 INSTALLED 1998
			014"H 22"W ELLIP CONC
		0050/0953	LEN=0045 INSTALLED 1998
			014"H 22"W ELLIP CONC
		0050/0786	LEN=0035 INSTALLED 1998
		0050/0080	BMSEN 27/0666/0050/0000
	009291 FT	009291 FT	2 0 27009 0 00 0033+00
			HICKORY CK.
			BMSBG 27/0666/0050/0000
		S 0050/0000	LENGTH(AH 2603 BK 3275)
HUNTER RD (T332)	0040/3177		
			014"H 22"W ELLIP CONC
		0040/3069	LEN=0065 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0040/2412	LEN=0065 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0040/2305	LEN=0045 INSTALLED UNKN
QUEEN RD (T328)	0040/2239		
			014"H 22"W ELLIP CONC
		0040/2189	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/1606	LEN=0040 INSTALLED UNKN
			014"H 22"W ELLIP CONC
		0040/1327	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/0740	LEN=0030 INSTALLED 1997

DIR: B TOTAL LEN: 26.515 MI. DIST: 01-3 SR: 666
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

		018 "DIA CIR PLASTIC
	0040/0530	LEN=0030 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0040/0290	LEN=0040 INSTALLED 1997
		024 "DIA CIRC METAL
	0040/0015	LEN=0055 INSTALLED 1998
006016 FT	006016 FT	2 0 27009 0 00 0000+00
	S 0040/0000	LENGTH(AH 3275 BK 2700)
		015 "DIA CIR PLASTIC
	0030/2323	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC METAL
	0030/2136	LEN=0035 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0030/1742	LEN=0040 INSTALLED 1997
		024 "DIA CIRC METAL
	0030/1300	LEN=0030 INSTALLED UNKN
		036"H 54"W ELLIP METAL
	0030/0925	LEN=0040 INSTALLED UNKN
		048 "DIA CIR PLASTIC
	0030/0587	LEN=0060 INSTALLED 2017
		018 "DIA CIR PLASTIC
	0030/0400	LEN=0040 INSTALLED 1997
		018 "DIA CIRC METAL
	0030/0128	LEN=0045 INSTALLED 1998
003316 FT	003316 FT	1 1 00320 0 01 0024+29
	S 0030/0000	LENGTH(AH 2700 BK 1951)
		018 "DIA CIR PLASTIC
	0020/1654	LEN=0040 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0020/1547	LEN=0040 INSTALLED 1997
	0020/0330	BMSEN 27/0666/0020/0180
		1 1 00320 0 00 0006+40
		E.HICK. CK.
	0020/0180	BMSBG 27/0666/0020/0180
001365 FT	001365 FT	1 1 00320 0 00 0000+00
	S 0020/0000	LENGTH(AH 1951 BK 1365)
		OLD RT 62
	0010/0104	(T360)
000000 FT	000000 FT	2 0 27016 0 00 0000+00
		NC DAVID ZEISBURGER HW
		SR 0062 SH
		(SR0062 SEG 0260/2827)
		MFC BEGIN = D
	S 0010/0000	LENGTH(AH 1365 BK 0000)

DIR: B TOTAL LEN: 4.915 MI. DIST: 01-3 SR: 227
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

	025952 FT		025952 FT INTER-AHD FLEMING HILL RD
FLEMING HILL RD (SR0127 SEG 0100/0000) FOR SR 0127 AND 0227 (CONN)	0110/1917 0110/1812		0110/1917 (SR0127 SEG 0100/0000)
			018 "DIA CIR PLASTIC 0110/0665 LEN=0050 INSTALLED 2009
UNKNOWN RD (TWP)	0110/0614		
	024035 FT		024035 FT 1 0 00598 0 00 0224+88 S 0110/0000 LENGTH(AH 1917 BK 2504)
			036 "DIA CIR PLASTIC 0100/1575 LEN=0050 INSTALLED 2000
	021531 FT		021531 FT 1 0 00598 0 00 0199+84 S 0100/0000 LENGTH(AH 2504 BK 2554) 018 "DIA CIR PLASTIC 0090/2077 LEN=0041 INSTALLED 2000
			018 "DIA CIR PLASTIC 0090/0586 LEN=0060 INSTALLED 2014
	018977 FT		018977 FT 1 0 00598 0 00 0174+73 S 0090/0000 LENGTH(AH 2554 BK 1780) 012"H 18"W ELLIP METAL

DIR: B TOTAL LEN: 4.915 MI. DIST: 01-3 SR: 227
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

```
                                        0080/1705 LEN=0046 INSTALLED 2000
                                                  018 "DIA CIR PLASTIC
                                        0080/1362 LEN=0050 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
                                        0080/0832 LEN=0060 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
                                        0080/0570 LEN=0044 INSTALLED 2009
                                                  018 "DIA CIR PLASTIC
                                        0080/0279 LEN=0060 INSTALLED 2014
                                        0080/0065 BMSEN 27/0227/0080/0000
017197 FT                               017197 FT 1 0 00598 0 00 0156+92
                                                  WEST HICKORY CREEK
                                                  BMSBG 27/0227/0080/0000
                                      S 0080/0000 LENGTH(AH 1780 BK 3168)


                                                  018 "DIA CIR PLASTIC
                                        0070/1703 LEN=0050 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
                                        0070/1451 LEN=0050 INSTALLED 2014

                                                  015 "DIA CIRC METAL
                                        0070/0771 LEN=0045 INSTALLED 2000
                                                  018 "DIA CIR PLASTIC
                                        0070/0446 LEN=0050 INSTALLED 2014
                                                  018 "DIA CIRC METAL
                                        0070/0177 LEN=0046 INSTALLED 2000
014029 FT                               014029 FT 1 0 00598 0 00 0124+99
                                      S 0070/0000 LENGTH(AH 3168 BK 2510)
                                                  018 "DIA CIR PLASTIC
                                        0060/2170 LEN=0050 INSTALLED 2014
                                                  018 "DIA CIRC METAL
                                        0060/1660 LEN=0041 INSTALLED 2000

                                                  018 "DIA CIR PLASTIC
                                        0060/0917 LEN=0050 INSTALLED 2014

011519 FT                               011519 FT 1 0 00598 0 00 0099+74
                                      S 0060/0000 LENGTH(AH 2510 BK 2495)
                                                  018 "DIA CIR PLASTIC
                                        0050/1945 LEN=0050 INSTALLED 2014



                                                  018 "DIA CIR PLASTIC
                                        0050/0400 LEN=0042 INSTALLED 2000
009024 FT                               009024 FT 1 0 00598 0 00 0074+79
```

DIR: B TOTAL LEN: 4.915 MI. DIST: 01-3 SR: 227
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

```
                                  S 0050/0000 LENGTH(AH 2495 BK 2494)
                                              018 "DIA CIR PLASTIC
                                    0040/2376 LEN=0040 INSTALLED UNKN
                                              018 "DIA CIRC METAL
                                    0040/2215 LEN=0049 INSTALLED 2000

                                              018 "DIA CIRC METAL
                                    0040/1468 LEN=0040 INSTALLED 2000


                                              018 "DIA CIR PLASTIC
                                    0040/0127 LEN=0052 INSTALLED 2000
006530 FT                           006530 FT 1 0 00598 0 00 0049+85
                                  S 0040/0000 LENGTH(AH 2494 BK 2498)

                                              060 "DIA CIR PLASTIC
                                    0030/1536 LEN=0050 INSTALLED 2019

                                              018 "DIA CIR PLASTIC
                                    0030/0644 LEN=0040 INSTALLED 2014

004032 FT                           004032 FT 1 0 00598 0 00 0024+87
                                  S 0030/0000 LENGTH(AH 2498 BK 2487)
                                              018 "DIA CIR PLASTIC
                                    0020/2338 LEN=0040 INSTALLED 2014
                                              018 "DIA CIR PLASTIC
                                    0020/1858 LEN=0050 INSTALLED 2014

                                              018 "DIA CIR PLASTIC
                                    0020/0884 LEN=0036 INSTALLED 2000

001545 FT                           001545 FT 1 0 00598 0 00 0000+00
                                              PINEVILLE RD
                                              (SR4001 SEG 0140/0000)
                                  S 0020/0000 LENGTH(AH 2487 BK 1545)
                                              018 "DIA CIR PLASTIC
                                    0010/0962 LEN=0050 INSTALLED 2014

000000 FT                           000000 FT 1 0 00511 0 02 0480+18
                                              VILLAGE: NEILLTOWN
                                        NC BUTCHER KNIFE HILL RD
                                  * REF-BK    SR 0227 SH
                                              (SR0227 SEG 0330/2446)
                                              MFC BEGIN = D
                                               BK-VENANGO        (60)
                                  S 0010/0000 LENGTH(AH 1545 BK 0000)
```

DIR: B TOTAL LEN: 4.640 MI. DIST: 01-3 SR: 127
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

024497 FT

FOR SR 0127 AND 0227
(CONN) 0100/0142

024308 FT

BUTCHER KNIFE HILL RD
(SR0227 SEG 0110/1917) 0100/0000



024497 FT AH-WARREN (61)
REF-AHD FAGUNDUS RD
0100/0189 (SR0127 SEG 0010/0000)

018 "DIA CIR PLASTIC
0100/0038 LEN=0050 INSTALLED UNKN
024308 FT 2 0 27006 0 00 0000+00
VILLAGE: FAGUNDUS
0100/0000 LENGTH(AH 0189 BK 3035)
018 "DIA CIR PLASTIC
0090/2736 LEN=0040 INSTALLED 2014

DIR: B TOTAL LEN: 4.640 MI. DIST: 01-3 SR: 127
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

				TRUNKEYVILLE RD
			0090/2448	(SR4012 SEG 0010/0000)
				018 "DIA CIR PLASTIC
			0090/0671	LEN=0040 INSTALLED 2014
	021273 FT		021273 FT	1 0 00598 0 00 0274+73
			5 0090/0000	LENGTH(AH 3035 BK 2502)
				018 "DIA CIR PLASTIC
			0080/1366	LEN=0040 INSTALLED 2014
	018771 FT		018771 FT	1 0 00598 0 00 0299+63
			5 0080/0000	LENGTH(AH 2502 BK 3618)
				018 "DIA CIR PLASTIC
			0070/3020	LEN=0040 INSTALLED 2014
				018 "DIA CIR PLASTIC
			0070/0958	LEN=0040 INSTALLED 2007
1 0 00598 0 00 0336+25	015153 FT		015153 FT	
PREACHER RD				
(T310)	0070/0000		5 0070/0000	LENGTH(AH 3618 BK 3328)
				015 "DIA CIR PLASTIC
			0060/3008	LEN=0030 INSTALLED 1998
				018 "DIA CIR PLASTIC
			0060/2383	LEN=0040 INSTALLED 2014
SCHOOL HOUSE RD				
(T310)	0060/2347			
				018 "DIA CIR PLASTIC
			0060/2307	LEN=0060 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0060/1951	LEN=0040 INSTALLED 2014
				018 "DIA CIR PLASTIC
			0060/1667	LEN=0050 INSTALLED 2014
				018 "DIA CIR PLASTIC
			0060/1279	LEN=0045 INSTALLED 1998
				018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 4.640 MI. DIST: 01-3 SR: 127
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

```
                                        0060/0927 LEN=0060 INSTALLED 1998
                                                  036 "DIA CIR PLASTIC
                                        0060/0403 LEN=0045 INSTALLED 2005
011825 FT                               011825 FT 1 0 00598 0 00 0369+79
                                                  018 "DIA CIR PLASTIC
                                                  LEN=0040 INSTALLED 2014
                                      S 0060/0000 LENGTH(AH 3328 BK 3049)
                                                  024 "DIA CIR PLASTIC
                                        0050/2649 LEN=0040 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
                                        0050/2352 LEN=0040 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
                                        0050/2200 LEN=0040 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
                                        0050/1737 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0050/1618 LEN=0040 INSTALLED 2014
                                                  018 "DIA CIRC METAL
                                        0050/1218 LEN=0042 INSTALLED 1998
                                                  018 "DIA CIRC METAL
                                        0050/0890 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0050/0705 LEN=0040 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
                                        0050/0532 LEN=0050 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0050/0295 LEN=0040 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
                                        0050/0120 LEN=0048 INSTALLED 1999
008776 FT                               008776 FT 1 0 00598 0 00 0400+28
                                      S 0050/0000 LENGTH(AH 3049 BK 2411)
                                                  018 "DIA CIR PLASTIC
                                        0040/2205 LEN=0060 INSTALLED 2008
                                                  UPPER LEASE RD
                                     == 0040/2195 (TWP )
                                                  018 "DIA CIR PLASTIC
                                        0040/1822 LEN=0055 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0040/1262 LEN=0050 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
                                        0040/0766 LEN=0050 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
                                        0040/0212 LEN=0045 INSTALLED 1999
006365 FT                               006365 FT 1 0 00598 0 00 0424+39
                                      S 0040/0000 LENGTH(AH 2411 BK 2061)
                                                  018 "DIA CIR PLASTIC
                                        0030/1917 LEN=0040 INSTALLED 1999
                                                  018 "DIA CIR PLASTIC
                                        0030/1534 LEN=0040 INSTALLED 2014
                                                  015 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 4.640 MI. DIST: 01-3 SR: 127
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

```
                                                  0030/1310 LEN=0040 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                  0030/0900 LEN=0040 INSTALLED 1999
                                                            018 "DIA CIR PLASTIC
                                                  0030/0698 LEN=0040 INSTALLED 1999
                                                            018 "DIA CIR PLASTIC
                                                  0030/0470 LEN=0050 INSTALLED 2014
                                                            018 "DIA CIR PLASTIC
                                                  0030/0170 LEN=0040 INSTALLED UNKN
                     004304 FT                    004304 FT 1 0 00598 0 00 0445+00
                                                5 0030/0000 LENGTH(AH 2061 BK 2437)
                                                            036 "DIA CIR PLASTIC
                                                  0020/2250 LEN=0040 INSTALLED 2014
                                                        NC FLEMING HILL RD
                                                            CEMETARY RD
                                                  0020/2175 (T388)

                                                            CRESTMONT RD
                                                  0020/1081 (T387)
                                                            ORCHARD ST
                                                  0020/0804 (T392)
                                                            PEARL ST
                                                  0020/0440 (T385)
WALNUT ST                                                   ANN ST
(T384)               0020/0219                    0020/0219 (T381)
1 0 00598 0 00 0469+37 001867 FT                  001867 FT
DAWSON RD
(SR4002 SEG 0150/3438)
DEPOT ST                                                NC DEPOSIT ST
(T382)               0020/0000                  5 0020/0000 LENGTH(AH 2437 BK 1867)
                                                            BRIDGE ST
                                                  0010/1344 (T386)
                                                            FERRY LN
                                                  0010/1280 (T380)
                                                            018 "DIA CIRC CONCR
                                                  0010/1210 LEN=0035 INSTALLED UNKN
                                                  0010/1190 BMSEN 27/0127/0010/0445

                                                            1 0 00598 0 00 0488+25
                                                            ALLEGHENY RIVER
                                                  0010/0422 BMSBG 27/0127/0010/0445
                                                            018 "DIA CIRC CONCR
                                                  0010/0385 LEN=0030 INSTALLED UNKN
                     000000 FT                    000000 FT 1 0 00598 0 00 0488+25
                                                        NC MAIN ST
                                                            SR 0062 SH
                                                            (SR0062 SEG 0250/0000)
                                                            MFC BEGIN = D
                                                5 0010/0000 LENGTH(AH 1867 BK 0000)
```

DIR: B TOTAL LEN: 17.248 MI. DIST: 01-3 SR: 66
LEFT MUN: HOWE T RIGHT MUN: HOWE T

091069 FT

091069 FT AH-ELK (24)
REF-AHD SR 0066 SH
0380/2335 (SR0066 SEG 0010/0000)
015 "DIA CIRC CONCR
0380/1985 LEN=0040 INSTALLED 1997

FORESTRY RD

DIR: B TOTAL LEN: 17.248 MI. DIST: 01-3 SR: 66
LEFT MUN: HOWE T RIGHT MUN: HOWE T

	0380/0393	(FRST)
		018 "DIA CIRC CONCR
	0380/0202	LEN=0040 INSTALLED 1997
		018 "DIA CIRC CONCR
	0380/0015	LEN=0050 INSTALLED 1997
088734 FT	088734 FT	1 0 00380 0 00 0889+60
	S 0380/0000	LENGTH(AH 2335 BK 2454)
		015 "DIA CIRC CONCR
	0370/2150	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0370/0911	LEN=0040 INSTALLED 1997
		015 "DIA CIRC CONCR
	0370/0457	LEN=0040 INSTALLED 1997
		015 "DIA CIRC CONCR
	0370/0175	LEN=0040 INSTALLED 1997
086280 FT	086280 FT	1 0 00380 0 00 0865+06
	S 0370/0000	LENGTH(AH 2454 BK 2522)
		018 "DIA CIRC CONCR
	0360/1616	LEN=0045 INSTALLED 1997
		018 "DIA CIRC CONCR
	0360/1421	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0360/1014	LEN=0040 INSTALLED 1997
		015 "DIA CIRC CONCR
	0360/0354	LEN=0040 INSTALLED 1997
083758 FT	083758 FT	1 0 00380 0 00 0839+84
	S 0360/0000	LENGTH(AH 2522 BK 2447)
		018 "DIA CIRC CONCR
	0350/2248	LEN=0040 INSTALLED 1997
		015 "DIA CIRC CONCR
	0350/0888	LEN=0050 INSTALLED 1997
		024 "DIA CIRC CONCR
	0350/0464	LEN=0050 INSTALLED 1997
		015 "DIA CIRC CONCR
	0350/0146	LEN=0045 INSTALLED 1997
081311 FT	081311 FT	1 0 00380 0 00 0815+37
	S 0350/0000	LENGTH(AH 2447 BK 2540)
		015 "DIA CIRC CONCR
	0340/2222	LEN=0045 INSTALLED 1997
		021 "DIA CIRC CONCR
	0340/1758	LEN=0045 INSTALLED 1997

DIR: B TOTAL LEN: 17.248 MI. DIST: 01-3 SR: 66
LEFT MUN: HOWE T RIGHT MUN: HOWE T

		015 "DIA CIRC CONCR
	0340/1450	LEN=0045 INSTALLED 1997
		015 "DIA CIRC CONCR
	0340/0050	LEN=0040 INSTALLED 1997
078771 FT	078771 FT	1 0 00380 0 00 0789+97
	S 0340/0000	LENGTH(AH 2540 BK 2462)
		015 "DIA CIRC CONCR
	0330/2265	LEN=0045 INSTALLED 1997
		015 "DIA CIRC CONCR
	0330/1910	LEN=0055 INSTALLED 1997
		036 "DIA CIRC CONCR
	0330/1566	LEN=0060 INSTALLED 1997
		015 "DIA CIRC CONCR
	0330/0844	LEN=0040 INSTALLED 1997
		FORESTRY RD
	0330/0723	(FRST)
		015 "DIA CIRC CONCR
	0330/0291	LEN=0040 INSTALLED 1997
		015 "DIA CIRC CONCR
	0330/0111	LEN=0040 INSTALLED 1997
076309 FT	076309 FT	1 0 00380 0 00 0765+35
	S 0330/0000	LENGTH(AH 2462 BK 2998)
		015 "DIA CIRC CONCR
	0320/2929	LEN=0045 INSTALLED 1997
		015 "DIA CIRC CONCR
	0320/2478	LEN=0050 INSTALLED 1997
		015 "DIA CIRC CONCR
	0320/1690	LEN=0045 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0320/1279	LEN=0045 INSTALLED 1997
		015 "DIA CIRC CONCR
	0320/0943	LEN=0050 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0320/0675	LEN=0040 INSTALLED 1997
		015 "DIA CIRC CONCR
	0320/0350	LEN=0050 INSTALLED 1997
073311 FT	073311 FT	1 0 00380 0 00 0735+37
	S 0320/0000	LENGTH(AH 2998 BK 1920)
		015 "DIA CIRC CONCR
	0310/1300	LEN=0050 INSTALLED 1997
		036 "DIA CIRC CONCR
	0310/0961	LEN=0050 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0310/0417	LEN=0045 INSTALLED 1997

DIR: B TOTAL LEN: 17.248 MI. DIST: 01-3 SR: 66
LEFT MUN: HOWE T RIGHT MUN: HOWE T

	071391 FT	071391 FT	1 0 00380 0 00 0716+10
			WATSON RUN
			STRUCTURE LENGTH 17 FT
			BMSID 27/0066/0310/0000
		S 0310/0000	LENGTH(AH 1920 BK 1801)
			015 "DIA CIRC CONCR
		0300/1215	LEN=0045 INSTALLED 1997
			015 "DIA CIRC CONCR
		0300/1066	LEN=0045 INSTALLED 1997
			015 "DIA CIRC CONCR
		0300/0883	LEN=0050 INSTALLED 1997
			036 "DIA CIRC CONCR
		0300/0783	LEN=0050 INSTALLED 1997
			015 "DIA CIRC CONCR
		0300/0630	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0300/0297	LEN=0055 INSTALLED 1997
	069590 FT	069590 FT	1 0 00380 0 00 0696+89
			015 "DIA CIRC CONCR
			LEN=0050 INSTALLED 1997
		S 0300/0000	LENGTH(AH 1801 BK 1602)
			024 "DIA CIRC CONCR
		0290/0655	LEN=0060 INSTALLED 1997
			042 "DIA CIRC CONCR
		0290/0134	LEN=0050 INSTALLED 1997
	067988 FT	067988 FT	1 0 00380 0 00 0680+87
		S 0290/0000	LENGTH(AH 1602 BK 2941)
			018 "DIA CIRC CONCR
		0280/2660	LEN=0060 INSTALLED 1997
			018 "DIA CIRC CONCR
		0280/0068	LEN=0050 INSTALLED 1997
1 0 00380 0 00 0651+46	065047 FT	065047 FT	
WATSON FARM RD			
(T373)	0280/0000	S 0280/0000	LENGTH(AH 2941 BK 3591)
			018 "DIA CIRC CONCR
		0270/1982	LEN=0040 INSTALLED 1997

DIR: B TOTAL LEN: 17.248 MI. DIST: 01-3 SR: 66
LEFT MUN: HOWE T RIGHT MUN: HOWE T

			018 "DIA CIRC CONCR
		0270/0410	LEN=0040 INSTALLED 1997
			018 "DIA CIRC CONCR
		0270/0346	LEN=0050 INSTALLED UNKN
	061456 FT	061456 FT	1 0 00380 0 00 0615+33
			DUHRING RD
			(T327)
		S 0270/0000	LENGTH(AH 3591 BK 2307)
			018 "DIA CIRC CONCR
		0260/1751	LEN=0055 INSTALLED 1997
			018 "DIA CIRC CONCR
		0260/1375	LEN=0060 INSTALLED 1997
			018 "DIA CIRC CONCR
		0260/1111	LEN=0080 INSTALLED 1997
			018 "DIA CIRC CONCR
		0260/0441	LEN=0055 INSTALLED 1997
			BYROMTOWN RD
		0260/0275	(T370)
			024 "DIA CIRC CONCR
		0260/0216	LEN=0060 INSTALLED 1997
1 0 00380 0 00 0592+38	059149 FT	059149 FT	
BLUE JAY CREEK RD			
(SR1003 SEG 0010/0000)	0260/0000	S 0260/0000	LENGTH(AH 2307 BK 2312)
			018 "DIA CIRC CONCR
		0250/2275	LEN=0055 INSTALLED 1997
			018 "DIA CIRC CONCR
		0250/1882	LEN=0045 INSTALLED 1997
			018 "DIA CIRC CONCR
		0250/1303	LEN=0050 INSTALLED 1997
			HOWE
		0250/1095	JENKS T
			018 "DIA CIRC CONCR
		0250/1054	LEN=0050 INSTALLED 1997
			015 "DIA CIRC CONCR
		0250/0568	LEN=0050 INSTALLED 1997
PIGEON LN			
(PRDR)	0250/0302		
	056837 FT	056837 FT	1 0 00380 0 00 0568+09
		S 0250/0000	LENGTH(AH 2312 BK 2162)
			018 "DIA CIRC CONCR
		0240/1189	LEN=0060 INSTALLED 1997
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 17.248 MI. DIST: 01-3 SR: 66
LEFT MUN: JENKS T RIGHT MUN: JENKS T

		0240/0267	LEN=0060 INSTALLED 1997
	054675 FT	054675 FT	1 0 00380 0 00 0546+47
		S 0240/0000	LENGTH(AH 2162 BK 1814)
			015 "DIA CIRC CONCR
		0230/0697	LEN=0040 INSTALLED 1997
	052861 FT	052861 FT	1 0 00380 0 00 0528+33
		S 0230/0000	LENGTH(AH 1814 BK 1995)
			015 "DIA CIRC CONCR
		0220/1664	LEN=0040 INSTALLED 1997
	050866 FT	050866 FT	1 0 00380 0 00 0508+17
		S 0220/0000	LENGTH(AH 1995 BK 2817)
			015 "DIA CIRC CONCR
		0210/1913	LEN=0040 INSTALLED 1997
			BYROMTOWN RD
		0210/1492	(T372)
			015 "DIA CIRC CONCR
		0210/0865	LEN=0040 INSTALLED 1997
			015 "DIA CIRC CONCR
		0210/0170	LEN=0040 INSTALLED 1997
			BYROMTOWN RD
		0210/0107	(T370)
	048049 FT	048049 FT	1 0 00380 0 00 0480+00
		S 0210/0000	LENGTH(AH 2817 BK 1683)
			015 "DIA CIRC CONCR
		0200/1239	LEN=0040 INSTALLED 1997
			015 "DIA CIRC CONCR
		0200/0232	LEN=0040 INSTALLED 1997
1 0 00380 0 00 0464+20	046366 FT	046366 FT	
PENOKE PIKE			
(FRST)	0200/0000	S 0200/0000	LENGTH(AH 1683 BK 3318)
			018 "DIA CIRC CONCR
		0190/2900	LEN=0040 INSTALLED 1997
			015 "DIA CIRC CONCR
		0190/2020	LEN=0045 INSTALLED 1997
			015 "DIA CIRC CONCR
		0190/1456	LEN=0040 INSTALLED 1997

DIR: B TOTAL LEN: 17.248 MI. DIST: 01-3 SR: 66
LEFT MUN: JENKS T RIGHT MUN: JENKS T

```
                                                    015 "DIA CIRC CONCR
                                      ----    0190/0742 LEN=0040 INSTALLED 1997

                     043048 FT                  043048 FT 1 0 00380 0 00 0431+02
                                              S 0190/0000 LENGTH(AH 3318 BK 1667)
                                                    015 "DIA CIRC CONCR
                                      ----    0180/1578 LEN=0040 INSTALLED 1997


PENNDOT STOCKPILE YD #6
(GOVT)               0180/0171        ==
                     041381 FT                  041381 FT 1 0 00380 0 00 0414+35
                                              S 0180/0000 LENGTH(AH 1667 BK 2341)

FORESTRY RD
(FRST)                0170/1350       ==
                                                    036 "DIA CIRC CONCR
                                      ----    0170/0924 LEN=0050 INSTALLED 1997
                                                    015 "DIA CIRC CONCR
                                      ----    0170/0327 LEN=0040 INSTALLED 1997
                     039040 FT                  039040 FT 1 0 00380 0 00 0389+43
                                              S 0170/0000 LENGTH(AH 2341 BK 2592)

                                                    SCOTT FARM ROAD
                                          ==  0160/1965 (FRST)
                                                    015 "DIA CIRC CONCR
                                      ----    0160/1867 LEN=0045 INSTALLED 1997
SMOKEY LANE
(FRST)                0160/1562       ==

                                                    WOODLAND DRIVE
                                          ==  0160/0400 (GOVT)
                                                    015 "DIA CIRC CONCR
                                      ----    0160/0250 LEN=0060 INSTALLED 1997
                     036448 FT                  036448 FT 1 0 00380 0 00 0364+85
                                              S 0160/0000 LENGTH(AH 2592 BK 2272)

                                                    015 "DIA CIRC CONCR
                                      ----    0150/1238 LEN=0045 INSTALLED 1997


                     034176 FT                  034176 FT 1 0 00380 0 00 0341+10
                                              S 0150/0000 LENGTH(AH 2272 BK 2806)
```

DIR: B TOTAL LEN: 17.248 MI. DIST: 01-3 SR: 66
LEFT MUN: JENKS T RIGHT MUN: JENKS T

			036 "DIA CIRC CONCR
		0140/1175	LEN=0048 INSTALLED 1997
			015 "DIA CIRC CONCR
		0140/0536	LEN=0050 INSTALLED 1997
	031370 FT	031370 FT	1 0 00380 0 00 0314+12
BIRCH ST			NC SR 0066 SH
(T331)	0140/0000	0140/0000	LENGTH(AH 2806 BK 2094)
MAPLE ST			
(T329)	0130/1502		
			015 "DIA CIRC CONCR
		0130/1360	LEN=0040 INSTALLED 1997
FOREST ST			
(SR2005 SEG 0110/0000)			SPURCE ST
WALNUT ST			(T379)
(T356)			NC CHESTNUT ST
SPRUCE ST			FOREST ST
(T357)	0130/0264	0130/0264	(SR2005 SEG 0110/0000)
			TOWN CR
		0130/0131	(T376)
	029276 FT	029276 FT	1 0 00380 0 00 0293+44
		0130/0000	LENGTH(AH 2094 BK 1843)
			018 "DIA CIRC CONCR
		0120/1486	LEN=0040 INSTALLED 1997
			018 "DIA CIRC CONCR
		0120/1015	LEN=0040 INSTALLED 1997
HEMLOCK ST			
(T354)	0120/0882		
			018 "DIA CIRC CONCR
		0120/0308	LEN=0040 INSTALLED 1997
	027433 FT	027433 FT	1 0 00380 0 00 0274+78
		0120/0000	LENGTH(AH 1843 BK 2040)
			015 "DIA CIRC CONCR
		0110/1893	LEN=0040 INSTALLED 1997
			OAK LN
		0110/1521	(T317)
SNYDER MEMORIAL RD			
(T350)	0110/1370		
			036 "DIA CIR PLASTIC
		0110/0426	LEN=0060 INSTALLED 2015
			OAK LN
		0110/0336	(T317)
	025393 FT	025393 FT	1 0 00380 0 00 0254+38

DIR: B TOTAL LEN: 17.248 MI. DIST: 01-3 SR: 66
LEFT MUN: JENKS T RIGHT MUN: JENKS T

			VILLAGE: MARIENVILLE
			015 "DIA CIRC CONCR
			LEN=0040 INSTALLED 1997
		NC CHERRY ST	
		5 0110/0000	LENGTH(AH 2040 BK 2200)
			OLD RTE 899
		0100/1729	(T319)
			015 "DIA CIRC CONCR
		0100/1524	LEN=0050 INSTALLED 1997
			015 "DIA CIRC CONCR
		0100/1125	LEN=0045 INSTALLED 1997
			018 "DIA CIRC CONCR
		0100/0728	LEN=0050 INSTALLED 1997
			018 "DIA CIRC CONCR
		0100/0551	LEN=0050 INSTALLED 1997
			015 "DIA CIRC CONCR
		0100/0034	LEN=0070 INSTALLED UNKN
	023193 FT	023193 FT	1 0 00380 0 00 0232+38
			SR 0899 SH
			(SR0899 SEG 0180/1756)
		5 0100/0000	LENGTH(AH 2200 BK 2745)
			024 "DIA CIRC CONCR
		0090/1800	LEN=0040 INSTALLED 1997
			015 "DIA CIRC CONCR
		0090/0870	LEN=0035 INSTALLED 1997
			015 "DIA CIRC CONCR
		0090/0476	LEN=0035 INSTALLED 1997
	020448 FT	020448 FT	1 0 00380 0 00 0204+91
		5 0090/0000	LENGTH(AH 2745 BK 2492)
			ROSES RD
		0080/1404	(T325)
			015 "DIA CIRC CONCR
		0080/1127	LEN=0055 INSTALLED 1997
GUITONVILLE RD (SR3004 SEG 0450/2029)	0080/0706		
	017956 FT	017956 FT	1 0 00380 0 00 0179+99
		5 0080/0000	LENGTH(AH 2492 BK 2997)
			036 "DIA CIRC CONCR
		0070/2591	LEN=0035 INSTALLED 1997
			015 "DIA CIRC CONCR
		0070/1709	LEN=0035 INSTALLED 1997
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 17.248 MI. DIST: 01-3 SR: 66
LEFT MUN: JENKS T RIGHT MUN: JENKS T

		0070/1312	LEN=0035 INSTALLED 1997
	014959 FT	014959 FT	1 0 00380 0 00 0150+02
		S 0070/0000	LENGTH(AH 2997 BK 2479)
SCHRECENGOST RD (T352)	0060/1137		
			036 "DIA CIRC CONCR
		0060/0607	LEN=0040 INSTALLED 1997
			015 "DIA CIRC CONCR
		0060/0231	LEN=0040 INSTALLED 1997
	012480 FT	012480 FT	1 0 00380 0 00 0124+99
		S 0060/0000	LENGTH(AH 2479 BK 2769)
			015 "DIA CIRC CONCR
		0050/2170	LEN=0040 INSTALLED 1997
			018 "DIA CIRC CONCR
		0050/1995	LEN=0040 INSTALLED 1997
			015 "DIA CIRC CONCR
		0050/0540	LEN=0040 INSTALLED 1997
			015 "DIA CIRC CONCR
		0050/0308	LEN=0050 INSTALLED 1997
			015 "DIA CIRC CONCR
		0050/0157	LEN=0035 INSTALLED 1997
	009711 FT	009711 FT	1 0 00380 0 00 0097+30
			GILFOYLE RD
			(T323)
		S 0050/0000	LENGTH(AH 2769 BK 1393)
			018 "DIA CIRC CONCR
		0040/1094	LEN=0050 INSTALLED 1997
			018 "DIA CIRC CONCR
		0040/0725	LEN=0050 INSTALLED 1997
			KIMBERLY JO LN
		0040/0663	(PRDR)
			018 "DIA CIRC CONCR
		0040/0398	LEN=0040 INSTALLED 1997
			018 "DIA CIRC CONCR
		0040/0125	LEN=0050 INSTALLED 1997
1 0 00380 0 00 0083+37	008318 FT	008318 FT	
BLOOD RD (SR2003 SEG 0030/3267)	0040/0000	S 0040/0000	LENGTH(AH 1393 BK 3316)
			018 "DIA CIRC CONCR
		0030/3230	LEN=0055 INSTALLED 1997

DIR: B TOTAL LEN: 17.248 MI. DIST: 01-3 SR: 66
LEFT MUN: JENKS T RIGHT MUN: JENKS T

```
                                                  018 "DIA CIRC CONCR
                                  0030/2704 LEN=0055 INSTALLED 1997
                                                  015 "DIA CIRC CONCR
                                  0030/2507 LEN=0055 INSTALLED 1997
                                                  018 "DIA CIRC CONCR
                                  0030/2032 LEN=0055 INSTALLED 1997
                                                  015 "DIA CIRC CONCR
                                  0030/1699 LEN=0055 INSTALLED 1997
                                                  015 "DIA CIRC CONCR
                                  0030/1419 LEN=0055 INSTALLED 1997

                                                  036 "DIA CIRC CONCR
                                  0030/0797 LEN=0055 INSTALLED 1997
                                                  036 "DIA CIRC CONCR
                                  0030/0587 LEN=0055 INSTALLED 1997
                                                  018 "DIA CIRC CONCR
                                  0030/0244 LEN=0050 INSTALLED 1997
                 005002 FT          005002 FT 1 0 00380 0 00 0050+02
                                  S 0030/0000 LENGTH(AH 3316 BK 2494)
                                                  015 "DIA CIRC CONCR
                                  0020/2150 LEN=0050 INSTALLED 1997
                                                  018 "DIA CIRC CONCR
                                  0020/1908 LEN=0050 INSTALLED 1997
                                                  018 "DIA CIRC CONCR
                                  0020/1360 LEN=0055 INSTALLED 1997
                                                  024 "DIA CIRC CONCR
                                  0020/1201 LEN=0055 INSTALLED 1997
                                                  015 "DIA CIRC CONCR
                                  0020/0969 LEN=0055 INSTALLED 1997
                                                  015 "DIA CIRC CONCR
                                  0020/0711 LEN=0060 INSTALLED 1997
                                                  024 "DIA CIRC CONCR
                                  0020/0581 LEN=0055 INSTALLED 1997
                 002508 FT          002508 FT 1 0 00380 0 00 0025+08
                                  S 0020/0000 LENGTH(AH 2494 BK 2508)
                                                  018 "DIA CIRC CONCR
                                  0010/1922 LEN=0055 INSTALLED 1997
                                                  030 "DIA CIRC CONCR
                                  0010/1587 LEN=0055 INSTALLED 1997
                                                  036 "DIA CIRC CONCR
                                  0010/1115 LEN=0055 INSTALLED 1997

                 000000 FT          000000 FT 1 0 00380 0 00 0000+00
                                          NC SR 0066 SH
                                  INTER-BK  CLARION CO
                                                  (SR0066 SEG 0790/1267)
                                                  MFC BEGIN = C
GILFOYLE RD                                         BK-CLARION        (16)
(SR2003 SEG 0010/0000)  0010/0000 S 0010/0000 LENGTH(AH 2508 BK 0000)
```

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

074392 FT



074392 FT AH-WARREN (61)
REF-AHD SR 0062 SH
0320/2460 (SR0062 SEG 0010/0000)
015 "DIA CIRC CONCR
0320/2182 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0320/2015 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0320/1708 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR
0320/1402 LEN=0035 INSTALLED UNKN

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

		SMALL STREAM
		STRUCTURE LENGTH 8 FT
	0320/1109	BMSID 27/0062/0320/1109
		072"H 72"W CONC STRUCT
	0320/1094	LEN=0035 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0320/0568	LEN=0040 INSTALLED UNKN
071932 FT	071932 FT	1 0 00093 0 00 0504+43
		KELLY HILL RD
		(T369)
	5 0320/0000	LENGTH(AH 2460 BK 2978)
		SCHWAB RUN
		STRUCTURE LENGTH 10 FT
	0310/2897	BMSID 27/0062/0310/2934
		024 "DIA CIRC CONCR
	0310/1825	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0310/1580	LEN=0045 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0310/1185	LEN=0045 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0310/0945	LEN=0045 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0310/0735	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0310/0500	LEN=0035 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0310/0260	LEN=0060 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0310/0024	LEN=0055 INSTALLED UNKN
068954 FT	068954 FT	1 0 00093 0 00 0473+67
	5 0310/0000	LENGTH(AH 2978 BK 2544)
		015 "DIA CIRC CONCR
	0300/2430	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0300/2013	LEN=0035 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0300/1753	LEN=0048 INSTALLED UNKN
		024 "DIA CIRC METAL
	0300/1467	LEN=0040 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0300/1038	LEN=0040 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0300/0685	LEN=0035 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0300/0358	LEN=0045 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0300/0260	LEN=0060 INSTALLED UNKN

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

```
066410 FT                    066410 FT 1 0 00093 0 00 0448+23
                           S 0300/0000 LENGTH(AH 2544 BK 2493)
                                       015 "DIA CIRC CONCR
                             0290/2398 LEN=0045 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0290/2080 LEN=0040 INSTALLED UNKN
                                       016 "DIA CIRC CONCR
                             0290/1910 LEN=0040 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0290/1700 LEN=0035 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0290/1515 LEN=0035 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0290/1352 LEN=0045 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0290/0970 LEN=0050 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0290/0755 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0290/0480 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0290/0415 LEN=0040 INSTALLED UNKN
                                       024 "DIA CIRC CONCR
                             0290/0134 LEN=0045 INSTALLED UNKN
063917 FT                    063917 FT 1 0 00093 0 00 0423+30
                           S 0290/0000 LENGTH(AH 2493 BK 2484)
                                       015 "DIA CIRC CONCR
                             0280/2312 LEN=0040 INSTALLED UNKN
                                       024 "DIA CIR PLASTIC
                             0280/2092 LEN=0050 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0280/1800 LEN=0050 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0280/1580 LEN=0040 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0280/1409 LEN=0035 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0280/1166 LEN=0045 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0280/0850 LEN=0045 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0280/0570 LEN=0040 INSTALLED UNKN
                                       016 "DIA CIRC CONCR
                             0280/0398 LEN=0045 INSTALLED UNKN
061433 FT                    061433 FT 1 0 00093 0 00 0398+46
                           S 0280/0000 LENGTH(AH 2484 BK 2305)
                                       015 "DIA CIRC CONCR
                             0270/2241 LEN=0045 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0270/2005 LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

			015 "DIA CIRC CONCR
		0270/1785	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0270/1415	LEN=0045 INSTALLED UNKN
			BOWMAN RD
	==	0270/0988	(T361)
			015 "DIA CIRC CONCR
		0270/0604	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0270/0277	LEN=0040 INSTALLED UNKN
059128 FT		059128 FT	1 0 00093 0 00 0375+20
			BOWMAN RD
	==		(T361)
		S 0270/0000	LENGTH(AH 2305 BK 3158)
		0260/2955	BMSEN 27/0062/0260/2925
			1 0 00093 0 00 0366+78
			E.HICKORY
		0260/2888	BMSBG 27/0062/0260/2925
			SR 0666 SH
		0260/2827	(SR0666 SEG 0010/0000)
		0260/2233	BMSEN 27/0062/0260/2232
			1 0 00093 0 00 0344+87
			PRATHER RUN
		0260/2199	BMSBG 27/0062/0260/2232
			CHURCH HILL RD
	==	0260/1052	(T357)
			015 "DIA CIRC CONCR
		0260/0775	LEN=0060 INSTALLED UNKN
055970 FT		055970 FT	1 0 00093 0 00 0344+87
		S 0260/0000	LENGTH(AH 3158 BK 2503)
			030 "DIA CIRC CONCR
		0250/2420	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/1630	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/1412	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/0926	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/0722	LEN=0055 INSTALLED UNKN
			015 "DIA CIRC METAL
		0250/0449	LEN=0055 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0250/0125	LEN=0055 INSTALLED UNKN
1 0 00093 0 00 0320+28 053467 FT		053467 FT	
FLEMING HILL RD			

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

```
(SR0127 SEG 0010/0000)  0250/0000      S 0250/0000 LENGTH(AH 2503 BK 3500)
                                                   015 "DIA CIRC CONCR
                                          0240/3140 LEN=0060 INSTALLED 2003
PENNDOT STOCKPILE YD #5
(GOVT)                  0240/3084
HICKORY FISH ACCESS RD
(FISH)                  0240/2848
                                                   018 "DIA CIRC CONCR
                                          0240/2796 LEN=0050 INSTALLED UNKN
                                                   016 "DIA CIRC CONCR
                                          0240/2600 LEN=0060 INSTALLED 2003
                                                   015 "DIA CIRC CONCR
                                          0240/2412 LEN=0050 INSTALLED UNKN
                                                   015 "DIA CIRC CONCR
                                          0240/2109 LEN=0070 INSTALLED UNKN
                                                   015 "DIA CIRC CONCR
                                          0240/2010 LEN=0060 INSTALLED 2003
                                                   015 "DIA CIRC CONCR
                                          0240/1792 LEN=0050 INSTALLED UNKN
                                                   015 "DIA CIRC CONCR
                                          0240/1447 LEN=0050 INSTALLED UNKN
                                                   015 "DIA CIRC CONCR
                                          0240/1168 LEN=0050 INSTALLED UNKN
                                                   015 "DIA CIRC CONCR
                                          0240/0940 LEN=0050 INSTALLED UNKN
                                                   015 "DIA CIRC CONCR
                                          0240/0860 LEN=0060 INSTALLED UNKN
                                                   015 "DIA CIRC CONCR
                                          0240/0727 LEN=0060 INSTALLED UNKN
                                                   015 "DIA CIRC CONCR
                                          0240/0330 LEN=0060 INSTALLED UNKN
                        049967 FT         049967 FT 1 0 00093 0 00 0284+94
                                        S 0240/0000 LENGTH(AH 3500 BK 2539)
                                                   015 "DIA CIRC CONCR
                                          0230/2480 LEN=0050 INSTALLED UNKN
                                                   015 "DIA CIRC CONCR
                                          0230/2180 LEN=0050 INSTALLED UNKN
                                                   015 "DIA CIRC CONCR
                                          0230/1998 LEN=0050 INSTALLED UNKN
                                                   018 "DIA CIRC CONCR
                                          0230/1765 LEN=0050 INSTALLED UNKN
                                                   015 "DIA CIRC CONCR
                                          0230/1750 LEN=0050 INSTALLED UNKN
                                                   018 "DIA CIRC CONCR
                                          0230/1650 LEN=0050 INSTALLED UNKN
                                                   018 "DIA CIRC CONCR
                                          0230/1367 LEN=0050 INSTALLED UNKN
                                                   015 "DIA CIRC CONCR
                                          0230/1151 LEN=0050 INSTALLED UNKN
                                                   015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

```
                                        0230/0850 LEN=0050 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0230/0616 LEN=0050 INSTALLED UNKN
                                        0230/0220 BMSEN 27/0062/0230/0148
                                                  1 0 00093 0 00 0261+00
                                                  LITTLE HICKORY RUN
                                        0230/0148 BMSBG 27/0062/0230/0148
047428 FT                               047428 FT 1 0 00093 0 00 0259+55
                                                  LITTLE HICKORY RD
                                                  (SR3004 SEG 0010/0000)
                                      S 0230/0000 LENGTH(AH 2539 BK 2480)
                                                  048 "DIA CIRC CONCR
                                        0220/2278 LEN=0015 INSTALLED UNKN


                                                  015 "DIA CIRC CONCR
                                        0220/1135 LEN=0015 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0220/0839 LEN=0015 INSTALLED UNKN
                                                  016 "DIA CIRC CONCR
                                        0220/0532 LEN=0015 INSTALLED UNKN
044948 FT                               044948 FT 1 0 00093 0 00 0234+57
                                      S 0220/0000 LENGTH(AH 2480 BK 2500)
                                                  015 "DIA CIRC CONCR
                                        0210/2482 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0210/2108 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0210/1982 LEN=0015 INSTALLED UNKN
                                                  016 "DIA CIRC CONCR
                                        0210/1437 LEN=0015 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0210/1065 LEN=0015 INSTALLED 2003
                                                  015 "DIA CIRC CONCR
                                        0210/0699 LEN=0015 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0210/0327 LEN=0015 INSTALLED UNKN
042448 FT                               042448 FT 1 0 00093 0 00 0209+57
                                      S 0210/0000 LENGTH(AH 2500 BK 2486)
                                                  024 "DIA CIRC CONCR
                                        0200/2450 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0200/2114 LEN=0015 INSTALLED UNKN
                                                  036 "DIA CIRC CONCR
                                        0200/1767 LEN=0015 INSTALLED UNKN
                                                  036 "DIA CIRC CONCR
                                        0200/1543 LEN=0015 INSTALLED UNKN
                                                  016 "DIA CIRC CONCR
                                        0200/1349 LEN=0045 INSTALLED UNKN
```

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
LEFT MUN: HICKORY T RIGHT MUN: HICKORY T

(GOVT)	0200/1167			018 "DIA CIRC CONCR
			0200/1043	LEN=0015 INSTALLED UNKN
RIVER HAVEN RD (GOVT)	0200/0660	POI	0200/0660	(APRA) WEST FOREST HS
				036 "DIA CIR PLASTIC
			0200/0586	LEN=0015 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0200/0292	LEN=0015 INSTALLED UNKN
	039962 FT		039962 FT	1 0 00093 0 00 0184+71
			S 0200/0000	LENGTH(AH 2486 BK 2310)
				016 "DIA CIRC CONCR
			0190/2281	LEN=0015 INSTALLED UNKN
				016 "DIA CIRC CONCR
			0190/2015	LEN=0015 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0190/1718	LEN=0015 INSTALLED 2003
				018 "DIA CIRC CONCR
			0190/1412	LEN=0015 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0190/1182	LEN=0015 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0190/0935	LEN=0015 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0190/0777	LEN=0015 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0190/0615	LEN=0015 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0190/0409	LEN=0015 INSTALLED UNKN
			0190/0011	BMSEN 27/0062/0190/0000
	037652 FT		037652 FT	1 0 00093 0 00 0161+57
				SIBBALD RUN
				BMSBG 27/0062/0190/0000
			S 0190/0000	LENGTH(AH 2310 BK 1932)
				030 "DIA CIRC CONCR
			0180/1744	LEN=0015 INSTALLED 2015
				018 "DIA CIRC CONCR
			0180/0750	LEN=0015 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0180/0520	LEN=0015 INSTALLED 2003
				018 "DIA CIRC CONCR
			0180/0199	LEN=0015 INSTALLED UNKN
	035720 FT		035720 FT	1 0 00093 0 00 0142+69
			S 0180/0000	LENGTH(AH 1932 BK 1747)
				HICKORY
			0170/1717	TIONESTA T
				018 "DIA CIRC METAL
			0170/1605	LEN=0015 INSTALLED UNKN

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

		018 "DIA CIRC CONCR
	0170/0833	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0170/0405	LEN=0015 INSTALLED UNKN
		016 "DIA CIRC CONCR
	0170/0105	LEN=0015 INSTALLED UNKN
033973 FT	033973 FT	1 0 00093 0 00 0124+92
	S 0170/0000	LENGTH(AH 1747 BK 2059)
		018 "DIA CIRC CONCR
	0160/1909	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0160/1508	LEN=0015 INSTALLED UNKN
		016 "DIA CIRC METAL
	0160/1023	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0160/0707	LEN=0015 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0160/0475	LEN=0015 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0160/0255	LEN=0015 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0160/0145	LEN=0015 INSTALLED UNKN
031914 FT	031914 FT	1 0 00093 0 00 0104+33
	S 0160/0000	LENGTH(AH 2059 BK 2501)
		015 "DIA CIRC CONCR
	0150/2389	LEN=0015 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0150/2110	LEN=0015 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0150/1910	LEN=0015 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0150/1655	LEN=0015 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0150/1453	LEN=0015 INSTALLED UNKN
		016 "DIA CIRC CONCR
	0150/1153	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0150/1014	LEN=0042 INSTALLED 2015
		018 "DIA CIRC CONCR
	0150/0666	LEN=0015 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0150/0467	LEN=0015 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0150/0309	LEN=0015 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0150/0175	LEN=0015 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0150/0094	LEN=0015 INSTALLED 2015
029413 FT	029413 FT	1 0 00093 0 00 0079+32

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

NC SR 0062 SH

	S 0150/0000	LENGTH(AH 2501 BK 2510)
		016 "DIA CIRC CONCR
	0140/2289	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0140/2180	LEN=0015 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0140/2000	LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0140/1837	LEN=0015 INSTALLED 2015
		018 "DIA CIRC CONCR
	0140/1688	LEN=0015 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0140/0780	LEN=0015 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0140/0369	LEN=0015 INSTALLED UNKN
026903 FT	026903 FT	1 0 00093 0 00 0054+22
		018 "DIA CIRC CONCR
		LEN=0015 INSTALLED UNKN
		TIONESTA
		TIONESTA B
	S 0140/0000	LENGTH(AH 2510 BK 2418)
		PIGEON HILL RD
	0130/2235	(T337)
RBR	0130/2194	BMSEN 27/0062/0130/2194
		1 0 00093 0 00 0030+23
		P3
RBR		TUBBS RUN
	0130/2130	BMSBG 27/0062/0130/2194
		FISH HATCHERY LN
	0130/1646	(FISH)
		024 "DIA CIRC CONCR
	0130/0052	LEN=0010 INSTALLED 2003
024485 FT	024485 FT	1 0 00093 0 00 0030+23
	S 0130/0000	LENGTH(AH 2418 BK 3023)
		018 "DIA CIRC CONCR
	0120/2830	LEN=0008 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0120/2242	LEN=0008 INSTALLED 2003
		016 "DIA CIRC CONCR
	0120/2050	LEN=0008 INSTALLED 2003

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
LEFT MUN: TIONESTA B RIGHT MUN: TIONESTA B

PENNDOT COUNTY OFFICE 1 (GOVT)	0120/1810	0120/1810	(APRA) PENNDOT FOREST C
CEMETERY ST (BORO)	0120/1793		
			024 "DIA CIRC CONCR
		0120/1790	LEN=0006 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/1405	LEN=0008 INSTALLED 2003
RIVERSIDE ST (BORO)	0120/1382		
			018 "DIA CIRC CONCR
		0120/1260	LEN=0008 INSTALLED 2003
			018 "DIA CIRC CONCR
		0120/1090	LEN=0008 INSTALLED 2003
IRWIN ST (BORO)	0120/0842		
			018 "DIA CIRC CONCR
		0120/0820	LEN=0008 INSTALLED 2003
			018 "DIA CIRC CONCR
		0120/0250	LEN=0008 INSTALLED 2003
			DAVIS ST
		0120/0247	(BORO)
	021462 FT	021462 FT	1 0 00093 0 00 0000+00
		0120/0000	LENGTH(AH 3023 BK 0474)
			018 "DIA CIRC CONCR
		0110/0240	LEN=0008 INSTALLED UNKN
			MAY ST
		0110/0226	(BORO)
	020988 FT	020988 FT	1 0 00092 0 00 0343+39
			NC ELM ST
			ELM ST
			(SR0036 SEG 0150/1995)
		0110/0000	LENGTH(AH 0474 BK 1839)
		0090/1094	BMSEN 27/0062/0090/0333
			TIONESTA
		0090/1044	TIONESTA T
			1 0 00511 0 00 0014+98
			RIVER STREET
		0090/0333	BMSBG 27/0062/0090/0333
			FOR SR 0062N TO 0062N
		0090/0198	(CONN)
TO 0036/0160 SH (CONN)	0090/0171		
			015 "DIA CIRC CONCR
		0090/0036	LEN=0015 INSTALLED UNKN
1 0 00511 0 00 0018+36	019149 FT	019149 FT	
COL DRAKE HW (SR0036 SEG 0160/0000)	0090/0000	0090/0000	LENGTH(AH 1839 BK 1974)

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

				FOR SR 0062N TO 0062N
			0080/1783	(CONN)
				STATION RD
			0080/1600	(T302)
				015 "DIA CIRC CONCR
			0080/1585	LEN=0018 INSTALLED 2003
POLAND HILL RD (T300)	0080/0758			
				018 "DIA CIRC CONCR
			0080/0532	LEN=0018 INSTALLED 2003
				015 "DIA CIRC CONCR
			0080/0157	LEN=0018 INSTALLED UNKN
	017175 FT		017175 FT	1 0 00750 0 00 0172+51
			S 0080/0000	LENGTH(AH 1974 BK 3191)
				015 "DIA CIRC CONCR
			0070/3171	LEN=0018 INSTALLED 2003
				015 "DIA CIRC CONCR
			0070/2671	LEN=0018 INSTALLED 2003
				018 "DIA CIRC CONCR
			0070/2343	LEN=0016 INSTALLED 2003
				024 "DIA CIRC CONCR
			0070/1823	LEN=0020 INSTALLED 2003
				015 "DIA CIRC CONCR
			0070/1738	LEN=0016 INSTALLED 2003
				015 "DIA CIRC CONCR
			0070/1605	LEN=0016 INSTALLED 2003
				015 "DIA CIRC CONCR
			0070/1482	LEN=0016 INSTALLED 2003
				018 "DIA CIRC CONCR
			0070/0982	LEN=0016 INSTALLED 2003
				018 "DIA CIRC CONCR
			0070/0650	LEN=0016 INSTALLED 2003
				015 "DIA CIRC CONCR
			0070/0330	LEN=0016 INSTALLED 2003
				015 "DIA CIRC CONCR
			0070/0016	LEN=0016 INSTALLED UNKN
	013984 FT		013984 FT	1 0 00750 0 00 0140+37
			S 0070/0000	LENGTH(AH 3191 BK 2492)
				015 "DIA CIRC CONCR
			0060/2284	LEN=0016 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0060/2048	LEN=0016 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0060/1962	LEN=0016 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0060/1755	LEN=0018 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0060/1550	LEN=0018 INSTALLED UNKN
				018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

```
                                        0060/1274 LEN=0020 INSTALLED UNKN
                                                  024 "DIA CAST IRON
                                        0060/1010 LEN=0020 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0060/0642 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CAST IRON
                                        0060/0290 LEN=0016 INSTALLED UNKN
011492 FT                               011492 FT 1 0 00750 0 00 0115+45
                                      S 0060/0000 LENGTH(AH 2492 BK 2508)
                                                  015 "DIA CIRC CONCR
                                        0050/2456 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/2211 LEN=0018 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/1971 LEN=0018 INSTALLED 2003
                                                  015 "DIA CAST IRON
                                        0050/1683 LEN=0016 INSTALLED 2003
                                                  015 "DIA CIRC CONCR
                                        0050/1368 LEN=0016 INSTALLED 2003
                                                  018 "DIA CIRC CONCR
                                        0050/0933 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/0680 LEN=0015 INSTALLED 2003
                                                  015 "DIA CIRC CONCR
                                        0050/0408 LEN=0015 INSTALLED UNKN
008984 FT                               008984 FT 1 0 00750 0 00 0090+37
                                      S 0050/0000 LENGTH(AH 2508 BK 2254)
                                                  015 "DIA CIRC CONCR
                                        0040/2019 LEN=0015 INSTALLED 2003
                                                  018 "DIA CIRC CONCR
                                        0040/1755 LEN=0015 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/1464 LEN=0015 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/1266 LEN=0016 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/0971 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0040/0720 LEN=0014 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0040/0430 LEN=0014 INSTALLED UNKN
006730 FT                               006730 FT 1 0 00750 0 00 0067+51
                                                  BATES RUN
                                                  STRUCTURE LENGTH 12 FT
                                                  BMSID 27/0062/0040/0000
                                      S 0040/0000 LENGTH(AH 2254 BK 3073)
                                                  018 "DIA CIRC CONCR
                                        0030/2795 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0030/2661 LEN=0014 INSTALLED 2003
```

DIR: B TOTAL LEN: 14.089 MI. DIST: 01-3 SR: 62
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

			015 "DIA CIRC CONCR
		0030/2569	LEN=0012 INSTALLED 2003
			024 "DIA CIRC CONCR
		0030/2264	LEN=0018 INSTALLED 2003
			024 "DIA CIRC CONCR
		0030/2167	LEN=0020 INSTALLED 2003
			032 "DIA CIRC CONCR
		0030/1918	LEN=0060 INSTALLED 2003
			015 "DIA CIRC CONCR
		0030/1778	LEN=0018 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0030/1600	LEN=0018 INSTALLED UNKN
			015 "DIA CIRC METAL
		0030/1429	LEN=0018 INSTALLED UNKN
RIVERVIEW DR (TWP)	0030/1388		
			036 "DIA CIRC CONCR
		0030/0835	LEN=0062 INSTALLED UNKN
SHAFFER LN (PRDR)	0030/0761		
HUNTER STATION RD (SR3002 SEG 0020/2194)	0030/0379		
	003657 FT	003657 FT	1 0 00750 0 00 0035+08
		0030/0000	LENGTH(AH 3073 BK 1187)
		0020/1124	BMSEN 27/0062/0020/0000
	002470 FT	002470 FT	1 0 00750 0 00 0024+58
			ALLEGHENY RIVER
			BMSBG 27/0062/0020/0000
		0020/0000	LENGTH(AH 1187 BK 2470)
			018 "DIA CIRC METAL
		0010/2080	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1548	LEN=0016 INSTALLED 2003
			018 "DIA CIRC CONCR
		0010/1335	LEN=0016 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/0979	LEN=0016 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/0075	LEN=0040 INSTALLED UNKN
	000000 FT	000000 FT	1 0 00750 0 00 0000+00
			NC OIL CITY RD
		REF-BK	SR 0062 SH
			(SR0062 SEG 0790/2108)
			MFC BEGIN = B
			BK-VENANGO (60)
		0010/0000	LENGTH(AH 2470 BK 0000)

DIR: B TOTAL LEN: 11.052 MI. DIST: 01-3 SR: 36
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

058356 FT

058356 FT AH-VENANGO (60)
* REF-AHD COLONEL DRAKE HW
0260/2734 (SR0036 SEG 0010/0000)
015 "DIA CIRC METAL
0260/2592 LEN=0045 INSTALLED 2000

DIR: B TOTAL LEN: 11.052 MI. DIST: 01-3 SR: 36
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

		0260/2450	015 "DIA CIRC METAL LEN=0045 INSTALLED 2000
		0260/2285	018 "DIA CIRC METAL LEN=0044 INSTALLED 2000
		0260/1994	018 "DIA CIRC METAL LEN=0050 INSTALLED 2000
		0260/1263	030"H 38"W ELLIP METAL LEN=0071 INSTALLED 2000
		0260/0405	036"H 72"W ELLIP METAL LEN=0060 INSTALLED 2000
		0260/0389	STEW.R.TRIB. STRUCTURE LENGTH 7 FT BMSID 27/0036/0260/0414
		0260/0049	STEWART RUN STRUCTURE LENGTH 10 FT BMSID 27/0036/0260/0068
055622 FT		055622 FT	2 0 27002 0 00 0027+25
		0260/0000	STEWART RUN RD (SR4003 SEG 0010/0000) LENGTH(AH 2734 BK 1631)
		0250/1170	018 "DIA CIRC METAL LEN=0045 INSTALLED 2000
		0250/0754	015 "DIA CIRC METAL LEN=0042 INSTALLED 2000
		0250/0480	018 "DIA CIRC METAL LEN=0050 INSTALLED 2000
		0250/0107	015 "DIA CIRC METAL LEN=0047 INSTALLED 2000
053991 FT		053991 FT	2 0 27002 0 00 0043+68
DORY CARSON RD (T300)	0250/0000	0250/0000	DORY CARSON RD (T300) LENGTH(AH 1631 BK 3333)
		0240/2116	048 "DIA CIRC CONCR LEN=0064 INSTALLED 2000
		0240/0289	018 "DIA CIRC METAL LEN=0059 INSTALLED 2000
050658 FT		050658 FT	2 0 27002 0 00 0075+35
		0240/0000	LENGTH(AH 3333 BK 2293)
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 11.052 MI. DIST: 01-3 SR: 36
LEFT MUN: HARMONY T RIGHT MUN: HARMONY T

```
                                                 0230/1635 LEN=0050 INSTALLED UNKN
                                                           HARMONY
                                                 0230/1499 TIONESTA T
BALL HILL RD
(T301)                0230/1362
                                                           018 "DIA CIRC METAL
                                                 0230/0896 LEN=0050 INSTALLED 2000
                                                           018"H 36"W ELLIP METAL
                                                 0230/0480 LEN=0045 INSTALLED 2000
                      048365 FT                  048365 FT 2 0 27002 0 00 0100+31
                                                 S 0230/0000 LENGTH(AH 2293 BK 1903)
                                                           024 "DIA CIRC METAL
                                                 0220/1773 LEN=0045 INSTALLED 2000
                                                           020 "DIA CIRC METAL
                                                 0220/1474 LEN=0045 INSTALLED 2000
                                                           030"H 72"W ELLIP METAL
                                                 0220/0900 LEN=0075 INSTALLED 2000
                                                           024 "DIA CIRC CONCR
                                                 0220/0392 LEN=0048 INSTALLED 2000
                      046462 FT                  046462 FT 2 0 27002 0 00 0119+80
                                                           TIONESTA NEILTOWN RD
                                                           (SR4001 SEG 0010/0000)
                                                 S 0220/0000 LENGTH(AH 1903 BK 2096)
                                                           TO 4001/0010 SH
                                                 0210/1924 (CONN)
                                                           018 "DIA CIRC CONCR
                                                 0210/1907 LEN=0045 INSTALLED 2000
                                                           015 "DIA CIRC CONCR
                                                 0210/1445 LEN=0045 INSTALLED 2000
                                                           036 "DIA CIRC CONCR
                                                 0210/1089 LEN=0100 INSTALLED 2000
                                                           015 "DIA CIRC CONCR
                                                 0210/0703 LEN=0050 INSTALLED 2000
                                                           024 "DIA CIRC CONCR
                                                 0210/0217 LEN=0062 INSTALLED 2000
                      044366 FT                  044366 FT 1 0 00511 0 01 0120+75
                                                           HUNTER RUN
                                                           STRUCTURE LENGTH 12 FT
                                                           BMSID 27/0036/0210/0000
                                                 S 0210/0000 LENGTH(AH 2096 BK 2003)

                                                           015 "DIA CIRC CONCR
                                                 0200/1317 LEN=0050 INSTALLED 2000
                                                           015 "DIA CIRC CONCR
                                                 0200/0787 LEN=0050 INSTALLED 2000
                                                           015 "DIA CIRC CONCR
                                                 0200/0440 LEN=0050 INSTALLED 2000
                                                           046 "DIA CIRC CONCR
                                                 0200/0222 LEN=0063 INSTALLED 2000
                      042363 FT                  042363 FT 1 0 00511 0 01 0100+78
```

DIR: B TOTAL LEN: 11.052 MI. DIST: 01-3 SR: 36
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

			JAMISON RUN RD
			(T341)
		0200/0000	LENGTH(AH 2003 BK 2797)
			018 "DIA CIRC CONCR
		0190/2481	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0190/2184	LEN=0050 INSTALLED 2000
			015 "DIA CIRC CONCR
		0190/1800	LEN=0050 INSTALLED 2000
			015 "DIA CIRC CONCR
		0190/1580	LEN=0050 INSTALLED 2000
			048 "DIA CIRC CONCR
		0190/1350	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0190/1165	LEN=0045 INSTALLED 2000
			015 "DIA CIRC CONCR
		0190/0612	LEN=0045 INSTALLED 2000
			024 "DIA CIRC CONCR
		0190/0306	LEN=0060 INSTALLED 2000
		0190/0026	BMSEN 27/0036/0190/0000
	039566 FT	039566 FT	1 0 00511 0 01 0072+71
			HUNTER RUN
			BMSBG 27/0036/0190/0000
		0190/0000	LENGTH(AH 2797 BK 2592)
PENNDOT STOCKPILE YD #1 (GOVT)	0180/2388		
			018 "DIA CIRC CONCR
		0180/2075	LEN=0050 INSTALLED 2000
			024 "DIA CIRC CONCR
		0180/1540	LEN=0050 INSTALLED 2000
			018 "DIA CIRC CONCR
		0180/1267	LEN=0050 INSTALLED 2000
			018 "DIA CIRC CONCR
		0180/0972	LEN=0050 INSTALLED 2000
			024 "DIA CIRC CONCR
		0180/0522	LEN=0050 INSTALLED 2000
		0180/0025	BMSEN 27/0036/0180/0000
	036974 FT	036974 FT	1 0 00511 0 01 0046+70
			HUNTER RUN
			BMSBG 27/0036/0180/0000
		0180/0000	LENGTH(AH 2592 BK 2250)
		0170/1736	BMSEN 27/0036/0170/1709
			1 0 00511 0 01 0041+08
			HUNTER RUN
		0170/1709	BMSBG 27/0036/0170/1709
			018 "DIA CIRC CONCR
		0170/1406	LEN=0060 INSTALLED 2000
			018 "DIA CIRC CONCR
		0170/1185	LEN=0060 INSTALLED 2000

DIR: B TOTAL LEN: 11.052 MI. DIST: 01-3 SR: 36
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

			HUNTER RUN
			STRUCTURE LENGTH 23 FT
		0170/0036	BMSID 27/0036/0170/0036
	034724 FT	034724 FT	1 0 00511 0 00 0022+74
		S 0170/0000	LENGTH(AH 2250 BK 0369)
			FROM 0062/0090 SH
		0160/0188	(CONN)
	034355 FT	034355 FT	1 0 00511 0 00 0018+36
			NC COL DRAKE HW
		INTER-BK	SR 0062 SH
SR 0062 SH			(SR0062 SEG 0090/0000)
(SR0062 SEG 0090/0000)	0160/0000	S 0160/0000	LTH AH 000369 BK 000100
	034355 FT	034355 FT	
		7152/0000	LTH AH 000100 BK 001995
		INTER-AHD	ELM ST
			(SR0062 SEG 0110/0000)
			ELM ST
			(SR0062 SEG 0110/0000)
		0150/1995	TIONESTA B
			018 "DIA CIR PLASTIC
		0150/1975	LEN=0028 INSTALLED 2000
FAULKNER DR			
(BORO)	0150/1765		
			BRIDGE ST
		0150/1533	(BORO)
			WALNUT ST
		0150/1317	(BORO)
CHURCH ST			
(BORO)	0150/1189		
			012 "DIA CIRC OTHER
		0150/1058	LEN=0025 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0150/0805	LEN=0030 INSTALLED 2000
			012 "DIA CIRC OTHER
		0150/0667	LEN=0025 INSTALLED 2000
			HIGHLAND ST
		0150/0660	(BORO)
			054 "DIA CIR PLASTIC
		0150/0106	LEN=0290 INSTALLED 2000
			060 "DIA CIRC METAL
		0150/0065	LEN=0245 INSTALLED 2017
	032360 FT	032360 FT	1 0 00092 0 00 0323+38
			GERMAN HILL RD
			(SR4004 SEG 0010/0000)
		S 0150/0000	LENGTH(AH 1995 BK 1235)
			TO 4004/0010 SH
		0140/1164	(CONN)
			SOUTH ELM ST
		0140/0770	(BORO)

DIR: B TOTAL LEN: 11.052 MI. DIST: 01-3 SR: 36
LEFT MUN: TIONESTA B RIGHT MUN: TIONESTA B

			018 "DIA CIRC CONCR
		0140/0741	LEN=0055 INSTALLED 2000
		0140/0352	BMSEN 27/0036/0140/0000
	031125 FT	031125 FT	1 0 00092 0 00 0310+67
			NC ELM ST
			TIONESTA CK.
			BMSBG 27/0036/0140/0000
			TIONESTA
			TIONESTA T
		S 0140/0000	LENGTH(AH 1235 BK 1311)
			BEACH RD
		0130/0688	(T311)
TAYLOR RD			
(T312)	0130/0360		
1 0 00092 0 00 0297+83	029814 FT	029814 FT	
SMOKEY HILL RD			
(SR3001 SEG 0170/2594)	0130/0000	S 0130/0000	LENGTH(AH 1311 BK 2495)
			018 "DIA CIRC CONCR
		0120/2028	LEN=0048 INSTALLED 2000
			018 "DIA CIRC CONCR
		0120/1840	LEN=0052 INSTALLED 2000
			048 "DIA CIRC CONCR
		0120/1558	LEN=0070 INSTALLED 2000
			018 "DIA CIRC CONCR
		0120/1186	LEN=0060 INSTALLED 2000
			015 "DIA CAST IRON
		0120/0704	LEN=0050 INSTALLED UNKN
			TIONESTA DAM RD
		0120/0107	(GOVT)
	027319 FT	027319 FT	1 0 00092 0 00 0274+00
			TIONESTA DAM RD
			(GOVT)
		S 0120/0000	LENGTH(AH 2495 BK 3393)
			018 "DIA CIRC CONCR
		0110/3276	LEN=0050 INSTALLED 1996
			015 "DIA CAST IRON
		0110/2884	LEN=0053 INSTALLED 1996
			018 "DIA CIRC CONCR
		0110/2132	LEN=0050 INSTALLED 2000
			018 "DIA CIRC CONCR
		0110/1870	LEN=0050 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0110/1624	LEN=0045 INSTALLED 2019
			018 "DIA CIRC CONCR
		0110/1459	LEN=0050 INSTALLED 2000
			018 "DIA CIRC CONCR
		0110/1102	LEN=0070 INSTALLED 2000
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 11.052 MI. DIST: 01-3 SR: 36
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

```
                                                  0110/1043 LEN=0045 INSTALLED 2000
                                                            018 "DIA CIRC CONCR
                                                  0110/0738 LEN=0045 INSTALLED 2000
                                                            024 "DIA CIRC METAL
                                                  0110/0416 LEN=0113 INSTALLED 2000
                          023926 FT               023926 FT 1 0 00092 0 00 0233+66
                                                S 0110/0000 LENGTH(AH 3393 BK 1932)
                                                            018 "DIA CIRC METAL
                                                  0100/1661 LEN=0055 INSTALLED 2000


                                                            018 "DIA CIRC METAL
                                                  0100/0420 LEN=0060 INSTALLED 2000
TO 3006/0010 SH
(CONN)                     0100/0363              ==
                                                            015 "DIA CIRC METAL
                                                  0100/0031 LEN=0055 INSTALLED UNKN
1 0 00092 0 00 0217+96 021994 FT                  021994 FT
SMOKEY HILL RD
(SR3006 SEG 0010/1869)     0100/0000              ==
                                                S 0100/0000 LENGTH(AH 1932 BK 2528)


                                                            015 "DIA CIRC CONCR
                                                  0090/1377 LEN=0047 INSTALLED 2000
                                                            018 "DIA CIRC CONCR
                                                  0090/1129 LEN=0050 INSTALLED 2000


                                                            018 "DIA CIRC CONCR
                                                  0090/0132 LEN=0065 INSTALLED 2000
                          019466 FT               019466 FT 1 0 00092 0 00 0194+42
                                                S 0090/0000 LENGTH(AH 2528 BK 2507)
                                                            015 "DIA CIRC CONCR
                                                  0080/2270 LEN=0050 INSTALLED 2000

                                                            015 "DIA CIRC CONCR
                                                  0080/1483 LEN=0125 INSTALLED 2000
                                                            015 "DIA CIRC CONCR
                                                  0080/1032 LEN=0050 INSTALLED 2000

                                                            018 "DIA CIRC CONCR
                                                  0080/0422 LEN=0060 INSTALLED 2000
                          016959 FT               016959 FT 1 0 00092 0 00 0169+35
                                                S 0080/0000 LENGTH(AH 2507 BK 2376)

                                                            015 "DIA CIRC CONCR
                                                  0070/1707 LEN=0060 INSTALLED 2000
                                                            015 "DIA CIRC CONCR
                                                  0070/1350 LEN=0050 INSTALLED 2000
```

DIR: B TOTAL LEN: 11.052 MI. DIST: 01-3 SR: 36
LEFT MUN: TIONESTA T RIGHT MUN: TIONESTA T

```
                                                                  014583 FT 1 0 00092 0 00 0145+59
                                014583 FT                       S 0070/0000 LENGTH(AH 2376 BK 2602)

                                                                            015 "DIA CIRC CONCR
                                                                  0060/1978 LEN=0050 INSTALLED 2000
                                                                            015 "DIA CIRC CONCR
                                                                  0060/1489 LEN=0060 INSTALLED 2000

                                                                            015 "DIA CIRC CONCR
                                                                  0060/0842 LEN=0060 INSTALLED 2000
                                                                            018 "DIA CIRC CONCR
                                                                  0060/0465 LEN=0060 INSTALLED 2000
                                                                            036 "DIA CIRC CONCR
                                                                  0060/0187 LEN=0070 INSTALLED 2000
                                011981 FT                         011981 FT 1 0 00092 0 00 0119+33
                                                                            018 "DIA CIRC CONCR
                                                                            LEN=0060 INSTALLED 2000
                                                                S 0060/0000 LENGTH(AH 2602 BK 2348)
                                                                            018 "DIA CIRC CONCR
                                                                  0050/2163 LEN=0060 INSTALLED 2000

                                                                            015 "DIA CIRC CONCR
                                                                  0050/1398 LEN=0060 INSTALLED 2000
                                                                            015 "DIA CIRC CONCR
                                                                  0050/1085 LEN=0050 INSTALLED 2000
                                                                            018 "DIA CIRC CONCR
                                                                  0050/0503 LEN=0060 INSTALLED 2000
1 0 00092 0 00 0095+85 009633 FT                                  009633 FT
SHRIVER RD
(SR3003 SEG 0040/2174)  0050/0000                               S 0050/0000 LENGTH(AH 2348 BK 3017)

                                                                            024 "DIA CIRC CONCR
                                                                  0040/2044 LEN=0060 INSTALLED 2000
                                                                            018 "DIA CIRC CONCR
                                                                  0040/1789 LEN=0060 INSTALLED 2000


                                006616 FT                         006616 FT 1 0 00092 0 00 0065+48
                                                                            SR 3005 SH
                                                                            (SR3005 SEG 0020/0000)
                                                                            TIONESTA
                                                                            GREEN T
                                                                S 0040/0000 LENGTH(AH 3017 BK 3615)
```

DIR: B TOTAL LEN: 11.052 MI. DIST: 01-3 SR: 36
LEFT MUN: GREEN T RIGHT MUN: GREEN T



		018 "DIA CIRC CONCR
	0030/1815	LEN=0059 INSTALLED 2000
		018 "DIA CIRC CONCR
	0030/0100	LEN=0052 INSTALLED 2000
003001 FT	003001 FT	1 0 00092 0 00 0029+58
		TAYLOR RD
		(T322)
	0030/0000	LENGTH(AH 3615 BK 2931)
		024 "DIA CIRC CONCR
	0020/2906	LEN=0062 INSTALLED 2000
		015 "DIA CIRC CONCR
	0020/1852	LEN=0091 INSTALLED 2000
		015 "DIA CIRC CONCR
	0020/0840	LEN=0050 INSTALLED 2000
		015 "DIA CIRC CONCR
	0020/0415	LEN=0062 INSTALLED 2000
		018 "DIA CIRC CONCR
	0020/0075	LEN=0045 INSTALLED 2000
000070 FT	000070 FT	1 0 00092 0 00 0000+00
	REF-BK	COL DRAKE HW
		(SR0036 SEG 0320/2289)
		BK-CLARION (16)
	0020/0000	LTH AH 002931 BK 000100
000070 FT	000070 FT	AH-CLARION (16)
	7012/0000	LTH AH 000100 BK 000070
	INTER-AHD	COL DRAKE HW
		(SR0036 SEG 0010/0000)
		RIVER RD
		(SR2002 SEG 0010/0000)
	0010/0070	BARNETT T
000000 FT	000000 FT	1 0 00758 0 00 0000+00
		VILLAGE: COOKSBURG
		NC COL DRAKE HW
	INTER-BK	SR 0036 SH
		(SR0036 SEG 0004/0372)
		MFC BEGIN = C
		BK-CLARION (16)
	0010/0000	LENGTH(AH 0070 BK 0000)