Straight Line Diagram

(Including Drain Pipes)

Venango
60

January 2020

This document was produced by the Pennsylvania Department of Transportation (PENNDOT) as an internal management tool for State maintained highways and is not to be used for other purposes. The printed information was compiled from the Department's computerized Roadway Management System (RMS) and is subject to change without notice. Use of any or all of the printed information for purposes other than those intended by the Department may not satisfy other accuracy and completeness requirements and the Department does not warrant that such printed information is accurate or complete.

ROADWAY MANAGEMENT SYSTEM

INDEX FOR SR'S LOCATED IN THE COUNTY OF VENANGO

SR	BGN PAGE	END PAGE	SR	BGN PAGE	END PAGE	SR	BGN PAGE	END PAGE
0008	1	25	3006	280	281	8014	420	420
0027	26	34	3007	282	286	9101	421	421
0036	35	38	3008	287	293	9102	422	422
0038	39	48	3009	294	296	9103	423	423
0062	49	80	3010	297	300	9105	424	424
0080	81	98	3011	301	304	9201	425	425
0157	99	105	3012	305	305	9202	426	426
0208	106	114	3013	306	311	9301	427	427
0227	115	124	3014	312	312			
0257	125	129	3015	313	314			
0268	130	130	3016	315	317			
0308	131	136	3017	318	324			
0322	137	154	3018	325	325			
0417	155	162	3019	326	327			
0427	163	169	3020	328	330			
0428	170	179	3021	331	333			
0478	180	180	3022	334	334			
0965	181	184	3023	335	336			
1001	185	188	3024	337	341			
1003	189	191	3025	342	347			
1004	192	197	3026	348	352			
1005	198	200	3027	353	353			
1006	201	204	3028	354	355			
1007	205	207	3029	356	356			
1008	208	208	3101	357	357			
1009	209	211	3102	358	358			
1011	212	212	4001	359	362			
1013	213	213	4002	363	364			
2001	214	215	4003	365	369			
2002	216	219	4004	370	371			
2003	220	221	4005	372	373			
2004	222	228	4006	374	376			
2005	229	232	4007	377	380			
2006	233	238	4008	381	381			
2008	239	239	4009	382	386			
2009	240	241	4010	387	389			
2011	242	243	4011	390	390			
2013	244	248	4012	391	392			
2015	249	251	4013	393	393			
2017	252	254	4016	394	396			
2019	255	255	4018	397	400			
2021	256	257	4020	401	404			
2023	258	261	4022	405	410			
2025	262	264	4024	411	411			
2027	265	266	4025	412	412			
3001	267	268	6008	413	415			
3002	269	270	8002	416	416			
3003	271	275	8008	417	417			
3004	276	277	8010	418	418			
3005	278	279	8012	419	419			

pennsylvania
DEPARTMENT OF TRANSPORTATION

December 30, 2019

Pennsylvania State Roads - Straight Line Diagrams

Contained within this document are the 2020 Pennsylvania Straight Line Diagram's (SLD's) for State Routes by county within a particular PennDOT district. At the end of each year, PennDOT takes a snapshot of its current SLD database and creates PDF files from the SLD snapshot. The SLD's are a graphical representation of State Routes (SR's) that PennDOT maintains. The information shown on the SLD's is generated from data found in PennDOT's Roadway Management System (RMS) database. The data from RMS is constantly being updated to match actual roadway inventory data found on Pennsylvania's state highways. PennDOT's SR system is explained briefly in this document along with symbol definitions for each type of roadway feature or attribute found on the SLD. This PDF version of the SLD contains an individual county list of all state roads found in that county. The SR's found on the list are linked to the actual pages that show the individual SLD's. To find an SLD for a particular road that you want, simply point to that road on the SR index list and click on it to jump to the beginning page of that SLD.

If you have any questions or comments concerning information found in this document, please contact Janice L. Arellano, P.E., Chief, Roadway Inventory and Testing Unit, Asset Management Division, Bureau of Maintenance and Operations, by calling (717) 787-7294.

Additional information on state owned highways is available from your local PENNDOT Engineering District Office, RMS Unit, RMS Coordinator.

Straight Line Diagram Disclaimer: This document is for informational purposes only and may be viewed by anyone. No part of the information contained in this document may be altered or redistributed without prior written consent of PENNDOT. Straight Line Diagram information is provided "as is" without warranty of any kind, either expressed or implied. This information could include technical inaccuracies or errors of omission. Changes may be made periodically to the information herein.

Copyright © 2019 by the Commonwealth of Pennsylvania. All rights reserved.

pennsylvania
DEPARTMENT OF TRANSPORTATION

Asset Management Division
Mission Statement

To protect and preserve Pennsylvania's infrastructure by providing meaningful, timely, and accurate pavement and roadway management, design, standards, strategies, inventory and condition, as well as fair, consistent and efficient application of Commonwealth laws and regulations.

CUSTOMER SERVICE RATING FORM

Straight Line Diagram (SLD) – Customer Service Rating

As means to improve customer service, we would like you to rate the product/ service you have received, by circling a "grade" from "A" (excellent) to "E" (fail).

A **B** **C** **D** **E**

If your rating is not an "A," please let us know what we could do better.

_____

_____

_____

_____

_____

Name and Organization (optional)

_____

Thank You.

(Fold along line, and tape or staple together before mailing)

(Cut along dashed line

_____

_____

_____

Bureau of Maintenance and Operations
Asset Management Division – BOMO Annex
907 Elmerton Avenue
Harrisburg, PA 17110
ATTN: Janice Arellano

F-CS-02

PENNSYLVANIA DEPARTMENT OF TRANSPORTATION
Bureau of Maintenance and Operations, Asset Management Division

Location Referencing System (LRS) – Definitions, Uses & Testing

The Department's LRS, implemented in 1987, is the mechanism to designate the State highway network, to define roadway lengths, locations, and route connectivity, and to serve as the basis for the collection, storage, and integration of roadway information.

An LRS key is a unique series of numbers that identifies the location of each point or feature along a State route. The fourteen digit number is an integral part of the Roadway Management System (RMS) where roadway data is stored. 07/4016/0100/0857 is an example of an LRS key, which identifies County (CO) = 07, State Route (SR) = 4016, Segment (SEG) = 0100, and Offset = 0857.

County (CO)

Each of Pennsylvania's sixty-seven counties is identified by a number.

Name	#	Name	#	Name	#	Name	#
Adams	1	Clinton	18	Lackawanna	35	Potter	52
Allegheny	2	Columbia	19	Lancaster	36	Schuylkill	53
Armstrong	3	Crawford	20	Lawrence	37	Snyder	54
Beaver	4	Cumberland	21	Lebanon	38	Somerset	55
Bedford	5	Dauphin	22	Lehigh	39	Sullivan	56
Berks	6	Delaware	23	Luzerne	40	Susquehanna	57
Blair	7	Elk	24	Lycoming	41	Tioga	58
Bradford	8	Erie	25	McKean	42	Union	59
Bucks	9	Fayette	26	Mercer	43	Venango	60
Butler	10	Forest	27	Mifflin	44	Warren	61
Cambria	11	Franklin	28	Monroe	45	Washington	62
Cameron	12	Fulton	29	Montgomery	46	Wayne	63
Carbon	13	Greene	30	Montour	47	Westmoreland	64
Centre	14	Huntingdon	31	Northampton	48	Wyoming	65
Chester	15	Indiana	32	Northumberland	49	York	66
Clarion	16	Jefferson	33	Perry	50	Philadelphia	67
Clearfield	17	Juniata	34	Pike	51		

State Route (SR)

State Routes (SR's) are identified by four-digit numbers. SR numbers are assigned as follows:

1. Traffic Routes: Routes designated as Interstates, US or PA Routes 0001-0999
2. Quadrant Routes (Non-Traffic Routes) 1001-4999
3. Relocated Traffic Routes 6000-6999
4. Turned Back, Abandoned, or Null Routes 7000-7999
5. Interchanges 8001-8999
6. WYE's 9101-9199
7. Rest Areas 9201-9299
8. Truck Escape Ramps 9301-9399
9. Others 9401-9499

Even/Odd Convention: Even numbers are typically given to SR's in the East/West direction, and odd numbers to SR's that run North/South. This convention applies to Interstate Routes (except those that are Beltways or Spurs), and Quadrant Routes. This convention may or may not apply to PA or US Traffic Routes.

Hierarchy: If two or more traffic routes occupy the same section of roadway, the SR number is based on the "higher" type route, according to the following hierarchy. If the traffic routes are the same hierarchy class, then the SR number is assigned the lower numbered traffic route (Figure 1).

1. Interstates
2. U.S. Routes
3. PA Routes
4. Quadrant Routes



FIGURE 1

Other Numbering Conventions:

1. The first digit of a quadrant route is based on which quadrant of the county the route is located, as shown in the following diagram (Figure 2).
2. The last three digits of a Relocated Traffic Route are the same as the Traffic Route that was relocated.
3. Interchanges are numbered sequentially. Odd numbers are given to interchanges along SR's in the North/South direction; even numbers are given to interchanges along SR's in the East/West direction (Figure 3).
4. WYE's are given odd numbers if the connecting SR is odd numbered, and even numbers if the connecting SR is even numbered.
5. Rest Areas or Truck Escape Ramps are given odd numbers if they connect to the Southbound or Westbound side of an SR, and even numbers if they connect to the Northbound or Eastbound side.



FIGURE 2



FIGURE 3

Segment (SEG)

State routes are divided into segments, which are approximately one-half mile long, and are identified by a four-digit number. Segment begin and end points are placed at physical features where possible. Segment numbers increase in the North or East direction, and typically by 10's (Figure 4). Segments are even numbered on undivided roadways, and in the Northbound or Eastbound direction of divided roadways. Segments are odd numbered in the Southbound or Westbound direction of divided roadways (Figure 5). Interstate segments are associated with the mile posts (Figure 6).

<u>Undivided Roadways</u>



FIGURE 4

<u>Divided Roadways</u>



FIGURE 5

<u>Interstate Roadways</u>



FIGURE 6

Turned Back, Abandoned, and Null Segments are given numbers in the range of 7000-7999. For two coincident State routes, the route with "lower" hierarchy is "nulled."

Segment numbering restarts on Traffic Routes at County boundaries, except Interstates (Figure 7).



FIGURE 7

Offset

The offset, a subdivision of the segment, is the distance (in feet) from the beginning of the segment, expressed as a four-digit number. Offsets are measured in the increasing segment direction.

Segment Markers

Segment markers, which allow for easy identification of the LRS location on the State highway system, indicate the State route and segment number at the point that each segment is entered. If the beginning of a segment occurs at a physical feature, then the point of reference is at the physical feature and not the sign. At intersections, signs are used to identify beginning or ending State routes or segments.

Users of the LRS

Locations of all intersections, structures, and other points of interest are field verified and inventoried in the RMS. This information can be displayed on Straight Line Diagrams (SLD's) which can be viewed in the RMS, or hardcopy form. SLD books are refreshed and printed annually for distribution to the Department's District and County offices, as well as too many external entities.

A list of those within the Department that use the LRS to identify locations in the RMS and in the field includes personnel from the following organizations: Pavement Testing, County Maintenance, Traffic, Design, Surveys, Construction, Bridge, Permits, Crash Review, Planning and Programming, Posted & Bonded Roads, Tort Liability, and Emergency Management.

Users outside the Department include: County & Municipal governments, County 911, Planning Commissions, Federal Highway Administration, State & Local Police, Local Emergency Management, Delivery Services (UPS, Fed Ex, etc.), Fire Departments, Utility Companies, Contractors, and Consultants.

Without segment markers located in the field, all of these users would have to rely solely on the SLD, which would be extremely cumbersome at best and impossible for some.

Verification, QA & QC

In order to assure that LRS information is indicated properly in the RMS, on SLD's, and in the field, LRS Quality Assurance (QA) and Quality Commitment (QC) programs are performed each year. The Bureau of Maintenance and Operations, Asset Management Division, Roadway Inventory & Testing Unit (RITU) performs all Statewide QC testing. Field verification and QA is also performed by RITS, except in Engineering Districts 2-0, 11-0, and 12-0, where it is done "in-house." Each Engineering District is responsible for its own LRS completeness and maintenance with respect to the RMS.

Twenty percent of each county is field tested annually as part of the QA program, and five percent of each county is tested for the annual QC program. The goal of the QC program is to maintain at least 90% accuracy between the RMS and the actual field locations of highway features. Annual QC ratings are developed and reported to the Engineering Districts.

Field testing is performed by two-person teams (a permanent employee that operates the test, and a temporary employee that drives the device) with the use of vans equipped with an on-board computer and a Data Measurement Subsystem. Testing is typically performed during the months of April through November.

Vehicle location and roadway features are displayed on the van's computer screen in SLD format, and the software accepts operator inputs verifying or modifying roadway feature locations, as well as comments. Though the system can function at greater speed, test speeds are typically less than 25 mph to ensure accuracy.

There are five categories of information that is verified and/or modified:

1. State Route Length
2. Segment Length
3. Roadway Geometry (lane count, pavement & shoulder types & widths)
4. Intersecting Feature Location (intersections & bridges)
5. Segment Marker Location

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY

SEGMENT MARKER	AHEAD LEFT INTER STATE OWNED	RAILROAD CROSSING	INTERSTATE MILEPOST
TURNBACK	AHEAD LEFT INTER NON-STATE	RAILROAD OVER-PASS	MFC BEGIN
NULL	AHEAD RIGHT INTE STATE OWNED	OVER-PASS	MUNICIPAL BOUNDARY
UNDIVIDED HIGHWAY	AHEAD RIGHT INTE NON-STATE	BRIDGE END	VILLAGE BEGIN
PHYSICALLY DIVIDED	BACK LEFT INTER STATE OWNED	BRIDGE BEGIN	AH - LENGTH FORWARD TO NEXT SEGMENT BEGIN BK - LENGTH BACK WARD TO PREVIOUS SEGMENT BEGIN
PAINT DIVIDED	BACK LEFT INTER NON-STATE	TUNNEL	
INTERSECTION AHEAD	BACK RIGHT INTER STATE OWNED	SIGN STRUCTURE	MFC - MAINTENANCE FUNCTIONAL CLASS A = INTERSTATE B = EXPRESSWAY AND/OR PRINCIPLE ARTERIAL C = MINOR ARTERIAL D = COLLECTOR E = LOCAL ACCESS F = INTERCHANGE RAMP
INTERSECTION BACK	BACK RIGHT INTER NON-STATE	RBR P3 BRIDGE	
REFERENCE AHEAD/BACK	T-LEFT INTERSEC STATE OWNED	RETAINING WALL	
DIVIDED CONNECTOR	T-LEFT INTERSEC NON-STATE	BRIDGE/CULVERT UNDER FILL	NULL AND TURNBACK SEGMENTS ARE DISPLAYED IN THE DEPARTMENT"S ROADWAY MANAGEMENT SYSTEM (RMS) AS 100 FEET IN LENGTH. ACTUAL SEGMENT AND SECTION LENGTHS MAY VARY SIGNIFICANTLY
CROSS INTERSEC STATE OWNED	T-RIGHT INTERSEC STATE OWNED	PIPE (STAMPP)	
CROSS INTERSEC NON-STATE	T-RIGHT INTERSEC NON-STATE	ROTARY INTERSEC	

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY

ROAD CLOSED	POI POINT OF INTEREST	BRIDGE CLOSED	P BRIDGE POSTED
M MONITORING SITE	TRAFFIC SIGNAL	W RWIS SITE	NC - STREET NAME CHANGE

DIR: N TOTAL LEN: .067 MI. DIST: 01-5 SR: 9301
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

000355 FT

000000 FT



000355 FT
* REF-AHD END TRUCK ESCAPE RAMP R
0010/0355 (GOVT)
000000 FT 1 0 00208 2 00 0000+00
NC TRUCK ESCAPE RAMP RD
INTER-BK FIFTHTEENTH ST
(SR0062 SEG 0250/0797)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0355 BK 0000)

DIR: N TOTAL LEN: .444 MI. DIST: 01-5 SR: 9202
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
                                                  002346 FT
                                                  INTER-AHD  REST AREA RD
                                                  0020/0781  (SR9202 SEG 0010/1246)
                                                             015 "DIA CIRC METAL
                                                  0020/0415  LEN=0115 INSTALLED UNKN
                                                             015 "DIA CIRC METAL
                                                  0020/0200  LEN=0060 INSTALLED UNKN
                                                             015 "DIA CIRC METAL
                                                  0020/0018  LEN=0030 INSTALLED UNKN
                                                  001565 FT  1 0 01009 2 14 0024+52
                                                  INTER-BK   REST AREA RD
                                                             (SR9202 SEG 0010/0489)
                                                  0020/0000  LENGTH(AH 0781 BK 1565)

                                                  INTER-AHD  SR 0080 WB
                                                  0010/1565  (SR0080 SEG 0301/2317)
FROM TRUCK PARKING AREA
(CONN)                                                       REST AREA
                                                  0010/1246  (SR9202 SEG 0020/0781)

                                                             REST AREA RD
                                                  0010/0489  (SR9202 SEG 0020/0000)
                                                  000000 FT  1 0 01009 2 14 0034+62
                                                             018 "DIA CIRC METAL
                                                             LEN=0150 INSTALLED UNKN
                                                       NC REST AREA
                                                  INTER-BK   Z H CONFAIR HW
                                                             (SR0080 SEG 0305/1298)
                                                             MFC BEGIN = F
                                                  0010/0000  LENGTH(AH 1565 BK 0000)
```

DIR: E TOTAL LEN: .474 MI. DIST: 01-5 SR: 9201
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
                                                  002504 FT
                                                  INTER-AHD  REST AREA RD
                                                  0020/0850  (SR9201 SEG 0010/1225)

                                                             015 "DIA CIRC METAL
                                                  0020/0165  LEN=0020 INSTALLED UNKN
                                                             015 "DIA CIRC METAL
                                                  0020/0015  LEN=0120 INSTALLED UNKN
                002504 FT                         001654 FT  1 0 01009 2 12 0008+22
                001654 FT                         INTER-BK   REST AREA RD
                                                             (SR9201 SEG 0010/0411)
                                                5 0020/0000  LENGTH(AH 0850 BK 1654)

                                                  INTER-AHD  Z H CONFAIR HW
                                                  0010/1654  (SR0080 SEG 0300/0822)
FROM TRUCK PARKING AREA
(CONN)          0010/1415

                                                             CAR PARKING AREA RD
                                                  0010/1225  (SR9201 SEG 0020/0850)

                                                             CAR PARKING AREA RD
                                                  0010/0411  (SR9201 SEG 0020/0000)
                000000 FT                         000000 FT  1 0 01009 2 12 0000+00
                                                        NC REST AREA RD
                                                  INTER-BK   Z H CONFAIR HW
                                                             (SR0080 SEG 0294/1828)
                                                             MFC BEGIN = F
                                                5 0010/0000  LENGTH(AH 1654 BK 0000)
```

DIR: B TOTAL LEN: .053 MI. DIST: 01-5 SR: 9105
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

000278 FT
HALIDAY ST
(SR0428 SEG 0010/0278) 0010/0278

0 0 00000 0 00 0000+00 000000 FT
MAIN ST
(SR0008 SEG 0421/0320) 0010/0000



000278 FT
INTER-AHD HALIDAY ST
0010/0278 (SR0428 SEG 0010/0278)
NC HALYDAY ST
MAIN ST
000000 FT (SR0008 SEG 0421/0320)
MFC BEGIN = C
5 0010/0000 LENGTH(AH 0278 BK 0000)

DIR: E TOTAL LEN: .074 MI. DIST: 01-5 SR: 9103
LEFT MUN: CANAL T RIGHT MUN: CANAL T

000392 FT

000000 FT



```
000392 FT
INTER-AHD OLD FRANKLIN PK
          (SR4012 SEG 0050/1358)
          OLD FRANKLIN PK
0010/0392 (SR4012 SEG 0050/1358)
000000 FT 0 0 00000 0 00 0000+00
     NC FRANKLIN PK
INTER-BK  TWENTYEIGHTH DIVISION H
          (SR0322 SEG 0070/0407)
          MFC BEGIN = F
0010/0000 LENGTH(AH 0392 BK 0000)
```

DIR: N TOTAL LEN: .061 MI. DIST: 01-5 SR: 9102
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

000322 FT

000000 FT



000322 FT
INTER-AHD SR 0427 SH
0010/0322 (SR0427 SEG 0010/0099)
000000 FT 0 0 00000 0 00 0000+00
NC SR 9102 SH
INTER-BK TWENTYEIGHTH DIVISION H
(SR0322 SEG 0150/0000)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0322 BK 0000)

DIR: N TOTAL LEN: .036 MI. DIST: 01-5 SR: 9101
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

000189 FT

000000 FT



000189 FT
INTER-AHD SR 0417 SH
0010/0189 (SR0417 SEG 0261/0162)
000000 FT 0 0 00000 0 00 0000+00
NC SR 9101 SH
INTER-BK WILLIAM FLINN HW
(SR0008 SEG 0610/0254)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0189 BK 0000)

DIR: N TOTAL LEN: .866 MI. DIST: 01-5 SR: 8014
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
                          004570 FT                    004570 FT
                                                       INTER-AHD WM FLINN HW
                                                       0750/1640 (SR0008 SEG 0200/1618)

FROM 0308/0170 SH
(CONN)                     0750/0069
                          002930 FT                    002930 FT 1 0 01107 2 03 0000+00
                                                             NC RAMP B RD
                                                       INTER-BK  SR 0308 SH
                                                                 (SR0308 SEG 0170/0946)
                                                     S 0750/0000 LENGTH(AH 1640 BK 0869)

                                                                 SR 0308 SH
                                                       0500/0869 (SR0308 SEG 0170/1583)

                          002061 FT                    002061 FT 1 0 01107 2 04 0014+64
                                                             NC RAMP C RD
                                                       INTER-BK  WM FLINN HW
                                                                 (SR0008 SEG 0201/1039)
                                                     S 0500/0000 LENGTH(AH 0869 BK 1114)

                                                       INTER-AHD WM FLINN HW
                                                       0250/1114 (SR0008 SEG 0191/1687)

FROM 0308/0170 SH
(CONN)                     0250/0067
                          000947 FT                    000947 FT 1 0 01107 2 05 0023+99
                                                             NC RAMP D RD
                                                       INTER-BK  SR 0308 SH
                                                                 (SR0308 SEG 0170/1623)
                                                     S 0250/0000 LENGTH(AH 1114 BK 0947)

                                                                 SR 0308 SH
                                                       0010/0947 (SR0308 SEG 0170/0988)

                          000000 FT                    000000 FT 1 0 01107 2 02 0000+00
                                                             NC RAMP A RD
                                                       INTER-BK  WM FLINN HW
                                                                 (SR0008 SEG 0190/1613)
                                                                 MFC BEGIN = F
                                                     S 0010/0000 LENGTH(AH 0947 BK 0000)
```

DIR: S TOTAL LEN: .440 MI. DIST: 01-5 SR: 8012
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

002322 FT

FROM 6008/0050 SH
(CONN) 0750/0063

1 0 01107 2 00 0000+00 000874 FT
SH 6008 SH
(SR6008 SEG 0050/1038) 0750/0000

000000 FT

002322 FT
INTER-AHD RICHARD C FRAME HW
0750/1448 (SR0008 SEG 0140/0467)

000874 FT MP B RD
INTER-BK GEORGETOWN RD
(SR3003 SEG 0100/0863)
S 0750/0000 LENGTH(AH 1448 BK 0874)

GEORGETOWN RD
0500/0874 (SR6008 SEG 0050/0430)

000000 FT 1 0 01107 2 01 0014+53
NC RAMP C RD
INTER-BK RICHARD C FRAME HW
(SR0008 SEG 0141/0172)
MFC BEGIN = F
S 0500/0000 LENGTH(AH 0874 BK 0000)

DIR: E TOTAL LEN: .663 MI. DIST: 01-5 SR: 8010
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

```
                                 003501 FT                      003501 FT
                                                                INTER-AHD Z H CONFAIR HW
                                                                0750/0910 (SR0080 SEG 0420/0849)
FROM 0038/0010 SH
(CONN)                            0750/0100
                                 002591 FT                      002591 FT 1 0 01009 2 06 0000+00
                                                                      NC RAMP C RD
                                                                INTER-BK  SR 0038 SH
                                                                          (SR0038 SEG 0010/0251)
                                                              S 0750/0000 LENGTH(AH 0910 BK 0665)

                                                                          SR 0038 SH
                                                                0500/0665 (SR0038 SEG 0010/1145)

                                 001926 FT                      001926 FT 1 0 01009 2 05 0000+94
                                                                      NC RAMP B RD
                                                                INTER-BK  Z H CONFAIR HW
                                                                          (SR0080 SEG 0421/1028)
                                                              S 0500/0000 LENGTH(AH 0665 BK 1305)

                                                                INTER-AHD Z H CONFAIR HW
                                                                0250/1305 (SR0080 SEG 0415/1666)

FROM 0038/0010 SH
(CONN)                            0250/0100
                                 000621 FT                      000621 FT 1 0 01009 2 04 0000+00
                                                                      NC RAMP A RD
                                                                INTER-BK  SR 0038 SH
                                                                          (SR0038 SEG 0010/1021)
                                                              S 0250/0000 LENGTH(AH 1305 BK 0621)

                                                                          SR 0038 SH
                                                                0010/0621 (SR0038 SEG 0010/0040)

                                 000000 FT                      000000 FT 1 0 01009 2 07 0004+92
                                                                      NC RAMP D RD
                                                                INTER-BK  Z H CONFAIR HW
                                                                          (SR0080 SEG 0414/1819)
                                                                          MFC BEGIN = F
                                                              S 0010/0000 LENGTH(AH 0621 BK 0000)
```

DIR: E TOTAL LEN: .615 MI. DIST: 01-5 SR: 8008
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

```
                                 003249 FT                    003249 FT Z H CONFAIR HW
                                                              0750/0755 (SR0080 SEG 0344/2410)
FROM 0308/0030 SH
(CONN)                            0750/0070
                                 002494 FT                    002494 FT 1 0 01009 2 10 0000+00
                                                                    NC RAMP C RD
                                                              INTER-BK  SR 0308 SH
                                                                        (SR0308 SEG 0030/0742)
                                                            S 0750/0000 LENGTH(AH 0755 BK 0836)

                                                              INTER-AHD SR 0308 SH
                                                              0500/0836 (SR0308 SEG 0030/1341)
TO 0308/0030 SH
(CONN)                            0500/0800

                                 001658 FT                    001658 FT 1 0 01009 2 11 0019+67
                                                                    NC RAMP D RD
                                                              INTER-BK  Z H CONFAIR HW
                                                                        (SR0080 SEG 0345/2441)
                                                            S 0500/0000 LENGTH(AH 0836 BK 0847)

                                                              INTER-AHD Z H CONFAIR HW
                                                              0250/0847 (SR0080 SEG 0345/0698)
FROM 0308/0030 SH
(CONN)                            0250/0090
                                 000811 FT                    000811 FT 1 0 01009 2 08 0019+88
                                                                    NC RAMP A RD
                                                              INTER-BK  SR 0308 SH
                                                                        (SR0308 SEG 0030/1413)
                                                            S 0250/0000 LENGTH(AH 0847 BK 0811)

                                                              INTER-AHD SR 0308 SH
                                                              0010/0811 (SR0308 SEG 0030/0698)
TO 0308/0030 SH
(CONN)                            0010/0707

                                 000000 FT                    000000 FT 1 0 01009 2 09 0000+00
                                                                    NC RAMP B RD
                                                              INTER-BK  Z H CONFAIR HW
                                                                        (SR0080 SEG 0344/0913)
                                                                        MFC BEGIN = F
                                                            S 0010/0000 LENGTH(AH 0811 BK 0000)
```

DIR: E TOTAL LEN: .742 MI. DIST: 01-5 SR: 8002
LEFT MUN: BARKEYVILLE B RIGHT MUN: BARKEYVILLE B

```
003919 FT                    003919 FT
                             INTER-AHD  Z H  CONFAIR  HW
                             0750/0802  (SR0080  SEG  0290/1094)

003117 FT                    003117 FT  1  0  01009  2  01  0000+00
                                  NC  RAMP  D  RD
                                        WM  FLINN  HW
                                        (SR0008  SEG  0061/1073)
                                        (SR0008  SEG  0060/1086)
                           S 0750/0000  LENGTH(AH  0802  BK  1074)

                                        WM  FLINN  HW
                                        (SR0008  SEG  0070/0481)
                             0500/1074  (SR0008  SEG  0071/0481)

002043 FT                    002043 FT  1  0  01009  2  02  0015+94
                             INTER-BK   Z H  CONFAIR  HW
                                        (SR0080  SEG  0291/1384)
                           S 0500/0000  LENGTH(AH  1074  BK  0903)

                             INTER-AHD  Z H  CONFAIR  HW
                             0250/0903  (SR0080  SEG  0285/2116)

001140 FT                    001140 FT  1  0  01009  2  03  0020+00
                                  NC  RAMP  A  RD
                                        WM  FLINN  HW
                                        (SR0008  SEG  0070/0387)
                                        (SR0008  SEG  0071/0383)
                           S 0250/0000  LENGTH(AH  0903  BK  1140)

                                        WMFLINN  HW
                                        (SR0008  SEG  0061/0972)
                             0010/1140  (SR0008  SEG  0060/0984)

000000 FT                    000000 FT  1  0  01009  2  00  0002+30
                             INTER-BK   Z H  CONFAIR  HW
                                        (SR0080  SEG  0284/1738)
                                        MFC  BEGIN  =  F
                           S 0010/0000  LENGTH(AH  1140  BK  0000)
```

DIR: B TOTAL LEN: 2.418 MI. DIST: 01-5 SR: 6008
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

WILLIAM FLINN HWY 012769 FT
(SR0008 SEG 0460/0000) 0100/2505

010264 FT



011758 FT WILLIAM FLINN HWY
0100/2505 (SR0008 SEG 0460/0000)
0100/2461 BMSEN 60/6008/0100/2203
1 0 00000 0 00 0000+00
OIL CREEK
0100/2203 BMSBG 60/6008/0100/2203
MEMORIAL DR
0100/1760 (CITY)

009253 FT 1 0 00205 0 01 0026+22

DIR: B TOTAL LEN: 2.418 MI. DIST: 01-5 SR: 6008
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

```
                                                          NC SENECA ST

SENECA ST                                                 INTER-BK  DUNCOMB ST
(SR6008 SEG 0091/1011)                                              (CITY)
SENECA ST                    INTER-AHD                    0100/0000 LTH AH 002505 BK 001011
(SR6008 SEG 0100/0000)
                             0091/1011
FEDERAL ST
(CITY)                       0091/0773

1 0 00205 0 01 0016+09 009253 FT
      NC SENECA ST
CENTER ST
(SR6008 SEG 0080/0000)

MFC BEGIN = C                                             009253 FT
LENGTH(AH 1011 BK 0186)      0091/0000                    7090/0000 LTH AH 001011 BK 000186
                                                          INTER-AHD ELM ST
                                                                    (CITY)
                                                                    CENTER ST
                                                                    (SR1001 SEG 0010/0000)

                                                                    ELM ST
                                                          0080/0186 (CITY)
                             009067 FT                    009067 FT 2 0 60048 0 00 0000+00
                                                                    SENECA ST
                                                                    (CITY)
SENECA ST
(SR6008 SEG 0091/0000)       0080/0000                    0080/0000 LENGTH(AH 0186 BK 0467)
                                                          0070/0258 BMSEN 60/6008/0070/0080
                                                                    1 1 00205 0 00 0012+17
                                                                    OIL CREEK
                                                          0070/0080 BMSBG 60/6008/0070/0080
                                                                NC CENTER ST
                                                          008600 FT
1 0 00205 0 00 0011+42 008600 FT                          INTER-BK  MAIN ST
MAIN ST                                                             (SR0008 SEG 0432/0000)
(SR0008 SEG 0432/0000)                                              MFC BEGIN = C
(SR0008 SEG 0433/0000)       0070/0000                    0070/0000 LTH AH 000467 BK 000100
                             008600 FT                    008600 FT
                                                          7060/0000 LTH AH 000100 BK 001038
                                                          INTER-AHD GEORGETOWN RD
RAMP B RD                                                           (SR3003 SEG 0100/0863)
(SR8012 SEG 0750/0000)       0050/1038                    0050/1038 IRWIN T
TO 8012/0750 SH
(CONN)                       0050/0990

                                                                    SR 0008
                                                          0050/0645 OP ID 60/0008/0134/1525
                                                                    RAMP C RD
                                                          0050/0430 (SR8012 SEG 0500/0874)
```

DIR: B TOTAL LEN: 2.418 MI. DIST: 01-5 SR: 6008
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
2 0 60003 0 00 0268+76 007562 FT                    007562 FT
SR 3013 SH
(SR3013 SEG 0010/0000)
GEORGETOWN RD                                          NC GEORGETOWN RD
(SR3003 SEG 0110/0000)   0050/0000                  5 0050/0000 LENGTH(AH 1038 BK 3147)
SCRUBGRASS RD
(SR3002 SEG 0050/2864)   0040/2566

                                                           018 "DIA CIRC CONCR
                                                    0040/1267 LEN=0040 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                    0040/0837 LEN=0051 INSTALLED UNKN
                                                           IRWIN RD
                                                    0040/0335 (T322)
                                                           015 "DIA CIRC CONCR
                                                    0040/0043 LEN=0120 INSTALLED UNKN
1 0 00233 0 00 0145+80 004415 FT                    004415 FT
COULTER RD
(T316)                   0040/0000                  5 0040/0000 LENGTH(AH 3147 BK 2682)

                                                           060"H 48"W CON BOX CUL
                                                    0030/1281 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                    0030/0914 LEN=0064 INSTALLED UNKN

1 0 00233 0 00 0118+77 001733 FT                    001733 FT
WESTON RD
(T333)                   0030/0000                  5 0030/0000 LENGTH(AH 2682 BK 0985)

                                                           WOLF CK.TRB.
                                                           STRUCTURE LENGTH  10 FT
                                                    0020/0325 BMSID 60/6008/0020/0325
                                                           015 "DIA CIRC CONCR
                                                    0020/0118 LEN=0055 INSTALLED UNKN
                         000748 FT                  000748 FT 1 0 00233 0 00 0105+30
                                                    5 0020/0000 LENGTH(AH 0985 BK 0748)

                         000000 FT                  000000 FT 0 0 00000 0 00 0000+00
                                                          NC OLD ROUTE 8 RD
                                                           SR 0008 SH
                                                           (SR0008 SEG 0114/0000)
                                                    INTER-BK OLD ROUTE 8 RD
                                                           (T318)
                                                           MFC BEGIN = D
                                                    5 0010/0000 LENGTH(AH 0748 BK 0000)
```

DIR: B TOTAL LEN: .441 MI. DIST: 01-5 SR: 4025
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

```
                                  002326 FT                    002326 FT HALYDAY RUN RD
                                                               0010/2326 (SR0428 SEG 0110/2091)
                                                                         020 "DIA CIR PLASTIC
                                                               0010/2224 LEN=0034 INSTALLED 2002
PRITCHARD RD
(T581)                             0010/1710   ==
                                                                         024 "DIA CIRC CONCR
                                                               0010/1442 LEN=0045 INSTALLED 2002

                                  000000 FT                    000000 FT 0 0 00000 0 00 0000+00
                                                                    NC SR 4025 SH
                                                                         HALYDAY RUN RD
                                                                         (SR0428 SEG 0110/0000)
                                                                         MFC BEGIN = D
                                                                 S 0010/0000 LENGTH(AH 2326 BK 0000)
```

DIR: B TOTAL LEN: .000 MI. DIST: 01-5 SR: 4024
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

000000 FT

000000 FT
7010/0000 LENGTH(AH 0100 BK 0000)

DIR: B TOTAL LEN: 9.783 MI. DIST: 01-5 SR: 4022
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

```
051655 FT                    051655 FT WILLIAM FLINN HW
                             0200/3079 (SR0008 SEG 0670/0531)
                                       048 "DIA CIRC CONCR
                             0200/3055 LEN=0025 INSTALLED UNKN

                                       018 "DIA CIR PLASTIC
                             0200/2096 LEN=0015 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0200/1765 LEN=0012 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0200/1375 LEN=0015 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0200/1152 LEN=0012 INSTALLED UNKN
                                       024 "DIA CIR PLASTIC
                             0200/0762 LEN=0015 INSTALLED UNKN
                                       024 "DIA CIR PLASTIC
                             0200/0730 LEN=0015 INSTALLED UNKN
048576 FT                    048576 FT 2 0 60040 0 01 0498+76
                           S 0200/0000 LENGTH(AH 3079 BK 1601)

                                       018 "DIA CIR PLASTIC
                             0190/0040 LEN=0015 INSTALLED UNKN
046975 FT                    046975 FT 2 0 60040 0 01 0482+75
                                       CHERRYTREE RD
                                       (T540)
                           S 0190/0000 LENGTH(AH 1601 BK 3154)
                                       018 "DIA CIRC METAL
                             0180/3129 LEN=0012 INSTALLED 1997
                                       030 "DIA CIR PLASTIC
                             0180/2929 LEN=0015 INSTALLED UNKN

                                       018 "DIA CIR PLASTIC
                             0180/1978 LEN=0012 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0180/1825 LEN=0012 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0180/1620 LEN=0012 INSTALLED UNKN

                                       018 "DIA CIRC METAL
                             0180/0929 LEN=0012 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0180/0614 LEN=0035 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 9.783 MI. DIST: 01-5 SR: 4022
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

```
                                                  0180/0414 LEN=0012 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0180/0202 LEN=0012 INSTALLED 1999
                                                            015 "DIA CIR PLASTIC
                                                  0180/0015 LEN=0012 INSTALLED UNKN
2 0 60040 0 01 0451+15 043821 FT                  043821 FT
MILES RD
(T542)                 0180/0000     ==       S 0180/0000 LENGTH(AH 3154 BK 2395)
                                                            018 "DIA CIR PLASTIC
                                                  0170/2230 LEN=0012 INSTALLED UNKN

                                                            015 "DIA CIR PLASTIC
                                                  0170/1230 LEN=0012 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0170/0930 LEN=0012 INSTALLED UNKN
                                                            024 "DIA CIR PLASTIC
                                                  0170/0613 LEN=0012 INSTALLED UNKN

2 0 60040 0 01 0426+57 041426 FT                  041426 FT
BARKER RD
(T520)                 0170/0000     ==       S 0170/0000 LENGTH(AH 2395 BK 2833)


                                                            036 "DIA CIR PLASTIC
                                                  0160/1070 LEN=0012 INSTALLED 2008
                                                            018 "DIA CIR PLASTIC
                                                  0160/0705 LEN=0012 INSTALLED 1999
                                                            015 "DIA CIR PLASTIC
                                                  0160/0537 LEN=0012 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0160/0184 LEN=0010 INSTALLED UNKN
                       038593 FT                  038593 FT 2 0 60040 0 01 0398+49
                                                S 0160/0000 LENGTH(AH 2833 BK 3059)
                                                            018 "DIA CIR PLASTIC
                                                  0150/2901 LEN=0015 INSTALLED UNKN

                                                            018 "DIA CIR PLASTIC
                                                  0150/1863 LEN=0010 INSTALLED UNKN

                                                            036 "DIA CIR PLASTIC
                                                  0150/1193 LEN=0015 INSTALLED 1999
                                                            015 "DIA CIRC METAL
                                                  0150/0808 LEN=0015 INSTALLED UNKN
                                                            LAMEY RD
                                              ==  0150/0683 (T518)
                                                            024 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 9.783 MI. DIST: 01-5 SR: 4022
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

```
                                                  0150/0525 LEN=0010 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0150/0135 LEN=0040 INSTALLED 1999
                                                            015 "DIA CIR PLASTIC
                                                  0150/0104 LEN=0040 INSTALLED 1999
                                                            018 "DIA CIR PLASTIC
                                                  0150/0020 LEN=0010 INSTALLED UNKN
                035534 FT                         035534 FT 2 0 60040 0 01 0367+86
                                                            DEMPSEYTOWN GRESHAM RD
                                                            (T302)
                                                5 0150/0000 LENGTH(AH 3059 BK 2118)
                                                            018 "DIA CIR PLASTIC
                                                  0140/2102 LEN=0010 INSTALLED UNKN


STONE SPRINGHOUSE RD
(T508)            0140/0570
                                                            018 "DIA CIR PLASTIC
                                                  0140/0202 LEN=0010 INSTALLED UNKN
                033416 FT                         033416 FT 2 0 60040 0 01 0346+66
                                                5 0140/0000 LENGTH(AH 2118 BK 2186)
                                                            018 "DIA CIR PLASTIC
                                                  0130/1839 LEN=0014 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0130/1471 LEN=0018 INSTALLED UNKN

                                                  0130/0599 BMSEN 60/4022/0130/0550
                                                            2 0 60040 0 01 0330+51
                                                            PRATHER CK.
                                                  0130/0550 BMSBG 60/4022/0130/0550
                031230 FT                         031230 FT 2 0 60040 0 01 0325+01
                                                5 0130/0000 LENGTH(AH 2186 BK 1917)
                                                            024 "DIA CIR PLASTIC
                                                  0120/1418 LEN=0010 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0120/0988 LEN=0012 INSTALLED UNKN

                029313 FT                         029313 FT 2 0 60040 0 01 0305+84
                                                5 0120/0000 LENGTH(AH 1917 BK 2788)
                                                            CHERRYTREE
                                                  0110/2649 PLUM T
                                                            018 "DIA CIR PLASTIC
                                                  0110/2590 LEN=0014 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0110/2004 LEN=0012 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0110/1704 LEN=0010 INSTALLED 1999
```

DIR: B TOTAL LEN: 9.783 MI. DIST: 01-5 SR: 4022
LEFT MUN: PLUM T RIGHT MUN: PLUM T

```
                                                          PRATHER CK.
                                                          STRUCTURE LENGTH   10 FT
                                                0110/0625 BMSID 60/4022/0110/0625

                                                          018 "DIA CIRC METAL
                                                0110/0008 LEN=0018 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                0110/0004 LEN=0008 INSTALLED UNKN
                        026525 FT               026525 FT 2 0 60040 0 00 0265+67
                                                          GIFFORD RD
GOODWIN RD                                                (T478)
(T476)                   0110/0000            0110/0000 LENGTH(AH 2788 BK 2594)
                                                          018 "DIA CIR PLASTIC
                                                0100/2565 LEN=0018 INSTALLED UNKN


                                                          018 "DIA CIR PLASTIC
                                                0100/0984 LEN=0042 INSTALLED UNKN
                                                          036 "DIA CIRC CONCR
                                                0100/0975 LEN=0050 INSTALLED UNKN
                                                          036 "DIA CIRC CONCR
                                                0100/0918 LEN=0025 INSTALLED UNKN

                        023931 FT               023931 FT 2 0 60040 0 00 0239+71
                                                0100/0000 LENGTH(AH 2594 BK 2674)
                                                          015"H 00"W MULT PLSTIC
                                                0090/2408 LEN=0020 INSTALLED UNKN

                                                          018 "DIA CIR PLASTIC
                                                0090/1742 LEN=0015 INSTALLED UNKN


2 0 60040 0 00 0212+97 021257 FT                021257 FT
MCCURDY RD
(T458)                   0090/0000            0090/0000 LENGTH(AH 2674 BK 1789)
                                                          018 "DIA CIR PLASTIC
                                                0080/1353 LEN=0018 INSTALLED 2015

                                                0080/0382 BMSEN 60/4022/0080/0339
                                                          2 0 60040 0 00 0198+42
                                                          SUGAR CK.TR.
                                                0080/0339 BMSBG 60/4022/0080/0339
```

DIR: B TOTAL LEN: 9.783 MI. DIST: 01-5 SR: 4022
LEFT MUN: PLUM T RIGHT MUN: PLUM T

```
                          019468 FT                    019468 FT 2 0 60040 0 00 0195+01
                                                            NC BUXTON RD
                                                                SR 0428 SH
                                                                (SR0428 SEG 0250/0000)
                                                     S 0080/0000 LENGTH(AH 1789 BK 2823)
                                                                015 "DIA CIRC METAL
                                                       0070/2780 LEN=0015 INSTALLED UNKN
                                                                018 "DIA CIR PLASTIC
                                                       0070/2479 LEN=0040 INSTALLED UNKN
                                                                018 "DIA CIR PLASTIC
                                                       0070/1941 LEN=0080 INSTALLED UNKN

BILLY GROVE RD
(T440)                     0070/0899

                          016645 FT                    016645 FT 2 0 60040 0 00 0166+79
                                                                024"H 30"W CON BOX CUL
                                                                LEN=0015 INSTALLED UNKN
                                                     S 0070/0000 LENGTH(AH 2823 BK 3305)

                                                                GHERING RD
                                                       0060/2440 (T456)

                          013340 FT                    013340 FT 2 0 60040 0 00 0133+78
                                                     S 0060/0000 LENGTH(AH 3305 BK 3042)
                                                                024 "DIA CIR PLASTIC
                                                       0050/2612 LEN=0015 INSTALLED UNKN

2 0 60040 0 00 0103+35    010298 FT                    010298 FT
DAVISON RD
(T436)                     0050/0000                 S 0050/0000 LENGTH(AH 3042 BK 2809)

                                                                018 "DIA CIR PLASTIC
                                                       0040/1948 LEN=0012 INSTALLED UNKN
                                                                SUNVILLE RD
                                                       0040/1363 (SR4009 SEG 0120/1065)
                                                                015 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 9.783 MI. DIST: 01-5 SR: 4022
LEFT MUN: PLUM T RIGHT MUN: PLUM T

```
                                                  0040/1331 LEN=0018 INSTALLED 1999
                                                            HIGH ST
                                              ==  0040/0966 (T660)

                         007489 FT                007489 FT 2 0 60040 0 00 0074+63
                                                            018 "DIA CIR PLASTIC
                                                            LEN=0010 INSTALLED UNKN
                                                5   0040/0000 LENGTH(AH 2809 BK 2996)


                                                            036 "DIA CIR PLASTIC
                                                  0030/1754 LEN=0018 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0030/1392 LEN=0045 INSTALLED UNKN

                                                  0030/0499 BMSEN 60/4022/0030/0477
                                                            2 0 60040 0 00 0049+68
                                                            PORTER RUN
                                                  0030/0477 BMSBG 60/4022/0030/0477
                                                            018 "DIA CIR PLASTIC
                                                  0030/0099 LEN=0018 INSTALLED UNKN
                         004493 FT                004493 FT 2 0 60040 0 00 0044+91
                                                5   0030/0000 LENGTH(AH 2996 BK 2308)
                                                            018 "DIA CIR PLASTIC
                                                  0020/1862 LEN=0070 INSTALLED UNKN
                                                            MINNIGH RD
                                              ==  0020/1607 (T613)


2 0 60040 0 00 0021+77 002185 FT                  002185 FT
LESH RD
(T386)                   0020/0000            ==  0020/0000 LENGTH(AH 2308 BK 2185)
                                                            018 "DIA CIRC METAL
                                                  0010/1571 LEN=0010 INSTALLED UNKN

                                                            018 "DIA CIR PLASTIC
                                                  0010/0878 LEN=0012 INSTALLED 1999

                                                            WHITE RD
                                              ==  0010/0055 (T384)
                                                      NC RIDGEVIEW RD
                                                            SR 0427 SH
2 0 60040 0 00 0000+00 000000 FT                  000000 FT (SR0427 SEG 0190/0000)
SR 0427 SH                                                  MFC BEGIN = D
(SR0427 SEG 0190/0000)   0010/0000            5   0010/0000 LENGTH(AH 2185 BK 0000)
```

DIR: B TOTAL LEN: 5.159 MI. DIST: 01-5 SR: 4020
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

027240 FT



027240 FT SR 0417 SH
0100/2374 (SR0417 SEG 0180/0000)
024 "DIA CIRC CONCR
0100/2340 LEN=0100 INSTALLED UNKN
024 "DIA CIR PLASTIC
0100/1909 LEN=0042 INSTALLED UNKN
015 "DIA CIR PLASTIC
0100/1203 LEN=0035 INSTALLED UNKN
015 "DIA CIRC METAL
0100/0783 LEN=0030 INSTALLED UNKN
018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.159 MI. DIST: 01-5 SR: 4020
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

```
                                        0100/0689 LEN=0042 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
                                        0100/0424 LEN=0041 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                        0100/0218 LEN=0030 INSTALLED UNKN
024866 FT                               024866 FT 2 0 60039 0 00 0277+13
                                      S 0100/0000 LENGTH(AH 2374 BK 2448)

                                                  027 "DIA CIR PLASTIC
                                        0090/1798 LEN=0041 INSTALLED UNKN
                                                  036 "DIA CIR PLASTIC
                                        0090/1600 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0090/1033 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0090/0514 LEN=0040 INSTALLED UNKN
022418 FT                               022418 FT 2 0 60039 0 00 0252+45
                                                  BILLINGSLY RD
                                                  (T452)
                                      S 0090/0000 LENGTH(AH 2448 BK 2756)
                                                  024 "DIA CIR PLASTIC
                                        0080/2494 LEN=0054 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0080/2196 LEN=0040 INSTALLED 1997
                                                  018 "DIA CIRC METAL
                                        0080/1867 LEN=0052 INSTALLED UNKN

                                                  024 "DIA CIR PLASTIC
                                        0080/1025 LEN=0042 INSTALLED UNKN

                                        0080/0415 BMSEN 60/4020/0080/0373
                                                  2 0 60039 0 00 0226+51
                                                  KANE RUN
                                        0080/0396 BMSBG 60/4020/0080/0373
019662 FT                               019662 FT 2 0 60039 0 00 0222+78
                                      S 0080/0000 LENGTH(AH 2756 BK 2813)
                                                  012 "DIA CIR PLASTIC
                                        0070/2610 LEN=0042 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0070/2017 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0070/1592 LEN=0038 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                        0070/0868 LEN=0048 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0070/0570 LEN=0052 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0070/0295 LEN=0056 INSTALLED UNKN
                                        0070/0023 BMSEN 60/4020/0070/0000
```

DIR: B TOTAL LEN: 5.159 MI. DIST: 01-5 SR: 4020
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

	016849 FT		016849 FT	2 0 60039 0 00 0194+48
				TRIB.KANE RUN
				BMSBG 60/4020/0070/0000
			S 0070/0000	LENGTH(AH 2813 BK 3267)
				018 "DIA CIR PLASTIC
			0060/3067	LEN=0061 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0060/2643	LEN=0045 INSTALLED UNKN
				024 "DIA CIRC METAL
			0060/2354	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0060/1987	LEN=0052 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0060/1570	LEN=0055 INSTALLED 2002
				018 "DIA CIR PLASTIC
			0060/1256	LEN=0040 INSTALLED UNKN
				027 "DIA CIRC METAL
			0060/1094	LEN=0040 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0060/0595	LEN=0047 INSTALLED UNKN
2 0 60039 0 00 0161+25	013582 FT		INTER-BK	SUNVILLE RD
SUNVILLE RD				(SR4009 SEG 0050/0000)
(SR4009 SEG 0050/0000)	0060/0000		S 0060/0000	LTH AH 003267 BK 000100
	013582 FT		013582 FT	
			7054/0000	LTH AH 000100 BK 003580
			INTER-AHD	SUNVILLE RD
				(SR4009 SEG 0040/0000)
				SUNVILLE RD
			0050/3580	(SR4009 SEG 0040/0000)
				015 "DIA CIR PLASTIC
			0050/3501	LEN=0080 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0050/1586	LEN=0042 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0050/1278	LEN=0042 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0050/0836	LEN=0038 INSTALLED UNKN
	010002 FT		010002 FT	2 0 60039 0 00 0102+52
			S 0050/0000	LENGTH(AH 3580 BK 2520)
				036 "DIA CIR PLASTIC
			0040/1485	LEN=0045 INSTALLED 2004
				018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.159 MI. DIST: 01-5 SR: 4020
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

```
                                                 0040/1220 LEN=0050 INSTALLED 2012

                                                           018 "DIA CIR PLASTIC
                                                 0040/0473 LEN=0042 INSTALLED 2012
                                                           024 "DIA CIR PLASTIC
                                                 0040/0189 LEN=0042 INSTALLED UNKN
                    007482 FT                    007482 FT 2 0 60039 0 00 0075+17
                                                           OAKLAND
                                                           JACKSON T
                                               S 0040/0000 LENGTH(AH 2520 BK 2987)


                                                           027 "DIA CIR PLASTIC
                                                 0030/1190 LEN=0046 INSTALLED UNKN

                                                           018 "DIA CIR PLASTIC
                                                 0030/0379 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0030/0066 LEN=0040 INSTALLED 2016
                    004495 FT                    004495 FT 2 0 60039 0 00 0045+30
                                               S 0030/0000 LENGTH(AH 2987 BK 3352)

                                                           018 "DIA CIR PLASTIC
                                                 0020/2500 LEN=0030 INSTALLED UNKN


                                                           018 "DIA CIR PLASTIC
                                                 0020/1220 LEN=0050 INSTALLED UNKN

                                                           018 "DIA CIR PLASTIC
                                                 0020/0618 LEN=0034 INSTALLED UNKN
                                                           027 "DIA CIR PLASTIC
                                                 0020/0320 LEN=0044 INSTALLED UNKN
                    001143 FT                    001143 FT 2 0 60039 0 00 0011+78
                                                           JACKSON
                                                           COOPERSTOWN B
                                               S 0020/0000 LENGTH(AH 3352 BK 1143)
                                                           018 "DIA CIR PLASTIC
                                                 0010/1060 LEN=0052 INSTALLED UNKN

                    000000 FT                    000000 FT 2 0 60039 0 00 0000+00
                                                           MAIN ST
                                                           (SR0427 SEG 0100/1618)
                                                     NC COOPERSTOWN RD
MAIN ST                                                    MFC BEGIN = D
(SR0427 SEG 0100/1618)  0010/0000              S 0010/0000 LENGTH(AH 1143 BK 0000)
```

DIR: B TOTAL LEN: 5.428 MI. DIST: 01-5 SR: 4018
LEFT MUN: COOPERSTOWN B RIGHT MUN: COOPERSTOWN B

028662 FT

MAIN ST
(SR4007 SEG 0010/0785) 0110/1298

026775 FT

028662 FT SR 0427 SH
0110/1887 (SR0427 SEG 0110/0000)
MAIN ST
0110/1298 (SR4007 SEG 0010/0785)
SECOND ST
0110/1102 (BORO)
018 "DIA CIR PLASTIC
0110/0939 LEN=0041 INSTALLED UNKN
0110/0516 BMSEN 60/4018/0110/0480
2 0 60081 0 00 0268+53
LAKE CREEK
0110/0447 BMSBG 60/4018/0110/0480
026775 FT 2 0 60081 0 00 0268+53
NC ACEDEMY ST
S 0110/0000 LENGTH(AH 1887 BK 2165)
COOPERSTOWN

DIR: B TOTAL LEN: 5.428 MI. DIST: 01-5 SR: 4018
LEFT MUN: COOPERSTOWN B RIGHT MUN: COOPERSTOWN B

```
                                        0100/2102 JACKSON T
                                                  MAPLE LANE DR
                                        0100/1958 (BORO)
                                                  EDGEWOOD DR
                                        0100/1543 (BORO)
                                                  HILLCREST AV
                                        0100/1143 (BORO)

                                                  024 "DIA CIR PLASTIC
                                        0100/0240 LEN=0060 INSTALLED 1996
024610 FT                               024610 FT 2 0 60081 0 00 0246+84
                                                  HIGHLAND PARK DR
                                                  (T353)
                                              NC MILL ST
                                                  SAWMILL RD
                                                  (T575)
                                      S 0100/0000 LENGTH(AH 2165 BK 3235)
                                                  024 "DIA CIR PLASTIC
                                        0090/3206 LEN=0060 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0090/2857 LEN=0073 INSTALLED 2012
                                                  018 "DIA CIR PLASTIC
                                        0090/2565 LEN=0050 INSTALLED 1998

                                                  018 "DIA CIR PLASTIC
                                        0090/1607 LEN=0060 INSTALLED 1996

                                                  018 "DIA CIR PLASTIC
                                        0090/0920 LEN=0055 INSTALLED 2012
                                                  018 "DIA CIR PLASTIC
                                        0090/0491 LEN=0055 INSTALLED 2012
021375 FT                               021375 FT 2 0 60081 0 00 0214+27
                                      S 0090/0000 LENGTH(AH 3235 BK 2594)
                                                  018 "DIA CIR PLASTIC
                                        0080/2385 LEN=0055 INSTALLED 2012

                                                  024 "DIA CIR PLASTIC
                                        0080/1387 LEN=0048 INSTALLED 2011

                                                  018 "DIA CIR PLASTIC
                                        0080/0564 LEN=0050 INSTALLED 2012
                                                  018 "DIA CIR PLASTIC
                                        0080/0045 LEN=0050 INSTALLED 2012
018781 FT                               018781 FT 2 0 60081 0 00 0188+27
                                      S 0080/0000 LENGTH(AH 2594 BK 2477)

                                                  018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 5.428 MI. DIST: 01-5 SR: 4018
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
                                                 0070/1844 LEN=0050 INSTALLED 2012

                                                           018 "DIA CIR PLASTIC
                                                 0070/0655 LEN=0040 INSTALLED 2016

                    016304 FT                    016304 FT 2 0 60081 0 00 0163+50
                                                5 0070/0000 LENGTH(AH 2477 BK 2421)
                                                           018 "DIA CIR PLASTIC
                                                 0060/2190 LEN=0036 INSTALLED 1996

                                                           018 "DIA CIRC METAL
                                                 0060/0415 LEN=0040 INSTALLED 1996
                    013883 FT                    013883 FT 2 0 60081 0 00 0139+29
                                                5 0060/0000 LENGTH(AH 2421 BK 2402)

                                                           060 "DIA CIRC METAL
                                                 0050/0616 LEN=0122 INSTALLED 1996

2 0 60081 0 00 0115+27 011481 FT                 011481 FT BEAGLE CLUB RD
WILSON MILLS RD                                            (T362)
(T362)                 0050/0000                5 0050/0000 LENGTH(AH 2402 BK 2987)

                                                           024 "DIA CIRC METAL
                                                 0040/0060 LEN=0062 INSTALLED 1996
                    008494 FT                    008494 FT 2 0 60081 0 00 0085+46
                                                           JACKSON
                                                           CANAL T
                                                5 0040/0000 LENGTH(AH 2987 BK 3593)
                                                           018 "DIA CIR PLASTIC
                                                 0030/3367 LEN=0050 INSTALLED UNKN
                                                           024 "DIA CIR PLASTIC
                                                 0030/3043 LEN=0060 INSTALLED 2002
                                                 0030/2495 BMSEN 60/4018/0030/2286
                                                           2 0 60081 0 00 0073+68
                                                           BEATTY RUN
                                                 0030/2476 BMSBG 60/4018/0030/2286
```

DIR: B TOTAL LEN: 5.428 MI. DIST: 01-5 SR: 4018
LEFT MUN: CANAL T RIGHT MUN: CANAL T

```
                                                          015 "DIA CIR PLASTIC
                                                 0030/1680 LEN=0045 INSTALLED 2002

                                                          018 "DIA CIR PLASTIC
                                                 0030/1052 LEN=0040 INSTALLED 1998
                                                          018 "DIA CIR PLASTIC
                                                 0030/0646 LEN=0040 INSTALLED 1998
                                                          018 "DIA CIR PLASTIC
                                                 0030/0400 LEN=0040 INSTALLED 1998
2 0 60081 0 00 0048+90 004901 FT                 004901 FT
FALLS RD
(T352)                 0030/0000      ==      S 0030/0000 LENGTH(AH 3593 BK 2588)
                                                          018 "DIA CIR PLASTIC
                                                 0020/2496 LEN=0053 INSTALLED 1996
                                                          018 "DIA CIR PLASTIC
                                                 0020/2422 LEN=0040 INSTALLED 1998
                                                          018 "DIA CIR PLASTIC
                                                 0020/2063 LEN=0040 INSTALLED 1996
                                                          018 "DIA CIR PLASTIC
                                                 0020/1890 LEN=0040 INSTALLED 1998
                                                          018 "DIA CIR PLASTIC
                                                 0020/1812 LEN=0040 INSTALLED 1996

                                                          018 "DIA CIR PLASTIC
                                                 0020/1019 LEN=0032 INSTALLED 1996
                                                          018 "DIA CIR PLASTIC
                                                 0020/0828 LEN=0040 INSTALLED 1996

                       002313 FT                 002313 FT 2 0 60081 0 00 0023+02
                                                S 0020/0000 LENGTH(AH 2588 BK 2313)
                                                          024 "DIA CIR PLASTIC
                                                 0010/2097 LEN=0060 INSTALLED 2006

                                                          018 "DIA CIR PLASTIC
                                                 0010/1312 LEN=0036 INSTALLED 1996
                                                          018 "DIA CIR PLASTIC
                                                 0010/1080 LEN=0055 INSTALLED 2002
                                                          018 "DIA CIRC METAL
                                                 0010/0789 LEN=0040 INSTALLED 1996
                                                          024 "DIA CIR PLASTIC
                                                 0010/0504 LEN=0055 INSTALLED 2002
                       000000 FT                 000000 FT 2 0 60081 0 00 0000+00
                                                       NC DONATION HILL RD
                                                          DECKARDS RUN RD
                                                          (SR4005 SEG 0070/1409)
                                                 INTER-BK DONATION HILL RD
                                                          (SR4005 SEG 0070/1409)
                                                          MFC BEGIN = D
                                                S 0010/0000 LENGTH(AH 2313 BK 0000)
```

DIR: B TOTAL LEN: 4.216 MI. DIST: 01-5 SR: 4016
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

	022262 FT		022262 FT	
			7160/0000	LENGTH(AH 1967 BK 2495)
	022262 FT		022262 FT	
			7150/0000	LENGTH(AH 2495 BK 1724)
	022262 FT		022262 FT	
			7140/0000	LENGTH(AH 1724 BK 0080)
	022262 FT		022262 FT	
			7132/0000	LENGTH(AH 0080 BK 3607)
			INTER-AHD	BEATTY RUN RD
				(BORO)
INDEPENDENT RD				FOSTER RD
(T557)	0130/3607		0130/3607	(T549)
			0130/3022	BMSEN 60/4016/0130/3091
				2 0 60062 0 01 0321+14
				BEATTY RUN
			0130/2995	BMSBG 60/4016/0130/3091
				018 "DIA CIR PLASTIC
			0130/2809	LEN=0055 INSTALLED 1997
				018 "DIA CIR PLASTIC
			0130/2528	LEN=0040 INSTALLED UNKN
				015 "DIA CIR PLASTIC
			0130/2080	LEN=0040 INSTALLED 2004
				018 "DIA CIR PLASTIC
			0130/1061	LEN=0030 INSTALLED 2004
	018655 FT		018655 FT	2 0 60062 0 01 0321+14
				018 "DIA CIR PLASTIC
				LEN=0040 INSTALLED UNKN
			S 0130/0000	LENGTH(AH 3607 BK 2442)
				018 "DIA CIR PLASTIC
			0120/1645	LEN=0040 INSTALLED 1997
				018 "DIA CIR PLASTIC
			0120/1005	LEN=0034 INSTALLED 1997
			0120/0043	BMSEN 60/4016/0120/0000
	016213 FT		016213 FT	2 0 60062 0 01 0296+53
				BEATTY RUN
				BMSBG 60/4016/0120/0000
			S 0120/0000	LENGTH(AH 2442 BK 3045)
BEAGLE CLUB RD				
(T362)	0110/2011			

DIR: B TOTAL LEN: 4.216 MI. DIST: 01-5 SR: 4016
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
                                                    018 "DIA CIRC METAL
                                                0110/1960 LEN=0060 INSTALLED 1997

                                                    018 "DIA CIR PLASTIC
                                                0110/1056 LEN=0050 INSTALLED 1997

                                                    018 "DIA CIR PLASTIC
                                                0110/0190 LEN=0065 INSTALLED 1997
                                                    WILSEY RD
                                                0110/0179 (T360)
                    013168 FT                   013168 FT 2 0 60062 0 00 0257+30
                                                    NC BAKER HILL RD
                                                S 0110/0000 LENGTH(AH 3045 BK 3064)
                                                    JACKSON
                                                0100/2867 CANAL T
                                                    018 "DIA CIR PLASTIC
                                                0100/2811 LEN=0040 INSTALLED 1997

                                                    018 "DIA CIR PLASTIC
                                                0100/1912 LEN=0035 INSTALLED 1997

                                                    024 "DIA CIR PLASTIC
                                                0100/0946 LEN=0045 INSTALLED 1997

2 0 60062 0 00 0225+42 010104 FT                010104 FT
JACKSON
CANAL T                0100/0000                S 0100/0000 LENGTH(AH 3064 BK 2087)

                                                    018 "DIA CIR PLASTIC
                                                0090/1085 LEN=0040 INSTALLED 1997

2 0 60062 0 00 0205+00 008017 FT                008017 FT
JUDSON RD
(T590)                 0090/0000                S 0090/0000 LENGTH(AH 2087 BK 3460)
                                                    018 "DIA CIR PLASTIC
                                                0080/2975 LEN=0050 INSTALLED 2016

                                                    042 "DIA CIRC METAL
                                                0080/2248 LEN=0050 INSTALLED 1997
                                                    018 "DIA CIR PLASTIC
                                                0080/2015 LEN=0055 INSTALLED 1997
                                                    072 "DIA CIRC METAL
                                                0080/1738 LEN=0040 INSTALLED 1997

                                                    015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 4.216 MI. DIST: 01-5 SR: 4016
LEFT MUN: CANAL T RIGHT MUN: CANAL T

		0080/1026 LEN=0040 INSTALLED 1997
		018 "DIA CIR PLASTIC
		0080/0601 LEN=0055 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0080/0297 LEN=0038 INSTALLED 1997
		018 "DIA CIR PLASTIC
		0080/0058 LEN=0050 INSTALLED 1997
004557 FT		004557 FT 2 0 60062 0 00 0170+00
		CHESTNUT GROVE RD
		(T350)
	==	5 0080/0000 LENGTH(AH 3460 BK 2044)
		018 "DIA CIR PLASTIC
		0070/0984 LEN=0040 INSTALLED 2002
		015 "DIA CIR PLASTIC
		0070/0570 LEN=0035 INSTALLED 1997
		015 "DIA CIR PLASTIC
		0070/0202 LEN=0040 INSTALLED 1997
002513 FT		002513 FT 2 0 60062 0 00 0149+88
		5 0070/0000 LENGTH(AH 2044 BK 2513)
		018 "DIA CIR PLASTIC
		0060/1505 LEN=0050 INSTALLED 1997
		018 "DIA CIR PLASTIC
		0060/0900 LEN=0045 INSTALLED 2016
		018 "DIA CIR PLASTIC
		0060/0763 LEN=0040 INSTALLED 1997
		018 "DIA CIR PLASTIC
		0060/0421 LEN=0035 INSTALLED 1997
000000 FT		000000 FT 2 0 60062 0 00 0124+75
		NC BEATTY RUN RD
		DECKARDS RUN RD
		(SR4005 SEG 0040/0000)
		INTER-BK BEATTY RUN RD
		(T301)
		MFC BEGIN = E
		5 0060/0000 LENGTH(AH 2513 BK 2620)
000000 FT		000000 FT
		7050/0000 LENGTH(AH 2620 BK 2752)
000000 FT		000000 FT
		7040/0000 LENGTH(AH 2752 BK 3035)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 3035 BK 2013)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 2013 BK 1965)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 1965 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 01-5 SR: 4013
LEFT MUN: CANAL T RIGHT MUN: CANAL T

000000 FT

000000 FT
7010/0000 LENGTH(AH 1882 BK 0000)

DIR: B TOTAL LEN: 2.687 MI. DIST: 01-5 SR: 4012
LEFT MUN: CANAL T RIGHT MUN: CANAL T

```
                                014188 FT                    014188 FT TWENTYEIGHTH DIVISION H
                                                             0050/1482 (SR0322 SEG 0070/0000)
SR 4014 SH
(SR9103 SEG 0010/0392)          0050/1358

                                                                       018 "DIA CIRC CONCR
                                                             0050/0322 LEN=0046 INSTALLED 1996
                                012706 FT                    012706 FT 2 0 60036 0 01 0039+50
                                                                       LONG RD
LONG RD                                                                (T338)
(T338)                           0050/0000                 S 0050/0000 LENGTH(AH 1482 BK 3085)
                                                                       018 "DIA CIRC CONCR
                                                             0040/3070 LEN=0050 INSTALLED 1996
                                                                       018 "DIA CIRC CONCR
                                                             0040/2671 LEN=0054 INSTALLED 1996
                                                                       048 "DIA CIRC ALUMIN
                                                             0040/2207 LEN=0040 INSTALLED 1996
                                                                       018 "DIA CIRC CONCR
                                                             0040/1706 LEN=0040 INSTALLED 1996

                                                                       018 "DIA CIRC CONCR
                                                             0040/0904 LEN=0048 INSTALLED 1996
                                                                       018 "DIA CIRC CONCR
                                                             0040/0441 LEN=0056 INSTALLED 1996
                                009621 FT                    009621 FT 2 0 60036 0 01 0070+35
                                                           S 0040/0000 LENGTH(AH 3085 BK 3080)
WHISPERING PINES RD
(T325)                           0030/2839

                                                                       018 "DIA CIRC CONCR
                                                             0030/2486 LEN=0060 INSTALLED 1996
                                                                       018 "DIA CIRC CONCR
                                                             0030/1990 LEN=0050 INSTALLED 1996
                                                                       018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 2.687 MI. DIST: 01-5 SR: 4012
LEFT MUN: CANAL T RIGHT MUN: CANAL T

```
                                                 0030/1532 LEN=0055 INSTALLED 1996

                                                           018 "DIA CIRC CONCR
                                                 0030/0620 LEN=0064 INSTALLED 1996
                                                           018 "DIA CIRC CONCR
                                                 0030/0277 LEN=0045 INSTALLED 1996
                        006541 FT                006541 FT 2 0 60036 0 01 0101+56
                                                           BATTLES RD
                                                           (T322)
                                                 0030/0000 LENGTH(AH 3080 BK 2831)
                                                           018 "DIA CIRC CONCR
                                                 0020/2790 LEN=0066 INSTALLED 1996

                                                           COUNTY LINE RD
                                                 0020/2127 (T573)
BROWN HILL RD
(T324)                  0020/1820

                                                           018 "DIA CIRC CONCR
                                                 0020/1392 LEN=0048 INSTALLED 1996

                                                           018 "DIA CIRC CONCR
                                                 0020/0371 LEN=0050 INSTALLED 1996
                        003710 FT                003710 FT 2 0 60036 0 01 0130+41
                                                      NC FRANKLIN PK
                                                 0020/0000 LENGTH(AH 2831 BK 3710)
                                                           018 "DIA CIRC CONCR
                                                 0010/3357 LEN=0048 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                                 0010/2397 LEN=0060 INSTALLED 1996



                                                           036 "DIA CIRC CONCR
                                                 0010/0834 LEN=0060 INSTALLED 1996
                                                           FISH RD
                                                 0010/0779 (T308)

BEATTY RUN RD
(T301)                  0010/0053
                        000000 FT                000000 FT 2 0 60036 0 01 0166+91
                                                      NC OLD FRANKLIN PK
                                                 INTER-BK  SR 2010 SH
                                                           (SR2010 SEG 0220/3404)
                                                           MFC BEGIN = D
                                                 0010/0000 LENGTH(AH 3710 BK 0000)
```

DIR: B TOTAL LEN: .012 MI. DIST: 01-5 SR: 4011
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

000062 FT		000062 FT
		7150/0000 LENGTH(AH 2631 BK 2160)
000062 FT		000062 FT
		7140/0000 LENGTH(AH 2160 BK 3084)
000062 FT		000062 FT
		7130/0000 LENGTH(AH 3084 BK 2884)
000062 FT		000062 FT
		7120/0000 LENGTH(AH 2884 BK 0854)
000062 FT		000062 FT
		7116/0000 LENGTH(AH 0854 BK 0019)
000062 FT		000062 FT
		7114/0000 LENGTH(AH 0019 BK 2111)
000062 FT		000062 FT
		7112/0000 LENGTH(AH 2111 BK 0062)
		BMSEN 60/4011/0110/0000
		* REF-AHD DEMPSEYTOWN GRESHEM RD
		0110/0062 (T302)
000000 FT		000000 FT 2 0 60044 0 00 0267+77
		NC DEMPSEYTOWN GRESHEM RD
		* REF-BK DEMPSEYTOWN GRESHEM RD
		(T302)
		PRATHER RUN
		BMSBG 60/4011/0110/0000
		MFC BEGIN = E
		S 0110/0000 LENGTH(AH 0062 BK 2816)
000000 FT		000000 FT
		7100/0000 LENGTH(AH 2816 BK 2735)
000000 FT		000000 FT
		7090/0000 LENGTH(AH 2735 BK 3762)
000000 FT		000000 FT
		7080/0000 LENGTH(AH 3762 BK 2858)
000000 FT		000000 FT
		7070/0000 LENGTH(AH 2858 BK 2738)
000000 FT		000000 FT
		7060/0000 LENGTH(AH 2738 BK 2487)
000000 FT		000000 FT
		7050/0000 LENGTH(AH 2487 BK 1828)
000000 FT		000000 FT
		7040/0000 LENGTH(AH 1828 BK 2446)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 2446 BK 2501)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 2501 BK 2538)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 2538 BK 0000)

DIR: B TOTAL LEN: 5.077 MI. DIST: 01-5 SR: 4010
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

TWENTYEIGHTH DIVISION H026806 FT (SR0322 SEG 0210/0000) 0110/2604		026806 FT 0110/2604	TEWNTYEIGHTH DIVISION H (SR0322 SEG 0210/0000)
		0110/2395	015 "DIA CIRC CONCR LEN=0042 INSTALLED 1997
		0110/2060	036"H 00"W MULT PLSTIC LEN=0060 INSTALLED 1999
		0110/1736	018 "DIA CIR PLASTIC LEN=0090 INSTALLED 2003
		0110/1532	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
		0110/0686	015 "DIA CIR PLASTIC LEN=0042 INSTALLED 1997
		0110/0663	CANAL DR (BORO)
	024202 FT	024202 FT S 0110/0000	2 0 60077 0 00 0026+25 LENGTH(AH 2604 BK 2437)
		0100/2405	015 "DIA CIR PLASTIC LEN=0036 INSTALLED 1997
		0100/1689	015 "DIA CIR PLASTIC LEN=0036 INSTALLED 1997
		0100/1388	YOUNG LN (BORO)
		0100/1039	BMSEN 60/4010/0100/0934 2 0 60077 0 00 0050+87
		0100/0913	SUGAR CREEK BMSBG 60/4010/0100/0934
	021765 FT	021765 FT S 0100/0000	2 0 60077 0 00 0050+87 LENGTH(AH 2437 BK 1908)
		0090/1388	015 "DIA CIR PLASTIC LEN=0036 INSTALLED 1997
		0090/1048	CAUSEWAY DR (BORO)
		0090/0667	WILSON ST (BORO)
	019857 FT	019857 FT	2 0 60077 0 00 0069+65
SUGAR CREEK DR (BORO)	0090/0000	NC S 0090/0000	SUGAR CREEK DR LENGTH(AH 1908 BK 3022)

DIR: B TOTAL LEN: 5.077 MI. DIST: 01-5 SR: 4010
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                          MCQUAID ST
                                              ==   0080/2673 (BORO)
                                                          MARSHALL ST
                                              ==   0080/2332 (BORO)
                                                          CAUSEWAY DR
                                              ==   0080/2044 (BORO)
                                                          036 "DIA CIR PLASTIC
                                              ----  0080/1913 LEN=0068 INSTALLED 2004

                                                          015 "DIA CIRC METAL
                                              ----  0080/1128 LEN=0048 INSTALLED 1997
                                                          018 "DIA CIRC METAL
                                              ----  0080/0777 LEN=0040 INSTALLED 1997
                                                          018 "DIA CIR PLASTIC
                                              ----  0080/0208 LEN=0036 INSTALLED 1997
                     016835 FT                            016835 FT 2 0 60077 0 00 0100+34
                                                    S 0080/0000 LENGTH(AH 3022 BK 2459)
                                                          018 "DIA CIRC METAL
                                              ----  0070/2330 LEN=0042 INSTALLED 1997
                                                          018 "DIA CIRC METAL
                                              ----  0070/2092 LEN=0046 INSTALLED 1997
                                                          018 "DIA CIR PLASTIC
                                              ----  0070/1776 LEN=0040 INSTALLED 1997


                                                          015 "DIA CIRC METAL
                                              ----  0070/0835 LEN=0040 INSTALLED 1997

                     014376 FT                            014376 FT 2 0 60077 0 00 0124+91
                                                    S 0070/0000 LENGTH(AH 2459 BK 2660)




                                                          024 "DIA CIRC METAL
                                              ----  0060/0127 LEN=0036 INSTALLED 1997
2 0 60077 0 00 0151+13 011716 FT                            011716 FT
MCCLEERY RD
(BORO)                0060/0000             ==    S 0060/0000 LENGTH(AH 2660 BK 2524)
                                                          YURKAMIN DR
                                              ==   0050/2082 (PRDR)
                                                          048 "DIA CIR PLASTIC
                                              ----  0050/1673 LEN=0082 INSTALLED 2006
                                                          018 "DIA CIR PLASTIC
                                              ----  0050/1182 LEN=0060 INSTALLED UNKN
```

DIR: B TOTAL LEN: 5.077 MI. DIST: 01-5 SR: 4010
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                        009192 FT                    009192 FT 2 0 60077 0 00 0176+14
                                                                 SUGARCREEK
                                                                 CANAL T
                                                   S 0050/0000 LENGTH(AH 2524 BK 2406)
                                                                 018 "DIA CIR PLASTIC
                                                     0040/1968 LEN=0040 INSTALLED 2006

                                                                 018 "DIA CIR PLASTIC
                                                     0040/1298 LEN=0030 INSTALLED 1997


                        006786 FT                    006786 FT 2 0 60077 0 00 0200+20
                                                   S 0040/0000 LENGTH(AH 2406 BK 2299)


                                                                 024 "DIA CIR PLASTIC
                                                     0030/0870 LEN=0040 INSTALLED 1997
                                                                 015 "DIA CIR PLASTIC
                                                     0030/0446 LEN=0042 INSTALLED 1997
2 0 60077 0 00 0223+19  004487 FT                    004487 FT
HANCOCK RD
(T347)                   0030/0000                 S 0030/0000 LENGTH(AH 2299 BK 2704)
                                                                 015 "DIA CIR PLASTIC
                                                     0020/2343 LEN=0048 INSTALLED 1997
                                                                 036 "DIA CIR PLASTIC
                                                     0020/1823 LEN=0045 INSTALLED 2013

                                                                 018 "DIA CIR PLASTIC
                                                     0020/0990 LEN=0050 INSTALLED 1997

                                                                 018 "DIA CIRC METAL
                                                     0020/0252 LEN=0050 INSTALLED 1997
                        001783 FT                    001783 FT 2 0 60077 0 00 0249+96
                                                   S 0020/0000 LENGTH(AH 2704 BK 1783)
                                                                 018 "DIA CIR PLASTIC
                                                     0010/1510 LEN=0060 INSTALLED 1997
                                                                 018 "DIA CIR PLASTIC
                                                     0010/0967 LEN=0040 INSTALLED 1997


                        000000 FT                    000000 FT 2 0 60077 0 00 0268+21
                                                           NC BUTTERMILK HILL RD
                                                                 UTICA RD
                                                                 (SR3017 SEG 0200/0000)
                                                     INTER-BK    MCCURE RD
                                                                 (T300)
                                                                 MFC BEGIN = D
                                                   S 0010/0000 LENGTH(AH 1783 BK 0000)
```

DIR: B TOTAL LEN: 9.040 MI. DIST: 01-5 SR: 4009
LEFT MUN: PLUM T RIGHT MUN: PLUM T

```
047733 FT                    047733 FT
                           * REF-AHD    CRAWFORD CO
                             0180/2578  (T300)

                                        048 "DIA CIR PLASTIC
                             0180/0195  LEN=0046 INSTALLED 2004
045155 FT                    045155 FT  2 0 60041 0 00 0163+41
                                        SR 0027 SH
                                        (SR0027 SEG 0030/0000)
                           S 0180/0000  LENGTH(AH 2578 BK 2808)
                                        030 "DIA CIRC CONCR
                             0170/2778  LEN=0030 INSTALLED 1996

042347 FT                    042347 FT  2 0 60041 0 00 0135+71
                           S 0170/0000  LENGTH(AH 2808 BK 2769)

                                        018 "DIA CIR PLASTIC
                             0160/1414  LEN=0038 INSTALLED 1996

039578 FT                    039578 FT  2 0 60041 0 00 0107+72
                                        PORTER RUN
                                        STRUCTURE LENGTH  13 FT
                                        BMSID 60/4009/0160/0000
                           S 0160/0000  LENGTH(AH 2769 BK 1908)
                                        015 "DIA CIR PLASTIC
                             0150/1317  LEN=0030 INSTALLED 1996
                                        018 "DIA CIR PLASTIC
                             0150/1059  LEN=0036 INSTALLED 1996

                                        018 "DIA CIR PLASTIC
                             0150/0235  LEN=0040 INSTALLED UNKN
037670 FT                    037670 FT  2 0 60041 0 00 0088+90
```

DIR: B TOTAL LEN: 9.040 MI. DIST: 01-5 SR: 4009
LEFT MUN: PLUM T RIGHT MUN: PLUM T

```
                                                  5 0150/0000 LENGTH(AH 1908 BK 2872)

                                                              014 "DIA CIR PLASTIC
                                                    0140/2039 LEN=0056 INSTALLED 1996
BATTIN RD                                                     BALAS RD
(T633)                0140/2028                     0140/2028 (T631)
                                                              015 "DIA CIR PLASTIC
                                                    0140/2004 LEN=0040 INSTALLED 1996


                                                              024 "DIA CIR PLASTIC
                                                    0140/0476 LEN=0050 INSTALLED 1999
                                                              015 "DIA CIR PLASTIC
                                                    0140/0434 LEN=0032 INSTALLED 1996
                      034798 FT                     034798 FT 2 0 60041 0 00 0060+01
                                                  5 0140/0000 LENGTH(AH 2872 BK 2365)
                                                              036 "DIA CIR PLASTIC
                                                    0130/1882 LEN=0040 INSTALLED 2004


                                                              015 "DIA CIR PLASTIC
                                                    0130/0963 LEN=0040 INSTALLED 1996


                                                              015 "DIA CIR PLASTIC
                                                    0130/0017 LEN=0050 INSTALLED 1996
                      032433 FT                     032433 FT 2 0 60041 0 00 0036+36
CORSINI RD                                                  NC LE BOEUF TRAIL RD
(T629)                0130/0000                   5 0130/0000 LENGTH(AH 2365 BK 3652)

                                                              036 "DIA CIRC METAL
                                                    0120/2820 LEN=0050 INSTALLED 1996
                                                              048 "DIA CIR PLASTIC
                                                    0120/2816 LEN=0040 INSTALLED 2017


                                                              036 "DIA CIRC METAL
                                                    0120/1870 LEN=0040 INSTALLED 1996

                                                              RIDGEVIEW RD
                                                    0120/1065 (SR4022 SEG 0040/1363)
                                                    0120/1057 MFC BEGIN = E

HIGH ST
(T660)                0120/0351
2 0 60041 0 00 0000+00 028781 FT                    028781 FT RUSSELL RD
WRIGHT RD                                                     (T434)
(T607)                0120/0000                   5 0120/0000 LENGTH(AH 3652 BK 3264)
```

DIR: B TOTAL LEN: 9.040 MI. DIST: 01-5 SR: 4009
LEFT MUN: PLUM T RIGHT MUN: PLUM T

		0110/3231	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		0110/2911	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
		0110/2494	024 "DIA CIR PLASTIC LEN=0045 INSTALLED 1996
		0110/1630	018 "DIA CIR PLASTIC LEN=0038 INSTALLED 1996
025517 FT		025517 FT	2 0 60063 0 00 0229+65
		S 0110/0000	LENGTH(AH 3264 BK 2783)
		0100/2607	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 1996
		0100/1468	036 "DIA CIR PLASTIC LEN=0060 INSTALLED 2018
		0100/0910	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
		0100/0067	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
022734 FT		022734 FT	2 0 60063 0 00 0201+82
		S 0100/0000	PLUM JACKSON T LENGTH(AH 2783 BK 2665)
		0090/1378	MYERS HILL RD (T597)
		0090/0639	024 "DIA CIR PLASTIC LEN=0050 INSTALLED 1996
020069 FT		020069 FT	2 0 60063 0 00 0174+88
		S 0090/0000	LENGTH(AH 2665 BK 2621)
		0080/2559	024 "DIA CIRC METAL LEN=0054 INSTALLED 1996
		0080/2074	018 "DIA CIR PLASTIC LEN=0060 INSTALLED 1996
		0080/1506	018 "DIA CIR PLASTIC LEN=0046 INSTALLED 1996
CREEK RD (T593) 0080/0935		0080/0935	CREEK RD (T593)

DIR: B TOTAL LEN: 9.040 MI. DIST: 01-5 SR: 4009
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
                                017448 FT                    017448 FT 2 0 60063 0 00 0148+68
                                                                       JACKSON
                                                                       OAKLAND T
                                                             5 0080/0000 LENGTH(AH 2621 BK 2428)

                                                             0070/1690 BMSEN 60/4009/0070/1678
                                                                       2 0 60063 0 00 0124+38
                                                                       E.BR.SUGAR
                                                             0070/1604 BMSBG 60/4009/0070/1678

                                                                       018 "DIA CIR PLASTIC
                                                             0070/0526 LEN=0045 INSTALLED 1996
                                                                       018 "DIA CIR PLASTIC
                                                             0070/0289 LEN=0050 INSTALLED 1996
                                                                       018 "DIA CIR PLASTIC
                                                             0070/0035 LEN=0040 INSTALLED 1996
2 0 60063 0 00 0124+38 015020 FT                             015020 FT
BOALS RD
(T593)                          0070/0000                    5 0070/0000 LENGTH(AH 2428 BK 2573)
                                                                       018 "DIA CIR PLASTIC
                                                             0060/2260 LEN=0045 INSTALLED 1996
                                                                       018 "DIA CIR PLASTIC
                                                             0060/1784 LEN=0050 INSTALLED 1996
                                                                       015 "DIA CIR PLASTIC
                                                             0060/1493 LEN=0034 INSTALLED 1996
                                                                       018 "DIA CIR PLASTIC
                                                             0060/1053 LEN=0040 INSTALLED 1996
                                                                       018 "DIA CIR PLASTIC
                                                             0060/0855 LEN=0040 INSTALLED 1996
                                                                       018 "DIA CIR PLASTIC
                                                             0060/0285 LEN=0045 INSTALLED 1996
                                012447 FT                    012447 FT 2 0 60063 0 00 0098+41
                                                             5 0060/0000 LENGTH(AH 2573 BK 1506)
                                                                       018 "DIA CIR PLASTIC
                                                             0050/1185 LEN=0050 INSTALLED 1996

                                                                       015 "DIA CIR PLASTIC
                                                             0050/0086 LEN=0036 INSTALLED 1996
                                010941 FT                    010941 FT 2 0 60063 0 00 0083+35
                                                                       COOPERSTOWN RD
                                                                       (SR4020 SEG 0060/0000)
                                                             5 0050/0000 LENGTH(AH 1506 BK 2665)
```

DIR: B TOTAL LEN: 9.040 MI. DIST: 01-5 SR: 4009
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

		018 "DIA CIR PLASTIC
	0040/0445	LEN=0035 INSTALLED 1996
2 0 60039 0 00 0135+69 008276 FT	008276 FT	
COOPERSTOWN RD		
(SR4020 SEG 0050/3580) 0040/0000	5 0040/0000	LENGTH(AH 2665 BK 3140)
		018 "DIA CIR PLASTIC
	0030/2360	LEN=0040 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0030/1308	LEN=0045 INSTALLED 1998
2 0 60063 0 00 0051+55 005136 FT	005136 FT	
BAKER RD		
(T565)		
BAKER RD		
(T565) 0030/0000	5 0030/0000	LENGTH(AH 3140 BK 2119)
		015 "DIA CIR PLASTIC
	0020/1275	LEN=0040 INSTALLED 1996
		030"H 00"W MULT PLSTIC
	0020/0052	LEN=0030 INSTALLED 1996
2 0 60063 0 00 0030+17 003017 FT	003017 FT	
SHAY RD		
(T563) 0020/0000	5 0020/0000	LENGTH(AH 2119 BK 3017)
		024 "DIA CIR PLASTIC
	0010/2433	LEN=0040 INSTALLED UNKN
		FOR SR 0417 AND 4009
	0010/0249	(CONN)
BOWMAN RD		
(T561) 0010/0138		
000000 FT	000000 FT	2 0 60063 0 00 0000+00
		SR 0417 SH
		(SR0417 SEG 0130/0000)
	NC SUNVILLE RD	
SR 0417 SH		MFC BEGIN = D
(SR0417 SEG 0130/0000) 0010/0000	5 0010/0000	LENGTH(AH 3017 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 01-5 SR: 4008
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

000000 FT		000000 FT
		7060/0000 LENGTH(AH 2507 BK 2166)
000000 FT		000000 FT
		7050/0000 LENGTH(AH 2166 BK 2106)
000000 FT		000000 FT
		7040/0000 LENGTH(AH 2106 BK 2828)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 2828 BK 3102)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 3102 BK 2174)
000000 FT		000000 FT
		7014/0000 LENGTH(AH 2174 BK 0068)
000000 FT		000000 FT
		7012/0000 LENGTH(AH 0068 BK 0354)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 0354 BK 0000)

DIR: B TOTAL LEN: 4.720 MI. DIST: 01-5 SR: 4007
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

024919 FT



```
024919 FT   AH-CRAWFORD          (20)
*REF-AHD    SR 2014 SH
0100/2478   (SR2014 SEG 0190/1691)
            018 "DIA CIR PLASTIC
0100/2272   LEN=0038 INSTALLED UNKN
            024 "DIA CIR PLASTIC
0100/2167   LEN=0060 INSTALLED 2006
            018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 4.720 MI. DIST: 01-5 SR: 4007
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
                                                 0100/1973 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0100/1560 LEN=0030 INSTALLED 2006
                                                           018 "DIA CIR PLASTIC
                                                 0100/1381 LEN=0055 INSTALLED 2006
WILSON MILLS RD
(T362)                0100/1246
                                                           018 "DIA CIR PLASTIC
                                                 0100/1238 LEN=0070 INSTALLED 2006

                                                           024 "DIA CIR PLASTIC
                                                 0100/0090 LEN=0040 INSTALLED 2006
                      022441 FT                  022441 FT 2 0 60038 0 00 0226+04
                                                5 0100/0000 LENGTH(AH 2478 BK 2238)
                                                           018 "DIA CIRC METAL
                                                 0090/2053 LEN=0040 INSTALLED 2006
                                                           024 "DIA CIR PLASTIC
                                                 0090/1542 LEN=0040 INSTALLED 2006
                                                           WAYNE RD
                                                 0090/1306 (T364)

                      020203 FT                  020203 FT 2 0 60038 0 00 0201+45
                                                           JACKSON PLUM RD
                                                           (T611)
                                                5 0090/0000 LENGTH(AH 2238 BK 2787)
                                                           018 "DIA CIR PLASTIC
                                                 0080/2506 LEN=0050 INSTALLED UNKN

                                                           018 "DIA CIR PLASTIC
                                                 0080/1590 LEN=0050 INSTALLED 2006
                                                           018 "DIA CIR PLASTIC
                                                 0080/1060 LEN=0040 INSTALLED UNKN

                                                           018 "DIA CIR PLASTIC
                                                 0080/0224 LEN=0030 INSTALLED 2006
                      017416 FT                  017416 FT 2 0 60038 0 00 0174+41
                                                5 0080/0000 LENGTH(AH 2787 BK 2226)
                                                           024 "DIA CIR PLASTIC
                                                 0070/1754 LEN=0040 INSTALLED UNKN

                                                           024 "DIA CIR PLASTIC
                                                 0070/0750 LEN=0048 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0070/0345 LEN=0040 INSTALLED 2006
                                                           018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 4.720 MI. DIST: 01-5 SR: 4007
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
                                                  0070/0035 LEN=0040 INSTALLED UNKN
                        015190 FT                 015190 FT 2 0 60038 0 00 0152+15
                                                            SMALLS RD
                                                            (T605)
                                              ==  S 0070/0000 LENGTH(AH 2226 BK 1405)
                                                            024 "DIA CIR PLASTIC
                                                  0060/1048 LEN=0040 INSTALLED 2006
                                                            018 "DIA CIR PLASTIC
                                                  0060/0450 LEN=0040 INSTALLED 2006
2 0 60038 0 00 0138+10  013785 FT                 013785 FT
STEWART RD
(T603)                   0060/0000            ==  S 0060/0000 LENGTH(AH 1405 BK 2328)
                                                  0050/2251 BMSEN 60/4007/0050/2235
                                                            2 0 60038 0 00 0137+38
                                                            ALTOWN RUN
                                                  0050/2235 BMSBG 60/4007/0050/2235


                                                            030 "DIA CIR PLASTIC
                                                  0050/0616 LEN=0040 INSTALLED 2006

                        011457 FT                 011457 FT 2 0 60038 0 00 0114+78
                                                  S 0050/0000 LENGTH(AH 2328 BK 3451)

                                                            024 "DIA CIR PLASTIC
                                                  0040/2514 LEN=0060 INSTALLED 2006

                                                            018 "DIA CIR PLASTIC
                                                  0040/1377 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0040/0814 LEN=0040 INSTALLED UNKN

                        008006 FT                 008006 FT 2 0 60038 0 00 0080+27
                                                            048"H 00"W MULT METAL
                                                            LEN=0040 INSTALLED UNKN
                                                  S 0040/0000 LENGTH(AH 3451 BK 3021)

                                                  0030/2098 BMSEN 60/4007/0030/1987
                                                            2 0 60038 0 00 0069+30
                                                            LAKE CREEK
                                                  0030/1987 BMSBG 60/4007/0030/1987
                                                            018 "DIA CIR PLASTIC
                                                  0030/1662 LEN=0040 INSTALLED 2006
                                                            018 "DIA CIR PLASTIC
                                                  0030/1459 LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 4.720 MI. DIST: 01-5 SR: 4007
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

			018 "DIA CIR PLASTIC
		0030/1095	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/0947	LEN=0040 INSTALLED 2006
			015 "DIA CIR PLASTIC
		0030/0772	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/0463	LEN=0040 INSTALLED 2006
			018 "DIA CIR PLASTIC
		0030/0014	LEN=0038 INSTALLED UNKN
004985 FT		004985 FT	2 0 60038 0 00 0049+43
		S 0030/0000	LENGTH(AH 3021 BK 2562)
			018 "DIA CIR PLASTIC
		0020/2214	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/2010	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1685	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1130	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0806	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0638	LEN=0045 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0020/0480	LEN=0040 INSTALLED UNKN
002423 FT		002423 FT	2 0 60038 0 00 0023+79
		NC LAKE CREEK RD	
			JACKSON
			COOPERSTOWN B
		S 0020/0000	LENGTH(AH 2562 BK 2423)
			018 "DIA CIR PLASTIC
		0010/2329	LEN=0040 INSTALLED UNKN
MILL ST (SR4018 SEG 0110/1298)	0010/0785		ACADEMY ST
		0010/0785	(SR4018 SEG 0110/1298)
BRINK ST (BORO)	0010/0020		
	000000 FT	000000 FT	2 0 60038 0 00 0000+00
			BRADLEYTOWN RD
			(SR0427 SEG 0100/2354)
		NC MAIN ST	
		INTER-BK	MAIN ST
			(SR0427 SEG 0100/2354)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 2423 BK 0000)

DIR: B TOTAL LEN: 3.986 MI. DIST: 01-5 SR: 4006
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

	021044 FT		021044 FT	
			INTER-AHD	THIRTEENTH ST
SECOND AV				(SR0322 SEG 0261/0000)
(BORO)				GRANT ST
ROCKY GROVE AV				(SR0322 SEG 0260/0000)
(SR0417 SEG 0010/0000)	0080/3542		0080/3542	(SR0322 SEG 0261/0000)
FROM 0417/0010 SH				
(CONN)	0080/3393			
BELL AV				
(BORO)	0080/2443			
				RUSH ST
			0080/2145	(BORO)
				HIGHLAND AV
			0080/1632	(BORO)
				018 "DIA CIRC CONCR
			0080/1300	LEN=0030 INSTALLED UNKN
UNKNOWN AL				
(BORO)	0080/1186			
				018 "DIA CIRC CONCR
			0080/1123	LEN=0030 INSTALLED UNKN
1 0 00844 0 00 0035+52	017502 FT		017502 FT	
KISTLER ST				
(BORO)	0080/0000		5 0080/0000	LENGTH(AH 3542 BK 2126)
				018 "DIA CIRC CONCR
			0070/2087	LEN=0058 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0070/1954	LEN=0045 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0070/1600	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0070/1095	LEN=0060 INSTALLED UNKN
	015376 FT		015376 FT	1 0 00844 0 00 0056+92
				WASHINGTON ST
				(CITY)
			5 0070/0000	LENGTH(AH 2126 BK 2808)
ALLENBAUGH RD				
(BORO)	0060/2631			
				018 "DIA CIR PLASTIC
			0060/2595	LEN=0072 INSTALLED 2002
				ROOSEVELT ST
			0060/2459	(CITY)
				018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.986 MI. DIST: 01-5 SR: 4006
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                 0060/1845 LEN=0050 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0060/1556 LEN=0040 INSTALLED 2013
                                                           018 "DIA CIR PLASTIC
                                                 0060/1241 LEN=0060 INSTALLED 2015
                                                           015 "DIA CIR PLASTIC
                                                 0060/0718 LEN=0040 INSTALLED UNKN
                                                           015 "DIA CIR PLASTIC
                                                 0060/0386 LEN=0052 INSTALLED 2006
                                                           036 "DIA CIR PLASTIC
                                                 0060/0061 LEN=0060 INSTALLED UNKN
012568 FT                                        012568 FT 1 0 00844 0 00 0085+01
                                               S 0060/0000 LENGTH(AH 2808 BK 1949)
                                                           018 "DIA CIR PLASTIC
                                                 0050/1756 LEN=0050 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0050/1208 LEN=0050 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0050/0815 LEN=0042 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0050/0490 LEN=0040 INSTALLED UNKN
                                                 0050/0309 BMSEN 60/4006/0050/0286
                                                           1 0 00844 0 00 0101+64
                                                           PATCHELL RUN
                                                 0050/0286 BMSBG 60/4006/0050/0286
                                                           VINCENT RD
                                                 0050/0169 (BORO)
010619 FT                                        010619 FT 1 0 00844 0 00 0104+46
                                                           PATCHEL RUN RD
                                                           (SR4003 SEG 0020/0000)
                                               S 0050/0000 LENGTH(AH 1949 BK 2490)
                                                           036 "DIA CIR PLASTIC
                                                 0040/2173 LEN=0060 INSTALLED 2013



                                                           015 "DIA CIR PLASTIC
                                                 0040/0666 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0040/0350 LEN=0045 INSTALLED UNKN
008129 FT                                        008129 FT 1 0 00844 0 00 0129+33
                                               S 0040/0000 LENGTH(AH 2490 BK 2538)
                                                           015 "DIA CIR PLASTIC
                                                 0030/2515 LEN=0040 INSTALLED UNKN

                                                           018 "DIA CIR PLASTIC
                                                 0030/1762 LEN=0055 INSTALLED UNKN
LAMBERTON RD
(BORO)                0030/1732
```

DIR: B TOTAL LEN: 3.986 MI. DIST: 01-5 SR: 4006
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                036 "DIA CIR PLASTIC
                                  0030/0411 LEN=0060 INSTALLED 2015
                                                015 "DIA CIR PLASTIC
                                  0030/0230 LEN=0040 INSTALLED UNKN
005591 FT                         005591 FT 1 0 00844 0 00 0154+71
                                5 0030/0000 LENGTH(AH 2538 BK 3196)
                                                036 "DIA CIR PLASTIC
                                  0020/2600 LEN=0045 INSTALLED 2015
                                                018 "DIA CIRC METAL
                                  0020/2384 LEN=0055 INSTALLED UNKN
                                                015 "DIA CIR PLASTIC
                                  0020/2325 LEN=0045 INSTALLED UNKN
                                                024 "DIA CIR PLASTIC
                                  0020/1930 LEN=0055 INSTALLED UNKN
                                                018 "DIA CIR PLASTIC
                                  0020/1707 LEN=0030 INSTALLED UNKN
                                                015 "DIA CIR PLASTIC
                                  0020/1161 LEN=0050 INSTALLED UNKN
                                                018 "DIA CIR PLASTIC
                                  0020/0724 LEN=0045 INSTALLED UNKN
                                                015 "DIA CIR PLASTIC
                                  0020/0538 LEN=0050 INSTALLED UNKN
                                                015 "DIA CIR PLASTIC
                                  0020/0365 LEN=0042 INSTALLED UNKN
002395 FT                         002395 FT 1 0 00844 0 00 0186+69
                                                SUGARCREEK RD
                                                (T685)
                                5 0020/0000 LENGTH(AH 3196 BK 2395)
                                  0010/2306 BMSEN 60/4006/0010/2270
                                                0 0 00000 0 00 0000+00
                                                LICK RUN
                                  0010/2292 BMSBG 60/4006/0010/2270

                                                018 "DIA CIR PLASTIC
                                  0010/1372 LEN=0038 INSTALLED UNKN
                                                024 "DIA CIR PLASTIC
                                  0010/1037 LEN=0042 INSTALLED UNKN

                                                018 "DIA CIR PLASTIC
                                  0010/0190 LEN=0045 INSTALLED UNKN
000000 FT                         000000 FT 1 0 00844 0 00 0210+70
                                                TWENTYEIGHTH DIVISION H
                                                (SR0322 SEG 0170/0000)
                                      NC MEADVILLE PK
TWENTYEIGHTH DIVISION H                         MFC BEGIN = D
(SR0322 SEG 0170/0000)  0010/0000 5 0010/0000 LENGTH(AH 2395 BK 0000)
```

DIR: B TOTAL LEN: 3.391 MI. DIST: 01-5 SR: 4005
LEFT MUN: CANAL T RIGHT MUN: CANAL T

```
                          017906 FT                    017906 FT  AH-CRAWFORD          (20)
                                                     * REF-AHD    SR 2018 SH
                                                       0070/1981  (SR2018 SEG 0070/2973)
                                                            NC DONATION HILL RD
                                                                  DONATION HILL RD
                                                       0070/1409  (SR4018 SEG 0010/0000)
                                                                  048 "DIA CIRC METAL
                                                       0070/0887  LEN=0040 INSTALLED 1996

                                                                  018 "DIA CIR PLASTIC
                                                       0070/0122  LEN=0030 INSTALLED UNKN
                          015925 FT                    015925 FT  2 0 60037 0 00 0159+10
                                                     S 0070/0000  LENGTH(AH 1981 BK 2616)

                                                                  018 "DIA CIR PLASTIC
                                                       0060/1969  LEN=0030 INSTALLED 1996
                                                                  018 "DIA CIRC METAL
                                                       0060/1811  LEN=0055 INSTALLED UNKN
                                                                  018 "DIA CIR PLASTIC
                                                       0060/1301  LEN=0045 INSTALLED 1996
                                                                  018 "DIA CIR PLASTIC
                                                       0060/0710  LEN=0055 INSTALLED 1996

2 0 60037 0 00 0132+96    013309 FT                    013309 FT  JUDSON RD
WHEELING HILL RD                                                  (T590)
(T589)                     0060/0000                 S 0060/0000  LENGTH(AH 2616 BK 2413)
                                                                  018 "DIA CIR PLASTIC
                                                       0050/2387  LEN=0050 INSTALLED 1996
                                                                  024 "DIA CIR PLASTIC
                                                       0050/2109  LEN=0040 INSTALLED 1996
                                                                  018 "DIA CIR PLASTIC
                                                       0050/1590  LEN=0030 INSTALLED 1996


                                                                  018 "DIA CIR PLASTIC
                                                       0050/0596  LEN=0050 INSTALLED 2018
                                                                  024 "DIA CIR PLASTIC
                                                       0050/0566  LEN=0040 INSTALLED 2018
                          010896 FT                    010896 FT  2 0 60037 0 00 0109+07
                                                     S 0050/0000  LENGTH(AH 2413 BK 2125)
                                                                  018 "DIA CIR PLASTIC
                                                       0040/1746  LEN=0036 INSTALLED 1996

                                                                  015 "DIA CIR PLASTIC
                                                       0040/1130  LEN=0060 INSTALLED 1996

2 0 60037 0 00 0087+57    008771 FT                    008771 FT  BEATTY RUN RD
BEATTY RUN RD                                                     (SR4016 SEG 0060/0000)
```

DIR: B TOTAL LEN: 3.391 MI. DIST: 01-5 SR: 4005
LEFT MUN: CANAL T RIGHT MUN: CANAL T

```
(T301)                    0040/0000   ==      S 0040/0000 LENGTH(AH 2125 BK 3740)

                                                  024 "DIA CIR PLASTIC
                                      ----  0030/2771 LEN=0040 INSTALLED 2005
                                                  015 "DIA CIR PLASTIC
                                      ----  0030/2263 LEN=0026 INSTALLED 1996

                                                  024 "DIA CIR PLASTIC
                                      ----  0030/0351 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                      ----  0030/0030 LEN=0040 INSTALLED 2002
                          005031 FT           005031 FT 2 0 60037 0 00 0050+08
                                            S 0030/0000 LENGTH(AH 3740 BK 2674)
                                                  018 "DIA CIR PLASTIC
                                      ----  0020/2530 LEN=0035 INSTALLED 2002

                                                  015 "DIA CIR PLASTIC
                                      ----  0020/1803 LEN=0030 INSTALLED UNKN
                                                  024"H 00"W MULT METAL
                                      ----  0020/1454 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                      ----  0020/0952 LEN=0030 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                      ----  0020/0494 LEN=0040 INSTALLED 2018
                                                  018 "DIA CIR PLASTIC
                                      ----  0020/0030 LEN=0030 INSTALLED 1996
                          002357 FT           002357 FT 2 0 60037 0 00 0023+34
                                            S 0020/0000 LENGTH(AH 2674 BK 2357)

                                                  018 "DIA CIR PLASTIC
                                      ----  0010/1473 LEN=0054 INSTALLED 1996

                                                  060"H 00"W MULT METAL
                                      ----  0010/0232 LEN=0055 INSTALLED 2002
                                                 WARDENS RUN
                                                 STRUCTURE LENGTH  14 FT
                                      >--<  0010/0220 BMSID 60/4005/0010/0220
                          000000 FT           000000 FT 2 0 60037 0 00 0000+00
                                                NC DECKARDS RUN RD
                                                 TWENTYEIGHTH DIVISION H
                                                 (SR0322 SEG 0070/0976)
                                                 MFC BEGIN = D
                                      ====  S 0010/0000 LENGTH(AH 2357 BK 0000)
```

DIR: E TOTAL LEN: 1.373 MI. DIST: 01-5 SR: 4004
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

006981 FT

THIRTEENTH ST
(SR0322 SEG 0260/0584)

007250 FT
INTER-AHD EAST ATLANTIC AV
(CITY)
THIRTEENTH ST
(SR0322 SEG 0261/0584)
(SR0322 SEG 0260/0584)

DIR: E TOTAL LEN: 1.373 MI. DIST: 01-5 SR: 4004
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

```
(SR0322 SEG 0261/0584)  0040/2737          0040/2737

ORCHARD ST
(CITY)                  0040/1665

CENTER ST
(CITY)                  0040/0821

2 0 60084 0 00 0044+08 004244 FT           004513 FT
PINE ST
(CITY)                  0040/0000       S  0040/0000 LENGTH(AH 2737 BK 2343)
NORMAN ST
(CITY)                  0030/1857
                                           012 "DIA CIR PLASTIC
                                           0030/1259 LEN=0030 INSTALLED UNKN
MISSOURI ST
(CITY)                  0030/1222


2 0 60084 0 00 0020+62 001901 FT           002170 FT
REISENMAN ST
(CITY)                  0030/0000       S  0030/0000 LENGTH(AH 2343 BK 1808)
                                           BROWN AV
                                           0020/1168 (CITY)
                                           018 "DIA CIR PLASTIC
                                           0020/0732 LEN=0100 INSTALLED UNKN
                                           018 "DIA CIRC CONCR
                                           0020/0371 LEN=0040 INSTALLED UNKN
                        000093 FT          000362 FT 2 0 60084 0 00 0000+00
                                                     MFC BEGIN = D
                                                     FRANKLIN
                                                     SUGARCREEK B
                                        S  0020/0000 LENGTH(AH 1808 BK 0362)
                                           012 "DIA CIRC CONCR
                                           0010/0182 LEN=0025 INSTALLED UNKN
                                           015 "DIA CIRC CONCR
                                           0010/0076 LEN=0025 INSTALLED UNKN
                                           000000 FT 2 0 60083 0 00 0000+00
                                                     TWENTYEIGHTH DIVISION H
                                                     (SR0322 SEG 0230/0488)
                                                NC ATLANTIC AV
                                                     TWENTYEIGHTH DIVISION H
0 0 00000 0 00 0000+00 000000 FT                     (SR0322 SEG 0230/0488)
MFC BEGIN = D                                        MFC BEGIN = D
LENGTH(AH 0093 BK 0000) 0011/0000 S     S  0010/0000 LENGTH(AH 0362 BK 0000)
```

DIR: B TOTAL LEN: 6.097 MI. DIST: 01-5 SR: 4003
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

032194 FT



032194 FT SR 0427 SH
0110/2810 (SR0427 SEG 0090/0000)
013"H 21"W ELLIP METAL
0110/2782 LEN=0050 INSTALLED 1996

DIR: B TOTAL LEN: 6.097 MI. DIST: 01-5 SR: 4003
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
                                                  BAKER RD
                                 0110/1029        (T565)
                                                  015 "DIA CIRC METAL
                                 0110/0614        LEN=0060 INSTALLED 1996
                                                  030 "DIA CIRC CONCR
                                 0110/0146        LEN=0050 INSTALLED 1998
029384 FT                        029384 FT        2 0 60031 0 02 0299+78
                                 0110/0000        LENGTH(AH 2810 BK 2542)
                                                  015 "DIA CIRC METAL
                                 0100/2515        LEN=0050 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                 0100/1920        LEN=0040 INSTALLED 1996

                                                  030 "DIA CIRC METAL
                                 0100/0946        LEN=0050 INSTALLED 1996

026842 FT                        026842 FT        2 0 60031 0 02 0274+36
                                 0100/0000        LENGTH(AH 2542 BK 3231)
                                                  040 "DIA CIRC CONCR
                                 0090/3032        LEN=0040 INSTALLED 1996

                                                  018 "DIA CIRC METAL
                                 0090/2107        LEN=0060 INSTALLED 1996
                                                  018 "DIA CIRC METAL
                                 0090/1617        LEN=0055 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                 0090/1357        LEN=0075 INSTALLED 1996
                                                  SHAY RD
                                 0090/1133        (T563)
                                                  024 "DIA CIR PLASTIC
                                 0090/0876        LEN=0060 INSTALLED 2001
                                                  018 "DIA CIRC METAL
                                 0090/0714        LEN=0060 INSTALLED 1996
                                                  024 "DIA CIRC CONCR
                                 0090/0260        LEN=0042 INSTALLED 1996
                                 0090/0180        BMSEN 60/4003/0090/0153
                                                  2 0 60031 0 01 0243+89
                                                  WOLF RUN
                                 0090/0153        BMSBG 60/4003/0090/0153
023611 FT                        023611 FT        2 0 60031 0 01 0242+20
                                                  BOWMAN RD
                                                  (T561)
                                 0090/0000        LENGTH(AH 3231 BK 3680)
                                                  018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 6.097 MI. DIST: 01-5 SR: 4003
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
                                        0080/3278 LEN=0050 INSTALLED 1998

019931 FT                               019931 FT 2 0 60031 0 01 0205+40
                                      S 0080/0000 LENGTH(AH 3680 BK 3061)
                                                  JACKSON
                                        0070/2972 SUGARCREEK B
                                                  018 "DIA CIRC CONCR
                                        0070/2481 LEN=0046 INSTALLED 1996

                                                  KEELY RD
                                        0070/0545 (BORO)
016870 FT                               016870 FT 2 0 60031 0 00 0169+00
                                      S 0070/0000 LENGTH(AH 3061 BK 2455)
                                                  018 "DIA CIRC METAL
                                        0060/1666 LEN=0046 INSTALLED 1996
                                                  015 "DIA CIR PLASTIC
                                        0060/1250 LEN=0040 INSTALLED 2016
                                                  018 "DIA CIR PLASTIC
                                        0060/0803 LEN=0050 INSTALLED 2016

014415 FT                               014415 FT 2 0 60031 0 00 0144+45
                                      S 0060/0000 LENGTH(AH 2455 BK 2490)
                                                  024 "DIA CIR PLASTIC
                                        0050/2449 LEN=0054 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0050/2095 LEN=0030 INSTALLED 1996
                                                  015 "DIA CIRC CONCR
                                        0050/1897 LEN=0070 INSTALLED 1996
MCCLELLAND LN
(PRDR)                 0050/1618

                                                  018 "DIA CIR PLASTIC
                                        0050/1317 LEN=0040 INSTALLED 2016
                                                  018 "DIA CIRC CONCR
                                        0050/0987 LEN=0038 INSTALLED 1996
                                                  015 "DIA CIRC METAL
                                        0050/0677 LEN=0034 INSTALLED 1996
                                                  STEADMAN RD
```

DIR: B TOTAL LEN: 6.097 MI. DIST: 01-5 SR: 4003
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                 ==      0050/0655 (T828)

                         011925 FT                       011925 FT 2 0 60031 0 00 0119+55
                                                       S 0050/0000 LENGTH(AH 2490 BK 3344)
                                                                   018 "DIA CIR PLASTIC
                                                         0040/3240 LEN=0070 INSTALLED 1999
                                                                   015 "DIA CIRC METAL
                                                         0040/2918 LEN=0040 INSTALLED 1996
                                                                   018 "DIA CIRC METAL
                                                         0040/2555 LEN=0040 INSTALLED 1996
                                                                   015 "DIA CIRC METAL
                                                         0040/2336 LEN=0046 INSTALLED 1996
                                                                   018 "DIA CIRC CONCR
                                                         0040/1784 LEN=0038 INSTALLED 1996
                                                                   015 "DIA CIRC METAL
                                                         0040/1440 LEN=0060 INSTALLED 1996


                                                                   018 "DIA CIRC METAL
                                                         0040/0431 LEN=0055 INSTALLED 1996
                                                                   015 "DIA CIRC METAL
                                                         0040/0017 LEN=0050 INSTALLED 1996
2 0 60031 0 00 0085+82 008581 FT                         008581 FT
WHITMAN RD
(BORO)                   0040/0000              ==     S 0040/0000 LENGTH(AH 3344 BK 2672)
                                                                   030 "DIA CIR PLASTIC
                                                         0030/2311 LEN=0050 INSTALLED 1996


                                                                   ALLENBAUGH RD
                                                         0030/1364 (BORO)
                                                                   018 "DIA CIRC CONCR
                                                         0030/1252 LEN=0060 INSTALLED 1996
                                                                   018 "DIA CIRC CONCR
                                                         0030/1019 LEN=0040 INSTALLED 1996
                                                                   015 "DIA CIRC METAL
                                                         0030/0688 LEN=0040 INSTALLED 1996
                                                                   015 "DIA CIRC METAL
                                                         0030/0534 LEN=0040 INSTALLED 1996
                                                                   015 "DIA CIRC METAL
                                                         0030/0124 LEN=0042 INSTALLED 1996
                                                                   015 "DIA CIRC METAL
                                                         0030/0018 LEN=0064 INSTALLED 1996
                         005909 FT                       005909 FT 2 0 60031 0 00 0058+51
                                                                   ALLENBAUGH RD
                                                                   (BORO)
                                                 ==    S 0030/0000 LENGTH(AH 2672 BK 2370)
                                                                   018 "DIA CIRC METAL
                                                         0020/2331 LEN=0060 INSTALLED 1996
                                                                   018 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 6.097 MI. DIST: 01-5 SR: 4003
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                 0020/2155 LEN=0050 INSTALLED 1996
                                                           015 "DIA CIRC METAL
                                                 0020/2091 LEN=0050 INSTALLED 1996

                                                           018 "DIA CIRC METAL
                                                 0020/1375 LEN=0046 INSTALLED 1996
                                                           015 "DIA CIRC METAL
                                                 0020/1246 LEN=0054 INSTALLED 1996

                                                           018 "DIA CIRC METAL
                                                 0020/0545 LEN=0040 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0020/0034 LEN=0060 INSTALLED 2016
                003539 FT                        003539 FT 2 0 60031 0 00 0035+31
                                                           MEADVILLE PK
                                                           (SR4006 SEG 0050/0000)
                                               S 0020/0000 LENGTH(AH 2370 BK 3539)
                                                           048 "DIA CIR PLASTIC
                                                 0010/3340 LEN=0054 INSTALLED 2006
                                                           018 "DIA CIRC METAL
                                                 0010/3101 LEN=0060 INSTALLED 1996
                                                           018 "DIA CIRC METAL
                                                 0010/2687 LEN=0052 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0010/2528 LEN=0050 INSTALLED 1996
                                                           VINCENT RD
                                                 0010/2323 (BORO)
                                                 0010/2208 BMSEN 60/4003/0010/2160
                                                           2 0 60031 0 00 0021+79
                                                           PATCHEL RUN
                                                 0010/2185 BMSBG 60/4003/0010/2160
                                                           018 "DIA CIRC METAL
                                                 0010/1837 LEN=0046 INSTALLED 1996
                                                           024 "DIA CIRC METAL
                                                 0010/1380 LEN=0080 INSTALLED 1996
                                                           018 "DIA CIRC METAL
                                                 0010/1179 LEN=0050 INSTALLED 1996
                                                           PINE RD
                                                 0010/1039 (BORO)
                                                           015 "DIA CIRC METAL
                                                 0010/1025 LEN=0058 INSTALLED 1996
                                                           015 "DIA CIRC METAL
                                                 0010/0812 LEN=0050 INSTALLED 1996

                000000 FT                        000000 FT 2 0 60031 0 00 0000+00
                                                       NC PATCHEL RUN RD
                                                           TWENTYEIGHTH DIVISION H
                                                           (SR0322 SEG 0210/2646)
                                                           MFC BEGIN = D
                                               S 0010/0000 LENGTH(AH 3539 BK 0000)
```

DIR: B TOTAL LEN: 1.179 MI. DIST: 01-5 SR: 4002
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

006226 FT

006226 FT ALLEGHENY BL
(SR0062 SEG 0330/1270)
0020/3651 (SR0062 SEG 0331/1267)
018 "DIA CIRC METAL
0020/3580 LEN=0070 INSTALLED UNKN
024 "DIA CIRC METAL
0020/3020 LEN=0055 INSTALLED UNKN
015 "DIA CIRC CONCR
0020/2676 LEN=0045 INSTALLED UNKN
012 "DIA CIRC METAL
0020/2553 LEN=0045 INSTALLED UNKN
018 "DIA CIRC METAL
0020/2547 LEN=0046 INSTALLED UNKN
SUGARCREEK TOWN CENTER
0020/2445 (PRDR)
024 "DIA CIRC CONCR
0020/2080 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1756 LEN=0050 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1623 LEN=0070 INSTALLED UNKN
032 "DIA CIRC CONCR
0020/1394 LEN=0050 INSTALLED UNKN

ROCCA WY
(BORO)
0020/1373

WILEY AV
0020/1310 (BORO)
015 "DIA CIRC CONCR
0020/1196 LEN=0060 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/0949 LEN=0040 INSTALLED 2015
LOWRY COURT DR

DIR: B TOTAL LEN: 1.179 MI. DIST: 01-5 SR: 4002
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                  0020/0926 (PRDR)
                                                            018 "DIA CIRC CONCR
                                                  0020/0700 LEN=0050 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0020/0508 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/0323 LEN=0050 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0020/0046 LEN=0050 INSTALLED UNKN
2 0 60058 0 00 0025+75 002575 FT                  002575 FT
MANOR DR
(BORO)                 0020/0000                S 0020/0000 LENGTH(AH 3651 BK 2575)
                                                  0010/2554 BMSEN 60/4002/0010/2538
                                                            2 0 60058 0 00 0025+41
                                                            GALLOWAY RUN
                                                  0010/2538 BMSBG 60/4002/0010/2538
                                                            015 "DIA CIRC METAL
                                                  0010/2118 LEN=0050 INSTALLED UNKN
                                                            EGBERT ST
                                                  0010/1837 (BORO)

                                                            018 "DIA CIRC CONCR
                                                  0010/0635 LEN=0025 INSTALLED UNKN
                                                            FOX ST
                                                  0010/0605 (BORO)
                                                            018 "DIA CIRC METAL
                                                  0010/0594 LEN=0030 INSTALLED 2011
                                                            015 "DIA CIRC CONCR
                                                  0010/0584 LEN=0003 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0010/0461 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/0428 LEN=0003 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/0427 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/0174 LEN=0027 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/0017 LEN=0042 INSTALLED UNKN
                       000000 FT                  000000 FT 2 0 60058 0 00 0000+00
                                                        NC FRONT ST
                                                            ROCKY GROVE AV
                                                            (SR0417 SEG 0030/0000)

                                                  INTER-BK  FRONT ST
                                                            (BORO)
                                                            MFC BEGIN = B
                                                S 0010/0000 LENGTH(AH 2575 BK 0000)
```

DIR: B TOTAL LEN: 4.370 MI. DIST: 01-5 SR: 4001
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                023074 FT
                                                023074 FT
                                              * REF-AHD    WARREN RD
                                                0090/2925  (BORO)
                                                           018 "DIA CIRC CONCR
                                                0090/2725  LEN=0050 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                0090/2422  LEN=0040 INSTALLED 1997
                                                           018 "DIA CIRC CONCR
                                                0090/2290  LEN=0040 INSTALLED UNKN
                                                0090/1935  BMSEN 60/4001/0090/1900
                                                           2 0 60087 0 00 0220+86
                                                           UPPER TWO MILE RUN
                                                0090/1900  BMSBG 60/4001/0090/1900

KEELY RD
(BORO)                  0090/0141
                                                           018 "DIA CIR PLASTIC
                                                0090/0114  LEN=0040 INSTALLED 1997
                                                0090/0055  BMSEN 60/4001/0090/0059
                                                           2 0 60087 0 00 0201+60
                                                           2 MI.RUN W.B
                                                0090/0035  BMSBG 60/4001/0090/0059
WARREN RD
(BORO)                  0090/0005
                      020149 FT                 020149 FT  2 0 60087 0 00 0201+60
                                                           MFC BEGIN = E
```

DIR: B TOTAL LEN: 4.370 MI. DIST: 01-5 SR: 4001
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                          S 0090/0000 LENGTH(AH 2925 BK 2745)
                                                      024 "DIA CIRC CONCR
                                            0080/2676 LEN=0030 INSTALLED 1997
                                                      018 "DIA CIR PLASTIC
                                            0080/0306 LEN=0050 INSTALLED 1997
017404 FT                                   017404 FT 2 0 60087 0 00 0173+71
                                          S 0080/0000 LENGTH(AH 2745 BK 2305)
                                                      018 "DIA CIR PLASTIC
                                            0070/2285 LEN=0040 INSTALLED 1997
                                                      036 "DIA CIRC CONCR
                                            0070/2211 LEN=0055 INSTALLED 1997
                                                      015 "DIA CIR PLASTIC
                                            0070/1854 LEN=0045 INSTALLED 1997
                                                      015 "DIA CIR PLASTIC
                                            0070/1731 LEN=0032 INSTALLED 2015
                                                      015 "DIA CIR PLASTIC
                                            0070/1481 LEN=0030 INSTALLED 1997
                                                      018 "DIA CIR PLASTIC
                                            0070/0953 LEN=0040 INSTALLED 1997
                                                      018 "DIA CIR PLASTIC
                                            0070/0078 LEN=0040 INSTALLED 1997
015099 FT                                   015099 FT 2 0 60087 0 00 0150+77
                                          S 0070/0000 LENGTH(AH 2305 BK 2344)
                                                      018 "DIA CIRC METAL
                                            0060/2074 LEN=0030 INSTALLED 1997
                                                      018 "DIA CIR PLASTIC
                                            0060/1929 LEN=0030 INSTALLED 1997
                                                      MARTIN HILL RD
                                            0060/1524 (BORO)
                                                      018 "DIA CIR PLASTIC
                                            0060/1497 LEN=0040 INSTALLED UNKN
                                                      018 "DIA CIR PLASTIC
                                            0060/1095 LEN=0040 INSTALLED 1997
                                                      018 "DIA CIR PLASTIC
                                            0060/0890 LEN=0040 INSTALLED 1997
                                                      018 "DIA CIR PLASTIC
                                            0060/0734 LEN=0030 INSTALLED 1997
                                                      018 "DIA CIR PLASTIC
                                            0060/0245 LEN=0042 INSTALLED 2015
012755 FT                                   012755 FT 2 0 60087 0 00 0127+45
                                                      060 "DIA CIRC CONCR
                                                      LEN=0050 INSTALLED 1997
                                          S 0060/0000 LENGTH(AH 2344 BK 2814)
```

DIR: B TOTAL LEN: 4.370 MI. DIST: 01-5 SR: 4001
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                  018 "DIA CIR PLASTIC
                                     0050/2408 LEN=0030 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                     0050/1635 LEN=0042 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
                                     0050/1514 LEN=0030 INSTALLED 1997
                                                  015 "DIA CIR PLASTIC
                                     0050/1214 LEN=0030 INSTALLED 1997
                                                  015 "DIA CIR PLASTIC
                                     0050/0687 LEN=0040 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
                                     0050/0438 LEN=0035 INSTALLED 1997
                   009941 FT         009941 FT 2 0 60087 0 00 0099+77
                                   S 0050/0000 LENGTH(AH 2814 BK 2444)
                                                  015 "DIA CIR PLASTIC
                                     0040/2255 LEN=0030 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
                                     0040/2050 LEN=0040 INSTALLED UNKN
                                                  036 "DIA CIRC CONCR
                                     0040/1825 LEN=0045 INSTALLED 1997

                                                  018 "DIA CIR PLASTIC
                                     0040/1083 LEN=0030 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
                                     0040/0546 LEN=0045 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                     0040/0349 LEN=0030 INSTALLED 1997
                                                  015 "DIA CIR PLASTIC
                                     0040/0109 LEN=0045 INSTALLED 1997
                   007497 FT         007497 FT 2 0 60087 0 00 0074+91
                                   S 0040/0000 LENGTH(AH 2444 BK 2466)

UNKNOWN RD
(TWP )             0030/1643      ==
                                                  024 "DIA CIR PLASTIC
                                     0030/1500 LEN=0050 INSTALLED 1997
                                                  015 "DIA CIR PLASTIC
                                     0030/1190 LEN=0035 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
                                     0030/1055 LEN=0040 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
                                     0030/0877 LEN=0040 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
                                     0030/0550 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                     0030/0427 LEN=0040 INSTALLED 1997
                                                  015 "DIA CIR PLASTIC
                                     0030/0273 LEN=0030 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 4.370 MI. DIST: 01-5 SR: 4001
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                  0030/0098 LEN=0030 INSTALLED 1997
                    005031 FT                     005031 FT 2 0 60087 0 00 0050+25
                                                S 0030/0000 LENGTH(AH 2466 BK 2865)
                                                            015 "DIA CIR PLASTIC
                                                  0020/2735 LEN=0030 INSTALLED 1997
                                                            015 "DIA CIR PLASTIC
                                                  0020/2627 LEN=0030 INSTALLED 1997
                                                            015 "DIA CIR PLASTIC
                                                  0020/2425 LEN=0030 INSTALLED 1997
                                                            015 "DIA CIR PLASTIC
                                                  0020/2320 LEN=0030 INSTALLED 1997
                                                            018 "DIA CIR PLASTIC
                                                  0020/2128 LEN=0055 INSTALLED 1997
                                                            018 "DIA CIR PLASTIC
                                                  0020/2000 LEN=0036 INSTALLED UNKN
                                                            048 "DIA CIR PLASTIC
                                                  0020/1540 LEN=0045 INSTALLED 1997

                                                            018 "DIA CIR PLASTIC
                                                  0020/0897 LEN=0040 INSTALLED 1997
                                                            018 "DIA CIR PLASTIC
                                                  0020/0650 LEN=0040 INSTALLED 1997
                                                  0020/0365 BMSEN 60/4001/0020/0355
                                                            1 0 00000 0 00 0000+00
                                                            048"H 84"W CON BOX CUL
                                                            LEN=0035 INSTALLED 1997
                                                            2 MI.RUN W.B
                                                  0020/0355 BMSBG 60/4001/0020/0355
                    002166 FT                     002166 FT 2 0 60087 0 00 0021+60
                                                S 0020/0000 LENGTH(AH 2865 BK 2166)
                                                            018 "DIA CIR PLASTIC
                                                  0010/1927 LEN=0030 INSTALLED 1997
                                                            018 "DIA CIRC CONCR
                                                  0010/1684 LEN=0030 INSTALLED 1997
                                                            018 "DIA CIR PLASTIC
                                                  0010/1347 LEN=0040 INSTALLED 1997
                                                            018 "DIA CIRC METAL
                                                  0010/1223 LEN=0030 INSTALLED 1997
                                                            015 "DIA CIR PLASTIC
                                                  0010/0938 LEN=0035 INSTALLED 1997

                                                            015 "DIA CIR PLASTIC
                                                  0010/0259 LEN=0046 INSTALLED UNKN
                    000000 FT                     000000 FT 2 0 60087 0 00 0000+00
                                                            ALLEGHENY BL
                                                            (SR0062 SEG 0340/2591)
                                                            (SR0062 SEG 0341/2371)
ALLEGHENY BL                                          NC TWO MILE RUN RD
(SR0062 SEG 0341/2371)                                      MFC BEGIN = D
(SR0062 SEG 0340/2591)  0010/0000               S 0010/0000 LENGTH(AH 2166 BK 0000)
```

DIR: B TOTAL LEN: .045 MI. DIST: 01-5 SR: 3102
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

000236 FT

000000 FT



000236 FT BMSEN 60/3102/0010/0000
REF-AHD BLAIR RD
0010/0236 (T347)
000000 FT 0 0 00000 0 00 0000+00
NC BLAIR RD
REF-BK BLAIR RD
(T347)
SR 0008 N&S
BMSBG 60/3102/0010/0000
MFC BEGIN = E
0010/0000 LENGTH(AH 0236 BK 0000)

DIR: B TOTAL LEN: .050 MI. DIST: 01-5 SR: 3101
LEFT MUN: CLINTONVILLE B RIGHT MUN: CLINTONVILLE B

000262 FT

000000 FT



000262 FT BMSEN 60/3101/0010/0000
REF-AHD PORTER RD
0010/0262 (BORO)
000000 FT 0 0 00000 0 00 0000+00
NC PORTER RD
REF-BK PORTER RD
(BORO)
SR 0080 E/W
BMSBG 60/3101/0010/0000
MFC BEGIN = E
0010/0000 LENGTH(AH 0262 BK 0000)

DIR: B TOTAL LEN: 1.330 MI. DIST: 01-5 SR: 3029
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
                                                  007025 FT (APRA) SCRUBGRASS POWER
                                                *REF-AHD   SCRUBGRASS POWER PLANT
                                                  0020/3850 (PRDR)
                                                            024"H 38"W ELLIP CONC
                                                  0020/0006 LEN=0050 INSTALLED UNKN
                                                  003175 FT 0 0 00000 0 00 0000+00
                                                S 0020/0000 LENGTH(AH 3850 BK 3175)
                                                  000000 FT 0 0 00000 0 00 0000+00
                                                        NC LISBON RD
                                                  INTER-BK  LISBON RD
                                                            (SR3007 SEG 0120/0000)
                                                            MFC BEGIN = E
                                                S 0010/0000 LENGTH(AH 3175 BK 0000)
```



DIR: B TOTAL LEN: 2.174 MI. DIST: 01-5 SR: 3028
LEFT MUN: UTICA B RIGHT MUN: UTICA B

ACADEMY ST	011477 FT		011477 FT	ACADEMY ST
(SR3017 SEG 0160/2406)	0040/2435		0040/2435	(SR3017 SEG 0160/2406)
				018 "DIA CIR PLASTIC
			0040/1790	LEN=0025 INSTALLED 2000
				018 "DIA CIR PLASTIC
			0040/1459	LEN=0017 INSTALLED 2000
				024 "DIA CIR PLASTIC
			0040/0824	LEN=0020 INSTALLED 2004
				024 "DIA CIR PLASTIC
			0040/0554	LEN=0020 INSTALLED 2004
				024 "DIA CIRC CONCR
			0040/0105	LEN=0017 INSTALLED 2004
	009042 FT		009042 FT	2 0 60061 0 00 0090+89
			S 0040/0000	LENGTH(AH 2435 BK 2565)
				024 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 2.174 MI. DIST: 01-5 SR: 3028
LEFT MUN: UTICA B RIGHT MUN: UTICA B

```
                                                 0030/2479 LEN=0025 INSTALLED 2004
                                                           024 "DIA CIR PLASTIC
                                                 0030/2074 LEN=0020 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0030/1750 LEN=0015 INSTALLED UNKN
                                                           036 "DIA CIR PLASTIC
                                                 0030/1550 LEN=0025 INSTALLED UNKN
KRAFT HILL RD
(T519)                0030/1012                        NC KRAFT HILL RD
                                                           018 "DIA CIR PLASTIC
                                                 0030/0890 LEN=0012 INSTALLED 2000

                      006477 FT                  006477 FT 2 0 60061 0 00 0064+88
                                                 S 0030/0000 LENGTH(AH 2565 BK 3030)

                                                           018 "DIA CIR PLASTIC
                                                 0020/2242 LEN=0014 INSTALLED 2000
                                                           UTICA
                                                 0020/2193 FRENCH CREEK T
                                                           018 "DIA CIR PLASTIC
                                                 0020/1596 LEN=0012 INSTALLED 2000


                                                           018 "DIA CIR PLASTIC
                                                 0020/0644 LEN=0012 INSTALLED 2000

                                                           024 "DIA CIR PLASTIC
                                                 0020/0024 LEN=0012 INSTALLED 2000
2 0 60061 0 00 0034+47 003447 FT                 003447 FT
GUIASUTA TR
(T306)                0020/0000                  S 0020/0000 LENGTH(AH 3030 BK 3447)
                                                           018 "DIA CIR PLASTIC
                                                 0010/2875 LEN=0012 INSTALLED 2016
                                                           018 "DIA CIR PLASTIC
                                                 0010/2576 LEN=0011 INSTALLED 2016
                                                           018 "DIA CIR PLASTIC
                                                 0010/2254 LEN=0010 INSTALLED 2000



                                                           015 "DIA CIRC METAL
                                                 0010/0489 LEN=0012 INSTALLED UNKN
                      000000 FT                  000000 FT 2 0 60061 0 00 0000+00
                                                        NC SR 3028 SH
                                                 * REF-BK  SR 1016 SH
                                                           (SR1016 SEG 0070/3582)
                                                           MFC BEGIN = D
                                                            BK-MERCER        (43)
                                                 S 0010/0000 LENGTH(AH 3447 BK 0000)
```

DIR: B TOTAL LEN: .064 MI. DIST: 01-5 SR: 3027
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
OLD ROUTE 8 RD            000336 FT                    000336 FT OLD ROUTE 8 RD
(SR3013 SEG 0060/2321)     0010/0336                   0010/0336 (SR3013 SEG 0060/2321)
                                                                 015 "DIA CIRC CONCR
                                                       0010/0266 LEN=0044 INSTALLED UNKN
                          000000 FT                    000000 FT 1 0 00428 7 00 0000+00
                                                                 SR 0308 SH
                                                                 (SR0308 SEG 0170/2032)
                                                           NC SR 3027 SH
SR 0308 SH                                                       MFC BEGIN = E
(SR0308 SEG 0170/2032)     0010/0000                   S 0010/0000 LENGTH(AH 0336 BK 0000)
```

DIR: B TOTAL LEN: 7.521 MI. DIST: 01-5 SR: 3026
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

```
                                039712 FT                          039712 FT MERCER RD
                                                                   0160/2205 (SR0062 SEG 0210/0000)
                                                                             018 "DIA CIRC METAL
                                                                   0160/2170 LEN=0017 INSTALLED 2003

                                                                             015 "DIA CIR PLASTIC
                                                                   0160/0635 LEN=0036 INSTALLED 2003
                                                                             015 "DIA CIRC METAL
                                                                   0160/0294 LEN=0012 INSTALLED 2003
                                037507 FT                          037507 FT 2 0 60020 0 00 0375+71
                                                                 S 0160/0000 LENGTH(AH 2205 BK 2516)

                                                                             018 "DIA CIR PLASTIC
                                                                   0150/1045 LEN=0012 INSTALLED 2003

                                034991 FT                          034991 FT 2 0 60020 0 00 0350+55
                                                                 S 0150/0000 LENGTH(AH 2516 BK 2274)
                                                                             018 "DIA CIR PLASTIC
                                                                   0140/1717 LEN=0038 INSTALLED 2003
                                                                             018 "DIA CIR PLASTIC
                                                                   0140/1318 LEN=0012 INSTALLED 2003
                                                                             018 "DIA CIR PLASTIC
                                                                   0140/0976 LEN=0012 INSTALLED 2003

                                                                             018 "DIA CIR PLASTIC
                                                                   0140/0320 LEN=0012 INSTALLED 2003
2 0 60020 0 00 0327+81          032717 FT                          032717 FT BLACKHILL RD
WATER WORKS RD                                                               (T451)
(T455)                           0140/0000                       S 0140/0000 LENGTH(AH 2274 BK 2610)
                                                                             036 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 7.521 MI. DIST: 01-5 SR: 3026
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

```
                                                 0130/2385 LEN=0020 INSTALLED 2003
PORTER RD
(T370)                0130/2140   ==
                                                           WATSON ST
                                          ==     0130/2009 (T600)
                                                           015 "DIA CIRC METAL
                                                 0130/1798 LEN=0018 INSTALLED 2003
                                                           AARON ST
                                          ==     0130/1722 (T602)
                                                           018 "DIA CIRC CONCR
                                                 0130/1429 LEN=0012 INSTALLED 2003
                                                           BLAUSER ST
                                          ==     0130/0977 (T603)

                                                           SNYDER ST
                                          ==     0130/0351 (T604)
                                                           018 "DIA CIRC METAL
                                                 0130/0106 LEN=0042 INSTALLED 2003
                      030107 FT                  030107 FT 2 0 60020 0 00 0301+81
                                               S 0130/0000 LENGTH(AH 2610 BK 2727)
                                                           018 "DIA CIRC METAL
                                                 0120/2480 LEN=0010 INSTALLED 2003
                                                           018 "DIA CIRC METAL
                                                 0120/2179 LEN=0016 INSTALLED 2003
                                                           018 "DIA CIR PLASTIC
                                                 0120/1900 LEN=0018 INSTALLED 2003
                                                           018 "DIA CIRC METAL
                                                 0120/1732 LEN=0018 INSTALLED 2003
                                                           018 "DIA CIRC METAL
                                                 0120/1532 LEN=0016 INSTALLED 2003
                                                           018 "DIA CIR PLASTIC
                                                 0120/1221 LEN=0018 INSTALLED 2003
                                                           018 "DIA CIR PLASTIC
                                                 0120/0948 LEN=0016 INSTALLED 2003
                                                           018 "DIA CIR PLASTIC
                                                 0120/0733 LEN=0012 INSTALLED 2003
                                                           015 "DIA CIRC METAL
                                                 0120/0524 LEN=0012 INSTALLED 2003
                                                           018 "DIA CIRC METAL
                                                 0120/0289 LEN=0038 INSTALLED 2003
                      027380 FT                  027380 FT 2 0 60020 0 00 0274+54
                                               S 0120/0000 LENGTH(AH 2727 BK 3393)
                                                           018 "DIA CIR PLASTIC
                                                 0110/3113 LEN=0012 INSTALLED 2003

                                                           018 "DIA CIR PLASTIC
                                                 0110/2233 LEN=0017 INSTALLED 2003
                                                           015 "DIA CIR PLASTIC
                                                 0110/1886 LEN=0012 INSTALLED 2003
                                                           018 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 7.521 MI. DIST: 01-5 SR: 3026
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

			0110/1478	LEN=0012 INSTALLED 2003
				FR.CK.TR.
				STRUCTURE LENGTH 13 FT
			0110/0918	BMSID 60/3026/0110/0918
				018 "DIA CIRC METAL
			0110/0433	LEN=0012 INSTALLED 2003
	023987 FT		023987 FT	2 0 60020 0 00 0240+61
				018 "DIA CIRC CONCR
				LEN=0012 INSTALLED 2003
				NILES VALLEY RD
FRENCH CREEK RD				(T358)
(T356)	0110/0000		S 0110/0000	LENGTH(AH 3393 BK 2956)
				018 "DIA CIRC METAL
			0100/2905	LEN=0012 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0100/2623	LEN=0020 INSTALLED 2016
				018 "DIA CIR PLASTIC
			0100/2382	LEN=0015 INSTALLED 2016
				018 "DIA CIR PLASTIC
			0100/2196	LEN=0015 INSTALLED 2016
				015 "DIA CIRC METAL
			0100/1990	LEN=0017 INSTALLED 2003
				018 "DIA CIRC METAL
			0100/1818	LEN=0017 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0100/1566	LEN=0017 INSTALLED 2016
				018 "DIA CIR PLASTIC
			0100/1396	LEN=0017 INSTALLED 2016
				018 "DIA CIR PLASTIC
			0100/1160	LEN=0017 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0100/0867	LEN=0017 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0100/0700	LEN=0017 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0100/0295	LEN=0015 INSTALLED 2016
	021031 FT		021031 FT	2 0 60020 0 00 0210+90
			S 0100/0000	LENGTH(AH 2956 BK 2612)
				RAINBOW RD
		==	0090/1649	(T346)
				018 "DIA CIR PLASTIC
			0090/0858	LEN=0012 INSTALLED 2003
	018419 FT		018419 FT	2 0 60020 0 00 0184+78
			S 0090/0000	LENGTH(AH 2612 BK 2281)

DIR: B TOTAL LEN: 7.521 MI. DIST: 01-5 SR: 3026
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

```
                                                    018 "DIA CIRC METAL
                                     0080/1376 LEN=0012 INSTALLED 2003

                    016138 FT                 016138 FT 2 0 60020 0 00 0161+97
                                            S 0080/0000 LENGTH(AH 2281 BK 2633)
                                                    018 "DIA CIR PLASTIC
                                     0070/2088 LEN=0020 INSTALLED 2003

                    013505 FT                 013505 FT 2 0 60020 0 00 0135+59
                                            S 0070/0000 LENGTH(AH 2633 BK 2480)
                                                    018 "DIA CIRC CONCR
                                     0060/2461 LEN=0015 INSTALLED 2003

                                                    015 "DIA CIR PLASTIC
                                     0060/1460 LEN=0015 INSTALLED 2003

                                                    015 "DIA CIR PLASTIC
                                     0060/0402 LEN=0015 INSTALLED 2003
                                                    018 "DIA CIR PLASTIC
                                     0060/0018 LEN=0017 INSTALLED 2003
                    011025 FT                 011025 FT 2 0 60020 0 00 0111+10
                                                    WHIPPERWILL RD
WATERLOO RD                                         (T334)
(SR3023 SEG 0010/0000)  0060/0000           S 0060/0000 LENGTH(AH 2480 BK 2477)
                                                    018 "DIA CIR PLASTIC
                                     0050/1853 LEN=0012 INSTALLED 2003
                                                    018 "DIA CIR PLASTIC
                                     0050/1383 LEN=0015 INSTALLED 2003
                                                    018 "DIA CIR PLASTIC
                                     0050/1145 LEN=0012 INSTALLED 2018
                                                    013"H 21"W ELLIP METAL
                                     0050/0852 LEN=0015 INSTALLED 2003

                    008548 FT                 008548 FT 2 0 60020 0 00 0085+95
                                            S 0050/0000 LENGTH(AH 2477 BK 3150)
                                                    024 "DIA CIR PLASTIC
                                     0040/2678 LEN=0015 INSTALLED 2003

                                                    015"H 21"W ELLIP METAL
                                     0040/1910 LEN=0015 INSTALLED 2003
```

DIR: B TOTAL LEN: 7.521 MI. DIST: 01-5 SR: 3026
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

				018 "DIA CIR PLASTIC
			0040/0215	LEN=0015 INSTALLED 2003
				015 "DIA CIR PLASTIC
			0040/0037	LEN=0013 INSTALLED 2003
2 0 60020 0 00 0054+95	005398 FT		005398 FT	NOGLE RD
CONWAY RD				(T316)
(T318)	0040/0000		S 0040/0000	LENGTH(AH 3150 BK 2197)
				018 "DIA CIRC METAL
			0030/2155	LEN=0012 INSTALLED 2003
				030 "DIA CIR PLASTIC
			0030/1700	LEN=0050 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0030/1383	LEN=0015 INSTALLED 2003
				024 "DIA CIR PLASTIC
			0030/0696	LEN=0015 INSTALLED 2003
	003201 FT		003201 FT	2 0 60020 0 00 0032+79
				BOMBISHI RD
				(T304)
			S 0030/0000	LENGTH(AH 2197 BK 2853)
				018 "DIA CIR PLASTIC
			0020/1195	LEN=0015 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0020/0148	LEN=0012 INSTALLED 2003
2 0 60020 0 00 0004+00	000348 FT		000348 FT	
RAYMILTON RD				
(SR3017 SEG 0092/0089)	0020/0000		S 0020/0000	LTH AH 002853 BK 000067
	000348 FT		000348 FT	
		N	7014/0000	LTH AH 000067 BK 000348
				RAYMILTON RD
			0010/0348	(SR3017 SEG 0092/0000)
				015 "DIA CIRC METAL
			0010/0160	LEN=0010 INSTALLED 2003
	000000 FT		000000 FT	0 0 00000 0 00 0000+00
				NC GEORGETOWN RD
			* REF-BK	GEORGETOWN RD
				(SR1014 SEG 0240/2194)
				MFC BEGIN = D
				BK-MERCER (43)
			S 0010/0000	LENGTH(AH 0348 BK 0000)

DIR: B TOTAL LEN: 7.272 MI. DIST: 01-5 SR: 3025
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

	038398 FT		038398 FT	
			INTER-AHD	FIRST ST
				(SR0062 SEG 0470/1583)
				PETROLEUM ST
PETROLEUM ST				(CITY)
(SR0062 SEG 0470/1583)	0160/1971		0160/1971	
				REED ST
			0160/1455	(CITY)
				LINCOLN ST
			0160/1038	(CITY)
				DIVISION ST
			0160/0651	(CITY)
				ORANGE ST
			0160/0331	(CITY)
2 0 60024 0 00 0144+02	036427 FT		036427 FT	INNIS ST
INNIS ST				(SR2027 SEG 0050/1303)
(CITY)	0160/0000		S 0160/0000	LENGTH(AH 1971 BK 1605)
				MORAN ST
			0150/1158	(CITY)
				WYLLIS ST
			0150/0705	(CITY)
				SMEDLEY ST
			0150/0341	(CITY)
	034822 FT		034822 FT	2 0 60024 0 00 0128+03
				COWELL AV
				(CITY)
			S 0150/0000	LENGTH(AH 1605 BK 1927)

DIR: B TOTAL LEN: 7.272 MI. DIST: 01-5 SR: 3025
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

				MAYER ST
		==	0140/1299	(CITY)
HICKORY ST				
(CITY)	0140/1042	==		
				MITCHELL AV
		==	0140/0383	(CITY)
2 0 60024 0 00 0108+73 032895 FT			032895 FT	
ABBOTT ST				
(CITY)	0140/0000	==	S 0140/0000	LENGTH(AH 1927 BK 1519)
				RESERVOIR ST
		==	0130/1284	(CITY)
DARR ST				
(CITY)	0130/1017	==		
2 0 60024 0 00 0093+59 031376 FT			031376 FT	
MINERAL ST				
(CITY)	0130/0000	==	S 0130/0000	LENGTH(AH 1519 BK 3520)
				(APRA) VENANGO CATHOLIC
				PHILLIPS DR
		POI	0120/3018	(PRDR)
				FILSON AV
		== ==	0120/2790	(CITY)
				HAYS RUN
				STRUCTURE LENGTH 8 FT
			0120/2182	BMSID 60/3025/0120/2198
				018 "DIA CIRC CONCR
			0120/2162	LEN=0035 INSTALLED UNKN
				NC FIRST ST
				MFC BEGIN = C
				OIL CITY
			0120/0150	CRANBERRY T
				018 "DIA CIRC CONCR
			0120/0060	LEN=0048 INSTALLED 1998
	027856 FT		027856 FT	2 0 60024 0 00 0058+62
			S 0120/0000	LENGTH(AH 3520 BK 3274)
				018 "DIA CIRC CONCR
			0110/3096	LEN=0048 INSTALLED UNKN
			0110/3011	BMSEN 60/3025/0110/2994
				2 0 60024 0 00 0055+16
				DEEP HOLLOW
			0110/2994	BMSBG 60/3025/0110/2994

DIR: B TOTAL LEN: 7.272 MI. DIST: 01-5 SR: 3025
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                  015 "DIA CIRC CONCR
                                0110/2681         LEN=0048 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                0110/2454         LEN=0048 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                0110/1704         LEN=0048 INSTALLED UNKN
                                                  DEEP HOLLOW RUN
                                                  STRUCTURE LENGTH    9 FT
                                0110/1433         BMSID 60/3025/0110/1398
                                                  048"H 84"W ELLIP CONC
                                0110/1398         LEN=0072 INSTALLED UNKN

                                                  036 "DIA CIR PLASTIC
                                0110/0727         LEN=0052 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                0110/0373         LEN=0054 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                0110/0117         LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                0110/0068         LEN=0040 INSTALLED UNKN
024582 FT                       024582 FT         2 0 60024 0 00 0025+34
                              S 0110/0000         LENGTH(AH 3274 BK 2511)
                                                  015 "DIA CIRC CONCR
                                0100/2355         LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                0100/2124         LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                0100/1902         LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                0100/1577         LEN=0051 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                0100/1294         LEN=0054 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                0100/0957         LEN=0052 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                0100/0799         LEN=0048 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                0100/0336         LEN=0065 INSTALLED UNKN
022071 FT                       022071 FT         2 0 60024 0 00 0000+00
                                                  BREDINSBURG RD
                                                  (SR2006 SEG 0100/0000)
                              S 0100/0000         LENGTH(AH 2511 BK 2156)
                                                  015 "DIA CIRC CONCR
                                0090/1782         LEN=0045 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                0090/0906         LEN=0060 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                0090/0580         LEN=0046 INSTALLED UNKN
```

DIR: B TOTAL LEN: 7.272 MI. DIST: 01-5 SR: 3025
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                 015 "DIA CIRC CONCR
                                  0090/0204 LEN=0050 INSTALLED UNKN
019915 FT                         019915 FT 2 0 60078 0 00 0199+48
                                S 0090/0000 LENGTH(AH 2156 BK 2346)
                                                 015 "DIA CIRC CONCR
                                  0080/2130 LEN=0050 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                  0080/1990 LEN=0048 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                  0080/1650 LEN=0050 INSTALLED UNKN
                                                 018 "DIA CIRC CONCR
                                  0080/1139 LEN=0110 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                  0080/0816 LEN=0044 INSTALLED UNKN

                                                 015 "DIA CIRC CONCR
                                  0080/0008 LEN=0048 INSTALLED UNKN
017569 FT                         017569 FT 2 0 60078 0 00 0175+94
                                                 MONARCH PARK RD
                                                 (T678)
                                S 0080/0000 LENGTH(AH 2346 BK 2612)
                                                 048 "DIA CIRC CONCR
                                  0070/2482 LEN=0066 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                  0070/2162 LEN=0046 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                  0070/1879 LEN=0044 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                  0070/1423 LEN=0048 INSTALLED UNKN

                                                 018 "DIA CIRC CONCR
                                  0070/0712 LEN=0040 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                  0070/0210 LEN=0044 INSTALLED UNKN
014957 FT                         014957 FT 2 0 60078 0 00 0149+82
                                S 0070/0000 LENGTH(AH 2612 BK 2061)
                                                 015 "DIA CIRC CONCR
                                  0060/1867 LEN=0048 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                  0060/1532 LEN=0044 INSTALLED UNKN
                                                 060 "DIA CIRC CONCR
                                  0060/1104 LEN=0080 INSTALLED UNKN

                                                 048 "DIA CIRC CONCR
                                  0060/0226 LEN=0060 INSTALLED UNKN
012896 FT                         012896 FT 2 0 60078 0 00 0129+53
                                                 AIRES HILL RD
                                                 (T484)
                                S 0060/0000 LENGTH(AH 2061 BK 3430)
                                                 015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 7.272 MI. DIST: 01-5 SR: 3025
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                        0050/3428 LEN=0044 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/3210 LEN=0045 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/2855 LEN=0038 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/2557 LEN=0046 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/2325 LEN=0044 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/1927 LEN=0050 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/1700 LEN=0044 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/1607 LEN=0044 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/1397 LEN=0046 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/1002 LEN=0044 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/0756 LEN=0042 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/0463 LEN=0044 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/0233 LEN=0048 INSTALLED UNKN
009466 FT                               009466 FT 2 0 60078 0 00 0094+75
                                      S 0050/0000 LENGTH(AH 3430 BK 1982)
                                                  060 "DIA CIRC CONCR
                                        0040/1965 LEN=0100 INSTALLED UNKN


                                                  018 "DIA CIRC CONCR
                                        0040/0970 LEN=0048 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0040/0879 LEN=0070 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/0746 LEN=0067 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0040/0606 LEN=0044 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0040/0160 LEN=0042 INSTALLED UNKN
007484 FT                               007484 FT 2 0 60078 0 00 0074+93
                                      S 0040/0000 LENGTH(AH 1982 BK 2503)
                                                  030 "DIA CIRC CONCR
                                        0030/1966 LEN=0080 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0030/1426 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0030/1098 LEN=0044 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 7.272 MI. DIST: 01-5 SR: 3025
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                  0030/0916 LEN=0048 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0030/0393 LEN=0048 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0030/0144 LEN=0045 INSTALLED UNKN
004981 FT                         004981 FT 2 0 60078 0 00 0050+00
                                S 0030/0000 LENGTH(AH 2503 BK 2425)
                                            015 "DIA CIRC CONCR
                                  0020/2370 LEN=0044 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0020/2033 LEN=0048 INSTALLED UNKN
                                  0020/1549 BMSEN 60/3025/0020/1519
                                            2 0 60078 0 00 0040+97
                                            LO.2MI RUN
                                  0020/1519 BMSBG 60/3025/0020/1519
                                            018 "DIA CIRC CONCR
                                  0020/1275 LEN=0050 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0020/1040 LEN=0048 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0020/0678 LEN=0046 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0020/0548 LEN=0040 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0020/0332 LEN=0040 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0020/0144 LEN=0046 INSTALLED UNKN
002556 FT                         002556 FT 2 0 60078 0 00 0025+45
                                S 0020/0000 LENGTH(AH 2425 BK 2556)
                                            015 "DIA CIR PLASTIC
                                  0010/1986 LEN=0114 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0010/1597 LEN=0048 INSTALLED UNKN
                                  0010/1237 BMSEN 60/3025/0010/1183
                                            2 0 60078 0 00 0011+72
                                            LO.2MI.RUN
                                  0010/1183 BMSBG 60/3025/0010/1183

                                            015 "DIA CIRC CONCR
                                  0010/0330 LEN=0110 INSTALLED UNKN
                                            OLD 322 RD
                                ==  0010/0136 (T540)
                                            048 "DIA CIRC CONCR
                                  0010/0038 LEN=0100 INSTALLED UNKN
000000 FT                         000000 FT 2 0 60078 0 00 0000+00
                                        NC DEEP HOLLOW RD
                                            TWENTYEIGHTH DIVISION H
                                            (SR0322 SEG 0350/0000)
                                            MFC BEGIN = D
                                S 0010/0000 LENGTH(AH 2556 BK 0000)
```

DIR: B TOTAL LEN: 7.330 MI. DIST: 01-5 SR: 3024
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

	038704 FT		038704 FT	
			INTER-AHD	DEBENCE DR
				(TWP)
				PITTSBURGH RD
				(SR0008 SEG 0361/0000)
			0160/3420	(SR0008 SEG 0360/0000)
				KAY GLEN DR
		==	0160/3290	(PRDR)
SYLVAN RD (T678)	0160/2016	==		
				024 "DIA CIR PLASTIC
			0160/1538	LEN=0060 INSTALLED 1997
				018 "DIA CIR PLASTIC
			0160/1172	LEN=0060 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0160/0904	LEN=0045 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0160/0280	LEN=0060 INSTALLED UNKN
	035284 FT		035284 FT	2 0 60073 0 01 0354+47
			S 0160/0000	LENGTH(AH 3420 BK 2418)
				018 "DIA CIRC CONCR
			0150/2050	LEN=0050 INSTALLED UNKN
				015 "DIA CIR PLASTIC
			0150/1760	LEN=0045 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0150/1380	LEN=0040 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0150/1060	LEN=0038 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0150/0988	LEN=0038 INSTALLED UNKN
				024 "DIA CIRC CONCR
			0150/0712	LEN=0035 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0150/0257	LEN=0035 INSTALLED UNKN
	032866 FT		032866 FT	2 0 60073 0 01 0330+29
			S 0150/0000	LENGTH(AH 2418 BK 2320)
				024 "DIA CIR PLASTIC
			0140/1458	LEN=0042 INSTALLED UNKN

DIR: B TOTAL LEN: 7.330 MI. DIST: 01-5 SR: 3024
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

			DOYLE RUN
			STRUCTURE LENGTH 17 FT
		0140/1042	BMSID 60/3024/0140/1042
			024 "DIA CIRC CONCR
		0140/0410	LEN=0060 INSTALLED UNKN
030546 FT		030546 FT	2 0 60073 0 01 0307+47
	5	0140/0000	LENGTH(AH 2320 BK 2234)
			024 "DIA CIRC CONCR
		0130/2129	LEN=0050 INSTALLED UNKN
			072 "DIA CIRC CONCR
		0130/1808	LEN=0050 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0130/1082	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0130/0120	LEN=0048 INSTALLED UNKN
028312 FT		028312 FT	2 0 60073 0 01 0284+66
	5	0130/0000	LENGTH(AH 2234 BK 2995)
			018 "DIA CIRC CONCR
		0120/2353	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/2158	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/1510	LEN=0034 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0120/0885	LEN=0048 INSTALLED UNKN
025317 FT		025317 FT	2 0 60073 0 01 0254+71
	5	0120/0000	LENGTH(AH 2995 BK 2468)
			SANDY CREEK
		0110/2397	POLK BOROUGH B
		0110/0380	BMSEN 60/3024/0110/0314
			2 0 60073 0 00 0231+93
			LT SANDY CK.
		0110/0314	BMSBG 60/3024/0110/0314
			MAIN ST ET
	==	0110/0255	(BORO)
022849 FT		022849 FT	2 0 60073 0 00 0228+78
			NC POLK CUT OFF RD

DIR: B TOTAL LEN: 7.330 MI. DIST: 01-5 SR: 3024
LEFT MUN: POLK BOROUGH B RIGHT MUN: POLK BOROUGH B

```
                                                          MAIN ST
                                                          (SR0062 SEG 0130/0000)
                                                   S 0110/0000 LENGTH(AH 2468 BK 1932)

PINE SCHOOL RD
(PRDR)                  0100/1126

                       020917 FT                     020917 FT 2 0 60073 0 00 0209+39
                                                          LAKEWOOD CR
                                                          (GOVT)
                                                   S 0100/0000 LENGTH(AH 1932 BK 1965)
                                                          018 "DIA CIR PLASTIC
                                                     0090/1875 LEN=0050 INSTALLED UNKN

                                                          PUMP STATION RD
                                                     0090/0964 (GOVT)

                                                          018 "DIA CIR PLASTIC
                                                     0090/0342 LEN=0050 INSTALLED UNKN
                       018952 FT                     018952 FT 2 0 60073 0 00 0189+75
                                                          POLK BOROUGH
                                                          FRENCH CREEK T
                                                   S 0090/0000 LENGTH(AH 1965 BK 1616)
                                                          WOOD ST
                                                     0080/1500 (BORO)

                                                          018 "DIA CIR PLASTIC
                                                     0080/0064 LEN=0060 INSTALLED UNKN
2 0 60073 0 00 0172+23 017336 FT                     017336 FT
RAINBOW RD
(T346)                  0080/0000                  S 0080/0000 LENGTH(AH 1616 BK 2393)
                                                          018 "DIA CIR PLASTIC
                                                     0070/2082 LEN=0038 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                     0070/1915 LEN=0042 INSTALLED UNKN

                                                          018 "DIA CIR PLASTIC
                                                     0070/1203 LEN=0044 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                     0070/1058 LEN=0036 INSTALLED UNKN
                                                          015 "DIA CIR PLASTIC
                                                     0070/0693 LEN=0034 INSTALLED UNKN
                                                          015 "DIA CIR PLASTIC
                                                     0070/0414 LEN=0038 INSTALLED UNKN
                                                          015 "DIA CIR PLASTIC
                                                     0070/0273 LEN=0036 INSTALLED UNKN
```

DIR: B TOTAL LEN: 7.330 MI. DIST: 01-5 SR: 3024
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

2 0 60073 0 00 0149+43 014943 FT			014943 FT
WHIPPERWILL RD			
(T334)	0070/0000	S	0070/0000 LENGTH(AH 2393 BK 2492)
			018 "DIA CIR PLASTIC
			0060/2321 LEN=0040 INSTALLED 2018
			018 "DIA CIR PLASTIC
			0060/2141 LEN=0038 INSTALLED 2018
			018 "DIA CIR PLASTIC
			0060/2014 LEN=0044 INSTALLED 2000
			018 "DIA CIR PLASTIC
			0060/1524 LEN=0040 INSTALLED 2018
			018 "DIA CIRC METAL
			0060/1508 LEN=0032 INSTALLED UNKN
			015 "DIA CIRC METAL
			0060/1175 LEN=0048 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0060/1018 LEN=0040 INSTALLED 2000
			018 "DIA CIR PLASTIC
			0060/0255 LEN=0036 INSTALLED 2009
	012451 FT		012451 FT 2 0 60073 0 00 0124+71
		S	0060/0000 LENGTH(AH 2492 BK 3112)
			018 "DIA CIR PLASTIC
			0050/3094 LEN=0040 INSTALLED 2009
			018 "DIA CIR PLASTIC
			0050/1862 LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0050/1700 LEN=0040 INSTALLED 2018
			015 "DIA CIRC METAL
			0050/1695 LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0050/1378 LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0050/1168 LEN=0044 INSTALLED 2006
			018 "DIA CIR PLASTIC
			0050/0842 LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0050/0681 LEN=0035 INSTALLED UNKN
	009339 FT		009339 FT 2 0 60073 0 00 0098+88
		S	0050/0000 LENGTH(AH 3112 BK 1983)
			036 "DIA CIRC METAL
			0040/1858 LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0040/1372 LEN=0035 INSTALLED 2006

DIR: B TOTAL LEN: 7.330 MI. DIST: 01-5 SR: 3024
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

```
                                                          015 "DIA CIR UNKNOWN
                                                0040/0380 LEN=0030 INSTALLED UNKN
                                                          015 "DIA CIR PLASTIC
                                                0040/0040 LEN=0038 INSTALLED UNKN
2 0 60073 0 00 0074+88 007356 FT                007356 FT
NOGGLE RD
(T316)                 0040/0000          ==  S 0040/0000 LENGTH(AH 1983 BK 2335)
                                                          024 "DIA CIR PLASTIC
                                                0030/2200 LEN=0035 INSTALLED UNKN

                                                          015 "DIA CIRC METAL
                                                0030/1402 LEN=0040 INSTALLED UNKN
                                                          015 "DIA CIR PLASTIC
                                                0030/1282 LEN=0040 INSTALLED UNKN

                                                          015 "DIA CIR PLASTIC
                                                0030/0592 LEN=0062 INSTALLED UNKN
                       005021 FT                005021 FT 2 0 60073 0 00 0050+62
                                                S 0030/0000 LENGTH(AH 2335 BK 1957)

                                                          024"H 00"W MULT PLSTIC
                                                0020/1340 LEN=0030 INSTALLED UNKN

                                                          018 "DIA CIR PLASTIC
                                                0020/0696 LEN=0030 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                0020/0221 LEN=0040 INSTALLED 2005
2 0 60073 0 00 0031+05 003064 FT                003064 FT
DEAN RD
(T439)                 0020/0000          ==  S 0020/0000 LENGTH(AH 1957 BK 3064)
                                                          015 "DIA CIRC METAL
                                                0010/2598 LEN=0042 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                0010/2444 LEN=0030 INSTALLED UNKN
                                                          015 "DIA CIR PLASTIC
                                                0010/1975 LEN=0045 INSTALLED UNKN
                                                0010/1558 BMSEN 60/3024/0010/1538
                                                          2 0 60073 0 00 0015+53
                                                          LT.SANDY CK.
                                                0010/1538 BMSBG 60/3024/0010/1538


                       000000 FT                000000 FT 2 0 60073 0 00 0000+00
                                                          RAYMILTON RD
                                                          (SR3017 SEG 0040/0000)
                                                     NC VALLEY RD
RAYMILTON RD                                              MFC BEGIN = D
(SR3017 SEG 0040/0000) 0010/0000              ==  S 0010/0000 LENGTH(AH 3064 BK 0000)
```

DIR: B TOTAL LEN: 1.989 MI. DIST: 01-5 SR: 3023
LEFT MUN: UTICA B RIGHT MUN: UTICA B

010501 FT



008915 FT

010501 FT ACADEMY ST
0040/1586 (SR3017 SEG 0160/1026)
0040/1448 BMSEN 60/3023/0040/1386
2 0 60067 0 00 0103+54
MILL CREEK
0040/1386 BMSBG 60/3023/0040/1386
024"H 00"W MULT PLSTIC
0040/1002 LEN=0042 INSTALLED 1996
015 "DIA CIR PLASTIC
0040/0742 LEN=0059 INSTALLED UNKN
018 "DIA CIR PLASTIC
0040/0290 LEN=0012 INSTALLED 2015
008915 FT 2 0 60067 0 00 0089+68
UTICA
FRENCH CREEK T

DIR: B TOTAL LEN: 1.989 MI. DIST: 01-5 SR: 3023
LEFT MUN: UTICA B RIGHT MUN: UTICA B

```
                                                  S 0040/0000 LENGTH(AH 1586 BK 2922)
                                                            018 "DIA CIR PLASTIC
                                                    0030/2739 LEN=0060 INSTALLED 2015
                                                            015 "DIA CIR PLASTIC
                                                    0030/2236 LEN=0036 INSTALLED 1996
                                                            018 "DIA CIRC METAL
                                                    0030/1807 LEN=0040 INSTALLED 1996


                                                            018 "DIA CIR PLASTIC
                                                    0030/0369 LEN=0030 INSTALLED 1996
                        005993 FT                   005993 FT 2 0 60067 0 00 0059+54
                                                  S 0030/0000 LENGTH(AH 2922 BK 2623)
                                                            015 "DIA CIRC CONCR
                                                    0020/2370 LEN=0036 INSTALLED 1996
                                                            030 "DIA CIRC CONCR
                                                    0020/2076 LEN=0040 INSTALLED 1996


                                                            015 "DIA CIRC CONCR
                                                    0020/1067 LEN=0032 INSTALLED 1996

2 0 60067 0 00 0033+59 003370 FT                    003370 FT
PHELPS RD
(T505)                   0020/0000                  S 0020/0000 LENGTH(AH 2623 BK 3370)
                                                            018 "DIA CIRC CONCR
                                                    0010/3217 LEN=0040 INSTALLED 1996
                                                            015 "DIA CIRC CONCR
                                                    0010/2860 LEN=0040 INSTALLED 1996
                                                            018 "DIA CIRC CONCR
                                                    0010/2652 LEN=0030 INSTALLED 1996
                                                            024 "DIA CIRC CONCR
                                                    0010/2500 LEN=0030 INSTALLED 1996
                                                            018 "DIA CIRC CONCR
                                                    0010/1929 LEN=0055 INSTALLED 1996

                                                            015 "DIA CIR PLASTIC
                                                    0010/1030 LEN=0048 INSTALLED 1996


                        000000 FT                   000000 FT 2 0 60067 0 00 0000+00
                                                          NC WATERLOO RD
                                                            GEORGETOWN RD
                                                            (SR3026 SEG 0060/0000)
                                                    INTER-BK WIPPER WILL RD
                                                            (T334)
                                                            MFC BEGIN = D
                                                  S 0010/0000 LENGTH(AH 3370 BK 0000)
```

DIR: B TOTAL LEN: .031 MI. DIST: 01-5 SR: 3022
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

000166 FT

000000 FT



000166 FT SR 3017 SH
0010/0166 (SR3017 SEG 0060/0000)
000000 FT 2 0 60071 0 00 0000+00
NC GLEN SCHOOL RD
* REF-BK SR 1012 SH
(SR1012 SEG 0080/2297)
MFC BEGIN = E
BK-MERCER (43)
S 0010/0000 LENGTH(AH 0166 BK 0000)

DIR: B TOTAL LEN: 3.790 MI. DIST: 01-5 SR: 3021
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

```
                    020011 FT                    020011 FT
                                                 INTER-AHD LIBERTY ST
                                                           (SR0322 SEG 0310/0000)
                                                           EIGHTH ST
EIGHTH ST                                                  (SR0322 SEG 0310/0000)
(CITY)               0090/1993                   0090/1993

                                                           SEVENTH ST
                                                 0090/1330 (CITY)

                                                           SIXTH ST
                                                 0090/0670 (CITY)

                    018018 FT                    018018 FT 2 0 60022 0 01 0276+23
                                                           FIFTH ST
                                                           (CITY)
                                                 S 0090/0000 LENGTH(AH 1993 BK 2199)

                                                           FOURTH ST
                                                 0080/1535 (CITY)

                                                           THIRD ST
                                                           (CITY)
                                                           LIBERTY ST
                                                 0080/0871 (CITY)
                                                       NC LIBERTY ST
                                                           BUFFALO ST
                                                 0080/0486 (CITY)
                                                           EGBERT AVE
                                                 0080/0152 (CITY)
                    015819 FT                    015819 FT 2 0 60022 0 00 0254+50
THIRD ST                                               NC THIRD ST
(CITY)               0080/0000                   S 0080/0000 LENGTH(AH 2199 BK 2974)
                                                           018 "DIA CIRC CONCR
                                                 0070/2880 LEN=0050 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0070/2432 LEN=0118 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0070/2104 LEN=0042 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0070/1750 LEN=0040 INSTALLED 2016
                                                           018 "DIA CIR PLASTIC
                                                 0070/1203 LEN=0040 INSTALLED 2016
                                                           018 "DIA CIRC METAL
                                                 0070/0875 LEN=0043 INSTALLED UNKN
```

DIR: B TOTAL LEN: 3.790 MI. DIST: 01-5 SR: 3021
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

```
                                                 018 "DIA CIR PLASTIC
                                  0070/0866 LEN=0060 INSTALLED 2016
                                                 018 "DIA CIR PLASTIC
                                  0070/0625 LEN=0048 INSTALLED UNKN
                                                 018 "DIA CIR PLASTIC
                                  0070/0595 LEN=0040 INSTALLED UNKN
                                                 018 "DIA CIR PLASTIC
                                  0070/0398 LEN=0040 INSTALLED 2016
012845 FT                         012845 FT 2 0 60022 0 00 0224+22
                                                 FRANKLIN
                                                 SANDY CREEK T
                                5 0070/0000 LENGTH(AH 2974 BK 1583)
                                                 018 "DIA CIR PLASTIC
                                  0060/1161 LEN=0044 INSTALLED 1998
                                                 018 "DIA CIR PLASTIC
                                  0060/0595 LEN=0042 INSTALLED 1998
                                                 018 "DIA CIRC METAL
                                  0060/0225 LEN=0046 INSTALLED 1998
                                                 072 "DIA CIRC CONCR
                                  0060/0011 LEN=0060 INSTALLED 1998
011262 FT                         011262 FT 2 0 60022 0 00 0208+39
                                       NC BULLY HILL RD
                                                 BELMAR RD
                                                 (SR3019 SEG 0040/2309)
                                5 0060/0000 LENGTH(AH 1583 BK 2152)
                                                 018 "DIA CIR PLASTIC
                                  0050/1673 LEN=0049 INSTALLED 1998

                                                 024"H 00"W MULT PLSTIC
                                  0050/1050 LEN=0050 INSTALLED 1998

009110 FT                         009110 FT 2 0 60021 1 00 0020+00
                                5 0050/0000 LENGTH(AH 2152 BK 1979)
                                                 015 "DIA CIRC METAL
                                  0040/1700 LEN=0045 INSTALLED 1998
                                                 015 "DIA CIR PLASTIC
                                  0040/1295 LEN=0048 INSTALLED 1998
                                                 015 "DIA CIRC METAL
                                  0040/0953 LEN=0036 INSTALLED 1998


                                                 018 "DIA CIR PLASTIC
                                  0040/0043 LEN=0070 INSTALLED 1998
007131 FT                         007131 FT 2 0 60021 1 00 0000+00
                                                 PONE LN
                                                 (SR3019 SEG 0010/0000)
                                       NC CONGRESS HILL RD
                                                 CONGRESS HILL RD
                                                 (T368)
```

DIR: B TOTAL LEN: 3.790 MI. DIST: 01-5 SR: 3021
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

```
                                                  S 0040/0000 LENGTH(AH 1979 BK 2629)
                                                            015 "DIA CIR PLASTIC
                                                    0030/2580 LEN=0058 INSTALLED 1998

                                                            015 "DIA CIR PLASTIC
                                                    0030/1914 LEN=0052 INSTALLED 1998
                                                            MILLER RD
                                                    0030/1907 (T429)
                                                            015 "DIA CIR PLASTIC
                                                    0030/1845 LEN=0052 INSTALLED 1998

                  004502 FT                         004502 FT 2 0 60021 0 00 0045+04
                                                  S 0030/0000 LENGTH(AH 2629 BK 2553)
                                                            015 "DIA CIR PLASTIC
                                                    0020/2496 LEN=0050 INSTALLED UNKN

                                                            018 "DIA CIR PLASTIC
                                                    0020/1860 LEN=0040 INSTALLED 1998

SANDY CREEK ELEM SCHOOL
(PRDR)            0020/0855
                                                            FRANKLIN HIGH SCHOOL
                                                    0020/0677 (PRDR)

                  001949 FT                         001949 FT 2 0 60021 0 00 0019+51
                                                            FRANKLIN HIGH SCHOOL
                                                            (PRDR)
                                                  S 0020/0000 LENGTH(AH 2553 BK 1949)

                                                            024 "DIA CIR PLASTIC
                                                    0010/1175 LEN=0060 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                    0010/0953 LEN=0055 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                    0010/0933 LEN=0050 INSTALLED UNKN
                                                            024 "DIA CIR PLASTIC
                                                    0010/0585 LEN=0060 INSTALLED 1998
                  000000 FT                         000000 FT 2 0 60021 0 00 0000+00
                                                          NC PONE LN
                                                            PITTSBURGH RD
                                                            (SR0008 SEG 0391/0000)
                                                            (SR0008 SEG 0390/0000)
FIFTEENTH ST
(SR0008 SEG 0391/0000)                                      MFC BEGIN = D
(SR0008 SEG 0390/0000)  0010/0000                 S 0010/0000 LENGTH(AH 1949 BK 0000)
```

DIR: B TOTAL LEN: 4.060 MI. DIST: 01-5 SR: 3020
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

021436 FT



021436 FT ROCKLAND CRANBERRY RD
0080/2988 (SR2013 SEG 0060/0942)
018 "DIA CIR PLASTIC
0080/2935 LEN=0060 INSTALLED 2007

018 "DIA CIR PLASTIC
0080/2230 LEN=0045 INSTALLED 2007
018 "DIA CIR PLASTIC
0080/2025 LEN=0040 INSTALLED 2007
024 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 4.060 MI. DIST: 01-5 SR: 3020
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

```
                                                  0080/1595 LEN=0036 INSTALLED UNKN
MAYS MILL RD
(T512)                  0080/1386      ==

                        018448 FT                 018448 FT 2 0 60076 0 00 0184+86
                                                S 0080/0000 LENGTH(AH 2988 BK 3415)

                                                            018 "DIA CIR PLASTIC
                                                  0070/2695 LEN=0040 INSTALLED 2007

                                                            018 "DIA CIR PLASTIC
                                                  0070/1866 LEN=0075 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0070/1512 LEN=0038 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0070/1148 LEN=0050 INSTALLED 1998

                        015033 FT                 015033 FT 2 0 60076 0 00 0150+71
                                                S 0070/0000 LENGTH(AH 3415 BK 2613)

                                                            018 "DIA CIR PLASTIC
                                                  0060/1866 LEN=0030 INSTALLED 2007

                                                            018 "DIA CIR PLASTIC
                                                  0060/1057 LEN=0040 INSTALLED UNKN

                                                            JORDAN HILL RD
                                             ==   0060/0033 (T470)
2 0 60076 0 00 0124+62  012420 FT                 012420 FT
EAST SANDY RD
(T471)                  0060/0000      ==      S 0060/0000 LENGTH(AH 2613 BK 2494)

                                                            018 "DIA CIR PLASTIC
                                                  0050/1254 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0050/0823 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0050/0371 LEN=0050 INSTALLED 2007
                        009926 FT                 009926 FT 2 0 60076 0 00 0099+38
                                                S 0050/0000 LENGTH(AH 2494 BK 2502)
                                                            015 "DIA CIR PLASTIC
                                                  0040/1971 LEN=0040 INSTALLED 1998
```

DIR: B TOTAL LEN: 4.060 MI. DIST: 01-5 SR: 3020
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

```
                                                    015 "DIA CIR PLASTIC
                                     0040/0773 LEN=0040 INSTALLED UNKN

                 007424 FT           007424 FT 2 0 60076 0 00 0074+36
                                   S 0040/0000 LENGTH(AH 2502 BK 2365)
                                                    015 "DIA CIR PLASTIC
                                     0030/1982 LEN=0040 INSTALLED UNKN
                                                    PINE HILL CEMETERY RD
                                     0030/1724 (T562)
                                                    015 "DIA CIR PLASTIC
                                     0030/1387 LEN=0050 INSTALLED 1998

                                                    015 "DIA CIR PLASTIC
                                     0030/0767 LEN=0040 INSTALLED UNKN

                 005059 FT           005059 FT 2 0 60076 0 00 0051+00
                                                    060 "DIA CIRC CONCR
                                                    LEN=0036 INSTALLED UNKN
                                   S 0030/0000 LENGTH(AH 2365 BK 2592)
                                                    015 "DIA CIR PLASTIC
                                     0020/2120 LEN=0047 INSTALLED UNKN
PINE HILL CHURCH RD
(T387)            0020/1843
                                                    018 "DIA CIR PLASTIC
                                     0020/1744 LEN=0040 INSTALLED UNKN
                                                    SENECA HEMLOCK RD
                                     0020/1680 (T406)
                                                    024 "DIA CIR PLASTIC
                                     0020/1195 LEN=0040 INSTALLED UNKN
                                                    036"H 00"W MULT PLSTIC
                                     0020/1107 LEN=0050 INSTALLED 2002

                 002467 FT           002467 FT 2 0 60076 0 00 0026+98
                                   S 0020/0000 LENGTH(AH 2592 BK 2467)
                                                    018 "DIA CIR PLASTIC
                                     0010/2263 LEN=0040 INSTALLED 1998
                                                    024 "DIA CIRC CONCR
                                     0010/1928 LEN=0060 INSTALLED UNKN
                                                    015 "DIA CIR PLASTIC
                                     0010/1346 LEN=0050 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                     0010/0817 LEN=0040 INSTALLED UNKN

                 000000 FT           000000 FT 2 0 60076 0 00 0000+00
                                                 NC COAL CITY RD
                                     INTER-BK    BRANDON RD
                                                    (T385)
                                                    MFC BEGIN = E
TITUS RD
(T408)            0010/0000        S 0010/0000 LENGTH(AH 2467 BK 0000)
```

DIR: B TOTAL LEN: 2.029 MI. DIST: 01-5 SR: 3019
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

	010712 FT		010712 FT	
CONGRESS HILL RD			INTER-AHD	BULLY HILL RD
(SR3021 SEG 0060/0000)	0040/2309		0040/2309	(SR3021 SEG 0060/0000)
				030 "DIA CIRC METAL
			0040/2260	LEN=0056 INSTALLED 1996
				018 "DIA CIR PLASTIC
			0040/1983	LEN=0032 INSTALLED 1996
CRISSWELL RD				
(T408)	0040/1147			
				018 "DIA CIR PLASTIC
			0040/1110	LEN=0060 INSTALLED 1996
				018 "DIA CIR PLASTIC
			0040/0844	LEN=0040 INSTALLED 1996
				018 "DIA CIRC METAL
			0040/0334	LEN=0042 INSTALLED 1996
	008403 FT		008403 FT	2 0 60022 0 00 0185+13
			S 0040/0000	LENGTH(AH 2309 BK 2709)

DIR: B TOTAL LEN: 2.029 MI. DIST: 01-5 SR: 3019
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

				048 "DIA CIR PLASTIC
			0030/2620	LEN=0060 INSTALLED 2014
				024 "DIA CIR PLASTIC
			0030/2361	LEN=0050 INSTALLED 1996
				GLENN DR
			0030/0684	(T431)
	005694 FT		005694 FT	2 0 60022 0 00 0158+03
				NC BELMAR RD
				BELMAR RD
				(T999)
			S 0030/0000	LENGTH(AH 2709 BK 2406)
				015 "DIA CIR PLASTIC
			0020/2204	LEN=0050 INSTALLED 1996
				024 "DIA CIR PLASTIC
			0020/0670	LEN=0030 INSTALLED 1996
2 0 60021 0 00 0105+76	003288 FT		003288 FT	DOERR RD
CRISSWELL RD				(T410)
(T408)	0020/0000		S 0020/0000	LENGTH(AH 2406 BK 3288)
TERRA ALTA DR				
(TWP)	0010/2338			
				015 "DIA CIR PLASTIC
			0010/2275	LEN=0036 INSTALLED 1996
				013"H 21"W ELLIP METAL
			0010/1357	LEN=0050 INSTALLED 1996
				018 "DIA CIR PLASTIC
			0010/0452	LEN=0060 INSTALLED 1996
	000000 FT		000000 FT	2 0 60021 0 00 0071+52
				NC PONE LANE
				CONGRESS HILL RD
				(T368)
			INTER-BK	PONE LN
				(SR3021 SEG 0040/0000)
CONGRESS HILL RD				MFC BEGIN = D
(SR3021 SEG 0040/0000)	0010/0000		S 0010/0000	LENGTH(AH 3288 BK 0000)

DIR: B TOTAL LEN: .061 MI. DIST: 01-5 SR: 3018
LEFT MUN: VICTORY T RIGHT MUN: VICTORY T

000320 FT		000320 FT
		7050/0000 LENGTH(AH 1860 BK 2617)
000320 FT		000320 FT
		7040/0000 LENGTH(AH 2617 BK 2534)
000320 FT		000320 FT
		7030/0000 LENGTH(AH 2534 BK 0338)
000320 FT		000320 FT
		7028/0000 LENGTH(AH 0338 BK 0160)
		BMSEN 60/3018/0026/0000
		* REF-AHD TWIN OAKES RD
		0026/0160 (T301)
000160 FT		000160 FT 2 0 60015 0 00 0015+32
		* REF-BK TWIN OAKES RD
		(T301)
		SR 0008 NB
		BMSBG 60/3018/0026/0000
		S 0026/0000 LENGTH(AH 0160 BK 0064)
000160 FT		000160 FT
		7024/0000 LENGTH(AH 0064 BK 0160)
		BMSEN 60/3018/0022/0000
		* REF-AHD TWIN OAKES RD
		0022/0160 (T301)
000000 FT		000000 FT 2 0 60015 0 00 0013+08
		NC TWIN OAKES RD
		* REF-BK TWIN OAKES RD
		(T301)
		SR 0008 SB
		BMSBG 60/3018/0022/0000
		MFC BEGIN = E
		S 0022/0000 LENGTH(AH 0160 BK 0411)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 0411 BK 0898)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 0898 BK 0000)

DIR: B TOTAL LEN: 9.866 MI. DIST: 01-5 SR: 3017
LEFT MUN: CANAL T RIGHT MUN: CANAL T

```
                                052093 FT                    052093 FT
                                                             INTER-AHD  FOSTER RD
                                                                        (T549)
                                                                        TWENTYEIGHTH DIVISION H
                                                             0210/3643  (SR0322 SEG 0110/0000)

                                                                        015 "DIA CIRC CONCR
                                                             0210/2748  LEN=0012 INSTALLED UNKN
                                                                        022 "DIA CIRC CONCR
                                                             0210/2483  LEN=0015 INSTALLED UNKN
                                                                        042 "DIA CIRC CONCR
                                                             0210/2166  LEN=0050 INSTALLED UNKN

                                                             0210/1318  BMSEN 60/3017/0210/1232
                                                                        1 0 00582 0 00 0077+91
                                                                        WARDEN RUN
                                                             0210/1285  BMSBG 60/3017/0210/1232

                                                                        018 "DIA CIRC CONCR
                                                             0210/0234  LEN=0040 INSTALLED UNKN
                                048450 FT                    048450 FT  1 0 00582 0 00 0065+59
                                                           S 0210/0000  LENGTH(AH 3643 BK 3117)
                                                                        018 "DIA CIRC CONCR
                                                             0200/2779  LEN=0038 INSTALLED UNKN
                                                                        022 "DIA CIRC CONCR
                                                             0200/2394  LEN=0012 INSTALLED UNKN

                                                                        018 "DIA CIRC CONCR
                                                             0200/1338  LEN=0012 INSTALLED UNKN
                                                                        015 "DIA CIRC CONCR
                                                             0200/0920  LEN=0044 INSTALLED UNKN
                                                                        060"H 90"W CONCR ARCH
                                                             0200/0706  LEN=0038 INSTALLED UNKN
                                                                        WARDEN RUN BRANCH
                                                                        STRUCTURE LENGTH    9 FT
                                                             0200/0699  BMSID 60/3017/0200/0699

                                                                        018 "DIA CIRC CONCR
                                                             0200/0028  LEN=0015 INSTALLED UNKN
1 0 00582 0 00 0033+92          045333 FT                    045333 FT  BUTTERMILK HILL RD
MCCUNE RD                                                               (SR4010 SEG 0010/0000)
(T300)                           0200/0000                 S 0200/0000  LENGTH(AH 3117 BK 3411)
                                                                        015 "DIA CIRC CONCR
                                                             0190/3411  LEN=0040 INSTALLED UNKN
                                                                        015 "DIA CIRC CONCR
                                                             0190/3410  LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 9.866 MI. DIST: 01-5 SR: 3017
LEFT MUN: CANAL T RIGHT MUN: CANAL T

```
                                                  030 "DIA CIRC CONCR
                                  0190/3167 LEN=0050 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                  0190/2232 LEN=0015 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                  0190/0629 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0190/0471 LEN=0012 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0190/0080 LEN=0015 INSTALLED UNKN
                041922 FT         041922 FT 1 0 00582 0 00 0000+00
                                                  CANAL
                                                  UTICA B
                                  0190/0000 LENGTH(AH 3411 BK 2159)
                                                  015 "DIA CIRC CONCR
                                  0180/1987 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                  0180/1748 LEN=0015 INSTALLED UNKN
STEVENS RD
(T320)          0180/1347                 NC UTICA RD
                                                  018 "DIA CIR PLASTIC
                                  0180/1215 LEN=0015 INSTALLED 2013
                                                  018 "DIA CIR PLASTIC
                                  0180/0889 LEN=0015 INSTALLED 2013

                                                  048 "DIA CIR PLASTIC
                                  0180/0025 LEN=0080 INSTALLED 2016
                039763 FT         039763 FT 2 0 60019 0 00 0398+94
                                            NC RAILROAD ST
                                  0180/0000 LENGTH(AH 2159 BK 2942)

                                  0170/2321 (AAR 262825E)#TRKS 01
                                  0170/2261 (AAR 262825E)#TRKS 01
                                  0170/2214 BMSEN 60/3017/0170/1956
                                                  018 "DIA CIRC CONCR
                                  0170/2211 LEN=0012 INSTALLED UNKN
                                                  2 0 60019 0 00 0368+64
                                                  FRENCH CK.
                                  0170/1926 BMSBG 60/3017/0170/1956
                                                  018 "DIA CIRC CONCR
                                  0170/1862 LEN=0035 INSTALLED UNKN
                                                  WATER ST
                                  0170/1755 (BORO)
                                                  015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 9.866 MI. DIST: 01-5 SR: 3017
LEFT MUN: UTICA B RIGHT MUN: UTICA B

```
                                                  0170/1745 LEN=0020 INSTALLED UNKN

GRANT ST
(BORO)                  0170/1145                   NC THIRD ST
                                                          015 "DIA CIRC METAL
                                                  0170/1128 LEN=0035 INSTALLED UNKN
                                                     NC GRANT ST
                                                          SECOND ST
                                                          (BORO)
                                                          GRANT ST
                                                  0170/0793 (BORO)
                                                          015 "DIA CIRC CONCR
                                                  0170/0725 LEN=0015 INSTALLED UNKN

                        036821 FT                 036821 FT 2 0 60019 0 00 0368+64
                                                S 0170/0000 LENGTH(AH 2942 BK 2432)
KRAFT HILL ST
(SR3028 SEG 0040/2435)  0160/2406
                                                          018 "DIA CIR PLASTIC
                                                  0160/2155 LEN=0020 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                  0160/1725 LEN=0015 INSTALLED UNKN

                                                          WATERLOO RD
                                                  0160/1026 (SR3023 SEG 0040/1586)
                                                          018 "DIA CIR PLASTIC
                                                  0160/0697 LEN=0012 INSTALLED UNKN
                                                          018 "DIA CIRC CONCR
                                                  0160/0254 LEN=0015 INSTALLED UNKN
                        034389 FT                 034389 FT 2 0 60019 0 00 0344+30
                                                     NC ACADEMY ST
                                                          UTICA
                                                          FRENCH CREEK T
                                                S 0160/0000 LENGTH(AH 2432 BK 2537)
                                                          030 "DIA CIRC METAL
                                                  0150/2500 LEN=0015 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                  0150/2092 LEN=0012 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                  0150/1838 LEN=0012 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                  0150/1593 LEN=0012 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                  0150/1486 LEN=0012 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                  0150/1255 LEN=0010 INSTALLED UNKN

                                                          015 "DIA CIR PLASTIC
                                                  0150/0406 LEN=0012 INSTALLED UNKN
                        031852 FT                 031852 FT 2 0 60019 0 00 0318+72
```

DIR: B TOTAL LEN: 9.866 MI. DIST: 01-5 SR: 3017
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

		S	0150/0000 LENGTH(AH 2537 BK 2094)
			024 "DIA CIRC CONCR
			0140/1785 LEN=0016 INSTALLED UNKN
			024 "DIA CIRC CONCR
			0140/1732 LEN=0016 INSTALLED UNKN
			024 "DIA CIRC CONCR
			0140/1684 LEN=0016 INSTALLED UNKN
			024 "DIA CIRC CONCR
			0140/1405 LEN=0016 INSTALLED UNKN
			0140/0584 BMSEN 60/3017/0140/0542
			2 0 60019 0 00 0303+20
			MILL CREEK
			0140/0542 BMSBG 60/3017/0140/0542
	029758 FT		029758 FT 2 0 60019 0 00 0299+68
			CONWAY RD
			(T318)
		S	0140/0000 LENGTH(AH 2094 BK 2045)
			040 "DIA CIRC CONCR
			0130/1841 LEN=0080 INSTALLED UNKN
			027 "DIA CIR PLASTIC
			0130/0905 LEN=0012 INSTALLED UNKN
			024 "DIA CIR PLASTIC
2 0 60019 0 00 0276+95	027713 FT		0130/0060 LEN=0012 INSTALLED UNKN
MILL CREEK RD			027713 FT
(T503)	0130/0000	S	0130/0000 LENGTH(AH 2045 BK 1738)
			018 "DIA CIR PLASTIC
			0120/1683 LEN=0055 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0120/1068 LEN=0012 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0120/0784 LEN=0015 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0120/0391 LEN=0015 INSTALLED UNKN
			024 "DIA CIR PLASTIC
			0120/0050 LEN=0014 INSTALLED UNKN
	025975 FT		025975 FT 2 0 60019 0 00 0259+22
		S	0120/0000 LENGTH(AH 1738 BK 2118)
			018 "DIA CIR PLASTIC
			0110/1849 LEN=0015 INSTALLED UNKN
			036 "DIA CIRC CONCR
			0110/0797 LEN=0015 INSTALLED UNKN
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 9.866 MI. DIST: 01-5 SR: 3017
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

```
                                                 0110/0288 LEN=0010 INSTALLED UNKN
                        023857 FT                023857 FT 2 0 60019 0 00 0238+21
                                                          018 "DIA CIR PLASTIC
MILLER RD                                                 LEN=0015 INSTALLED UNKN
(T501)                   0110/0000             S 0110/0000 LENGTH(AH 2118 BK 1768)
                                                          018 "DIA CIR PLASTIC
                                                 0100/1173 LEN=0010 INSTALLED UNKN

                                                          018 "DIA CIR PLASTIC
                                                 0100/0303 LEN=0012 INSTALLED 2004
                        022089 FT                022089 FT 2 0 60019 0 00 0219+99
                                               S 0100/0000 LENGTH(AH 1768 BK 2316)

                                                          018 "DIA CIR PLASTIC
                                                 0092/1140 LEN=0032 INSTALLED UNKN

                                                          GEORGETOWN RD
                                                          (SR3026 SEG 0020/0000)
                                                     NC RAYMILTON RD
                        019773 FT                019773 FT 2 0 60019 0 00 0198+21
GEORGETOWN RD                                        NC GEORGETOWN RD
(SR3026 SEG 0010/0348)   0092/0000             S 0092/0000 LENGTH(AH 2316 BK 2251)

                                                          015 "DIA CIRC METAL
                                                 0080/0945 LEN=0036 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                 0080/0489 LEN=0015 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                 0080/0137 LEN=0015 INSTALLED UNKN
                        017522 FT                017522 FT 2 0 60019 0 00 0175+34
                                               S 0080/0000 LENGTH(AH 2251 BK 1801)
                                                          018 "DIA CIR PLASTIC
                                                 0070/1573 LEN=0015 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                 0070/1177 LEN=0012 INSTALLED UNKN

                                                          018 "DIA CIR PLASTIC
                                                 0070/0521 LEN=0015 INSTALLED UNKN
                                                 0070/0013 BMSEN 60/3017/0070/0000
                        015721 FT                015721 FT 2 0 60019 0 00 0157+35
                                                          LT.SANDY CK.
                                                          BMSBG 60/3017/0070/0000
                                               S 0070/0000 LENGTH(AH 1801 BK 1495)

                                                          018 "DIA CIR PLASTIC
                                                 0060/0784 LEN=0015 INSTALLED UNKN
```

DIR: B TOTAL LEN: 9.866 MI. DIST: 01-5 SR: 3017
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

			015 "DIA CIRC CONCR
		0060/0188	LEN=0065 INSTALLED UNKN
			LC FOR DEAN RD
		0060/0112	(CONN)
			018 "DIA CIR PLASTIC
		0060/0056	LEN=0020 INSTALLED UNKN
	014226 FT	014226 FT	2 0 60019 0 00 0142+52
			DEAN RD
SR 3022 SH			(T439)
(SR3022 SEG 0010/0166)	0060/0000	S 0060/0000	LENGTH(AH 1495 BK 2240)
		0050/1994	BMSEN 60/3017/0050/1963
			2 0 60019 0 00 0139+48
			LT.SANDY CK.
		0050/1963	BMSBG 60/3017/0050/1963
			018 "DIA CIR PLASTIC
		0050/1433	LEN=0014 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0050/1205	LEN=0017 INSTALLED UNKN
	011986 FT	011986 FT	2 0 60019 0 00 0119+85
		S 0050/0000	LENGTH(AH 2240 BK 2455)
			034 "DIA CIR PLASTIC
		0040/1491	LEN=0022 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/1057	LEN=0012 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0040/0830	LEN=0012 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/0201	LEN=0014 INSTALLED UNKN
	009531 FT	009531 FT	2 0 60019 0 00 0095+33
			VALLEY RD
			(SR3024 SEG 0010/0000)
		S 0040/0000	LENGTH(AH 2455 BK 3199)
			018 "DIA CIR PLASTIC
		0030/2363	LEN=0015 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/2220	LEN=0015 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0030/1875	LEN=0012 INSTALLED UNKN
		0030/1501	BMSEN 60/3017/0030/1467
			2 0 60019 0 00 0077+93
			SANDY CREEK
		0030/1467	BMSBG 60/3017/0030/1467

DIR: B TOTAL LEN: 9.866 MI. DIST: 01-5 SR: 3017
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

			027 "DIA CIR PLASTIC
		0030/0706	LEN=0013 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/0283	LEN=0012 INSTALLED UNKN
2 0 60019 0 00 0063+00 006332 FT		006332 FT	FRENCH CREEK
GREENLEE RD			MINERAL T
(T425) 0030/0000		S 0030/0000	LENGTH(AH 3199 BK 2954)
			GREENLEE RD
		0020/2909	(T425)
			018 "DIA CIR PLASTIC
		0020/2879	LEN=0017 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/2844	LEN=0017 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/2678	LEN=0013 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0020/2076	LEN=0017 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0703	LEN=0018 INSTALLED UNKN
2 0 60019 0 00 0033+86 003378 FT		003378 FT	PALM HILL RD
BEGGS RD			(T423)
(T422) 0020/0000		S 0020/0000	LENGTH(AH 2954 BK 3378)
			018 "DIA CIR PLASTIC
		0010/2249	LEN=0012 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/2007	LEN=0016 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0010/1248	LEN=0019 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0010/1207	LEN=0019 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/0242	LEN=0015 INSTALLED UNKN
000000 FT		000000 FT	2 0 60019 0 00 0000+00
			MERCER RD
			(SR0062 SEG 0030/0000)
		NC	RAYMILTON RD
		INTER-BK	RAYMILTON RD
			(SR3015 SEG 0050/2763)
MERCER RD			MFC BEGIN = D
(SR0062 SEG 0030/0000) 0010/0000		S 0010/0000	LENGTH(AH 3378 BK 0000)

DIR: B TOTAL LEN: 5.118 MI. DIST: 01-5 SR: 3016
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
SR 0038 SH                027024 FT                027024 FT SR 0038 SH
(SR0038 SEG 0040/0448)     0100/3342               0100/3342 (SR0038 SEG 0040/0448)
                                                             024 "DIA CIRC METAL
                                                   0100/3290 LEN=0088 INSTALLED UNKN

                                                             018 "DIA CIR PLASTIC
                                                   0100/2536 LEN=0085 INSTALLED 1996


                                                             024 "DIA CIR PLASTIC
                                                   0100/1462 LEN=0040 INSTALLED 1996
                                                             018 "DIA CIR PLASTIC
                                                   0100/1267 LEN=0034 INSTALLED 1996
                                                             036 "DIA CIRC METAL
                                                   0100/0895 LEN=0050 INSTALLED 1996
                                                             018 "DIA CIR PLASTIC
                                                   0100/0317 LEN=0040 INSTALLED 1996
                          023682 FT                023682 FT 2 0 60009 0 00 0299+93
                                                             018 "DIA CIR PLASTIC
                                                             LEN=0040 INSTALLED UNKN
                                                 S 0100/0000 LENGTH(AH 3342 BK 3145)
                                                             018 "DIA CIR PLASTIC
                                                   0090/2754 LEN=0065 INSTALLED 2007
                                                             018 "DIA CIR PLASTIC
                                                   0090/2510 LEN=0040 INSTALLED 2007
                                                             018 "DIA CIR PLASTIC
                                                   0090/2320 LEN=0040 INSTALLED 2007
                                                             018 "DIA CIR PLASTIC
                                                   0090/1962 LEN=0040 INSTALLED 2007
                                                             024 "DIA CIR PLASTIC
                                                   0090/1846 LEN=0036 INSTALLED 1996
                                                             030 "DIA CIRC METAL
                                                   0090/1790 LEN=0040 INSTALLED 1996



                                                             042"H 00"W MULT PLSTIC
                                                   0090/0051 LEN=0050 INSTALLED 1996
                          020537 FT                020537 FT 2 0 60009 0 00 0269+89
                                                 S 0090/0000 LENGTH(AH 3145 BK 3012)
                                                             018 "DIA CIR PLASTIC
                                                   0080/2754 LEN=0040 INSTALLED 2005
                                                             018 "DIA CIR PLASTIC
                                                   0080/2162 LEN=0040 INSTALLED 1996
```

DIR: B TOTAL LEN: 5.118 MI. DIST: 01-5 SR: 3016
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
                                                    018 "DIA CIRC OTHER
                                     0080/1637 LEN=0030 INSTALLED 1996
                                                    018 "DIA CIR PLASTIC
                                     0080/1212 LEN=0040 INSTALLED 1996
                                                    018 "DIA CIRC METAL
                                     0080/0771 LEN=0036 INSTALLED 1996
MCNANY RD
(T711)                 0080/0220
                     017525 FT
                                     017525 FT 2 0 60009 0 00 0239+77
                                   S 0080/0000 LENGTH(AH 3012 BK 2489)

                                                    018 "DIA CIR PLASTIC
                                     0070/1843 LEN=0050 INSTALLED 1996


                                                    036 "DIA CIRC METAL
                                     0070/0783 LEN=0040 INSTALLED 1996
                                                    036 "DIA CIRC METAL
                                     0070/0777 LEN=0036 INSTALLED 1996

                     015036 FT       015036 FT 2 0 60009 0 00 0214+88
                                   S 0070/0000 LENGTH(AH 2489 BK 2373)
                                                    018 "DIA CIR PLASTIC
                                     0060/2265 LEN=0048 INSTALLED 1996


                                                    018 "DIA CIR PLASTIC
                                     0060/1290 LEN=0048 INSTALLED 1996


GOSHEN RD
(T510)                 0060/0283
                     012663 FT       012663 FT 2 0 60009 0 00 0191+15
                                                    HIGHLANDS RD
                                                    (SR3009 SEG 0070/2593)
                                   S 0060/0000 LENGTH(AH 2373 BK 3104)

                                                    018 "DIA CIR PLASTIC
                                     0050/2250 LEN=0040 INSTALLED 1996


                                                    030 "DIA CIR PLASTIC
                                     0050/0752 LEN=0050 INSTALLED 1996

                     009559 FT       009559 FT 2 0 60065 0 00 0100+00
                                                    036 "DIA CIRC CONCR
                                                    LEN=0036 INSTALLED 1996
                                   S 0050/0000 LENGTH(AH 3104 BK 2775)
                                                    018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 5.118 MI. DIST: 01-5 SR: 3016
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
                                                 0040/2282 LEN=0040 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0040/1897 LEN=0050 INSTALLED 1996
                                                           018 "DIA CIRC METAL
                                                 0040/1336 LEN=0050 INSTALLED 1996

                                                           015 "DIA CIR PLASTIC
                                                 0040/0662 LEN=0060 INSTALLED 1996

                 006784 FT                       006784 FT 2 0 60065 0 00 0075+00
                                                S 0040/0000 LENGTH(AH 2775 BK 2067)
                                                           018 "DIA CIR PLASTIC
                                                 0030/1651 LEN=0050 INSTALLED 1996
                                                           015 "DIA CIR PLASTIC
                                                 0030/1301 LEN=0050 INSTALLED 1996

                                                           015 "DIA CIRC METAL
                                                 0030/0515 LEN=0045 INSTALLED 1996
                 004717 FT                       004717 FT 2 0 60065 0 00 0050+00
                                                S 0030/0000 LENGTH(AH 2067 BK 2652)
                                                           015 "DIA CIR PLASTIC
                                                 0020/2481 LEN=0038 INSTALLED 1996
                                                           018 "DIA CIRC CONCR
                                                 0020/2008 LEN=0122 INSTALLED 1996
RIVIERA RD
(T662)            0020/1913

                                                           018 "DIA CIR PLASTIC
                                                 0020/1502 LEN=0040 INSTALLED 2000



                 002065 FT                       002065 FT 2 0 60065 0 00 0025+00
                                                S 0020/0000 LENGTH(AH 2652 BK 2065)
                                                           048 "DIA CIRC CONCR
                                                 0010/2038 LEN=0090 INSTALLED 1996



                                                           018 "DIA CIRC CONCR
                                                 0010/0268 LEN=0054 INSTALLED 1996
                 000000 FT                       000000 FT 2 0 60065 0 00 0000+00
                                                       NC BIG BEND RD
                                                           HIGHLANDS RD
                                                           (SR3009 SEG 0040/0000)
                                                 INTER-BK  BIG BEND RD
                                                           (SR3009 SEG 0040/0000)
                                                           MFC BEGIN = E
                                                S 0010/0000 LENGTH(AH 2065 BK 0000)
```

DIR: B TOTAL LEN: 2.307 MI. DIST: 01-5 SR: 3015
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

```
                          012179 FT                    012179 FT
                                                       INTER-AHD UTICA RD
                                                                 (SR3017 SEG 0010/0000)
                                                                 MERCER RD
MERCER RD
(SR0062 SEG 0030/0000)    0050/2763                    0050/2763 (SR0062 SEG 0030/0000)
                                                                 018 "DIA CIRC CONCR
                                                       0050/2717 LEN=0048 INSTALLED 1998

                                                                 018 "DIA CIR PLASTIC
                                                       0050/1265 LEN=0042 INSTALLED 1998

                          009416 FT                    009416 FT 1 0 00208 7 00 0049+61
                                                     S 0050/0000 LENGTH(AH 2763 BK 2547)
                                                                 018 "DIA CIR PLASTIC
                                                       0040/1908 LEN=0040 INSTALLED 1998

                                                                 036 "DIA CIR PLASTIC
                                                       0040/1295 LEN=0040 INSTALLED 2003
                                                                 024 "DIA CIR PLASTIC
                                                       0040/1213 LEN=0052 INSTALLED 2017
                                                                 018 "DIA CIR PLASTIC
                                                       0040/0659 LEN=0035 INSTALLED 2011
                                                                 018 "DIA CIR PLASTIC
                                                       0040/0439 LEN=0040 INSTALLED 1998
                          006869 FT                    006869 FT 1 0 00208 7 00 0024+14
                                                     S 0040/0000 LENGTH(AH 2547 BK 2412)
                                                                 018 "DIA CIRC METAL
                                                       0030/2017 LEN=0040 INSTALLED 1998

                                                       0030/0894 BMSEN 60/3015/0030/0866
                                                                 1 0 00208 7 00 0008+50
                                                                 SANDY CK.TR.
                                                       0030/0877 BMSBG 60/3015/0030/0866
```

DIR: B TOTAL LEN: 2.307 MI. DIST: 01-5 SR: 3015
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

```
                                                    015 "DIA CIR PLASTIC
                                                0030/0481 LEN=0045 INSTALLED 1998
KRIZON RD
(T397)                    0030/0448
                                                    018 "DIA CIRC CONCR
                                                0030/0300 LEN=0025 INSTALLED UNKN
                                                0030/0279 BMSEN 60/3015/0030/0194
                                                          1 0 00208 7 00 0001+72
                                                          SANDY CREEK
                                                0030/0194 BMSBG 60/3015/0030/0194
                                                          018 "DIA CIRC CONCR
                                                0030/0192 LEN=0025 INSTALLED UNKN
1 0 00208 7 00 0000+00 004457 FT                004457 FT KIMBLE HILL RD
REEDS FURNANCE RD                                         (T395)
(T395)                    0030/0000             0030/0000 LENGTH(AH 2412 BK 1776)
                                                0020/1467 BMSEN 60/3015/0020/1454
                                                          2 0 60018 0 00 0040+52
                                                          SANDY CK.TR.
                                                0020/1454 BMSBG 60/3015/0020/1454

                                                    018 "DIA CIR PLASTIC
                                                0020/0650 LEN=0042 INSTALLED 1998

                          002681 FT             002681 FT 2 0 60018 0 00 0026+81
                                                0020/0000 LENGTH(AH 1776 BK 2681)
                                                          018 "DIA CIR PLASTIC
                                                0010/2635 LEN=0040 INSTALLED 1998
                                                          018 "DIA CIR PLASTIC
                                                0010/2380 LEN=0042 INSTALLED 1998
                                                          018 "DIA CIR PLASTIC
                                                0010/2009 LEN=0035 INSTALLED 1998
                                                          015 "DIA CIRC METAL
                                                0010/1680 LEN=0030 INSTALLED 1998
                                                          018 "DIA CIR PLASTIC
                                                0010/1454 LEN=0035 INSTALLED 1998

                                                    015 "DIA CIR PLASTIC
                                                0010/0832 LEN=0035 INSTALLED 1998
                                                          018 "DIA CIR PLASTIC
                                                0010/0338 LEN=0038 INSTALLED 1998
                                                          CENTER CHURCH RD
                                                0010/0094 (T303)
                                                          018 "DIA CIRC CONCR
                                                0010/0066 LEN=0050 INSTALLED 1998
                          000000 FT             000000 FT 2 0 60018 0 00 0000+00
                                                      NC RAYMILTON RD
                                                          JACKSON CTR POLK RD
                                                          (SR0965 SEG 0030/1737)
                                                          MFC BEGIN = D
                                                0010/0000 LENGTH(AH 2681 BK 0000)
```

DIR: B TOTAL LEN: .084 MI. DIST: 01-5 SR: 3014
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

000442 FT

000000 FT



000442 FT EMLENTON CLINTONVILLE R
0010/0442 (SR0208 SEG 0290/0156)
000000 FT 2 0 60066 0 00 0083+05
NC SR 3014 SH
INTER-BK DOG PATCH LN
(PRDR)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 0442 BK 0000)

DIR: B TOTAL LEN: 9.832 MI. DIST: 01-5 SR: 3013
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

```
051915 FT                    051915 FT WILLIAM FLINN HW
                                       (SR0008 SEG 0350/0000)
                             0200/3177 (SR0008 SEG 0351/0000)

                                       024 "DIA CIR PLASTIC
                             0200/2310 LEN=0068 INSTALLED 2015
                                       018 "DIA CIR CONCR
                             0200/1823 LEN=0048 INSTALLED UNKN
                                       015 "DIA CIR CONCR
                             0200/1612 LEN=0055 INSTALLED UNKN
                                       015 "DIA CIR CONCR
                             0200/1476 LEN=0060 INSTALLED UNKN
                                       015 "DIA CIR METAL
                             0200/1371 LEN=0043 INSTALLED UNKN
                                       015 "DIA CIR CONCR
                             0200/1134 LEN=0045 INSTALLED UNKN

                                       015 "DIA CIR CONCR
                             0200/0264 LEN=0042 INSTALLED UNKN
048738 FT                    048738 FT 1 0 00233 0 00 0665+26
                           S 0200/0000 LENGTH(AH 3177 BK 2551)
                                       015 "DIA CIR CONCR
                             0190/2237 LEN=0046 INSTALLED UNKN
                                       015 "DIA CIR CONCR
                             0190/2077 LEN=0045 INSTALLED UNKN
                                       018 "DIA CIR CONCR
                             0190/1736 LEN=0060 INSTALLED UNKN
                                       018 "DIA CIR CONCR
                             0190/1261 LEN=0060 INSTALLED UNKN

                                       018 "DIA CIR CONCR
                             0190/0568 LEN=0050 INSTALLED UNKN
                                       030 "DIA CIR CONCR
                             0190/0129 LEN=0049 INSTALLED UNKN
046187 FT                    046187 FT 1 0 00233 0 00 0639+75
                           S 0190/0000 LENGTH(AH 2551 BK 2982)
                                       018 "DIA CIR CONCR
```

DIR: B TOTAL LEN: 9.832 MI. DIST: 01-5 SR: 3013
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

		0180/2700	LEN=0042 INSTALLED UNKN 015 "DIA CIR PLASTIC
		0180/2376	LEN=0045 INSTALLED UNKN 015 "DIA CIRC CONCR
		0180/1365	LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR
		0180/0975	LEN=0042 INSTALLED UNKN PECAN VALLEY RD
		0180/0808	(PRDR) 018 "DIA CIRC METAL
		0180/0462	LEN=0030 INSTALLED UNKN
		0180/0441	BMSEN 60/3013/0180/0000
	043205 FT	043205 FT	1 0 00233 0 00 0610+03 T-308 BMSBG 60/3013/0180/0000 SANDY CREEK VICTORY T
		S 0180/0000	LENGTH(AH 2982 BK 2389) 018 "DIA CIRC METAL
		0170/2320	LEN=0040 INSTALLED UNKN
FISHERMANS COVE RD (T370)	0170/2135		
		0170/2131	024 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0170/1734	LEN=0050 INSTALLED UNKN 015 "DIA CIR PLASTIC
		0170/1481	LEN=0050 INSTALLED UNKN 015 "DIA CIR PLASTIC
		0170/1211	LEN=0050 INSTALLED UNKN 015 "DIA CIR PLASTIC
		0170/0614	LEN=0050 INSTALLED UNKN 018 "DIA CIRC METAL
		0170/0227	LEN=0048 INSTALLED UNKN 015 "DIA CIR PLASTIC
		0170/0035	LEN=0042 INSTALLED UNKN
	040816 FT	040816 FT	1 0 00233 0 00 0585+74
		S 0170/0000	LENGTH(AH 2389 BK 2860) 018 "DIA CIR PLASTIC
		0160/2560	LEN=0045 INSTALLED 1999 018 "DIA CIRC METAL
		0160/2273	LEN=0050 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0160/1859	LEN=0056 INSTALLED 1999 018 "DIA CIRC METAL
		0160/1405	LEN=0042 INSTALLED UNKN 018 "DIA CIRC METAL
		0160/1042	LEN=0045 INSTALLED UNKN

DIR: B TOTAL LEN: 9.832 MI. DIST: 01-5 SR: 3013
LEFT MUN: VICTORY T RIGHT MUN: VICTORY T

			024 "DIA CIRC METAL
		0160/0586	LEN=0049 INSTALLED UNKN
STATE GAME LAND RD (GOVT)	0160/0227		
	037956 FT		
		037956 FT	1 0 00233 0 00 0557+00
		S 0160/0000	LENGTH(AH 2860 BK 3145)
			018"H 30"W ELLIP METAL
		0150/2985	LEN=0052 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0150/0759	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0150/0497	LEN=0043 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0150/0015	LEN=0047 INSTALLED UNKN
	034811 FT	034811 FT	1 0 00233 0 00 0525+55
			VICTORY RD
			(T356)
		S 0150/0000	LENGTH(AH 3145 BK 2618)
			015 "DIA CIRC CONCR
		0140/2511	LEN=0040 INSTALLED 1999
			015 "DIA CIRC CONCR
		0140/1351	LEN=0038 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0140/1138	LEN=0043 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0140/0505	LEN=0040 INSTALLED 1999
			015 "DIA CIRC CONCR
		0140/0142	LEN=0043 INSTALLED 1998
	032193 FT	032193 FT	1 0 00233 0 00 0499+37
		S 0140/0000	LENGTH(AH 2618 BK 2442)
	029751 FT	029751 FT	1 0 00233 0 00 0475+01
		S 0130/0000	LENGTH(AH 2442 BK 1948)
			018 "DIA CIRC CONCR
		0120/1832	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 9.832 MI. DIST: 01-5 SR: 3013
LEFT MUN: VICTORY T RIGHT MUN: VICTORY T

```
                                                  015 "DIA CIRC CONCR
                                  0120/1503 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0120/0962 LEN=0045 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                  0120/0010 LEN=0047 INSTALLED UNKN
027803 FT                         027803 FT 1 0 00233 0 00 0455+53
                                            TWIN OAKES RD (TBK)
                                            (T301)
                                 ==  5 0120/0000 LENGTH(AH 1948 BK 1957)

025846 FT                         025846 FT 1 0 00233 0 00 0435+96
                                  5 0110/0000 LENGTH(AH 1957 BK 2239)
                                            032 "DIA CIR PLASTIC
                                  0100/2102 LEN=0040 INSTALLED UNKN
                                            024 "DIA CIR PLASTIC
                                  0100/1736 LEN=0040 INSTALLED UNKN

                                            018 "DIA CIRC CONCR
                                  0100/0603 LEN=0034 INSTALLED UNKN
                                  0100/0008 BMSEN 60/3013/0090/2828
023607 FT                         023607 FT 1 0 00233 0 00 0413+40
                                            LYONS RUN
                                            BMSBG 60/3013/0090/2828
                                  5 0100/0000 LENGTH(AH 2239 BK 2828)
                                            024 "DIA CIRC CONCR
                                  0090/2475 LEN=0044 INSTALLED UNKN
                                            LYONS RUN RD
                                 ==  0090/1965 (T373)
                                            018 "DIA CIRC CONCR
                                  0090/1450 LEN=0032 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0090/1157 LEN=0034 INSTALLED UNKN

020779 FT                         020779 FT 1 0 00233 0 00 0384+95
                                  5 0090/0000 LENGTH(AH 2828 BK 2755)
                                            018 "DIA CIR PLASTIC
                                  0080/2682 LEN=0040 INSTALLED UNKN
```

SLATERTOWN RD

DIR: B TOTAL LEN: 9.832 MI. DIST: 01-5 SR: 3013
LEFT MUN: VICTORY T RIGHT MUN: VICTORY T

```
(T330)                    0080/1212

HOVIS RD
(T371)                    0080/0316                    DENNISON RUN RD
                         018024 FT          0080/0316 (T373)
                                            018024 FT 1 0 00233 0 00 0357+95
                                                      DESKO RD
                                                      (T341)
                                                      VICTORY
                                                      IRWIN T
                                            S 0080/0000 LENGTH(AH 2755 BK 1856)
                                                      024 "DIA CIR PLASTIC
                                            0070/1663 LEN=0040 INSTALLED 2015

                                                      015 "DIA CIR PLASTIC
                                            0070/0865 LEN=0051 INSTALLED UNKN

                         016168 FT          016168 FT 1 0 00233 0 00 0339+46
                                                      SR 0308 SH
                                                      (SR0308 SEG 0170/2580)
                                            S 0070/0000 LENGTH(AH 1856 BK 2901)
                                                      SR 3027 SH
                                            0060/2321 (SR3027 SEG 0010/0336)
                                                      018 "DIA CIRC CONCR
                                            0060/2004 LEN=0049 INSTALLED UNKN

                         013267 FT          013267 FT 1 0 00233 0 00 0310+06
                                            S 0060/0000 LENGTH(AH 2901 BK 2441)
                                                      018 "DIA CIRC CONCR
                                            0050/2085 LEN=0045 INSTALLED UNKN

                                                      018 "DIA CIRC CONCR
                                            0050/0403 LEN=0048 INSTALLED UNKN
                         010826 FT          010826 FT 1 0 00233 0 00 0285+65
                                            S 0050/0000 LENGTH(AH 2441 BK 2406)

                                                      015 "DIA CIRC CONCR
                                            0040/1309 LEN=0047 INSTALLED UNKN

                                                      018 "DIA CIRC CONCR
                                            0040/0680 LEN=0045 INSTALLED UNKN

                         008420 FT          008420 FT 1 0 00233 0 00 0261+00
```

DIR: B TOTAL LEN: 9.832 MI. DIST: 01-5 SR: 3013
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

			S 0040/0000 LENGTH(AH 2406 BK 2651)
			015 "DIA CIRC CONCR
			0030/2155 LEN=0044 INSTALLED UNKN
			BLAIR RD
			0030/2004 (T347)
			015 "DIA CIRC CONCR
			0030/0402 LEN=0050 INSTALLED UNKN
	005769 FT		005769 FT 1 0 00233 0 00 0235+10
			S 0030/0000 LENGTH(AH 2651 BK 2430)
			018 "DIA CIRC METAL
			0020/1265 LEN=0080 INSTALLED UNKN
ALLEN RD (T345)	0020/1250		
			0020/0013 BMSEN 60/3013/0020/0000
	003339 FT		003339 FT 1 0 00233 0 00 0210+29
			SCRUBGRASS
			BMSBG 60/3013/0020/0000
			S 0020/0000 LENGTH(AH 2430 BK 3339)
			018 "DIA CIRC CONCR
			0010/2558 LEN=0047 INSTALLED UNKN
DENNIS TRAILERS RD (PRDR)	0010/1895	POI	0010/1895 (APRA) DENNIS TRAILERS
GAMELAND RD (T328)	0010/0684		
			0010/0464 BMSEN 60/3013/0010/0451
			1 0 00233 0 00 0181+97
			SCRUBGRASS
			0010/0453 BMSBG 60/3013/0010/0451
	000000 FT		000000 FT 1 0 00233 0 00 0177+39
			NC OLD ROUTE 8 RD
			SR 6008 SH
			(SR6008 SEG 0050/0000)
			INTER-BK OLD ROUTE 8 RD
			(SR6008 SEG 0050/0000)
GEORGETOWN RD (SR3003 SEG 0110/0000)	0010/0000		MFC BEGIN = D
			S 0010/0000 LENGTH(AH 3339 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 01-5 SR: 3012
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

000000 FT	000000 FT	
	7030/0000	LENGTH(AH 3427 BK 1897)
000000 FT	000000 FT	
	7020/0000	LENGTH(AH 1897 BK 2531)
000000 FT	000000 FT	
	7010/0000	LENGTH(AH 2531 BK 0000)

DIR: B TOTAL LEN: 5.627 MI. DIST: 01-5 SR: 3011
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

029710 FT

029710 FT
INTER-AHD MOUNT PLEASANT CHURCH R
(T301)
SR 0965 SH
0120/2150 (SR0965 SEG 0030/0000)

DIR: B TOTAL LEN: 5.627 MI. DIST: 01-5 SR: 3011
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

```
                                                  018 "DIA CIR PLASTIC
                                  0120/1690 LEN=0040 INSTALLED 1999

                                                  018 "DIA CIR PLASTIC
                                  0120/0503 LEN=0060 INSTALLED 2007
027560 FT                         027560 FT 2 0 60016 0 00 0275+28
                                5 0120/0000 LENGTH(AH 2150 BK 2704)
                                                  054 "DIA CIRC CONCR
                                  0110/2660 LEN=0080 INSTALLED 1998
                                                  024 "DIA CIR PLASTIC
                                  0110/2495 LEN=0080 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                  0110/2105 LEN=0060 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0110/1693 LEN=0040 INSTALLED 1999
                                                  018 "DIA CIR PLASTIC
                                  0110/1160 LEN=0042 INSTALLED UNKN

024856 FT                         024856 FT 2 0 60016 0 00 0247+92
                                5 0110/0000 LENGTH(AH 2704 BK 2478)
                                                  018 "DIA CIR PLASTIC
                                  0100/1910 LEN=0040 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                  0100/0798 LEN=0030 INSTALLED 1999
                                                  018 "DIA CIR PLASTIC
                                  0100/0257 LEN=0030 INSTALLED 1999
022378 FT                         022378 FT 2 0 60016 0 00 0223+76
                                5 0100/0000 LENGTH(AH 2478 BK 2511)
                                                  018 "DIA CIR PLASTIC
                                  0090/2190 LEN=0040 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                  0090/1328 LEN=0040 INSTALLED 2007
                                                  018 "DIA CIR PLASTIC
                                  0090/1120 LEN=0055 INSTALLED 2007
                                                  018 "DIA CIR PLASTIC
                                  0090/0677 LEN=0035 INSTALLED 2007
                                                  018 "DIA CIR PLASTIC
                                  0090/0224 LEN=0050 INSTALLED 1998
019867 FT                         019867 FT 2 0 60016 0 00 0198+65
                                5 0090/0000 LENGTH(AH 2511 BK 2473)
                                                  018 "DIA CIR PLASTIC
                                  0080/2447 LEN=0040 INSTALLED 1998
                                                  024 "DIA CIR PLASTIC
                                  0080/2226 LEN=0052 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 5.627 MI. DIST: 01-5 SR: 3011
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

```
                                                  0080/1960 LEN=0047 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0080/1900 LEN=0040 INSTALLED 1998
                                                            024 "DIA CIR PLASTIC
                                                  0080/1470 LEN=0050 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                  0080/1170 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0080/0630 LEN=0042 INSTALLED UNKN

2 0 60016 0 00 0173+92 017394 FT                  017394 FT
GADSBY RD
(T383)                  0080/0000                 S 0080/0000 LENGTH(AH 2473 BK 2397)
                                                  0070/2120 BMSEN 60/3011/0070/2058
                                                            2 0 60016 0 00 0170+64
                                                            S.SANDY CK.
                                                  0070/2058 BMSBG 60/3011/0070/2058

                                                            018 "DIA CIR PLASTIC
                                                  0070/1017 LEN=0050 INSTALLED 2007

                                                            018 "DIA CIR PLASTIC
                                                  0070/0190 LEN=0050 INSTALLED 1999
                        014997 FT                 014997 FT 2 0 60016 0 00 0150+06
                                                  S 0070/0000 LENGTH(AH 2397 BK 2560)

                                                            018 "DIA CIR PLASTIC
                                                  0060/1860 LEN=0045 INSTALLED UNKN

                                                            018 "DIA CIR PLASTIC
                                                  0060/1246 LEN=0045 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                  0060/0795 LEN=0050 INSTALLED 1999

                        012437 FT                 012437 FT 2 0 60016 0 00 0124+46
                                                  S 0060/0000 LENGTH(AH 2560 BK 2294)
                                                            018 "DIA CIR PLASTIC
                                                  0050/1997 LEN=0040 INSTALLED 2007
                                                            MINERAL
                                                  0050/1403 IRWIN T
                                                            018 "DIA CIR PLASTIC
                                                  0050/1205 LEN=0035 INSTALLED 1999


2 0 60016 0 00 0101+37 010143 FT                  010143 FT
KERR RD
(T365)                  0050/0000                 S 0050/0000 LENGTH(AH 2294 BK 2708)
                                                            015 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 5.627 MI. DIST: 01-5 SR: 3011
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
                                                  0040/2584 LEN=0033 INSTALLED 1999
                                                            018 "DIA CIR PLASTIC
                                                  0040/2300 LEN=0045 INSTALLED UNKN

WOODS RD
(T363)                  0040/1071   ==
                                                            015 "DIA CIR PLASTIC
                                                  0040/0730 LEN=0055 INSTALLED 2009
                                                            018 "DIA CIR PLASTIC
                                                  0040/0179 LEN=0034 INSTALLED 2002
                        007435 FT                 007435 FT 2 0 60016 0 00 0074+29
                                                5 0040/0000 LENGTH(AH 2708 BK 2497)

                                                            024 "DIA CIR PLASTIC
                                                  0030/0646 LEN=0040 INSTALLED 1998

                        004938 FT                 004938 FT 2 0 60016 0 00 0049+40
                                                5 0030/0000 LENGTH(AH 2497 BK 1530)

                                                            018 "DIA CIR PLASTIC
                                                  0020/0797 LEN=0045 INSTALLED 1999

2 0 60016 0 00 0034+10  003408 FT                 003408 FT
MILLBROOK RD
(T343)                  0020/0000   ==          5 0020/0000 LENGTH(AH 1530 BK 3408)

                                                            042 "DIA CIR PLASTIC
                                                  0010/2699 LEN=0042 INSTALLED UNKN
                                                            048"H 00"W MULT PLSTIC
                                                  0010/2664 LEN=0043 INSTALLED 1998

                                                            024 "DIA CIR PLASTIC
                                                  0010/1822 LEN=0040 INSTALLED 1999
                                                            ALLEN RD
                                                      ==  0010/1710 (T345)

                                                        NC HELLS KITCHEN RD
                                                            GEORGETOWN RD
2 0 60016 0 00 0000+00  000000 FT                 000000 FT (SR3003 SEG 0130/0000)
GEORGETOWN RD                                               MFC BEGIN = D
(SR3003 SEG 0130/0000)  0010/0000               5 0010/0000 LENGTH(AH 3408 BK 0000)
```

DIR: B TOTAL LEN: 5.294 MI. DIST: 01-5 SR: 3010
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

027950 FT



027950 FT STONE CHURCH RD
0110/2518 (SR3009 SEG 0010/1729)

024 "DIA CIR PLASTIC
0110/1672 LEN=0060 INSTALLED UNKN

018 "DIA CIR PLASTIC
0110/0520 LEN=0045 INSTALLED 1997
0110/0043 BMSEN 60/3010/0110/0000
025432 FT 025432 FT 2 0 60008 0 00 0059+72
LT.SCRUB.CK.
BMSBG 60/3010/0110/0000
S 0110/0000 LENGTH(AH 2518 BK 2503)

DIR: B TOTAL LEN: 5.294 MI. DIST: 01-5 SR: 3010
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
SCOTT RD
(T462)                          0100/1838     ==

                                                                 018 "DIA CIR PLASTIC
                                              0100/0543  LEN=0050 INSTALLED UNKN
                                                                 015 "DIA CIR PLASTIC
                                              0100/0300  LEN=0040 INSTALLED UNKN
                                                                 018 "DIA CIR PLASTIC
                                              0100/0030  LEN=0040 INSTALLED 2014
                                022929 FT     022929 FT  2 0 60008 0 00 0034+81
                                              0100/0000  LENGTH(AH 2503 BK 3460)
                                                                 018 "DIA CIR PLASTIC
                                              0090/3145  LEN=0035 INSTALLED UNKN
                                                                 024 "DIA CIR PLASTIC
                                              0090/2850  LEN=0035 INSTALLED UNKN
                                                                 018 "DIA CIRC METAL
                                              0090/2481  LEN=0048 INSTALLED UNKN

                                                                 018 "DIA CIR PLASTIC
                                              0090/1520  LEN=0040 INSTALLED 2014

                                                                 015 "DIA CIR PLASTIC
                                              0090/0806  LEN=0033 INSTALLED 2015

                                019469 FT     019469 FT  2 0 60008 0 00 0000+00
                                                                 ROCKDALE RD
                                                                 (SR3007 SEG 0010/0196)
                                              INTER-BK           ROCKDALE RD
                                                                 (SR3007 SEG 0010/0196)
                                              0090/0000          LTH AH 003460 BK 000100
                                019469 FT     019469 FT
                                              7084/0000          LTH AH 000100 BK 002510
ROCKDALE RD                                   INTER-AHD          ROCKDALE RD
(SR3007 SEG 0010/0594)          0080/2510     0080/2510          (SR3007 SEG 0010/0594)
                                                                 024 "DIA CIR PLASTIC
                                              0080/2465          LEN=0040 INSTALLED UNKN
                                                                 024 "DIA CIRC CONCR
                                              0080/2048          LEN=0035 INSTALLED UNKN

                                                                 018 "DIA CIR PLASTIC
                                              0080/0779          LEN=0036 INSTALLED UNKN

WILLIAMS RD
(T400)                          0080/0158     ==
                                016959 FT     016959 FT  2 0 60006 0 00 0169+85
```

DIR: B TOTAL LEN: 5.294 MI. DIST: 01-5 SR: 3010
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
                                                  NORGAARD RD
                                                  (T400)
                                       ==   S 0080/0000 LENGTH(AH 2510 BK 2766)

                                                  036 "DIA CIRC CONCR
                                            0070/2019 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                            0070/1715 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                            0070/1335 LEN=0052 INSTALLED 2015
                                                 NC INDIAN ROCKS RD
                                                  TINKER RD
                                       ==   0070/1288 (T398)
                                                  036 "DIA CIR PLASTIC
                                            0070/1140 LEN=0040 INSTALLED 2006

                                            0070/0024 BMSEN 60/3010/0070/0000
014193 FT                                   014193 FT 2 0 60006 0 00 0142+04
                                                  BR.LT.SCRUB.
                                                  BMSBG 60/3010/0070/0000
                                          S 0070/0000 LENGTH(AH 2766 BK 1571)

                                                  024 "DIA CIRC CONCR
                                            0060/0611 LEN=0036 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                            0060/0032 LEN=0035 INSTALLED UNKN
012622 FT                                   012622 FT 2 0 60006 0 00 0126+54
                                                  SCRUBGRASS
                                                  CLINTON T
                                          S 0060/0000 LENGTH(AH 1571 BK 2654)
                                                  015 "DIA CIR PLASTIC
                                            0050/2217 LEN=0050 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                            0050/2107 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                            0050/1645 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                            0050/1050 LEN=0036 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                            0050/0795 LEN=0040 INSTALLED UNKN

009968 FT                                   009968 FT 2 0 60006 0 00 0099+70
                                                  MOORE RD
                                                  (T390)
                                       == ==  S 0050/0000 LENGTH(AH 2654 BK 2522)
                                                  024 "DIA CIR PLASTIC
                                            0040/2076 LEN=0045 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 5.294 MI. DIST: 01-5 SR: 3010
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

```
                                                  0040/2050 LEN=0040 INSTALLED 1998

                                                            018 "DIA CIRC CONCR
                                                  0040/1147 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0040/1010 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0040/0926 LEN=0040 INSTALLED 1997
                                                            018 "DIA CIR PLASTIC
                                                  0040/0562 LEN=0052 INSTALLED 2010
                     007446 FT                    007446 FT 2 0 60006 0 00 0074+34
                                                S 0040/0000 LENGTH(AH 2522 BK 2870)

                                                            015 "DIA CIRC CONCR
                                                  0030/2192 LEN=0030 INSTALLED UNKN

                                                            018 "DIA CIR PLASTIC
                                                  0030/1478 LEN=0040 INSTALLED UNKN


                                                            018 "DIA CIR PLASTIC
                                                  0030/0265 LEN=0032 INSTALLED UNKN
2 0 60006 0 00 0045+64 004576 FT                  004576 FT
BAILEY RD
(T386)                0030/0000                 S 0030/0000 LENGTH(AH 2870 BK 2093)
                                                            015 "DIA CIR PLASTIC
                                                  0020/2048 LEN=0038 INSTALLED UNKN

                                                            015 "DIA CIR PLASTIC
                                                  0020/1198 LEN=0050 INSTALLED UNKN

                     002483 FT                    002483 FT 2 0 60006 0 00 0024+95
                                                S 0020/0000 LENGTH(AH 2093 BK 2483)

                                                            018 "DIA CIR PLASTIC
                                                  0010/1675 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0010/1386 LEN=0040 INSTALLED 1998


                     000000 FT                    000000 FT 2 0 60006 0 00 0000+00
                                                        NC EAU CLAIRE RD
                                                              SR 0308 SH
                                                              (SR0308 SEG 0020/0000)
                                                              MFC BEGIN = E
                                                S 0010/0000 LENGTH(AH 2483 BK 0000)
```

DIR: B TOTAL LEN: 3.617 MI. DIST: 01-5 SR: 3009
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

BIG BEND RD	019096 FT		019096 FT	BIG BEND RD
(SR3016 SEG 0060/0000)	0070/2593		0070/2593	(SR3016 SEG 0060/0000)
				018 "DIA CIRC METAL
			0070/2288	LEN=0016 INSTALLED UNKN
				015 "DIA CIRC METAL
			0070/1382	LEN=0014 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0070/0975	LEN=0020 INSTALLED 2000
				018 "DIA CIR PLASTIC
			0070/0790	LEN=0040 INSTALLED 2005
				018 "DIA CIR PLASTIC
			0070/0285	LEN=0015 INSTALLED UNKN
				018 "DIA CIRC METAL
			0070/0249	LEN=0015 INSTALLED UNKN
	016503 FT		016503 FT	2 0 60009 0 00 0164+87
			5 0070/0000	LENGTH(AH 2593 BK 2320)
				018 "DIA CIR PLASTIC
			0060/2000	LEN=0016 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0060/1992	LEN=0016 INSTALLED UNKN
				018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.617 MI. DIST: 01-5 SR: 3009
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
                                                 0060/1250 LEN=0012 INSTALLED UNKN

                                                           018 "DIA CIR PLASTIC
                                                 0060/0535 LEN=0035 INSTALLED 1997
                        014183 FT                014183 FT 2 0 60009 0 00 0141+67
                                                           BELL RD
                                                           (T478)
                                              ==  5 0060/0000 LENGTH(AH 2320 BK 3328)
                                                           015 "DIA CIR PLASTIC
                                                 0050/3090 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0050/3003 LEN=0018 INSTALLED UNKN

                                                           018 "DIA CIR PLASTIC
                                                 0050/1854 LEN=0012 INSTALLED 2000

                                                           018 "DIA CIR PLASTIC
                                                 0050/0864 LEN=0016 INSTALLED 1997

                                                           018 "DIA CIR PLASTIC
                                                 0050/0038 LEN=0013 INSTALLED 1997
                        010855 FT                010855 FT 2 0 60009 0 00 0108+39
                                                  5 0050/0000 LENGTH(AH 3328 BK 3186)
                                                           024 "DIA CIR PLASTIC
                                                 0040/2869 LEN=0016 INSTALLED UNKN
                                                           024 "DIA CIRC METAL
                                                 0040/2851 LEN=0016 INSTALLED UNKN

                                                           018 "DIA CIR PLASTIC
                                                 0040/1906 LEN=0016 INSTALLED UNKN

                                                           018 "DIA CIRC METAL
                                                 0040/1271 LEN=0016 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0040/1242 LEN=0016 INSTALLED UNKN

2 0 60009 0 00 0076+85 007669 FT                 007669 FT
BIG BEND RD                                        NC HIGHLANDS RD
(SR3016 SEG 0010/0000)  0040/0000             ==  5 0040/0000 LENGTH(AH 3186 BK 1355)
                                                           015 "DIA CIR PLASTIC
                                                 0030/1339 LEN=0016 INSTALLED UNKN

                                                           SCRUBGRASS
                                                           STRUCTURE LENGTH  16 FT
```

DIR: B TOTAL LEN: 3.617 MI. DIST: 01-5 SR: 3009
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
                                                 0030/0293 BMSID 60/3009/0030/0293
                    006314 FT                    006314 FT 2 0 60009 0 00 0063+25
                                                       NC BIG BEND RD
                                                            EMLENTON CLINTONVILLE R
                                                            (SR0208 SEG 0270/0000)
                                                 S 0030/0000 LENGTH(AH 1355 BK 3071)
                                                            018 "DIA CIR PLASTIC
                                                 0020/3022 LEN=0018 INSTALLED 2005


                                                            036 "DIA CIRC METAL
                                                 0020/1759 LEN=0014 INSTALLED UNKN

                                                 0020/1148 BMSEN 60/3009/0020/0927
                                                            2 0 60009 0 00 0041+00
                                                            SR 0080 E/W
                                                 0020/0927 BMSBG 60/3009/0020/0927
                                                            018 "DIA CIR PLASTIC
                                                 0020/0895 LEN=0027 INSTALLED 2019

                                                            018 "DIA CIR PLASTIC
                                                 0020/0280 LEN=0014 INSTALLED 2005
                                                            018 "DIA CIR PLASTIC
                                                 0020/0015 LEN=0015 INSTALLED 2005
                    003243 FT                    003243 FT 2 0 60009 0 00 0031+66
                                                            CRAWFORD CORNERS RD
                                                            (T300)
                                                 S 0020/0000 LENGTH(AH 3071 BK 3243)
                                                            030 "DIA CIR PLASTIC
                                                 0010/3050 LEN=0014 INSTALLED UNKN

                                                            024 "DIA CIR PLASTIC
                                                 0010/2079 LEN=0016 INSTALLED 2005
INDIAN ROCKS RD
(SR3010 SEG 0110/2518)  0010/1729


                                                            SAY RD
                                                 0010/0094 (T302)
                    000000 FT                    000000 FT 2 0 60009 0 00 0000+00
                                                       NC STONE CHURCH RD
                                                 * REF-BK   STONE CHURCH RD
                                                            (SR1001 SEG 0010/1807)
                                                            MFC BEGIN = E
                                                             BK-BUTLER          (10)
                                                 S 0010/0000 LENGTH(AH 3243 BK 0000)
```

DIR: B TOTAL LEN: 10.696 MI. DIST: 01-5 SR: 3008
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

	056473 FT		056473 FT	
			INTER-AHD	ROCKLAND NICKLEVILLE RD (SR2002 SEG 0010/0000)
ROCKLAND CRANBERRY RD (SR2013 SEG 0040/0000)	0230/2403		0230/2403	PITTSVILLE RD (SR2013 SEG 0040/0000)
			0230/1172	036 "DIA CIR PLASTIC LEN=0040 INSTALLED 2001
			0230/0223	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1996
	054070 FT		054070 FT	2 0 60011 0 02 0550+00
			S 0230/0000	LENGTH(AH 2403 BK 2569)
			0220/2008	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
			0220/1486	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
			0220/1226	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
			0220/0706	024 "DIA CIR PLASTIC LEN=0050 INSTALLED 1998
			0220/0136	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
	051501 FT		051501 FT	2 0 60011 0 02 0525+00
			S 0220/0000	LENGTH(AH 2569 BK 2098)
			0210/1754	018 "DIA CIR PLASTIC LEN=0060 INSTALLED 1996
			0210/1445	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
			0210/1104	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2001
			0210/0394	024 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996
			0210/0066	015 "DIA CIR PLASTIC LEN=0035 INSTALLED 1996
	049403 FT		049403 FT	2 0 60011 0 02 0503+86
			S 0210/0000	LENGTH(AH 2098 BK 1758)
			0200/1504	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1996

DIR: B TOTAL LEN: 10.696 MI. DIST: 01-5 SR: 3008
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

				POTTERS FALLS RD
			0200/1362	(T469)
				ROBERTS RUN
				STRUCTURE LENGTH 32 FT
			0200/1114	BMSID 60/3008/0200/1145
				024 "DIA CIR PLASTIC
			0200/0771	LEN=0045 INSTALLED 1996
				018 "DIA CIR PLASTIC
			0200/0700	LEN=0048 INSTALLED 1996
JORDAN HILL RD (T470)	0200/0672			
				018 "DIA CIR PLASTIC
			0200/0650	LEN=0040 INSTALLED 1996
				018 "DIA CIR PLASTIC
			0200/0578	LEN=0060 INSTALLED 1996
				024 "DIA CIR PLASTIC
			0200/0452	LEN=0040 INSTALLED 1996
	047645 FT		047645 FT	2 0 60011 0 01 0484+90
			S 0200/0000	LENGTH(AH 1758 BK 3544)
				018 "DIA CIR PLASTIC
			0190/3502	LEN=0040 INSTALLED 1996
				015 "DIA CIR PLASTIC
			0190/2992	LEN=0040 INSTALLED 1996
				018 "DIA CIR PLASTIC
			0190/2412	LEN=0030 INSTALLED 1996
				018 "DIA CIR PLASTIC
			0190/1585	LEN=0035 INSTALLED 1996
				018 "DIA CIR PLASTIC
			0190/1322	LEN=0035 INSTALLED 1996
	044101 FT		044101 FT	2 0 60011 0 01 0449+04
			S 0190/0000	LENGTH(AH 3544 BK 1024)
				ALLEG.R.TR.
				STRUCTURE LENGTH 10 FT
			0180/0593	BMSID 60/3008/0180/0620
	043077 FT		043077 FT	2 0 60011 0 01 0438+91
			S 0180/0000	LENGTH(AH 1024 BK 2256)
				018 "DIA CIR PLASTIC
			0170/2074	LEN=0040 INSTALLED 1996
				018 "DIA CIR PLASTIC
			0170/1039	LEN=0030 INSTALLED 1996
				024 "DIA CIR PLASTIC
			0170/0123	LEN=0040 INSTALLED 1996

DIR: B TOTAL LEN: 10.696 MI. DIST: 01-5 SR: 3008
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

```
                        040821 FT                    040821 FT 2 0 60011 0 01 0415+03
                                                   S 0170/0000 LENGTH(AH 2256 BK 2642)

                                                               018 "DIA CIR PLASTIC
                                                     0160/2041 LEN=0035 INSTALLED 2005

                                                               015 "DIA CIR PLASTIC
                                                     0160/1062 LEN=0040 INSTALLED 1996
                                                               018 "DIA CIR PLASTIC
                                                     0160/0750 LEN=0040 INSTALLED 2012

                                                               015 "DIA CIR PLASTIC
                                                     0160/0015 LEN=0045 INSTALLED 1996
2 0 60011 0 01 0388+61  038179 FT                    038179 FT
SENECA HEMLOCK RD
(T406)                   0160/0000                 S 0160/0000 LENGTH(AH 2642 BK 2352)
                                                               018 "DIA CIRC METAL
                                                     0150/2320 LEN=0050 INSTALLED 1996

                                                               018 "DIA CIRC METAL
                                                     0150/1705 LEN=0050 INSTALLED 1996
                                                               036 "DIA CIR PLASTIC
                                                     0150/1542 LEN=0040 INSTALLED 2010
                                                               018 "DIA CIR PLASTIC
                                                     0150/1438 LEN=0040 INSTALLED 2005
                                                               018 "DIA CIR PLASTIC
                                                     0150/0872 LEN=0035 INSTALLED 1996
                                                               015 "DIA CIR PLASTIC
                                                     0150/0332 LEN=0030 INSTALLED 1996
                        035827 FT                    035827 FT 2 0 60011 0 01 0364+80
                                                   S 0150/0000 LENGTH(AH 2352 BK 2486)


                                                               018 "DIA CIR PLASTIC
                                                     0140/0927 LEN=0035 INSTALLED 1996

                        033341 FT                    033341 FT 2 0 60011 0 01 0339+73
                                                   S 0140/0000 LENGTH(AH 2486 BK 2627)
                                                               018 "DIA CIR PLASTIC
                                                     0130/2528 LEN=0036 INSTALLED 1996

                                                               018 "DIA CIR PLASTIC
                                                     0130/1854 LEN=0036 INSTALLED 1996
                                                               018 "DIA CIR PLASTIC
                                                     0130/1268 LEN=0035 INSTALLED 1996
                                                               018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 10.696 MI. DIST: 01-5 SR: 3008
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

```
                                                 0130/0877 LEN=0030 INSTALLED 1996
                                                           01B "DIA CIR PLASTIC
                                                 0130/0675 LEN=0030 INSTALLED 1996

                030714 FT                        030714 FT 2 0 60011 0 01 0313+42
                                               S 0130/0000 LENGTH(AH 2627 BK 2469)
                                                           01B "DIA CIR PLASTIC
                                                 0120/2429 LEN=0050 INSTALLED 1996
                                                           01B "DIA CIR PLASTIC
                                                 0120/1865 LEN=0050 INSTALLED 1996

                                                           WILSON PARK RD
                                                 0120/1260 (PRDR)
                                                           01B "DIA CIR PLASTIC
                                                 0120/0983 LEN=0060 INSTALLED 1996

                                                           01B "DIA CIR PLASTIC
                                                 0120/0174 LEN=0050 INSTALLED 1996
                028245 FT                        028245 FT 2 0 60011 0 01 0288+73
                                               S 0120/0000 LENGTH(AH 2469 BK 2392)
                                                           01B "DIA CIR PLASTIC
                                                 0110/2017 LEN=0050 INSTALLED 1996

                                                           01B "DIA CIR PLASTIC
                                                 0110/1353 LEN=0045 INSTALLED 1996
                                                           01B "DIA CIR PLASTIC
                                                 0110/0872 LEN=0050 INSTALLED 1996
WATSON ST
(T402)            0110/0447
                025853 FT                        025853 FT 2 0 60011 0 01 0265+85
                                                           MAIN ST
                                                           (T400)
                                               S 0110/0000 LENGTH(AH 2392 BK 2920)
                                                           ROCKLAND
                                                 0100/2850 CLINTON T
                                                 0100/2798 BMSEN 60/3008/0100/2094

                                                           2 0 60011 0 00 0230+19
                                                           ALLEGHENY R.
                                                 0100/2058 BMSBG 60/3008/0100/2094
                                                           01B "DIA CIR PLASTIC
                                                 0100/1580 LEN=0038 INSTALLED 2013
                                                           01B "DIA CIR PLASTIC
                                                 0100/1286 LEN=0036 INSTALLED 2013
                                                           01B "DIA CIR PLASTIC
                                                 0100/0914 LEN=0040 INSTALLED 2013
                                                           01B "DIA CIR PLASTIC
                                                 0100/0757 LEN=0040 INSTALLED 1996
                                                           01B "DIA CIR PLASTIC
                                                 0100/0566 LEN=0040 INSTALLED 2013
```

DIR: B TOTAL LEN: 10.696 MI. DIST: 01-5 SR: 3008
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

```
                                                 018 "DIA CIR PLASTIC
                                     0100/0225 LEN=0038 INSTALLED 2013
022933 FT                            022933 FT 2 0 60011 0 00 0230+19
                                   5 0100/0000 LENGTH(AH 2920 BK 1933)
                                                 015 "DIA CIR PLASTIC
                                     0090/1575 LEN=0050 INSTALLED 1996
                                                 024 "DIA CIR PLASTIC
                                     0090/1250 LEN=0050 INSTALLED 1996

                                                 024 "DIA CIR PLASTIC
                                     0090/0446 LEN=0035 INSTALLED 1996
                                     0090/0067 BMSEN 60/3008/0090/0034
                                                 2 0 60011 0 00 0211+24
                                                 BULLION RUN
                                     0090/0034 BMSBG 60/3008/0090/0034
021000 FT                            021000 FT 2 0 60011 0 00 0210+82
                                                 OLD LISBON RD
                                                 (SR3007 SEG 0150/2475)
                                   5 0090/0000 LENGTH(AH 1933 BK 3056)
                                                 024 "DIA CIR PLASTIC
                                     0080/2820 LEN=0040 INSTALLED 1996
                                                 018 "DIA CIR PLASTIC
                                     0080/2574 LEN=0050 INSTALLED 1996

                                                 015 "DIA CIR PLASTIC
                                     0080/1727 LEN=0040 INSTALLED 1996


                                                 015 "DIA CIRC METAL
                                     0080/0648 LEN=0045 INSTALLED 1996
                                                 018 "DIA CIR PLASTIC
                                     0080/0178 LEN=0040 INSTALLED 1996
017944 FT                            017944 FT 2 0 60011 0 00 0180+14
                                   5 0080/0000 LENGTH(AH 3056 BK 2485)


                                                 024 "DIA CIR PLASTIC
                                     0070/1373 LEN=0040 INSTALLED 1996
                                                 018 "DIA CIR PLASTIC
                                     0070/0978 LEN=0040 INSTALLED 1996
                                                 018 "DIA CIR PLASTIC
                                     0070/0700 LEN=0040 INSTALLED 1996
                                                 018 "DIA CIR PLASTIC
                                     0070/0239 LEN=0040 INSTALLED 1996
                                                 018 "DIA CIR PLASTIC
                                     0070/0142 LEN=0040 INSTALLED 1996
015459 FT                            015459 FT 2 0 60011 0 00 0154+93
                                   5 0070/0000 LENGTH(AH 2485 BK 2745)
                                                 018 "DIA CIR PLASTIC
                                     0060/2654 LEN=0040 INSTALLED 1996
```

DIR: B TOTAL LEN: 10.696 MI. DIST: 01-5 SR: 3008
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

			018 "DIA CIR PLASTIC
		0060/2491	LEN=0040 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0060/2015	LEN=0040 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0060/1675	LEN=0040 INSTALLED 1996
			015 "DIA CAST IRON
		0060/1541	LEN=0040 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0060/1385	LEN=0040 INSTALLED 2001
			015 "DIA CIR PLASTIC
		0060/1253	LEN=0050 INSTALLED 1996
			024 "DIA CIR PLASTIC
		0060/0986	LEN=0044 INSTALLED 1996
			024 "DIA CIRC CONCR
		0060/0248	LEN=0036 INSTALLED 1996
			024 "DIA CIRC CONCR
		0060/0129	LEN=0036 INSTALLED 1996
	012714 FT	012714 FT	2 0 60011 0 00 0128+45
			SR 3005 SH
			(SR3005 SEG 0050/2949)
		S 0060/0000	LENGTH(AH 2745 BK 2716)
SUMMIT CITY RD (T349)	0050/2437		
			018 "DIA CIR PLASTIC
		0050/2350	LEN=0040 INSTALLED 1996
			TROUT RUN
			STRUCTURE LENGTH 10 FT
		0050/2035	BMSID 60/3008/0050/2024
			018 "DIA CIR PLASTIC
		0050/1653	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/1151	LEN=0050 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0050/0885	LEN=0040 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0050/0567	LEN=0050 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0050/0378	LEN=0050 INSTALLED 1996
	009998 FT	009998 FT	2 0 60011 0 00 0100+33
		S 0050/0000	LENGTH(AH 2716 BK 2970)
			018 "DIA CIR PLASTIC
		0040/2813	LEN=0045 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0040/2540	LEN=0045 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0040/2227	LEN=0040 INSTALLED 1996
			015 "DIA CIR PLASTIC
		0040/1870	LEN=0040 INSTALLED 1996

DIR: B TOTAL LEN: 10.696 MI. DIST: 01-5 SR: 3008
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

```
                                                  015 "DIA CIR PLASTIC
                                     0040/1574 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                     0040/1142 LEN=0045 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                     0040/0900 LEN=0050 INSTALLED 1996

                                                  015 "DIA CIR PLASTIC
                                     0040/0040 LEN=0040 INSTALLED 1996
                 007028 FT           007028 FT 2 0 60011 0 00 0070+63
                                   S 0040/0000 LENGTH(AH 2970 BK 2589)
                                                  018 "DIA CIR PLASTIC
                                     0030/2191 LEN=0040 INSTALLED 1996


                                                  018 "DIA CIR PLASTIC
                                     0030/1225 LEN=0050 INSTALLED 1996


WITHERUP CORP RD
(PRDR)            0030/0150          0030/0150 (APRA) WITHERUP CORP
                 004439 FT           004439 FT 2 0 60011 0 00 0044+74
                                                  018 "DIA CIRC METAL
                                                  LEN=0040 INSTALLED UNKN
                                   S 0030/0000 LENGTH(AH 2589 BK 2045)


                                                  018 "DIA CIR PLASTIC
                                     0020/0624 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                     0020/0279 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                     0020/0053 LEN=0040 INSTALLED 1996
                 002394 FT           002394 FT 2 0 60011 0 00 0024+29
                                   S 0020/0000 LENGTH(AH 2045 BK 2394)
                                                  015 "DIA CIR PLASTIC
                                     0010/1880 LEN=0040 INSTALLED UNKN


                                                  018 "DIA CIR PLASTIC
                                     0010/0712 LEN=0040 INSTALLED 1996
                                                  015 "DIA CIR PLASTIC
                                     0010/0142 LEN=0040 INSTALLED 2013
                 000000 FT           000000 FT 2 0 60011 0 00 0000+00
                                           NC KENNERDELL RD
                                                  SR 0308 SH
                                                  (SR0308 SEG 0120/2018)
                                                  MFC BEGIN = D
                                   S 0010/0000 LENGTH(AH 2394 BK 0000)
```

DIR: B TOTAL LEN: 7.955 MI. DIST: 01-5 SR: 3007
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

042001 FT

039526 FT



```
042001 FT  KENNERDELL RD
0150/2475  (SR3008 SEG 0090/0000)
0150/2433  BMSEN 60/3007/0150/2344
           2 0 60007 0 01 0424+93
           SCRUBGRASS
0150/2344  BMSBG 60/3007/0150/2344

           018 "DIA CIR PLASTIC
0150/1568  LEN=0048 INSTALLED UNKN

           024 "DIA CIR PLASTIC
0150/0824  LEN=0050 INSTALLED UNKN
           024 "DIA CIR PLASTIC
0150/0398  LEN=0045 INSTALLED UNKN
039526 FT  2 0 60007 0 01 0399+70
5 0150/0000  LENGTH(AH 2475 BK 3402)
           024 "DIA CIR PLASTIC
0140/3292  LEN=0038 INSTALLED UNKN
           018 "DIA CIR PLASTIC
0140/3223  LEN=0030 INSTALLED UNKN
           024 "DIA CIR PLASTIC
0140/2781  LEN=0040 INSTALLED UNKN
           024 "DIA CIR PLASTIC
0140/2647  LEN=0036 INSTALLED UNKN

           024 "DIA CIR PLASTIC
0140/1654  LEN=0040 INSTALLED UNKN
           024 "DIA CIR PLASTIC
0140/1353  LEN=0040 INSTALLED UNKN
           024 "DIA CIR PLASTIC
0140/1248  LEN=0035 INSTALLED UNKN
```

DIR: B TOTAL LEN: 7.955 MI. DIST: 01-5 SR: 3007
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

			018 "DIA CIR PLASTIC
		0140/0824	LEN=0040 INSTALLED UNKN
			CLINTON
		0140/0461	SCRUBGRASS T
			024 "DIA CIR PLASTIC
		0140/0426	LEN=0040 INSTALLED UNKN
2 0 60007 0 01 0366+79 036124 FT		036124 FT	
SAND WORKS RD			
(T402) 0140/0000		S 0140/0000	LENGTH(AH 3402 BK 2669)
			018 "DIA CIR PLASTIC
		0130/2605	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0130/2250	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0130/2090	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0130/1760	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0130/1058	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0130/0834	LEN=0040 INSTALLED UNKN
			042 "DIA CIR PLASTIC
		0130/0110	LEN=0060 INSTALLED UNKN
033455 FT		033455 FT	2 0 60007 0 01 0339+94
		S 0130/0000	LENGTH(AH 2669 BK 2474)
			036 "DIA CIR PLASTIC
		0120/1403	LEN=0042 INSTALLED UNKN
030981 FT		030981 FT	2 0 60007 0 01 0315+00
			LISBON RD
			(SR3029 SEG 0010/0000)
		NC OLD LISBON RD	
		S 0120/0000	LENGTH(AH 2474 BK 2491)
			013"H 22"W ELLIP CONC
		0110/2047	LEN=0052 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/1683	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0110/0614	LEN=0045 INSTALLED UNKN
			013"H 22"W ELLIP CONC
		0110/0200	LEN=0050 INSTALLED UNKN
			013"H 22"W ELLIP CONC

DIR: B TOTAL LEN: 7.955 MI. DIST: 01-5 SR: 3007
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
                                                   0110/0028 LEN=0040 INSTALLED UNKN
2 0 60007 0 01 0290+28 028490 FT                   028490 FT HICKMAN RD
OLIPHANT RD                                                  (T353)
(T351)                  0110/0000                5 0110/0000 LENGTH(AH 2491 BK 3780)
                                                             036"H 72"W CON BOX CUL
                                                   0100/3732 LEN=0045 INSTALLED UNKN

                                                             018 "DIA CIRC CONCR
                                                   0100/1130 LEN=0045 INSTALLED UNKN

                                                             018 "DIA CIRC CONCR
                                                   0100/0420 LEN=0045 INSTALLED UNKN
                        024710 FT                  024710 FT 2 0 60007 0 01 0252+43
                                                             PARKER RD
                                                             (TWP )
                                                 5 0100/0000 LENGTH(AH 3780 BK 2538)
                                                             013"H 22"W ELLIP CONC
                                                   0090/2184 LEN=0040 INSTALLED UNKN

                                                   0090/0016 BMSEN 60/3007/0090/0000
                        022172 FT                  022172 FT 2 0 60007 0 01 0227+07
                                                             WHANN RUN
                                                             BMSBG 60/3007/0090/0000
                                                 5 0090/0000 LENGTH(AH 2538 BK 1805)

                                                             018 "DIA CIRC CONCR
                                                   0080/0690 LEN=0050 INSTALLED UNKN
                                                             013"H 22"W ELLIP CONC
                                                   0080/0198 LEN=0042 INSTALLED 1997
2 0 60007 0 01 0209+00 020367 FT                   020367 FT
RANKIN CHAPEL RD
(SR3006 SEG 0050/2665)  0080/0000                5 0080/0000 LENGTH(AH 1805 BK 3030)

                                                             015 "DIA CIRC CONCR
                                                   0070/1420 LEN=0060 INSTALLED UNKN
```

DIR: B TOTAL LEN: 7.955 MI. DIST: 01-5 SR: 3007
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
                                                 0070/0014 BMSEN 60/3007/0070/0000
017337 FT                                        017337 FT 2 0 60007 0 01 0178+53
                                                           LOCKARD RUN
                                                           BMSBG 60/3007/0070/0000
                                                 5 0070/0000 LENGTH(AH 3030 BK 2846)

014491 FT                                        014491 FT 2 0 60007 0 01 0150+01
                                                 5 0060/0000 LENGTH(AH 2846 BK 3565)

                                                           018 "DIA CIRC CONCR
                                                 0050/2502 LEN=0060 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0050/2165 LEN=0045 INSTALLED UNKN

                                                       NC LISBON RD
                                                           EMLENTON CLINTONVILLE R
                                                           (SR0208 SEG 0250/0000)
                                                 0050/1272

                                                 0050/0016 BMSEN 60/3007/0050/0000
010926 FT                                        010926 FT 2 0 60007 0 00 0113+09
                                                           N FORK TO SCRUBGRAS CK
                                                           BMSBG 60/3007/0050/0000
                                                 5 0050/0000 LENGTH(AH 3565 BK 3198)

                                                           MCMARLAND RD
                                                 0040/2360 (T460)
                                                           018 "DIA CIRC CONCR
                                                 0040/1790 LEN=0030 INSTALLED 2001
                                                 0040/1750 BMSEN 60/3007/0040/1483
                                                           2 0 60007 0 00 0078+58
                                                           SR 0080 E/W
                                                 0040/1454 BMSBG 60/3007/0040/1483
                                                           018 "DIA CIRC CONCR
                                                 0040/1432 LEN=0035 INSTALLED 2001
```

DIR: B TOTAL LEN: 7.955 MI. DIST: 01-5 SR: 3007
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
                                                    018 "DIA CIRC METAL
                                                0040/0060 LEN=0035 INSTALLED UNKN
                        007728 FT               007728 FT 2 0 60007 0 00 0078+58
                                              5 0040/0000 LENGTH(AH 3198 BK 2209)
ELDER RD
(T319)                   0030/1888

                                                    024 "DIA CIR PLASTIC
                                                0030/1155 LEN=0045 INSTALLED 2000

HONEYCOMB ROCK RD
(T317)                   0030/0308
                        005519 FT               005519 FT 2 0 60007 0 00 0055+78
                                                          LT.SCRUB.CK.
                                                          STRUCTURE LENGTH  28 FT
                                                          BMSID 60/3007/0030/0000
                                              5 0030/0000 LENGTH(AH 2209 BK 2964)

                                                    018 "DIA CIRC CONCR
                                                0020/0511 LEN=0040 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                                0020/0325 LEN=0040 INSTALLED 2000
                        002555 FT               002555 FT 2 0 60007 0 00 0025+88
                                              5 0020/0000 LENGTH(AH 2964 BK 2555)
                                                    018 "DIA CIR PLASTIC
                                                0010/2490 LEN=0055 INSTALLED UNKN

                                                    018 "DIA CIR PLASTIC
                                                0010/1712 LEN=0040 INSTALLED 2005
                                                    024 "DIA CIRC CONCR
                                                0010/1215 LEN=0055 INSTALLED UNKN

INDIAN ROCKS RD
(SR3010 SEG 0080/2510)   0010/0594

                                                    INDIAN ROCKS RD
                                                0010/0196 (SR3010 SEG 0090/0000)
                        000000 FT               000000 FT 2 0 60007 0 00 0000+00
                                                      NC ROCKDALE RD
                                              * REF-BK  EAST UNITY RD
                                                        (SR1027 SEG 0010/3815)
                                                        MFC BEGIN = D
                                                         BK-BUTLER          (10)
                                              5 0010/0000 LENGTH(AH 2555 BK 0000)
```

DIR: B TOTAL LEN: 2.499 MI. DIST: 01-5 SR: 3006
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
013197 FT                    013197 FT LISBON RD
                             0050/2665 (SR3007 SEG 0080/0000)
                                       018 "DIA CIR PLASTIC
                             0050/2142 LEN=0035 INSTALLED 1997
                                       018 "DIA CIR PLASTIC
                             0050/1618 LEN=0035 INSTALLED 1997

                                       018 "DIA CIRC CONCR
                             0050/0509 LEN=0036 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0050/0212 LEN=0042 INSTALLED UNKN
010532 FT                    010532 FT 2 0 60055 0 00 0105+52
                           5 0050/0000 LENGTH(AH 2665 BK 2526)
                                       030 "DIA CIR PLASTIC
                             0040/2490 LEN=0030 INSTALLED 2005

                                       ROMANKO RD
                             0040/1824 (T664)

                                       018 "DIA CIR PLASTIC
                             0040/1105 LEN=0036 INSTALLED UNKN
```

DIR: B TOTAL LEN: 2.499 MI. DIST: 01-5 SR: 3006
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
                                 008006 FT                  008006 FT 2 0 60055 0 00 0080+26
                                                          S 0040/0000 LENGTH(AH 2526 BK 2807)

                                                                      WHANN RUN
                                                                      STRUCTURE LENGTH    9 FT
                                                            0030/1554 BMSID 60/3006/0030/1554
                                                                      018 "DIA CIR PLASTIC
                                                            0030/1462 LEN=0040 INSTALLED UNKN

                                                                      RIDDLE RD
                                                                      (T400)
2 0 60055 0 00 0052+02 005199 FT                            005199 FT SCRUBGRASS
CRAMER RD                                                             CLINTON T
(T400)                    0030/0000                       S 0030/0000 LENGTH(AH 2807 BK 2664)
                                                                      018 "DIA CIRC CONCR
                                                            0020/1939 LEN=0036 INSTALLED UNKN

                                                                      024 "DIA CIR PLASTIC
                                                            0020/0051 LEN=0040 INSTALLED 2005
                                 002535 FT                  002535 FT 2 0 60055 0 00 0025+38
                                                          S 0020/0000 LENGTH(AH 2664 BK 2535)
                                                                      024 "DIA CIR PLASTIC
                                                            0010/2470 LEN=0040 INSTALLED UNKN

                                                                      015 "DIA CIRC CONCR
                                                            0010/0019 LEN=0055 INSTALLED UNKN
                                 000000 FT                  000000 FT 2 0 60055 0 00 0000+00
                                                                 NC RANKIN CHAPEL RD
                                                                      SR 3005 SH
                                                                      (SR3005 SEG 0040/0000)
                                                            INTER-BK  SR 3005 SH
                                                                      (SR3005 SEG 0040/0000)
                                                                      MFC BEGIN = D
                                                          S 0010/0000 LENGTH(AH 2535 BK 0000)
```

DIR: B TOTAL LEN: 3.018 MI. DIST: 01-5 SR: 3005
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

	015936 FT		015936 FT SR 3005 SH
			0050/2949 (SR3008 SEG 0060/0000)
			0050/2735 BMSEN 60/3005/0050/2642
			2 0 60010 0 00 0156+25
			SCRUBGRASS CREEK
			0050/2642 BMSBG 60/3005/0050/2642
			018 "DIA CIR PLASTIC
			0050/2121 LEN=0040 INSTALLED 2002
			018 "DIA CIR PLASTIC
			0050/1884 LEN=0080 INSTALLED 2008
PHIPPS RD (T380)	0050/1840		
			018 "DIA CIR PLASTIC
			0050/1736 LEN=0080 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0050/1470 LEN=0060 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0050/1283 LEN=0060 INSTALLED UNKN
			018 "DIA CIRC METAL
			0050/1048 LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
			0050/0644 LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
			0050/0502 LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
			0050/0277 LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0050/0029 LEN=0045 INSTALLED 2002
	012987 FT		012987 FT 2 0 60010 0 00 0130+18
			S 0050/0000 LENGTH(AH 2949 BK 2673)
			024"H 00"W MULT PLSTIC
			0040/2522 LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0040/1303 LEN=0018 INSTALLED 1998
	010314 FT		010314 FT 2 0 60010 0 00 0102+97

DIR: B TOTAL LEN: 3.018 MI. DIST: 01-5 SR: 3005
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

```
                                                    RANKIN CHAPEL RD
                                                    (SR3006 SEG 0010/0000)
                                                S   0040/0000 LENGTH(AH 2673 BK 2974)
                                                    018 "DIA CIR PLASTIC
                                                    0030/2790 LEN=0014 INSTALLED 1997

                    007340 FT                       007340 FT 2 0 60010 0 00 0073+30
                                                    048"H 00"W MULT METAL
                                                    LEN=0020 INSTALLED 1997
                                                S   0030/0000 LENGTH(AH 2974 BK 3783)

                                                    024"H 00"W MULT PLSTIC
                                                    0020/1695 LEN=0014 INSTALLED 1999

                                                    018 "DIA CIR PLASTIC
                                                    0020/0300 LEN=0040 INSTALLED 1999
2 0 60010 0 00 0035+46 003557 FT                    003557 FT
DONALDSON RD
(T327)                 0020/0000                S   0020/0000 LENGTH(AH 3783 BK 3557)
                                                    024 "DIA CIR PLASTIC
                                                    0010/3287 LEN=0025 INSTALLED UNKN

                                                    015 "DIA CIR PLASTIC
                                                    0010/1876 LEN=0016 INSTALLED 1999

                    000000 FT                       000000 FT 2 0 60010 0 00 0000+00
                                                          NC SR 3005 SH
                                                    EMLENTON CLINTONVILLE R
                                                    (SR0208 SEG 0200/0000)
                                                    MFC BEGIN = D
                                                S   0010/0000 LENGTH(AH 3557 BK 0000)
```

DIR: B TOTAL LEN: 1.699 MI. DIST: 01-5 SR: 3004
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

008971 FT



008971 FT GEORGETOWN RD
0030/2917 (SR3003 SEG 0070/0000)
018 "DIA CIR PLASTIC
0030/2916 LEN=0042 INSTALLED UNKN

DIR: B TOTAL LEN: 1.699 MI. DIST: 01-5 SR: 3004
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
                                                          015 "DIA CIR PLASTIC
                                                0030/1792 LEN=0035 INSTALLED 2004
                                                          018 "DIA CIR PLASTIC
                                                0030/1670 LEN=0030 INSTALLED 1998
                                                          018 "DIA CIR PLASTIC
                                                0030/1472 LEN=0050 INSTALLED UNKN

                                                          018 "DIA CIR PLASTIC
                                                0030/0436 LEN=0050 INSTALLED UNKN
                                                          015 "DIA CIR PLASTIC
                                                0030/0105 LEN=0040 INSTALLED 1998
                        006054 FT               006054 FT 2 0 60072 0 00 0059+63
                                              S 0030/0000 LENGTH(AH 2917 BK 2895)

                                                          018 "DIA CIR PLASTIC
                                                0020/1727 LEN=0036 INSTALLED UNKN

2 0 60072 0 00 0030+93 003159 FT                003159 FT
EAKIN RD
(T320)                  0020/0000             S 0020/0000 LENGTH(AH 2895 BK 3159)
                                                          018 "DIA CIR PLASTIC
                                                0010/2959 LEN=0040 INSTALLED UNKN
                                                          015 "DIA CIR PLASTIC
                                                0010/2645 LEN=0030 INSTALLED UNKN

                                                          030 "DIA CIR PLASTIC
                                                0010/1663 LEN=0040 INSTALLED UNKN

OLD ROUTE 8 RD
(T318)                  0010/0150
                        000000 FT               000000 FT 2 0 60072 0 00 0000+00
                                                     NC MELVIN RD
                                                          WILLIAM FLINN HW
                                                          (SR0008 SEG 0107/0000)
                                                          (SR0008 SEG 0106/0000)
                                                INTER-BK  GILMORE RD
WILLIAM FLINN HW                                          (T323)
(SR0008 SEG 0106/0000)                                    MFC BEGIN = E
(SR0008 SEG 0107/0000)  0010/0000             S 0010/0000 LENGTH(AH 3159 BK 0000)
```

DIR: B TOTAL LEN: 7.976 MI. DIST: 01-5 SR: 3003
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

042115 FT
KILGORE RD
(SR2024 SEG 0120/3381) 0160/2594

042115 FT
INTER-AHD HENDERSONVILLE RD
0160/2594 (SR2021 SEG 0010/0000)
015 "DIA CIRC METAL
0160/2577 LEN=0012 INSTALLED UNKN
015 "DIA CIRC METAL
0160/2566 LEN=0012 INSTALLED UNKN

015 "DIA CIR PLASTIC
0160/1395 LEN=0015 INSTALLED UNKN

048 "DIA CIR PLASTIC
0160/0765 LEN=0015 INSTALLED UNKN

015 "DIA CIR PLASTIC
0160/0007 LEN=0017 INSTALLED UNKN

039521 FT
039521 FT 2 0 60003 0 00 0406+14
GADSBY RD
(T306)
COOK RD
(T304) 0160/0000

5 0160/0000 LENGTH(AH 2594 BK 2610)

018 "DIA CIR PLASTIC
0150/1782 LEN=0015 INSTALLED UNKN

DIR: B TOTAL LEN: 7.976 MI. DIST: 01-5 SR: 3003
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

036911 FT

036911 FT 2 0 60003 0 00 0380+28
S 0150/0000 LENGTH(AH 2610 BK 2066)

018 "DIA CIR PLASTIC
0140/1227 LEN=0020 INSTALLED UNKN

2 0 60003 0 00 0359+48 034845 FT
MILLBROOK RD
(T343) 0140/0000

034845 FT MILLBROOK RD
(T343)
S 0140/0000 LENGTH(AH 2066 BK 3505)

060 "DIA CIRC METAL
0130/2470 LEN=0015 INSTALLED UNKN

018 "DIA CIR PLASTIC
0130/1149 LEN=0015 INSTALLED UNKN

031340 FT

031340 FT 2 0 60003 0 00 0324+22
HELLS KITCHEN RD
(SR3011 SEG 0010/0000)
S 0130/0000 LENGTH(AH 3505 BK 2460)

018 "DIA CIR PLASTIC
0120/1796 LEN=0012 INSTALLED UNKN

018 "DIA CIR PLASTIC
0120/0531 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0120/0530 LEN=0012 INSTALLED UNKN

028880 FT

028880 FT 2 0 60003 0 00 0299+62
S 0120/0000 LENGTH(AH 2460 BK 3107)
018 "DIA CIR PLASTIC
0110/2753 LEN=0036 INSTALLED UNKN
018 "DIA CIR PLASTIC
0110/2633 LEN=0015 INSTALLED UNKN
018 "DIA CIR PLASTIC
0110/2520 LEN=0036 INSTALLED UNKN

018 "DIA CIR PLASTIC
0110/1880 LEN=0015 INSTALLED UNKN

DIR: B TOTAL LEN: 7.976 MI. DIST: 01-5 SR: 3003
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
                                                          042 "DIA CIR PLASTIC
                                                 0110/0195 LEN=0014 INSTALLED UNKN
                                                          OLD ROUTE 8 RD
                                                 025773 FT (SR3013 SEG 0010/0000)
2 0 60003 0 00 0268+76 025773 FT                 INTER-BK  SR 6008 SH
OLD ROUTE 8 RD                                            (SR6008 SEG 0050/0000)
(SR6008 SEG 0050/0000)  0110/0000                5 0110/0000 LTH AH 003107 BK 000100
                       025773 FT                 025773 FT
                                                 7104/0000 LTH AH 000100 BK 000863
                                                 * REF-AHD  SR 6008 SH
                                                          (SR6008 SEG 0050/1038)
                                                          RAMP B RD
                                                 0100/0863 (SR8012 SEG 0750/0000)
EAKIN RD                                                  BURNS RD
(T320)                  0100/0647                0100/0647 (T335)
                                                          048"H 48"W BOX CULVERT
                                                 0100/0227 LEN=0015 INSTALLED UNKN
                       024910 FT                 024910 FT 2 0 60003 0 00 0249+76
                                                 5 0100/0000 LENGTH(AH 0863 BK 2448)

                       022462 FT                 022462 FT 2 0 60003 0 00 0224+85
                                                          048 "DIA CIR PLASTIC
                                                          LEN=0015 INSTALLED UNKN
                                                 5 0090/0000 LENGTH(AH 2448 BK 2220)
                                                          018 "DIA CIR PLASTIC
                                                 0080/1959 LEN=0017 INSTALLED 1998

                                                          018 "DIA CIR PLASTIC
                                                 0080/0834 LEN=0012 INSTALLED UNKN
                                                          024 "DIA CIR PLASTIC
                                                 0080/0751 LEN=0015 INSTALLED 2000

                       020242 FT                 020242 FT 2 0 60003 0 00 0203+27
                                                          DOG HOLLOW RD
                                                          (T325)
                                                 5 0080/0000 LENGTH(AH 2220 BK 2573)
                                                          018 "DIA CIR PLASTIC
                                                 0070/2496 LEN=0012 INSTALLED 1998
```

DIR: B TOTAL LEN: 7.976 MI. DIST: 01-5 SR: 3003
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
2 0 60003 0 00 0177+35 017669 FT                    017669 FT
MELVIN RD
(SR3004 SEG 0030/2917)  0070/0000                 S 0070/0000 LENGTH(AH 2573 BK 2698)

                                                            036 "DIA CIR PLASTIC
                                                    0060/1780 LEN=0015 INSTALLED 1999

2 0 60003 0 00 0150+30 014971 FT                    014971 FT
GIBB RD
(T315)                  0060/0000                 S 0060/0000 LENGTH(AH 2698 BK 3283)
                                                    0050/2932 BMSEN 60/3003/0050/2805
                                                              2 0 60003 0 00 0145+55
                                                              SR 0080 WB
                                                    0050/2805 BMSBG 60/3003/0050/2805
                                                              SCRUB.CK.TR.
                                                              STRUCTURE LENGTH  14 FT
                                                    0050/2707 BMSID 60/3003/0050/2707
                                                    0050/2622 BMSEN 60/3003/0050/2498
                                                              2 0 60003 0 00 0142+41
                                                              SR 0080 EB
                                                    0050/2498 BMSBG 60/3003/0050/2498

                                                              024 "DIA CIR PLASTIC
                                                    0050/0029 LEN=0015 INSTALLED 2000
                        011688 FT                   011688 FT 2 0 60003 0 00 0117+49
                                                              CLINTONVILLE RD
                                                              (SR0208 SEG 0090/0000)
                                                  S 0050/0000 LENGTH(AH 3283 BK 3266)

                                                              048 "DIA CIR PLASTIC
                                                    0040/2313 LEN=0015 INSTALLED UNKN

                                                              018 "DIA CIRC METAL
                                                    0040/1522 LEN=0040 INSTALLED 2002
```

DIR: B TOTAL LEN: 7.976 MI. DIST: 01-5 SR: 3003
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
                                                    018 "DIA CIR PLASTIC
                                                0040/0434 LEN=0012 INSTALLED 2002
                                                    018 "DIA CIR PLASTIC
                                                0040/0225 LEN=0012 INSTALLED 2002
                        008422 FT               008422 FT 2 0 60003 0 00 0084+75
                                                S 0040/0000 LENGTH(AH 3266 BK 3095)

                                                    018 "DIA CIR PLASTIC
                                                0030/2495 LEN=0012 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                                0030/2104 LEN=0015 INSTALLED 2002



                                                    024 "DIA CIR PLASTIC
                                                0030/0046 LEN=0015 INSTALLED 2002
2 0 60003 0 00 0053+85 005327 FT                005327 FT MCBRIDE RD
JACOBS RD                                               (T309)
(T305)                   0030/0000          S 0030/0000 LENGTH(AH 3095 BK 2894)
                                                    024 "DIA CIR PLASTIC
                                                0020/2836 LEN=0015 INSTALLED 2002
                                                    015 "DIA CIR PLASTIC
                                                0020/2456 LEN=0015 INSTALLED 2002


                                                    015 "DIA CIR PLASTIC
                                                0020/1222 LEN=0012 INSTALLED 2002


                        002433 FT               002433 FT 2 0 60003 0 00 0024+66
                                                S 0020/0000 LENGTH(AH 2894 BK 2433)



                                                    015 "DIA CIR PLASTIC
                                                0010/0570 LEN=0012 INSTALLED UNKN
                        000000 FT               000000 FT 2 0 60003 0 00 0000+00
                                                      NC GEORGETOWN RD
                                                * REF-BK    WINDY POINT RD
                                                            (SR1005 SEG 0040/2501)
                                                            MFC BEGIN = D
                                                             BK-BUTLER        (10)
                                                S 0010/0000 LENGTH(AH 2433 BK 0000)
```

DIR: B TOTAL LEN: 2.316 MI. DIST: 01-5 SR: 3002
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
012230 FT                    012230 FT OLD ROUTE 8 RD
                             0050/2864 (SR6008 SEG 0040/2566)
                                       018 "DIA CIR PLASTIC
                             0050/2823 LEN=0030 INSTALLED 1996

                                       018 "DIA CIRC CONCR
                             0050/2187 LEN=0036 INSTALLED 1996

                                       015 "DIA CIRC CONCR
                             0050/1477 LEN=0038 INSTALLED 1996
                                       015 "DIA CIRC CONCR
                             0050/0889 LEN=0034 INSTALLED 1996

009366 FT                    009366 FT 2 0 60004 0 00 0093+45
                                       COULTER RD
                                       (T316)
                                  ==
                             S 0050/0000 LENGTH(AH 2864 BK 2332)
```

DIR: B TOTAL LEN: 2.316 MI. DIST: 01-5 SR: 3002
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
                                                  018 "DIA CIRC CONCR
                                  0040/1187 LEN=0036 INSTALLED 1996
                                                  030 "DIA CIRC CONCR
                                  0040/1010 LEN=0046 INSTALLED 1996

007034 FT                           007034 FT 2 0 60004 0 00 0070+13
                                  S 0040/0000 LENGTH(AH 2332 BK 2238)

                                                  030 "DIA CIRC CONCR
                                  0030/1462 LEN=0040 INSTALLED 1996


004796 FT                           004796 FT 2 0 60004 0 00 0047+90
                                                MILL RD
                                                (T302)
                                 ==       S 0030/0000 LENGTH(AH 2238 BK 2230)

                                                  015 "DIA CIRC CONCR
                                  0020/1527 LEN=0032 INSTALLED 1996

                                                  024 "DIA CIRC CONCR
                                  0020/0905 LEN=0044 INSTALLED 1996

                                                  015 "DIA CIRC CONCR
                                  0020/0251 LEN=0034 INSTALLED 1996
002566 FT                           002566 FT 2 0 60004 0 00 0025+57
                                                STERRETT RD
                                                (T300)
                                 == ==    S 0020/0000 LENGTH(AH 2230 BK 2566)
                                                  024 "DIA CIRC CONCR
                                  0010/2425 LEN=0050 INSTALLED 1996
                                                  015 "DIA CIRC CONCR
                                  0010/2143 LEN=0040 INSTALLED 1996


                                                  036 "DIA CIRC CONCR
                                  0010/1110 LEN=0040 INSTALLED 1996
ALL ABOUT GROUNDCOVER
(PRDR)                 0010/0961  ==

000000 FT                           000000 FT 2 0 60004 0 00 0000+00
                                          NC SCRUBGRASS RD
                                  * REF-BK      SCRUBGRASS RD
                                                (SR2014 SEG 0260/2215)
                                                MFC BEGIN = D
                                                 BK-MERCER          (43)
                                  S 0010/0000 LENGTH(AH 2566 BK 0000)
```

DIR: B TOTAL LEN: 1.409 MI. DIST: 01-5 SR: 3001
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

CLINTONVILLE RD 007442 FT 007442 FT CLINTONVILLE RD

DIR: B TOTAL LEN: 1.409 MI. DIST: 01-5 SR: 3001
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
(SR0208 SEG 0080/0000)  0020/3771          0020/3771 (SR0208 SEG 0080/0000)

                                                     024 "DIA CIR PLASTIC
                                           0020/3139 LEN=0045 INSTALLED 2005


                                                     024 "DIA CIR PLASTIC
                                           0020/1820 LEN=0040 INSTALLED 1997
                                                     018 "DIA CIR PLASTIC
                                           0020/1692 LEN=0035 INSTALLED 2004
                                                     024 "DIA CIR PLASTIC
                                           0020/1139 LEN=0045 INSTALLED 1997
                                                     018 "DIA CIR PLASTIC
                                           0020/0656 LEN=0040 INSTALLED 1997
                                                     018 "DIA CIR PLASTIC
                                           0020/0475 LEN=0040 INSTALLED 1997
                                                     018 "DIA CIR PLASTIC
                                           0020/0288 LEN=0040 INSTALLED 1997
                                                     015 "DIA CIR PLASTIC
                                           0020/0102 LEN=0042 INSTALLED 1997
                   003671 FT               003671 FT 2 0 60002 0 00 0036+87
                                                     JACOBS RD
                                                     (T305)
                                        == S 0020/0000 LENGTH(AH 3771 BK 3671)


                                                     024 "DIA CIR PLASTIC
                                           0010/2374 LEN=0045 INSTALLED 1997
                                                     024 "DIA CIR PLASTIC
                                           0010/2370 LEN=0045 INSTALLED 2004


                                                     018 "DIA CIR PLASTIC
                                           0010/1390 LEN=0040 INSTALLED 1997
                                                     024 "DIA CIR PLASTIC
                                           0010/1220 LEN=0040 INSTALLED 1997


                                                     018 "DIA CIR PLASTIC
                                           0010/0189 LEN=0036 INSTALLED 1997
                   000000 FT               000000 FT 2 0 60002 0 00 0000+00
                                                 NC SR 3001 SH
                                                     COUNTY LINE RD
                                                     (T477)
                                           INTER-BK  ROCKY SPRINGS RD
                                                     (T850)
                                                     MFC BEGIN = E
                                        == S 0010/0000 LENGTH(AH 3671 BK 0000)
```

DIR: B TOTAL LEN: 1.555 MI. DIST: 01-5 SR: 2027
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

	008210 FT		008210 FT	
			INTER-AHD	INNIS ST
				(CITY)
				FIRST ST
			0050/1303	(SR3025 SEG 0160/0000)
SECOND AL				
(CITY)	0050/1108			
SECOND AL				
(CITY)	0050/1043			
				SECOND ST
			0050/0906	(CITY)
				THIRD AL
			0050/0711	(CITY)
				THIRD ST
			0050/0515	(CITY)
				LEES LN
			0050/0255	(CITY)
	006907 FT		006907 FT	2 0 60025 0 00 0057+57
				FOURTH ST
				(CITY)
			S 0050/0000	LENGTH(AH 1303 BK 1114)
				FIFTH AL
			0040/0932	(CITY)
				FIFTH ST
			0040/0742	(CITY)
				SIXTH AL
			0040/0558	(CITY)
				SIXTH ST
			0040/0370	(CITY)
				SEVENTH AL
			0040/0184	(CITY)
	005793 FT		005793 FT	2 0 60025 0 00 0046+44
				SEVENTH ST
				(CITY)
			S 0040/0000	LENGTH(AH 1114 BK 1249)
				015 "DIA CIRC METAL
			0030/1220	LEN=0022 INSTALLED 1998
				EIGHTH AL

DIR: B TOTAL LEN: 1.555 MI. DIST: 01-5 SR: 2027
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

```
                                                 0030/1063 (CITY)

                                                           018 "DIA CIRC METAL
                                                 0030/0021 LEN=0040 INSTALLED 1998
                        004544 FT                004544 FT 2 0 60025 0 00 0033+95
                                                      NC INNIS ST
                                                 0030/0000 LENGTH(AH 1249 BK 3294)

                                                           OIL CITY
                                                 0020/2612 CRANBERRY T
FORMAN ST
(PRDR)                  0020/2144

                                                           015 "DIA CIR PLASTIC
                                                 0020/1860 LEN=0044 INSTALLED 1998
ORANGE ST EX                                               ORANGE ST
(TWP )                  0020/1859                0020/1859 (T528)
                                                           024 "DIA CIR PLASTIC
                                                 0020/1800 LEN=0033 INSTALLED 1998
                                                           RICH ST
                                                 0020/1495 (T530)

                        001250 FT                001250 FT 2 0 60025 0 00 0000+00
                                                           ALLEGHENY AV
                                                           (T666)
                                                 0020/0000 LENGTH(AH 3294 BK 1250)
                                                           015 "DIA CIR PLASTIC
                                                 0010/1250 LEN=0100 INSTALLED 1998
KIRKWOOD AV
(T707)                  0010/1176

                                                           012 "DIA CIRC METAL
                                                 0010/0872 LEN=0046 INSTALLED 1998
PINOAK CR
(T705)                  0010/0856
PINOAK CR
(T705)                  0010/0439

                                                           024 "DIA CIR PLASTIC
                                                 0010/0400 LEN=0046 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0010/0124 LEN=0141 INSTALLED UNKN
WEST AV
(T441)                  0010/0091
                        000000 FT                000000 FT 2 0 60082 0 00 0000+00
                                                           SALINA RD
                                                           (SR0257 SEG 0100/0000)
                                                      NC INNIS ST EXT
                                                           MFC BEGIN = C
SALINA RD
(SR0257 SEG 0100/0000)  0010/0000                0010/0000 LENGTH(AH 1250 BK 0000)
```

DIR: B TOTAL LEN: 2.646 MI. DIST: 01-5 SR: 2025
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

013973 FT

013973 FT
INTER-AHD NAGEL RD

DIR: B TOTAL LEN: 2.646 MI. DIST: 01-5 SR: 2025
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

		0060/1609	(T538) OAK ST
		0060/1384	(PRDR) 015 "DIA CIRC METAL
		0060/1230	LEN=0045 INSTALLED 1996 NAGEL ST (PRDR) KINCH ST
		0060/1210	(PRDR) 015 "DIA CIR PLASTIC
		0060/1191	LEN=0048 INSTALLED 1996
HICKORY ST (PRDR)	0060/0462		
			015 "DIA CIR PLASTIC
		0060/0429	LEN=0036 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0060/0260	LEN=0045 INSTALLED UNKN
2 0 60060 0 00 0124+01 012364 FT		012364 FT	018 "DIA CIR PLASTIC
OAK ST			LEN=0050 INSTALLED 1996
(PRDR)	0060/0000	5 0060/0000	LENGTH(AH 1609 BK 2421)
			015 "DIA CIR PLASTIC
		0050/2195	LEN=0030 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0050/2073	LEN=0040 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0050/1332	LEN=0050 INSTALLED 1996
			048 "DIA CIRC METAL
		0050/1206	LEN=0070 INSTALLED 1996
			015 "DIA CIR PLASTIC
		0050/0983	LEN=0050 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0050/0700	LEN=0050 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0050/0348	LEN=0045 INSTALLED 1996
	009943 FT	009943 FT	2 0 60060 0 00 0100+04
		5 0050/0000	LENGTH(AH 2421 BK 2387)
			018 "DIA CIR PLASTIC
		0040/2308	LEN=0036 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0040/1998	LEN=0040 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0040/1738	LEN=0060 INSTALLED 2012
			018 "DIA CIR PLASTIC
		0040/1480	LEN=0055 INSTALLED 2012
			015 "DIA CIR PLASTIC
		0040/1213	LEN=0045 INSTALLED 1996
			015 "DIA CIR PLASTIC
		0040/0908	LEN=0050 INSTALLED 1996

DIR: B TOTAL LEN: 2.646 MI. DIST: 01-5 SR: 2025
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

```
                                                  018 "DIA CIR PLASTIC
                                     0040/0658 LEN=0045 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                     0040/0463 LEN=0048 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                     0040/0206 LEN=0045 INSTALLED 1996
                   007556 FT         007556 FT 2 0 60060 0 00 0075+77
                                   S 0040/0000 LENGTH(AH 2387 BK 2568)

                                                  024 "DIA CIR PLASTIC
                                     0030/1465 LEN=0040 INSTALLED 1996

                                                  015 "DIA CIR PLASTIC
                                     0030/0503 LEN=0030 INSTALLED 1996
                   004988 FT         004988 FT 2 0 60060 0 00 0050+09
                                   S 0030/0000 LENGTH(AH 2568 BK 2446)
                                                  015 "DIA CIRC METAL
                                     0020/2157 LEN=0036 INSTALLED 1996
                                                  015 "DIA CIR PLASTIC
                                     0020/1828 LEN=0036 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                     0020/1483 LEN=0030 INSTALLED 1996
                                                  015 "DIA CIR PLASTIC
                                     0020/0900 LEN=0040 INSTALLED 1996

                   002542 FT         002542 FT 2 0 60060 0 00 0025+63
                                   S 0020/0000 LENGTH(AH 2446 BK 2542)
                                                  015 "DIA CIR PLASTIC
                                     0010/2456 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                     0010/2100 LEN=0030 INSTALLED 1996

WALNUT BEND RD
(T539)              0010/1209
                                                  015 "DIA CIR PLASTIC
                                     0010/1187 LEN=0040 INSTALLED 2012
                                                  015 "DIA CIR PLASTIC
                                     0010/0682 LEN=0044 INSTALLED 1996

                   000000 FT         000000 FT 2 0 60060 0 00 0000+00
                                                  SR 0062 SH
                                                  (SR0062 SEG 0660/0000)
                                           NC HENRYS BEND RD
                                     INTER-BK  MCPHERSON RD
                                                  (T612)
SR 0062 SH
(SR0062 SEG 0660/0000)  0010/0000                 MFC BEGIN = D
                                   S 0010/0000 LENGTH(AH 2542 BK 0000)
```

DIR: B TOTAL LEN: 5.293 MI. DIST: 01-5 SR: 2023
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

```
                                027948 FT
                                026007 FT
                                026007 FT
SR 0062 SH
(SR0062 SEG 0720/0000)  0100/2383
```



```
027948 FT
REF-AHD     PRESIDENT VILLAGE RD
0110/1941   (T547)
            018 "DIA CIR PLASTIC
0110/1744   LEN=0070 INSTALLED UNKN

            018 "DIA CIR PLASTIC
0110/1082   LEN=0048 INSTALLED UNKN
            015 "DIA CIRC METAL
0110/0790   LEN=0040 INSTALLED UNKN
            018 "DIA CIR PLASTIC
0110/0247   LEN=0042 INSTALLED UNKN
026007 FT   2 0 60030 0 00 0261+08
            SR 0062 SH
            (SR0062 SEG 0720/1134)
      NC PRESIDENT VILLAGE RD
            MCCALMONT RD
            (T543)
INTER-BK    SR 0062 SH
            (SR0062 SEG 0720/1134)
            MFC BEGIN = E
0110/0000   LTH AH 001941 BK 000100
026007 FT
7104/0000   LTH AH 000100 BK 002383
INTER-AHD   SR 0062 SH
0100/2383   (SR0062 SEG 0720/0000)
            044"H 48"W CON BOX CUL
0100/2205   LEN=0110 INSTALLED UNKN
            018 "DIA CIR PLASTIC
0100/2058   LEN=0014 INSTALLED UNKN
            003 "DIA CIR PLASTIC
0100/1916   LEN=0042 INSTALLED 1996
            015 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 5.293 MI. DIST: 01-5 SR: 2023
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

```
                                                 0100/1717 LEN=0014 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0100/1349 LEN=0014 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0100/1054 LEN=0016 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0100/0907 LEN=0012 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0100/0643 LEN=0012 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0100/0434 LEN=0014 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0100/0051 LEN=0016 INSTALLED 1996
2 0 60030 0 00 0237+37 023624 FT                 023624 FT
BODAMER RD
(T511)                 0100/0000                S 0100/0000 LENGTH(AH 2383 BK 2925)
                                                           018 "DIA CIR PLASTIC
                                                 0090/2690 LEN=0014 INSTALLED 1997
                                                           018 "DIA CIR PLASTIC
                                                 0090/2480 LEN=0014 INSTALLED 1997
                                                           018 "DIA CIR PLASTIC
                                                 0090/2298 LEN=0014 INSTALLED 1997
                                                           018 "DIA CIR PLASTIC
                                                 0090/1937 LEN=0014 INSTALLED 1997
                                                           018 "DIA CIR PLASTIC
                                                 0090/1729 LEN=0014 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0090/1402 LEN=0014 INSTALLED 1997
                                                           018 "DIA CIR PLASTIC
                                                 0090/1038 LEN=0014 INSTALLED 1997
                                                           018 "DIA CIR PLASTIC
                                                 0090/0880 LEN=0014 INSTALLED 1997

                                                 0090/0250 BMSEN 60/2023/0090/0226
                                                           2 0 60030 0 00 0207+58
                                                           PORCUPINE CK
                                                 0090/0205 BMSBG 60/2023/0090/0226
                       020699 FT                 020699 FT 2 0 60030 0 00 0207+58
                                                S 0090/0000 LENGTH(AH 2925 BK 3110)

                                                           018 "DIA CIR PLASTIC
                                                 0080/2476 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0080/2175 LEN=0042 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0080/1641 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0080/1367 LEN=0014 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0080/1054 LEN=0014 INSTALLED UNKN
```

DIR: B TOTAL LEN: 5.293 MI. DIST: 01-5 SR: 2023
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

```
                                                  018 "DIA CIR PLASTIC
                                  0080/0894 LEN=0014 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0080/0577 LEN=0046 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0080/0294 LEN=0014 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0080/0065 LEN=0014 INSTALLED UNKN
017589 FT                         017589 FT 2 0 60030 0 00 0176+48
                                S 0080/0000 LENGTH(AH 3110 BK 2555)
                                                  018 "DIA CIR PLASTIC
                                  0070/2423 LEN=0014 INSTALLED UNKN

                                                  015 "DIA CIRC METAL
                                  0070/1597 LEN=0014 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                  0070/1387 LEN=0014 INSTALLED 2011
                                                  015 "DIA CIR PLASTIC
                                  0070/1042 LEN=0014 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0070/0925 LEN=0014 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0070/0796 LEN=0014 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                  0070/0454 LEN=0014 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0070/0042 LEN=0012 INSTALLED 2015
015034 FT                         015034 FT 2 0 60030 0 00 0150+93
                                S 0070/0000 LENGTH(AH 2555 BK 2505)
                                                  018 "DIA CIR PLASTIC
                                  0060/2136 LEN=0014 INSTALLED 2015


                                                  018 "DIA CIR PLASTIC
                                  0060/0895 LEN=0015 INSTALLED 2012

012529 FT                         012529 FT 2 0 60030 0 00 0125+88
                                S 0060/0000 LENGTH(AH 2505 BK 2503)



                                                  018 "DIA CIR PLASTIC
                                  0050/0935 LEN=0014 INSTALLED 2015

010026 FT                         010026 FT 2 0 60030 0 00 0100+85
                                S 0050/0000 LENGTH(AH 2503 BK 2286)
                                                  018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 5.293 MI. DIST: 01-5 SR: 2023
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

```
                                        0040/1833 LEN=0014 INSTALLED UNKN
                                                  036 "DIA CIR PLASTIC
                                        0040/1280 LEN=0014 INSTALLED 1997

                                                  018 "DIA CIR PLASTIC
                                        0040/0672 LEN=0012 INSTALLED 1999

007740 FT                               007740 FT 2 0 60030 0 00 0077+99
                                                  PRESIDENT
                                                  PINE GROVE T
                                      5 0040/0000 LENGTH(AH 2286 BK 2816)

                                                  018 "DIA CIRC METAL
                                        0030/1872 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0030/1513 LEN=0014 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                        0030/0628 LEN=0014 INSTALLED 2012
                                                  018 "DIA CIR PLASTIC
                                        0030/0194 LEN=0014 INSTALLED 2012
004924 FT                               004924 FT 2 0 60030 0 00 0049+83
                                      5 0030/0000 LENGTH(AH 2816 BK 2447)



                                                  027 "DIA CIRC METAL
                                        0020/0404 LEN=0012 INSTALLED UNKN
002477 FT                               002477 FT 2 0 60030 0 00 0025+36
                                      5 0020/0000 LENGTH(AH 2447 BK 2477)
                                                  036 "DIA CIR PLASTIC
                                        0010/1981 LEN=0017 INSTALLED 1998

                                                  018 "DIA CIR PLASTIC
                                        0010/1354 LEN=0010 INSTALLED 1997
                                                  038"H 60"W ELLIP CONC
                                        0010/0920 LEN=0015 INSTALLED 2012

000000 FT                               000000 FT 2 0 60030 0 00 0000+00
                                              NC PRESIDENT RD
                                                  FRYBURG RD
                                                  (SR0157 SEG 0150/0000)
                                        INTER-BK  POWELL RD
                                                  (T633)
                                                  MFC BEGIN = D
                                      5 0010/0000 LENGTH(AH 2477 BK 0000)
```

DIR: B TOTAL LEN: 2.194 MI. DIST: 01-5 SR: 2021
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

	011583 FT		011583 FT	
			INTER-AHD	COUNTY LINE RD (T646)
SR 0157 SH (SR0157 SEG 0200/3366)	0040/3247		0040/3247	SR 0157 SH (SR0157 SEG 0010/0000)
			0040/3220	015 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
			0040/2600	024 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
			0040/1440	024 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
			0040/1053	024 "DIA CIR PLASTIC LEN=0045 INSTALLED 2005
OLD STATE RD (SR2004 SEG 0250/2672)	0040/1048			
			0040/1017	SANDROCK RD (T588)
	008336 FT		008336 FT	2 0 60029 0 00 0084+12
				048"H 00"W MULT PLSTIC LEN=0083 INSTALLED UNKN
			S 0040/0000	LENGTH(AH 3247 BK 2941)

DIR: B TOTAL LEN: 2.194 MI. DIST: 01-5 SR: 2021
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

```
                                                    018 "DIA CIR PLASTIC
                                      0030/2166 LEN=0035 INSTALLED UNKN
                                                    015 "DIA CIR PLASTIC
                                      0030/1811 LEN=0036 INSTALLED UNKN

                                                    018 "DIA CIR PLASTIC
                                      0030/0930 LEN=0034 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                      0030/0750 LEN=0040 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                      0030/0233 LEN=0030 INSTALLED UNKN
2 0 60029 0 00 0054+64 005395 FT      005395 FT
T421 BURNS RD
(T421)                 0030/0000 ==  S 0030/0000 LENGTH(AH 2941 BK 2298)
                                                    015 "DIA CIR PLASTIC
                                      0020/1752 LEN=0040 INSTALLED 2012
                                                    015 "DIA CIR PLASTIC
                                      0020/1163 LEN=0040 INSTALLED 2012
                                                    018 "DIA CIR PLASTIC
                                      0020/0837 LEN=0034 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                      0020/0263 LEN=0036 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                      0020/0033 LEN=0040 INSTALLED 2015
                       003097 FT      003097 FT 2 0 60029 0 00 0031+68
T419 AARON RD                                 NC SR 2021 SH
(T419)                 0020/0000 ==  S 0020/0000 LENGTH(AH 2298 BK 3097)
                                                    018 "DIA CIR PLASTIC
                                      0010/2659 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                      0010/2212 LEN=0030 INSTALLED UNKN
                                                    030 "DIA CIR PLASTIC
                                      0010/1803 LEN=0050 INSTALLED 1997
                                                    PINE CITY RD
                                      0010/1698 (SR4013 SEG 0140/0000)
                                                    018 "DIA CIR PLASTIC
                                      0010/1660 LEN=0040 INSTALLED 1997
                                                    018 "DIA CIR PLASTIC
                                      0010/1475 LEN=0040 INSTALLED UNKN
                                                    036 "DIA CIR PLASTIC
                                      0010/0936 LEN=0054 INSTALLED 2012

                       000000 FT      000000 FT 2 0 60029 0 00 0000+00
                                                 NC COUNTY LINE RD
                                    * REF-BK        PINE CITY RD (TBK)
                                                    (TB90)
                                                    MFC BEGIN = D
                                    S 0010/0000 LENGTH(AH 3097 BK 0000)
```

DIR: B TOTAL LEN: 1.545 MI. DIST: 01-5 SR: 2019
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

```
008159 FT                    008159 FT FRYBURG RD
                             0030/2833 (SR0157 SEG 0140/0000)
                                       024 "DIA CIR PLASTIC
                             0030/2265 LEN=0050 INSTALLED 1997

                                       018 "DIA CIR PLASTIC
                             0030/1567 LEN=0040 INSTALLED 1997
                                       018 "DIA CIR PLASTIC
                             0030/1015 LEN=0045 INSTALLED 1997

005326 FT                    005326 FT 2 0 60054 0 00 0065+00
                           S 0030/0000 LENGTH(AH 2833 BK 2420)

                                       024 "DIA CIR PLASTIC
                             0020/1796 LEN=0051 INSTALLED 1997
                                       018 "DIA CIR PLASTIC
                             0020/1497 LEN=0048 INSTALLED UNKN

                                       015 "DIA CIR PLASTIC
                             0020/0439 LEN=0040 INSTALLED UNKN
002906 FT                    002906 FT 2 0 60054 0 00 0040+00
                           S 0020/0000 LENGTH(AH 2420 BK 2906)
                                       018 "DIA CIR PLASTIC
                             0010/2817 LEN=0042 INSTALLED 1997

                                       018 "DIA CIR PLASTIC
                             0010/1736 LEN=0052 INSTALLED 1997
                                       015 "DIA CIR PLASTIC
                             0010/1313 LEN=0050 INSTALLED 1997
                                       060 "DIA CIR PLASTIC
                             0010/0763 LEN=0060 INSTALLED 1997
                                       018 "DIA CIR PLASTIC
                             0010/0438 LEN=0036 INSTALLED 1997
                                       018 "DIA CIR PLASTIC
                             0010/0106 LEN=0032 INSTALLED 1997
                                       018 "DIA CIR PLASTIC
                             0010/0027 LEN=0053 INSTALLED 1997
000000 FT                    000000 FT 2 0 60054 0 00 0011+54
                                   NC PINEGROVE SCHOOL RD
                                       OLD STATE RD
                                       (SR2004 SEG 0190/0000)
                             INTER-BK  HALE RD
                                       (T628)
                                       MFC BEGIN = E
                           S 0010/0000 LENGTH(AH 2906 BK 0000)
```

DIR: B TOTAL LEN: 4.966 MI. DIST: 01-5 SR: 2017
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

026220 FT

026220 FT
INTER-AHD MCPHERSON RD
(T612)
FRYBURG RD
0100/2344 (SR0157 SEG 0100/0000)

FLOCKERZI RD
(T610)

0100/1791

018 "DIA CIR PLASTIC
0100/0069 LEN=0020 INSTALLED 2005

023876 FT

023876 FT 2 0 60028 0 00 0239+66
5 0100/0000 LENGTH(AH 2344 BK 3030)

015 "DIA CIRC CONCR
0090/2248 LEN=0016 INSTALLED 2011

018 "DIA CIR PLASTIC
0090/1519 LEN=0012 INSTALLED 1998

020846 FT

020846 FT 2 0 60028 0 00 0209+13
5 0090/0000 LENGTH(AH 3030 BK 2896)

018 "DIA CIR PLASTIC
0080/2125 LEN=0016 INSTALLED 2011
015 "DIA CIR PLASTIC
0080/1761 LEN=0015 INSTALLED 2011

030 "DIA CIR PLASTIC
0080/1067 LEN=0015 INSTALLED 2011

018 "DIA CIR PLASTIC
0080/0020 LEN=0050 INSTALLED 1998

017950 FT

017950 FT 2 0 60028 0 00 0180+17
NC SAWTOWN RD
OLD STATE RD
(T443)

DIR: B TOTAL LEN: 4.966 MI. DIST: 01-5 SR: 2017
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

		S 0080/0000 LENGTH(AH 2896 BK 2635)
		018 "DIA CIR PLASTIC
		0070/2619 LEN=0018 INSTALLED 2011
		024 "DIA CIR PLASTIC
		0070/2241 LEN=0018 INSTALLED 2011
		018 "DIA CIRC METAL
		0070/1904 LEN=0020 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0070/1248 LEN=0015 INSTALLED 2011
		018 "DIA CIR PLASTIC
		0070/0653 LEN=0014 INSTALLED 2005
		024 "DIA CIR PLASTIC
		0070/0090 LEN=0014 INSTALLED UNKN
	015315 FT	015315 FT 2 0 60028 0 00 0153+95
		S 0070/0000 LENGTH(AH 2635 BK 2541)
		018 "DIA CIR PLASTIC
		0060/2108 LEN=0018 INSTALLED 2011
		024 "DIA CIR PLASTIC
		0060/1696 LEN=0022 INSTALLED 2000
		024 "DIA CIR PLASTIC
		0060/1446 LEN=0026 INSTALLED UNKN
	012774 FT	012774 FT 2 0 60028 0 00 0128+54
		S 0060/0000 LENGTH(AH 2541 BK 1942)
		018 "DIA CIR PLASTIC
		0050/0992 LEN=0016 INSTALLED 2005
AUSEL RD (T413)	0050/0318	
		018 "DIA CIRC METAL
		0050/0020 LEN=0020 INSTALLED 2007
	010832 FT	010832 FT 2 0 60028 0 00 0108+80
		DAVIS RD
FERTIGS RD (SR2004 SEG 0140/0000)	0050/0000	(SR2004 SEG 0140/0000)
		S 0050/0000 LENGTH(AH 1942 BK 3430)
		018 "DIA CIR PLASTIC
		0040/3400 LEN=0070 INSTALLED 2007
		015 "DIA CIR PLASTIC
		0040/2570 LEN=0016 INSTALLED 2007
		038 "DIA CIRC METAL
		0040/1578 LEN=0016 INSTALLED 2007

DIR: B TOTAL LEN: 4.966 MI. DIST: 01-5 SR: 2017
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

```
                                                   018 "DIA CIR PLASTIC
                                     0040/0730 LEN=0016 INSTALLED UNKN
                                                   015 "DIA CIR PLASTIC
                                     0040/0396 LEN=0015 INSTALLED 1998
WEST SHARRAR RD
(T412)                0040/0166 ==
                                                   015 "DIA CIR PLASTIC
                                     0040/0141 LEN=0015 INSTALLED 2009
                      007402 FT      007402 FT 2 0 60028 0 00 0074+36
                                                   SHARRAR RD
                                                   (T411)
                                  ==  S 0040/0000 LENGTH(AH 3430 BK 2449)

                                                   018 "DIA CIR PLASTIC
                                     0030/1572 LEN=0015 INSTALLED UNKN
                                                   018 "DIA CIR PLASTIC
                                     0030/1300 LEN=0016 INSTALLED 2000

                                                   015 "DIA CIR PLASTIC
                                     0030/0270 LEN=0018 INSTALLED 2015
                      004953 FT      004953 FT 2 0 60028 0 00 0049+87
                                   S 0030/0000 LENGTH(AH 2449 BK 2580)
                                                   050 "DIA CIR PLASTIC
                                     0020/2123 LEN=0016 INSTALLED 2007



                                                   018 "DIA CIR PLASTIC
                                     0020/0140 LEN=0016 INSTALLED 2007
                      002373 FT      002373 FT 2 0 60028 0 00 0024+07
                                                   018 "DIA CIR PLASTIC
                                                   LEN=0018 INSTALLED UNKN
                                   S 0020/0000 LENGTH(AH 2580 BK 2373)
                                                   018 "DIA CIR PLASTIC
                                     0010/1866 LEN=0015 INSTALLED 2007
                                                   018 "DIA CIR PLASTIC
                                     0010/1594 LEN=0012 INSTALLED UNKN


                      000000 FT      000000 FT 2 0 60028 0 00 0000+00
                                          NC CAMP COFFMAN RD
                                   * REF-BK       ASHLAND RD
                                                   (T398)
                                                   MFC BEGIN = D
                                   S 0010/0000 LENGTH(AH 2373 BK 0000)
```

DIR: B TOTAL LEN: 5.463 MI. DIST: 01-5 SR: 2015
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                          028845 FT                    028845 FT
                                                       INTER-AHD  STANLEY RD
                                                                  (T599)
                                                                  FRYBURG RD
                                                       0120/1807  (SR0157 SEG 0050/0000)
                                                                  015 "DIA CIRC METAL
                                                       0120/1787  LEN=0056 INSTALLED 1996

                                                                  015 "DIA CIR PLASTIC
                                                       0120/0755  LEN=0035 INSTALLED 1996

                          027038 FT                    027038 FT  2 0 60026 0 00 0271+73
                                                     S 0120/0000  LENGTH(AH 1807 BK 2007)

                          025031 FT                    025031 FT  2 0 60026 0 00 0251+66
                                                     S 0110/0000  LENGTH(AH 2007 BK 2530)
                                                                  018 "DIA CIR PLASTIC
                                                       0100/2440  LEN=0035 INSTALLED 1996

                                                                  024 "DIA CIRC METAL
                                                       0100/0687  LEN=0040 INSTALLED 1996
                                                                  018 "DIA CIR PLASTIC
                                                       0100/0274  LEN=0040 INSTALLED 1997
                                                                  018 "DIA CIR PLASTIC
                                                       0100/0016  LEN=0080 INSTALLED 1997
                          022501 FT                    022501 FT  2 0 60026 0 00 0225+93
                                                                  TIPPERY RD
STATE RD                                                          (T443)
(SR2006 SEG 0190/3325)  0100/0000                    S 0100/0000  LENGTH(AH 2530 BK 2631)
                                                                  015 "DIA CIR PLASTIC
                                                       0090/2134  LEN=0060 INSTALLED 1996

                                                                  015 "DIA CIR PLASTIC
                                                       0090/1331  LEN=0060 INSTALLED 1996

                          019870 FT                    019870 FT  2 0 60026 0 00 0198+25
                                                     S 0090/0000  LENGTH(AH 2631 BK 1645)
                                                       0080/1586  BMSEN 60/2015/0080/1565
```

DIR: B TOTAL LEN: 5.463 MI. DIST: 01-5 SR: 2015
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                    2 0 60026 0 00 0198+09
                                                    HALLS RUN
                                                0080/1565 BMSBG 60/2015/0080/1565

                     018225 FT                  018225 FT 2 0 60026 0 00 0182+44
                                                S 0080/0000 LENGTH(AH 1645 BK 2262)

                                                    018 "DIA CIR PLASTIC
                                                0070/0042 LEN=0060 INSTALLED 1997
2 0 60026 0 00 0159+65 015963 FT                015963 FT
MEADOW CHURCH RD
(T433)                 0070/0000                S 0070/0000 LENGTH(AH 2262 BK 2745)

                                                    018 "DIA CIR PLASTIC
                                                0060/1350 LEN=0040 INSTALLED 1996

2 0 60026 0 00 0132+18 013218 FT                013218 FT TARKILN RD
MAPLESHADE RD                                           (SR2004 SEG 0060/0000)
(SR2004 SEG 0060/0000)  0060/0000               S 0060/0000 LENGTH(AH 2745 BK 2156)
                                                    042 "DIA CIR PLASTIC
                                                0050/1500 LEN=0060 INSTALLED 1996

                     011062 FT                  011062 FT 2 0 60026 0 00 0110+52
                                                S 0050/0000 LENGTH(AH 2156 BK 2106)
                                                    018 "DIA CIR PLASTIC
                                                0040/1762 LEN=0040 INSTALLED 2008

                                                    015 "DIA CIR PLASTIC
                                                0040/0852 LEN=0035 INSTALLED UNKN

                     008956 FT                  008956 FT 2 0 60026 0 00 0089+46
                                                          GEORGE HILL RD
                                                          (T409)
```

DIR: B TOTAL LEN: 5.463 MI. DIST: 01-5 SR: 2015
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                          S 0040/0000 LENGTH(AH 2106 BK 2374)

                                                      015 "DIA CIR PLASTIC
                                            0030/1646 LEN=0040 INSTALLED 1996


                                                      018 "DIA CIR PLASTIC
                                            0030/0490 LEN=0040 INSTALLED 1997
                                                      060 "DIA CIRC CONCR
                                            0030/0007 LEN=0030 INSTALLED 1996
006582 FT                                   006582 FT 2 0 60026 0 00 0065+85
                                          S 0030/0000 LENGTH(AH 2374 BK 3584)

                                                      018 "DIA CIR PLASTIC
                                            0020/2786 LEN=0045 INSTALLED 1996
                                                      024 "DIA CIR PLASTIC
                                            0020/2408 LEN=0050 INSTALLED 1996
                                                      018 "DIA CIR PLASTIC
                                            0020/2197 LEN=0070 INSTALLED 1996
                                                      024 "DIA CIR PLASTIC
                                            0020/1684 LEN=0048 INSTALLED 1996
                                                      024 "DIA CIR PLASTIC
                                            0020/1225 LEN=0045 INSTALLED 1997
                                                      018 "DIA CIR PLASTIC
                                            0020/1094 LEN=0050 INSTALLED 1996
                                                      018 "DIA CIR PLASTIC
                                            0020/0809 LEN=0056 INSTALLED 1996

002998 FT                                   002998 FT 2 0 60026 0 00 0030+01
                                          S 0020/0000 LENGTH(AH 3584 BK 2998)
                                                      024 "DIA CIR PLASTIC
                                            0010/2869 LEN=0040 INSTALLED 1997
                                                      018 "DIA CIR PLASTIC
                                            0010/2497 LEN=0040 INSTALLED 1996
                                                      018 "DIA CIR PLASTIC
                                            0010/2325 LEN=0050 INSTALLED 1997


                                                      018 "DIA CIR PLASTIC
                                            0010/1373 LEN=0050 INSTALLED 1996

                                                      018 "DIA CIR PLASTIC
                                            0010/0770 LEN=0045 INSTALLED 1996

000000 FT                                   000000 FT 2 0 60026 0 00 0000+00
                                                 NC HILL CITY RD
                                                      TWENTYEIGHTH DIVISION H
                                                      (SR0322 SEG 0510/0000)
                                                      MFC BEGIN = D
                                          S 0010/0000 LENGTH(AH 2998 BK 0000)
```

DIR: B TOTAL LEN: 7.312 MI. DIST: 01-5 SR: 2013
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
038607 FT                    038607 FT
                             INTER-AHD SALINA RD
                                       (SR0257 SEG 0010/0000)
                                       TWENTYEIGHTH DIVISION H
                                       (SR0322 SEG 0450/0000)
                             0140/3249
                                       015 "DIA CIRC CONCR
                             0140/3080 LEN=0040 INSTALLED UNKN

                                       015 "DIA CIRC CONCR
                             0140/2322 LEN=0036 INSTALLED UNKN



                                       015 "DIA CIRC CONCR
                             0140/0615 LEN=0040 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0140/0228 LEN=0036 INSTALLED UNKN
035358 FT                    035358 FT 1 0 00581 0 00 0266+35
                           S 0140/0000 LENGTH(AH 3249 BK 3104)
                                       015 "DIA CIRC CONCR
                             0130/2762 LEN=0035 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0130/2466 LEN=0035 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0130/2163 LEN=0035 INSTALLED UNKN

                                       015 "DIA CIRC CONCR
                             0130/1522 LEN=0035 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0130/1079 LEN=0042 INSTALLED UNKN
                                       HENDERSHOT RD
                             0130/1061 (T654)
                                       015 "DIA CIRC CONCR
                             0130/0664 LEN=0038 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0130/0296 LEN=0036 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0130/0176 LEN=0036 INSTALLED UNKN
032254 FT                    032254 FT 1 0 00581 0 00 0235+31
                           S 0130/0000 LENGTH(AH 3104 BK 2612)
                                       048 "DIA CIRC CONCR
                             0120/2324 LEN=0050 INSTALLED UNKN
                                       024 "DIA CIRC CONCR
                             0120/2090 LEN=0058 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 7.312 MI. DIST: 01-5 SR: 2013
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                          0120/1648 LEN=0042 INSTALLED UNKN

                                                    015 "DIA CIRC CONCR
                                          0120/0296 LEN=0040 INSTALLED UNKN
029642 FT                                 029642 FT 1 0 00581 0 00 0209+19
                                        S 0120/0000 LENGTH(AH 2612 BK 2413)
                                                    015 "DIA CIRC CONCR
                                          0110/2367 LEN=0040 INSTALLED UNKN
                                                    048"H 60"W CON BOX CUL
                                          0110/2048 LEN=0040 INSTALLED UNKN

027229 FT                                 027229 FT 1 0 00581 0 00 0184+79
                                        S 0110/0000 LENGTH(AH 2413 BK 2481)
                                                    015 "DIA CIRC CONCR
                                          0100/2322 LEN=0045 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                          0100/1866 LEN=0035 INSTALLED UNKN

                                                    HENDERSHOT RD
                                          0100/1172 (T654)
                                          0100/1065 BMSEN 60/2013/0100/0979
                                                    1 0 00581 0 00 0169+93
                                                    INACTIVE PRIVATE PRO RR
                                          0100/0979 BMSBG 60/2013/0100/0979
                                                    018 "DIA CIRC CONCR
                                          0100/0946 LEN=0038 INSTALLED UNKN
                                          RBR
                                          0100/0147 BMSEN 60/2013/0100/0000
024748 FT                                 024748 FT 1 0 00581 0 00 0160+12
                                                    P3
                                                    EAST SANDY CREEK
                                                    BMSBG 60/2013/0100/0000
                                                    CRANBERRY
                                          RBR       ROCKLAND T
                                        S 0100/0000 LENGTH(AH 2481 BK 2628)
                                                    015 "DIA CIRC CONCR
                                          0090/2358 LEN=0038 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                          0090/2054 LEN=0038 INSTALLED UNKN
                                                    BROWN RUN
                                                    STRUCTURE LENGTH 16 FT
                                          0090/1730 BMSID 60/2013/0090/1753
                                                    015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 7.312 MI. DIST: 01-5 SR: 2013
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

```
                                        0090/1624 LEN=0042 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0090/1283 LEN=0040 INSTALLED 2018
                                                  015 "DIA CIRC CONCR
                                        0090/0704 LEN=0048 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0090/0336 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0090/0064 LEN=0040 INSTALLED 2018
022120 FT                               022120 FT 1 0 00581 0 00 0133+59
                                                  HORNBERG RD
                                                  (T524)
                                     == S 0090/0000 LENGTH(AH 2628 BK 2393)
                                                  015 "DIA CIRC CONCR
                                        0080/2326 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0080/2239 LEN=0040 INSTALLED 2018
                                                  018 "DIA CIR PLASTIC
                                        0080/2021 LEN=0040 INSTALLED 2018
                                                  015 "DIA CIRC CONCR
                                        0080/1683 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0080/1398 LEN=0036 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0080/0916 LEN=0045 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0080/0500 LEN=0040 INSTALLED UNKN
019727 FT                               019727 FT 1 0 00581 0 00 0109+84
                                                  072"H 78"W CONCR ARCH
                                                  LEN=0060 INSTALLED UNKN
                                        0080/0000 LENGTH(AH 2393 BK 2985)

                                                  018 "DIA CIR PLASTIC
                                        0070/2183 LEN=0040 INSTALLED 2018
                                                  015 "DIA CIRC CONCR
                                        0070/1723 LEN=0036 INSTALLED UNKN


                                                  015 "DIA CAST IRON
                                        0070/0668 LEN=0046 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0070/0550 LEN=0048 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0070/0159 LEN=0045 INSTALLED UNKN
016742 FT                               016742 FT 1 0 00581 0 00 0080+07
                                        0070/0000 LENGTH(AH 2985 BK 2391)
                                                  042 "DIA CIRC CONCR
                                        0060/2184 LEN=0060 INSTALLED UNKN
                                                  042 "DIA CIRC CONCR
                                        0060/1889 LEN=0052 INSTALLED UNKN
```

DIR: B TOTAL LEN: 7.312 MI. DIST: 01-5 SR: 2013
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

```
                                                    024 "DIA CIRC CONCR
                                                0060/1274 LEN=0048 INSTALLED UNKN
                                                    048"H 60"W CON BOX CUL
                                                0060/1020 LEN=0040 INSTALLED UNKN
COAL CITY RD
(SR3020 SEG 0080/2988)  0060/0942
                                                    015 "DIA CIRC CONCR
                                                0060/0607 LEN=0035 INSTALLED UNKN

                        014351 FT               014351 FT 1 0 00581 0 00 0056+00
                                                    048"H 72"W CON BOX CUL
                                                    LEN=0045 INSTALLED UNKN
                                                S 0060/0000 LENGTH(AH 2391 BK 3012)
                                                    024 "DIA CIRC METAL
                                                0050/2480 LEN=0050 INSTALLED UNKN
                                                    EXLEY RD
                                                0050/2154 (T513)


                                                    015 "DIA CIRC CONCR
                                                0050/0861 LEN=0036 INSTALLED UNKN

                        011339 FT               011339 FT 1 0 00581 0 00 0025+88
                                                S 0050/0000 LENGTH(AH 3012 BK 2600)
                                                    015 "DIA CIRC CONCR
                                                0040/2460 LEN=0036 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                                0040/2083 LEN=0036 INSTALLED UNKN

                                                    EXLEY RD
                                                0040/1477 (T513)
                                                    018 "DIA CIRC CONCR
                                                0040/1440 LEN=0045 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                                0040/0900 LEN=0045 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                                0040/0680 LEN=0045 INSTALLED UNKN

                        008739 FT               008739 FT 1 0 00581 0 00 0000+00
                                                      NC ROCKLAND CRANBERRY RD
                                                    ROCKLAND NICKLEVILLE RD
                                                    (SR2002 SEG 0010/0000)
KENNERDELL RD                                       MFC BEGIN = D
(SR3008 SEG 0230/2403)  0040/0000               S 0040/0000 LENGTH(AH 2600 BK 2059)
                                                    024 "DIA CIR PLASTIC
                                                0030/1464 LEN=0042 INSTALLED UNKN
```

DIR: B TOTAL LEN: 7.312 MI. DIST: 01-5 SR: 2013
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

			024 "DIA CIR PLASTIC
		0030/0551	LEN=0040 INSTALLED 2000
2 0 60012 0 00 0066+90	006680 FT	006680 FT	ROCKLAND CEMETARY RD
REDLINE RD			(T353)
(T353)	0030/0000	S 0030/0000	LENGTH(AH 2059 BK 3674)
			FLAGSTONE DR
		0020/2979	(TWP)
			018 "DIA CIR PLASTIC
		0020/2338	LEN=0045 INSTALLED 2000
			042 "DIA CIR PLASTIC
		0020/0994	LEN=0040 INSTALLED 2000
	003006 FT	003006 FT	2 0 60012 0 00 0029+96
		S 0020/0000	LENGTH(AH 3674 BK 3006)
			024 "DIA CIR PLASTIC
		0010/2615	LEN=0035 INSTALLED 2000
			024 "DIA CIR PLASTIC
		0010/2327	LEN=0040 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0010/1921	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/1551	LEN=0040 INSTALLED 2007
			014 "DIA CIRC CONCR
		0010/1396	LEN=0040 INSTALLED 2007
			018 "DIA CIR PLASTIC
		0010/0988	LEN=0040 INSTALLED 2007
		0010/0773	BMSEN 60/2013/0010/0751
			2 0 60012 0 00 0007+44
			SHULLS RUN
		0010/0751	BMSBG 60/2013/0010/0751
			018 "DIA CIRC METAL
			LEN=0050 INSTALLED UNKN
			WARNER RD
		0010/0587	(T362)
			018 "DIA CIR PLASTIC
		0010/0562	LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/0051	LEN=0032 INSTALLED 2000
	000000 FT	000000 FT	2 0 60012 0 00 0000+00
		NC	PITTSVILLE RD
		INTER-BK	MCDOWELS RD
			(T522)
ROCKLAND STATION RD			MFC BEGIN = E
(T480)	0010/0000	S 0010/0000	LENGTH(AH 3006 BK 0000)

DIR: B TOTAL LEN: 2.014 MI. DIST: 01-5 SR: 2011
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

010635 FT

NICKLEVILLE KAHLE LAKE
(SR2009 SEG 0050/3380) 0040/1985

008317 FT



010635 FT SR 0038 SH
0040/2318 (SR0038 SEG 0210/0000)
018 "DIA CIR PLASTIC
0040/2262 LEN=0034 INSTALLED UNKN

015 "DIA CIR PLASTIC
0040/1981 LEN=0015 INSTALLED UNKN
VALLEY CHURCH RD
0040/1485 (T377)

018 "DIA CIR PLASTIC
0040/0657 LEN=0012 INSTALLED 2014

008317 FT 2 0 60014 0 00 0050+04

DIR: B TOTAL LEN: 2.014 MI. DIST: 01-5 SR: 2011
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

```
                                                 S 0040/0000 LENGTH(AH 2318 BK 2543)
                                                             018 "DIA CIR PLASTIC
                                                   0030/2135 LEN=0012 INSTALLED 2014

                                                             018 "DIA CIR PLASTIC
                                                   0030/1210 LEN=0012 INSTALLED 1999

                 005774 FT                         005774 FT 2 0 60014 0 00 0024+32
                                                 S 0030/0000 LENGTH(AH 2543 BK 2498)

                                                             036"H 00"W MULT PLSTIC
                                                   0020/1250 LEN=0014 INSTALLED UNKN

                                                             024 "DIA CIR PLASTIC
                                                   0020/0320 LEN=0020 INSTALLED 1999
                 003276 FT                         003276 FT 2 0 60014 0 00 0000+00
                                                             GRACE CHURCH RD
                                                             (TWP )
                                                        NC NICKLEVILLE RD
                                                             NICKLEVILLE RD
                                                             (TWP )
                                                 S 0020/0000 LENGTH(AH 2498 BK 3276)
                                                             024 "DIA CIR PLASTIC
                                                   0010/3270 LEN=0014 INSTALLED UNKN
                                                             018 "DIA CIR PLASTIC
                                                   0010/2683 LEN=0014 INSTALLED UNKN
                                                             018 "DIA CIR PLASTIC
                                                   0010/2560 LEN=0014 INSTALLED 1999
                                                             018 "DIA CIR PLASTIC
                                                   0010/2125 LEN=0001 INSTALLED UNKN
                                                             024 "DIA CIR PLASTIC
                                                   0010/1583 LEN=0015 INSTALLED 1999
                                                             018 "DIA CIR PLASTIC
                                                   0010/1272 LEN=0014 INSTALLED 1999
                                                             018 "DIA CIR PLASTIC
                                                   0010/0915 LEN=0012 INSTALLED 1999

                 000000 FT                         000000 FT 2 0 60086 0 00 0000+00
                                                        NC COMMUNITY RD
                                                   INTER-BK COMMUNITY RD
                                                             (TWP )
CURRAN RD                                                    MFC BEGIN = D
(T365)             0010/0000                     S 0010/0000 LENGTH(AH 3276 BK 0000)
```

DIR: B TOTAL LEN: 2.532 MI. DIST: 01-5 SR: 2009
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

```
013367 FT                    013367 FT
                             INTER-AHD NICKLEVILLE RD
                                       (SR2011 SEG 0040/1985)
                                       NICKLEVILLE RD
                             0050/3380 (SR2011 SEG 0040/1985)

                                       024 "DIA CIR PLASTIC
                             0050/1608 LEN=0045 INSTALLED UNKN
                                       024 "DIA CIR PLASTIC
                             0050/1334 LEN=0045 INSTALLED UNKN

009987 FT                    009987 FT 2 0 60057 0 00 0200+00
                           S 0050/0000 LENGTH(AH 3380 BK 2682)

                                       018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 2.532 MI. DIST: 01-5 SR: 2009
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

```
                                                 0040/1458 LEN=0045 INSTALLED UNKN

                                                           024 "DIA CIR PLASTIC
                                                 0040/0775 LEN=0050 INSTALLED 1998

                    007305 FT                    007305 FT 2 0 60057 0 00 0173+18
                                               S 0040/0000 LENGTH(AH 2682 BK 2152)
                                                           018 "DIA CIR PLASTIC
                                                 0030/1863 LEN=0050 INSTALLED 1998

                                                           CURRAN RD
                                                 0030/1103 (T365)
                                                           018 "DIA CIR PLASTIC
                                                 0030/0637 LEN=0050 INSTALLED 1998
                                                           BEELS HILL RD
                                                 0030/0415 (TWP )
                    005153 FT                    005153 FT 2 0 60057 0 00 0151+77
                                               S 0030/0000 LENGTH(AH 2152 BK 2707)
                                                           018 "DIA CIR PLASTIC
                                                 0020/2580 LEN=0045 INSTALLED 1998

                                                           018 "DIA CIR PLASTIC
BELL RD
(T363)               0020/1939                   0020/1941 LEN=0040 INSTALLED 1998

                                                           018 "DIA CIR PLASTIC
                                                 0020/1419 LEN=0048 INSTALLED UNKN
                                                           036 "DIA CIR PLASTIC
                                                 0020/1411 LEN=0030 INSTALLED UNKN


                    002446 FT                    002446 FT 2 0 60057 0 00 0124+80
                                               S 0020/0000 LENGTH(AH 2707 BK 2446)


                                                           018 "DIA CIR PLASTIC
                                                 0010/1300 LEN=0040 INSTALLED 1998

                                                           018 "DIA CIR PLASTIC
                                                 0010/0405 LEN=0034 INSTALLED UNKN
                                                           NEELY RD
                                                 0010/0384 (TWP )
                                                           018 "DIA CIR PLASTIC
                                                 0010/0306 LEN=0034 INSTALLED UNKN
                    000000 FT                    000000 FT 2 0 60057 0 00 0100+03
                                                       NC NICKLEVILLE KAHLE LAKE RD
                                                 INTER-BK  NORTH KAHLE LAKE RD
                                                           (T359)
NORTH KAHLE LAKE RD                                        MFC BEGIN = E
(T359)               0010/0000                 S 0010/0000 LENGTH(AH 2446 BK 0000)
```

DIR: B TOTAL LEN: .490 MI. DIST: 01-5 SR: 2008
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

```
002588 FT                    002588 FT E FRONT ST
                             0010/2588 (SR0062 SEG 0500/0000)
                                       TO 0062/0500 SH
                             0010/2471 (CONN)
                                       ALLEGHENY AV
                             0010/2390 (CITY)
                                       PENNSYLVANIA AV
                             0010/2087 (CITY)
                                       GRANT ST
                             0010/1855 (CITY)
                                       LIBERTY ST
                             0010/1552 (CITY)
                                       IMPERIAL ST
                             0010/1249 (CITY)
                                       CHURCH ST
                             0010/1017 (CITY)
                                       WALNUT ST
                             0010/0809 (CITY)
                                       PINE ST
                             0010/0572 (CITY)
                                       WILSON AV
                             0010/0277 (CITY)
                                       LC TO WILSON AV
                                       (CONN)
                                  NC SECOND ST
                                       SECOND AL
                             0010/0183 (CITY)
000000 FT                    000000 FT 1 0 00091 0 01 0429+26
                                  NC WILSON AV
                                       FIRST ST
                                       (SR0062 SEG 0480/1121)
                                       MFC BEGIN = B
                           S 0010/0000 LENGTH(AH 2588 BK 0000)
```

DIR: B TOTAL LEN: 10.145 MI. DIST: 01-5 SR: 2006
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
053566 FT                    053566 FT
                             INTER-AHD  TIPPERY RD
                                        (T443)
                                        HILL CITY RD
                             0190/3325  (SR2015 SEG 0100/0000)

                                        018 "DIA CIR PLASTIC
                             0190/1581  LEN=0040 INSTALLED UNKN

050241 FT                    050241 FT  2 0 60080 0 00 0155+47
                           S 0190/0000  LENGTH(AH 3325 BK 2465)

                                        018 "DIA CIR PLASTIC
                             0180/1451  LEN=0060 INSTALLED UNKN
                                        018 "DIA CIR PLASTIC
                             0180/1303  LEN=0040 INSTALLED 2007
                                        018 "DIA CIR PLASTIC
                             0180/0930  LEN=0040 INSTALLED UNKN

047776 FT                    047776 FT  2 0 60080 0 00 0130+61
                           S 0180/0000  LENGTH(AH 2465 BK 2558)
```

DIR: B TOTAL LEN: 10.145 MI. DIST: 01-5 SR: 2006
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

			0170/1431	015 "DIA CIR PLASTIC LEN=0045 INSTALLED 2006
	045218 FT		045218 FT	2 0 60080 0 00 0105+03
			0170/0000	LENGTH(AH 2558 BK 2222)
			0160/2081	018 "DIA CIR PLASTIC LEN=0075 INSTALLED UNKN
			0160/1283	036"H 90"W ELLIP METAL LEN=0058 INSTALLED UNKN
			0160/1107	036 "DIA CIR PLASTIC LEN=0040 INSTALLED 2007
			0160/0093	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2007
	042996 FT		042996 FT	2 0 60080 0 00 0082+81 HORSECREEK RD (T558)
		== ==	0160/0000	LENGTH(AH 2222 BK 3471)
			0150/1718	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
2 0 60080 0 00 0048+14 ALLISON RD (T679)	039525 FT 0150/0000	==	039525 FT 0150/0000	LENGTH(AH 3471 BK 2841)
			0140/2506	048 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
			0140/1498	018 "DIA CIRC METAL LEN=0050 INSTALLED UNKN
			0140/1126	018 "DIA CIR PLASTIC LEN=0052 INSTALLED UNKN
TOP VIEW RD (T304)	0140/0708	==		
		==	0140/0669	IROQUOIS DR (T302)
STEFFEE BL				

DIR: B TOTAL LEN: 10.145 MI. DIST: 01-5 SR: 2006
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
(T622)                    0140/0190     ==
2 0 60080 0 00 0019+72 036684 FT                036684 FT
LINART ST
(T690)                    0140/0000     ==    S 0140/0000 LENGTH(AH 2841 BK 1981)
                                                DISQUE DR
                                          ==    0130/1449 (T692)
SHAY ST
(T682)                    0130/1246     ==
                                                SHADY LN
                                          ==    0130/1104 (T680)
                                                MAIN ST
                                          ====  0130/0740 (T668)

                                                015 "DIA CIRC CONCR
                                          ----  0130/0035 LEN=0048 INSTALLED UNKN
                          034703 FT             034703 FT 2 0 60080 0 00 0000+00
                                                     NC STATE RD
                                                SALINA RD
                                                (SR0257 SEG 0060/0000)
                                          ==    S 0130/0000 LENGTH(AH 1981 BK 3242)
                                                036"H 72"W ELLIP METAL
                                          ----  0120/3208 LEN=0070 INSTALLED UNKN

                                                018 "DIA CIR PLASTIC
                                          ----  0120/2219 LEN=0060 INSTALLED UNKN

                                                018 "DIA CIR PLASTIC
                                          ----  0120/1184 LEN=0036 INSTALLED UNKN
KAUFMAN RD
(PRDR)                    0120/0378     ==
                          031461 FT             031461 FT 2 0 60023 0 00 0307+93
                                                BIG EGYPT RD
                                                (T514)
                                          ==    S 0120/0000 LENGTH(AH 3242 BK 3310)

                                                015 "DIA CIR PLASTIC
                                          ----  0110/2363 LEN=0030 INSTALLED UNKN

                                                018 "DIA CIR PLASTIC
                                          ----  0110/1502 LEN=0040 INSTALLED UNKN
                                                018 "DIA CIR PLASTIC
                                          ----  0110/1461 LEN=0035 INSTALLED UNKN
JOHN DIAMOND RD                                 ORSINO DR
(T660)                    0110/0606     ====  0110/0606 (PRDR)
```

DIR: B TOTAL LEN: 10.145 MI. DIST: 01-5 SR: 2006
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

	028151 FT		028151 FT 2 0 60023 0 00 0274+78
			S 0110/0000 LENGTH(AH 3310 BK 2972)
			015 "DIA CIR PLASTIC
			0100/2166 LEN=0035 INSTALLED 2005
LAUREL TE (T659)	0100/2033		
LAUREL TE (T659)	0100/1495		
			018 "DIA CIRC METAL
			0100/1470 LEN=0065 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0100/1091 LEN=0050 INSTALLED UNKN
			015 "DIA CIRC METAL
			0100/0708 LEN=0054 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0100/0031 LEN=0072 INSTALLED UNKN
	025179 FT		025179 FT 2 0 60023 0 00 0245+06
			DEEP HOLLOW RD
			(SR3025 SEG 0100/0000)
			S 0100/0000 LENGTH(AH 2972 BK 1980)
			024 "DIA CIRC METAL
			0090/1931 LEN=0070 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0090/1481 LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0090/0966 LEN=0050 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0090/0677 LEN=0060 INSTALLED UNKN
	023199 FT		023199 FT 2 0 60023 0 00 0225+28
			S 0090/0000 LENGTH(AH 1980 BK 3313)
			018 "DIA CIRC METAL
			0080/2955 LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0080/2803 LEN=0046 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0080/0306 LEN=0040 INSTALLED 2015
	019886 FT		019886 FT 2 0 60023 0 00 0192+15
			MANNOR RD
			(T486)

DIR: B TOTAL LEN: 10.145 MI. DIST: 01-5 SR: 2006
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                  S 0080/0000 LENGTH(AH 3313 BK 3238)

                                                            018 "DIA CIR PLASTIC
                                          ----      0070/2120 LEN=0040 INSTALLED UNKN
OSENIDER RD
(T656)                  0070/2063         ==
                                                            018 "DIA CIR PLASTIC
                                          ----      0070/1874 LEN=0036 INSTALLED UNKN

                        016648 FT                   016648 FT 2 0 60023 0 00 0166+45
                                                  S 0070/0000 LENGTH(AH 3238 BK 2996)
                                                            018 "DIA CIR PLASTIC
                                          ----      0060/2696 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                          ----      0060/2291 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                          ----      0060/2275 LEN=0036 INSTALLED UNKN
                                                            BLACK BEARY LN
                                              ==    0060/2240 (PRDR)
                                                            024 "DIA CIR PLASTIC
                                          ----      0060/1642 LEN=0040 INSTALLED 2012

                                                            018 "DIA CIR PLASTIC
                                          ----      0060/0005 LEN=0040 INSTALLED 2012
                        013652 FT                   013652 FT 2 0 60023 0 00 0136+52
                                                  S 0060/0000 LENGTH(AH 2996 BK 2577)

                                                            015 "DIA CIR PLASTIC
                                          ----      0050/0850 LEN=0040 INSTALLED 2012
                        011075 FT                   011075 FT 2 0 60023 0 00 0110+75
                                                  S 0050/0000 LENGTH(AH 2577 BK 2405)

                                                            036 "DIA CIR PLASTIC
                                          ----      0040/1082 LEN=0042 INSTALLED 2004
```

DIR: B TOTAL LEN: 10.145 MI. DIST: 01-5 SR: 2006
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
008670 FT                    008670 FT 2 0 60023 0 00 0086+70
                           S 0040/0000 LENGTH(AH 2405 BK 2556)

                                       015 "DIA CIR PLASTIC
                             0030/1201 LEN=0035 INSTALLED 2012

006114 FT                    006114 FT 2 0 60023 0 00 0061+14
                           S 0030/0000 LENGTH(AH 2556 BK 2965)
                                       ORCHARD DR
                             0020/2553 (PRDR)
                                       018 "DIA CIR PLASTIC
                             0020/2532 LEN=0050 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0020/2055 LEN=0052 INSTALLED UNKN

                                       015 "DIA CIR PLASTIC
                             0020/1238 LEN=0040 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0020/1133 LEN=0042 INSTALLED UNKN

003149 FT                    003149 FT 2 0 60023 0 00 0031+49
                           S 0020/0000 LENGTH(AH 2965 BK 3149)
                                       024 "DIA CIR PLASTIC
                             0010/3074 LEN=0045 INSTALLED UNKN
                                       024 "DIA CIR PLASTIC
                             0010/2542 LEN=0060 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0010/2367 LEN=0045 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0010/2201 LEN=0044 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0010/1843 LEN=0041 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0010/1472 LEN=0036 INSTALLED UNKN

                                       015 "DIA CIRC CONCR
                             0010/0577 LEN=0036 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0010/0285 LEN=0040 INSTALLED UNKN
000000 FT                    000000 FT 2 0 60023 0 00 0000+00
                                   NC BREDINSBURG RD
                                       TWENTYEIGHTH DIVISION H
                                       (SR0322 SEG 0310/1971)
                                       MFC BEGIN = D
                           S 0010/0000 LENGTH(AH 3149 BK 0000)
```

DIR: B TOTAL LEN: 4.815 MI. DIST: 01-5 SR: 2005
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

025423 FT

025423 FT AIRPORT RD
0110/3007 (SR2001 SEG 0080/2049)

DIR: B TOTAL LEN: 4.815 MI. DIST: 01-5 SR: 2005
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

```
                                                   036 "DIA CIRC METAL
                                     0110/2762 LEN=0040 INSTALLED 1996

                                                   018 "DIA CIR PLASTIC
                                     0110/1557 LEN=0050 INSTALLED 2000
                                                   018 "DIA CIR PLASTIC
                                     0110/1221 LEN=0030 INSTALLED 1996

                022416 FT            022416 FT 2 0 60056 0 00 0203+60
                                                   ONUFFER RD
                                                   (T548)
                                   S 0110/0000 LENGTH(AH 3007 BK 1893)
                                                   018 "DIA CIR PLASTIC
                                     0100/1843 LEN=0040 INSTALLED 1996

                020523 FT            020523 FT 2 0 60056 0 00 0184+13
                                   S 0100/0000 LENGTH(AH 1893 BK 1955)
                                                   018 "DIA CIR PLASTIC
                                     0090/1320 LEN=0040 INSTALLED 1996

2 0 60056 0 00 0164+50 018568 FT     018568 FT
GEIRING RD
(T552)          0090/0000          S 0090/0000 LENGTH(AH 1955 BK 1954)
                                                   018 "DIA CIR PLASTIC
                                     0080/1945 LEN=0035 INSTALLED UNKN
                                                   018 "DIA CIR PLASTIC
                                     0080/1890 LEN=0034 INSTALLED 1996
                                                   018 "DIA CIR PLASTIC
                                     0080/1324 LEN=0040 INSTALLED 1999
                                                   015 "DIA CIR PLASTIC
                                     0080/1048 LEN=0040 INSTALLED UNKN
                                                   018 "DIA CIR PLASTIC
                                     0080/0945 LEN=0050 INSTALLED 1999
                                                   018 "DIA CIR PLASTIC
                                     0080/0664 LEN=0050 INSTALLED 1999

                016614 FT            016614 FT 2 0 60056 0 00 0144+94
                                   S 0080/0000 LENGTH(AH 1954 BK 2538)
                                                   018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 4.815 MI. DIST: 01-5 SR: 2005
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

```
                                                 0070/2072 LEN=0040 INSTALLED 2000

                                                           018 "DIA CIR PLASTIC
                                                 0070/0744 LEN=0035 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0070/0292 LEN=0035 INSTALLED UNKN
                     014076 FT                   014076 FT 2 0 60056 0 00 0119+56
                                                S 0070/0000 LENGTH(AH 2538 BK 2489)
                                                           015 "DIA CIR PLASTIC
                                                 0060/2394 LEN=0040 INSTALLED 1996

                                                           024 "DIA CIR PLASTIC
                                                 0060/0315 LEN=0050 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0060/0184 LEN=0040 INSTALLED 1996
                     011587 FT                   011587 FT 2 0 60056 0 00 0094+71
                                                S 0060/0000 LENGTH(AH 2489 BK 2613)
                                                           018 "DIA CIR PLASTIC
                                                 0050/2408 LEN=0036 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0050/2116 LEN=0030 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0050/1808 LEN=0036 INSTALLED 1996
WEST HOME CHURCH RD
(T331)                0050/1402                ==
                                                           018 "DIA CIR PLASTIC
                                                 0050/0996 LEN=0037 INSTALLED 1997

                     008974 FT                   008974 FT 2 0 60056 0 00 0068+58
                                                S 0050/0000 LENGTH(AH 2613 BK 2832)
                                                           072 "DIA CIRC METAL
                                                 0040/2549 LEN=0080 INSTALLED 1996
                                                           024 "DIA CIR PLASTIC
                                                 0040/1956 LEN=0040 INSTALLED 2004
                                                           018 "DIA CIR PLASTIC
                                                 0040/1417 LEN=0040 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0040/0947 LEN=0045 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0040/0588 LEN=0050 INSTALLED 1996
2 0 60056 0 00 0040+33 006142 FT                 006142 FT
RUSSELL RD
(T329)                0040/0000                -=
                                                S 0040/0000 LENGTH(AH 2832 BK 1848)
```

DIR: B TOTAL LEN: 4.815 MI. DIST: 01-5 SR: 2005
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

```
                                                                  004294 FT  2 0 60056 0 00 0021+93
004294 FT                                                                     ONUFFER RD
                                                                              (T548)
                                                                 0030/0000  LENGTH(AH 1848 BK 2182)
                                                                              042"H 42"W CON BOX CUL
                                                                 0020/2088  LEN=0030 INSTALLED 1996
                                                                              018 "DIA CIR PLASTIC
                                                                 0020/1902  LEN=0030 INSTALLED 1996
                                                                              036"H 00"W MULT PLSTIC
                                                                 0020/1790  LEN=0050 INSTALLED 2000


                                                                              018 "DIA CIR PLASTIC
                                                                 0020/0378  LEN=0036 INSTALLED 1996
                                                                              015 "DIA CIR PLASTIC
                                                                 0020/0016  LEN=0072 INSTALLED 1996
                                                                 002112 FT  ST HOME RD
2 0 60056 0 00 0000+00 002112 FT                                 INTER-BK   AIRPORT RD
AIRPORT RD                                                                    (SR2001 SEG 0070/0000)
(SR2001 SEG 0070/0000)  0020/0000                                0020/0000  LTH AH 002182 BK 000100
                       002112 FT                                 002112 FT
                                                                 7014/0000  LTH AH 000100 BK 002112
                                                                 INTER-AHD  AIRPORT RD
                                                                              (SR2001 SEG 0070/0087)
                                                                              AIRPORT RD
                                                                 0010/2112  (SR2001 SEG 0070/0087)
                                                                              018 "DIA CIR PLASTIC
                                                                 0010/2070  LEN=0050 INSTALLED 1996


                                                                              018 "DIA CIR PLASTIC
                                                                 0010/0450  LEN=0040 INSTALLED 1996
                                                                              018 "DIA CIR PLASTIC
                                                                 0010/0202  LEN=0040 INSTALLED 2000
                                                                              015 "DIA CIR PLASTIC
                                                                 0010/0012  LEN=0075 INSTALLED 1996
000000 FT                                                        000000 FT  2 0 60056 1 00 0000+00
                                                                       NC OLD AIRPORT RD
                                                                              WHITEHALL RD
                                                                              (SR2003 SEG 0070/0000)
                                                                              MFC BEGIN = E
                                                                 0010/0000  LENGTH(AH 2112 BK 0000)
```

DIR: B TOTAL LEN: 12.441 MI. DIST: 01-5 SR: 2004
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

```
065688 FT                    065688 FT
                           * REF-AHD    SANDROCK RD
                                        (TWP )
                                        COUNTY LINE RD
                             0250/2672  (SR2021 SEG 0040/1048)

                                        018 "DIA CIR PLASTIC
                             0250/2037  LEN=0016 INSTALLED 2000

                                        024 "DIA CIR PLASTIC
                             0250/1086  LEN=0015 INSTALLED 2000

063016 FT                    063016 FT  2 0 60027 0 00 0480+42
                           S 0250/0000  LENGTH(AH 2672 BK 2478)

                                        018 "DIA CIRC METAL
                             0240/1857  LEN=0012 INSTALLED UNKN

                                        040"H 72"W ELLIP METAL
                             0240/0027  LEN=0018 INSTALLED UNKN
060538 FT                    060538 FT  2 0 60027 0 00 0455+87
                           S 0240/0000  LENGTH(AH 2478 BK 3040)
```

DIR: B TOTAL LEN: 12.441 MI. DIST: 01-5 SR: 2004
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

```
                                                          024 "DIA CIR PLASTIC
                                                 0230/1276 LEN=0020 INSTALLED 2005

2 0 60027 0 00 0425+24 057498 FT                  057498 FT
SCHWAB RD
(T642)                 0230/0000                S 0230/0000 LENGTH(AH 3040 BK 2556)

                                                          024 "DIA CIR PLASTIC
                                                 0220/1348 LEN=0015 INSTALLED UNKN
                                                           BURNS RD
                                                 0220/1151 (T421)

                       054942 FT                  054942 FT 2 0 60027 0 00 0399+86
                                                 S 0220/0000 LENGTH(AH 2556 BK 3070)

                                                          018 "DIA CIR PLASTIC
                                                 0210/1972 LEN=0015 INSTALLED 1999
                                                          018 "DIA CIR PLASTIC
                                                 0210/1525 LEN=0015 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                 0210/1053 LEN=0015 INSTALLED 2005

                                                          018 "DIA CIR PLASTIC
                                                 0210/0168 LEN=0016 INSTALLED 2005
2 0 60027 0 00 0368+95 051872 FT                  051872 FT
POWELL RD
(T633)                 0210/0000                S 0210/0000 LENGTH(AH 3070 BK 2814)

                                                          024 "DIA CIR PLASTIC
                                                 0200/2098 LEN=0048 INSTALLED 2005

                                                          018 "DIA CIR PLASTIC
                                                 0200/1485 LEN=0016 INSTALLED 2005
                                                          018 "DIA CIR PLASTIC
                                                 0200/1190 LEN=0018 INSTALLED 2005

                                                          048 "DIA CIRC METAL
                                                 0200/0198 LEN=0018 INSTALLED UNKN
                       049058 FT                  049058 FT 2 0 60027 0 00 0341+23
                                                 S 0200/0000 LENGTH(AH 2814 BK 1115)

                                                          030"H 00"W MULT PLSTIC
```

DIR: B TOTAL LEN: 12.441 MI. DIST: 01-5 SR: 2004
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

```
                                                  0190/0294 LEN=0014 INSTALLED UNKN
                          047943 FT               047943 FT 2 0 60054 0 00 0011+54
                                                            HALE RD
                                                            (T628)
PINEGROVE SCHOOL RD
(SR2019 SEG 0010/0000)    0190/0000               S 0190/0000 LENGTH(AH 1115 BK 3127)
OLD STATE RD
(T443)                    0180/2922                     NC OLD STATE RD

                                                            018 "DIA CIR PLASTIC
                                                  0180/1590 LEN=0015 INSTALLED 2005

                                                            024"H 00"W MULT PLSTIC
                                                  0180/0342 LEN=0020 INSTALLED 1999
                          044816 FT               044816 FT 2 0 60027 0 00 0309+98
                                                  S 0180/0000 LENGTH(AH 3127 BK 2498)

                                                            015 "DIA CIR PLASTIC
                                                  0170/0975 LEN=0015 INSTALLED 2014
                                                            018 "DIA CIR PLASTIC
                                                  0170/0497 LEN=0016 INSTALLED UNKN
                          042318 FT               042318 FT 2 0 60027 0 00 0284+71
                                                  S 0170/0000 LENGTH(AH 2498 BK 2532)

                                                            018 "DIA CIR PLASTIC
                                                  0160/1420 LEN=0016 INSTALLED 2005
                                                            018 "DIA CIR PLASTIC
                                                  0160/1165 LEN=0015 INSTALLED 2005

                          039786 FT               039786 FT 2 0 60027 0 00 0259+39
                                                  S 0160/0000 LENGTH(AH 2532 BK 2444)
                                                            036 "DIA CIR PLASTIC
                                                  0150/2346 LEN=0016 INSTALLED 1999
                                                            018 "DIA CIR PLASTIC
                                                  0150/1859 LEN=0015 INSTALLED 2005
                                                            036 "DIA CIRC METAL
                                                  0150/1438 LEN=0016 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0150/0868 LEN=0018 INSTALLED 1997

                          037342 FT               037342 FT 2 0 60027 0 00 0235+17
                                                  S 0150/0000 LENGTH(AH 2444 BK 2578)
```

DIR: B TOTAL LEN: 12.441 MI. DIST: 01-5 SR: 2004
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

		0140/1691	015 "DIA CIR PLASTIC LEN=0020 INSTALLED 1999
		0140/1075	024 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
		0140/0908	KEISTER RD (T415)
	034764 FT	034764 FT	2 0 60027 0 00 0209+35 NC DAVIS RD
		S 0140/0000	CAMP COFFMAN RD (SR2017 SEG 0050/0000) LENGTH(AH 2578 BK 2412)
		0130/1224	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		0130/0780	024 "DIA CIR PLASTIC LEN=0015 INSTALLED 2005
		0130/0113	018 "DIA CIR PLASTIC LEN=0012 INSTALLED 1997
	032352 FT	032352 FT	2 0 60027 0 00 0185+12
		S 0130/0000	LENGTH(AH 2412 BK 2455)
		0120/1641	015 "DIA CIR PLASTIC LEN=0015 INSTALLED 2007
		0120/0173	018 "DIA CIR PLASTIC LEN=0015 INSTALLED 1997
2 0 60027 0 00 0161+95 STEWART RD (T609)	029897 FT 0120/0000	029897 FT S 0120/0000	LENGTH(AH 2455 BK 2483)
		0110/1661	015 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN
		0110/1595	SHARRAR RD (T412)
		0110/1053	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
	027414 FT	027414 FT	2 0 60027 0 00 0136+24 NC FERTIGS RD
			PINE GROVE CRANBERRY T

DIR: B TOTAL LEN: 12.441 MI. DIST: 01-5 SR: 2004
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

			S 0110/0000 LENGTH(AH 2483 BK 3576)
			027 "DIA CIR PLASTIC
			0100/2994 LEN=0018 INSTALLED 1997
CARNES SCHOOL RD (T604)	0100/2122	==	
			036 "DIA CIR PLASTIC
			0100/1977 LEN=0022 INSTALLED 1997
			VAN RD
		==	0100/1901 (T391)
			018 "DIA CIR PLASTIC
			0100/1316 LEN=0015 INSTALLED 1997
			018 "DIA CIR PLASTIC
			0100/0596 LEN=0015 INSTALLED 2007
	023838 FT		023838 FT 2 0 60027 0 00 0100+39
			S 0100/0000 LENGTH(AH 3576 BK 2854)
			015 "DIA CIR PLASTIC
			0090/2090 LEN=0015 INSTALLED UNKN
			048 "DIA CIR PLASTIC
			0090/1603 LEN=0020 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0090/0778 LEN=0018 INSTALLED 1997
			015 "DIA CIR PLASTIC
			0090/0323 LEN=0016 INSTALLED UNKN
			0090/0031 BMSEN 60/2004/0090/0000
	020984 FT		020984 FT 2 0 60027 0 00 0071+93
			TARKILN RUN
			BMSBG 60/2004/0090/0000
			S 0090/0000 LENGTH(AH 2854 BK 3376)
			018 "DIA CIRC CONCR
			0080/3249 LEN=0012 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0080/3144 LEN=0016 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0080/2924 LEN=0022 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0080/2815 LEN=0015 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0080/2360 LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0080/2212 LEN=0016 INSTALLED UNKN
			015 "DIA CIRC METAL
			0080/2046 LEN=0026 INSTALLED UNKN
			0080/1635 BMSEN 60/2004/0080/1594
			2 0 60027 0 00 0054+43
			TARKLIN BR.
			0080/1620 BMSBG 60/2004/0080/1594

DIR: B TOTAL LEN: 12.441 MI. DIST: 01-5 SR: 2004
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                    015 "DIA CIR PLASTIC
                                                0080/1314 LEN=0012 INSTALLED UNKN
                                                    015 "DIA CIR PLASTIC
                                                0080/1030 LEN=0015 INSTALLED UNKN
                                                    015 "DIA CIR PLASTIC
                                                0080/0540 LEN=0022 INSTALLED UNKN
                017608 FT                       017608 FT 2 0 60027 0 00 0038+15
                                                    GEORGE HILL RD
                                                    (T596)
                                              S 0080/0000 LENGTH(AH 3376 BK 1899)

                015709 FT                       015709 FT 2 0 60027 0 00 0019+15
                                                    036 "DIA CIR PLASTIC
                                                    LEN=0020 INSTALLED UNKN
                                              S 0070/0000 LENGTH(AH 1899 BK 1915)

                                                    018 "DIA CIR PLASTIC
                                                0060/0023 LEN=0028 INSTALLED 1997
                013794 FT                       013794 FT 2 0 60027 0 00 0000+00
                                                      NC TARKILN RD
                                                    HILL CITY RD
                                                    (SR2015 SEG 0060/0000)
                                              S 0060/0000 LENGTH(AH 1915 BK 3127)
                                                    018 "DIA CIRC METAL
                                                0050/3119 LEN=0025 INSTALLED UNKN
                                                    036 "DIA CIR PLASTIC
                                                0050/2547 LEN=0020 INSTALLED UNKN

                                                    015 "DIA CIRC CONCR
                                                0050/1349 LEN=0016 INSTALLED 1997

                                                    018 "DIA CIR PLASTIC
                                                0050/0032 LEN=0016 INSTALLED UNKN
2 0 60069 0 00 0106+67 010667 FT                010667 FT
ZACHERL RD
(T584)           0050/0000                    S 0050/0000 LENGTH(AH 3127 BK 3174)
                                                    012 "DIA CIR PLASTIC
                                                0040/3094 LEN=0015 INSTALLED UNKN
```

DIR: B TOTAL LEN: 12.441 MI. DIST: 01-5 SR: 2004
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                  018 "DIA CIR PLASTIC
                                     0040/2197 LEN=0016 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                     0040/1100 LEN=0018 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0040/0528 LEN=0015 INSTALLED UNKN
                 007493 FT           007493 FT 2 0 60069 0 00 0075+17
                                   S 0040/0000 LENGTH(AH 3174 BK 2495)
                                                  018 "DIA CIR PLASTIC
                                     0030/2339 LEN=0100 INSTALLED 1998

                 004998 FT           004998 FT 2 0 60069 0 00 0050+22
                                   S 0030/0000 LENGTH(AH 2495 BK 2332)
                                                  015 "DIA CIR PLASTIC
                                     0020/2021 LEN=0016 INSTALLED 1997

                                                  018 "DIA CIR PLASTIC
                                     0020/0899 LEN=0015 INSTALLED UNKN

                                                  015 "DIA CIRC METAL
                                     0020/0063 LEN=0015 INSTALLED UNKN
                 002666 FT           002666 FT 2 0 60069 0 00 0026+90
                                                  SHADYWOOD CR
                                                  (T583)
                                   S 0020/0000 LENGTH(AH 2332 BK 2666)

PENNDOT STOCKPILE YD #6
(GOVT)           0010/1619
                                                  015 "DIA CIR PLASTIC
                                     0010/1590 LEN=0020 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                     0010/1360 LEN=0020 INSTALLED 1998

                 000000 FT           000000 FT 2 0 60069 0 00 0000+00
                                           NC MAPLESHADE RD
                                                  TWENTYEIGHTH DIVISION H
                                                  (SR0322 SEG 0480/1029)
                                                  MFC BEGIN = D
                                   S 0010/0000 LENGTH(AH 2666 BK 0000)
```

DIR: B TOTAL LEN: 2.800 MI. DIST: 01-5 SR: 2003
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

```
                                014782 FT                    014782 FT
                                                             INTER-AHD  SHREFFLER RD
                                                                        (T321)
                                                                        SR 0038 SH
                                                             0080/2441  (SR0038 SEG 0100/0580)

                                                                        036"H 60"W ELLIP METAL
                                                             0080/1706  LEN=0040 INSTALLED 1997

                                                                        024 "DIA CIR PLASTIC
                                                             0080/1029  LEN=0033 INSTALLED 1997
                                                                        024 "DIA CIR PLASTIC
                                                             0080/0673  LEN=0050 INSTALLED 1997

                                012341 FT                    012341 FT  2 0 60064 0 01 0180+76
                                                           S 0080/0000  LENGTH(AH 2441 BK 2167)

                                                                        024 "DIA CIR PLASTIC
                                                             0070/1185  LEN=0040 INSTALLED 1997
                                                                        030 "DIA CIR PLASTIC
                                                             0070/0885  LEN=0050 INSTALLED 1997

2 0 60064 0 01 0159+03          010174 FT                    010174 FT
OLD AIRPORT RD
(SR2005 SEG 0010/0000)           0070/0000                 S 0070/0000  LENGTH(AH 2167 BK 2820)

                                                                        030 "DIA CIR PLASTIC
                                                             0060/1700  LEN=0040 INSTALLED 1997
```

DIR: B TOTAL LEN: 2.800 MI. DIST: 01-5 SR: 2003
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

```
                                 007354 FT                    007354 FT 2 0 60064 0 01 0130+77
                                                                        FERREE RD
                                                                        (T550)
                                                        ==   S 0060/0000 LENGTH(AH 2820 BK 2035)
                                                                        018 "DIA CIR PLASTIC
                                                             0050/1998 LEN=0060 INSTALLED 1997

                                 005319 FT                    005319 FT 2 0 60064 0 01 0110+42
                                                                S 0050/0000 LENGTH(AH 2035 BK 2358)
                                                                        018 "DIA CIR PLASTIC
                                                             0040/1836 LEN=0040 INSTALLED 1997
                                                                        018 "DIA CIR PLASTIC
                                                             0040/1493 LEN=0040 INSTALLED 1999

                                                                        042 "DIA CIR PLASTIC
                                                             0040/0184 LEN=0048 INSTALLED 2005
2 0 60064 0 01 0086+85           002961 FT                   002961 FT PANTHER SPRING RD
SLOAN RD                                                                (T544)
(T545)                            0040/0000      ==   ==   S 0040/0000 LENGTH(AH 2358 BK 2961)

                                                                        024 "DIA CIR PLASTIC
                                                             0030/2199 LEN=0040 INSTALLED UNKN

                                                                        018 "DIA CIR PLASTIC
                                                             0030/1012 LEN=0040 INSTALLED 1997
                                                                        044"H 84"W ELLIP CONC
                                                             0030/0547 LEN=0026 INSTALLED 1997
2 0 60064 0 01 0057+31           000000 FT                   000000 FT
AIRPORT RD                                                        NC WHITEHALL RD
(SR2001 SEG 0040/0000)                                       INTER-BK COLLEGE ST
KERR AV                                                                 (T301)
(T300)                            0030/0000                  S 0030/0000 LENGTH(AH 2961 BK 0263)
                                 000000 FT                   000000 FT
                                                             7026/0000 LENGTH(AH 0263 BK 2276)
                                 000000 FT                   000000 FT
                                                             7024/0000 LENGTH(AH 2276 BK 0375)
                                 000000 FT                   000000 FT
                                                             7020/0000 LENGTH(AH 0375 BK 0048)
                                 000000 FT                   000000 FT
                                                             7012/0000 LENGTH(AH 0048 BK 2480)
                                 000000 FT                   000000 FT
                                                             7010/0000 LENGTH(AH 2480 BK 0000)
```

DIR: B TOTAL LEN: 5.516 MI. DIST: 01-5 SR: 2002
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

SR 0038 SH 029125 FT
(SR0038 SEG 0190/0000) 0120/1807

029125 FT SR 0038 SH
0120/1807 (SR0038 SEG 0190/0000)

DIR: B TOTAL LEN: 5.516 MI. DIST: 01-5 SR: 2002
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

027318 FT

027318 FT 2 0 60011 0 02 0848+81
024 "DIA CIR PLASTIC
LEN=0040 INSTALLED UNKN
S 0120/0000 LENGTH(AH 1807 BK 2460)
015 "DIA CIR PLASTIC
0110/1940 LEN=0055 INSTALLED 1999

018 "DIA CIR PLASTIC
0110/1160 LEN=0050 INSTALLED UNKN

GEIRING RD
0110/0298 (T552)
048 "DIA CIR PLASTIC
0110/0090 LEN=0084 INSTALLED UNKN

024858 FT

024858 FT 2 0 60011 0 02 0824+00
LC FOR GEIRING RD
(CONN)
S 0110/0000 LENGTH(AH 2460 BK 2500)

018 "DIA CIR PLASTIC
0100/1900 LEN=0040 INSTALLED UNKN

024 "DIA CIR PLASTIC
0100/0335 LEN=0040 INSTALLED UNKN

022358 FT

022358 FT 2 0 60011 0 02 0797+88
S 0100/0000 LENGTH(AH 2500 BK 2448)
018 "DIA CIR PLASTIC
0090/2422 LEN=0041 INSTALLED 2005
018 "DIA CIR PLASTIC
0090/2305 LEN=0050 INSTALLED UNKN

024 "DIA CIR PLASTIC
0090/1075 LEN=0040 INSTALLED 1999

018 "DIA CIR PLASTIC
0090/0290 LEN=0040 INSTALLED UNKN

2 0 60011 0 02 0773+40 019910 FT
RICHLAND
ROCKLAND T 0090/0000

019910 FT
S 0090/0000 LENGTH(AH 2448 BK 1993)
018 "DIA CIR PLASTIC
0080/1930 LEN=0040 INSTALLED UNKN

BEAR RUN RD

DIR: B TOTAL LEN: 5.516 MI. DIST: 01-5 SR: 2002
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

```
(T375)                    0080/1513
                                                    024 "DIA CIR PLASTIC
                                          0080/0740 LEN=0055 INSTALLED 1998

                          017917 FT                 017917 FT 2 0 60011 0 02 0753+47
                                                  S 0080/0000 LENGTH(AH 1993 BK 2724)
                                                    018 "DIA CIR PLASTIC
                                          0070/2665 LEN=0040 INSTALLED UNKN
                                                    024"H 00"W MULT PLSTIC
                                          0070/2460 LEN=0040 INSTALLED 1999
                                                    024 "DIA CIR PLASTIC
                                          0070/2150 LEN=0050 INSTALLED 1999

                                                    015 "DIA CIR PLASTIC
                                          0070/1525 LEN=0050 INSTALLED UNKN

                                                    015 "DIA CIRC METAL
                                          0070/0925 LEN=0036 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                          0070/0370 LEN=0040 INSTALLED UNKN
                          015193 FT                 015193 FT 2 0 60011 0 02 0726+23
                                                    RICHLAND
                                                    ROCKLAND T
                                                  S 0070/0000 LENGTH(AH 2724 BK 2649)

                                                    018 "DIA CIRC METAL
                                          0060/2025 LEN=0040 INSTALLED UNKN


                                                    018 "DIA CIR PLASTIC
                                          0060/0653 LEN=0050 INSTALLED 1998

                          012544 FT                 012544 FT 2 0 60011 0 02 0699+74
                                                  S 0060/0000 LENGTH(AH 2649 BK 2522)
                                                    018 "DIA CIR PLASTIC
                                          0050/2522 LEN=0050 INSTALLED UNKN

                                                    030 "DIA CIR PLASTIC
                                          0050/1754 LEN=0044 INSTALLED 2011
                                                    018 "DIA CIR PLASTIC
                                          0050/1359 LEN=0042 INSTALLED UNKN

                                                    018 "DIA CIR PLASTIC
                                          0050/0515 LEN=0042 INSTALLED 1998
                          010022 FT                 010022 FT 2 0 60011 0 02 0674+55
                                                  S 0050/0000 LENGTH(AH 2522 BK 1959)
                                                    024 "DIA CIR PLASTIC
                                          0040/1865 LEN=0050 INSTALLED UNKN
```

DIR: B TOTAL LEN: 5.516 MI. DIST: 01-5 SR: 2002
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

				024 "DIA CIR PLASTIC
			0040/1645	LEN=0042 INSTALLED 1999
				018 "DIA CIR PLASTIC
			0040/1281	LEN=0050 INSTALLED 1999
	008063 FT		008063 FT	2 0 60011 0 02 0654+96
				ROCKLAND TOWNSHIP RD
HORNBERG RD				(T524)
(T524)	0040/0000		S 0040/0000	LENGTH(AH 1959 BK 3561)
				018 "DIA CIR PLASTIC
			0030/3033	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0030/1685	LEN=0035 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0030/1174	LEN=0030 INSTALLED 1999
	004502 FT		004502 FT	2 0 60011 0 02 0619+23
			S 0030/0000	LENGTH(AH 3561 BK 2374)
				048 "DIA CIR PLASTIC
			0020/2326	LEN=0050 INSTALLED UNKN
	002128 FT		002128 FT	2 0 60011 0 02 0595+49
				048 "DIA CIRC METAL
				LEN=0040 INSTALLED UNKN
			S 0020/0000	LENGTH(AH 2374 BK 2128)
	000000 FT		000000 FT	2 0 60011 0 02 0574+21
			NC	ROCKLAND NICKLEVILLE RD
				PITTSVILLE RD
				(SR2013 SEG 0040/0000)
			INTER-BK	KENNERDELL RD
				(SR3008 SEG 0230/2403)
ROCKLAND CRANBERRY RD				MFC BEGIN = D
(SR2013 SEG 0040/0000)	0010/0000		S 0010/0000	LENGTH(AH 2128 BK 0000)

DIR: B TOTAL LEN: 2.770 MI. DIST: 01-5 SR: 2001
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

				018 "DIA CIR PLASTIC
				LEN=0060 INSTALLED 2019
SR 0038 SH	014626 FT		014626 FT	SR 0038 SH
(SR0038 SEG 0120/0000)	0080/2821		0080/2821	(SR0038 SEG 0120/0000)
				024 "DIA CIR PLASTIC
			0080/2484	LEN=0014 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0080/2110	LEN=0018 INSTALLED UNKN
WEST HOME RD				
(SR2005 SEG 0110/3007)	0080/2049			
				018 "DIA CIR PLASTIC
			0080/1826	LEN=0018 INSTALLED 1997
				018 "DIA CIR PLASTIC
			0080/1166	LEN=0012 INSTALLED UNKN
	011805 FT		011805 FT	2 0 60013 0 00 0185+18
			5 0080/0000	LENGTH(AH 2821 BK 2417)
				030 "DIA CIR PLASTIC
			0070/2154	LEN=0014 INSTALLED UNKN
				027 "DIA CIR PLASTIC
			0070/0193	LEN=0017 INSTALLED UNKN
				OLD AIRPORT RD
			0070/0087	(SR2005 SEG 0010/2112)
2 0 60013 0 00 0161+15	009388 FT		009388 FT	
WEST HOME RD				
(SR2005 SEG 0020/0000)	0070/0000		5 0070/0000	LENGTH(AH 2417 BK 3110)
				PENNDOT STOCKPILE YD #2
			0060/2592	(GOVT)

DIR: B TOTAL LEN: 2.770 MI. DIST: 01-5 SR: 2001
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

```
                                                                  006278 FT 2 0 60013 0 00 0129+92
                          006278 FT                             S 0060/0000 LENGTH(AH 3110 BK 2821)
                                                                            018 "DIA CIRC METAL
                                                                  0050/2378 LEN=0014 INSTALLED UNKN

                                                                            018 "DIA CIRC METAL
                                                                  0050/0800 LEN=0014 INSTALLED UNKN

                                                                            018 "DIA CIR PLASTIC
                                                                  0050/0050 LEN=0012 INSTALLED UNKN
2 0 60013 0 00 0101+71    003457 FT                               003457 FT SLOAN RD
RUPERT RD                                                                   (T545)
(T546)                     0050/0000                            S 0050/0000 LENGTH(AH 2821 BK 3457)

                                                                            036 "DIA CIR PLASTIC
                                                                  0040/1964 LEN=0014 INSTALLED 2014

                                                                            018 "DIA CIRC METAL
                                                                  0040/1294 LEN=0014 INSTALLED UNKN

                                                                            030 "DIA CIR PLASTIC
                                                                  0040/0440 LEN=0014 INSTALLED 2009
                          000000 FT                               000000 FT 2 0 60013 0 00 0067+61
                                                                            WHITEHALL RD
                                                                            (SR2003 SEG 0030/0000)
                                                                            015 "DIA CIRC METAL
                                                                            LEN=0035 INSTALLED UNKN
                                                                      NC AIRPORT RD
                                                                            COLLEGE AV
                                                                            (T301)
                                                                  INTER-BK  KERR AV
                                                                            (T300)
                                                                  S 0040/0000 LENGTH(AH 3457 BK 1933)
                          000000 FT                               000000 FT
                                                                  7034/0000 LENGTH(AH 1933 BK 0680)
                          000000 FT                               000000 FT
                                                                  7030/0000 LENGTH(AH 0680 BK 2597)
                          000000 FT                               000000 FT
                                                                  7020/0000 LENGTH(AH 2597 BK 1540)
                          000000 FT                               000000 FT
                                                                  7010/0000 LENGTH(AH 1540 BK 0000)
```

DIR: B TOTAL LEN: .839 MI. DIST: 01-5 SR: 1013
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

```
SR 0027 SH                  004432 FT                    004432 FT SR 0027 SH
(SR0027 SEG 0190/2395)       0020/2442                   0020/2442 (SR0027 SEG 0190/2395)
                                                                   KUNZ RD
                                                         0020/1887 (T671)

                                                                   018 "DIA CIR PLASTIC
                                                         0020/1250 LEN=0045 INSTALLED 2015

                            001990 FT                    001990 FT 2 0 60053 0 00 0020+00
                                                       S 0020/0000 LENGTH(AH 2442 BK 1990)

                                                                   018 "DIA CIR PLASTIC
                                                         0010/0020 LEN=0036 INSTALLED 1996
                            000000 FT                    000000 FT 2 0 60053 0 00 0000+00
                                                               NC SR 1013 SH
                                                                   ROUSEVILLE RD
                                                                   (SR0227 SEG 0230/0000)
                                                         INTER-BK  ROUSEVILLE RD
                                                                   (SR0227 SEG 0230/0000)
BRYNER RD                                                          MFC BEGIN = D
(T653)                       0010/0000                 S 0010/0000 LENGTH(AH 1990 BK 0000)
```

DIR: B TOTAL LEN: .396 MI. DIST: 01-5 SR: 1011
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

```
002093 FT                    002093 FT  AH-CRAWFORD          (20)
                           * REF-AHD    BLOSS ST
                             0010/2093  (SR2024 SEG 0050/0493)
                                        012 "DIA CIRC METAL
                             0010/1811  LEN=0060 INSTALLED UNKN
                                        018 "DIA CIR PLASTIC
                             0010/1536  LEN=0040 INSTALLED UNKN
                                        018 "DIA CIR PLASTIC
                             0010/1265  LEN=0055 INSTALLED UNKN
                             0010/1262  BMSEN 60/1011/0010/1480
                                        2 0 60052 0 00 0000+00
                                        OIL CREEK
                             0010/1122  BMSBG 60/1011/0010/1480
                                        DRAKE WELL RD
                             0010/1047  (T588)

000000 FT                    000000 FT  2 0 60052 0 00 0000+00
                                        (APRA) DRAKE WELL STATE
                                   NC MUSEUM LN
                           * REF-BK     DRAKE WELL STATE PARK R
                                        (PARK)
                                        MFC BEGIN = D
                             0010/0000  LENGTH(AH 2093 BK 0000)
```

DIR: B TOTAL LEN: 3.720 MI. DIST: 01-5 SR: 1009
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

WILLIAM FLINN HW (SR0008 SEG 0630/1992)	019643 FT 0070/2453		019643 FT 0070/2453	WILLIAM FLINN HW (SR0008 SEG 0630/1992)
			0070/2322	018 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
			0070/1320	024 "DIA CIR PLASTIC LEN=0042 INSTALLED UNKN
	017190 FT		017190 FT 5 0070/0000	2 0 60045 0 00 0330+37 LENGTH(AH 2453 BK 1370)
			0060/0556	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1998
			0060/0345	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
2 0 60045 0 00 0316+67 CARTER RD (T566)	015820 FT 0060/0000		015820 FT 5 0060/0000	LENGTH(AH 1370 BK 2675)
			0050/2665	018 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
			0050/1642	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 1998
			0050/1307	018 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN 015 "DIA CIRC METAL

DIR: B TOTAL LEN: 3.720 MI. DIST: 01-5 SR: 1009
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

```
                                        0050/1094 LEN=0050 INSTALLED UNKN

                                        0050/0480 BMSEN 60/1009/0050/0471
                                                  2 0 60045 0 00 0294+50
                                                  BENNEHOFF
                                        0050/0471 BMSBG 60/1009/0050/0471
                                                  048"H 72"W CON BOX CUL
                                        0050/0465 LEN=0024 INSTALLED UNKN
                                        0050/0392 BMSEN 60/1009/0050/0380
                                                  072"H 95"W CON BOX CUL
                                        0050/0384 LEN=0024 INSTALLED UNKN
                                                  2 0 60045 0 00 0294+51
                                                  BENNEHOFF
                                        0050/0380 BMSBG 60/1009/0050/0380
013145 FT                               013145 FT 2 0 60045 0 00 0285+60
                                                  PIONEER RD
                                                  (T621)
                                      S 0050/0000 LENGTH(AH 2675 BK 3890)
                                                  024 "DIA CIR PLASTIC
                                        0040/3838 LEN=0055 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0040/3645 LEN=0036 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0040/3372 LEN=0036 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0040/3073 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0040/2531 LEN=0036 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                        0040/2146 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0040/1758 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0040/1246 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0040/0832 LEN=0045 INSTALLED 1998
                                                  024 "DIA CIR PLASTIC
                                        0040/0590 LEN=0055 INSTALLED 1998
                                                  015 "DIA CIR PLASTIC
                                        0040/0422 LEN=0040 INSTALLED UNKN
009255 FT                               009255 FT 2 0 60045 0 00 0246+70
                                      S 0040/0000 LENGTH(AH 3890 BK 2543)
                                                  018 "DIA CIR PLASTIC
                                        0030/2521 LEN=0036 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0030/2225 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIRC CONCR
                                        0030/2150 LEN=0048 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0030/1890 LEN=0042 INSTALLED 2002
```

DIR: B TOTAL LEN: 3.720 MI. DIST: 01-5 SR: 1009
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

```
                                                  018 "DIA CIR PLASTIC
                                  0030/1256 LEN=0045 INSTALLED 2002
                                                  018 "DIA CIR PLASTIC
                                  0030/0824 LEN=0052 INSTALLED 2002
                                                  019 "DIA CIR PLASTIC
                                  0030/0327 LEN=0055 INSTALLED 2002
006712 FT                         006712 FT 2 0 60045 0 00 0225+44
                                5 0030/0000 LENGTH(AH 2543 BK 3884)
                                                  018 "DIA CIRC CONCR
                                  0020/3848 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0020/3562 LEN=0032 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                  0020/2900 LEN=0045 INSTALLED 2002
                                                  024 "DIA CIR PLASTIC
                                  0020/2387 LEN=0040 INSTALLED 2002
                                                  018 "DIA CIR PLASTIC
                                  0020/1987 LEN=0045 INSTALLED 2002


                                                  018 "DIA CIR PLASTIC
                                  0020/1022 LEN=0055 INSTALLED UNKN
                                  0020/0610 BMSEN 60/1009/0020/0579
                                            2 0 60045 0 00 0192+44
                                            BENNINGHOFF RUN
                                  0020/0579 BMSBG 60/1009/0020/0579
                                                  030 "DIA CIR PLASTIC
                                  0020/0292 LEN=0040 INSTALLED UNKN
002828 FT                         002828 FT 2 0 60045 0 00 0186+59
                                            CHERRYTREE
                                            CORNPLANTER T
                                5 0020/0000 LENGTH(AH 3884 BK 2828)

                                  0010/2115 (AAR 528361S)#TRKS 01

                                                  018 "DIA CIR PLASTIC
                                  0010/1410 LEN=0050 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                  0010/1166 LEN=0040 INSTALLED 2001

                                                  018 "DIA CIR PLASTIC
                                  0010/0390 LEN=0040 INSTALLED UNKN
000000 FT                         000000 FT 2 0 60045 0 00 0158+34
                                       NC PETROLEUM CENTER RD
                                            PETROLEUM CENTER RD
                                            (SR1004 SEG 0010/0000)
STATE PARK RD                               MFC BEGIN = D
(SR1007 SEG 0060/2585)  0010/0000       5 0010/0000 LENGTH(AH 2828 BK 0000)
```

DIR: B TOTAL LEN: .645 MI. DIST: 01-5 SR: 1008
LEFT MUN: PLEASANTVILLE B RIGHT MUN: PLEASANTVILLE B

```
ENTERPRISE RD              003407 FT                    003407 FT MAIN ST
(SR0027 SEG 0260/0000)      0010/3407                   0010/3407 (SR0027 SEG 0260/0000)
                                                                  MAIN ST
                                                        0010/3305 (BORO)

                                                                  024 "DIA CIRC CONCR
                                                        0010/2669 LEN=0036 INSTALLED UNKN
                                                                  CHESTNUT ST
                                                        0010/2406 (BORO)
                                                                  018 "DIA CIRC CONCR
                                                        0010/2385 LEN=0035 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                        0010/2336 LEN=0034 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                        0010/2025 LEN=0036 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                        0010/1821 LEN=0036 INSTALLED UNKN

                                                                  018 "DIA CIRC CONCR
                                                        0010/0917 LEN=0030 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                        0010/0408 LEN=0034 INSTALLED UNKN
                                                                  PLEASANTVILLE
                                                        0010/0167 OIL CREEK T
                                                                  FOR SR 0027 AND 1008
                                                        0010/0094 (CONN)
                           000000 FT                    000000 FT 1 0 00089 0 00 0452+64
                                                                  STATE ST
                                                                  (SR0027 SEG 0220/0000)
                                                              NC MERRICK ST
                                                        INTER-BK  ROUSEVILLE RD
                                                                  (SR0227 SEG 0240/2489)
STATE ST                                                          MFC BEGIN = C
(SR0027 SEG 0220/0000)      0010/0000                   S 0010/0000 LENGTH(AH 3407 BK 0000)
```

DIR: B TOTAL LEN: 3.015 MI. DIST: 01-5 SR: 1007
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
                                 015917 FT
PETROLEUM CENTER RD
(SR1009 SEG 0010/0000)           0060/2585
OLD PETROLEUM CENTER RD
(T617)                           0060/2501

2 0 60045 0 00 0132+29 013332 FT
NUMBER FIVE POWER RD
(T591)                           0060/0000
```



```
015917 FT
INTER-AHD STATE PARK RD
0060/2585 (SR1004 SEG 0010/0000)

          012 "DIA CIRC CONCR
0060/2471 LEN=0040 INSTALLED 1996
          018 "DIA CIR PLASTIC
0060/2465 LEN=0040 INSTALLED 2018
0060/2193 (AAR 528364M)#TRKS 01

          036 "DIA CIR PLASTIC
0060/1590 LEN=0040 INSTALLED 2001
          015 "DIA CIR PLASTIC
0060/1035 LEN=0040 INSTALLED 2018
          018 "DIA CIR PLASTIC
0060/0966 LEN=0050 INSTALLED 1996
          015 "DIA CIR PLASTIC
0060/0625 LEN=0040 INSTALLED 1996
          018 "DIA CIR PLASTIC
0060/0415 LEN=0040 INSTALLED 1996
          018 "DIA CIR PLASTIC
0060/0230 LEN=0040 INSTALLED 1996
          018 "DIA CIR PLASTIC
0060/0040 LEN=0040 INSTALLED 1996
013332 FT
S 0060/0000 LENGTH(AH 2585 BK 3273)
          018 "DIA CIR PLASTIC
0050/3060 LEN=0040 INSTALLED 2018
```

DIR: B TOTAL LEN: 3.015 MI. DIST: 01-5 SR: 1007
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
                                                  015 "DIA CIRC CONCR
                                  0050/3040 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0050/2775 LEN=0040 INSTALLED 1996
                                                  015 "DIA CIR PLASTIC
                                  0050/2561 LEN=0040 INSTALLED 1996
                                                  015 "DIA CIR PLASTIC
                                  0050/2320 LEN=0040 INSTALLED 2012
                                                  018 "DIA CIRC METAL
                                  0050/2020 LEN=0030 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0050/1745 LEN=0032 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0050/1400 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0050/1250 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0050/1055 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0050/0800 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0050/0723 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0050/0523 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0050/0330 LEN=0040 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                  0050/0122 LEN=0050 INSTALLED 1996
010059 FT                         010059 FT 2 0 60045 0 00 0099+86
                                S 0050/0000 LENGTH(AH 3273 BK 2502)
                                                  018 "DIA CIR PLASTIC
                                  0040/2097 LEN=0040 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                  0040/1800 LEN=0040 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                  0040/1433 LEN=0030 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                  0040/1311 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                  0040/0913 LEN=0040 INSTALLED 2011
                                                  024 "DIA CIR PLASTIC
                                  0040/0695 LEN=0040 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                  0040/0545 LEN=0040 INSTALLED 2011
007557 FT                         007557 FT 2 0 60045 0 00 0073+70
                                S 0040/0000 LENGTH(AH 2502 BK 2455)
                                                  018 "DIA CIR PLASTIC
                                  0030/2276 LEN=0045 INSTALLED 1996
                                                  048"H 48"W CON BOX CUL
                                  0030/1704 LEN=0036 INSTALLED 1996
```

DIR: B TOTAL LEN: 3.015 MI. DIST: 01-5 SR: 1007
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
                                                  018 "DIA CIR PLASTIC
                                     0030/1282 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                     0030/1154 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                     0030/1036 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                     0030/0578 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                     0030/0405 LEN=0040 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                     0030/0121 LEN=0025 INSTALLED 2011
                005102 FT            005102 FT 2 0 60045 0 00 0049+15
                                   S 0030/0000 LENGTH(AH 2455 BK 2509)
                                                  018 "DIA CIR PLASTIC
                                     0020/2303 LEN=0030 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                     0020/1962 LEN=0040 INSTALLED 1998
                                                  015 "DIA CIRC METAL
                                     0020/1410 LEN=0036 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                     0020/0835 LEN=0045 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                     0020/0697 LEN=0045 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                     0020/0449 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                     0020/0320 LEN=0040 INSTALLED 1998
                002593 FT            002593 FT 2 0 60045 0 00 0024+06
                                   S 0020/0000 LENGTH(AH 2509 BK 2593)
                                                  018 "DIA CIR PLASTIC
                                     0010/2259 LEN=0025 INSTALLED 2018
                                                  018 "DIA CIR PLASTIC
                                     0010/1782 LEN=0036 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                     0010/1428 LEN=0030 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                     0010/1165 LEN=0036 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                     0010/0724 LEN=0040 INSTALLED 1996
CEMETERY HILL RD
(T564)           0010/0389
                                                  018 "DIA CIRC CONCR
                                     0010/0257 LEN=0055 INSTALLED 1996
                000000 FT            000000 FT 2 0 60045 0 00 0000+00
                                           NC STATE PARK RD
                                                  SR 0008 SH
                                                  (SR0008 SEG 0520/2036)
                                                  MFC BEGIN = D
                                   S 0010/0000 LENGTH(AH 2593 BK 0000)
```

DIR: B TOTAL LEN: 5.983 MI. DIST: 01-5 SR: 1006
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

	031590 FT		031590 FT	
			INTER-AHD	BAILEY RD
				(T634)
				COL DRAKE HW
			0130/2683	(SR0036 SEG 0050/0000)
TEMPERANCE HOUSE RD				TEMPERANCE HOUSE RD
(T603)	0130/2469		0130/2469	(T603)
				015 "DIA CIRC CONCR
			0130/1291	LEN=0012 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0130/0919	LEN=0012 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0130/0105	LEN=0010 INSTALLED 2003
	028907 FT		028907 FT	2 0 60049 0 00 0288+23
			S 0130/0000	LENGTH(AH 2683 BK 2555)
				027 "DIA CIR PLASTIC
			0120/2543	LEN=0015 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0120/1755	LEN=0012 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0120/1244	LEN=0012 INSTALLED 2003
			0120/0991	BMSEN 60/1006/0120/0973
				2 0 60049 0 00 0272+44
				PITHOLE TRIB
			0120/0973	BMSBG 60/1006/0120/0973
				018 "DIA CIR PLASTIC
			0120/0874	LEN=0017 INSTALLED 2003
PLEASANT VALLEY DR				
(T632)	0120/0834			
			0120/0064	BMSEN 60/1006/0120/0000
	026352 FT		026352 FT	2 0 60049 0 00 0264+15
				PITHOLE CREEK
				BMSBG 60/1006/0120/0000
			S 0120/0000	LENGTH(AH 2555 BK 2913)
				018 "DIA CIR PLASTIC
			0110/2751	LEN=0012 INSTALLED UNKN
				024"H 00"W MULT PLSTIC
			0110/2389	LEN=0015 INSTALLED 2003

DIR: B TOTAL LEN: 5.983 MI. DIST: 01-5 SR: 1006
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

				018 "DIA CIR PLASTIC
			0110/1206	LEN=0012 INSTALLED 2015
				024 "DIA CIR PLASTIC
			0110/0664	LEN=0012 INSTALLED 2003
	023439 FT		023439 FT	2 0 60049 0 00 0233+48
				CASHUP RD
				(T609)
		==	S 0110/0000	LENGTH(AH 2913 BK 1933)
				016 "DIA CIR PLASTIC
			0100/1323	LEN=0012 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0100/0230	LEN=0012 INSTALLED 2003
	021506 FT		021506 FT	2 0 60049 0 00 0216+04
			S 0100/0000	LENGTH(AH 1933 BK 2225)
				018 "DIA CIR PLASTIC
			0090/1743	LEN=0016 INSTALLED 2012
				015 "DIA CIR PLASTIC
			0090/0388	LEN=0018 INSTALLED 2015
				EAGLE ROCK RD
		==	0090/0313	(T624)
				BMSEN 60/1006/0090/0032
			0090/0064	
				2 0 60049 0 00 0194+04
				BRIDGE CLOSED
				PITHOLE CK.
			0090/0045	BMSBG 60/1006/0090/0032
2 0 60049 0 00 0193+64	019281 FT		019281 FT	
TIGHT PINCH RD				
(T626)	0090/0000	==	S 0090/0000	LENGTH(AH 2225 BK 2377)
				018 "DIA CIR PLASTIC
			0080/2187	LEN=0017 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0080/1954	LEN=0017 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0080/1502	LEN=0016 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0080/0851	LEN=0015 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0080/0259	LEN=0015 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0080/0030	LEN=0015 INSTALLED 2003
	016904 FT		016904 FT	2 0 60049 0 00 0169+87

DIR: B TOTAL LEN: 5.983 MI. DIST: 01-5 SR: 1006
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

		ALLEGHENY
		CORNPLANTER T
	S 0080/0000	LENGTH(AH 2377 BK 2027)
		018 "DIA CIR PLASTIC
	0070/1529	LEN=0015 INSTALLED 2003
		018 "DIA CIR PLASTIC
	0070/1285	LEN=0015 INSTALLED 2003
		015 "DIA CIR PLASTIC
	0070/0674	LEN=0010 INSTALLED 2003
		018 "DIA CIR PLASTIC
	0070/0457	LEN=0020 INSTALLED 2003
014877 FT	014877 FT	2 0 60049 0 00 0149+37
	S 0070/0000	LENGTH(AH 2027 BK 2359)
		048 "DIA CIR PLASTIC
	0060/1166	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0060/0450	LEN=0015 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0060/0119	LEN=0015 INSTALLED 2003
012518 FT	012518 FT	2 0 60049 0 00 0125+78
	S 0060/0000	LENGTH(AH 2359 BK 2333)
		018 "DIA CIR PLASTIC
	0050/1268	LEN=0015 INSTALLED 2003
		018 "DIA CIR PLASTIC
	0050/0733	LEN=0017 INSTALLED 2003
010185 FT	010185 FT	2 0 60049 0 00 0102+45
		LESHER RD
		(T612)
	S 0050/0000	LENGTH(AH 2333 BK 2662)
	0040/2522	BMSEN 60/1006/0040/2495
		2 0 60049 0 00 0100+68
		PITHOLE CK.
	0040/2495	BMSBG 60/1006/0040/2495
PLANK RD (T614) 0040/2286		
		018 "DIA CIR PLASTIC
	0040/1602	LEN=0015 INSTALLED 2003
		018 "DIA CIR PLASTIC
	0040/0785	LEN=0020 INSTALLED 2003
		018 "DIA CIR PLASTIC
	0040/0365	LEN=0018 INSTALLED 2003

DIR: B TOTAL LEN: 5.983 MI. DIST: 01-5 SR: 1006
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
007523 FT                    007523 FT 2 0 60049 0 00 0075+42
                           S 0040/0000 LENGTH(AH 2662 BK 2539)
                                       018 "DIA CIR PLASTIC
                             0030/2090 LEN=0015 INSTALLED 2003
                                       027 "DIA CIR PLASTIC
                             0030/1844 LEN=0015 INSTALLED 2003
                                       018 "DIA CIR PLASTIC
                             0030/1622 LEN=0015 INSTALLED 2003
                                       018 "DIA CIR PLASTIC
                             0030/1379 LEN=0016 INSTALLED 2003
                                       018 "DIA CIR PLASTIC
                             0030/0993 LEN=0017 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0030/0427 LEN=0017 INSTALLED 2003
004984 FT                    004984 FT 2 0 60049 0 00 0050+03
                           S 0030/0000 LENGTH(AH 2539 BK 2472)
                                       018 "DIA CIR PLASTIC
                             0020/2405 LEN=0017 INSTALLED 2003

                             0020/1631 BMSEN 60/1006/0020/1614
                                       2 0 60049 0 00 0041+46
                                       ALLENDER RUN
                             0020/1614 BMSBG 60/1006/0020/1614

                                       018 "DIA CIR PLASTIC
                             0020/1014 LEN=0017 INSTALLED 2003
                                       018 "DIA CIRC CONCR
                             0020/0736 LEN=0017 INSTALLED 2003

                                       024 "DIA CIR PLASTIC
                             0020/0126 LEN=0017 INSTALLED 2003
002512 FT                    002512 FT 2 0 60049 0 00 0025+32
                           S 0020/0000 LENGTH(AH 2472 BK 2512)
                                       024 "DIA CIR PLASTIC
                             0010/2398 LEN=0017 INSTALLED 2003
                                       018 "DIA CIR PLASTIC
                             0010/1806 LEN=0017 INSTALLED 2003
                                       018 "DIA CIR PLASTIC
                             0010/1492 LEN=0019 INSTALLED 2003

                                       018 "DIA CIR PLASTIC
                             0010/0698 LEN=0017 INSTALLED 2003
                                       018 "DIA CIR PLASTIC
                             0010/0106 LEN=0017 INSTALLED UNKN
000000 FT                    000000 FT 2 0 60049 0 00 0000+00
                                  NC PITHOLE RD
                                       ROUSEVILLE RD
                                       (SR0227 SEG 0120/0000)
                                       MFC BEGIN = D
                           S 0010/0000 LENGTH(AH 2512 BK 0000)
```

DIR: B TOTAL LEN: 3.603 MI. DIST: 01-5 SR: 1005
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
019023 FT                    019023 FT ROUSEVILLE RD
                             0080/2045 (SR0227 SEG 0080/0000)
                                       018 "DIA CIR PLASTIC
                             0080/1447 LEN=0042 INSTALLED 1998
                                       024 "DIA CIR PLASTIC
                             0080/1121 LEN=0042 INSTALLED 2013

                                       018 "DIA CIR PLASTIC
                             0080/0446 LEN=0040 INSTALLED 1998
016978 FT                    016978 FT 2 0 60070 0 00 0169+61
                           S 0080/0000 LENGTH(AH 2045 BK 2525)


                                       015 "DIA CIR PLASTIC
                             0070/0275 LEN=0052 INSTALLED 1998
014453 FT                    014453 FT 2 0 60070 0 00 0144+36
                           S 0070/0000 LENGTH(AH 2525 BK 2507)
                                       018 "DIA CIR PLASTIC
                             0060/2292 LEN=0032 INSTALLED 1998
```

DIR: B TOTAL LEN: 3.603 MI. DIST: 01-5 SR: 1005
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

			018 "DIA CIR PLASTIC
		0060/1742	LEN=0040 INSTALLED 1998
			012 "DIA CIRC CONCR
		0060/1299	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0060/0850	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0060/0670	LEN=0042 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0060/0234	LEN=0040 INSTALLED 1998
	011946 FT	011946 FT	2 0 60070 0 00 0119+29
		S 0060/0000	LENGTH(AH 2507 BK 2535)
			018 "DIA CIR PLASTIC
		0050/1875	LEN=0045 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0050/1427	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0050/0955	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0050/0568	LEN=0040 INSTALLED 1998
MCFATE RD (T574)	0050/0222		
			018 "DIA CIR PLASTIC
		0050/0062	LEN=0045 INSTALLED 1998
	009411 FT	009411 FT	2 0 60070 0 00 0094+00
			BARRY RD (T571)
		S 0050/0000	LENGTH(AH 2535 BK 1975)
			018 "DIA CIR PLASTIC
		0040/1880	LEN=0044 INSTALLED 1998
			024 "DIA CIR PLASTIC
		0040/1127	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0040/0873	LEN=0040 INSTALLED 1998
			015 "DIA CIR PLASTIC
		0040/0120	LEN=0050 INSTALLED 1998
	007436 FT	007436 FT	2 0 60070 0 00 0075+23
		S 0040/0000	LENGTH(AH 1975 BK 2444)
			015 "DIA CIR PLASTIC
		0030/2397	LEN=0034 INSTALLED 1998
			015 "DIA CIRC CONCR
		0030/2213	LEN=0034 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0030/1916	LEN=0040 INSTALLED 1998
			018 "DIA CIRC CONCR
		0030/1806	LEN=0030 INSTALLED 1998
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.603 MI. DIST: 01-5 SR: 1005
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
                                                  0030/1636 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0030/1261 LEN=0036 INSTALLED 1998

                                                            024 "DIA CIRC METAL
                                                  0030/0516 LEN=0040 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                  0030/0043 LEN=0036 INSTALLED 1998
                    004992 FT                     004992 FT 2 0 60070 0 00 0049+82
                                                S 0030/0000 LENGTH(AH 2444 BK 2545)
                                                            015 "DIA CIR PLASTIC
                                                  0020/2125 LEN=0036 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0020/1670 LEN=0042 INSTALLED 1998
                                                            015 "DIA CIR PLASTIC
                                                  0020/1519 LEN=0036 INSTALLED 1998
                                                            015 "DIA CIR PLASTIC
                                                  0020/1295 LEN=0036 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                  0020/1138 LEN=0040 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                  0020/0931 LEN=0045 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                  0020/0380 LEN=0040 INSTALLED 1998
                    002447 FT                     002447 FT 2 0 60070 0 00 0024+37
                                                S 0020/0000 LENGTH(AH 2545 BK 2447)
                                                            018 "DIA CIR PLASTIC
                                                  0010/2437 LEN=0045 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                  0010/2020 LEN=0040 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                  0010/1492 LEN=0045 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                  0010/0935 LEN=0040 INSTALLED 1998
MOUNTAINVIEW RD
(PRDR)              0010/0926

                                                            018 "DIA CIR PLASTIC
                                                  0010/0814 LEN=0035 INSTALLED 1998
                                                            BRIDGE RD
                                                  0010/0422 (PRDR)
                                                            018 "DIA CIR PLASTIC
                                                  0010/0002 LEN=0026 INSTALLED UNKN
                    000000 FT                     000000 FT 2 0 60070 0 00 0000+00
                                                        NC OLEOPOLIS RD
                                                            LC FOR RIVERVIEW RD
                                                            (CONN)
                                                * REF-BK    OLEOPOLIS RD
                                                            (PRDR)
                                                            MFC BEGIN = E
                                                S 0010/0000 LENGTH(AH 2447 BK 0000)
```

DIR: B TOTAL LEN: 8.531 MI. DIST: 01-5 SR: 1004
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

GRANDIN RD
(T626)

045044 FT
0170/2770

042274 FT

040396 FT



045044 FT
INTER-AHD OLD FERRY RD
0170/2770 (T541)
018 "DIA CIR PLASTIC
0170/2574 LEN=0036 INSTALLED 1996
018 "DIA CIRC CONCR
0170/2195 LEN=0034 INSTALLED 1996

036 "DIA CIR PLASTIC
0170/1546 LEN=0040 INSTALLED UNKN

015 "DIA CIR PLASTIC
0170/0265 LEN=0041 INSTALLED 1996
018 "DIA CIR PLASTIC
0170/0004 LEN=0035 INSTALLED 2007
042274 FT 2 0 60046 0 00 0423+92
S 0170/0000 LENGTH(AH 2770 BK 1878)
060"H 60"W BOX CULVERT
0160/1285 LEN=0060 INSTALLED 1996
012 "DIA CAST IRON
0160/1174 LEN=0028 INSTALLED 1996

018 "DIA CIR PLASTIC
0160/0349 LEN=0035 INSTALLED 1997
0160/0020 BMSEN 60/1004/0160/0000
040396 FT 2 0 60046 0 00 0405+05
MUSKRAT RUN
BMSBG 60/1004/0160/0000
S 0160/0000 LENGTH(AH 1878 BK 3310)
018 "DIA CIR PLASTIC
0150/2921 LEN=0050 INSTALLED 1996
018 "DIA CIR PLASTIC
0150/2649 LEN=0038 INSTALLED 1996

DIR: B TOTAL LEN: 8.531 MI. DIST: 01-5 SR: 1004
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

```
                                                  018 "DIA CIR PLASTIC
                                  0150/1696 LEN=0050 INSTALLED 1996
                                                  024 "DIA CIR PLASTIC
                                  0150/1222 LEN=0060 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0150/0664 LEN=0040 INSTALLED 1996

037086 FT                         037086 FT 2 0 60046 0 00 0371+70
                                S 0150/0000 LENGTH(AH 3310 BK 2267)
                                                  015 "DIA CIRC CONCR
                                  0140/2125 LEN=0030 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0140/1617 LEN=0035 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0140/1223 LEN=0040 INSTALLED 2007
                                                  018 "DIA CIR PLASTIC
                                  0140/0918 LEN=0040 INSTALLED 2007
                                                  018 "DIA CIR PLASTIC
                                  0140/0449 LEN=0040 INSTALLED 2007
                                                  018 "DIA CIR PLASTIC
                                  0140/0053 LEN=0040 INSTALLED 2007
034819 FT                         034819 FT 2 0 60046 0 00 0348+78
                                S 0140/0000 LENGTH(AH 2267 BK 2404)


                                                  018 "DIA CIR PLASTIC
                                  0130/1064 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0130/0750 LEN=0045 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0130/0271 LEN=0045 INSTALLED 1996
032415 FT                         032415 FT 2 0 60046 0 00 0324+74
                                S 0130/0000 LENGTH(AH 2404 BK 2229)
                                                  018 "DIA CIR PLASTIC
                                  0120/1985 LEN=0040 INSTALLED 2018
                                                  018 "DIA CIR PLASTIC
                                  0120/1836 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0120/1534 LEN=0040 INSTALLED 2012
                                                  018 "DIA CIR PLASTIC
                                  0120/1246 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0120/1000 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0120/0735 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0120/0483 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 8.531 MI. DIST: 01-5 SR: 1004
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

```
                                        0120/0264 LEN=0043 INSTALLED UNKN
                                        0120/0037 BMSEN 60/1004/0120/0000
030186 FT                               030186 FT 2 0 60046 0 00 0302+42
                                                  PITHOLE CK.
                                                  BMSBG 60/1004/0120/0000
                                                  PRESIDENT
                                                  CORNPLANTER T
                                      5 0120/0000 LENGTH(AH 2229 BK 3086)

                                                  018 "DIA CIR PLASTIC
                                        0110/2462 LEN=0040 INSTALLED 2007
                                                  018 "DIA CIR PLASTIC
                                        0110/2291 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                        0110/2147 LEN=0040 INSTALLED 1996
                                                  015 "DIA CIR PLASTIC
                                        0110/1820 LEN=0030 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                        0110/1546 LEN=0036 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                        0110/1121 LEN=0040 INSTALLED 1996
                                                  060 "DIA CIRC CONCR
                                        0110/0845 LEN=0098 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                        0110/0495 LEN=0045 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                        0110/0143 LEN=0040 INSTALLED 2012
027100 FT                               027100 FT 2 0 60046 0 00 0270+85
                                                  015 "DIA CIR PLASTIC
                                                  LEN=0036 INSTALLED 1996
                                      5 0110/0000 LENGTH(AH 3086 BK 3062)
                                                  018 "DIA CIR PLASTIC
                                        0100/2975 LEN=0035 INSTALLED 2018
                                                  015 "DIA CIR PLASTIC
                                        0100/2788 LEN=0036 INSTALLED 1996
                                                  015 "DIA CIR PLASTIC
                                        0100/2633 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                        0100/2616 LEN=0030 INSTALLED 1996
                                                  015 "DIA CIR PLASTIC
                                        0100/2464 LEN=0040 INSTALLED 1996
                                                  015 "DIA CIR PLASTIC
                                        0100/2267 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                        0100/1843 LEN=0050 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                        0100/1643 LEN=0058 INSTALLED 1996
                                                  015 "DIA CIR PLASTIC
                                        0100/1085 LEN=0050 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 8.531 MI. DIST: 01-5 SR: 1004
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
                                        0100/0735 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0100/0537 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                        0100/0380 LEN=0040 INSTALLED 1997
024038 FT                               024038 FT 2 0 60046 0 00 0240+40
                                      S 0100/0000 LENGTH(AH 3062 BK 2698)
                                                  018 "DIA CIR PLASTIC
                                        0090/2538 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                        0090/2379 LEN=0042 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                        0090/2263 LEN=0040 INSTALLED 1996
                                                  030 "DIA CIR PLASTIC
                                        0090/1862 LEN=0050 INSTALLED 2005
                                                  018 "DIA CIR PLASTIC
                                        0090/1432 LEN=0050 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
                                        0090/1124 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                        0090/0554 LEN=0040 INSTALLED 1996
021340 FT                               021340 FT 2 0 60046 0 00 0213+42
                                                  BERRY RD
                                                  (T571)
                                      S 0090/0000 LENGTH(AH 2698 BK 3446)
                                                  018 "DIA CIR PLASTIC
                                        0080/3387 LEN=0045 INSTALLED 1996



                                                  018 "DIA CIR PLASTIC
                                        0080/1853 LEN=0060 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                        0080/1368 LEN=0050 INSTALLED UNKN


017894 FT                               017894 FT 2 0 60046 0 00 0178+90
                                      S 0080/0000 LENGTH(AH 3446 BK 2807)
                                                  024 "DIA CIR PLASTIC
                                        0070/2615 LEN=0050 INSTALLED 2007



                                        0070/0667 BMSEN 60/1004/0070/0628
                                                  2 0 60046 0 00 0157+11
                                                  CHERRY RUN
```

DIR: B TOTAL LEN: 8.531 MI. DIST: 01-5 SR: 1004
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
                                                  0070/0628 BMSBG 60/1004/0070/0628

                        015087 FT                 015087 FT 2 0 60046 0 00 0150+81
                                                        NC EAGLE ROCK RD
                                                           ROUSEVILLE RD
                                                           (SR0227 SEG 0080/3250)
                                                           MFC BEGIN = E
                                                  S 0070/0000 LENGTH(AH 2807 BK 2057)
                                                           018 "DIA CIRC CONCR
                                                  0060/2042 LEN=0046 INSTALLED 1996
                                                           015 "DIA CIRC METAL
                                                  0060/1925 LEN=0025 INSTALLED 1996

                                                           012 "DIA CIRC CONCR
                                                  0060/1192 LEN=0054 INSTALLED 1996
                                                           SCHOOL HOUSE HILL RD
                                                  0060/1150 (T602)
                                                           024 "DIA CIR PLASTIC
                                                  0060/0594 LEN=0032 INSTALLED 2008
2 0 60046 0 00 0130+45 013030 FT                  013030 FT
CHRISTIE HILL RD
(T600)                  0060/0000                 S 0060/0000 LENGTH(AH 2057 BK 3599)
                                                           018 "DIA CIR PLASTIC
                                                  0050/3078 LEN=0040 INSTALLED 1996



                                                           030 "DIA CIR PLASTIC
                                                  0050/1479 LEN=0035 INSTALLED 1996
                                                           024 "DIA CIR PLASTIC
                                                  0050/1014 LEN=0050 INSTALLED 2015
                                                           018 "DIA CIR PLASTIC
                                                  0050/0650 LEN=0050 INSTALLED 2012
                                                           018 "DIA CIR PLASTIC
                                                  0050/0288 LEN=0050 INSTALLED 1997
2 0 60046 0 00 0094+36 009431 FT                  009431 FT
BURNS LN
(T586)                  0050/0000                 S 0050/0000 LENGTH(AH 3599 BK 2032)
                                                           024 "DIA CIR PLASTIC
                                                  0040/1583 LEN=0040 INSTALLED 1996
                                                           030 "DIA CIR PLASTIC
                                                  0040/1155 LEN=0035 INSTALLED 1996

                                                           015 "DIA CIR PLASTIC
                                                  0040/0554 LEN=0050 INSTALLED 1996
                        007399 FT                 007399 FT 2 0 60046 0 00 0074+04
                                                  S 0040/0000 LENGTH(AH 2032 BK 2457)

                                                           018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 8.531 MI. DIST: 01-5 SR: 1004
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
                                                  0030/1570 LEN=0036 INSTALLED 1996
                                                            024 "DIA CIR PLASTIC
                                                  0030/1305 LEN=0050 INSTALLED 2012
                                                            018 "DIA CIR PLASTIC
                                                  0030/0940 LEN=0030 INSTALLED 1996
                                                            015 "DIA CIR PLASTIC
                                                  0030/0618 LEN=0045 INSTALLED 2012
                                                            018 "DIA CIR PLASTIC
                                                  0030/0410 LEN=0045 INSTALLED 1996
                    004942 FT                     004942 FT 2 0 60046 0 00 0049+31
                                                5 0030/0000 LENGTH(AH 2457 BK 2495)
                                                            024 "DIA CIR PLASTIC
                                                  0020/2014 LEN=0050 INSTALLED 1997
                                                            018 "DIA CIRC CONCR
                                                  0020/1874 LEN=0050 INSTALLED 1996
                                                            018 "DIA CIR PLASTIC
                                                  0020/1720 LEN=0040 INSTALLED 1996
                                                            018 "DIA CIR PLASTIC
                                                  0020/1463 LEN=0041 INSTALLED 1996

                                                            018 "DIA CIR PLASTIC
                                                  0020/0661 LEN=0040 INSTALLED 2015

                    002447 FT                     002447 FT 2 0 60046 0 00 0024+47
                                                5 0020/0000 LENGTH(AH 2495 BK 2447)
                                                            018 "DIA CIR PLASTIC
                                                  0010/2420 LEN=0040 INSTALLED 2012
                                                            018 "DIA CIR PLASTIC
                                                  0010/2228 LEN=0045 INSTALLED 2015
                                                            024 "DIA CIR PLASTIC
                                                  0010/1905 LEN=0050 INSTALLED 1996
                                                            018 "DIA CIR PLASTIC
                                                  0010/1412 LEN=0070 INSTALLED 1996

                                                            018 "DIA CIR PLASTIC
                                                  0010/0750 LEN=0040 INSTALLED 2000
RUSSELLS CORNERS RD
(T601)                0010/0489
                                                            BMSEN 60/1004/0010/0196
                                                  0010/0435 BRIDGE POSTED (TONS)
                                                            2 0 60046 0 00 0001+97
                                                            SGL      05 COMB
                                                            OIL CREEK
                                                  0010/0196 BMSBG 60/1004/0010/0196
                    000000 FT                     000000 FT 2 0 60046 0 00 0000+00
                                                        NC PETROLEUM CENTER RD
                                                  INTER-BK  STATE PARK RD
                                                            (SR1007 SEG 0060/2585)
PETROLEUM CENTER RD                                         MFC BEGIN = D
(SR1009 SEG 0010/0000)  0010/0000               5 0010/0000 LENGTH(AH 2447 BK 0000)
```

DIR: B TOTAL LEN: 2.743 MI. DIST: 01-5 SR: 1003
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

	014483 FT	014483 FT	GRANDVIEW RD
		0070/3782	(SR1001 SEG 0060/0000)
			ROCKWOOD AV
		0070/3598	(T537)
			034 "DIA CIR PLASTIC
		0070/2976	LEN=0025 INSTALLED 2015
			SPRING RD
		0070/2966	(TWP)
FAIRVIEW AV (T672)	0070/2435		WOODSIDE AV
		0070/2435	(T675)
HILLCREST AV (T535)	0070/1388		
			PARK AV
		0070/0766	(T533)
			CORNPLANTER
		0070/0085	OIL CITY C
			GREENWOOD DR
		0070/0052	(CITY)
	010701 FT	010701 FT	2 0 60035 0 00 0106+92

DIR: B TOTAL LEN: 2.743 MI. DIST: 01-5 SR: 1003
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

			0070/0000 LENGTH(AH 3782 BK 1219)
			018 "DIA CIRC METAL
			0060/0895 LEN=0012 INSTALLED UNKN
FISHER AV			
(CITY)	0060/0775		
			LC FOR EDGEWOOD DR
			0060/0655 (CONN)
			024 "DIA CIRC CONCR
			0060/0627 LEN=0035 INSTALLED UNKN
			EDGEWOOD DR
			(CITY)
			NC OAK RD
			LYNCH BL
			0060/0538 (CITY)
			LC FOR LYNCH BL
			0060/0441 (CONN)
CRESTVIEW DR			
(CITY)	0060/0192		
			020 "DIA CIRC CONCR
			0060/0100 LEN=0010 INSTALLED UNKN
2 0 60035 0 00 0094+85 009482 FT			009482 FT
LC FOR CRESTVIEW DR			
(CONN)	0060/0000		0060/0000 LENGTH(AH 1219 BK 3531)
			020 "DIA CIRC CONCR
			0050/3352 LEN=0012 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0050/2836 LEN=0010 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0050/2556 LEN=0010 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0050/2017 LEN=0020 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0050/1772 LEN=0010 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0050/1582 LEN=0010 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0050/1212 LEN=0010 INSTALLED UNKN
PARK RD			
(CITY)	0050/1100		
			VO TECH DR
			0050/0735 (CITY)
			018 "DIA CIRC CONCR
			0050/0400 LEN=0010 INSTALLED UNKN
	005951 FT		005951 FT 2 0 60035 0 00 0059+59
			GLENVIEW AV
			(CITY)
			0050/0000 LENGTH(AH 3531 BK 3498)
			FOREST PL
			0040/2897 (CITY)

DIR: B TOTAL LEN: 2.743 MI. DIST: 01-5 SR: 1003
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

```
CARROLL AV
(CITY)                    0040/2326     ==
HONE AV
(CITY)                    0040/1701     ==
HOFFMAN AV
(CITY)                    0040/1251     ==
BISHOP AV
(CITY)                    0040/0560     ==
2 0 60035 0 00 0024+58 002453 FT                  002453 FT
HARRIOTT AV
(CITY)
BISSELL AV                                              NC BISSELL AV
(CITY)                    0040/0000     ==        S 0040/0000 LENGTH(AH 3498 BK 1469)
                                                            MYLAN ST
                                         ==  ==     0030/1262 (CITY)
                                                            WASHINGTON AV
                                         ==  ==     0030/1070 (CITY)
OAK ST
(CITY)                    0030/0925     ==
HARRIOTT AV
(CITY)                    0030/0877     ==                NC HARRIOTT ST
UNKNOWN AL
(CITY)                    0030/0709     ==
                                                            GRAFF ST
                                                            (CITY)
                                             ==             NC STOUT ST
                                                            DIAMOND ST
                                              ==     0030/0367 (CITY)
                          000984 FT                  000984 FT 2 0 60035 0 00 0007+49
                                                   S 0030/0000 LENGTH(AH 1469 BK 0411)
                                                            COLBERT AV
                                                            (CITY)
                                             ==             NC GRAFF ST
UNKNOWN AL
(CITY)                    0020/0186     ==
2 0 60035 0 00 0005+70 000573 FT                  000573 FT
HARRIOTT AV
(CITY)                    0020/0000     ==        S 0020/0000 LENGTH(AH 0411 BK 0573)
                                                            SYCAMORE ST
                                              ==     0010/0151 (CITY)
                          000000 FT                  000000 FT 2 0 60035 0 00 0000+00
                                                             NC SPRING ST
                                                            CENTER ST
                                                            (SR1001 SEG 0010/0328)
                                                     INTER-BK PLUMMER ST
                                                            (SR1001 SEG 0010/0328)
                                                            MFC BEGIN = D
                                             ==    S 0010/0000 LENGTH(AH 0573 BK 0000)
```

DIR: B TOTAL LEN: 5.216 MI. DIST: 01-5 SR: 1001
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
ROUSVILLE RD                027539 FT
(SR0227 SEG 0070/0000)       0120/2109

                                                    027539 FT ROUSVILLE RD
                                                    0120/2109 (SR0227 SEG 0070/0000)
                                                              015 "DIA CIR PLASTIC
                                                    0120/1989 LEN=0075 INSTALLED UNKN
                                                              018 "DIA CIRC METAL
                                                    0120/1485 LEN=0042 INSTALLED UNKN

                                                              012 "DIA CIRC CONCR
                                                    0120/0479 LEN=0034 INSTALLED UNKN
                                                              015 "DIA CIR PLASTIC
                                                    0120/0172 LEN=0036 INSTALLED UNKN
                            025430 FT               025430 FT 2 0 60048 0 01 0140+41
                                                  S 0120/0000 LENGTH(AH 2109 BK 2474)
                                                              015 "DIA CIR PLASTIC
                                                    0110/1990 LEN=0040 INSTALLED UNKN
                                                              015 "DIA CIR PLASTIC
                                                    0110/1900 LEN=0048 INSTALLED UNKN

                                                              018 "DIA CIR PLASTIC
                                                    0110/1207 LEN=0040 INSTALLED UNKN
                                                              018 "DIA CIR PLASTIC
                                                    0110/0778 LEN=0048 INSTALLED UNKN
                                                              024 "DIA CIR PLASTIC
                                                    0110/0376 LEN=0050 INSTALLED UNKN
                                                              018 "DIA CIR PLASTIC
                                                    0110/0020 LEN=0060 INSTALLED 1997
                            022956 FT               022956 FT 2 0 60048 0 01 0115+67
                                                              WALNUT BEND RD
                                                              (T539)
                                                  S 0110/0000 LENGTH(AH 2474 BK 1610)
                                                              015 "DIA CIR PLASTIC
                                                    0100/1550 LEN=0036 INSTALLED UNKN

                                                              018 "DIA CIR PLASTIC
                                                    0100/0673 LEN=0034 INSTALLED UNKN

                            021346 FT               021346 FT 2 0 60048 0 01 0099+55
                                                  S 0100/0000 LENGTH(AH 1610 BK 2494)
```

DIR: B TOTAL LEN: 5.216 MI. DIST: 01-5 SR: 1001
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
MOODY RUN RD
(T555)                    0090/0915     ==
                                                        015 "DIA CIR PLASTIC
                                        ----      0090/0730 LEN=0034 INSTALLED UNKN

                          018852 FT                 018852 FT 2 0 60048 0 01 0074+17
                                                  5 0090/0000 LENGTH(AH 2494 BK 2700)
                                                              GABRESKI CT
                                            ==      0080/2647 (PRDR)


                                                        015 "DIA CIR PLASTIC
                                        ----      0080/1380 LEN=0100 INSTALLED UNKN
                                                        018 "DIA CIRC CONCR
                                        ----      0080/1147 LEN=0040 INSTALLED UNKN

                                                        EVERGREEN LN
                                            ==      0080/0079 (PRDR)
                          016152 FT                 016152 FT 1 1 05392 0 00 0093+75
                                                  5 0080/0000 LENGTH(AH 2700 BK 2909)
                                                        015 "DIA CIRC CONCR
                                        ----      0070/2652 LEN=0040 INSTALLED UNKN
                                                        BRIAR LN
                                            ==      0070/2138 (PRDR)

                                                        JEFF CUBBON LN
                                            ==      0070/1182 (PRDR)
                                                        015 "DIA CIRC CONCR
                                        ----      0070/1098 LEN=0044 INSTALLED UNKN
                                                        STARLIGHT DR
                                            ==      0070/0883 (PRDR)

                          013243 FT                 013243 FT 1 1 05392 0 00 0064+66
                                                        HORNE LN
                                                        (T570)
                                            ==    5 0070/0000 LENGTH(AH 2909 BK 2282)

                                                        018 "DIA CIRC CONCR
                                        ----      0060/1200 LEN=0048 INSTALLED UNKN

                          010961 FT                 010961 FT 1 1 05392 0 00 0041+69
                                                        OAK RD
```

DIR: B TOTAL LEN: 5.216 MI. DIST: 01-5 SR: 1001
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
                                                        (SR1003 SEG 0070/3782)
                                                  S 0060/0000 LENGTH(AH 2282 BK 2353)
                                                        015 "DIA CIRC CONCR
                                                    0050/2343 LEN=0034 INSTALLED UNKN
                                                        015 "DIA CIRC METAL
                                                    0050/1834 LEN=0032 INSTALLED UNKN
STEWART RD
(T660)                    0050/1581
                                                        018 "DIA CIRC METAL
                                                    0050/1493 LEN=0036 INSTALLED UNKN
                                                        015 "DIA CIR PLASTIC
                                                    0050/0989 LEN=0038 INSTALLED UNKN
CONCORD RD
(T664)                    0050/0725
                                                        015 "DIA CIR PLASTIC
                                                    0050/0502 LEN=0038 INSTALLED UNKN
                                                        HILLCREST AV
                                                    0050/0421 (T535)
                          008608 FT                 008608 FT 1 1 05392 0 00 0018+18
                                                        CORNPLANTER
                                                        OIL CITY C
                                                  S 0050/0000 LENGTH(AH 2353 BK 1843)
                                                        018 "DIA CIRC METAL
                                                    0040/1744 LEN=0035 INSTALLED UNKN
                                                        018 "DIA CIRC CONCR
                                                    0040/1340 LEN=0035 INSTALLED UNKN
                                                        SUMMIT ST
                                                    0040/1153 (CITY)
                                                        015 "DIA CIRC CONCR
                                                    0040/0817 LEN=0037 INSTALLED UNKN
                                                        012 "DIA CIRC CONCR
                                                    0040/0432 LEN=0035 INSTALLED UNKN
                                                        GREENFIELD CT
                                                    0040/0420 (CITY)
                          006765 FT                 006765 FT 1 1 05392 0 00 0000+00
                                                          NC GRANDVIEW RD
                                                  S 0040/0000 LENGTH(AH 1843 BK 1796)
                                                        MAPLE AV
                                                    0030/1505 (CITY)

                                                        018 "DIA CIRC CONCR
                                                    0030/0458 LEN=0035 INSTALLED UNKN
2 0 60048 0 00 0051+57 004969 FT                    004969 FT
MERRITT ST
(CITY)                    0030/0000
                                                  S 0030/0000 LENGTH(AH 1796 BK 2146)
                                                        PARK RD
                                                    0020/1803 (CITY)
MANNING AL
(CITY)                    0020/1495
```

DIR: B TOTAL LEN: 5.216 MI. DIST: 01-5 SR: 1001
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

```
MANNING ST
(CITY)                    0020/1159

                                                 DEER ST
                                     0020/1109   (CITY)
                                                 HONE AV
                                     0020/0972   (CITY)
                                                 BUTTERNUT AL
                                     0020/0794   (CITY)
BUTTERNUT AL
(CITY)                    0020/0742
COOPER AV
(CITY)                    0020/0659

                                                 HOFFMAN AV
                                     0020/0600   (CITY)
                                                 CLARK AL
                                     0020/0422   (CITY)
                                                 BISSELL AV
                                                 (CITY)
                                                 NO NAME AL
                                     0020/0235   (CITY)
                          002823 FT  002823 FT   2 0 60048 0 00 0030+40
                                                 MYLAN ST
                                                 (CITY)
                                     0020/0000   LENGTH(AH 2146 BK 2823)
                                                 WASHINGTON AV
                                     0010/2586   (CITY)
                                                 PEARL AV
                                     0010/2222   (CITY)
                                                 GROVE AV
                                     0010/1903   (CITY)
MURRAY ST
(CITY)                    0010/1878

SPRUCE ST
(CITY)                    0010/0800

                                     0010/0401   (AAR 262850M)#TRKS 01
                                          NC PLUMMER ST
                                                 SPRING ST
                                     0010/0328   (SR1003 SEG 0010/0000)
                                     0010/0215   (AAR 528678J)#TRKS 04
                          000000 FT  000000 FT   2 0 60048 0 00 0000+00
                                          NC CENTER ST
                                                 ELM ST
                                                 (CITY)

                                     INTER-BK    CENTER ST
                                                 (SR6008 SEG 0080/0186)
                                                 MFC BEGIN = D
                                     0010/0000   LENGTH(AH 2823 BK 0000)
```

DIR: B TOTAL LEN: 4.502 MI. DIST: 01-5 SR: 965
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

MERCER RD 023772 FT
(SR0062 SEG 0090/0000) 0080/3264

023772 FT MERCER RD
0080/3264 (SR0062 SEG 0090/0000)
0080/3055 BMSEN 60/0965/0080/2964
2 0 60017 0 00 0204+96

DIR: B TOTAL LEN: 4.502 MI. DIST: 01-5 SR: 965
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

```
                                                  BIG SANDY CREEK
                                0080/2957 BMSBG 60/0965/0080/2964
                                                  FRENCH CREEK
                                0080/2823 MINERAL T

                                                  024 "DIA CIR PLASTIC
                                0080/1001 LEN=0050 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                0080/0732 LEN=0050 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                0080/0454 LEN=0048 INSTALLED 1996
                                                  024 "DIA CIRC CONCR
                                0080/0149 LEN=0060 INSTALLED 1996
020508 FT                       020508 FT 2 0 60017 0 00 0204+96
                              S 0080/0000 LENGTH(AH 3264 BK 3006)
                                                  018 "DIA CIRC CONCR
                                0070/2783 LEN=0044 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                0070/2598 LEN=0046 INSTALLED 1996
                                                  048 "DIA CIRC METAL
                                0070/2331 LEN=0042 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                0070/2137 LEN=0032 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                0070/1847 LEN=0033 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                0070/1509 LEN=0030 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                0070/1201 LEN=0030 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                0070/0900 LEN=0036 INSTALLED 1996

017502 FT                       017502 FT 2 0 60017 0 00 0174+97
                              S 0070/0000 LENGTH(AH 3006 BK 2651)
                                                  018 "DIA CIRC CONCR
                                0060/2385 LEN=0050 INSTALLED UNKN

                                                  033"H 49"W ELLIP METAL
                                0060/1471 LEN=0040 INSTALLED 1996
                                                  ADAMS RD
                                0060/1387 (T399)

                                                  018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 4.502 MI. DIST: 01-5 SR: 965
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

```
                                                  0060/0472 LEN=0046 INSTALLED 1996
2 0 60017 0 00 0148+34 014851 FT                  014851 FT
KIMBLE HILL RD
(T395)                 0060/0000                 S 0060/0000 LENGTH(AH 2651 BK 2944)
                                                   SLATERTOWN SPUR RD
                                                  0050/2895 (T332)

                                                   024 "DIA CIRC CONCR
                                                  0050/1308 LEN=0058 INSTALLED 1996
                                                   018 "DIA CIRC CONCR
                                                  0050/0939 LEN=0050 INSTALLED 1996
                                                   037"H 59"W ELLIP METAL
                                                  0050/0550 LEN=0048 INSTALLED 1996
                       011907 FT                  011907 FT 2 0 60017 0 00 0119+22
                                                 S 0050/0000 LENGTH(AH 2944 BK 2345)

                                                   024 "DIA CIRC CONCR
                                                  0040/1143 LEN=0046 INSTALLED 1996

                                                   018 "DIA CIRC CONCR
                                                  0040/0494 LEN=0060 INSTALLED 1996
CENTER CHURCH RD
(T303)                 0040/0419

                                                   024 "DIA CIRC CONCR
                                                  0040/0004 LEN=0070 INSTALLED UNKN
                       009562 FT                  009562 FT 2 0 60017 0 00 0095+69
                                                 S 0040/0000 LENGTH(AH 2345 BK 2797)

                                                   WHEELER RD
                                                  0030/1869 (T393)
                                                   036 "DIA CIRC METAL
                                                  0030/1832 LEN=0090 INSTALLED 1996
RAYMILTON RD
(SR3015 SEG 0010/0000) 0030/1737

                                                   SLATERTOWN RD
                                                  0030/1609 (T330)
                                                   018 "DIA CIRC CONCR
                                                  0030/1357 LEN=0076 INSTALLED 1996

                                                   024 "DIA CIRC CONCR
                                                  0030/0519 LEN=0042 INSTALLED 1996
2 0 60017 0 00 0067+60 006765 FT                  006765 FT HELLS KITCHEN RD
MT PLEASANT CHURCH RD                              (SR3011 SEG 0120/2150)
(T301)                 0030/0000                 S 0030/0000 LENGTH(AH 2797 BK 3127)
```

DIR: B TOTAL LEN: 4.502 MI. DIST: 01-5 SR: 965
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

```
                                                036 "DIA CIRC OTHER
                                     0020/2944  LEN=0150 INSTALLED 1996

                                                036 "DIA CIRC CONCR
                                     0020/2067  LEN=0055 INSTALLED 1996
MT PLEASANT CHURCH RD
(T301)                 0020/1922

                                                018 "DIA CIRC CONCR
                                     0020/1527  LEN=0054 INSTALLED 1996
                                                036"H 58"W ELLIP METAL
                                     0020/1452  LEN=0050 INSTALLED 1996
                                                018 "DIA CIRC CONCR
                                     0020/0987  LEN=0044 INSTALLED 1996
                                                018 "DIA CIRC CONCR
                                     0020/0689  LEN=0044 INSTALLED 1996
                                                015 "DIA CIRC CONCR
                                     0020/0382  LEN=0040 INSTALLED 1998
                       003638 FT     003638 FT  2 0 60017 0 00 0036+25
                                                HENDERSON STATION RD
                                                (T300)
                                   S 0020/0000  LENGTH(AH 3127 BK 3638)
                                                018 "DIA CIRC CONCR
                                     0010/3303  LEN=0035 INSTALLED UNKN
                                                018 "DIA CIRC CONCR
                                     0010/3009  LEN=0040 INSTALLED 1996
                                                036 "DIA CIRC CONCR
                                     0010/2780  LEN=0060 INSTALLED 1996
                                                018 "DIA CIRC CONCR
                                     0010/2610  LEN=0048 INSTALLED 1996
                                                036 "DIA CIRC CONCR
                                     0010/2315  LEN=0050 INSTALLED 1996
                                                018 "DIA CIRC CONCR
                                     0010/2090  LEN=0050 INSTALLED 1996
                                                018 "DIA CIRC CONCR
                                     0010/1804  LEN=0042 INSTALLED 1996
                                                018 "DIA CIRC CONCR
                                     0010/1500  LEN=0044 INSTALLED 1996
                                                018 "DIA CIRC CONCR
                                     0010/1123  LEN=0046 INSTALLED 1996


                                                018 "DIA CIRC CONCR
                                     0010/0008  LEN=0040 INSTALLED 1996
                       000000 FT     000000 FT  2 0 60017 0 00 0000+00
                                          NC JACKSON CTR POLK RD
                                   * REF-BK     JACKSON CTR POLK RD
                                                (SR0965 SEG 0130/2339)
                                                MFC BEGIN = D
                                                 BK-MERCER          (43)
                                   S 0010/0000  LENGTH(AH 3638 BK 0000)
```

DIR: B TOTAL LEN: .041 MI. DIST: 01-5 SR: 478
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

000214 FT

000000 FT



000214 FT AH-CLARION (16)
* REF-AHD SR 0478 SH
0012/0214 (SR0478 SEG 0012/0000)
000000 FT 1 0 00251 0 00 0004+01
NC SR 0478 SH
SR 0038 SH
(SR0038 SEG 0080/1763)
MFC BEGIN = E
S 0012/0000 LENGTH(AH 0214 BK 0000)

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: PLUM T RIGHT MUN: PLUM T

083179 FT

083179 FT AH-CRAWFORD (20)
REF-AHD TROY CENTER RD
0340/3270 (SR0428 SEG 0010/0000)

2 0 60043 0 00 0025+56 079909 FT
NOEL RD
(T661) 0340/0000

079909 FT
0340/0000 LENGTH(AH 3270 BK 2561)
036 "DIA CIR PLASTIC
0330/1854 LEN=0045 INSTALLED UNKN
018 "DIA CIR PLASTIC
0330/1280 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0330/0873 LEN=0035 INSTALLED UNKN
018 "DIA CIRC METAL
0330/0012 LEN=0050 INSTALLED UNKN
077348 FT OY CENTER RD
INTER-BK SR 0027 SH
(SR0027 SEG 0080/0000)

2 0 60043 0 00 0000+00 077348 FT
SR 0027 SH

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: PLUM T RIGHT MUN: PLUM T

```
(SR0027 SEG 0080/0000)  0330/0000          S 0330/0000 LTH AH 002561 BK 000100
                        077348 FT            077348 FT
                                             7324/0000 LTH AH 000100 BK 002644
                                             INTER-AHD SR 0027 SH
                                                       (SR0027 SEG 0090/0000)
                                                       SR 0027 SH
                                             0320/2644 (SR0027 SEG 0090/0000)
                                                       018 "DIA CIR PLASTIC
                                             0320/2379 LEN=0040 INSTALLED 2015

                                                       018 "DIA CIR PLASTIC
                                             0320/1508 LEN=0040 INSTALLED 2015
                                                       018 "DIA CIR PLASTIC
                                             0320/1322 LEN=0040 INSTALLED 2015


                        074704 FT            074704 FT 2 0 60042 0 00 0360+14
                                           S 0320/0000 LENGTH(AH 2644 BK 2462)
                                                       070"H 60"W PIPE ARCH
                                             0310/1916 LEN=0025 INSTALLED UNKN

                                                       024 "DIA CIR PLASTIC
                                             0310/1188 LEN=0040 INSTALLED 2015
                                                       018 "DIA CIR PLASTIC
                                             0310/0848 LEN=0040 INSTALLED 2013

                                                       018 "DIA CIR PLASTIC
                                             0310/0064 LEN=0040 INSTALLED 2015
                        072242 FT            072242 FT 2 0 60042 0 00 0335+14
                                                  NC DEMPSEYTOWN RD
                                           S 0310/0000 LENGTH(AH 2462 BK 2584)


BRENNER RD
(T643)                   0300/1599

                                                       018 "DIA CIR PLASTIC
                                             0300/0787 LEN=0040 INSTALLED 2013
                                                       ACEL RD
                                             0300/0199 (T645)
                        069658 FT            069658 FT 2 0 60042 0 00 0309+56
                                           S 0300/0000 LENGTH(AH 2584 BK 1969)
                                                       048 "DIA CIRC CONCR
                                             0290/1885 LEN=0040 INSTALLED UNKN

                                                       024 "DIA CIR PLASTIC
                                             0290/1060 LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: PLUM T RIGHT MUN: PLUM T

```
                          067689 FT                 067689 FT 2 0 60042 0 00 0289+67
                                                  5 0290/0000 LENGTH(AH 1969 BK 2057)

                                                              048 "DIA CIRC CONCR
                                                    0280/0895 LEN=0040 INSTALLED UNKN

2 0 60042 0 00 0269+32 065632 FT                    065632 FT
KNAPP RD
(T432)
DAVISON RD
(T436)                     0280/0000              5 0280/0000 LENGTH(AH 2057 BK 1919)

                                                              018 "DIA CIR PLASTIC
                                                    0270/1251 LEN=0040 INSTALLED 2015

                                                              018 "DIA CIR PLASTIC
                                                    0270/0238 LEN=0055 INSTALLED UNKN
                          063713 FT                 063713 FT 2 0 60042 0 00 0249+91
                                                  5 0270/0000 LENGTH(AH 1919 BK 2523)

                                                              018 "DIA CIR PLASTIC
                                                    0260/1251 LEN=0045 INSTALLED 2016

                                                              018 "DIA CIR PLASTIC
                                                    0260/0583 LEN=0040 INSTALLED 2015
                          061190 FT                 061190 FT 2 0 60042 0 00 0224+68
                                                  5 0260/0000 LENGTH(AH 2523 BK 2623)
                                                              048 "DIA CIR PLASTIC
                                                    0250/2471 LEN=0050 INSTALLED 1998
                                                              018 "DIA CIR PLASTIC
                                                    0250/2041 LEN=0040 INSTALLED 2003
                                                              015 "DIA CIR PLASTIC
                                                    0250/1509 LEN=0040 INSTALLED UNKN

                                                              018 "DIA CIR PLASTIC
                                                    0250/0855 LEN=0040 INSTALLED 2015
                                                              024 "DIA CIR PLASTIC
                                                    0250/0578 LEN=0040 INSTALLED 2015
                                                              018 "DIA CIR PLASTIC
                                                    0250/0047 LEN=0045 INSTALLED 1997
                                                              BUXTON RD
                                                              (SR4022 SEG 0080/0000)
2 0 60042 0 00 0197+58 058567 FT                    058567 FT PLUM
RIDGEVIEW RD                                                  OAKLAND T
(SR4022 SEG 0080/0000)     0250/0000              5 0250/0000 LENGTH(AH 2623 BK 2917)
                                                              018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

		0240/2858	LEN=0060 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0240/2146	LEN=0040 INSTALLED 1999
			015 "DIA CIR PLASTIC
		0240/1760	LEN=0040 INSTALLED UNKN
			048 "DIA CIR PLASTIC
		0240/1292	LEN=0050 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0240/1160	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0240/0259	LEN=0045 INSTALLED 1998
			024 "DIA CIR PLASTIC
		0240/0070	LEN=0045 INSTALLED UNKN
2 0 60042 0 00 0170+94	055650 FT	055650 FT	
RICE RD			
(T454)	0240/0000	S 0240/0000	LENGTH(AH 2917 BK 3118)
LC TO RICE RD			
(CONN)	0230/2930		
			024 "DIA CIR PLASTIC
		0230/2740	LEN=0045 INSTALLED UNKN
			036 "DIA CIRC METAL
		0230/2390	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0230/1342	LEN=0060 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0230/0800	LEN=0050 INSTALLED UNKN
		0230/0077	BMSEN 60/0428/0230/0000
	052532 FT	052532 FT	2 0 60042 0 00 0138+48
			SUGAR CREEK
			BMSBG 60/0428/0230/0000
		S 0230/0000	LENGTH(AH 3118 BK 1833)
		0220/1439	BMSEN 60/0428/0220/1362
			2 0 60042 0 00 0133+69
			PRATHER RUN
		0220/1362	BMSBG 60/0428/0220/1362
			018 "DIA CIR PLASTIC
		0220/0340	LEN=0050 INSTALLED UNKN
	050699 FT	050699 FT	2 0 60042 0 00 0120+07
		S 0220/0000	LENGTH(AH 1833 BK 2544)
			024 "DIA CIR PLASTIC
		0210/2486	LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

		0210/1327	018 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
048155 FT		048155 FT	2 0 60042 0 00 0094+64
			018 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN DEETS SCHOOL RD (T615)
		S 0210/0000	LENGTH(AH 2544 BK 2664)
		0200/2010	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2017
		0200/1360	024"H 00"W MULT PLSTIC LEN=0050 INSTALLED UNKN
		0200/0910	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		0200/0265	015 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
045491 FT		045491 FT	2 0 60042 0 00 0068+00 PUMP STATION RD (T595)
		S 0200/0000	LENGTH(AH 2664 BK 2167)
		0190/1924	024 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
		0190/1427	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		0190/0678	018 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
		0190/0024	BMSEN 60/0428/0190/0000
043324 FT		043324 FT	2 0 60042 0 00 0046+38 SUGAR CK.TR. BMSBG 60/0428/0190/0000
		S 0190/0000	LENGTH(AH 2167 BK 2104)
		0180/1700	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2017
		0180/0422	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2017
		0180/0219	018 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

```
                                                  0180/0141 LEN=0040 INSTALLED 2009
                    041220 FT                     041220 FT 2 0 60042 0 00 0025+10
                                                S 0180/0000 LENGTH(AH 2104 BK 2523)
                                                            024 "DIA CIR PLASTIC
                                                  0170/2484 LEN=0050 INSTALLED UNKN

                                                            018 "DIA CIR PLASTIC
                                                  0170/1442 LEN=0033 INSTALLED UNKN

                                                            024 "DIA CIR PLASTIC
                                                  0170/0017 LEN=0060 INSTALLED UNKN
                    038697 FT                     038697 FT 2 0 60042 0 00 0000+00
                                                            SR 0417 SH
                                                            (SR0417 SEG 0190/0890)
                                                        NC WALLACEVILLE RD
                                                  INTER-BK  SR 0417 SH
                                                            (SR0417 SEG 0190/0890)
                                                S 0170/0000 LTH AH 002523 BK 000100
                    038697 FT                     038697 FT
                                                  7164/0000 LTH AH 000100 BK 002160
SR 0417 SH                                        INTER-AHD SR 0417 SH
(SR0417 SEG 0190/0000)  0160/2160                 0160/2160 (SR0417 SEG 0190/0000)

                                                            030 "DIA CIRC CONCR
                                                  0160/1442 LEN=0050 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0160/0492 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0160/0077 LEN=0035 INSTALLED UNKN
                    036537 FT                     036537 FT 1 1 04214 0 00 0101+75
                                                S 0160/0000 LENGTH(AH 2160 BK 2128)


OAKLAND VILLAGE DR
(T500)                  0150/0929                 ==

                    034409 FT                     034409 FT 1 1 04214 0 00 0084+07
                                                S 0150/0000 LENGTH(AH 2128 BK 2645)
                                                            018 "DIA CIRC CONCR
                                                  0140/2373 LEN=0045 INSTALLED 1998
                                                            018 "DIA CIRC CONCR
                                                  0140/2081 LEN=0045 INSTALLED UNKN
DITTMAN RD
```

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

```
(PRDR)                    0140/1976
                                                          015 "DIA CIRC CONCR
                                                0140/1899 LEN=0045 INSTALLED UNKN

                                                          018 "DIA CIRC CONCR
                                                0140/0943 LEN=0050 INSTALLED 1998

                          031764 FT             031764 FT 1 1 04214 0 00 0054+02
                                                          060"H 60"W CON BOX CUL
                                                          LEN=0045 INSTALLED UNKN
                                                S 0140/0000 LENGTH(AH 2645 BK 1611)
                                                          015 "DIA CIRC CONCR
                                                0130/1264 LEN=0050 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0130/0812 LEN=0046 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0130/0251 LEN=0045 INSTALLED UNKN
                                                          012"H 12"W **UNKNOWN**
                                                0130/0017 LEN=0041 INSTALLED UNKN
                          030153 FT             030153 FT 1 1 04214 0 00 0037+91
                                                          CHERRYTREE RD
                                                          (T450)
                                                S 0130/0000 LENGTH(AH 1611 BK 3781)
                                                          015 "DIA CIRC CONCR
                                                0120/3390 LEN=0035 INSTALLED UNKN
                                                          048 "DIA CIRC METAL
                                                0120/3102 LEN=0040 INSTALLED UNKN
                                                          MITCHELL RD
                                                0120/3010 (T583)
                                                          015 "DIA CIRC CONCR
                                                0120/2474 LEN=0045 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0120/2188 LEN=0040 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0120/1987 LEN=0040 INSTALLED UNKN

                                                          018 "DIA CIRC CONCR
                                                0120/1162 LEN=0043 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0120/0813 LEN=0035 INSTALLED UNKN

                          026372 FT             026372 FT 1 1 04214 0 00 0000+00
                                                S 0120/0000 LENGTH(AH 3781 BK 2793)
                                                          018 "DIA CIRC CONCR
                                                0110/2640 LEN=0055 INSTALLED UNKN
                                                          024 "DIA CIRC CONCR
                                                0110/2320 LEN=0070 INSTALLED UNKN
```

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

```
(SR4025 SEG 0010/2326)  0110/2091

                                                  018 "DIA CIRC CONCR
                                     0110/1067 LEN=0036 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                     0110/0760 LEN=0050 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                     0110/0004 LEN=0070 INSTALLED UNKN
2 0 60034 0 01 0235+20 023579 FT     023579 FT
SR 4025 SH
(SR4025 SEG 0010/0000)  0110/0000  S 0110/0000 LENGTH(AH 2793 BK 2801)

OLD SPLANE AIRPORT RD
(PRDR)                  0100/1534

                       020778 FT     020778 FT 2 0 60034 0 01 0207+90
                                                 HORN RD
                                                 (T516)
                                   S 0100/0000 LENGTH(AH 2801 BK 2100)
                                                 018 "DIA CIRC CONCR
                                     0090/2087 LEN=0060 INSTALLED UNKN

                                                 015 "DIA CIRC CONCR
                                     0090/0704 LEN=0038 INSTALLED UNKN
2 0 60034 0 01 0186+06 018678 FT     018678 FT RYND FARM RD
WARREN RD                                        (T685)
(T553)                  0090/0000  S 0090/0000 LENGTH(AH 2100 BK 1828)

                                                 015 "DIA CIRC CONCR
                                     0080/1105 LEN=0065 INSTALLED UNKN

                       016850 FT     016850 FT 2 0 60034 0 01 0167+78
                                                 OAKLAND
                                                 SUGARCREEK B
                                   S 0080/0000 LENGTH(AH 1828 BK 2270)
```

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

			015 "DIA CIRC CONCR
		0070/0528	LEN=0040 INSTALLED UNKN
	014580 FT	014580 FT	2 0 60034 0 01 0144+58
		S 0070/0000	LENGTH(AH 2270 BK 2258)
			018 "DIA CIRC METAL
		0060/1825	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/0370	LEN=0175 INSTALLED UNKN
2 0 60034 0 01 0122+00	012322 FT	012322 FT	
SHAFFER RUN RD (BORO)	0060/0000	S 0060/0000	LENGTH(AH 2258 BK 2206)
			015 "DIA CIRC CONCR
		0050/0712	LEN=0045 INSTALLED UNKN
	010116 FT	010116 FT	2 0 60034 0 01 0099+30
			SUGARCREEK
			CORNPLANTER T
		S 0050/0000	LENGTH(AH 2206 BK 2549)
			015 "DIA CIRC CONCR
		0040/1688	LEN=0040 INSTALLED 1998
	007567 FT	007567 FT	2 0 60034 0 01 0073+81
		S 0040/0000	LENGTH(AH 2549 BK 2495)
			018 "DIA CIRC CONCR
		0030/1972	LEN=0045 INSTALLED UNKN
LAWRENCE DR (T529)	0030/1314		
			015 "DIA CIRC CONCR
		0030/0958	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0030/0663	LEN=0050 INSTALLED UNKN
	005072 FT	005072 FT	2 0 60034 0 01 0048+86
		S 0030/0000	LENGTH(AH 2495 BK 2328)
			018 "DIA CIR PLASTIC
		0020/2299	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/2060	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 15.754 MI. DIST: 01-5 SR: 428
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
                                                  0020/1765 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/1418 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/1336 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/1051 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0020/0727 LEN=0040 INSTALLED 2015
                                                            018 "DIA CIR PLASTIC
                                                  0020/0497 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0020/0314 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0020/0233 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0020/0055 LEN=0040 INSTALLED UNKN
                  002744 FT                       002744 FT 2 0 60034 0 01 0025+55
                                                        NC HALYDAY RUN RD
                                                S 0020/0000 LENGTH(AH 2328 BK 2744)
                                                            CORNPLANTER
                                                  0010/2597 OIL CITY C
                                                            030 "DIA CIRC CONCR
                                                  0010/2409 LEN=0060 INSTALLED UNKN
                                                            036"H 48"W **UNKNOWN**
                                                  0010/2362 LEN=0075 INSTALLED UNKN
                                                            012 "DIA CIRC CONCR
                                                  0010/2165 LEN=0045 INSTALLED UNKN
DWYER ST
(CITY)             0010/1720
                                                            012 "DIA CIR PLASTIC
                                                  0010/1514 LEN=0025 INSTALLED UNKN
                                                            012 "DIA CIR PLASTIC
                                                  0010/1170 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/0673 LEN=0025 INSTALLED UNKN
                                                            HALYDAY ST
                                                  0010/0278 (SR9105 SEG 0010/0278)
                                                            018 "DIA CIRC CONCR
                                                  0010/0122 LEN=0070 INSTALLED UNKN
                  000000 FT                       000000 FT 2 0 60034 0 00 0000+00
                                                        NC HALYDAY ST
                                                            MAIN ST
                                                            (SR0008 SEG 0420/0000)
                                                            (SR0008 SEG 0421/0000)

                                                  INTER-BK  PETROLEUM ST
                                                            (SR0062 SEG 0470/0000)
MAIN ST                                                     MFC BEGIN = D
(SR0062 SEG 0470/0000)  0010/0000                 S 0010/0000 LENGTH(AH 2744 BK 0000)
```

DIR: B TOTAL LEN: 10.608 MI. DIST: 01-5 SR: 427
LEFT MUN: PLUM T RIGHT MUN: PLUM T

```
                                056011 FT                    056011 FT  AH-CRAWFORD          (20)
                                                             INTER-AHD SR 0427 SH
                                                                       (SR0427 SEG 0010/0000)
DEETER RD                                                              PARADISE LN
(T641)                           0220/2994     ==|==         0220/2994 (T425)

                                                 RBR
                                                              0220/0055 BMSEN 60/0427/0220/0000
                                053017 FT                     053017 FT 1 0 00090 0 02 0879+88
                                                                        P3
                                                                        SUGAR CREEK
                                                 RBR                    BMSBG 60/0427/0220/0000
                                                            S 0220/0000 LENGTH(AH 2994 BK 2478)

                                                                        WILLIAMS RD
                                                 == ==        0210/0819 (T627)
                                050539 FT                     050539 FT 1 0 00090 0 02 0855+25
                                                            S 0210/0000 LENGTH(AH 2478 BK 2497)
                                                              0200/1840 BMSEN 60/0427/0200/1755
                                                                        1 0 00090 0 02 0830+00
                                                                        SUGAR CREEK
                                                              0200/1749 BMSBG 60/0427/0200/1755
                                                                        036 "DIA CIRC CONCR
                                                              0200/1504 LEN=0050 INSTALLED 1996

                                048042 FT                     048042 FT 1 0 00090 0 02 0830+00
                                                            S 0200/0000 LENGTH(AH 2497 BK 2092)
```

DIR: B TOTAL LEN: 10.608 MI. DIST: 01-5 SR: 427
LEFT MUN: PLUM T RIGHT MUN: PLUM T

```
                                                  024 "DIA CIR PLASTIC
                                  0190/1521 LEN=0038 INSTALLED 1996

                                                  018 "DIA CIR PLASTIC
                                  0190/0370 LEN=0030 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0190/0026 LEN=0075 INSTALLED 1996
045950 FT                         045950 FT 1 0 00090 0 02 0809+29
                                                  RIDGEVIEW RD
                                                  (SR4022 SEG 0010/0000)
                                                  WHITE RD
                                                  (T384)
                                  0190/0000 LENGTH(AH 2092 BK 2946)
                                                  015 "DIA CIR PLASTIC
                                  0180/2773 LEN=0040 INSTALLED 1996
                                                  048 "DIA CIR PLASTIC
                                  0180/2445 LEN=0054 INSTALLED 2018
                                                  048 "DIA CIR PLASTIC
                                  0180/2429 LEN=0060 INSTALLED UNKN
                                  0180/2339 BMSEN 60/0427/0180/2239
                                                  1 0 00090 0 02 0802+27
                                                  SUGAR CREEK
                                  0180/2239 BMSBG 60/0427/0180/2239

                                                  018 "DIA CIR PLASTIC
                                  0180/1631 LEN=0030 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0180/1468 LEN=0040 INSTALLED 1996
KREPP RD
(T625)                 0180/1231

                                                  024 "DIA CIR PLASTIC
                                  0180/1105 LEN=0050 INSTALLED 1996
                                                  012 "DIA CIRC METAL
                                  0180/0795 LEN=0034 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0180/0350 LEN=0036 INSTALLED 1996
043004 FT                         043004 FT 1 0 00090 0 02 0779+58
                                  0180/0000 LENGTH(AH 2946 BK 2933)

                                                  024 "DIA CIR PLASTIC
                                  0170/2269 LEN=0036 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0170/2030 LEN=0030 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                  0170/1844 LEN=0035 INSTALLED 1996
                                  0170/1306 BMSEN 60/0427/0170/1294
                                                  1 0 00090 0 02 0763+44
                                                  SUG.CK.BR.
                                  0170/1294 BMSBG 60/0427/0170/1294
```

DIR: B TOTAL LEN: 10.608 MI. DIST: 01-5 SR: 427
LEFT MUN: PLUM T RIGHT MUN: PLUM T

				PLUM
			0170/0986	JACKSON T
JACKSON PLUM RD (T611)	0170/0973			
				018 "DIA CIRC METAL
			0170/0873	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0170/0557	LEN=0035 INSTALLED 1996
	040071 FT		040071 FT	1 0 00090 0 02 0750+25
			S 0170/0000	LENGTH(AH 2933 BK 3704)
				018 "DIA CIR PLASTIC
			0160/3263	LEN=0050 INSTALLED 1996
				018 "DIA CIR PLASTIC
			0160/2943	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0160/2783	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0160/2646	LEN=0045 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0160/2481	LEN=0040 INSTALLED 1996
				018 "DIA CIR PLASTIC
			0160/2305	LEN=0035 INSTALLED 1996
				015 "DIA CIR PLASTIC
			0160/1900	LEN=0045 INSTALLED 1996
				018 "DIA CIR PLASTIC
			0160/1411	LEN=0045 INSTALLED 1996
				015 "DIA CIR PLASTIC
			0160/1298	LEN=0042 INSTALLED 1996
				018 "DIA CIR PLASTIC
			0160/0884	LEN=0046 INSTALLED 1996
				015 "DIA CIR PLASTIC
			0160/0359	LEN=0038 INSTALLED 1996
				024 "DIA CIR PLASTIC
			0160/0163	LEN=0060 INSTALLED 2003
1 0 00090 0 02 0713+21	036367 FT		036367 FT	
SMALLS RD (T605)	0160/0000		S 0160/0000	LENGTH(AH 3704 BK 2863)
				WRIGHT RD
			0150/2461	(T607)
				024 "DIA CIR PLASTIC
			0150/2176	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0150/1582	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0150/0618	LEN=0040 INSTALLED 1996
	033504 FT		033504 FT	1 0 00090 0 02 0684+67
			S 0150/0000	LENGTH(AH 2863 BK 2536)

DIR: B TOTAL LEN: 10.608 MI. DIST: 01-5 SR: 427
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
                                                  015 "DIA CIR PLASTIC
                                     0140/2465 LEN=0030 INSTALLED 1996
                                                  015 "DIA CIR PLASTIC
                                     0140/2125 LEN=0034 INSTALLED 1996

                                                  015 "DIA CIR PLASTIC
                                     0140/1308 LEN=0036 INSTALLED 1996


                                                  024 "DIA CIR PLASTIC
                                     0140/0110 LEN=0035 INSTALLED 1996
030968 FT                            030968 FT 1 0 00090 0 02 0659+31
                                   S 0140/0000 LENGTH(AH 2536 BK 1787)


                                                  024 "DIA CIR PLASTIC
                                     0130/0721 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                     0130/0434 LEN=0030 INSTALLED 1996
029181 FT                            029181 FT 1 0 00090 0 02 0641+44
                                                  CREEK RD
                                                  (T595)
                                   S 0130/0000 LENGTH(AH 1787 BK 3063)
                                                  018 "DIA CIR PLASTIC
                                     0120/2610 LEN=0040 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                     0120/2149 LEN=0040 INSTALLED 1996

                                                  015 "DIA CIR PLASTIC
                                     0120/1305 LEN=0030 INSTALLED 2012


026118 FT                            026118 FT 1 0 00090 0 02 0610+81
                                   S 0120/0000 LENGTH(AH 3063 BK 2056)
                                                  JACKSON
                                     0110/2048 COOPERSTOWN B
                                           NC SR 0427 SH


                                                  024 "DIA CIR PLASTIC
                                     0110/0740 LEN=0050 INSTALLED 2012

1 0 00090 0 02 0590+28 024062 FT     024062 FT
ACADEMY ST
(SR4018 SEG 0110/1887)  0110/0000  S 0110/0000 LENGTH(AH 2056 BK 2935)
MAIN ST
(SR4007 SEG 0010/0000)
BRINK ST
```

DIR: B TOTAL LEN: 10.608 MI. DIST: 01-5 SR: 427
LEFT MUN: COOPERSTOWN B RIGHT MUN: COOPERSTOWN B

```
(BORO)                    0100/2354     ==
                                                NC BRADLEYTOWN RD
JENNINGS WAY
(BORO)                    0100/2122     ==
                                                        018 "DIA CIR PLASTIC
                                                0100/2112 LEN=0039 INSTALLED UNKN
                                                        018 "DIA CIRC CONCR
                                                0100/1979 LEN=0038 INSTALLED UNKN
FACTORY ST
(BORO)                    0100/1857     ==
                                                0100/1809 BMSEN 60/0427/0100/1839
                                                        1 0 00090 0 02 0559+37
                                                        SUGAR CREEK
                                                0100/1674 BMSBG 60/0427/0100/1839
                                                        COOPERSTOWN RD
                                                0100/1618 (SR4020 SEG 0010/0000)
                                                        018 "DIA CIRC CONCR
                                                0100/1615 LEN=0040 INSTALLED UNKN
                                                        018 "DIA CIRC CONCR
                                                0100/1443 LEN=0080 INSTALLED UNKN
                                                        024 "DIA CIR PLASTIC
                                                0100/1272 LEN=0050 INSTALLED 2016

                                                        LEPLEY LN
                                                0100/0315 (BORO)
                          021127 FT             021127 FT 1 0 00090 0 02 0559+37
                                                      NC MAIN ST
                                                        COOPERSTOWN
                                                        JACKSON T
                                                S 0100/0000 LENGTH(AH 2935 BK 2917)
                                                        018 "DIA CIRC CONCR
                                                0090/2763 LEN=0040 INSTALLED UNKN
                                                        TITAN LN
                                                0090/2401 (PRDR)
                                                        TITAN LN
                                                0090/2099 (PRDR)

                                                        060 "DIA CIRC CONCR
                                                0090/1310 LEN=0030 INSTALLED 1996

                          018210 FT             018210 FT 1 0 00090 0 02 0531+29
                                                      NC SR 427 SH
                                                        PATCHEL RUN RD
                                                        (SR4003 SEG 0110/2810)
                                                S 0090/0000 LENGTH(AH 2917 BK 1694)
                                                        LAMBERTON RD
                                                0080/1327 (T382)
```

DIR: B TOTAL LEN: 10.608 MI. DIST: 01-5 SR: 427
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
                                                    015 "DIA CIRC CONCR
                                    0080/0940 LEN=0030 INSTALLED 1996
                                                    015 "DIA CIRC CONCR
                                    0080/0577 LEN=0028 INSTALLED 1996
                016516 FT           016516 FT 1 0 00090 0 02 0514+08
                                  S 0080/0000 LENGTH(AH 1694 BK 1424)
                                                    015 "DIA CIRC CONCR
                                    0070/1242 LEN=0028 INSTALLED 1996
                                                    ROGERS RD
                                    0070/0901 (T559)

                015092 FT           015092 FT 1 0 00090 0 02 0500+71
                                  S 0070/0000 LENGTH(AH 1424 BK 2219)

                                    0060/1586 BMSEN 60/0427/0060/1212
                                                    1 0 00090 0 01 0488+22
                                                    SUGAR CREEK
                                    0060/1212 BMSBG 60/0427/0060/1212
FOSTER RD
(T549)            0060/0995
                                                    024 "DIA CIRC METAL
                                    0060/0673 LEN=0064 INSTALLED UNKN

                012873 FT           012873 FT 1 0 00090 0 01 0475+87
                                  S 0060/0000 LENGTH(AH 2219 BK 1620)
                                                    036 "DIA CIR PLASTIC
                                    0050/1078 LEN=0042 INSTALLED UNKN
                                                    JACKSON
                                    0050/0583 SUGARCREEK B
INDEPENDENT RD
(T557)            0050/0564
                011253 FT           011253 FT 1 0 00090 0 01 0459+72
                                  S 0050/0000 LENGTH(AH 1620 BK 2309)

                                                    018 "DIA CIR PLASTIC
                                    0040/0110 LEN=0048 INSTALLED 1996
                008944 FT           008944 FT 1 0 00090 0 01 0436+63
                                  S 0040/0000 LENGTH(AH 2309 BK 3032)

                                                    015 "DIA CIR PLASTIC
                                    0030/1604 LEN=0045 INSTALLED UNKN
```

DIR: B TOTAL LEN: 10.608 MI. DIST: 01-5 SR: 427
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                 0030/0831 BMSEN 60/0427/0030/0811
                                                           1 0 00090 0 01 0409+70
                                                           BEATTY RUN
                                                 0030/0805 BMSBG 60/0427/0030/0811
BEATTY RUN RD
(BORO)                 0030/0502
                                                 0030/0453 BMSEN 60/0427/0030/0323
                                                           1 0 00090 0 01 0409+70
                                                           SUGARCREEK
                                                 0030/0347 BMSBG 60/0427/0030/0323
                       005912 FT                 005912 FT 1 0 00090 0 01 0406+42
                                                           SLEEPY HOLLOW RD
                                                           (BORO)
                                               S 0030/0000 LENGTH(AH 3032 BK 3036)
                                                           015 "DIA CIR PLASTIC
                                                 0020/2993 LEN=0040 INSTALLED 1996
                                                           015 "DIA CIR PLASTIC
                                                 0020/2843 LEN=0042 INSTALLED 1996
                                                           015 "DIA CIR PLASTIC
                                                 0020/2451 LEN=0042 INSTALLED 1996

                                                           015 "DIA CIR PLASTIC
                                                 0020/1846 LEN=0038 INSTALLED 1996
                                                           018 "DIA CIR PLASTIC
                                                 0020/1583 LEN=0050 INSTALLED 1996
                                                           024 "DIA CIR PLASTIC
                                                 0020/1163 LEN=0045 INSTALLED 1996
                                                           KEELY RD
                                                 0020/0888 (BORO)

                       002876 FT                 002876 FT 1 0 00090 0 01 0375+67
                                               S 0020/0000 LENGTH(AH 3036 BK 2876)



                                                           ENGLISH DR
                                                 0010/0980 (PRDR)

                                                           SR 9102 SH
                                                 0010/0099 (SR9102 SEG 0010/0322)
FROM 0322/0140 SH
(CONN)                 0010/0058
                       000000 FT                 000000 FT 1 0 00090 0 00 0318+00
                                                       NC SR 0427 SH
                                                           TWENTYEIGHTH DIVISION H
                                                           (SR0322 SEG 0140/2116)
                                                           MFC BEGIN = D
                                               S 0010/0000 LENGTH(AH 2876 BK 0000)
```

DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
LEFT MUN: CANAL T RIGHT MUN: CANAL T

WILLIAM FLINN HW
(SR0008 SEG 0610/0010)
WILLIAM FLINN HW 063965 FT
(SR0008 SEG 0610/0010) 0261/0286

SR 9101 SH
(SR9101 SEG 0010/0189) 0261/0162
0 0 00000 0 00 0000+00 063679 FT
MFC BEGIN = C
CANAL
CHERRYTREE T
LENGTH(AH 0286 BK 2775) 0261/0000

TARR RD
(T595) 0250/1963

060904 FT



063892 FT WILLIAM FLINN HW
0260/0213 (SR0008 SEG 0610/0000)
018 "DIA CIRC CONCR
0260/0166 LEN=0065 INSTALLED UNKN

063679 FT 0 0 00000 0 00 0000+00
MFC BEGIN = C
0260/0000 LENGTH(AH 0213 BK 2775)
018 "DIA CIRC CONCR
0250/2508 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0250/2264 LEN=0060 INSTALLED UNKN

024 "DIA CIRC CONCR
0250/1898 LEN=0065 INSTALLED UNKN
024 "DIA CIRC CONCR
0250/1762 LEN=0030 INSTALLED UNKN
024 "DIA CIRC CONCR
0250/1534 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0250/1279 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR
0250/0909 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0250/0463 LEN=0050 INSTALLED UNKN
060904 FT 2 0 60032 0 02 0610+30
0250/0000 LENGTH(AH 2775 BK 3453)
CHERRYTREE
0240/3391 OAKLAND T
018 "DIA CIRC CONCR
0240/3342 LEN=0045 INSTALLED UNKN
060 "DIA CIRC CONCR
0240/2953 LEN=0070 INSTALLED UNKN

DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

```
                                          CHERRYTREE RD
                                   ==     0240/2035 (T450)
                                          018 "DIA CIRC CONCR
                                          0240/1632 LEN=0055 INSTALLED UNKN

                                          030 "DIA CIRC CONCR
                                          0240/0444 LEN=0060 INSTALLED UNKN
                                          018 "DIA CIRC CONCR
                                          0240/0140 LEN=0038 INSTALLED UNKN
057451 FT                                 057451 FT 2 0 60032 0 02 0575+43
                                        S 0240/0000 LENGTH(AH 3453 BK 2570)

                                          024 "DIA CIRC CONCR
                                          0230/0980 LEN=0044 INSTALLED UNKN

054881 FT                                 054881 FT 2 0 60032 0 02 0549+73
                                        S 0230/0000 LENGTH(AH 2570 BK 2445)
                                          024 "DIA CIRC CONCR
                                          0220/1944 LEN=0050 INSTALLED UNKN
                                          024 "DIA CIRC CONCR
                                          0220/1368 LEN=0050 INSTALLED UNKN
                                          018 "DIA CIRC CONCR
                                          0220/0856 LEN=0038 INSTALLED UNKN
                                          030 "DIA CIRC CONCR
                                          0220/0258 LEN=0044 INSTALLED UNKN
052436 FT                                 052436 FT 2 0 60032 0 02 0525+28
                                        S 0220/0000 LENGTH(AH 2445 BK 2532)

                                          018 "DIA CIRC CONCR
                                          0210/1232 LEN=0055 INSTALLED UNKN

                                          018 "DIA CIRC CONCR
                                          0210/0524 LEN=0040 INSTALLED UNKN
                                          018 "DIA CIRC CONCR
                                          0210/0283 LEN=0036 INSTALLED UNKN
049904 FT                                 049904 FT 2 0 60032 0 02 0499+96
                                        S 0210/0000 LENGTH(AH 2532 BK 2798)

                                          018 "DIA CIRC CONCR
                                          0200/2048 LEN=0038 INSTALLED UNKN
                                          018 "DIA CIRC CONCR
                                          0200/1534 LEN=0034 INSTALLED UNKN
```

DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

			036 "DIA CIRC CONCR
		0200/0464	LEN=0039 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0200/0013	LEN=0042 INSTALLED UNKN
2 0 60032 0 02 0471+98 047106 FT			047106 FT
GRESHEM RD			
(T302)	0200/0000	5 0200/0000	LENGTH(AH 2798 BK 2262)
			018 "DIA CIRC CONCR
		0190/2034	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0190/1272	LEN=0038 INSTALLED UNKN
WALLACEVILLE RD			
(SR0428 SEG 0170/0000)	0190/0890		
	044844 FT	044844 FT	2 0 60032 0 01 0449+16
			HALYDAY RUN RD
			(SR0428 SEG 0160/2160)
		5 0190/0000	LENGTH(AH 2262 BK 1661)
			024 "DIA CIRC CONCR
		0180/0866	LEN=0038 INSTALLED UNKN
CREEK RD			SPEER RD
(T597)	0180/0848	0180/0848	(T300)
			018 "DIA CIRC CONCR
		0180/0029	LEN=0028 INSTALLED UNKN
2 0 60032 0 01 0432+30 043183 FT			043183 FT
COOPERSTOWN RD			
(SR4020 SEG 0100/2374)	0180/0000	5 0180/0000	LENGTH(AH 1661 BK 3254)
			036"H 36"W UNKN STRUCT
		0170/2964	LEN=0042 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0170/0319	LEN=0065 INSTALLED UNKN
	039929 FT	039929 FT	2 0 60032 0 01 0399+55
		5 0170/0000	LENGTH(AH 3254 BK 3226)
			018 "DIA CIRC CONCR
		0160/3039	LEN=0038 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0160/2788	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0160/2622	LEN=0045 INSTALLED UNKN

DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

			0160/2336	018 "DIA CIRC CONCR LEN=0037 INSTALLED UNKN
			0160/2095	015 "DIA CIRC CONCR LEN=0043 INSTALLED UNKN
BILLINGSLEY RD (T452)	0160/1352	==		
			0160/1340	036 "DIA CIR PLASTIC LEN=0055 INSTALLED UNKN
			0160/0602	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
2 0 60032 0 01 0367+60	036703 FT		036703 FT	
CAMP WILBEA RD (T683)	0160/0000	==	S 0160/0000	LENGTH(AH 3226 BK 3452)
			0150/3412	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
			0150/3092	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
			0150/2146	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
			0150/0116	024 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
	033251 FT		033251 FT	2 0 60032 0 01 0332+98
BAKER RD (T565)	0150/0000	== ==	S 0150/0000	BAKER RD (T565) LENGTH(AH 3452 BK 3335)
			0140/2741	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
			0140/2244	018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
			0140/0025	018 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN
	029916 FT		029916 FT	2 0 60032 0 01 0299+63
			S 0140/0000	LENGTH(AH 3335 BK 2371)

DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
LEFT MUN: OAKLAND T RIGHT MUN: OAKLAND T

```
                                                          036 "DIA CIRC CONCR
                                                 0130/1436 LEN=0040 INSTALLED UNKN

                                                          018 "DIA CIRC CONCR
                                                 0130/0761 LEN=0040 INSTALLED UNKN
FOR SR 0417 AND 4009
(CONN)                    0130/0259
2 0 60032 0 01 0277+25 027545 FT                 027545 FT
SUNVILLE RD
(SR4009 SEG 0010/0000)    0130/0000            S 0130/0000 LENGTH(AH 2371 BK 1768)

                                                          024 "DIA CIRC CONCR
                                                 0120/0900 LEN=0040 INSTALLED UNKN
                                                          018 "DIA CIRC CONCR
                                                 0120/0479 LEN=0036 INSTALLED UNKN
                          025777 FT              025777 FT 2 0 60032 0 01 0260+14
                                                 S 0120/0000 LENGTH(AH 1768 BK 1873)
                                                       NC SR 0417 SH
                                                          OAKLAND
                                                 0110/1776 SUGARCREEK B
                                                          036 "DIA CIRC CONCR
                                                 0110/1744 LEN=0040 INSTALLED UNKN
                                                          018 "DIA CIRC CONCR
                                                 0110/1363 LEN=0038 INSTALLED UNKN

                          023904 FT              023904 FT 2 0 60032 0 01 0240+03
                                                 S 0110/0000 LENGTH(AH 1873 BK 2462)

                                                          018 "DIA CIRC CONCR
                                                 0100/1188 LEN=0040 INSTALLED UNKN
                                                          SHADE TREE LN
                                                 0100/0876 (TWP )
                                                          018 "DIA CIRC CONCR
                                                 0100/0555 LEN=0050 INSTALLED UNKN
                          021442 FT              021442 FT 2 0 60032 0 01 0215+41
                                                          KEELY RD
                                                          (BORO)
                                                 S 0100/0000 LENGTH(AH 2462 BK 2999)
                                                          018 "DIA CIR PLASTIC
                                                 0090/2975 LEN=0040 INSTALLED UNKN
                                                          024 "DIA CIRC CONCR
                                                 0090/2400 LEN=0038 INSTALLED UNKN
                                                          048 "DIA CIRC CONCR
                                                 0090/2036 LEN=0054 INSTALLED UNKN
                                                          018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                  0090/1885 LEN=0050 INSTALLED UNKN
                                                            024"H 36"W CON BOX CUL
                                                  0090/1300 LEN=0060 INSTALLED UNKN

                018443 FT                         018443 FT 2 0 60032 0 01 0185+42
                                                            018 "DIA CIRC CONCR
                                                            LEN=0045 INSTALLED UNKN
                                                S 0090/0000 LENGTH(AH 2999 BK 3032)

                                                            018 "DIA CIRC CONCR
                                                  0080/2128 LEN=0045 INSTALLED 1998

PHILLIPS DR
(BORO)           0080/0881   ==
                018411 FT                         015411 FT 2 0 60032 0 01 0155+10
                                                            SEYSLER RD
                                                            (BORO)
                                              == S 0080/0000 LENGTH(AH 3032 BK 2057)

                                                            018 "DIA CIRC CONCR
                                                  0070/1300 LEN=0045 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0070/0796 LEN=0060 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0070/0487 LEN=0044 INSTALLED UNKN
                                                            036 "DIA CIRC CONCR
                                                  0070/0365 LEN=0044 INSTALLED UNKN
                013354 FT                         013354 FT 2 0 60032 0 01 0132+80
                                                            CHERRYTREE RD
                                                            (BORO)
                                              == S 0070/0000 LENGTH(AH 2057 BK 2938)
                                                            018 "DIA CIRC CONCR
                                                  0060/2767 LEN=0045 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0060/1710 LEN=0060 INSTALLED UNKN

                                                            024 "DIA CIRC CONCR
                                                  0060/1022 LEN=0050 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0060/0400 LEN=0045 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                  0060/0086 LEN=0050 INSTALLED UNKN
                    010416 FT                     010416 FT 2 0 60032 0 01 0105+63
                                                            WARREN RD
                                                            (BORO)
                                                            060 "DIA CIRC CONCR
                                                            LEN=0056 INSTALLED UNKN
                                                  S 0060/0000 LENGTH(AH 2938 BK 2913)
                                                            015 "DIA CIRC CONCR
                                                  0050/2669 LEN=0044 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0050/2003 LEN=0060 INSTALLED UNKN



                                                            018 "DIA CIRC CONCR
                                                  0050/0743 LEN=0060 INSTALLED UNKN
SHINGLEDECKER DR
(BORO)              0050/0569

                                                            015 "DIA CIRC CONCR
                                                  0050/0533 LEN=0050 INSTALLED UNKN
                    007503 FT                     007503 FT 2 0 60032 0 00 0075+69
                                                  S 0050/0000 LENGTH(AH 2913 BK 2252)
                                                            024 "DIA CIR PLASTIC
                                                  0040/1820 LEN=0060 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/1250 LEN=0045 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/0686 LEN=0035 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/0380 LEN=0065 INSTALLED UNKN
                    005251 FT                     005251 FT 2 0 60032 0 00 0053+17
                                                  S 0040/0000 LENGTH(AH 2252 BK 1476)
                                                            018 "DIA CIRC CONCR
                                                  0030/1476 LEN=0050 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0030/1353 LEN=0045 INSTALLED UNKN
GRIMM ST
(BORO)              0030/1264

                                                            015 "DIA CIRC CONCR
                                                  0030/0985 LEN=0380 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/0608 LEN=0035 INSTALLED UNKN
JAMES ST
(BORO)              0030/0598

                                                            SHUFFSTALL ST
                                                  0030/0295 (BORO)
                                                            018 "DIA CIRC CONCR
                                                  0030/0030 LEN=0030 INSTALLED UNKN
                                                            FRONT ST
```

DIR: B TOTAL LEN: 12.115 MI. DIST: 01-5 SR: 417
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                                  (SR4002 SEG 0010/0000)
2 0 60032 0 00 0038+18 003775 FT                   003775 FT
FRONT ST                                                          MFC BEGIN = C
(BORO)                  0030/0000                  0030/0000      LENGTH(AH 1476 BK 1204)
                                                                  LAMBERTON ST
                                                   0020/0895      (BORO)
                                                                  GILFILLAN ST
                                                   0020/0588      (BORO)
ROCKY GROVE HIGH SCHOOL
(PRDR)                  0020/0516

                                                                  PARKER AV
                                                   0020/0295      (BORO)
                                                                  015 "DIA CIRC CONCR
                                                   0020/0286      LEN=0035 INSTALLED UNKN
ROCKY GROVE HIGH SCHOOL
(PRDR)                  0020/0237
                       002571 FT                   002571 FT      2 0 60032 0 00 0026+19
                                                                  PHIPPS ST
                                                                  (BORO)
                                                   0020/0000      LENGTH(AH 1204 BK 2571)
                                                                  024 "DIA CIRC CONCR
                                                   0010/2347      LEN=0035 INSTALLED UNKN
                                                                  PENNELL ST
                                                   0010/2266      (BORO)
PALMER AV
(BORO)                  0010/1827

                                                                  036 "DIA CIRC CONCR
                                                   0010/1454      LEN=0192 INSTALLED UNKN
                                                                  CEDAR ST
                                                   0010/1258      (BORO)

                                                                  015 "DIA CIRC CONCR
                                                   0010/0378      LEN=0065 INSTALLED UNKN
                                                                   SIGN: 3 CHORD TRUSS
                                                   0010/0289      BMSID 60/0417/0010/0289
                                                                  018 "DIA CIRC CONCR
                                                   0010/0191      LEN=0060 INSTALLED UNKN
                                                                  TO 4006/0080 SH
                                                   0010/0121      (CONN)
                       000000 FT                   000000 FT      2 0 60032 0 00 0000+00
                                                                  SECOND AV
                                                                  (BORO)
                                                        NC ROCKY GROVE AV
                                                                  THIRTEENTH ST
                                                                  (SR0322 SEG 0261/0000)
                                                                  (SR0322 SEG 0260/0000)
                                                   INTER-BK       GRANT ST
                                                                  (SR0322 SEG 0260/0000)
MEADVILLE PK                                                      MFC BEGIN = B
(SR4006 SEG 0080/3542)  0010/0000                  0010/0000      LENGTH(AH 2571 BK 0000)
```

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

```
139995 FT                    139993 FT  AH-CLARION          (16)
                           * REF-AHD   TWENTYEIGHTH DIVISION H
                             0580/3026 (SR0322 SEG 0010/0000)
                                       01B "DIA CIRC CONCR
                             0580/2762 LEN=0042 INSTALLED 1997

                                       01B "DIA CIRC CONCR
                             0580/0971 LEN=0050 INSTALLED 1997

136969 FT                    136967 FT 1 0 00065 0 01 0759+67
```

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

```
                                                PEG-A-NAL RD
                                                (T381)
                                   ==     S 0580/0000 LENGTH(AH 3026 BK 1450)

                                                024 "DIA CIRC CONCR
                                          0570/0200 LEN=0050 INSTALLED 2001
135519 FT                                 135517 FT 1 0 00065 0 01 0739+42
                                       S  0570/0000 LENGTH(AH 1450 BK 2488)

                                                PHILLIPPI RD
                                   ==     0560/1608 (T593)

133031 FT                                 133029 FT 1 0 00065 0 01 0714+54
                                       S  0560/0000 LENGTH(AH 2488 BK 2293)

                                                BASHER RD
                                   ==     0550/1629 (T594)

                                                066 "DIA CIRC CONCR
                                          0550/0104 LEN=0080 INSTALLED 1997
130738 FT                                 130736 FT 1 0 00065 0 01 0691+78
                                                EMLENTON RD
                                                (SR0038 SEG 0240/3594)
                                                066 "DIA CIRC CONCR
                                                LEN=0050 INSTALLED UNKN
                                       S  0550/0000 LENGTH(AH 2293 BK 3182)

                                                HEPLER RD
                                   ==     0540/1202 (T587)

                                                018 "DIA CIRC CONCR
                                          0540/0175 LEN=0060 INSTALLED 1997
127556 FT                                 127554 FT 1 0 00065 0 01 0659+56
                                                015 "DIA CIRC CONCR
                                                LEN=0045 INSTALLED 1997
                                       S  0540/0000 LENGTH(AH 3182 BK 3035)
```

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

			018 "DIA CIRC CONCR
		0530/2264	LEN=0048 INSTALLED 1997
			024 "DIA CIRC CONCR
		0530/1487	LEN=0060 INSTALLED 1997
			048 "DIA CIRC CONCR
		0530/0570	LEN=0094 INSTALLED 1997
			024 "DIA CIRC CONCR
		0530/0311	LEN=0120 INSTALLED 1997
	124521 FT	124519 FT	1 0 00065 0 01 0629+41
		S 0530/0000	LENGTH(AH 3035 BK 1466)
			024 "DIA CIRC CONCR
		0520/1200	LEN=0075 INSTALLED UNKN
			TARKLIN HILL RD
		0520/0582	(T582)
			LC FOR TARKLIN HILL RD
		0520/0397	(CONN)
			018 "DIA CIRC CONCR
		0520/0244	LEN=0032 INSTALLED UNKN
		0520/0229	BMSEN 60/0322/0520/0129
			ROCKLAND
		0520/0192	CRANBERRY T
			0 0 00000 0 00 0000+00
			E SANDY CK.
		0520/0135	BMSBG 60/0322/0520/0129
			018 "DIA CIRC CONCR
		0520/0127	LEN=0032 INSTALLED 1997
1 0 00065 0 01 0614+28	123055 FT	123053 FT	
VAN RD			
(T391)	0520/0000	S 0520/0000	LENGTH(AH 1466 BK 2931)
			015 "DIA CIRC CONCR
		0510/2919	LEN=0050 INSTALLED 1997
			018 "DIA CIRC CONCR
		0510/2717	LEN=0050 INSTALLED 1997
			015 "DIA CIRC CONCR
		0510/2352	LEN=0060 INSTALLED 1997
			WHIPPERWILL RD
		0510/1849	(T389)
			018 "DIA CIR PLASTIC
		0510/1650	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0510/1125	LEN=0046 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0510/0825	LEN=0045 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0510/0525	LEN=0040 INSTALLED 1997
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                  0510/0157 LEN=0060 INSTALLED 1997
1 0 00065 0 01 0585+18 120124 FT                  120122 FT
HILL CITY RD
(SR2015 SEG 0010/0000)  0510/0000                 S 0510/0000 LENGTH(AH 2931 BK 2501)
                                                            018 "DIA CIRC CONCR
                                                  0500/2170 LEN=0054 INSTALLED 1997

                                                            054 "DIA CIRC CONCR
                                                  0500/0440 LEN=0152 INSTALLED 1997
                        117623 FT                 117621 FT 1 0 00065 0 01 0559+66
                                                 S 0500/0000 LENGTH(AH 2501 BK 3370)

                                                            015 "DIA CIRC CONCR
                                                  0490/0330 LEN=0040 INSTALLED 1997
                                                            LC TO/FROM CAREY LN
                                                  0490/0103 (CONN)
                        114253 FT                 114251 FT 1 0 00065 0 01 0526+10
                                                            CAREY LN
                                                            (T652)
                                                 S 0490/0000 LENGTH(AH 3370 BK 3421)
                                                            024 "DIA CIRC CONCR
                                                  0480/3195 LEN=0034 INSTALLED 1997
                                                            018 "DIA CIRC CONCR
                                                  0480/2660 LEN=0042 INSTALLED 1997

MAPLE SHADE RD
(SR2004 SEG 0010/0000)  0480/1029

                                                            018 "DIA CIR PLASTIC
                                                  0480/0037 LEN=0052 INSTALLED 1997
                        110832 FT                 110830 FT 1 0 00065 0 01 0491+93
                                                            WHIPPERWILL RD
                                                            (T389)
                                                 S 0480/0000 LENGTH(AH 3421 BK 3496)
```

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

				015 "DIA CIRC CONCR
			0470/2840	LEN=0040 INSTALLED UNKN
				042 "DIA CIRC CONCR
			0470/1002	LEN=0082 INSTALLED 1997
				HALLS RUN RD
		==	0470/0875	(T560)
				TRIBUTARY TO HALLS RUN
				STRUCTURE LENGTH 15 FT
			0470/0839	BMSID 60/0322/0470/0467
	107336 FT		107334 FT	1 0 00065 0 01 0457+85
				HALLS RUN
				STRUCTURE LENGTH 38 FT
				BMSID 60/0322/0470/0000
			S 0470/0000	LENGTH(AH 3496 BK 1651)
1 0 00065 0 01 0437+71	105685 FT		105683 FT	
HORSE CREEK RD				
(T558)	0460/0000	==	S 0460/0000	LENGTH(AH 1651 BK 2648)
				018 "DIA CIRC CONCR
			0450/2600	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0450/2060	LEN=0050 INSTALLED 1997
				015 "DIA CIRC CONCR
			0450/1357	LEN=0035 INSTALLED 1997
				015 "DIA CIRC CONCR
			0450/0900	LEN=0040 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0450/0448	LEN=0034 INSTALLED 1997
SALINA RD				
(T670)	0450/0246	==		
				ROCKLAND RD
1 0 00065 0 01 0411+18	103037 FT		103035 FT	(SR2013 SEG 0140/3249)
SALINA RD				
(SR0257 SEG 0010/0000)	0450/0000		S 0450/0000	LENGTH(AH 2648 BK 2672)
				LC FROM REGINA DR
		==	0440/1503	(CONN)
				REGINA DR
CRANBERRY MALL		==		(TWP)

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322

LEFT MUN: CRANBERRY T			RIGHT MUN: CRANBERRY T	
(PRDR)	0440/1427		0440/1427	
				LC TO REGINA DR
			0440/1330	(CONN)
				018 "DIA CIRC CONCR
			0440/1130	LEN=0050 INSTALLED UNKN
				LC FROM ROSS DR
			0440/0595	(CONN)
				ROSS DR
CRANBERRY MALL				(TWP)
(PRDR)	0440/0497		0440/0497	
				LC TO ROSS DR
			0440/0383	(CONN)
				024 "DIA CIRC CONCR
			0440/0350	LEN=0060 INSTALLED 1997
	100365 FT		100363 FT	1 0 00065 0 01 0384+46
			S 0440/0000	LENGTH(AH 2672 BK 2675)
				LC FROM HOME DEPOT DR
			0430/2458	(CONN)
				HOME DEPOT DR
				(PRDR)
			0430/2384	
				LC TO HOME DEPOT DR
			0430/2289	(CONN)
				015 "DIA CIRC CONCR
			0430/2250	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC METAL
			0430/2135	LEN=0115 INSTALLED UNKN
				012 "DIA CIRC CONCR
			0430/0430	LEN=0055 INSTALLED 1997
				015 "DIA CIRC CONCR
			0430/0010	LEN=0200 INSTALLED 1997
1 0 00065 0 01 0357+75	097690 FT		097688 FT	BUCKTAIL RD
BIG EGYPT RD				(T511)
(T514)	0430/0000		S 0430/0000	LENGTH(AH 2675 BK 2342)
				015 "DIA CIRC CONCR
			0420/2320	LEN=0200 INSTALLED 1997
				018 "DIA CIRC CONCR
			0420/0831	LEN=0052 INSTALLED 1997
	095348 FT		095346 FT	1 0 00065 0 01 0334+33
			S 0420/0000	LENGTH(AH 2342 BK 2276)
				018 "DIA CIRC CONCR
			0410/1950	LEN=0052 INSTALLED 1997

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                    015 "DIA CIRC CONCR
                                  0410/0305 LEN=0054 INSTALLED 1997
                093072 FT         093070 FT 1 0 00065 0 01 0310+98
                                 S 0410/0000 LENGTH(AH 2276 BK 2323)

TANGLEWOOD DR
(T510)           0400/1616 ==
                                                    018 "DIA CIRC CONCR
                                  0400/1610 LEN=0055 INSTALLED 1997
                                                    024 "DIA CIRC CONCR
                                  0400/1249 LEN=0052 INSTALLED 1997

                090749 FT         090747 FT 1 0 00065 0 01 0287+75
                                                    018 "DIA CIRC CONCR
                                                    LEN=0060 INSTALLED 1997
                                 S 0400/0000 LENGTH(AH 2323 BK 2568)

AIRES HILL RD
(T484)           0390/0203 ==
                                                    018 "DIA CIRC CONCR
                                  0390/0089 LEN=0058 INSTALLED 1997
                088181 FT         088179 FT 1 0 00065 0 01 0262+00
                                                    VICTORY CHURCH RD
                                                    (T512)
                                 S 0390/0000 LENGTH(AH 2568 BK 3330)
                                                    018 "DIA CIRC CONCR
                                  0380/3082 LEN=0060 INSTALLED 1997
                                                    015 "DIA CIRC CONCR
                                  0380/2607 LEN=0060 INSTALLED 1997
                                                    018 "DIA CIRC CONCR
                                  0380/2188 LEN=0050 INSTALLED 1997

                                                    018 "DIA CIRC CONCR
                                  0380/0876 LEN=0060 INSTALLED 1997
                                                    018 "DIA CIRC CONCR
                                  0380/0384 LEN=0068 INSTALLED 1997
                084851 FT         084849 FT 1 0 00065 0 01 0228+78
```

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                    ASTRAL RD
                                                    (T474)
                                  ==   S 0380/0000 LENGTH(AH 3330 BK 3106)
                                                    018 "DIA CIRC CONCR
                                       0370/3100 LEN=0055 INSTALLED 2001

                                                    024 "DIA CIRC CONCR
                                       0370/0629 LEN=0052 INSTALLED 1997
                                                    018 "DIA CIRC CONCR
                                       0370/0280 LEN=0064 INSTALLED 1997
                081745 FT              081743 FT 1 0 00065 0 01 0198+07
                                                    018 "DIA CIRC CONCR
                                                    LEN=0060 INSTALLED 1997
                                     S 0370/0000 LENGTH(AH 3106 BK 3304)
                                                    018 "DIA CIRC CONCR
                                       0360/2860 LEN=0050 INSTALLED 1997
                                                    024 "DIA CIRC CONCR
                                       0360/2608 LEN=0070 INSTALLED 1997
                                                    018 "DIA CIRC CONCR
                                       0360/2310 LEN=0072 INSTALLED 1997
                                                    018 "DIA CIR PLASTIC
                                       0360/2015 LEN=0074 INSTALLED 1997
                                                    018 "DIA CIRC CONCR
                                       0360/1688 LEN=0078 INSTALLED 1997
                                                    018 "DIA CIR PLASTIC
                                       0360/1240 LEN=0075 INSTALLED 1997
                                                    018 "DIA CIRC CONCR
                                       0360/0865 LEN=0110 INSTALLED 1997
                                                    018 "DIA CIRC CONCR
                                       0360/0466 LEN=0076 INSTALLED 1997
                                                    018 "DIA CIRC CONCR
                                       0360/0086 LEN=0085 INSTALLED 1997
                078441 FT              078439 FT 1 0 00065 0 01 0165+03
                                     S 0360/0000 LENGTH(AH 3304 BK 1716)
                                                    018 "DIA CIRC CONCR
                                       0350/1458 LEN=0070 INSTALLED 1997
                                                    018 "DIA CIRC CONCR
                                       0350/1038 LEN=0170 INSTALLED 1997
OLD 322 RD
(T450)          0350/0507
                                       0350/0111 BMSEN 60/0322/0350/0108
                                                    1 0 00065 0 00 0147+62
                                                    LO. 2 MI.
                                       0350/0088 BMSBG 60/0322/0350/0108
```

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
1 0 00065 0 00 0147+62 076725 FT                076723 FT
DEEP HOLLOW RD
(SR3025 SEG 0010/0000)  0350/0000            S 0350/0000 LENGTH(AH 1716 BK 3030)
                                                         018 "DIA CIRC CONCR
                                               0340/2911 LEN=0042 INSTALLED 1997
                                                         015 "DIA CIRC CONCR
                                               0340/2370 LEN=0045 INSTALLED 1997
                                                         018 "DIA CIRC CONCR
                                               0340/2245 LEN=0040 INSTALLED 1997
                                                         018 "DIA CIRC CONCR
                                               0340/2015 LEN=0050 INSTALLED 1997
                                                         015 "DIA CIRC CONCR
                                               0340/1880 LEN=0042 INSTALLED 1997
                                                         024 "DIA CIRC CONCR
                                               0340/1689 LEN=0050 INSTALLED 1997

                                                         036 "DIA CIR PLASTIC
                                               0340/0950 LEN=0060 INSTALLED 1997

                        073695 FT               073693 FT 1 0 00065 0 00 0117+32
                                             S 0340/0000 LENGTH(AH 3030 BK 2249)

                                                         018 "DIA CIRC CONCR
                                               0330/1450 LEN=0263 INSTALLED UNKN
                                                         024 "DIA CIRC CONCR
                                               0330/1054 LEN=0058 INSTALLED 1997

                                                         018 "DIA CIRC METAL
                                               0330/0400 LEN=0266 INSTALLED UNKN
                        071446 FT               071444 FT 1 0 00065 0 00 0094+61
                                             S 0330/0000 LENGTH(AH 2249 BK 2621)
                                                         024 "DIA CIRC CONCR
                                               0320/2509 LEN=0050 INSTALLED UNKN
                                                         018 "DIA CIRC CONCR
                                               0320/1946 LEN=0050 INSTALLED 1997

                                                         024 "DIA CIRC CONCR
                                               0320/1299 LEN=0045 INSTALLED 1997
                                                         018 "DIA CIRC METAL
                                               0320/1060 LEN=0108 INSTALLED UNKN
                                                         018 "DIA CIRC CONCR
                                               0320/0968 LEN=0050 INSTALLED UNKN
                                                         018 "DIA CIRC METAL
                                               0320/0962 LEN=0240 INSTALLED UNKN
                                                         018 "DIA CIRC METAL
                                               0320/0723 LEN=0230 INSTALLED UNKN
                                                         018 "DIA CIRC CONCR
                                               0320/0722 LEN=0050 INSTALLED 1997
                                                         018 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T



		0320/0474	LEN=0189 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0320/0285	LEN=0040 INSTALLED UNKN
	068825 FT	068823 FT	1 0 00065 0 00 0068+40
		S 0320/0000	LENGTH(AH 2621 BK 2177)
BREDINSBURG RD			
(SR2006 SEG 0010/0000)	0310/1971		
		0310/1750	BMSEN 60/0322/0310/0828
			NC TWENTYEIGHTH DIVISION HW
			CRANBERRY
		0310/0896	FRANKLIN C
			1 0 00065 0 00 0050+49
			ALLEGHENY R
		0310/0828	BMSBG 60/0322/0310/0828
			ELK ST
			(CITY)
		0310/0387	
	066648 FT	066646 FT	1 0 00065 0 00 0042+42
			LIBERTY ST
			(SR3021 SEG 0090/1993)
			NC EIGHTH ST
			EIGHTH ST
			(CITY)
		S 0310/0000	LENGTH(AH 2177 BK 1844)
			NINTH ST
			(CITY)
		0300/1109	
			TENTH ST
		0300/0324	(CITY)
	064804 FT	064802 FT	1 0 00065 0 00 0023+71
			NC LIBERTY ST
		INTER-BK	LIBERTY ST
WASHINGTON CROSSING			(SR0062 SEG 0300/0000)
(SR0062 SEG 0301/0000)			MFC BEGIN = B
(SR0062 SEG 0300/0000)	0300/0000	S 0300/0000	LTH AH 001844 BK 000100
	064804 FT	064802 FT	
LTH AH 000100 BK 002713	7285/0000	7282/0000	LTH AH 000100 BK 002711
THIRTEENTH ST	INTER-AHD	INTER-AHD	LIBERTY ST
(SR0062 SEG 0281/0000)			(SR0062 SEG 0281/0000)
THIRTEENTH ST			THIRTEENTH ST
(CITY)			(CITY)
LIBERTY ST			LIBERTY ST
(SR0062 SEG 0281/0000)			(SR0062 SEG 0281/0000)
(SR0062 SEG 0280/0000)	0261/2713	0260/2711	(SR0062 SEG 0280/0000)
ELK ST			ELK ST
(CITY)			(CITY)

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322

LEFT MUN: FRANKLIN C		RIGHT MUN: FRANKLIN C	
	0261/2335	0260/2332	
OTTER ST			OTTER ST
(CITY)			(CITY)
	0261/1966	0260/1971	
FRANKLIN ST			FRANKLIN ST
(CITY)	0261/1763	0260/1759	(CITY)
BMSEN 60/0322/0260/1141	0261/1628	0260/1630	BMSEN 60/0322/0260/1141
1 0 00090 0 00 0026+34			1 0 00090 0 00 0026+34
FRENCH CK.			FRENCH CK.
BMSBG 60/0322/0260/1141	0261/1139	0260/1141	BMSBG 60/0322/0260/1141
SIGN: 3 CHORD TRUSS			SIGN: 3 CHORD TRUSS
BMSID 60/0322/0270/0525	0261/1114	0260/1109	BMSID 60/0322/0270/0525
HOWARD ST			HOWARD ST
(CITY)	0261/1006	0260/1025	(CITY)
LC TO INTEGRA ST			
(CONN)	0261/0891		
INTEGRA ST			INTEGRA ST
(CITY)			(CITY)
	0261/0782	0260/0748	
(AAR 262836S)#TRKS 01	0261/0711	0260/0723	(AAR 262836S)#TRKS 01
EAST ATLANTIC AV			EAST ATLANTIC AV
(CITY)			(CITY)
ATLANTIC AV			ATLANTIC AV
(SR4004 SEG 0040/2737)	0261/0584	0260/0584	(SR4004 SEG 0040/2737)
			015 "DIA CIRC CONCR
		0260/0500	LEN=0025 INSTALLED UNKN
			FROM 0322/0250 SH
		0260/0066	(CONN)
		062091 FT	1 0 00090 0 00 0026+34
			SECOND AV
			(BORO)
1 0 00090 0 00 0026+34 062091 FT		NC THIRTEENTH ST	
SECOND AV			MONKEY RUN
(BORO)			STRUCTURE LENGTH 8 FT
NC THIRTEENTH ST			BMSID 60/0322/0260/0000
ROCKY GROVE AV			ROCKY GROVE AV
(SR0417 SEG 0010/0000)			(SR0417 SEG 0010/0000)
MEADVILLE PK			MEADVILLE PK
(SR4006 SEG 0080/3542)			(SR4006 SEG 0080/3542)
MFC BEGIN = B			MFC BEGIN = B
LENGTH(AH 2713 BK 2629)	0261/0000	0260/0000	LENGTH(AH 2711 BK 2629)
			TO 0322/0260 SH
		0250/2503	(CONN)
			015 "DIA CIRC CONCR
		0250/2338	LEN=0035 INSTALLED UNKN
			ORCHARD ST
		0250/1825	(CITY)
			015 "DIA CIR PLASTIC
		0250/1786	LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

```
                                                  CENTER ST
                                 ==  ==     0250/0967 (CITY)

                   059462 FT                 059462 FT 1 0 00090 0 00 0052+79
                                                  PINE ST
                                                  (CITY)
                                     ==   S 0250/0000 LENGTH(AH 2629 BK 3355)
MCKENZIE AL
(CITY)             0240/3286     ==
                                                  NORMAN ST
                                 ==  ==     0240/2879 (CITY)

                                                  MISSOURI ST
                                 ==  ==     0240/2147 (CITY)


                                                  RIESENMAN AV
                                 ==  ==     0240/1107 (CITY)

                                                  BROWN AV
                                     ==     0240/0450 (CITY)
                   056107 FT                 056107 FT 1 0 00090 0 00 0086+04
                                                NC GRANT ST
                                                  FRANKLIN
                                                  SUGARCREEK B
                                 ----     S 0240/0000 LENGTH(AH 3355 BK 1265)

                                                  015 "DIA CIRC CONCR
                                 ----       0230/0590 LEN=0050 INSTALLED 1997
                                                  ATLANTIC AV
                                     ==     0230/0488 (SR4004 SEG 0010/0000)
                                                  018 "DIA CIRC CONCR
                                 ----       0230/0246 LEN=0040 INSTALLED 1997
                                                  024 "DIA CIRC CONCR
                                 ----       0230/0143 LEN=0060 INSTALLED 1997
                   054842 FT                 054842 FT 1 0 00090 0 00 0098+24
                                             S 0230/0000 LENGTH(AH 1265 BK 2612)
                                                  018 "DIA CIR PLASTIC
                                 ----       0220/2178 LEN=0040 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                 ----       0220/1330 LEN=0070 INSTALLED 1997


                   052230 FT                 052230 FT 1 0 00090 0 00 0124+36
                                             S 0220/0000 LENGTH(AH 2612 BK 3517)
PINE RD
```

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

(BORO)	0210/3160		
			018 "DIA CIRC CONCR
		0210/3087	LEN=0066 INSTALLED 1997
PATCHEL RUN RD			
(SR4003 SEG 0010/0000)	0210/2646		
		0210/2272	BMSEN 60/0322/0210/2211
			1 0 00090 0 00 0137+69
			PATCHELL RUN
		0210/2222	BMSBG 60/0322/0210/2211
			018 "DIA CIRC CONCR
		0210/1701	LEN=0054 INSTALLED 1997
			015 "DIA CAST IRON
		0210/1228	LEN=0052 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0210/0778	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0210/0283	LEN=0052 INSTALLED 2001
			018 "DIA CIRC CONCR
		0210/0031	LEN=0055 INSTALLED 1997
	048713 FT	048713 FT	1 0 00090 0 00 0159+59
			SUGAR CREEK DR
			(SR4010 SEG 0110/2604)
		S 0210/0000	LENGTH(AH 3517 BK 2566)
			048"H 72"W CON BOX CUL
		0200/2074	LEN=0054 INSTALLED 1997
			060 "DIA CIRC CONCR
		0200/1800	LEN=0056 INSTALLED 1997
			018 "DIA CIRC CONCR
		0200/1367	LEN=0050 INSTALLED 1997
			015 "DIA CIRC CONCR
		0200/0270	LEN=0075 INSTALLED 1997
	046147 FT	046147 FT	1 0 00090 0 00 0185+64
		S 0200/0000	LENGTH(AH 2566 BK 2437)
			072 "DIA CIRC CONCR
		0190/1851	LEN=0052 INSTALLED 1997
			015 "DIA CIRC CONCR
		0190/1150	LEN=0054 INSTALLED UNKN
			048 "DIA CIRC CONCR
		0190/0751	LEN=0070 INSTALLED 1997
	043710 FT	043710 FT	1 0 00090 0 00 0210+01
		S 0190/0000	LENGTH(AH 2437 BK 3333)
			036 "DIA CIRC CONCR

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

			0180/1720	LEN=0065 INSTALLED 1997
				048"H 95"W CON BOX CUL
			0180/1100	LEN=0068 INSTALLED 1997
				TRIB. SUGAR CREEK
				STRUCTURE LENGTH 9 FT
			0180/1092	BMSID 60/0322/0180/1106
	040377 FT		040377 FT	1 0 00090 0 00 0243+12
				SUGARCREEK DR
SUGARCREEK DR				(BORO)
(BORO)	0180/0000		5 0180/0000	LENGTH(AH 3333 BK 2511)
			0170/2434	BMSEN 60/0322/0170/2348
				1 0 00090 0 00 0244+04
				LICK RUN
			0170/2415	BMSBG 60/0322/0170/2348
				015 "DIA CIRC CONCR
			0170/1854	LEN=0070 INSTALLED 1997
				036 "DIA CIRC CONCR
			0170/1467	LEN=0056 INSTALLED 1997
				015 "DIA CIRC CONCR
			0170/0300	LEN=0048 INSTALLED 1997
1 0 00090 0 00 0268+46	037866 FT		037866 FT	
MEADVILLE PK				
(SR4006 SEG 0010/0000)	0170/0000		5 0170/0000	LENGTH(AH 2511 BK 2782)
				018 "DIA CIRC CONCR
			0160/2622	LEN=0058 INSTALLED 2001
				024 "DIA CIRC CONCR
			0160/1730	LEN=0062 INSTALLED 2001
				018 "DIA CIRC METAL
			0160/0999	LEN=0050 INSTALLED 2001
				015 "DIA CIRC METAL
			0160/0768	LEN=0042 INSTALLED 2001
	035084 FT		035084 FT	1 0 00090 0 00 0295+29
			5 0160/0000	LENGTH(AH 2782 BK 2311)
				024 "DIA CIRC CONCR
			0150/2040	LEN=0068 INSTALLED 1997
				036"H 72"W CON BOX CUL
			0150/0760	LEN=0050 INSTALLED 1997
				036 "DIA CIRC CONCR
			0150/0295	LEN=0072 INSTALLED 1997

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

1 0 00090 0 00 0318+00	032773 FT			032773 FT
SR 9102 SH				
(SR9102 SEG 0010/0000)	0150/0000		S	0150/0000 LENGTH(AH 2311 BK 2400)
				018 "DIA CIRC CONCR
				0140/2350 LEN=0055 INSTALLED 2001
COOPERSTOWN RD				LOG CABIN DR
(SR0427 SEG 0010/0000)	0140/2116			0140/2116 (PRDR)
TO 0427/0010 SH				
(CONN)	0140/1948			
				0140/1405 BMSEN 60/0322/0140/0809
				018 "DIA CIR PLASTIC
				0140/1142 LEN=0024 INSTALLED 2016
				1 0 00207 0 00 0016+73
				SUGAR CREEK
				0140/0809 BMSBG 60/0322/0140/0809
				018 "DIA CIRC CONCR
				0140/0742 LEN=0040 INSTALLED 1997
				MCCLEERY RD
				0140/0715 (BORO)
				018 "DIA CIRC CONCR
				0140/0397 LEN=0040 INSTALLED 1997
				018 "DIA CIRC CONCR
				0140/0047 LEN=0044 INSTALLED 1997
	030373 FT			030373 FT 1 0 00207 0 00 0024+82
			S	0140/0000 LENGTH(AH 2400 BK 2500)
				018 "DIA CIRC CONCR
				0130/2177 LEN=0042 INSTALLED 1997
				024 "DIA CIRC CONCR
				0130/1833 LEN=0042 INSTALLED 1997
				024 "DIA CIRC CONCR
				0130/1497 LEN=0035 INSTALLED 1997
BAKER RD				
(T346)	0130/0663			
				018 "DIA CIRC CONCR
				0130/0397 LEN=0110 INSTALLED 1997
				018 "DIA CIRC CONCR
				0130/0207 LEN=0076 INSTALLED 1997
	027873 FT			027873 FT 1 0 00207 0 00 0049+57
				SUGARCREEK
				CANAL T
			S	0130/0000 LENGTH(AH 2500 BK 2511)
				BR.WARDEN
				STRUCTURE LENGTH 11 FT
				0120/2234 BMSID 60/0322/0120/2209
				018 "DIA CIRC CONCR
				0120/1135 LEN=0130 INSTALLED 1997
				018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CANAL T RIGHT MUN: CANAL T

		0120/0670	LEN=0116 INSTALLED 1997
			018 "DIA CIRC CONCR
		0120/0300	LEN=0060 INSTALLED 1997
	025362 FT	025362 FT	1 0 00207 0 00 0075+00
		5 0120/0000	LENGTH(AH 2511 BK 2731)
			WOOD RD
		0110/1554	(T348)
			018 "DIA CIRC CONCR
		0110/1282	LEN=0064 INSTALLED 1997
			BR.WARDEN
			STRUCTURE LENGTH 10 FT
		0110/0645	BMSID 60/0322/0110/0643
			018 "DIA CIRC CONCR
		0110/0037	LEN=0090 INSTALLED 2001
1 0 00207 0 00 0102+32	022631 FT	022631 FT	UTICA RD
FOSTER RD			(SR3017 SEG 0210/3643)
(T549)	0110/0000	5 0110/0000	LENGTH(AH 2731 BK 2276)
			018 "DIA CIRC CONCR
		0100/0363	LEN=0052 INSTALLED 2017
			018 "DIA CIRC CONCR
		0100/0025	LEN=0058 INSTALLED 2017
	020355 FT	020355 FT	1 0 00207 0 00 0124+64
		5 0100/0000	LENGTH(AH 2276 BK 2507)
			WARDEN RUN
			STRUCTURE LENGTH 23 FT
		0090/0252	BMSID 60/0322/0090/0252
	017848 FT	017848 FT	1 0 00207 0 00 0150+14
		5 0090/0000	LENGTH(AH 2507 BK 2295)
OLD ROUTE 322 RD			BOUGHNER HILL RD
(T354)	0080/0385	0080/0385	(T336)

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CANAL T RIGHT MUN: CANAL T

```
                                                    018 "DIA CIRC CONCR
                                                0080/0173 LEN=0084 INSTALLED 2017
                                                          OLD ROUTE 322 RD
                                                0080/0166 (T354)
                          015553 FT             015553 FT 1 0 00207 0 00 0173+00
                                                S 0080/0000 LENGTH(AH 2295 BK 2280)
                                                          024 "DIA CIRC CONCR
                                                0070/1734 LEN=0066 INSTALLED 2017

DECKARDS RUN RD
(SR4005 SEG 0010/0000)  0070/0976
OLD FRANKLIN PK
(SR9103 SEG 0010/0000)  0070/0407
1 0 00207 0 00 0195+80 013273 FT                013273 FT
FRANKLIN PK
(SR4012 SEG 0050/1482)  0070/0000               S 0070/0000 LENGTH(AH 2280 BK 2433)

LONG RD                                                   GROVE RD
(T339)                   0060/1322              0060/1322 (T338)
                                                          018 "DIA CIRC CONCR
                                                0060/1260 LEN=0064 INSTALLED 2017
                                                          CANAL RUN
                                                          STRUCTURE LENGTH 10 FT
                                                0060/1124 BMSID 60/0322/0060/1098

                          010840 FT             010840 FT 1 0 00207 0 00 0220+26
                                                S 0060/0000 LENGTH(AH 2433 BK 2500)

                                                          018 "DIA CIRC METAL
                                                0050/0890 LEN=0070 INSTALLED 2017
                                                          018 "DIA CIRC CONCR
                                                0050/0498 LEN=0066 INSTALLED 2017
                                                          018 "DIA CIRC CONCR
                                                0050/0347 LEN=0065 INSTALLED 2017
                          008340 FT             008340 FT 1 0 00207 0 00 0245+26
                                                S 0050/0000 LENGTH(AH 2500 BK 2156)
                                                          018 "DIA CIRC CONCR
                                                0040/2153 LEN=0007 INSTALLED 2017

                          006184 FT             006184 FT 1 0 00207 0 00 0266+68
```

DIR: B TOTAL LEN: 26.514 MI. DIST: 01-5 SR: 322
LEFT MUN: CANAL T RIGHT MUN: CANAL T

```
BATTLES RD                                                  BATTLES RD
(T322)                                                      (T322)
                0040/0000                                 S 0040/0000 LENGTH(AH 2156 BK 1875)

                                                            048 "DIA CIRC CONCR
                                                    0030/0800 LEN=0076 INSTALLED 1997
                                                            024 "DIA CIRC CONCR
                                                    0030/0530 LEN=0076 INSTALLED 1997
                004309 FT                           004309 FT 1 0 00207 0 00 0285+46
                                                            096"H 84"W **UNKNOWN**
                                                            LEN=0200 INSTALLED 1997
                                                            MC CUNE RUN
                                                            STRUCTURE LENGTH    7 FT
                                                            BMSID 60/0322/0020/2224
                                                          S 0030/0000 LENGTH(AH 1875 BK 2243)

                                                            018 "DIA CIRC CONCR
                                                    0020/1471 LEN=0057 INSTALLED 1997
                                                            018 "DIA CIRC CONCR
                                                    0020/1168 LEN=0055 INSTALLED 2017

                                                            024 "DIA CIRC CONCR
                                                    0020/0521 LEN=0095 INSTALLED 1997
                                                            RICE RD
                                                    0020/0371 (T310)
                                                            048 "DIA CIRC CONCR
                                                    0020/0131 LEN=0066 INSTALLED 1997
                002066 FT                           002066 FT 1 0 00207 0 00 0307+71
                                                          S 0020/0000 LENGTH(AH 2243 BK 2066)
                                                            FISH RD
                                                    0010/1555 (T308)
                                                            018 "DIA CIRC CONCR
                                                    0010/1547 LEN=0035 INSTALLED 1997
                                                            018 "DIA CIRC CONCR
                                                    0010/1522 LEN=0058 INSTALLED 2017
                                                          W 0010/1501 RWIS SITE/

                                                            018 "DIA CIRC CONCR
                                                    0010/0753 LEN=0055 INSTALLED 2017

                                                            018 "DIA CIRC CONCR
                                                    0010/0097 LEN=0060 INSTALLED 1997
                000000 FT                           000000 FT 1 0 00207 0 00 0328+47
                                                          NC TWENTYEIGHTH DIVISION HW
                                                          * REF-BK  TWENTYEIGHT DIVISION HW
                                                            (SR0322 SEG 0060/1985)
                                                            MFC BEGIN = B
                                                             BK-MERCER          (43)
                                                          S 0010/0000 LENGTH(AH 2066 BK 0000)
```

DIR: B TOTAL LEN: 7.911 MI. DIST: 01-5 SR: 308
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

OLD ROUTE 8 RD	041771 FT	041771 FT	OLD ROUTE 8 RD
(SR3013 SEG 0070/0000)	0170/2580	0170/2580	(SR3013 SEG 0070/0000)
			018 "DIA CIRC CONCR
		0170/2174	LEN=0018 INSTALLED UNKN
SR 3027 SH			
(SR3027 SEG 0010/0000)	0170/2032		
			030 "DIA CIRC METAL
		0170/1653	LEN=0100 INSTALLED UNKN
RAMP D RD			
(SR8014 SEG 0250/0000)	0170/1623		
			RAMP C RD
		0170/1583	(SR8014 SEG 0500/0869)
TO 8014/0250 SH			
(CONN)	0170/1557		
			SR 0008 NB
		0170/1360	OP ID 60/0008/0200/0000
			SR 0008 SB
		0170/1235	OP ID 60/0008/0201/0000
			TO 8014/0750 SH
		0170/1025	(CONN)
			RAMP A RD
		0170/0988	(SR8014 SEG 0010/0947)
			RAMP B RD
		0170/0946	(SR8014 SEG 0750/0000)
			030 "DIA CIRC METAL
		0170/0931	LEN=0230 INSTALLED UNKN
			SMITH RD
		0170/0631	(T344)
	039191 FT	039191 FT	1 0 00428 0 01 0291+69
		5 0170/0000	LENGTH(AH 2580 BK 1594)
			015 "DIA CIRC CONCR
		0160/1548	LEN=0015 INSTALLED UNKN
			BUILLION RUN
			STRUCTURE LENGTH 11 FT
		0160/0818	BMSID 60/0308/0160/0847

DIR: B TOTAL LEN: 7.911 MI. DIST: 01-5 SR: 308
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

			018 "DIA CIRC CONCR
		0160/0522	LEN=0018 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0160/0020	LEN=0020 INSTALLED UNKN
1 0 00428 0 01 0275+67 037597 FT			037597 FT
WHIELDON RD			
(T367) 0160/0000	==	S 0160/0000	LENGTH(AH 1594 BK 3212)
			015 "DIA CIRC CONCR
		0150/2534	LEN=0014 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0150/1467	LEN=0018 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0150/0754	LEN=0018 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0150/0526	LEN=0018 INSTALLED UNKN
			048"H 48"W CON BOX CUL
		0150/0417	LEN=0018 INSTALLED UNKN
1 0 00428 0 01 0243+44 034385 FT			034385 FT
BLAIR RD			
(T347) 0150/0000	==	S 0150/0000	LENGTH(AH 3212 BK 3407)
			024 "DIA CIRC CONCR
		0140/3360	LEN=0018 INSTALLED UNKN
			IRWIN
		0140/2789	CLINTON T
			015 "DIA CIRC CONCR
		0140/1536	LEN=0014 INSTALLED UNKN
			036"H 60"W CON BOX CUL
		0140/1270	LEN=0018 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0140/1035	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0140/0355	LEN=0016 INSTALLED UNKN
030978 FT		030978 FT	1 0 00428 0 01 0209+80
		S 0140/0000	LENGTH(AH 3407 BK 2591)
			015 "DIA CIRC CONCR
		0130/2410	LEN=0014 INSTALLED UNKN
			024"H 48"W CON BOX CUL
		0130/0975	LEN=0016 INSTALLED UNKN
			BULLION RD

DIR: B TOTAL LEN: 7.911 MI. DIST: 01-5 SR: 308
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

```
                                                                  (T354)
                                                                  SUMMIT CITY RD
                                                   0130/0966      (T349)
                                                                  036 "DIA CIRC CONCR
                                                   0130/0915      LEN=0016 INSTALLED UNKN

                                                                  018 "DIA CIRC CONCR
                                                   0130/0202      LEN=0014 INSTALLED UNKN
1 0 00428 0 01 0183+90 028387 FT                   028387 FT
BURNS RD
(T335)                 0130/0000                 S 0130/0000      LENGTH(AH 2591 BK 3493)
                                                                  015 "DIA CIRC CONCR
                                                   0120/3025      LEN=0014 INSTALLED UNKN
                                                                  TIFFANY LANE
                                                   0120/2625      (PRDR)
                                                                  015 "DIA CIRC CONCR
                                                   0120/2050      LEN=0014 INSTALLED UNKN
                                                                  KENNERDELL RD
                                                   0120/2018      (SR3008 SEG 0010/0000)
                                                                  015 "DIA CIRC CONCR
                                                   0120/1689      LEN=0014 INSTALLED UNKN

                                                                  015 "DIA CIRC CONCR
                                                   0120/0968      LEN=0014 INSTALLED UNKN
                                                                  015 "DIA CIRC CONCR
                                                   0120/0410      LEN=0018 INSTALLED UNKN
                                                                  015 "DIA CIRC CONCR
                                                   0120/0094      LEN=0018 INSTALLED UNKN
                       024894 FT                   024894 FT      1 0 00428 0 01 0149+25
                                                 S 0120/0000      LENGTH(AH 3493 BK 2618)
                                                                  015 "DIA CIRC CONCR
                                                   0110/2460      LEN=0016 INSTALLED UNKN
                                                                  015 "DIA CIRC CONCR
                                                   0110/1915      LEN=0012 INSTALLED UNKN
                                                                  015 "DIA CIRC CONCR
                                                   0110/1396      LEN=0016 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                   0110/0876      LEN=0018 INSTALLED UNKN
                                                                  060"H 72"W ELLIP METAL
                                                   0110/0541      LEN=0014 INSTALLED UNKN
                       022276 FT                   022276 FT      1 0 00428 0 01 0123+04
                                                                  048"H 60"W CON BOX CUL
                                                                  LEN=0020 INSTALLED UNKN
                                                 S 0110/0000      LENGTH(AH 2618 BK 3405)
                                                                  018 "DIA CIR PLASTIC
                                                   0100/3007      LEN=0015 INSTALLED UNKN
                                                                  015 "DIA CIRC CONCR
                                                   0100/2669      LEN=0034 INSTALLED UNKN
                                                                  015 "DIA CIR PLASTIC
                                                   0100/2217      LEN=0030 INSTALLED UNKN
```

DIR: B TOTAL LEN: 7.911 MI. DIST: 01-5 SR: 308
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

```
                                                    018 "DIA CIR PLASTIC
                                  0100/1830 LEN=0015 INSTALLED 2007
                                                    018 "DIA CIR PLASTIC
                                  0100/1516 LEN=0020 INSTALLED 2007
                                                    018 "DIA CIR PLASTIC
                                  0100/1329 LEN=0045 INSTALLED 2007
DOG HOLLOW RD
(T325)                0100/1317
                                  018871 FT 1 0 00428 0 01 0089+14
                      018871 FT
                                S 0100/0000 LENGTH(AH 3405 BK 2483)
                                                    018 "DIA CIR PLASTIC
                                  0090/2182 LEN=0014 INSTALLED UNKN

                                                    018 "DIA CIR PLASTIC
                                  0090/1239 LEN=0045 INSTALLED UNKN

                                                    018 "DIA CIR PLASTIC
                                  0090/0600 LEN=0016 INSTALLED UNKN
                      016388 FT   016388 FT 1 0 00428 0 01 0064+35
                                        NC SR 0308 SH
                                S 0090/0000 LENGTH(AH 2483 BK 3558)

                                                    SCRUBGRASS
                                                    STRUCTURE LENGTH 46 FT
                                  0080/2201 BMSID 60/0308/0080/2216

                                                    CLINTON
                                  0080/1156 CLINTONVILLE B
                                                    DONALDSON RD
                                  0080/1081 (T327)
                                                    036 "DIA CIRC CONCR
                                  0080/0689 LEN=0014 INSTALLED UNKN

                                                    015 "DIA CIRC CONCR
                                  0080/0061 LEN=0020 INSTALLED UNKN
                      012830 FT   012830 FT 1 0 00428 0 00 0027+64
                                S 0080/0000 LENGTH(AH 3558 BK 1895)

VILLAGE ACRES RD
```

DIR: B TOTAL LEN: 7.911 MI. DIST: 01-5 SR: 308
LEFT MUN: CLINTONVILLE B RIGHT MUN: CLINTONVILLE B

```
(BORO)                    0070/0268     ==
                                                          REAS CT
                                                  ==  0070/0258 (BORO)
                          010935 FT                   010935 FT 1 0 00428 0 00 0009+23
                                                    S 0070/0000 LENGTH(AH 1895 BK 0888)
                                                          IRWIN ST
                                                  ==  0060/0401 (BORO)
THORNE AL
(BORO)                    0060/0243     ==
                          010047 FT                   010047 FT 1 0 00428 0 00 0000+00
                                                          NC FRANKLIN ST
                                                          EMLENTON ST
                                                          (SR0208 SEG 0160/0000)
MERCER ST
(SR0208 SEG 0160/0000)    0060/0000                 S 0060/0000 LENGTH(AH 0888 BK 1610)
                                                          015 "DIA CIRC METAL
                                                      0050/1248 LEN=0010 INSTALLED UNKN
                                                          VARAN ST
                                                  ==  0050/1213 (BORO)
                                                          VOGUS ST
                                                  ==  0050/1065 (BORO)
                                                          HAWKINS ST
                                                  ==  0050/0908 (BORO)
                                                          MCQUISTION ST
                                                  ==  0050/0764 (BORO)
                                                          MOORE ST
                                                  ==  0050/0548 (BORO)
                          008437 FT                   008437 FT 2 0 60005 0 00 0084+70
                                                    S 0050/0000 LENGTH(AH 1610 BK 1482)
                                                          BELL ST
                                                  ==  0040/1133 (BORO)
                                                          018 "DIA CIRC CONCR
                                                      0040/1075 LEN=0020 INSTALLED UNKN
                                                          NC BUTLER ST
                                                          CLINTONVILLE
                                                      0040/1049 CLINTON T

                          006955 FT                   006955 FT 2 0 60005 0 00 0069+76
                                                    S 0040/0000 LENGTH(AH 1482 BK 1654)
RAMP A RD
(SR8008 SEG 0250/0000)    0030/1413
                                                          RAMP D RD
                                                      0030/1341 (SR8008 SEG 0500/0836)
TO 8008/0250 SH
(CONN)                    0030/1324     ==
                                                          FROM 8008/0500 SH
                                                  ==  0030/1272 (CONN)
                                                      0030/1145 BMSEN 60/0308/0030/0914
                                                          2 0 60005 0 00 0061+73
```

DIR: B TOTAL LEN: 7.911 MI. DIST: 01-5 SR: 308
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

			SR 0080 E/W
		0030/0914	BMSBG 60/0308/0030/0914
FROM 8008/0010 SH (CONN)	0030/0843		
		0030/0833	TO 8008/0750 SH (CONN)
		0030/0742	RAMP C RD (SR8008 SEG 0750/0000)
RAMP B RD (SR8008 SEG 0010/0811)	0030/0698		
2 0 60005 0 00 0053+08	005301 FT	005301 FT	
HOVIS RD (T305)	0030/0000	S 0030/0000	LENGTH(AH 1654 BK 2202)
			018 "DIA CIR PLASTIC
		0020/2125	LEN=0015 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1322	LEN=0014 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1284	LEN=0016 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0370	LEN=0014 INSTALLED 2008
	003099 FT	003099 FT	2 0 60005 0 00 0031+07
			EAU CLAIRE RD (SR3010 SEG 0010/0000)
		S 0020/0000	LENGTH(AH 2202 BK 3099)
			015 "DIA CIR PLASTIC
		0010/3099	LEN=0050 INSTALLED 2014
			015 "DIA CIR PLASTIC
		0010/2601	LEN=0014 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/1232	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/0392	LEN=0012 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/0390	LEN=0012 INSTALLED UNKN
	000000 FT	000000 FT	2 0 60005 0 00 0000+00
			NC SR 0308 SH
		* REF-BK	SR 0308 SH (SR0308 SEG 0410/2257)
			MFC BEGIN = D BK-BUTLER (10)
		S 0010/0000	LENGTH(AH 3099 BK 0000)

DIR: B TOTAL LEN: .623 MI. DIST: 01-5 SR: 268
LEFT MUN: EMLENTON B RIGHT MUN: EMLENTON B

```
003292 FT                    003292 FT
                             INTER-AHD  SR 0038 SH
                                        (SR0038 SEG 0056/0000)
                                        SR 0038 SH
                             0020/1277  (SR0038 SEG 0056/0000)
                                        024 "DIA CIRC CONCR
                             0020/1225  LEN=0060 INSTALLED 2017
                                        024 "DIA CIRC CONCR
                             0020/0987  LEN=0031 INSTALLED 2017
                                        024 "DIA CIRC CONCR
                             0020/0644  LEN=0041 INSTALLED 2017
                                        018 "DIA CIRC CONCR
                             0020/0370  LEN=0040 INSTALLED 1996
                                        012 "DIA CIRC CONCR
                             0020/0050  LEN=0065 INSTALLED 1996
002015 FT                    002015 FT  1 0 00704 0 00 0021+09
                           S 0020/0000  LENGTH(AH 1277 BK 2015)
                                        018 "DIA CIRC METAL
                             0010/1782  LEN=0036 INSTALLED 1996
                                        EMLENTON
                             0010/1582  SCRUBGRASS T
                                        018 "DIA CIRC METAL
                             0010/1546  LEN=0040 INSTALLED 1996
                                        018 "DIA CIRC METAL
                             0010/1250  LEN=0034 INSTALLED 1996
                                        018 "DIA CIRC METAL
                             0010/0933  LEN=0045 INSTALLED 1996
                                        018 "DIA CIRC METAL
                             0010/0641  LEN=0042 INSTALLED 1996
                                        SR0080 EB
                             0010/0410  OP ID 16/0080/0442/0000
                                        018 "DIA CIRC METAL
                             0010/0342  LEN=0040 INSTALLED 1996
000000 FT                    000000 FT  1 0 00704 0 00 0000+00
                                   NC SR 0268 SH
                           * REF-BK     SR 0268 SH
                                        (SR0268 SEG 0300/2392)
                                        MFC BEGIN = C
                                         BK-BUTLER          (10)
                           S 0010/0000  LENGTH(AH 2015 BK 0000)
```

DIR: B TOTAL LEN: 5.100 MI. DIST: 01-5 SR: 257
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

026929 FT



025879 FT

```
026929 FT
INTER-AHD  SECOND ST
           (SR0062 SEG 0520/0000)
           RIVERSIDE DR
           (SR0062 SEG 0520/0000)
0120/1050
           OIL CITY
0120/0968  CRANBERRY T
           018 "DIA CIRC CONCR
0120/0484  LEN=0060 INSTALLED 1997
           015 "DIA CIR PLASTIC
0120/0318  LEN=0060 INSTALLED 1997
025879 FT  1 1 00056 0 00 0052+94
0120/0000  LENGTH(AH 1050 BK 2109)
```

DIR: B TOTAL LEN: 5.100 MI. DIST: 01-5 SR: 257
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

			018 "DIA CIR PLASTIC
		0110/0830	LEN=0060 INSTALLED 1997
	023770 FT		023770 FT 1 1 00056 0 00 0031+85
		S 0110/0000	LENGTH(AH 2109 BK 2269)
			018 "DIA CIRC CONCR
		0100/1961	LEN=0055 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0100/1747	LEN=0060 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0100/1307	LEN=0060 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0100/0985	LEN=0060 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0100/0750	LEN=0060 INSTALLED UNKN
			EAST AV
		0100/0240	(PRDR)
1 1 00056 0 00 0009+13	021501 FT		021501 FT
INNIS ST ET			
(SR2027 SEG 0010/0000)	0100/0000	S 0100/0000	LENGTH(AH 2269 BK 1237)
			018 "DIA CIRC CONCR
		0090/0794	LEN=0050 INSTALLED UNKN
			ACORN DR
		0090/0505	(PRDR)
			018 "DIA CIRC CONCR
		0090/0463	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/0236	LEN=0050 INSTALLED UNKN
	020264 FT		020264 FT 1 1 00056 0 00 0000+00
		S 0090/0000	LENGTH(AH 1237 BK 1759)
			018 "DIA CIRC CONCR
		0080/1573	LEN=0042 INSTALLED UNKN
LITTLE EGYPT RD			
(T664)	0080/1529		
			024 "DIA CIRC CONCR
		0080/1108	LEN=0040 INSTALLED UNKN
			SHORT ST
		0080/0915	(PRDR)
			018 "DIA CIRC CONCR
		0080/0815	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0080/0574	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0080/0149	LEN=0040 INSTALLED UNKN
	018505 FT		018505 FT 1 1 00190 0 00 0185+20
			JOHNSTONE RD
			(T665)

DIR: B TOTAL LEN: 5.100 MI. DIST: 01-5 SR: 257
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                  S 0080/0000 LENGTH(AH 1759 BK 2028)
                                                            018 "DIA CIRC CONCR
                                                    0070/1968 LEN=0052 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                    0070/1809 LEN=0040 INSTALLED UNKN
FLETCHER LN
(TWP )                  0070/1798
                                                            018 "DIA CIRC CONCR
                                                    0070/1462 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0070/1114 LEN=0045 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                    0070/0798 LEN=0040 INSTALLED UNKN
                                                            MAIN ST
                                                    0070/0622 (T668)
                                                            015 "DIA CIRC CONCR
                                                    0070/0495 LEN=0070 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0070/0284 LEN=0042 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                    0070/0113 LEN=0040 INSTALLED UNKN
                        016477 FT                   016477 FT 1 1 00190 0 00 0164+74
                                                  S 0070/0000 LENGTH(AH 2028 BK 2954)
                                                            018 "DIA CIRC CONCR
                                                    0060/2778 LEN=0042 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0060/2472 LEN=0042 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                    0060/2219 LEN=0045 INSTALLED UNKN

                                                            SUGARBUSH DR
                                                    0060/1549 (PRDR)
GATEFIELD RD
(TWP )                  0060/1273
                                                            018 "DIA CIRC CONCR
                                                    0060/0868 LEN=0050 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0060/0442 LEN=0042 INSTALLED UNKN
                                                            018"H 30"W ELLIP METAL
                                                    0060/0255 LEN=0040 INSTALLED UNKN
                                                             STATE RD
1 1 00190 0 00 0135+20 013523 FT                    013523 FT (SR2006 SEG 0130/0000)
BREDINSBURG RD
(SR2006 SEG 0130/0000)  0060/0000                 S 0060/0000 LENGTH(AH 2954 BK 1983)
                                                            018 "DIA CIRC CONCR
                                                    0050/1465 LEN=0048 INSTALLED 1997
                                                            018 "DIA CIRC CONCR
                                                    0050/1230 LEN=0040 INSTALLED 1997
                                                            018 "DIA CIRC CONCR
                                                    0050/0802 LEN=0040 INSTALLED 1997
```

DIR: B TOTAL LEN: 5.100 MI. DIST: 01-5 SR: 257
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

			018 "DIA CIRC CONCR
		0050/0339	LEN=0040 INSTALLED 1997
1 1 00190 0 00 0115+40 011540 FT		011540 FT	
RANCH ST			
(T658)	0050/0000	S 0050/0000	LENGTH(AH 1983 BK 2532)
			015 "DIA CIRC CONCR
		0040/2146	LEN=0045 INSTALLED UNKN
			MEADOW RD
			(T435)
		0040/1732	
QUAKER DR			
(T675)	0040/1530		
			018 "DIA CIRC CONCR
		0040/1500	LEN=0040 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0040/1168	LEN=0045 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0040/0730	LEN=0042 INSTALLED UNKN
AIRPORT RD			MAIN ST
(T669)	0040/0317	0040/0317	(T668)
			036"H 72"W CON BOX CUL
		0040/0186	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/0060	LEN=0050 INSTALLED UNKN
	009008 FT	009008 FT	1 1 00190 0 00 0087+58
		S 0040/0000	LENGTH(AH 2532 BK 3616)
			HOVIS LN
		0030/3479	(PRDR)
			018 "DIA CIRC CONCR
		0030/2803	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/2304	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/2000	LEN=0042 INSTALLED UNKN
CHAMOR LN			ALLAMAN LN
(PRDR)	0030/1703	0030/1703	(PRDR)
		0030/1694	BMSEN 60/0257/0030/1604
			0 0 00000 0 00 0000+00
			LOWER 2 MI.
		0030/1671	BMSBG 60/0257/0030/1604
EDUCATION DR			
(GOVT)	0030/1581	0030/1581	
			015 "DIA CIRC CONCR
		0030/1413	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/1277	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/1024	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 5.100 MI. DIST: 01-5 SR: 257
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                 0030/0680 LEN=0040 INSTALLED UNKN

                                                           015 "DIA CIRC CONCR
                                                 0030/0010 LEN=0040 INSTALLED UNKN
                     005392 FT                   005392 FT 1 1 00190 0 00 0054+68
                                                           SALINA RD
                                                           (T670)
                                                 0030/0000 LENGTH(AH 3616 BK 2932)
                                                           024 "DIA CIRC CONCR
                                                 0020/2377 LEN=0045 INSTALLED 1997
CLARK DR
(PRDR)               0020/2318

                                                           018 "DIA CIRC METAL
                                                 0020/1972 LEN=0040 INSTALLED UNKN
                                                           FAIRFIELD DR
PARKER DR                                                  (T687)
(PRDR)               0020/1420                   0020/1420
                                                           LC TO FAIRFIELD DR
                                                 0020/1343 (CONN)

                                                           018 "DIA CIRC CONCR
                                                 0020/0515 LEN=0045 INSTALLED UNKN
                     002460 FT                   002460 FT 1 1 00190 0 00 0024+81
                                                 0020/0000 LENGTH(AH 2932 BK 2460)
                                                           030 "DIA CIRC CONCR
                                                 0010/2459 LEN=0045 INSTALLED UNKN
                                                           FELMLEE LN
                                                 0010/2432 (T685)
                                                           036 "DIA CIRC CONCR
                                                 0010/2265 LEN=0040 INSTALLED 1997
                                                           018 "DIA CIRC CONCR
                                                 0010/1982 LEN=0044 INSTALLED 1997
SINGH DR
(T663)               0010/1621

                                                           015 "DIA CIRC CONCR
                                                 0010/1457 LEN=0050 INSTALLED UNKN


                                                           HOSS DR
CRANBERRY MALL                                             (T667)
(PRDR)               0010/0518                   0010/0518
                     000000 FT                   000000 FT 1 1 00190 0 00 0000+00
                                                       NC SALINA RD
                                                           TWENTY DIVISION HW
                                                           (SR0322 SEG 0450/0000)

                                                 INTER-BK  ROCKLAND CRANBERRY RD
                                                           (SR2013 SEG 0140/3249)
                                                           MFC BEGIN = B
                                                 0010/0000 LENGTH(AH 2460 BK 0000)
```

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

082127 FT



```
082127 FT   AH-FOREST                (27)
* REF-AHD   NEILLTOWN RD
0330/2446  (SR0227 SEG 0010/0000)
0330/1888  BMSEN 60/0227/0330/1869
           1 0 00511 0 00 0005+72
           NEILLTOWN CK
0330/1869  BMSBG 60/0227/0330/1869
```

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

```
TANNER RD
(T650)                    0330/0449     ==
                                                        018 "DIA CIR PLASTIC
                                                 0330/0200 LEN=0055 INSTALLED 2015
                          079681 FT              079681 FT 1 0 00511 0 00 0024+74
                                                S 0330/0000 LENGTH(AH 2446 BK 2875)

                                                        018 "DIA CIR PLASTIC
                                                 0320/1564 LEN=0060 INSTALLED 1999

                                                        024 "DIA CIR PLASTIC
                                                 0320/0884 LEN=0050 INSTALLED UNKN

                                                        048 "DIA CIR PLASTIC
                                                 0320/0175 LEN=0050 INSTALLED UNKN
                                                        048 "DIA CIR PLASTIC
                                                 0320/0168 LEN=0050 INSTALLED UNKN
1 0 00511 0 00 0053+24 076806 FT                 076806 FT
DEAN RD
(T649)                    0320/0000     ==     S 0320/0000 LENGTH(AH 2875 BK 2187)
                                                        OTTO RD
                                             ==  0310/1950 (T648)
                                                        018 "DIA CIR PLASTIC
                                                 0310/1413 LEN=0050 INSTALLED UNKN
                                                        018 "DIA CIR PLASTIC
                                                 0310/0985 LEN=0045 INSTALLED UNKN
                                                        018 "DIA CIR PLASTIC
                                                 0310/0514 LEN=0045 INSTALLED UNKN
                                                        018 "DIA CIR PLASTIC
                                                 0310/0068 LEN=0040 INSTALLED UNKN
                          074619 FT              074619 FT 1 0 00511 0 00 0075+26
                                                S 0310/0000 LENGTH(AH 2187 BK 2066)

                                                        018 "DIA CIR PLASTIC
                                                 0300/0416 LEN=0038 INSTALLED 1999
1 0 00511 0 00 0095+64 072553 FT                 072553 FT
BURROWS RD
(T636)                    0300/0000     ==     S 0300/0000 LENGTH(AH 2066 BK 2905)

                                                        018 "DIA CIR PLASTIC
                                                 0290/2110 LEN=0035 INSTALLED 2018
```

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

```
                                                  018 "DIA CIR PLASTIC
                                  0290/0550 LEN=0034 INSTALLED 1999
069648 FT                         069648 FT 1 0 00511 0 00 0124+90
                                5 0290/0000 LENGTH(AH 2905 BK 2466)

                                                  015 "DIA CIR PLASTIC
                                  0280/1435 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0280/1114 LEN=0035 INSTALLED UNKN

067182 FT                         067182 FT 1 0 00511 0 00 0151+83
                                                  ALLEGHENY
                                                  PLEASANTVILLE B
                                5 0280/0000 LENGTH(AH 2466 BK 2292)
                                                  018 "DIA CIR PLASTIC
                                  0270/1934 LEN=0040 INSTALLED UNKN

                                                  024 "DIA CIR PLASTIC
                                  0270/0568 LEN=0034 INSTALLED UNKN
064890 FT                         064890 FT 1 0 00511 0 00 0175+31
                                5 0270/0000 LENGTH(AH 2292 BK 1856)

                                                  MAPLE ST
                                  0260/0251 (BORO)
063034 FT                         063034 FT 1 0 00511 0 00 0193+23
                                                  CEMETARY RD
                                                  (BORO)
                                       NC NEILLTOWN RD
                                                  PLEASANTVILLE
                                                  OIL CREEK T
                                5 0260/0000 LENGTH(AH 1856 BK 1280)
                                                  018 "DIA CIRC METAL
                                  0250/0801 LEN=0030 INSTALLED UNKN
                                                  SCHOOL ST
                                  0250/0783 (BORO)
BANK ST
(BORO)
0250/0392

                                                  018 "DIA CIRC CONCR
                                  0250/0360 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

```
                                                    0250/0029 LEN=0028 INSTALLED UNKN
                                                    061754 FT IRD ST
1 0 00511 0 00 0204+16 061754 FT                    INTER-BK  MAIN ST
MAIN ST                                                       (SR0027 SEG 0250/0000)
(SR0027 SEG 0250/0000)  0250/0000                 S 0250/0000 LTH AH 001280 BK 000100
                       061754 FT                    061754 FT
MERRICK ST                                          7244/0000 LTH AH 000100 BK 002489
(SR1008 SEG 0010/0000)
STATE ST                                            INTER-AHD STATE ST
(SR0027 SEG 0220/0000)  0240/2489                   0240/2489 (SR0027 SEG 0220/0000)

PENNDOT STOCKPILE YD #1
(GOVT)                  0240/1821

                                                              018 "DIA CIR PLASTIC
                                                    0240/1006 LEN=0035 INSTALLED UNKN

                       059265 FT                    059265 FT 2 0 60050 0 00 0233+62
                                                  S 0240/0000 LENGTH(AH 2489 BK 2524)

                                                              024 "DIA CIR PLASTIC
                                                    0230/1469 LEN=0035 INSTALLED UNKN

2 0 60050 0 00 0198+91 056741 FT                    056741 FT
SR 1013 SH
(SR1013 SEG 0010/0000)
BRYNER RD
(T653)                  0230/0000                 S 0230/0000 LENGTH(AH 2524 BK 2822)

                                                              024 "DIA CIR PLASTIC
                                                    0220/1214 LEN=0045 INSTALLED 2015
                                                              018 "DIA CIRC CONCR
                                                    0220/0827 LEN=0035 INSTALLED UNKN

                       053919 FT                    053919 FT 2 0 60050 0 00 0170+41
                                                  S 0220/0000 LENGTH(AH 2822 BK 2627)
                                                              018 "DIA CIRC CONCR
                                                    0210/2430 LEN=0035 INSTALLED UNKN

                                                              018 "DIA CIR PLASTIC
                                                    0210/1345 LEN=0035 INSTALLED UNKN
```

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

```
                                                    012 "DIA CIR PLASTIC
                                                0210/0065 LEN=0040 INSTALLED UNKN
                        051292 FT               051292 FT 2 0 60050 0 00 0144+35
                                                          SHAMBURG RD
                                                          (T655)
                                                 5 0210/0000 LENGTH(AH 2627 BK 2719)

                                                    024 "DIA CIR PLASTIC
                                                0200/0010 LEN=0034 INSTALLED UNKN
2 0 60050 0 00 0117+36 048573 FT                048573 FT
FLEMING RD
(T637)                  0200/0000               5 0200/0000 LENGTH(AH 2719 BK 2284)

                                                    018 "DIA CIR PLASTIC
                                                0190/0911 LEN=0037 INSTALLED UNKN

                        046289 FT               046289 FT 2 0 60050 0 00 0094+57
                                                          COE RD
                                                          (T639)
                                                 5 0190/0000 LENGTH(AH 2284 BK 1522)
                                                    015 "DIA CIRC CONCR
                                                0180/0668 LEN=0040 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                                0180/0333 LEN=0035 INSTALLED UNKN
2 0 60050 0 00 0079+32 044767 FT                044767 FT
MILLER FARM RD
(T635)                  0180/0000               5 0180/0000 LENGTH(AH 1522 BK 2905)
                                                    018 "DIA CIR PLASTIC
                                                0170/2851 LEN=0035 INSTALLED UNKN

                                                    018 "DIA CIRC CONCR
                                                0170/1460 LEN=0035 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                                0170/1088 LEN=0035 INSTALLED UNKN
```

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

```
                                041862 FT                041862 FT 2 0 60050 0 00 0049+85
                                                       S 0170/0000 LENGTH(AH 2905 BK 2547)

                                                                   018 "DIA CIRC CONCR
                                                         0160/1272 LEN=0035 INSTALLED 1998

                                                                   018 "DIA CIRC CONCR
                                                         0160/0470 LEN=0034 INSTALLED UNKN
                                039315 FT                039315 FT 2 0 60050 0 00 0024+38
                                                       S 0160/0000 LENGTH(AH 2547 BK 2438)
                                                                   018 "DIA CIRC CONCR
                                                         0150/1908 LEN=0035 INSTALLED UNKN

                                                                   018 "DIA CIRC CONCR
                                                         0150/0710 LEN=0035 INSTALLED 1998

                                036877 FT                036877 FT 2 0 60050 0 00 0000+00
                                                                   OIL CREEK
                                                                   CORNPLANTER T
                                                       S 0150/0000 LENGTH(AH 2438 BK 2108)
                                                                   015 "DIA CIR PLASTIC
                                                         0140/2108 LEN=0030 INSTALLED UNKN
                                                                   036 "DIA CIRC CONCR
                                                         0140/1682 LEN=0035 INSTALLED 1998

                                                                   018 "DIA CIR PLASTIC
                                                         0140/0714 LEN=0040 INSTALLED 2018

1 1 02092 0 00 0148+98          034769 FT                034769 FT
RUSSELL CORNERS RD
(T601)                           0140/0000           S 0140/0000 LENGTH(AH 2108 BK 2557)
                                                                   OLD WARREN PIKE
                                                         0130/2338 (T604)

                                                                   OLD WARREN PIKE
                                                         0130/1569 (T604)
                                                                   015 "DIA CIR PLASTIC
                                                         0130/1140 LEN=0038 INSTALLED 1998

                                032212 FT                032212 FT 1 1 02092 0 00 0125+47
                                                       S 0130/0000 LENGTH(AH 2557 BK 3181)
                                                                   015 "DIA CIRC CONCR
                                                         0120/2647 LEN=0045 INSTALLED UNKN
                                                                   018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
                                        0120/2257 LEN=0041 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0120/0637 LEN=0035 INSTALLED UNKN
029031 FT                               029031 FT 1 1 02092 0 00 0093+58
                                                  PITHOLE RD
                                                  (SR1006 SEG 0010/0000)
                                        S 0120/0000 LENGTH(AH 3181 BK 3405)
                                                  015 "DIA CIRC CONCR
                                        0110/3335 LEN=0040 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0110/1764 LEN=0045 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                        0110/1139 LEN=0038 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0110/0877 LEN=0030 INSTALLED UNKN
025626 FT                               025626 FT 1 1 02092 0 00 0059+53
                                        S 0110/0000 LENGTH(AH 3405 BK 2983)
                                                  024 "DIA CIR PLASTIC
                                        0100/2957 LEN=0043 INSTALLED 1997

                                                  012 "DIA CIR PLASTIC
                                        0100/2236 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0100/1941 LEN=0047 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0100/1602 LEN=0047 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0100/1303 LEN=0045 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                        0100/0585 LEN=0040 INSTALLED UNKN
                                        0100/0048 BMSEN 60/0227/0100/0000
022643 FT                               022643 FT 1 1 02092 0 00 0029+74
                                                  CHERRY RUN
                                                  BMSBG 60/0227/0100/0000
                                        S 0100/0000 LENGTH(AH 2983 BK 2912)

                                                  015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

		0090/1898	LEN=0030 INSTALLED UNKN 015 "DIA CIRC CONCR
		0090/1561	LEN=0100 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0090/0273	LEN=0030 INSTALLED UNKN
	019731 FT	019731 FT	1 1 02092 0 00 0000+00
		S 0090/0000	LENGTH(AH 2912 BK 3344)
PETROLEUM CENTER RD (SR1004 SEG 0070/0000)	0080/3250		EAGLE ROCK RD
		0080/3250	(SR1004 SEG 0070/0000) 018 "DIA CIRC CONCR
		0080/3064	LEN=0035 INSTALLED UNKN
SCHOOL HOUSE HILL RD (T602)	0080/2555		
		0080/2524	BMSEN 60/0227/0080/2496 2 0 60047 0 00 0188+86 CHERRY RUN
		0080/2496	BMSBG 60/0227/0080/2496
OLD ROUSEVILLE RD (T674)	0080/1743		
			015 "DIA CIRC CONCR
		0080/1705	LEN=0125 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/0412	LEN=0042 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0080/0030	LEN=0043 INSTALLED UNKN
	016387 FT	016387 FT	2 0 60047 0 00 0163+90
			OLEOPOLIS RD (SR1005 SEG 0080/2045)
		S 0080/0000	LENGTH(AH 3344 BK 2484)
			015 "DIA CIRC CONCR
		0070/2453	LEN=0040 INSTALLED UNKN
BANKSON RD (T572)	0070/2361		
			015 "DIA CIRC CONCR
		0070/1964	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/1140	LEN=0055 INSTALLED 2001
			018 "DIA CIR PLASTIC
		0070/0887	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/0253	LEN=0030 INSTALLED 1998

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
                                                  MCFATE RD
                                       ==   0070/0181 (T574)
                                                  072 "DIA CIRC CONCR
                                            0070/0030 LEN=0070 INSTALLED UNKN
013903 FT                                   013903 FT 2 0 60047 0 00 0139+08
                                                  GRANDVIEW RD
                                                  (SR1001 SEG 0120/2109)
                                         5  0070/0000 LENGTH(AH 2484 BK 2456)

                                                  018 "DIA CIRC CONCR
                                            0060/1687 LEN=0045 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                            0060/1293 LEN=0045 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                            0060/1070 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                            0060/0740 LEN=0052 INSTALLED 1998
                                                  018 "DIA CIRC CONCR
                                            0060/0607 LEN=0050 INSTALLED UNKN

011447 FT                                   011447 FT 2 0 60047 0 00 0114+29
                                         5  0060/0000 LENGTH(AH 2456 BK 2401)



009046 FT                                   009046 FT 2 0 60047 0 00 0090+28
                                         5  0050/0000 LENGTH(AH 2401 BK 2678)
                                                  024"H 36"W ELLIP CONC
                                            0040/2370 LEN=0035 INSTALLED 1998

                                                  018 "DIA CIR PLASTIC
                                            0040/1429 LEN=0045 INSTALLED 1998

                                                  030 "DIA CIR PLASTIC
                                            0040/0713 LEN=0045 INSTALLED 1998

                                            0040/0044 BMSEN 60/0227/0040/0000
006368 FT                                   006368 FT 2 0 60047 0 00 0063+50
                                                  CHERRY RUN
                                                  BMSBG 60/0227/0040/0000
                                         5  0040/0000 LENGTH(AH 2678 BK 2232)

                                                  030 "DIA CIR PLASTIC
                                            0030/1281 LEN=0045 INSTALLED 1998
```

DIR: B TOTAL LEN: 15.554 MI. DIST: 01-5 SR: 227
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
                                                 0030/1139 BMSEN 60/0227/0030/1095
                                                           2 0 60047 0 00 0052+33
                                                           CHERRY RUN
                                                 0030/1095 BMSBG 60/0227/0030/1095
                                                           015 "DIA CIRC CONCR
                                                 0030/0626 LEN=0045 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0030/0446 LEN=0050 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0030/0232 LEN=0055 INSTALLED UNKN
                                                           MOODY RUN RD
                                                 0030/0197 (T555)
                 004136 FT                       004136 FT 2 0 60047 0 00 0041+32
                                                           CORNPLANTER
                                                           ROUSEVILLE B
                                               S 0030/0000 LENGTH(AH 2232 BK 1275)
                                                           018 "DIA CIR PLASTIC
                                                 0020/0955 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/0735 LEN=0040 INSTALLED 1998

                                                 0020/0044 BMSEN 60/0227/0020/0000
                 002861 FT                       002861 FT 2 0 60047 0 00 0028+56
                                                           CHERRY RUN
                                                           BMSBG 60/0227/0020/0000
                                               S 0020/0000 LENGTH(AH 1275 BK 2861)
                                                           018 "DIA CIRC CONCR
                                                 0010/2480 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0010/2287 LEN=0030 INSTALLED UNKN
BANKSON RD
(T572)            0010/2229

                                                           018 "DIA CIRC CONCR
                                                 0010/1622 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0010/1470 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0010/1018 LEN=0032 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0010/0943 LEN=0032 INSTALLED UNKN

                 000000 FT                       000000 FT 2 0 60047 0 00 0000+00
                                                      NC ROUSEVILLE RD
                                                           MAIN ST
                                                           (SR0008 SEG 0510/0000)

                                                           MFC BEGIN = D
                                               S 0010/0000 LENGTH(AH 2861 BK 0000)
```

DIR: B TOTAL LEN: 14.453 MI. DIST: 01-5 SR: 208
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
                    076313 FT                    076313 FT  AH-CLARION          (16)
                                                 7400/0000 LTH AH 000100 BK 002612
                                                 INTER-AHD SR 0038 SH
                                                           (SR0038 SEG 0020/0000)
                                                           SR 0038 SH
                                                 0300/2612 (SR0038 SEG 0020/0000)

                                                           024 "DIA CIRC CONCR
                                                 0300/0915 LEN=0054 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                                 0300/0208 LEN=0054 INSTALLED UNKN
                    073701 FT                    073701 FT 1 0 00218 0 04 0750+64
                                                 S 0300/0000 LENGTH(AH 2612 BK 1930)
                                                           016 "DIA CIRC CONCR
                                                 0290/1707 LEN=0048 INSTALLED UNKN

BELL RD
(T478)
MCCOY RD
(T479)               0290/0492

                                                           PENNDOT STOCKPILE YD #5
                                                 0290/0478 (GOVT)
                                                           DOG PATCH LN
                                                 0290/0156 (SR3014 SEG 0010/0442)
                    071771 FT                    071771 FT 1 0 00218 0 03 0731+34
                                                 S 0290/0000 LENGTH(AH 1930 BK 3135)

                                                           036 "DIA CIRC CONCR
                                                 0280/0940 LEN=0074 INSTALLED UNKN
MCCOY RD
(T479)               0280/0479

                                                           016 "DIA CIRC CONCR
                                                 0280/0435 LEN=0036 INSTALLED UNKN
                    068636 FT                    068636 FT 1 0 00218 0 03 0700+11
                                                 S 0280/0000 LENGTH(AH 3135 BK 3547)
                                                           018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 14.453 MI. DIST: 01-5 SR: 208
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
                                    0270/3520 LEN=0048 INSTALLED UNKN
                                              016 "DIA CIRC CONCR
                                    0270/3270 LEN=0050 INSTALLED UNKN
                                              024 "DIA CIRC CONCR
                                    0270/2751 LEN=0018 INSTALLED UNKN

                                              015 "DIA CIRC CONCR
                                    0270/2091 LEN=0044 INSTALLED UNKN
                                              016 "DIA CIRC CONCR
                                    0270/1831 LEN=0016 INSTALLED UNKN


                                    0270/0198 BMSEN 60/0208/0270/0181
                                              1 0 00218 0 03 0666+34
                                              LT.SCRUB.CK.
                                    0270/0181 BMSBG 60/0208/0270/0181
065089 FT                           065089 FT 1 0 00218 0 03 0664+64
                                              SR 3009 SH
                                              (SR3009 SEG 0030/0000)
                                  S 0270/0000 LENGTH(AH 3547 BK 3585)




                                              024 "DIA CIRC CONCR
                                    0260/1023 LEN=0020 INSTALLED UNKN
                                              N.FK.LT.SCRU
                                              STRUCTURE LENGTH  63 FT
                                    0260/0576 BMSID 60/0208/0260/0529
061504 FT                           061504 FT 1 0 00218 0 02 0623+40
                                              OLD MILL RD
                                              (T463)
                                  S 0260/0000 LENGTH(AH 3585 BK 3390)

                                              012 "DIA CIRC CONCR
                                    0250/2731 LEN=0034 INSTALLED UNKN


                                              024 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 14.453 MI. DIST: 01-5 SR: 208
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

		0250/0002	LEN=0025 INSTALLED UNKN ROCKDALE RD
1 0 00218 0 02 0589+44 058114 FT		058114 FT	(SR3007 SEG 0050/1272)
LISBON RD (SR3007 SEG 0050/1272) 0250/0000		S 0250/0000	LENGTH(AH 3390 BK 2943)
			024 "DIA CIR PLASTIC
		0240/1703	LEN=0046 INSTALLED 2009
			030 "DIA CIRC METAL
		0240/1420	LEN=0016 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0240/0758	LEN=0016 INSTALLED 1997
			016 "DIA CIR PLASTIC
		0240/0097	LEN=0014 INSTALLED 1997
	055171 FT	055171 FT	1 0 00218 0 02 0560+13
		S 0240/0000	LENGTH(AH 2943 BK 3001)
			016 "DIA CIRC CONCR
		0230/1713	LEN=0015 INSTALLED UNKN
			015 "DIA CIRC METAL
		0230/0815	LEN=0014 INSTALLED UNKN
			016 "DIA CIRC CONCR
		0230/0281	LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0230/0203	LEN=0015 INSTALLED UNKN
	052170 FT	052170 FT	1 0 00218 0 02 0530+12
		S 0230/0000	LENGTH(AH 3001 BK 2704)
			018 "DIA CIRC CONCR
		0220/2526	LEN=0015 INSTALLED UNKN
			016 "DIA CIRC CONCR
		0220/2155	LEN=0048 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0220/1696	LEN=0016 INSTALLED UNKN
		0220/1443	BMSEN 60/0208/0220/1429
			1 0 00218 0 02 0517+19
			N FORK OF LT SCRUBGRASS
		0220/1429	BMSBG 60/0208/0220/1429
			CP EAKIN RD
RIDDLE RD (T400) 0220/0892		0220/0894	(T403)
			015 "DIA CIRC CONCR
		0220/0880	LEN=0018 INSTALLED UNKN

DIR: B TOTAL LEN: 14.453 MI. DIST: 01-5 SR: 208
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
                                                    015 "DIA CIRC CONCR
                                     0220/0200  LEN=0017 INSTALLED UNKN
                049466 FT            049466 FT  1 0 00218 0 02 0503+08
                                                SCRUBGRASS
                                                CLINTON T
                                   S 0220/0000  LENGTH(AH 2704 BK 2795)
                                                016 "DIA CIRC CONCR
                                     0210/2567  LEN=0020 INSTALLED UNKN
                                                016 "DIA CIRC CONCR
                                     0210/2282  LEN=0020 INSTALLED UNKN
                                                016 "DIA CIRC CONCR
                                     0210/1785  LEN=0022 INSTALLED UNKN

                                                036"H 20"W CONC STRUCT
                                     0210/1004  LEN=0060 INSTALLED UNKN

                                                016 "DIA CIRC CONCR
                                     0210/0376  LEN=0016 INSTALLED UNKN
                046671 FT            046671 FT  1 0 00218 0 02 0474+97
                                                018 "DIA CIRC CONCR
                                                LEN=0017 INSTALLED UNKN
                                   S 0210/0000  LENGTH(AH 2795 BK 2611)




                                                024 "DIA CIR PLASTIC
                                     0200/0085  LEN=0017 INSTALLED UNKN
                044060 FT            044060 FT  1 0 00218 0 02 0448+86
                                                015 "DIA CIR PLASTIC
SR 3005 SH                                      LEN=0030 INSTALLED UNKN
(SR3005 SEG 0010/0000)  0200/0000  S 0200/0000  LENGTH(AH 2611 BK 2363)
                                                015 "DIA CIRC CONCR
                                     0190/2323  LEN=0014 INSTALLED UNKN
                                                COAL VALLEY RD
                                 == 0190/2244   (T388)



                                                015 "DIA CIRC CONCR
                                     0190/0240  LEN=0014 INSTALLED UNKN
                041697 FT            041697 FT  1 0 00218 0 02 0425+22
                                   S 0190/0000  LENGTH(AH 2363 BK 3244)
                                                015 "DIA CIRC CONCR
                                     0180/2822  LEN=0018 INSTALLED UNKN
```

DIR: B TOTAL LEN: 14.453 MI. DIST: 01-5 SR: 208
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

LEFT		RIGHT
		027 "DIA CIRC CONCR
		0180/2606 LEN=0016 INSTALLED UNKN
		027 "DIA CIRC CONCR
		0180/1857 LEN=0018 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0180/1575 LEN=0018 INSTALLED UNKN
	038453 FT	038453 FT 1 0 00218 0 02 0392+78
		CLINTON
		CLINTONVILLE B
		S 0180/0000 LENGTH(AH 3244 BK 1247)
		NC EMLENTON CLINTONVILLE RD
		0170/1241 BMSEN 60/0208/0170/1224
		1 0 00218 0 02 0392+55
		MCKEES RUN
		0170/1224 BMSBG 60/0208/0170/1224
1 0 00218 0 02 0380+54	037206 FT	037206 FT
PARK ST		
(BORO)	0170/0000	S 0170/0000 LENGTH(AH 1247 BK 1047)
		CHURCH ST
		0160/0606 (BORO)
COX ST		
(BORO)	0160/0443	
IRWIN ST		
(BORO)	0160/0257	
		016 "DIA CIR PLASTIC
		0160/0035 LEN=0010 INSTALLED UNKN
	036159 FT	036159 FT 1 0 00218 0 02 0369+80
		NC EMLENTON ST
		BUTLER ST
		(SR0308 SEG 0060/0000)
FRANKLIN ST		
(SR0308 SEG 0060/0000)	0160/0000	S 0160/0000 LENGTH(AH 1047 BK 2292)
		CROSS ST
		0150/2093 (BORO)
		MEALS ST
		0150/1585 (BORO)
THORNE AL		
(BORO)	0150/1407	
		018 "DIA CIRC CONCR
		0150/1132 LEN=0010 INSTALLED UNKN
		PORTER RD
		0150/1072 (BORO)

DIR: B TOTAL LEN: 14.453 MI. DIST: 01-5 SR: 208
LEFT MUN: CLINTONVILLE B RIGHT MUN: CLINTONVILLE B

```
                    033867 FT                    033867 FT 1 0 00218 0 02 0346+88
                                               S 0150/0000 LENGTH(AH 2292 BK 1065)
                                                           018 "DIA CIRC CONCR
                                                 0140/0983 LEN=0018 INSTALLED UNKN
                                                           PENNDOT STOCKPILE YD #8
                                                 0140/0951 (GOVT)
                                                 0140/0519 BMSEN 60/0208/0140/0430
                                                           1 0 00218 0 02 0340+57
                                                           LT.SCRUB.CK.
                                                 0140/0430 BMSBG 60/0208/0140/0430
                    032802 FT                    032802 FT 1 0 00218 0 02 0336+27
                                                       NC MERCER ST
                                                           CLINTONVILLE
                                                           CLINTON T
                                               S 0140/0000 LENGTH(AH 1065 BK 2680)
                                                           018 "DIA CIRC CONCR
                                                 0130/2624 LEN=0014 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0130/2098 LEN=0016 INSTALLED UNKN


                                                           018 "DIA CIRC CONCR
                                                 0130/0868 LEN=0015 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0130/0579 LEN=0014 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0130/0376 LEN=0018 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0130/0036 LEN=0038 INSTALLED UNKN
                    030122 FT                    030122 FT 1 0 00218 0 02 0309+09
                                               S 0130/0000 LENGTH(AH 2680 BK 3437)
                                                           016 "DIA CIRC CONCR
                                                 0120/3138 LEN=0014 INSTALLED UNKN

WALTERS RD
(T309)               0120/1979
                                                 0120/1809 BMSEN 60/0208/0120/1424
                                                           1 0 00218 0 02 0288+95
                                                           SR 0080 E/W
                                                 0120/1424 BMSBG 60/0208/0120/1424
                                                           RAPP RD
                                                 0120/1182 (T307)

                                                           018 "DIA CIRC CONCR
                                                 0120/0508 LEN=0016 INSTALLED UNKN
                    026685 FT                    026685 FT 1 0 00218 0 02 0275+18
```

DIR: B TOTAL LEN: 14.453 MI. DIST: 01-5 SR: 208
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

```
                                                CLINTON
                                                IRWIN T
                                   S 0120/0000  LENGTH(AH 3437 BK 2527)
                                                018 "DIA CIR PLASTIC
                                     0110/2004  LEN=0015 INSTALLED UNKN

                                                018 "DIA CIRC CONCR
                                     0110/1128  LEN=0016 INSTALLED UNKN
                                                018 "DIA CIR PLASTIC
                                     0110/0835  LEN=0018 INSTALLED UNKN

024158 FT                            024158 FT  1 0 00218 0 01 0250+05
                                   S 0110/0000  LENGTH(AH 2527 BK 2748)

                                                024 "DIA CIRC CONCR
                                     0100/1647  LEN=0094 INSTALLED UNKN
                                                016 "DIA CIRC CONCR
                                     0100/1293  LEN=0018 INSTALLED UNKN

                                                048"H 00"W MULT PLSTIC
                                     0100/0144  LEN=0022 INSTALLED 2000
                                                018 "DIA CIR PLASTIC
                                     0100/0064  LEN=0022 INSTALLED UNKN
021410 FT                            021410 FT  1 0 00218 0 01 0223+27
                                   S 0100/0000  LENGTH(AH 2748 BK 1707)
                                     0090/1122  BMSEN 60/0208/0090/1105
                                                1 0 00218 0 01 0216+64
                                                MARSHALL RUN
                                     0090/1105  BMSBG 60/0208/0090/1105
                                                018 "DIA CIRC METAL
                                     0090/0889  LEN=0040 INSTALLED UNKN

019703 FT                            019703 FT  1 0 00218 0 00 0205+45
                                                GEORGETOWN RD
                                                (SR3003 SEG 0050/0000)
                                   S 0090/0000  LENGTH(AH 1707 BK 2038)
                                                018 "DIA CIRC CONCR
                                     0080/1955  LEN=0018 INSTALLED UNKN

                                                018 "DIA CIRC CONCR
                                     0080/1202  LEN=0020 INSTALLED UNKN

                                                015 "DIA CIRC CONCR
                                     0080/0365  LEN=0018 INSTALLED UNKN
017665 FT                            017665 FT  1 0 00218 0 00 0184+56
                                                SR 3001 SH
                                                (SR3001 SEG 0020/3771)
                                   S 0080/0000  LENGTH(AH 2038 BK 1886)
```

DIR: B TOTAL LEN: 14.453 MI. DIST: 01-5 SR: 208
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
                                                    018 "DIA CIRC CONCR
                                        0070/1757 LEN=0016 INSTALLED UNKN

                                                    016 "DIA CIRC CONCR
                                        0070/1136 LEN=0050 INSTALLED UNKN
                                                    016 "DIA CIRC CONCR
                                        0070/0855 LEN=0050 INSTALLED UNKN
                                                    016 "DIA CIRC CONCR
                                        0070/0611 LEN=0044 INSTALLED UNKN

                015779 FT               015779 FT 1 0 00218 0 00 0165+96
                                      S 0070/0000 LENGTH(AH 1886 BK 2742)
                                                    012 "DIA CIRC CONCR
                                        0060/2458 LEN=0043 INSTALLED UNKN

                                                    016 "DIA CIRC CONCR
                                        0060/1739 LEN=0020 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                        0060/1177 LEN=0075 INSTALLED UNKN

                                                    016 "DIA CIRC CONCR
                                        0060/0425 LEN=0014 INSTALLED UNKN
                013037 FT               013037 FT 1 0 00218 0 00 0138+38
                                                    JONES RD
                                                    (T326)
                                      S 0060/0000 LENGTH(AH 2742 BK 3161)
                                                    030 "DIA CIRC CONCR
                                        0050/2953 LEN=0022 INSTALLED UNKN


BARKEY-HOFFMAN RD
(T314)           0050/1326
                                                    027 "DIA CIRC CONCR
                                        0050/0830 LEN=0002 INSTALLED UNKN

                009876 FT               009876 FT 1 0 00218 0 00 0106+77
                                                    COKAIN RD
                                                    (T312)
                                      S 0050/0000 LENGTH(AH 3161 BK 3579)
                                                    IRWIN
                                        0040/3350 BARKEYVILLE B
                                                    016 "DIA CIRC CONCR
                                        0040/2892 LEN=0048 INSTALLED UNKN
```

DIR: B TOTAL LEN: 14.453 MI. DIST: 01-5 SR: 208
LEFT MUN: BARKEYVILLE B RIGHT MUN: BARKEYVILLE B

```
                                                  018 "DIA CIRC CONCR
                                     0040/0977 LEN=0018 INSTALLED UNKN

                                                  024 "DIA CIRC CONCR
                                     0040/0275 LEN=0060 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                     0040/0056 LEN=0016 INSTALLED 2003
006297 FT                            006297 FT 1 0 00218 0 00 0070+94
                                          NC CLINTONVILLE RD
                                                WILLIAM FLINN HW
                                                (SR0008 SEG 0050/0000)
                                                BARKEYVILLE
                                                IRWIN T
                                     0040/0000 LENGTH(AH 3579 BK 1917)
                                                  036 "DIA CIRC CONCR
                                     0030/1792 LEN=0012 INSTALLED UNKN


004380 FT                            004380 FT 2 0 60001 0 00 0043+88
                                                SLIP.ROCK BR
                                                STRUCTURE LENGTH 12 FT
                                                BMSID 60/0208/0030/0000
                                     0030/0000 LENGTH(AH 1917 BK 2422)


                                                  024 "DIA CIRC CONCR
                                     0020/1064 LEN=0080 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0020/0622 LEN=0050 INSTALLED UNKN
001958 FT                            001958 FT 2 0 60001 0 00 0019+66
                                                  018 "DIA CIRC CONCR
                                                LEN=0050 INSTALLED UNKN
                                     0020/0000 LENGTH(AH 2422 BK 1958)
                                                  018 "DIA CIRC CONCR
                                     0010/1620 LEN=0017 INSTALLED UNKN


000000 FT                            000000 FT 2 0 60001 0 00 0000+00
                                          NC BARKEYVILLE RD
                                     REF-BK     GROVE CITY RD
                                                (SR0208 SEG 0280/1736)
                                                MFC BEGIN = D
                                                 BK-MERCER          (43)
                                     0010/0000 LENGTH(AH 1958 BK 0000)
```

DIR: B TOTAL LEN: 11.227 MI. DIST: 01-5 SR: 157
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

```
                          059278 FT                    059278 FT  AH-CLARION          (16)
                                                       INTER-AHD SR 0157 SH
                                                                 (SR0157 SEG 0010/0000)
COUNTY LINE RD                                                   COUNTY LINE RD
(T646)                     0200/3366                   0200/3366 (SR2021 SEG 0040/3247)

                                                                 015 "DIA CIRC CONCR
                                                       0200/1041 LEN=0060 INSTALLED 1997
                                                                 015 "DIA CIRC CONCR
                                                       0200/0542 LEN=0050 INSTALLED 1997
                                                                 015 "DIA CIRC CONCR
                                                       0200/0015 LEN=0062 INSTALLED UNKN
                          055912 FT                    055912 FT 1 0 00091 0 02 1140+00
                                                     S 0200/0000 LENGTH(AH 3366 BK 2472)
                                                                 015 "DIA CIRC CONCR
                                                       0190/2054 LEN=0065 INSTALLED 1997
OLD ROUTE 157 RD
(T689)                     0190/1966
                                                                 SPORER RD
                                                       0190/1799 (T447)
                                                                 015 "DIA CIRC CONCR
                                                       0190/1754 LEN=0095 INSTALLED 1997
                                                                 015 "DIA CIRC CONCR
                                                       0190/1371 LEN=0050 INSTALLED 1997

                          053440 FT                    053440 FT 1 0 00091 0 02 1115+28
                                                     S 0190/0000 LENGTH(AH 2472 BK 2412)
                                                                 024 "DIA CIRC CONCR
                                                       0180/1900 LEN=0145 INSTALLED 1997
                                                                 015 "DIA CIRC CONCR
                                                       0180/1510 LEN=0050 INSTALLED 1997
```

DIR: B TOTAL LEN: 11.227 MI. DIST: 01-5 SR: 157
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

			042 "DIA CIRC CONCR
		0180/0350	LEN=0100 INSTALLED 1997
	051028 FT	051028 FT	1 0 00091 0 02 1089+66
		S 0180/0000	LENGTH(AH 2412 BK 2518)
			015 "DIA CIRC CONCR
		0170/1690	LEN=0050 INSTALLED 1997
			024 "DIA CIRC CONCR
		0170/1277	LEN=0080 INSTALLED 1997
			015 "DIA CIRC CONCR
		0170/0982	LEN=0056 INSTALLED 1997
			015 "DIA CIRC CONCR
		0170/0501	LEN=0050 INSTALLED 1997
	048510 FT	048510 FT	1 0 00091 0 02 1064+48
		S 0170/0000	LENGTH(AH 2518 BK 2464)
			018 "DIA CIRC CONCR
		0160/2272	LEN=0055 INSTALLED 1997
			036 "DIA CIRC CONCR
		0160/1947	LEN=0068 INSTALLED 1997
			024 "DIA CIRC CONCR
		0160/1513	LEN=0064 INSTALLED UNKN
			048"H 95"W CON BOX CUL
		0160/1257	LEN=0064 INSTALLED 1997
			HOCKMAN RD
		0160/0953	(T640)
			018 "DIA CIRC CONCR
		0160/0898	LEN=0050 INSTALLED 1997
			015 "DIA CIRC CONCR
		0160/0536	LEN=0052 INSTALLED 1997
			015 "DIA CIRC CONCR
		0160/0043	LEN=0085 INSTALLED 1997
1 0 00091 0 02 1040+30	046046 FT	046046 FT	
OLD ROUTE 157 RD			
(T689)	0160/0000	S 0160/0000	LENGTH(AH 2464 BK 2820)
			015 "DIA CIR PLASTIC
		0150/2535	LEN=0095 INSTALLED 1997
			018 "DIA CIRC CONCR
		0150/2256	LEN=0054 INSTALLED 1997
			018 "DIA CIRC CONCR
		0150/1824	LEN=0058 INSTALLED 1997
			018 "DIA CIRC CONCR
		0150/1235	LEN=0054 INSTALLED 1997
			018 "DIA CIRC CONCR
		0150/0535	LEN=0055 INSTALLED 1997
			018 "DIA CIRC CONCR
		0150/0030	LEN=0060 INSTALLED 1997
	043226 FT	043226 FT	1 0 00091 0 02 1011+65
			POWELL RD
PRESIDENT RD			(T638)

DIR: B TOTAL LEN: 11.227 MI. DIST: 01-5 SR: 157
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

(SR2023 SEG 0010/0000)	0150/0000		0150/0000	LENGTH(AH 2820 BK 3419)
				018 "DIA CIRC CONCR
			0140/3016	LEN=0062 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0140/2864	LEN=0075 INSTALLED 1997
				024 "DIA CIRC CONCR
			0140/2606	LEN=0070 INSTALLED 1997
				015 "DIA CIRC CONCR
			0140/2156	LEN=0056 INSTALLED 1997
				024 "DIA CIRC CONCR
			0140/1085	LEN=0070 INSTALLED 1997
	039807 FT		039807 FT	1 0 00091 0 02 0977+44
				PINEGROVE SCHOOL RD
				(SR2019 SEG 0030/2833)
			0140/0000	LENGTH(AH 3419 BK 3225)
				015 "DIA CIR PLASTIC
			0130/3200	LEN=0075 INSTALLED 1997
				015 "DIA CIRC CONCR
			0130/2650	LEN=0050 INSTALLED 1997
				015 "DIA CIRC CONCR
			0130/1761	LEN=0072 INSTALLED 1997
				024 "DIA CIRC CONCR
			0130/0601	LEN=0080 INSTALLED 1997
	036582 FT		036582 FT	1 0 00091 0 02 0945+19
			0130/0000	LENGTH(AH 3225 BK 2873)
GRANDVIEW ESTATES RD (PRDR)	0120/2593	POI	0120/2593	(APRA) GRANDVIEW ESTATE
				015 "DIA CIRC CONCR
			0120/1961	LEN=0050 INSTALLED 1997
				015 "DIA CIRC CONCR
			0120/0958	LEN=0050 INSTALLED 1997
				024 "DIA CIRC CONCR
			0120/0550	LEN=0060 INSTALLED 1997
				018 "DIA CIRC CONCR
			0120/0356	LEN=0068 INSTALLED 1997
				DUTCH RD
			0120/0293	(T624)
1 0 00091 0 02 0916+14	033709 FT		033709 FT	
HAMPTON RD				

DIR: B TOTAL LEN: 11.227 MI. DIST: 01-5 SR: 157
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

```
(T687)                    0120/0000          S 0120/0000 LENGTH(AH 2873 BK 3554)
                                                 PORCUPINE CK
                                                 STRUCTURE LENGTH  12 FT
                                               0110/3276 BMSID 60/0157/0110/3296
                                                 018 "DIA CIRC CONCR
                                               0110/2724 LEN=0054 INSTALLED 1997
                                                 024 "DIA CIRC CONCR
                                               0110/2575 LEN=0054 INSTALLED 1997
                                                 024 "DIA CIRC CONCR
                                               0110/2222 LEN=0060 INSTALLED UNKN

                                                 015 "DIA CIRC CONCR
                                               0110/1556 LEN=0055 INSTALLED 1997


                          030155 FT            030155 FT 1 0 00091 0 02 0879+28
                                             S 0110/0000 LENGTH(AH 3554 BK 2339)
HAMPTON RD
(T687)                    0100/2252

                                                 015 "DIA CIRC CONCR
                                               0100/1771 LEN=0055 INSTALLED 1997


                                                 024 "DIA CIRC CONCR
                                               0100/0703 LEN=0065 INSTALLED 1997

                                                 015 "DIA CIRC CONCR
                                               0100/0028 LEN=0215 INSTALLED 1997
1 0 00091 0 02 0857+57 027816 FT               027816 FT SAWTOWN RD
MCPHERSON RD                                     (SR2017 SEG 0100/2344)
(T612)                    0100/0000          S 0100/0000 LENGTH(AH 2339 BK 2806)
                                                 018 "DIA CIRC CONCR
                                               0090/2800 LEN=0080 INSTALLED UNKN

                                                 015 "DIA CIRC CONCR
                                               0090/2179 LEN=0058 INSTALLED 1997
                                                 015 "DIA CIRC CONCR
                                               0090/1945 LEN=0060 INSTALLED 1997


                                                 015 "DIA CIRC CONCR
                                               0090/0993 LEN=0060 INSTALLED 1997
                                                 024 "DIA CIRC CONCR
                                               0090/0503 LEN=0056 INSTALLED 1997
                                                 024 "DIA CIRC CONCR
                                               0090/0300 LEN=0060 INSTALLED 1997
                          025010 FT            025010 FT 1 0 00091 0 02 0829+46
                                             S 0090/0000 LENGTH(AH 2806 BK 2793)
```

DIR: B TOTAL LEN: 11.227 MI. DIST: 01-5 SR: 157
LEFT MUN: PINE GROVE T RIGHT MUN: PINE GROVE T

```
                                                  022217 FT  1 0 00091 0 02 0801+21
022217 FT                                       S 0080/0000  LENGTH(AH 2793 BK 2755)
                                                  0070/2704  BMSEN 60/0157/0070/2623
                                                             1 0 00091 0 02 0800+70
                                                             WOLF CREEK
                                                  0070/2689  BMSBG 60/0157/0070/2623
                                                             PINE GROVE
                                                  0070/2643  CRANBERRY T

                                                             018 "DIA CIRC CONCR
                                                  0070/1965  LEN=0056 INSTALLED 1997

                                                             018 "DIA CIR PLASTIC
                                                  0070/0849  LEN=0056 INSTALLED 1997
                                                             015 "DIA CIRC CONCR
                                                  0070/0273  LEN=0060 INSTALLED 1997
019462 FT                                         019462 FT  1 0 00091 0 02 0777+47
                                                S 0070/0000  LENGTH(AH 2755 BK 3146)

                                                  0060/2137  BMSEN 60/0157/0060/2178
                                                             1 0 00091 0 01 0741+94
                                                             BR.HORSE CK.
                                                  0060/2127  BMSBG 60/0157/0060/2178
                                                             048"H 95"W CON BOX CUL
                                                  0060/2110  LEN=0060 INSTALLED 1997
                                                             015 "DIA CIRC CONCR
                                                  0060/1719  LEN=0050 INSTALLED UNKN
                                                             015 "DIA CIRC CONCR
                                                  0060/1257  LEN=0054 INSTALLED 1997
                                                             015 "DIA CIRC CONCR
                                                  0060/0960  LEN=0055 INSTALLED 1997

                                                             015 "DIA CIRC CONCR
                                                  0060/0260  LEN=0060 INSTALLED 1997
CALDWELL RD
(T451)                 0060/0237
                     016316 FT                    016316 FT  1 0 00091 0 01 0741+94
                                                             HECKATHORNE CHURCH RD
                                                             (T598)
                                                S 0060/0000  LENGTH(AH 3146 BK 3658)
```

DIR: B TOTAL LEN: 11.227 MI. DIST: 01-5 SR: 157
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                    TOY RD
                                                0050/3625 (T505)

                                                    018 "DIA CIRC CONCR
                                                0050/2930 LEN=0055 INSTALLED UNKN
                                                    LC FOR TOY RD
                                                0050/2897 (CONN)
                                                    042 "DIA CIRC CONCR
                                                0050/2655 LEN=0140 INSTALLED 1997
                                                    TOY RD
                                                0050/2321 (T505)
                                                    015 "DIA CIRC CONCR
                                                0050/2265 LEN=0040 INSTALLED 1997

                                                    HAHN LN
                                                0050/1360 (TWP )
                                                    036 "DIA CIRC CONCR
                                                0050/1315 LEN=0094 INSTALLED 1997
                                                    015 "DIA CIRC CONCR
                                                0050/0860 LEN=0064 INSTALLED 1997
                                                    015 "DIA CIRC CONCR
                                                0050/0360 LEN=0065 INSTALLED 1997
1 0 00091 0 01 0705+35 012658 FT                012658 FT HILL CITY RD
STANLEY RD                                              (SR2015 SEG 0120/1807)
(T599)                0050/0000                 S 0050/0000 LENGTH(AH 3658 BK 3589)

                                                    015 "DIA CIRC CONCR
                                                0040/2530 LEN=0060 INSTALLED 1997
                                                    015 "DIA CIRC CONCR
                                                0040/2005 LEN=0070 INSTALLED 1997
                                                    060"H 72"W CON BOX CUL
                                                0040/1590 LEN=0055 INSTALLED 1997

                                                    015 "DIA CIRC CONCR
                                                0040/0768 LEN=0065 INSTALLED 1997

                                                    015 "DIA CIRC CONCR
                                                0040/0038 LEN=0050 INSTALLED 1997
1 0 00091 0 01 0669+52 009069 FT                009069 FT
KINGS HW
(T695)                0040/0000                 S 0040/0000 LENGTH(AH 3589 BK 3531)

                                                    015 "DIA CIRC CONCR
                                                0030/2633 LEN=0070 INSTALLED 1997
                                                    024 "DIA CIRC CONCR
                                                0030/2435 LEN=0060 INSTALLED 1997
```

DIR: B TOTAL LEN: 11.227 MI. DIST: 01-5 SR: 157
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T



```
                                    018 "DIA CIRC CONCR
                0030/0605           LEN=0070 INSTALLED 1997
                                    015 "DIA CIRC CONCR
                0030/0283           LEN=0055 INSTALLED 1997
005538 FT       005538 FT           1 0 00091 0 01 0634+17
                                    HORSECREEK RD
                                    (T558)
                0030/0000           LENGTH(AH 3531 BK 3645)
                                    015 "DIA CIRC CONCR
                0020/3300           LEN=0054 INSTALLED 1997

                                    015 "DIA CIRC CONCR
                0020/2102           LEN=0052 INSTALLED 1997

                                    018 "DIA CIRC CONCR
                0020/1073           LEN=0046 INSTALLED 1997
                                    015 "DIA CIRC CONCR
                0020/0826           LEN=0062 INSTALLED 1997
                                    SAGE RUN
                                    STRUCTURE LENGTH 14 FT
                0020/0330           BMSID 60/0157/0020/0281
001893 FT       001893 FT           1 0 00091 0 01 0597+77
                                    OLD KAHLE RD
                                    (T693)
                                    015 "DIA CIRC CONCR
                                    LEN=0050 INSTALLED 1997
                0020/0000           LENGTH(AH 3645 BK 1893)
                                    015 "DIA CIRC CONCR
                0010/1512           LEN=0040 INSTALLED 1997
                                    015 "DIA CIRC CONCR
                0010/1081           LEN=0045 INSTALLED 1997
                                    015 "DIA CIRC CONCR
                0010/0750           LEN=0070 INSTALLED 1997

                                    FOR SR 0062 AND 0157
                0010/0106           (CONN)
                                    TO 0062/0560 SH
                0010/0090           (CONN)
000000 FT       000000 FT           1 0 00091 0 01 0577+30
                      NC FRYBURG RD
                                    SR 0062 SH
                                    (SR0062 SEG 0560/0000)
                                    MFC BEGIN = C
                0010/0000           LENGTH(AH 1893 BK 0000)
```

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

```
 AH-CLARION          (16)078084 FT                    077872 FT
Z H CONFAIR HW            REF-AHD   *                *REF-AHD    Z H CONFAIR HW
(SR0080 SEG 0465/0000)    0463/0574                   0462/0599  (SR0080 SEG 0464/0000)
KARNS RUN                                                        KARNS RUN
STRUCTURE LENGTH   13 FT                                         STRUCTURE LENGTH   13 FT
BMSID 60/0080/0462/0052 0463/0154                     0462/0117  BMSID 60/0080/0462/0052
                                                      077273 FT  1 0 01009 0 00 0779+58
1 0 01009 0 00 0779+58 077510 FT                     *REF-BK     Z H CONFAIR HW
Z H CONFAIR HW            REF-BK    *                            (SR0080 SEG 0460/0998)
(SR0080 SEG 0461/1031)                                          BK-CLARION          (16)
LTH AH 000574 BK 000100 0463/0000 S                  S 0462/0000 LTH AH 000599 BK 000100
 AH-BUTLER           (10)077510 FT                   077273 FT
```

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

LEFT		RIGHT	
LTH AH 000100 BK 002206 7423/0000 (SR0080 SEG 0425/0000) 0421/2206	*	7422/0000	LTH AH 000100 BK 002038
		* REF-AHD 0420/2038	KEYSTONE SHORTWAY RD (SR0080 SEG 0424/0000)
042 "DIA CIRC CONCR LEN=0103 INSTALLED UNKN 0421/2015			
		0420/1951	048 "DIA CIRC METAL LEN=0100 INSTALLED UNKN
		0420/1890	018 "DIA CIRC CONCR LEN=0024 INSTALLED UNKN
		0420/1879	018 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN 0421/1835			
		0420/1587	018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN 0421/1569			
		0420/1296	018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
RAMP B RD (SR8010 SEG 0500/0000) 0421/1028			
		0420/0992	018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0076 INSTALLED UNKN 0421/0883			
		0420/0849	RAMP C RD (SR8010 SEG 0750/0910)
018 "DIA CIRC CONCR LEN=0106 INSTALLED UNKN 0421/0529			
		0420/0395	018 "DIA CIRC CONCR LEN=0095 INSTALLED UNKN
036 "DIA CIRC CONCR LEN=0104 INSTALLED UNKN 0421/0280			
BMSEN 60/0080/0421/0062 0421/0148		0420/0148	BMSEN 60/0080/0420/0000
1 0 01009 0 00 0753+08 075304 FT			
048 "DIA CIRC CONCR LEN=0206 INSTALLED UNKN		075235 FT	1 0 01009 0 00 0752+22
SR 0038			SR 0038
BMSBG 60/0080/0421/0062			BMSBG 60/0080/0420/0000
LENGTH(AH 2206 BK 2603) 0421/0000	5	5 0420/0000	LENGTH(AH 2038 BK 2580)
		0414/1819	RAMP D RD (SR8010 SEG 0010/0000)
RAMP A RD (SR8010 SEG 0250/1305) 0415/1666			
		0414/1305	018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
018 "DIA CIRC METAL LEN=0085 INSTALLED UNKN 0415/1050			

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

LEFT	RIGHT
	018 "DIA CIRC CONCR
	0414/1035 LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0085 INSTALLED UNKN 0415/0809	
	018 "DIA CIRC CONCR
	0414/0780 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0085 INSTALLED UNKN 0415/0540	
	018 "DIA CIRC CONCR
	0414/0355 LEN=0065 INSTALLED UNKN
024 "DIA CIRC CONCR	
LEN=0085 INSTALLED UNKN 0415/0119	
	018 "DIA CIRC CONCR
	0414/0106 LEN=0065 INSTALLED UNKN
1 0 01009 0 00 0726+66 072701 FT	072655 FT 1 0 01009 0 00 0726+80
LENGTH(AH 2603 BK 2626) 0415/0000 S	S 0414/0000 LENGTH(AH 2580 BK 2589)
018 "DIA CIRC CONCR	
LEN=0055 INSTALLED UNKN 0411/2486	
	018 "DIA CIRC CONCR
	0410/2428 LEN=0070 INSTALLED UNKN
	018 "DIA CIRC METAL
	0410/2120 LEN=0090 INSTALLED UNKN
	018 "DIA CIRC METAL
	0410/1821 LEN=0090 INSTALLED UNKN
042 "DIA CIRC CONCR	
LEN=0115 INSTALLED UNKN 0411/1707	
	024 "DIA CIRC METAL
	0410/1671 LEN=0095 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0410/1541 LEN=0085 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0411/1225	
	018 "DIA CIRC CONCR
	0410/1176 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0055 INSTALLED UNKN 0411/0926	
	018 "DIA CIRC CONCR
	0410/0874 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0411/0627	
	018 "DIA CIRC CONCR
	0410/0572 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0055 INSTALLED UNKN 0411/0331	
	018 "DIA CIRC CONCR
	0410/0276 LEN=0065 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0410/0051 LEN=0070 INSTALLED UNKN
1 0 01009 0 00 0700+91 070075 FT	070066 FT 1 0 01009 0 00 0700+91
LENGTH(AH 2626 BK 2641) 0411/0000 S	S 0410/0000 LENGTH(AH 2589 BK 2698)

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

LEFT	RIGHT
	048 "DIA CIRC CONCR
	0404/2462 LEN=0090 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0404/2395 LEN=0075 INSTALLED UNKN
048 "DIA CIRC CONCR	
LEN=0120 INSTALLED UNKN 0405/2381	
	018 "DIA CIRC CONCR
	0404/2165 LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0065 INSTALLED UNKN 0405/1870	
	018 "DIA CIRC CONCR
	0404/1862 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0405/1570	
	018 "DIA CIRC CONCR
	0404/1569 LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0065 INSTALLED UNKN 0405/1275	
	018 "DIA CIRC CONCR
	0404/1270 LEN=0065 INSTALLED UNKN
	048 "DIA CIRC CONCR
	0404/0970 LEN=0080 INSTALLED UNKN
060 "DIA CIRC CONCR	
LEN=0105 INSTALLED UNKN 0405/0950	
	018 "DIA CIRC CONCR
	0404/0772 LEN=0080 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0404/0472 LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0055 INSTALLED UNKN 0405/0445	
	018 "DIA CIRC CONCR
	0404/0170 LEN=0080 INSTALLED UNKN
1 0 01009 0 00 0674+08 067434 FT	067368 FT 1 0 01009 0 00 0675+32
LENGTH(AH 2641 BK 2591) 0405/0000 S	S 0404/0000 LENGTH(AH 2698 BK 2579)
	018 "DIA CIRC CONCR
	0400/2443 LEN=0085 INSTALLED UNKN
LT.SCRUB.CK.	LT.SCRUB.CK.
STRUCTURE LENGTH 17 FT	STRUCTURE LENGTH 17 FT
BMSID 60/0080/0400/1988 0401/2222	0400/2251 BMSID 60/0080/0400/1988
	018 "DIA CIRC CONCR
	0400/2146 LEN=0085 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0095 INSTALLED UNKN 0401/1848	
018 "DIA CIRC CONCR	
LEN=0090 INSTALLED UNKN 0401/1554	
	024 "DIA CIRC CONCR
	0400/1264 LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR	018 "DIA CIRC CONCR
LEN=0095 INSTALLED UNKN 0401/1139	0400/1139 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0401/0866	

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

LEFT	RIGHT
	018 "DIA CIRC CONCR
	0400/0792 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0401/0533	
	018 "DIA CIRC CONCR
	0400/0461 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0075 INSTALLED UNKN 0401/0100	
	055 "DIA CIRC CONCR
	0400/0012 LEN=0085 INSTALLED UNKN
1 0 01009 0 00 0648+00 064843 FT	064789 FT 1 0 01009 0 00 0648+00
LENGTH(AH 2591 BK 2574) 0401/0000 S	S 0400/0000 LENGTH(AH 2579 BK 2576)
030 "DIA CIRC CONCR	
LEN=0080 INSTALLED UNKN 0395/2264	
	030 "DIA CIRC CONCR
	0394/2208 LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0055 INSTALLED UNKN 0395/1917	
	018 "DIA CIRC CONCR
	0394/1861 LEN=0062 INSTALLED UNKN
	SR 3009
	0394/1807 OP ID 60/3009/0020/0927
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0395/1786	
SR 3009	
OP ID 60/3009/0020/0927 0395/1760	
018 "DIA CIRC CONCR	
LEN=0055 INSTALLED UNKN 0395/1570	
	018 "DIA CIRC CONCR
	0394/1542 LEN=0063 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0395/1223	
	018 "DIA CIRC CONCR
	0394/1190 LEN=0058 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0065 INSTALLED UNKN 0395/0873	
	018 "DIA CIRC CONCR
	0394/0852 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0395/0573	
	018 "DIA CIRC CONCR
	0394/0557 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0065 INSTALLED UNKN 0395/0264	
	018 "DIA CIRC CONCR
	0394/0248 LEN=0060 INSTALLED UNKN
1 0 01009 0 00 0621+20 062269 FT	062213 FT 1 0 01009 0 00 0623+24
LENGTH(AH 2574 BK 2688) 0395/0000 S	S 0394/0000 LENGTH(AH 2576 BK 2685)
	018 "DIA CIRC CONCR
	0390/2616 LEN=0065 INSTALLED UNKN

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

LEFT		RIGHT	
018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN	0391/2542		
MAINTENANCE CROSSOVER R (CONN)	0391/2499	0390/2542	MAINTENANCE CROSSOVER R (CONN)
018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN	0391/2270		
LT.SCRUB.CK. STRUCTURE LENGTH 40 FT BMSID 60/0080/0390/2351	0391/2259	0390/2230	LT.SCRUB.CK. STRUCTURE LENGTH 40 FT BMSID 60/0080/0390/2351
018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN	0391/2021		
		0390/1973	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN	0391/1942		
		0390/1724	018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN	0391/1704		
		0390/1460	018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN	0391/1454		
		0390/1171	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN	0391/1156		
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN	0391/0865		
		0390/0862	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
		0390/0562	018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN	0391/0556		
1 0 01009 0 00 0595+13 059581 FT LENGTH(AH 2688 BK 2732)	0391/0000	059528 FT 1 0 01009 0 00 0595+35 0390/0000	LENGTH(AH 2685 BK 2660)
018 "DIA CIRC CONCR LEN=0196 INSTALLED UNKN	0385/2503		
SCRUB.S.FK. STRUCTURE LENGTH 42 FT BMSID 60/0080/0384/2333	0385/2440	0384/2363	SCRUB.S.FK. STRUCTURE LENGTH 42 FT BMSID 60/0080/0384/2333
012 "DIA CIRC CONCR LEN=0124 INSTALLED UNKN	0385/2329		
018 "DIA CIRC CONCR LEN=0214 INSTALLED UNKN	0385/2067		
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN	0385/1609		
		0384/1383	018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

018 "DIA CIRC CONCR
LEN=0058 INSTALLED UNKN 0385/1311

018 "DIA CIRC CONCR
LEN=0058 INSTALLED UNKN 0385/1013

018 "DIA CIRC CONCR
LEN=0058 INSTALLED UNKN 0385/0708

018 "DIA CIRC CONCR
LEN=0058 INSTALLED UNKN 0385/0393
018 "DIA CIRC CONCR
LEN=0058 INSTALLED UNKN 0385/0140
1 0 01009 0 00 0568+33 056849 FT
LENGTH(AH 2732 BK 2615) 0385/0000 S

SR 3007
OP ID 60/3007/0040/1483 0381/2548

018 "DIA CIRC CONCR
LEN=0092 INSTALLED UNKN 0381/1782

036 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0381/1587
018 "DIA CIRC CONCR
LEN=0112 INSTALLED UNKN 0381/1333
048 "DIA CIRC CONCR
LEN=0088 INSTALLED UNKN 0381/1031
018 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0381/0887
018 "DIA CIRC CONCR
LEN=0098 INSTALLED UNKN 0381/0587
018 "DIA CIRC CONCR
LEN=0102 INSTALLED UNKN 0381/0098
048 "DIA CIRC CONCR
LEN=0098 INSTALLED UNKN 0381/0081

1 0 01009 0 00 0542+35 054234 FT
LENGTH(AH 2615 BK 2672) 0381/0000 S
018 "DIA CIRC CONCR
LEN=0124 INSTALLED UNKN 0375/2270

018 "DIA CIRC CONCR
0384/1114 LEN=0065 INSTALLED UNKN

018 "DIA CIRC CONCR
0384/0815 LEN=0055 INSTALLED UNKN

018 "DIA CIRC CONCR
0384/0515 LEN=0060 INSTALLED UNKN

056868 FT 1 0 01009 0 00 0568+87
S 0384/0000 LENGTH(AH 2660 BK 2622)
018 "DIA CIRC CONCR
0380/2469 LEN=0055 INSTALLED UNKN

SR 3007
0380/2414 OP ID 60/3007/0040/1483
018 "DIA CIRC CONCR
0380/2244 LEN=0065 INSTALLED UNKN

036 "DIA CIRC CONCR
0380/1597 LEN=0115 INSTALLED UNKN

048 "DIA CIRC CONCR
0380/0056 LEN=0095 INSTALLED UNKN
054246 FT 1 0 01009 0 00 0542+63
S 0380/0000 LENGTH(AH 2622 BK 2555)

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

LEFT		RIGHT	
018 "DIA CIRC CONCR LEN=0124 INSTALLED UNKN	0375/1770		
048 "DIA CIRC CONCR LEN=0106 INSTALLED UNKN	0375/1366		
		036 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN	0374/1199
030 "DIA CIRC CONCR LEN=0088 INSTALLED UNKN	0375/1165		
018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN	0375/0888		
		018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN	0374/0757
018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN	0375/0548		
		018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN	0374/0457
018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN	0375/0245		
		018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN	0374/0162
1 0 01009 0 00 0515+63 051562 FT LENGTH(AH 2672 BK 2658)	0375/0000 S	051691 FT 1 0 01009 0 00 0516+33 LENGTH(AH 2555 BK 2716)	S 0374/0000
018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN	0371/2605		
		024 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN	0370/2555
		RWIS SITE/AT MP 37.5	W 0370/2409
		018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN	0370/2257
		030 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN	0370/1878
048 "DIA CIRC CONCR LEN=0128 INSTALLED UNKN	0371/1831		
MAINTENANCE CROSSOVER R (CONN)	0371/1620		
		MAINTENANCE CROSSOVER R (CONN)	0370/1572
		030 "DIA CIRC CONCR LEN=0095 INSTALLED UNKN	0370/1497
SCRUBGRASS CLINTON T	0371/1166	SCRUBGRASS CLINTON T	0370/1166
		018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN	0370/1057
018 "DIA CIRC CONCR LEN=0066 INSTALLED UNKN	0371/0797		
		018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN	0370/0792
018 "DIA CIRC CONCR LEN=0020 INSTALLED UNKN	0371/0566		
		018 "DIA CIRC CONCR	

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80

LEFT MUN: CLINTON T	RIGHT MUN: CLINTON T
	0370/0539 LEN=0060 INSTALLED UNKN
1 0 01009 0 00 0489+26 048904 FT	048975 FT 1 0 01009 0 00 0489+26
LENGTH(AH 2658 BK 2534) 0371/0000 S	S 0370/0000 LENGTH(AH 2716 BK 2600)
	018 "DIA CIRC CONCR
	0364/2278 LEN=0080 INSTALLED UNKN
048 "DIA CIRC CONCR	
LEN=0116 INSTALLED UNKN 0365/1999	
	018 "DIA CIRC CONCR
	0364/1913 LEN=0075 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0364/1649 LEN=0080 INSTALLED UNKN
030 "DIA CIRC CONCR	
LEN=0118 INSTALLED UNKN 0365/1402	
024 "DIA CIRC CONCR	
LEN=0096 INSTALLED UNKN 0365/1027	
	018 "DIA CIRC CONCR
	0364/0988 LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0365/0615	
	018 "DIA CIRC CONCR
	0364/0546 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0365/0323	
	018 "DIA CIRC CONCR
	0364/0247 LEN=0065 INSTALLED UNKN
1 0 01009 0 00 0462+05 046370 FT	046375 FT 1 0 01009 0 00 0463+70
LENGTH(AH 2534 BK 2680) 0365/0000 S	S 0364/0000 LENGTH(AH 2600 BK 2580)
	018 "DIA CIRC CONCR
	0360/2508 LEN=0060 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0360/1849 LEN=0075 INSTALLED UNKN
036 "DIA CIRC CONCR	
LEN=0098 INSTALLED UNKN 0361/1834	
	018 "DIA CIRC CONCR
	0360/1482 LEN=0075 INSTALLED UNKN
036 "DIA CIRC CONCR	
LEN=0100 INSTALLED UNKN 0361/1486	
	018 "DIA CIRC CONCR
	0360/1047 LEN=0075 INSTALLED UNKN
072"H 72"W CON BOX CUL	
LEN=0116 INSTALLED UNKN 0361/1050	
	018 "DIA CIRC CONCR
	0360/0854 LEN=0075 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0360/0741 LEN=0035 INSTALLED UNKN
BMSEN 60/0080/0361/0654 0361/0740	0360/0668 BMSEN 60/0080/0360/0574
1 0 01009 0 00 0443+50	1 0 01009 0 00 0443+21
T388,COAL VY	T388,COAL VY
BMSBG 60/0080/0361/0654 0361/0638	0360/0574 BMSBG 60/0080/0360/0574

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

```
036 "DIA CIRC CONCR
LEN=0098 INSTALLED UNKN 0361/0584
1 0 01009 0 00 0436+82 043690 FT
LENGTH(AH 2680 BK 2688) 0361/0000 S
018 "DIA CIRC CONCR
LEN=0058 INSTALLED UNKN 0355/2656

018 "DIA CIRC CONCR
LEN=0058 INSTALLED UNKN 0355/2331

018 "DIA CIRC CONCR
LEN=0058 INSTALLED UNKN 0355/1992

018 "DIA CIRC CONCR
LEN=0102 INSTALLED UNKN 0355/0960
030 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0355/0836

018 "DIA CIRC CONCR
LEN=0110 INSTALLED UNKN 0355/0616
030 "DIA CIRC CONCR
LEN=0102 INSTALLED UNKN 0355/0348

018 "DIA CIRC CONCR
LEN=0104 INSTALLED UNKN 0355/0185
1 0 01009 0 00 0410+11 041002 FT
LENGTH(AH 2688 BK 2656) 0355/0000 S
048 "DIA CIRC CONCR
LEN=0098 INSTALLED UNKN 0351/2432

018 "DIA CIRC CONCR
LEN=0082 INSTALLED UNKN 0351/1825
018 "DIA CIRC CONCR
LEN=0116 INSTALLED UNKN 0351/1401
072"H 72"W CON BOX CUL
LEN=0118 INSTALLED UNKN 0351/1239
```

```
043795 FT 1 0 01009 0 00 0436+82
S 0360/0000 LENGTH(AH 2580 BK 2683)

018 "DIA CIRC CONCR
0354/2602 LEN=0065 INSTALLED UNKN

018 "DIA CIRC CONCR
0354/2302 LEN=0060 INSTALLED UNKN

018 "DIA CIRC CONCR
0354/1917 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0354/1340 LEN=0060 INSTALLED UNKN
030 "DIA CIRC CONCR
0354/0992 LEN=0065 INSTALLED UNKN

036 "DIA CIRC CONCR
0354/0825 LEN=0070 INSTALLED UNKN

036 "DIA CIRC CONCR
0354/0230 LEN=0075 INSTALLED UNKN

041112 FT 1 0 01009 0 00 0410+04
S 0354/0000 LENGTH(AH 2683 BK 2714)

072"H 84"W CON BOX CUL
0350/1218 LEN=0075 INSTALLED UNKN
024 "DIA CIRC CONCR
0350/1153 LEN=0085 INSTALLED UNKN
018 "DIA CIRC CONCR
```

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80

LEFT MUN: CLINTON T	RIGHT MUN: CLINTON T
	0350/0963 LEN=0110 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0350/0313 LEN=0075 INSTALLED UNKN
1 0 01009 0 00 0383+55 038346 FT	038398 FT 1 0 01009 0 00 0383+55
LENGTH(AH 2656 BK 2629) 0351/0000 S	S 0350/0000 LENGTH(AH 2714 BK 2599)
048 "DIA CIRC CONCR	
LEN=0050 INSTALLED UNKN 0345/2582	
RAMP D RD	
(SR8008 SEG 0500/0000) 0345/2441	
	018 "DIA CIRC METAL
	0344/2424 LEN=0006 INSTALLED UNKN
	RAMP C RD
	0344/2410 (SR8008 SEG 0750/0755)
018 "DIA CIRC CONCR	
LEN=0020 INSTALLED UNKN 0345/2278	
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0345/2270	
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0345/1960	
	018 "DIA CIRC CONCR
	0344/1882 LEN=0065 INSTALLED UNKN
SR 0308	
OP ID 60/0308/0030/0914 0345/1631	
	SR 0308
	0344/1616 OP ID 60/0308/0030/0914
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0345/1604	
	018 "DIA CIRC CONCR
	0344/1530 LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0345/1449	
018 "DIA CIRC CONCR	
LEN=0060 INSTALLED UNKN 0345/1192	
	RAMP B RD
	0344/0913 (SR8008 SEG 0010/0000)
RAMP A RD	
(SR8008 SEG 0250/0847) 0345/0698	
	018 "DIA CIRC CONCR
	0344/0456 LEN=0080 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0344/0110 LEN=0080 INSTALLED UNKN
1 0 01009 0 00 0356+04 035717 FT	035799 FT 1 0 01009 0 00 0357+15
LENGTH(AH 2629 BK 2503) 0345/0000 S	S 0344/0000 LENGTH(AH 2599 BK 2725)
018 "DIA CIRC CONCR	
LEN=0072 INSTALLED UNKN 0341/2354	
	018 "DIA CIRC CONCR
	0340/1745 LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0020 INSTALLED UNKN 0341/1693	

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

LEFT		RIGHT	
CLINTON CLINTONVILLE B	0341/1279		
		0340/1238	CLINTON CLINTONVILLE B 050"H 60"W CON BOX CUL
		0340/0860	LEN=0085 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0108 INSTALLED UNKN	0341/0940		
048"H 60"W CON BOX CUL LEN=0102 INSTALLED UNKN	0341/0789		
024 "DIA CIRC CONCR LEN=0098 INSTALLED UNKN	0341/0540		
		0340/0340	015 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
		0340/0336	SR 3101 OP ID 60/3101/0010/0000
018 "DIA CIRC METAL LEN=0146 INSTALLED UNKN	0341/0334		
SR 3101 OP ID 60/3101/0010/0000	0341/0276		
1 0 01009 0 00 0330+28 033214 FT LENGTH(AH 2503 BK 2713)	0341/0000	033074 FT 1 0 01009 0 00 0330+28 0340/0000	LENGTH(AH 2725 BK 2585)
018 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN	0335/2692		
		0334/2582	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN	0335/2555		
		0334/2282	018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
SCRUB.CK.TR. STRUCTURE LENGTH 31 FT BMSID 60/0080/0334/1839	0335/1908	0334/1890	SCRUB.CK.TR. STRUCTURE LENGTH 31 FT BMSID 60/0080/0334/1839
CLINTONVILLE CLINTON T	0335/1899		
		0334/1640	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
		0334/1298	018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
MAINTENANCE CROSSOVER R (CONN)	0335/1153	0334/1206	MAINTENANCE CROSSOVER R (CONN)
018 "DIA CIRC CONCR LEN=0092 INSTALLED UNKN	0335/0663		
012 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN	0335/0617		
		0334/0573	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0085 INSTALLED UNKN	0335/0536		
			036 "DIA CIRC CONCR

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: CLINTON T RIGHT MUN: CLINTON T

042 "DIA CIRC METAL
LEN=0100 INSTALLED UNKN 0335/0147

1 0 01009 0 00 0302+97 030501 FT
LENGTH(AH 2713 BK 2741) 0335/0000 S
018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0331/2542
024 "DIA CIRC CONCR
LEN=0102 INSTALLED UNKN 0331/2242
024 "DIA CIRC CONCR
LEN=0098 INSTALLED UNKN 0331/1702

018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0331/1362

018 "DIA CIRC CONCR
LEN=0058 INSTALLED UNKN 0331/0989
024 "DIA CIRC CONCR
LEN=0065 INSTALLED UNKN 0331/0638

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0331/0301
SR 0208
OP ID 60/0208/0120/1424 0331/0021
1 0 01009 0 00 0278+00 027760 FT
LENGTH(AH 2741 BK 2657) 0331/0000 S
018 "DIA CIRC CONCR
LEN=0096 INSTALLED UNKN 0325/2435

060"H 60"W CON BOX CUL
LEN=0110 INSTALLED UNKN 0325/2257
018 "DIA CIRC CONCR
LEN=0092 INSTALLED UNKN 0325/1987
048 "DIA CIRC CONCR
LEN=0112 INSTALLED UNKN 0325/1713
018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0325/1564
018 "DIA CIRC CONCR
LEN=0058 INSTALLED UNKN 0325/1150
CLINTON
IRWIN T 0325/0864

0334/0184 LEN=0075 INSTALLED UNKN

030489 FT 1 0 01009 0 00 0305+22
CLINTONVILLE
CLINTON T
S 0334/0000 LENGTH(AH 2585 BK 2638)

024 "DIA CIRC CONCR
0330/1614 LEN=0055 INSTALLED UNKN

018 "DIA CIRC CONCR
0330/1259 LEN=0055 INSTALLED UNKN

024 "DIA CIRC CONCR
0330/0557 LEN=0055 INSTALLED UNKN

027851 FT 1 0 01009 0 00 0278+00
S 0330/0000 LENGTH(AH 2638 BK 2626)

SR 0208
0324/2418 OP ID 60/0208/0120/1424

018 "DIA CIRC CONCR
0324/0638 LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

LEFT	RIGHT
	0324/0635 LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0325/0458	
	024 "DIA CIRC CONCR 0324/0311 LEN=0040 INSTALLED UNKN 025225 FT 1 0 01009 0 00 0251+94 CLINTON IRWIN T
1 0 01009 0 00 0251+07 025103 FT LENGTH(AH 2657 BK 2778) 0325/0000 S	S 0324/0000 LENGTH(AH 2626 BK 2700)
	018 "DIA CIRC CONCR 0320/2691 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0321/2458	
	018 "DIA CIRC CONCR 0320/2409 LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN 0321/2106	
	018 "DIA CIRC CONCR 0320/2097 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0108 INSTALLED UNKN 0321/1695 018 "DIA CIRC CONCR LEN=0160 INSTALLED UNKN 0321/1300 018 "DIA CIRC CONCR LEN=0156 INSTALLED UNKN 0321/0998 060"H 60"W CON BOX CUL LEN=0174 INSTALLED UNKN 0321/0950	
018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN 0321/0188	
	018 "DIA CIRC METAL 0320/0110 LEN=0065 INSTALLED UNKN 022525 FT 1 0 01009 0 00 0224+94
1 0 01009 0 00 0224+94 022325 FT LENGTH(AH 2778 BK 2571) 0321/0000 S	S 0320/0000 LENGTH(AH 2700 BK 2621)
018 "DIA CIRC CONCR LEN=0082 INSTALLED UNKN 0315/2513	
	018 "DIA CIRC CONCR 0314/2400 LEN=0080 INSTALLED UNKN 018 "DIA CIRC CONCR 0314/2045 LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0066 INSTALLED UNKN 0315/2116 018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN 0315/1793	
	018 "DIA CIRC CONCR 0314/1683 LEN=0070 INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN 0315/1428	
SCRUB.TR.	SCRUB. TR.

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80

LEFT MUN: IRWIN T		RIGHT MUN: IRWIN T	
STRUCTURE LENGTH 14 FT BMSID 60/0080/0315/0717	0315/0696	0314/0596	STRUCTURE LENGTH 14 FT BMSID 60/0080/0314/0562
030 "DIA CIRC CONCR LEN=0084 INSTALLED UNKN	0315/0311		
1 0 01009 0 00 0198+46 019754 FT LENGTH(AH 2571 BK 2642)	0315/0000 S	019904 FT 1 0 01009 0 00 0198+46 S 0314/0000	LENGTH(AH 2621 BK 2644)
024 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN	0311/2605		
024 "DIA CIRC CONCR LEN=0346 INSTALLED UNKN	0311/2254		
		0310/1713	036 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
036 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN	0311/1621		
012 "DIA CIRC METAL LEN=0052 INSTALLED UNKN	0311/1383		
		0310/1088	018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
SCRUB. TR. STRUCTURE LENGTH 14 FT BMSID 60/0080/0311/1063	0311/1063		
		0310/0606	018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
		0310/0536	SR 3003 OP ID 60/3003/0050/2498
SR 3003 OP ID 60/3003/0050/2805	0311/0454		
		0310/0464	024 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
		0310/0010	030 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
1 0 01009 0 00 0170+70 017112 FT LENGTH(AH 2642 BK 2580)	0311/0000 S	017260 FT 1 0 01009 0 00 0173+25 S 0310/0000	LENGTH(AH 2644 BK 2642)
030 "DIA CIRC CONCR LEN=0064 INSTALLED UNKN	0305/2376		
		0304/2344	024 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
		0304/2002	036 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
030 "DIA CIRC CONCR LEN=0092 INSTALLED UNKN	0305/1880		
		0304/1663	048"H 48"W CON BOX CUL LEN=0060 INSTALLED UNKN
SR 9202 SH (SR9202 SEG 0010/0000)	0305/1298		
024 "DIA CIRC CONCR LEN=0092 INSTALLED UNKN	0305/0938		
		0304/0566	036"H 24"W CON BOX CUL LEN=0060 INSTALLED UNKN SCRUB. TR.

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

			STRUCTURE LENGTH 8 FT
		0304/0560	BMSID 60/0080/0304/0560
036 "DIA CIRC CONCR			
LEN=0098 INSTALLED UNKN 0305/0150			
1 0 01009 0 00 0144+85 014532 FT		014618 FT	1 0 01009 0 00 0145+69
LENGTH(AH 2580 BK 2566) 0305/0000 S	S	0304/0000	LENGTH(AH 2642 BK 2649)
REST AREA			
(SR9202 SEG 0010/1565) 0301/2317			
042 "DIA CIRC CONCR			
LEN=0107 INSTALLED UNKN 0301/1960			
			036 "DIA CIRC CONCR
		0300/1957	LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0022 INSTALLED UNKN 0301/1510			
			018 "DIA CIRC CONCR
		0300/1473	LEN=0080 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0300/1472	LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0058 INSTALLED UNKN 0301/1153			
018 "DIA CIRC CONCR			
LEN=0026 INSTALLED UNKN 0301/1119			
018 "DIA CIRC CONCR			
LEN=0028 INSTALLED UNKN 0301/0991			
			018 "DIA CIRC CONCR
			LEN=0060 INSTALLED UNKN
			REST AREA RD
		0300/0822	(SR9201 SEG 0010/1654)
			018 "DIA CIRC CONCR
		0300/0816	LEN=0040 INSTALLED UNKN
1 0 01009 0 00 0119+20 011966 FT		011969 FT	1 0 01009 0 00 0119+59
LENGTH(AH 2566 BK 2503) 0301/0000 S	S	0300/0000	LENGTH(AH 2649 BK 2651)
036 "DIA CIRC CONCR			
LEN=0088 INSTALLED UNKN 0295/2452			
			036 "DIA CIRC CONCR
		0294/2423	LEN=0060 INSTALLED UNKN
024 "DIA CIRC CONCR			
LEN=0096 INSTALLED UNKN 0295/2089			
042 "DIA CIRC CONCR			
LEN=0092 INSTALLED UNKN 0295/1840			
			SR 9201 SH
		0294/1828	(SR9201 SEG 0010/0000)
030 "DIA CIRC CONCR			
LEN=0106 INSTALLED UNKN 0295/1629			
			MAINTENANCE CROSSOVER R
		0294/1031	(CONN)
024 "DIA CIRC CONCR			
LEN=0030 INSTALLED UNKN 0295/0964			
			024 "DIA CIRC CONCR

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

		0294/0919	LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0020 INSTALLED UNKN	0295/0596		
		0294/0569	018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
IRWIN BARKEYVILLE B	0295/0292		
018 "DIA CIRC CONCR LEN=0088 INSTALLED UNKN	0295/0101		
		009318 FT	1 0 01009 0 00 0092+93 IRWIN
1 0 01009 0 00 0091+92 009463 FT LENGTH(AH 2503 BK 2806)	0295/0000 S	S 0294/0000	BARKEYVILLE B LENGTH(AH 2651 BK 2647)
WOLF CREEK STRUCTURE LENGTH 12 FT BMSID 60/0080/0290/2151	0291/2397	0290/2071	WOLF CREEK STRUCTURE LENGTH 12 FT BMSID 60/0080/0290/2151
018 "DIA CIRC CONCR LEN=0126 INSTALLED UNKN	0291/2174		
036 "DIA CIRC METAL LEN=0056 INSTALLED UNKN	0291/1856		
		0290/1621	018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0024 INSTALLED UNKN	0291/1549		
RAMP C RD (SR8002 SEG 0500/0000)	0291/1384		
		0290/1094	RAMP D RD (SR8002 SEG 0750/0802)
		0290/1047	024 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
		0290/0720	018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
SR 0008 OP ID 60/0008/0070/0000	0291/0245	0290/0236	SR 0008 OP ID 60/0008/0070/0000
1 0 01009 0 00 0066+44 006657 FT LENGTH(AH 2806 BK 2734)	0291/0000 S	006671 FT S 0290/0000	1 0 01009 0 00 0066+44 LENGTH(AH 2647 BK 2667)
024 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN	0285/2206		
RAMP A RD (SR8002 SEG 0250/0903)	0285/2116		
		0284/2030	030 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN	0285/1862		
		0284/1738	RAMP B RD (SR8002 SEG 0010/0000)
		0284/1728	018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN	0285/1542		

DIR: E TOTAL LEN: 14.789 MI. DIST: 01-5 SR: 80

LEFT MUN: BARKEYVILLE B		RIGHT MUN: BARKEYVILLE B
		SIGN: 3 CHORD TRUSS
	0284/1492	BMSID 60/0080/0284/1470
		018 "DIA CIRC CONCR
	0284/1406	LEN=0065 INSTALLED UNKN
042 "DIA CIRC CONCR		
LEN=0062 INSTALLED UNKN 0285/1250		
024 "DIA CIRC CONCR		
LEN=0120 INSTALLED UNKN 0285/0824		
		018 "DIA CIRC CONCR
	0284/0639	LEN=0075 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0284/0259	LEN=0070 INSTALLED 1998
060"H 01"W CON BOX CUL		
LEN=0104 INSTALLED UNKN 0285/0027		
1 0 01009 0 00 0039+10 003923 FT		004004 FT 1 0 01009 0 00 0039+90
LENGTH(AH 2734 BK 2575) 0285/0000 S		S 0284/0000 LENGTH(AH 2667 BK 2689)
		054"H 64"W CON BOX CUL
	0280/2584	LEN=0085 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0094 INSTALLED UNKN 0281/2131		
028 "DIA CIRC CONCR		
LEN=0120 INSTALLED UNKN 0281/1685		
		018 "DIA CIRC CONCR
	0280/0877	LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0034 INSTALLED UNKN 0281/0764		
		018 "DIA CIRC CONCR
	0280/0509	LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0062 INSTALLED UNKN 0281/0447		
1 0 01009 0 00 0013+47 001348 FT		001315 FT 1 0 01009 0 00 0013+47
LENGTH(AH 2575 BK 1348) 0281/0000 S		S 0280/0000 LENGTH(AH 2689 BK 1315)
		024 "DIA CIRC CONCR
	0276/1170	LEN=0075 INSTALLED UNKN
024 "DIA CIRC CONCR		
LEN=0130 INSTALLED UNKN 0277/1140		
018 "DIA CIRC CONCR		
LEN=0088 INSTALLED UNKN 0277/0036		
		000000 FT 1 0 01009 0 00 0000+00
1 0 01009 0 00 0000+00 000000 FT		MAINTENANCE CROSSOVER R
MAINTENANCE CROSSOVER R		(CONN)
(CONN)		NC Z H CONFAIR HW
NC Z H CONFAIR HW		INTER-BK Z H CONFAIR HW
Z H CONFAIR HW INTER-BK		(SR0080 SEG 0270/3927)
(SR0080 SEG 0271/3928)		MFC BEGIN = A
MFC BEGIN = A		BK-MERCER (43)
LENGTH(AH 1348 BK 0000) 0277/0000 S		S 0276/0000 LENGTH(AH 1315 BK 0000)

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

```
176115 FT                    176087 FT  AH-FOREST                (27)
                           * REF-AHD    SR 0062 SH
                             0790/2108  (SR0062 SEG 0010/0000)
                                        018 "DIA CAST IRON
                             0790/1788  LEN=0016 INSTALLED UNKN
                                        014 "DIA CAST IRON
                             0790/1488  LEN=0016 INSTALLED UNKN
                                        015 "DIA CIRC CONCR
                             0790/1095  LEN=0015 INSTALLED UNKN

                                        015 "DIA CIRC CONCR
                             0790/0413  LEN=0015 INSTALLED UNKN
                                        015 "DIA CIRC CONCR
                             0790/0187  LEN=0015 INSTALLED UNKN
174007 FT                    173979 FT  1 0 00750 0 01 0555+11
                           S 0790/0000  LENGTH(AH 2108 BK 1966)
                                        015 "DIA CIRC CONCR
                             0780/1798  LEN=0015 INSTALLED UNKN
                                        015 "DIA CIRC CONCR
                             0780/1450  LEN=0014 INSTALLED UNKN
                                        015 "DIA CIRC CONCR
                             0780/0899  LEN=0015 INSTALLED UNKN
```

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

```
                                                  015 "DIA CIRC CONCR
                                     0780/0296 LEN=0015 INSTALLED UNKN
172041 FT                            172013 FT 1 0 00750 0 01 0555+11
                                   S 0780/0000 LENGTH(AH 1966 BK 2024)
                                                  015 "DIA CIRC CONCR
                                     0770/2011 LEN=0015 INSTALLED UNKN
                                                  036 "DIA CIRC CONCR
                                     0770/1710 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0770/1277 LEN=0016 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                     0770/0970 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0770/0485 LEN=0014 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                     0770/0264 LEN=0014 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                     0770/0116 LEN=0015 INSTALLED 2002
170017 FT                            169989 FT 1 0 00750 0 01 0534+87
                                   S 0770/0000 LENGTH(AH 2024 BK 2417)
                                                  015 "DIA CIRC CONCR
                                     0760/2156 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0760/1906 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0760/1780 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0760/1588 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0760/1322 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0760/0987 LEN=0015 INSTALLED UNKN
                                                  GEISEH RUN
                                                  STRUCTURE LENGTH    8 FT
                                     0760/0594 BMSID 60/0062/0760/0567
167600 FT                            167572 FT 1 0 00750 0 01 0510+70
                                                  MCCALMONT RD
                                                  (T543)
                                   S 0760/0000 LENGTH(AH 2417 BK 3159)
                                                  060 "DIA CIRC CONCR
                                     0750/3008 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0750/2729 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0750/2550 LEN=0015 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0750/2446 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0750/2246 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

```
                                                 0750/2063 LEN=0015 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0750/1721 LEN=0016 INSTALLED UNKN
                                                           015 "DIA CAST IRON
                                                 0750/1403 LEN=0016 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0750/1105 LEN=0040 INSTALLED UNKN
                                                           015 "DIA CAST IRON
                                                 0750/0651 LEN=0016 INSTALLED UNKN
                                                           018 "DIA CAST IRON
                                                 0750/0309 LEN=0016 INSTALLED UNKN
                    164441 FT                    164413 FT 1 0 00750 0 01 0479+54
                                                S0750/0000 LENGTH(AH 3159 BK 2512)

                                                           015 "DIA CIRC CONCR
                                                 0740/1775 LEN=0016 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0740/1368 LEN=0016 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0740/1137 LEN=0016 INSTALLED UNKN
PRESIDENT VILLAGE RD
(T547)              0740/0666

                                                           024 "DIA CIRC CONCR
                                                 0740/0422 LEN=0015 INSTALLED UNKN
                    161929 FT                    161901 FT 1 0 00750 0 01 0454+42
                                                S0740/0000 LENGTH(AH 2512 BK 2488)
                                                           015 "DIA CIRC CONCR
                                                 0730/2196 LEN=0015 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0730/1988 LEN=0043 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0730/1427 LEN=0015 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0730/1212 LEN=0015 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0730/1044 LEN=0016 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0730/0885 LEN=0016 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0730/0632 LEN=0015 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0730/0309 LEN=0015 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0730/0082 LEN=0016 INSTALLED UNKN
                    159441 FT                    159413 FT 1 0 00750 0 01 0429+54
                                                S0730/0000 LENGTH(AH 2488 BK 2518)
                                                           015 "DIA CIRC CONCR
                                                 0720/2518 LEN=0016 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0720/2439 LEN=0016 INSTALLED UNKN
```

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

				015 "DIA CIRC CONCR
			0720/2332	LEN=0016 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0720/2065	LEN=0016 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0720/1558	LEN=0016 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0720/1403	LEN=0017 INSTALLED UNKN
PRESIDENT VILLAGE RD				MCCALMONT RD
(SR2023 SEG 0110/0000)	0720/1134		0720/1134	(T543)
			0720/0983	BMSEN 60/0062/0720/0938
				1 0 00750 0 00 0413+33
				HEMLOCK CK.
			0720/0938	BMSBG 60/0062/0720/0938
				018 "DIA CIRC CONCR
			0720/0765	LEN=0016 INSTALLED UNKN
	156923 FT		156895 FT	1 0 00750 0 01 0403+97
				PRESIDENT RD
				(SR2023 SEG 0100/2383)
			5 0720/0000	LENGTH(AH 2518 BK 3530)
				030 "DIA CIRC CONCR
			0710/3308	LEN=0015 INSTALLED UNKN
				024 "DIA CIRC CONCR
			0710/2483	LEN=0015 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0710/2137	LEN=0018 INSTALLED UNKN
				036 "DIA CIRC CONCR
			0710/1933	LEN=0056 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0710/1578	LEN=0015 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0710/1483	LEN=0014 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0710/1303	LEN=0016 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0710/1090	LEN=0016 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0710/0527	LEN=0016 INSTALLED UNKN
	153393 FT		153365 FT	1 0 00750 0 01 0368+67
			5 0710/0000	LENGTH(AH 3530 BK 2652)
				015 "DIA CIRC CONCR
			0700/2248	LEN=0016 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0700/1816	LEN=0016 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0700/1408	LEN=0016 INSTALLED UNKN
				015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

```
                                        0700/0765 LEN=0016 INSTALLED UNKN
                                       W0700/0462 RWIS SITE/AT PRESIDENT
150741 FT                               150713 FT 1 0 00750 0 01 0342+15
                                       S0700/0000 LENGTH(AH 2652 BK 1836)
                                                  MCCRED RUN
                                                  STRUCTURE LENGTH  10 FT
                                        0690/1805 BMSID 60/0062/0690/1765
                                                  015 "DIA CIRC CONCR
                                        0690/1735 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0690/1607 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0690/1408 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0690/0958 LEN=0016 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                        0690/0197 LEN=0016 INSTALLED UNKN
148905 FT                               148877 FT 1 0 00750 0 01 0323+79
                                       S0690/0000 LENGTH(AH 1836 BK 2026)
                                                  015 "DIA CIRC CONCR
                                        0680/1926 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0680/1802 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0680/1593 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0680/1241 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0680/1124 LEN=0016 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0680/0905 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0680/0800 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0680/0440 LEN=0016 INSTALLED UNKN
146879 FT                               146851 FT 1 0 00750 0 01 0303+84
                                       S0680/0000 LENGTH(AH 2026 BK 2451)
                                                  036 "DIA CIRC CONCR
                                        0670/2412 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0670/2112 LEN=0016 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0670/1964 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0670/1834 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0670/1711 LEN=0016 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0670/1517 LEN=0016 INSTALLED UNKN
```

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

```
                                                    015 "DIA CIRC CONCR
                                    0670/1430 LEN=0016 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                    0670/1138 LEN=0016 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                    0670/0737 LEN=0016 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                    0670/0515 LEN=0016 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                    0670/0303 LEN=0016 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                    0670/0237 LEN=0016 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                    0670/0025 LEN=0016 INSTALLED UNKN
                 144428 FT          144400 FT 1 0 00750 0 01 0279+01
                                  S 0670/0000 LENGTH(AH 2451 BK 2448)

                                                    015 "DIA CIRC CONCR
                                    0660/1721 LEN=0016 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                    0660/1147 LEN=0016 INSTALLED UNKN

                                                    015 "DIA CIRC CONCR
                                    0660/0542 LEN=0016 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                    0660/0053 LEN=0016 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                                    LEN=0016 INSTALLED UNKN
1 0 00750 0 01 0254+53 141980 FT    141952 FT MCPHERSON RD
HENRYS BEND RD                                  (T612)
(SR2025 SEG 0010/0000)  0660/0000 S 0660/0000 LENGTH(AH 2448 BK 3202)
                                                    018 "DIA CIRC CONCR
                                    0650/3190 LEN=0016 INSTALLED UNKN



                                                    015 "DIA CIRC CONCR
                                    0650/1407 LEN=0015 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                    0650/1309 LEN=0015 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                    0650/1021 LEN=0015 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                    0650/0700 LEN=0015 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                    0650/0507 LEN=0015 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                    0650/0132 LEN=0015 INSTALLED UNKN
                 138778 FT          138750 FT 1 0 00750 0 01 0222+51
```

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: PRESIDENT T RIGHT MUN: PRESIDENT T

```
                                                PRESIDENT
                                                CRANBERRY T
                                   S 0650/0000  LENGTH(AH 3202 BK 2385)
                                                015 "DIA CIRC CONCR
                                     0640/2298  LEN=0015 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                     0640/2080  LEN=0015 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                     0640/1742  LEN=0015 INSTALLED 2003
                                                015 "DIA CIRC CONCR
                                     0640/1480  LEN=0015 INSTALLED UNKN
                                                018 "DIA CIRC CONCR
                                     0640/1191  LEN=0015 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                     0640/0865  LEN=0016 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                     0640/0630  LEN=0016 INSTALLED UNKN
                                                018 "DIA CIRC CONCR
                                     0640/0384  LEN=0016 INSTALLED UNKN
136393 FT                            136365 FT  1 0 00750 0 01 0198+66
                                   S 0640/0000  LENGTH(AH 2385 BK 2734)
                                                018 "DIA CIRC CONCR
                                     0630/2376  LEN=0015 INSTALLED UNKN
                                                048 "DIA CIRC CONCR
                                     0630/2072  LEN=0015 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                     0630/1929  LEN=0015 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                     0630/1497  LEN=0015 INSTALLED UNKN
                                                018 "DIA CIRC CONCR
                                     0630/1141  LEN=0015 INSTALLED UNKN

                                                015 "DIA CIRC CONCR
                                     0630/0520  LEN=0015 INSTALLED UNKN
                                                072 "DIA CIRC CONCR
                                     0630/0012  LEN=0012 INSTALLED UNKN
133659 FT                            133631 FT  1 0 00750 0 01 0171+10
                                   S 0630/0000  LENGTH(AH 2734 BK 2698)
                                                015 "DIA CIR PLASTIC
                                     0620/2430  LEN=0040 INSTALLED UNKN
                                                024 "DIA CIRC CONCR
                                     0620/2154  LEN=0014 INSTALLED UNKN
                                                024 "DIA CIRC CONCR
                                     0620/1878  LEN=0014 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                     0620/1719  LEN=0014 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                     0620/1640  LEN=0014 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                     0620/1326  LEN=0014 INSTALLED UNKN
```

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                 048 "DIA CIRC CONCR
                                0620/1162 LEN=0014 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                0620/1100 LEN=0014 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                0620/1043 LEN=0014 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                0620/0808 LEN=0014 INSTALLED UNKN
                                                 018 "DIA CIRC CONCR
                                0620/0490 LEN=0014 INSTALLED UNKN
                                                 036 "DIA CIRC CONCR
                                0620/0204 LEN=0014 INSTALLED UNKN
130961 FT                       130933 FT 1 0 00750 0 01 0145+42
                              S 0620/0000 LENGTH(AH 2698 BK 2487)
                                                 015 "DIA CIRC CONCR
                                0610/2223 LEN=0014 INSTALLED UNKN
                                                 024 "DIA CIRC CONCR
                                0610/2004 LEN=0014 INSTALLED UNKN
                                                 018 "DIA CIRC CONCR
                                0610/1803 LEN=0014 INSTALLED UNKN
                                                 024 "DIA CIRC METAL
                                0610/1689 LEN=0016 INSTALLED UNKN
                                                 018 "DIA CIR PLASTIC
                                0610/1620 LEN=0010 INSTALLED 2003
                                                 015 "DIA CIRC CONCR
                                0610/1075 LEN=0014 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                0610/0935 LEN=0014 INSTALLED UNKN
                                                 015 "DIA CIR PLASTIC
                                0610/0716 LEN=0015 INSTALLED 2006
                                                 015 "DIA CIRC CONCR
                                0610/0445 LEN=0014 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                0610/0160 LEN=0014 INSTALLED UNKN
128474 FT                       128446 FT 1 0 00750 0 01 0120+35
                              S 0610/0000 LENGTH(AH 2487 BK 2577)
                                                 015 "DIA CIRC CONCR
                                0600/2401 LEN=0014 INSTALLED UNKN
                                0600/1984 BMSEN 60/0062/0600/1939
                                                 1 0 00750 0 01 0114+00
                                                 HORSE CREEK
                                0600/1939 BMSBG 60/0062/0600/1939
                                                 SLATE RUN
                                                 STRUCTURE LENGTH 8 FT
                                0600/1408 BMSID 60/0062/0600/1408
                                                 015 "DIA CIRC CONCR
                                0600/0831 LEN=0014 INSTALLED UNKN
                                                 018 "DIA CIRC CONCR
                                0600/0441 LEN=0078 INSTALLED UNKN
125897 FT                       125869 FT 1 0 00750 0 01 0094+69
```

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                  S 0600/0000 LENGTH(AH 2577 BK 2364)
                                                              030 "DIA CIRC CONCR
                                                    0590/2177 LEN=0012 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0590/1866 LEN=0012 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0590/1490 LEN=0012 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0590/1317 LEN=0012 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0590/1107 LEN=0012 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0590/0779 LEN=0012 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0590/0535 LEN=0012 INSTALLED UNKN
                123533 FT                           123505 FT 1 0 00750 0 01 0071+05
                                                  S 0590/0000 LENGTH(AH 2364 BK 2497)
                                                              015 "DIA CIRC CONCR
                                                    0580/2376 LEN=0012 INSTALLED UNKN
                                                              024 "DIA CIRC CONCR
                                                    0580/2105 LEN=0014 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0580/1757 LEN=0014 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0580/1582 LEN=0014 INSTALLED UNKN
                                                              024 "DIA CIRC CONCR
                                                    0580/1353 LEN=0014 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0580/1070 LEN=0014 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0580/0632 LEN=0014 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0580/0487 LEN=0038 INSTALLED UNKN
                121036 FT                           121008 FT 1 0 00750 0 01 0045+93
                                                              018 "DIA CIR PLASTIC
                                                              LEN=0018 INSTALLED UNKN
                                                              HORSE CREEK RD
                                                              (T558)
                                                  S 0580/0000 LENGTH(AH 2497 BK 3100)



                                                              018 "DIA CIRC CONCR
                                                    0570/1391 LEN=0012 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0570/1074 LEN=0012 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0570/0751 LEN=0012 INSTALLED UNKN
                                                              015 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

```
                                                 0570/0313 LEN=0012 INSTALLED UNKN
                    117936 FT                    117908 FT 1 0 00750 0 01 0014+93
                                                S 0570/0000 LENGTH(AH 3100 BK 1664)
                                                            015 "DIA CIRC CONCR
                                                 0560/1574 LEN=0012 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                 0560/1165 LEN=0012 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                 0560/0756 LEN=0012 INSTALLED UNKN
OAKWOOD RD
(T709)              0560/0716
                                                            SAGE RUN
                                                            STRUCTURE LENGTH 18 FT
                                                 0560/0434 BMSID 60/0062/0560/0420
                                                            FOR SR 0062 AND 0157
                                                 0560/0373 (CONN)
                                                            FROM 0157/0010 SH
                                                 0560/0238 (CONN)
                                                            018 "DIA CIRC METAL
                                                 0560/0218 LEN=0024 INSTALLED UNKN
                    116272 FT                    116244 FT 1 0 00750 0 00 0000+00
                                                            FRYBURG RD
                                                            (SR0157 SEG 0010/0000)
                                                        NC SR 0062 SH
                                                S 0560/0000 LENGTH(AH 1664 BK 3580)
                                                            015 "DIA CIRC CONCR
                                                 0550/3250 LEN=0014 INSTALLED UNKN
                                                 0550/2768 BMSEN 60/0062/0550/2789
                                                            1 0 00091 0 01 0562+94
                                                            SAGE RUN
                                                 0550/2751 BMSBG 60/0062/0550/2789
                                                 0550/2293 BMSEN 60/0062/0550/2324
                                                            1 0 00091 0 01 0559+19
                                                            SAGE RUN
                                                 0550/2272 BMSBG 60/0062/0550/2324
                                                 0550/1925 BMSEN 60/0062/0550/1915
                                                            1 0 00091 0 01 0539+89
                                                            SAGE RUN
                                                 0550/1899 BMSBG 60/0062/0550/1915
                                                            018 "DIA CIRC CONCR
                                                 0550/1350 LEN=0014 INSTALLED UNKN
UPPER SAGE RUN RD
(T532)              0550/1325
                                                            018 "DIA CIRC CONCR
                                                 0550/1267 LEN=0014 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                 0550/0585 LEN=0014 INSTALLED UNKN
                    112692 FT                    112664 FT 1 0 00091 0 01 0539+89
                                                S 0550/0000 LENGTH(AH 3580 BK 2136)
```

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

			024 "DIA CIRC CONCR
		0540/1660	LEN=0014 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0540/1456	LEN=0014 INSTALLED UNKN
		0540/0762	BMSEN 60/0062/0540/0762
			1 0 00091 0 01 0518+91
			SAGE RUN
		0540/0726	BMSBG 60/0062/0540/0762
			015 "DIA CIRC CONCR
		0540/0248	LEN=0014 INSTALLED UNKN
		0540/0050	BMSEN 60/0062/0540/0000
	110556 FT	110528 FT	1 0 00091 0 01 0518+91
			SAGE RUN
			BMSBG 60/0062/0540/0000
		S 0540/0000	LENGTH(AH 2136 BK 2782)
			024 "DIA CIRC CONCR
		0530/2389	LEN=0014 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0530/2101	LEN=0014 INSTALLED UNKN
		0530/1601	BMSEN 60/0062/0530/1591
			1 0 00091 0 01 0491+11
			SAGE RUN
		0530/1563	BMSBG 60/0062/0530/1591
			018 "DIA CIRC CONCR
		0530/0790	LEN=0014 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0530/0317	LEN=0015 INSTALLED UNKN
		0530/0038	BMSEN 60/0062/0530/0000
	107774 FT	107746 FT	1 0 00091 0 01 0491+11
			SAGE RUN
			BMSBG 60/0062/0530/0000
		S 0530/0000	LENGTH(AH 2782 BK 2035)
			018 "DIA CIRC CONCR
		0520/1883	LEN=0130 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0520/1030	LEN=0105 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0520/0783	LEN=0034 INSTALLED UNKN
UPPER SAGE RUN RD (T532)	0520/0690		
			018 "DIA CIRC CONCR
		0520/0543	LEN=0032 INSTALLED UNKN
		0520/0109	BMSEN 60/0062/0520/0066
			1 0 00091 0 01 0470+36
			SAGE RUN
		0520/0076	BMSBG 60/0062/0520/0066
	105739 FT	105711 FT	1 0 00091 0 01 0469+35

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: CRANBERRY T RIGHT MUN: CRANBERRY T

SALINA RD
(SR0257 SEG 0120/1050)
NC RIVERSIDE DR
S 0520/0000 LENGTH(AH 2035 BK 0965)
018 "DIA CAST IRON
0510/0905 LEN=0040 INSTALLED UNKN
CRANBERRY
0510/0846 OIL CITY C
018 "DIA CAST IRON
0510/0580 LEN=0040 INSTALLED UNKN
018 "DIA CAST IRON
0510/0200 LEN=0040 INSTALLED UNKN
104746 FT

1 0 00091 0 01 0461+57 104774 FT
PUMPHOUSE RD
(CITY) 0510/0000
S 0510/0000 LENGTH(AH 0965 BK 0718)
FROM 2008/0010 SH
0500/0130 (CONN)
104056 FT 104028 FT 1 0 00091 0 01 0456+00
NC SECOND ST
SECOND ST
(SR2008 SEG 0010/2588)
S 0500/0000 LENGTH(AH 0718 BK 2383)
024 "DIA CIRC CONCR
0490/2235 LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR
0490/1933 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0490/1690 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0490/1386 LEN=0050 INSTALLED UNKN
IMPERIAL ST
0490/1047 (CITY)
018 "DIA CIRC CONCR
0490/0725 LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR
0490/0526 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0490/0247 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0490/0050 LEN=0020 INSTALLED UNKN
101673 FT 101645 FT 1 0 00091 0 01 0431+53
NC FRONT ST
S 0490/0000 LENGTH(AH 2383 BK 1297)

018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0481/1146

018 "DIA CIRC CONCR
0480/1166 LEN=0035 INSTALLED UNKN

WILSON AV

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

(CITY) 0481/1096

018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN 0481/0840
STATE ST
(CITY)
0481/0717

018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN 0481/0700

CENTRAL AV
(CITY) 0481/0309

2 0 60085 0 01 0040+16 100377 FT
PETROLEUM ST
(SR0062 SEG 0470/1255)
018 "DIA CIRC CONCR
LEN=0015 INSTALLED UNKN
NC FRONT ST
FRONT ST
(CITY)
PETROLEUM ST INTER-BK
(SR0062 SEG 0470/1255)
MFC BEGIN = B
LTH AH 001296 BK 000315 0481/0000
100377 FT
LTH AH 000315 BK 001583 7473/0000

FRONT ST
(SR0062 SEG 0481/0000) 0470/1255



WILSON AV
(CITY)
WILSON AV
0480/1121 (SR2008 SEG 0010/0000)

STATE ST
(CITY)
0480/0759

LINDON AL
0480/0582 (CITY)
CENTRAL AV
(CITY)
0480/0383
HAZEL PL
0480/0171 (CITY)

100348 FT 1 0 00091 0 01 0414+59
NC FIRST ST
MFC BEGIN = B
0480/0000 LENGTH(AH 1297 BK 1583)

PETROLEUM ST
(CITY)

FIRST ST
0470/1583 (SR3025 SEG 0160/1971)
ORCHARD ST
0470/1430 (CITY)
024 "DIA CIRC CONCR
0470/1303 LEN=0040 INSTALLED UNKN
FRONT ST
0470/1255 (CITY)
024 "DIA CIRC CONCR
0470/1211 LEN=0040 INSTALLED UNKN
0470/1175 BMSEN 60/0062/0470/0450

1 0 00091 0 00 0402+39
ALLEGHENY R.
0470/0470 BMSBG 60/0062/0470/0450

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

LEFT		RIGHT
		018 "DIA CIRC CONCR
	0470/0391	LEN=0030 INSTALLED UNKN
TO 0008/0420 SH		FROM 0062/0460 SH
(CONN) 0470/0132	0470/0132	(CONN)
	0470/0119	(AAR 262844J)#TRKS 01
1 0 00091 0 00 0397+68 098794 FT	098765 FT	
MAIN ST		NC PETROLEUM ST
(SR0008 SEG 0421/0000)		
(SR0008 SEG 0420/0000)		
HALYDAY ST		MFC BEGIN = B
(SR0428 SEG 0010/0000) 0470/0000	0470/0000	LENGTH(AH 1583 BK 2303)
018 "DIA CIRC CONCR		
LEN=0016 INSTALLED UNKN 0461/2619		
		TO 0062/0470 SH
	0460/2116	(CONN)
		018 "DIA CIRC CONCR
	0460/1961	LEN=0016 INSTALLED UNKN
(APRA) ELECTRALLOY CORP		(APRA) ELECTRALLOY CORP
ELECTRALLOY CORP RD		ELECTRALLOY CORP RD
(PRDR) 0461/2258	0460/1899	(PRDR)
018 "DIA CIRC CONCR		
LEN=0016 INSTALLED UNKN 0461/2255		
018 "DIA CIRC CONCR		
LEN=0016 INSTALLED UNKN 0461/2014		
		018 "DIA CIRC CONCR
	0460/1862	LEN=0016 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0460/1680	LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0016 INSTALLED UNKN 0461/1613		
018 "DIA CIRC CONCR		
LEN=0016 INSTALLED UNKN 0461/1470		
024 "DIA CIRC CONCR		
LEN=0016 INSTALLED UNKN 0461/1275		
		018 "DIA CIRC CONCR
	0460/1237	LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0016 INSTALLED UNKN 0461/1188		
		018 "DIA CIRC CONCR
	0460/1113	LEN=0016 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0460/0911	LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0016 INSTALLED UNKN 0461/0878		
		018 "DIA CIRC CONCR
	0460/0825	LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0016 INSTALLED UNKN 0461/0763		
		018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62

LEFT MUN: OIL CITY C	RIGHT MUN: OIL CITY C
	0460/0755 LEN=0016 INSTALLED UNKN
	018 "DIA CIRC CONCR
	0460/0525 LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0016 INSTALLED UNKN 0461/0433	
	018 "DIA CIRC CONCR
	0460/0405 LEN=0016 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0460/0180 LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0016 INSTALLED UNKN 0461/0148	
	018 "DIA CIRC CONCR
	0460/0099 LEN=0016 INSTALLED UNKN
	024 "DIA CIRC CONCR
	0460/0075 LEN=0016 INSTALLED UNKN
1 0 00091 0 00 0371+01 096127 FT	096462 FT 1 0 00091 0 00 0375+08
LENGTH(AH 2667 BK 2038) 0461/0000 S	S 0460/0000 LENGTH(AH 2303 BK 2373)
	018 "DIA CIRC CONCR
	0450/2172 LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0016 INSTALLED UNKN 0451/1988	
EMERGENCY CROSSOVER	
(CONN) 0451/1858	0450/1835 EMERGENCY CROSSOVER (CONN)
024 "DIA CIRC CONCR	
LEN=0016 INSTALLED UNKN 0451/1849	
018 "DIA CIRC CONCR	
LEN=0016 INSTALLED UNKN 0451/1658	
	018 "DIA CIRC CONCR
	0450/1601 LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0016 INSTALLED UNKN 0451/1236	
	018 "DIA CIRC CONCR
	0450/1182 LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0016 INSTALLED UNKN 0451/0844	
	018 "DIA CIRC CONCR
	0450/0793 LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0016 INSTALLED UNKN 0451/0665	
	018 "DIA CIRC CONCR
	0450/0607 LEN=0016 INSTALLED UNKN
048 "DIA CIRC CONCR	
LEN=0016 INSTALLED UNKN 0451/0437	
EMERGENCY CROSSOVER	
(CONN) 0451/0400	0450/0395 EMERGENCY CROSSOVER (CONN)
	018 "DIA CIRC CONCR
	0450/0314 LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0016 INSTALLED UNKN 0451/0069	
	018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

1 0 00091 0 00 0350+19 094089 FT
NC MAIN ST
OIL CITY
SUGARCREEK B
LENGTH(AH 2038 BK 3655) 0451/0000 S

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN 0441/3398

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN 0441/3224

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN 0441/2993

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN 0441/2767

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN 0441/2374

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN 0441/2077
018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN 0441/1787

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN 0441/1674

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN 0441/1372

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN 0441/0982

018 "DIA CIRC CONCR
LEN=0016 INSTALLED UNKN 0441/0822

0450/0030 LEN=0016 INSTALLED UNKN
094089 FT 1 0 00091 0 00 0351+11
NC MAIN ST
OIL CITY
SUGARCREEK B
S 0450/0000 LENGTH(AH 2373 BK 3663)
018 "DIA CIRC CONCR
0440/3423 LEN=0016 INSTALLED UNKN

018 "DIA CIRC CONCR
0440/3252 LEN=0016 INSTALLED UNKN

018 "DIA CIRC CONCR
0440/3004 LEN=0016 INSTALLED UNKN

018 "DIA CIRC CONCR
0440/2779 LEN=0016 INSTALLED UNKN

018 "DIA CIRC CONCR
0440/2598 LEN=0016 INSTALLED UNKN
018 "DIA CIRC CONCR
0440/2388 LEN=0016 INSTALLED UNKN

018 "DIA CIRC CONCR
0440/2081 LEN=0016 INSTALLED UNKN

018 "DIA CIRC CONCR
0440/1680 LEN=0016 INSTALLED UNKN

018 "DIA CIRC CONCR
0440/1382 LEN=0016 INSTALLED UNKN

018 "DIA CIRC CONCR
0440/0989 LEN=0016 INSTALLED UNKN

018 "DIA CIRC CONCR
0440/0829 LEN=0016 INSTALLED UNKN

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62

LEFT MUN: SUGARCREEK B		RIGHT MUN: SUGARCREEK B	
		0440/0702	018 "DIA CIRC CONCR LEN=0015 INSTALLED 2018
0441/0684	018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN		
0441/0546	018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN		
0441/0389	018"H 24"W ELLIP CONC LEN=0016 INSTALLED UNKN		
		0440/0339	018 "DIA CIRC CONCR LEN=0016 INSTALLED 2018
0441/0195	018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN		
		0440/0117	018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN
		0440/0085	018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN
0441/0000	1 0 00091 0 00 0313+38 090434 FT LENGTH(AH 3655 BK 2245)	0440/0000	090426 FT 1 0 00091 0 00 0314+48 LENGTH(AH 3663 BK 1883)
0431/2178	018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN		
0431/2050	018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN		
		0430/1665	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
0431/1856	018 "DIA CIRC CONCR LEN=0016 INSTALLED UNKN		
		0430/1486	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
		0430/1472	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
0431/1646	018 "DIA CIRC CONCR LEN=0018 INSTALLED UNKN		
0431/1367	EMERGENCY CROSSOVER (CONN)	0430/1014	EMERGENCY CROSSOVER (CONN)
0431/1249	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN		
0431/1034	024 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN		
		0430/0891	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
0431/0755	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN		
		0430/0676	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
		0430/0420	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
0431/0389	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN		
0431/0188	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN		

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                                  018 "DIA CIRC CONCR
                                                                0430/0024 LEN=0012 INSTALLED UNKN
1 0 00091 0 00 0290+93 088189 FT
018 "DIA CIRC CONCR
LEN=0012 INSTALLED UNKN                                         088543 FT 1 0 00091 0 00 0295+60
LENGTH(AH 2245 BK 1559) 0431/0000 S                           S 0430/0000 LENGTH(AH 1883 BK 1935)
                                                                  018 "DIA CIRC CONCR
                                                                0420/1757 LEN=0012 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                                0420/1518 LEN=0012 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0012 INSTALLED UNKN 0421/1370
                                                                  018 "DIA CIRC CONCR
                                                                0420/1336 LEN=0012 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0012 INSTALLED UNKN 0421/1073
                                                                  018 "DIA CIRC CONCR
                                                                0420/1028 LEN=0012 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0012 INSTALLED UNKN 0421/0866
                                                                  018 "DIA CIRC CONCR
                                                                0420/0818 LEN=0012 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                                0420/0766 LEN=0010 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0012 INSTALLED UNKN 0421/0296
                                                                  018 "DIA CIRC CONCR
                                                                0420/0241 LEN=0012 INSTALLED UNKN
1 0 00091 0 00 0271+78 086630 FT                                086608 FT 1 0 00091 0 00 0272+16
MFC BEGIN = B                                                     MFC BEGIN = B
LENGTH(AH 1559 BK 2025) 0421/0000 S                           S 0420/0000 LENGTH(AH 1935 BK 2025)
                                                                  018 "DIA CIRC CONCR
                                                                0410/1891 LEN=0012 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                                0410/1632 LEN=0012 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                                0410/1075 LEN=0012 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                                0410/0874 LEN=0012 INSTALLED UNKN
                                                                  024 "DIA CIRC CONCR
                                                                0410/0419 LEN=0012 INSTALLED UNKN
NINTH ST
(BORO)                                0410/0398
                                    084605 FT                   084583 FT 1 0 00091 0 00 0255+52
                                                              S 0410/0000 LENGTH(AH 2025 BK 2929)
                                                                  018 "DIA CIRC CONCR
                                                                0400/2838 LEN=0012 INSTALLED UNKN
                                                                  024 "DIA CIRC CONCR
                                                                0400/2566 LEN=0012 INSTALLED UNKN
                                                                  024 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

			0400/2200	LEN=0012 INSTALLED UNKN 018 "DIA CIRC CONCR
			0400/1743	LEN=0012 INSTALLED UNKN
SIXTH ST (BORO)	0400/1578			018 "DIA CIRC CONCR
			0400/1567	LEN=0012 INSTALLED UNKN
FIFTH ST (BORO)	0400/1149			024 "DIA CIRC CONCR
			0400/0804	LEN=0012 INSTALLED UNKN
FOURTH ST (BORO)	0400/0765			
THIRD ST (BORO)	0400/0389			018 "DIA CIRC CONCR
			0400/0308	LEN=0012 INSTALLED UNKN
1 0 00091 0 00 0226+58 081676 FT			081654 FT	
SECOND ST (BORO)	0400/0000		S 0400/0000	LENGTH(AH 2929 BK 2653) 018 "DIA CIRC CONCR
			0390/2598	LEN=0012 INSTALLED UNKN
FIRST ST (BORO)	0390/2283			SHAFFER RUN STRUCTURE LENGTH 18 FT
			0390/2015	BMSID 60/0062/0390/1987
TRANSIT ST (BORO)	0390/1468			018 "DIA CIRC CONCR
			0390/1088	LEN=0012 INSTALLED UNKN 018 "DIA CIRC CONCR
			0390/0956	LEN=0012 INSTALLED UNKN
PROGRESS DR (PRDR)	0390/0819	POI	0390/0819	(APRA) WEBCO IND
KLAPEC TRUCKING DR (PRDR)	0390/0230 079023 FT	POI	0390/0230 079001 FT	(APRA) KLAPEC TRUCKING 1 0 00091 0 00 0199+82
			S 0390/0000	LENGTH(AH 2653 BK 1966) BRANNON RUN STRUCTURE LENGTH 16 FT
			0380/1640	BMSID 60/0062/0380/1620
MONG WY (BORO)	0380/0899			018 "DIA CIRC CONCR
			0380/0461	LEN=0012 INSTALLED UNKN
	077057 FT		077035 FT	1 0 00091 0 00 0180+03 VILLAGE: RENO
WIBLE WY (BORO)	0380/0000		S 0380/0000	LENGTH(AH 1966 BK 2510)

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

```
                                                    018 "DIA CIRC CONCR
                                          0370/2305 LEN=0046 INSTALLED UNKN

                                                    018 "DIA CIRC CONCR
                                          0370/1457 LEN=0048 INSTALLED UNKN

                                                    018 "DIA CIRC CONCR
                                          0370/0743 LEN=0038 INSTALLED UNKN
                                                    048 "DIA CIRC CONCR
                                          0370/0223 LEN=0050 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0370/0022 LEN=0050 INSTALLED UNKN
                074547 FT                 074525 FT 1 0 00091 0 00 0154+85
                                        S 0370/0000 LENGTH(AH 2510 BK 1746)
                                                    018 "DIA CIRC CONCR
                                          0360/1708 LEN=0022 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0360/1470 LEN=0022 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0360/1251 LEN=0022 INSTALLED UNKN

                                                    018 "DIA CIRC CONCR
                                          0360/0615 LEN=0022 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0360/0383 LEN=0022 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0360/0142 LEN=0022 INSTALLED UNKN
                072801 FT                 072779 FT 1 0 00091 0 00 0129+81
                                                    MFC BEGIN = B
                                        S 0360/0000 LENGTH(AH 1746 BK 3101)

                                                    018 "DIA CIRC CONCR
                                          0350/2975 LEN=0022 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0025 INSTALLED UNKN 0351/2949

                                                    018 "DIA CIRC CONCR
                                          0350/2547 LEN=0022 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0025 INSTALLED UNKN 0351/2522
018 "DIA CIRC CONCR
LEN=0022 INSTALLED UNKN 0351/2193
                                                    018 "DIA CIRC CONCR
                                          0350/2192 LEN=0022 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0350/1955 LEN=0022 INSTALLED UNKN
018 "DIA CIRC METAL
LEN=0022 INSTALLED UNKN 0351/1914

                                                    018 "DIA CIRC CONCR
                                          0350/1748 LEN=0022 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0028 INSTALLED UNKN 0351/1707
```

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

LEFT		RIGHT	
		0350/1359	018 "DIA CIRC CONCR LEN=0022 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN	0351/1318		
		0350/1087	018 "DIA CIRC CONCR LEN=0022 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0022 INSTALLED UNKN	0351/1046		
		0350/0885	018 "DIA CIRC CONCR LEN=0022 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0022 INSTALLED UNKN	0351/0844		
BMSEN 60/0062/0350/0000 1 0 00091 0 00 0106+35 069700 FT	0351/0044	0350/0044 069678 FT	BMSEN 60/0062/0350/0000 1 0 00091 0 00 0106+35
UPPER 2 MI.			UPPER 2 MI.
BMSBG 60/0062/0350/0000 LENGTH(AH 3101 BK 3048)	0351/0000	0350/0000	BMSBG 60/0062/0350/0000 LENGTH(AH 3101 BK 3278)
TWO MILE RUN RD (SR4001 SEG 0010/0000)			TWO MILE RUN RD (SR4001 SEG 0010/0000)
TWO MILE RUN RD (SR4001 SEG 0010/0000)	0341/2371	0340/2591	TWO MILE RUN RD (SR4001 SEG 0010/0000)
018 "DIA CIRC CONCR LEN=0130 INSTALLED UNKN	0341/2355		
024 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN	0341/2223		
		0340/2462	024 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
GIBB RD (BORO)	0341/1260	0340/1505	GIBB RD (BORO)
GOODWILL PLAZA (PRDR)	0341/1094	0340/1334	GOODWILL PLAZA (PRDR)
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN	0341/0935		
		0340/1113	018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
		0340/0879	018 "DIA CIRC CONCR LEN=0450 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN	0341/0600		
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN	0341/0393		
		0340/0573	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
BIG LOTS PLAZA (PRDR)			BIG LOTS PLAZA (PRDR)

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

GIBB RD (BORO)			GIBB RD (BORO)
	0341/0210		0340/0456
			018 "DIA CIRC CONCR
			0340/0075 LEN=0044 INSTALLED UNKN
1 0 00091 0 00 0075+93 066652 FT			066400 FT 1 0 00091 0 00 0073+78
LENGTH(AH 3048 BK 2542)	0341/0000		0340/0000 LENGTH(AH 3278 BK 2309)
018 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN	0331/2454		
018 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN	0331/2236		
			018 "DIA CIRC CONCR
			0330/2167 LEN=0046 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN	0331/2023		
			018 "DIA CIRC CONCR
			0330/1953 LEN=0040 INSTALLED UNKN
015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN	0331/1935		
			018 "DIA CIRC CONCR
			0330/1607 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN	0331/1587		
FRONT ST (SR4002 SEG 0020/3651)			FRONT ST (SR4002 SEG 0020/3651)
	0331/1267		0330/1270
018 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN	0331/0141		
1 0 00091 0 00 0049+37 064110 FT			064091 FT 1 0 00091 0 00 0050+06
KMART PLAZA (PRDR)			KMART PLAZA (PRDR)
LENGTH(AH 2542 BK 2021)	0331/0000		0330/0000 LENGTH(AH 2309 BK 1990)
			030 "DIA CIRC CONCR
			0320/1771 LEN=0030 INSTALLED UNKN
030 "DIA CIRC CONCR LEN=0043 INSTALLED UNKN	0321/1721		
			018 "DIA CIRC CONCR
			0320/1182 LEN=0031 INSTALLED UNKN
1 0 00091 0 00 0030+61 062089 FT			062101 FT 1 0 00091 0 00 0030+52
LENGTH(AH 2021 BK 2337)	0321/0000		0320/0000 LENGTH(AH 1990 BK 2364)
			024 "DIA CIRC CONCR
			0310/2269 LEN=0045 INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0023 INSTALLED UNKN	0311/2263		
			024 "DIA CIRC CONCR

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SUGARCREEK B RIGHT MUN: SUGARCREEK B

		0310/1920	LEN=0023 INSTALLED UNKN
024 "DIA CIRC CONCR			
LEN=0023 INSTALLED UNKN	0311/1911		
SUGARCREEK			SUGARCREEK
FRANKLIN C	0311/1368	0310/1365	FRANKLIN C
018 "DIA CIRC CONCR			
LEN=0025 INSTALLED UNKN	0311/1032		
			018 "DIA CIRC CONCR
		0310/1050	LEN=0045 INSTALLED 1999
FRANKLIN			FRANKLIN
SUGARCREEK B	0311/0663	0310/0685	SUGARCREEK B
SUGARCREEK			SUGARCREEK
FRANKLIN C	0311/0625	0310/0622	FRANKLIN C
BMSEN 60/0062/0310/0025	0311/0582	0310/0579	BMSEN 60/0062/0310/0025
1 0 00091 0 00 0007+17			1 0 00091 0 00 0007+17
FRENCH CREEK			FRENCH CREEK
BMSBG 60/0062/0310/0025	0311/0028	0310/0025	BMSBG 60/0062/0310/0025
1 0 00091 0 00 0006+89	059752 FT	059737 FT	1 0 00091 0 00 0006+92
LENGTH(AH 2337 BK 0705)	0311/0000	0310/0000	LENGTH(AH 2364 BK 0703)
NC ALLEGHENY BL		NC ALLEGHENY BL	
ELK ST			ELK ST
(CITY)			(CITY)
	0301/0374	0300/0389	
1 0 00091 0 00 0000+00	059047 FT	059034 FT	1 0 00091 0 00 0000+00
LIBERTY ST		NC WASHINGTON CROSSING	
(SR0322 SEG 0300/0000)			LIBERTY ST
NC WASHINGTON CROSSING			(SR0322 SEG 0300/0000)
			MFC BEGIN = B
MFC BEGIN = B			
LENGTH(AH 0705 BK 1002)	0301/0000	0300/0000	LENGTH(AH 0703 BK 1002)
			ELEVENTH ST
			(CITY)
		0290/0604	
			FELDMAN WY
		0290/0299	(CITY)
			BERNET WY
		0290/0084	(CITY)
1 0 00065 0 00 0013+85	058045 FT	058032 FT	
SOUTH PARK ST			MFC BEGIN = B
(CITY)	0290/0000	0290/0000	LENGTH(AH 1002 BK 1345)
TWELFTH ST			TWELFTH ST
(CITY)			(CITY)
	0281/0991	0280/0969	
			WEST PARK ST
		0280/0871	(CITY)
WEST PARK ST			
(CITY)	0281/0609		
(CITY)	0281/0466	0280/0465	(CITY)
1 0 00065 0 00 0000+00	056661 FT	056687 FT	1 0 00065 0 00 0000+00

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

THIRTEENTH ST			THIRTEENTH ST
(CITY)			(CITY)
THIRTEENTH ST			THIRTEENTH ST
(SR0322 SEG 0260/2711)			(SR0322 SEG 0261/2713)
(SR0322 SEG 0261/2713)			(SR0322 SEG 0260/2711)
MFC BEGIN = B			MFC BEGIN = B
LENGTH(AH 1384 BK 1308)	0281/0000	0280/0000	LENGTH(AH 1345 BK 1308)
			FOURTEENTH ST
			(CITY)
		0270/0647	
1 0 00233 0 02 0895+36	055353 FT	055379 FT	
FIFTEENTH ST			
(CITY)			
LIBERTY ST			NC LIBERTY ST
(CITY)	0270/0000	0270/0000	LENGTH(AH 1308 BK 1620)
			BUFFALO ST
		0260/1243	(CITY)
			CHESTNUT ST
		0260/0882	(CITY)
OLD MERCER RD			
(CITY)	0260/0612		
			018 "DIA CIRC CONCR
		0260/0515	LEN=0035 INSTALLED UNKN
			EAGLE ST
		0260/0392	(CITY)
			036 "DIA CIRC CONCR
		0260/0384	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/0365	LEN=0035 INSTALLED UNKN
1 0 00233 0 02 0879+16	053733 FT	053759 FT	
BELL AV			MFC BEGIN = B
(CITY)	0260/0000	0260/0000	LENGTH(AH 1620 BK 2078)
			TRUCK ESCAPE RAMP RD
		0250/0797	(SR9301 SEG 0010/0000)
			018 "DIA CIRC CONCR
		0250/0644	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/0364	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/0110	LEN=0056 INSTALLED UNKN
1 0 00233 0 02 0858+62	051658 FT	051681 FT	1 0 00233 0 02 0858+38
FRANKLIN			FRANKLIN
SANDY CREEK T			SANDY CREEK T
LENGTH(AH 2075 BK 1420)	0251/0000	0250/0000	LENGTH(AH 2078 BK 1444)

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

LEFT	RIGHT
024 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN 0241/1369	
	024 "DIA CIRC CONCR 0240/1281 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN 0241/1143	
018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0241/0795	
	018 "DIA CIRC CONCR 0240/0768 LEN=0030 INSTALLED UNKN
	018 "DIA CIRC CONCR 0240/0431 LEN=0028 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN 0241/0374	
	018 "DIA CIRC CONCR 0240/0151 LEN=0025 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN 0241/0116	
1 0 00233 0 02 0844+42 050238 FT LENGTH(AH 1420 BK 1458) 0241/0000 S	050237 FT 1 0 00233 0 02 0843+94 S 0240/0000 LENGTH(AH 1444 BK 1457)
018 "DIA CIRC CONCR LEN=0062 INSTALLED UNKN 0231/1306	
	018 "DIA CIRC CONCR 0230/1181 LEN=0025 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0078 INSTALLED UNKN 0231/1022	
	018 "DIA CIRC CONCR 0230/0863 LEN=0025 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0072 INSTALLED UNKN 0231/0825	
	004 "DIA CIRC CONCR 0230/0643 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN 0231/0574	
	018 "DIA CIRC CONCR 0230/0490 LEN=0057 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN 0231/0289 TO 0062/0220 SH (CONN) 0231/0224	
	018 "DIA CIRC CONCR 0230/0111 LEN=0030 INSTALLED UNKN 048780 FT 1 0 00233 0 01 0829+42 018 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN NC FIFTEENTH ST FIFTEENTH ST (SR0008 SEG 0401/0938) (SR0008 SEG 0400/0919)
1 0 00233 0 01 0829+42 048780 FT NC FIFTEENTH ST	

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

LEFT		RIGHT	
FIFTEENTH ST (SR0008 SEG 0401/0938) MFC BEGIN = B LENGTH(AH 1458 BK 2797)	0231/0000	0230/0000	FIFTEENTH ST (SR0008 SEG 0401/0938) (SR0008 SEG 0400/0919) MFC BEGIN = B LENGTH(AH 1457 BK 2797) TO 0008/0401 SH
		0220/2746	(CONN)
FROM 0062/0231 SH (CONN)	0220/2628		
UNION ST (T392)	0220/2616		
SANDY CREEK FRENCH CREEK T	0220/2081		
OLD MERCER RD (T453) PERRY ST (T390)	0220/2028		
		0220/1694	WHITEWOOD DR (PRDR)
		0220/1676	018 "DIA CIRC CONCR LEN=0015 INSTALLED 1999
		0220/1323	SPRUCE LN (PRDR)
		0220/1204	018 "DIA CIRC CONCR LEN=0015 INSTALLED UNKN
		0220/0919	018 "DIA CIRC CONCR LEN=0015 INSTALLED UNKN
		0220/0308	SANDY CREEK FRENCH CREEK T
	045983 FT	045983 FT	1 0 00208 0 01 0460+44
		0220/0000	LENGTH(AH 2797 BK 2878)
		0210/2184	018 "DIA CIRC CONCR LEN=0022 INSTALLED UNKN
		0210/1513	036 "DIA CIR PLASTIC LEN=0012 INSTALLED UNKN
		0210/1015	018 "DIA CIRC CONCR LEN=0012 INSTALLED UNKN
1 0 00208 0 01 0431+66	043105 FT	043105 FT	
GEORGETOWN RD (SR3026 SEG 0160/2205)	0210/0000	0210/0000	LENGTH(AH 2878 BK 1843)
		0200/1212	024 "DIA CIR PLASTIC LEN=0015 INSTALLED UNKN

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

				WANINGO RD
		==	0200/0068	(T458)
1 0 00208 0 01 0413+48 041262 FT			041262 FT	
SANFORD RD				
(T454) 0200/0000	==		S 0200/0000	LENGTH(AH 1843 BK 2140)
				018 "DIA CIRC CONCR
	----		0190/0901	LEN=0012 INSTALLED UNKN
				015 "DIA CIRC CONCR
	----		0190/0502	LEN=0012 INSTALLED UNKN
VENANGO CNTY FAIRGROUND				
(PRDR) 0190/0156	==			
1 0 00208 0 01 0390+20 039122 FT			039122 FT	
BLACKHILL RD				
(T451) 0190/0000	==		S 0190/0000	LENGTH(AH 2140 BK 2090)
				015 "DIA CIRC CONCR
	----		0180/1250	LEN=0041 INSTALLED UNKN
				018 "DIA CIR PLASTIC
	----		0180/0306	LEN=0015 INSTALLED 2002
037032 FT			037032 FT	1 0 00208 0 01 0369+30
			S 0180/0000	LENGTH(AH 2090 BK 2341)
				018 "DIA CIR PLASTIC
	----		0170/2282	LEN=0015 INSTALLED 2013
				018 "DIA CIRC CONCR
	----		0170/2025	LEN=0015 INSTALLED UNKN
				018 "DIA CIRC CONCR
	----		0170/1696	LEN=0015 INSTALLED UNKN
				015 "DIA CIRC CONCR
	----		0170/1345	LEN=0015 INSTALLED UNKN
				036 "DIA CIRC CONCR
	----		0170/1044	LEN=0020 INSTALLED UNKN
				015 "DIA CIRC CONCR
	----		0170/0555	LEN=0015 INSTALLED UNKN
				018 "DIA CIR PLASTIC
	----		0170/0034	LEN=0015 INSTALLED UNKN
034691 FT			034691 FT	1 0 00208 0 01 0346+58
			S 0170/0000	LENGTH(AH 2341 BK 2677)
				015 "DIA CIRC CONCR
	----		0160/1914	LEN=0015 INSTALLED UNKN
				048 "DIA CIR PLASTIC
	----		0160/1565	LEN=0020 INSTALLED UNKN
				012 "DIA CIRC CONCR

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: FRENCH CREEK T RIGHT MUN: FRENCH CREEK T

```
                                                  0160/0628 LEN=0045 INSTALLED UNKN
                                                            012 "DIA CIRC CONCR
                                                  0160/0153 LEN=0015 INSTALLED UNKN
                        032014 FT                 032014 FT 1 0 00208 0 01 0319+81
                                                S 0160/0000 LENGTH(AH 2677 BK 2410)
                                                            018 "DIA CIRC CONCR
                                                  0150/2342 LEN=0015 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0150/2003 LEN=0015 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0150/1972 LEN=0015 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0150/1490 LEN=0015 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0150/0566 LEN=0015 INSTALLED UNKN
                        029604 FT                 029604 FT 1 0 00208 0 01 0295+79
                                                       NC MERCER RD
                                                            FRENCH CREEK
                                                            POLK BOROUGH B
                                                S 0150/0000 LENGTH(AH 2410 BK 1413)
                                                            015 "DIA CIRC CONCR
                                                  0140/1024 LEN=0015 INSTALLED UNKN
NILES RD
(BORO)                   0140/0983

                                                  0140/0075 BMSEN 60/0062/0140/0000
                        028191 FT                 028191 FT 1 0 00208 0 00 0281+66
                                                            LT.SANDY CK
                                                            BMSBG 60/0062/0140/0000
                                                S 0140/0000 LENGTH(AH 1413 BK 1971)
                                                            015 "DIA CIRC CONCR
                                                  0130/1793 LEN=0015 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0130/1482 LEN=0015 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0130/1117 LEN=0046 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0130/0298 LEN=0015 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0130/0081 LEN=0015 INSTALLED UNKN
1 0 00208 0 00 0261+92  026220 FT                 026220 FT POLK CUTTOFF RD
VALLEY RD                                                   (SR3024 SEG 0110/0000)
(SR3024 SEG 0110/0000)   0130/0000              S 0130/0000 LENGTH(AH 1971 BK 1508)
                                                  0120/1313 BMSEN 60/0062/0120/1298
                                                            1 0 00208 0 00 0259+80
                                                            HIBBS RUN
```

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: POLK BOROUGH B RIGHT MUN: POLK BOROUGH B

		0120/1298 BMSBG 60/0062/0120/1298
		018 "DIA CIRC CONCR
		0120/0633 LEN=0010 INSTALLED UNKN
		MAIN ST
		(BORO)
		CRAWFORD AV
		0120/0553 (BORO)
		ERIE ST
		0120/0195 (BORO)
1 0 00208 0 00 0246+90 024712 FT		024712 FT
SCHOOL DR		
(GOVT) 0120/0000		S 0120/0000 LENGTH(AH 1508 BK 0882)
		CHESTNUT ST
		0110/0473 (BORO)
		CHURCH ST
		0110/0128 (BORO)
		015 "DIA CIRC CONCR
		0110/0015 LEN=0015 INSTALLED UNKN
1 0 00208 0 00 0238+09 023830 FT		023830 FT
BELL AV		
(BORO) 0110/0000		S 0110/0000 LENGTH(AH 0882 BK 1797)
		018 "DIA CIRC METAL
		0100/1137 LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0100/1022 LEN=0015 INSTALLED UNKN
		018 "DIA CIRC METAL
		0100/0904 LEN=0015 INSTALLED UNKN
PALM HILL RD		
(BORO) 0100/0893		
		024 "DIA CIRC CONCR
		0100/0540 LEN=0044 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0100/0200 LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0100/0017 LEN=0015 INSTALLED UNKN
022033 FT		022033 FT 1 0 00208 0 00 0219+71
		S 0100/0000 LENGTH(AH 1797 BK 3618)
		018 "DIA CIRC CONCR
		0090/3248 LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0090/3093 LEN=0015 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0090/2880 LEN=0045 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0090/2534 LEN=0015 INSTALLED UNKN
		NC MAIN ST
		POLK BOROUGH
		0090/2210 FRENCH CREEK T

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: POLK BOROUGH B RIGHT MUN: POLK BOROUGH B

			012 "DIA CIRC CONCR
		0090/2109	LEN=0100 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0090/1891	LEN=0044 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/1763	LEN=0015 INSTALLED UNKN
			015 "DIA CIRC METAL
		0090/1396	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/0797	LEN=0015 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0090/0489	LEN=0015 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/0343	LEN=0015 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/0050	LEN=0100 INSTALLED UNKN
018415 FT		018415 FT	1 0 00208 0 00 0184+10
			JACKSON CENTER POLK RD
			(SR0965 SEG 0080/3264)
		S 0090/0000	LENGTH(AH 3618 BK 2437)
			FRENCH CREEK
		0080/2329	MINERAL T
			012 "DIA CIRC CONCR
		0080/2248	LEN=0034 INSTALLED UNKN
			024 "DIA CIRC METAL
		0080/2012	LEN=0048 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0080/1433	LEN=0042 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0080/1139	LEN=0042 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0080/0982	LEN=0034 INSTALLED UNKN
			012 "DIA CIRC CONCR
		0080/0664	LEN=0046 INSTALLED UNKN
			012 "DIA CIRC CONCR
		0080/0547	LEN=0048 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/0193	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0080/0057	LEN=0015 INSTALLED UNKN
015978 FT		015978 FT	1 0 00208 0 00 0159+73
		S 0080/0000	LENGTH(AH 2437 BK 1971)
			015 "DIA CIRC CONCR
		0070/1325	LEN=0015 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0070/1020	LEN=0015 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0070/0745	LEN=0044 INSTALLED UNKN
			012 "DIA CIRC CONCR

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

	0070/0495	LEN=0050 INSTALLED UNKN 024 "DIA CIRC CONCR
	0070/0400	LEN=0048 INSTALLED UNKN 015 "DIA CIRC CONCR
	0070/0040	LEN=0047 INSTALLED UNKN
014007 FT	014007 FT	1 0 00208 0 00 0140+02
	S 0070/0000	LENGTH(AH 1971 BK 2519) 015 "DIA CIRC CONCR
	0060/2332	LEN=0042 INSTALLED UNKN 015 "DIA CIRC CONCR
	0060/2097	LEN=0045 INSTALLED UNKN 015 "DIA CIRC CONCR
	0060/1771	LEN=0040 INSTALLED UNKN 015 "DIA CIRC CONCR
	0060/1537	LEN=0040 INSTALLED UNKN 015 "DIA CIRC CONCR
	0060/1322	LEN=0040 INSTALLED UNKN 015 "DIA CIRC CONCR
	0060/0962	LEN=0040 INSTALLED UNKN 024 "DIA CIRC METAL
	0060/0767	LEN=0056 INSTALLED UNKN 015 "DIA CIRC CONCR
	0060/0506	LEN=0045 INSTALLED UNKN
011488 FT	011488 FT	1 0 00208 0 00 0114+83
	S 0060/0000	LENGTH(AH 2519 BK 2498) 015 "DIA CIRC CONCR
	0050/2429	LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR
	0050/1853	LEN=0045 INSTALLED UNKN 015 "DIA CIRC CONCR
	0050/1485	LEN=0038 INSTALLED UNKN 015 "DIA CIRC CONCR
	0050/1212	LEN=0035 INSTALLED UNKN 018 "DIA CIRC CONCR
	0050/0866	LEN=0045 INSTALLED UNKN 024 "DIA CIRC CONCR
	0050/0672	LEN=0048 INSTALLED UNKN 015 "DIA CIRC CONCR
	0050/0538	LEN=0040 INSTALLED UNKN
008990 FT	008990 FT	1 0 00208 0 00 0089+85
	S 0050/0000	LENGTH(AH 2498 BK 2539) 015 "DIA CIRC CONCR
	0040/2074	LEN=0038 INSTALLED UNKN 015 "DIA CIRC CONCR
	0040/1762	LEN=0040 INSTALLED UNKN 015 "DIA CIRC CONCR
	0040/1544	LEN=0012 INSTALLED UNKN 015 "DIA CIRC CONCR
	0040/1029	LEN=0012 INSTALLED UNKN 048 "DIA CIRC CONCR

DIR: B TOTAL LEN: 33.355 MI. DIST: 01-5 SR: 62
LEFT MUN: MINERAL T RIGHT MUN: MINERAL T

```
                                                 0040/0704 LEN=0062 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0040/0322 LEN=0012 INSTALLED UNKN
                          006451 FT              006451 FT 1 0 00208 0 00 0064+51
                                                           018 "DIA CIRC CONCR
                                                           LEN=0015 INSTALLED UNKN
                                                S 0040/0000 LENGTH(AH 2539 BK 2651)
                                                           016 "DIA CIRC CONCR
                                                 0030/2275 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0030/1990 LEN=0050 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0030/1730 LEN=0015 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0030/1362 LEN=0015 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0030/0990 LEN=0015 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0030/0712 LEN=0015 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0030/0375 LEN=0015 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0030/0015 LEN=0015 INSTALLED UNKN
1 0 00208 0 00 0038+00 003800 FT                 003800 FT RAYMILTON RD
UTICA RD                                                   (SR3015 SEG 0050/2763)
(SR3017 SEG 0010/0000)  0030/0000               S 0030/0000 LENGTH(AH 2651 BK 1774)
                                                           018 "DIA CIRC CONCR
                                                 0020/1377 LEN=0012 INSTALLED UNKN


                                                           016 "DIA CIRC CONCR
                                                 0020/0265 LEN=0040 INSTALLED UNKN
                          002026 FT              002026 FT 1 0 00208 0 00 0020+33
                                                S 0020/0000 LENGTH(AH 1774 BK 2026)
                                                           018 "DIA CIRC CONCR
                                                 0010/1609 LEN=0012 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0010/1325 LEN=0012 INSTALLED UNKN


                                                           015 "DIA CIRC CONCR
                                                 0010/0046 LEN=0012 INSTALLED UNKN
                          000000 FT              000000 FT 1 0 00208 0 00 0000+00
                                                       NC MERCER RD
                                                * REF-BK   SR 0062 SH
                                                           (SR0062 SEG 0730/1995)
                                                           MFC BEGIN = C
                                                            BK-MERCER          (43)
                                                S 0010/0000 LENGTH(AH 2026 BK 0000)
```

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

062564 FT



062564 FT TWENTYEIGHTH DIVISION H
0240/3594 (SR0322 SEG 0550/0000)
036"H 84"W ELLIP CONC
0240/3570 LEN=0056 INSTALLED UNKN
015 "DIA CIRC CONCR
0240/3200 LEN=0045 INSTALLED UNKN
015 "DIA CIRC CONCR
0240/2886 LEN=0035 INSTALLED UNKN
015 "DIA CIR PLASTIC
0240/2580 LEN=0050 INSTALLED UNKN
018 "DIA CIR PLASTIC
0240/2290 LEN=0050 INSTALLED UNKN
015 "DIA CIRC CONCR
0240/2070 LEN=0052 INSTALLED UNKN
015 "DIA CIRC CONCR
0240/1800 LEN=0035 INSTALLED UNKN
015 "DIA CIRC CONCR
0240/1040 LEN=0035 INSTALLED UNKN
024 "DIA CIRC CONCR
0240/0575 LEN=0045 INSTALLED UNKN
036 "DIA CIRC CONCR

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: ROCKLAND T RIGHT MUN: ROCKLAND T

```
                                                 0240/0475 LEN=0072 INSTALLED UNKN
                    058970 FT                    058970 FT 1 0 00075 0 03 0724+96
                                                S 0240/0000 LENGTH(AH 3594 BK 3243)

                                                           015 "DIA CIRC CONCR
                                                 0230/2550 LEN=0045 INSTALLED UNKN

                                                           015 "DIA CIR PLASTIC
                                                 0230/1937 LEN=0034 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                 0230/1540 LEN=0035 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0230/1170 LEN=0075 INSTALLED UNKN
GEORGEVILLE RD                                             PEG-A-NAL RD
(T382)               0230/1144                   0230/1144 (T381)
                                                           024 "DIA CIRC CONCR
                                                 0230/1126 LEN=0060 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0230/0820 LEN=0046 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0230/0437 LEN=0043 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0230/0040 LEN=0040 INSTALLED UNKN
                    055727 FT                    055727 FT 1 0 00075 0 03 0692+46
                                                           ROCKLAND
                                                           RICHLAND T
                                                S 0230/0000 LENGTH(AH 3243 BK 3451)
                                                           048 "DIA CIRC CONCR
                                                 0220/3003 LEN=0045 INSTALLED UNKN
                                                           WHITLING RD
                                                 0220/2692 (T590)
                                                           015 "DIA CIR PLASTIC
                                                 0220/2680 LEN=0050 INSTALLED UNKN

                                                           012 "DIA CIRC CONCR
                                                 0220/1850 LEN=0040 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0220/1425 LEN=0045 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0220/1178 LEN=0042 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0220/0810 LEN=0040 INSTALLED UNKN
                                                           015 "DIA CIR PLASTIC
                                                 0220/0508 LEN=0044 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0220/0185 LEN=0040 INSTALLED UNKN
                                                 0220/0024 BMSEN 60/0038/0220/0000
                    052276 FT                    052276 FT 1 0 00075 0 03 0658+11
                                                           PINE RUN
                                                           BMSBG 60/0038/0220/0000
```

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

```
                                                  S 0220/0000 LENGTH(AH 3451 BK 3331)


                                                              018 "DIA CIRC CONCR
                                                    0210/2120 LEN=0044 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0210/1713 LEN=0042 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0210/1416 LEN=0040 INSTALLED UNKN
                                                              018 "DIA CIR PLASTIC
                                                    0210/0891 LEN=0034 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0210/0821 LEN=0040 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0210/0556 LEN=0035 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0210/0441 LEN=0034 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0210/0238 LEN=0035 INSTALLED 2017
                                                              015 "DIA CIRC CONCR
                                                    0210/0216 LEN=0036 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0210/0024 LEN=0056 INSTALLED 2017
                                                              018 "DIA CIRC CONCR
                                                    0210/0012 LEN=0055 INSTALLED UNKN
                    048945 FT                       048945 FT 1 0 00075 0 03 0624+84
                                                              NICKLEVILLE RD
                                                              (SR2011 SEG 0040/2318)
                                                  S 0210/0000 LENGTH(AH 3331 BK 2471)


                                                              018 "DIA CIR PLASTIC
                                                    0200/0650 LEN=0045 INSTALLED 1998
                                                              018 "DIA CIRC CONCR
                                                    0200/0325 LEN=0042 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0200/0070 LEN=0040 INSTALLED UNKN
                    046474 FT                       046474 FT 1 0 00075 0 03 0600+46
                                                  S 0200/0000 LENGTH(AH 2471 BK 3780)
                                                              015 "DIA CIRC CONCR
                                                    0190/3350 LEN=0042 INSTALLED UNKN
LC TO/FROM MYERS MILL R
(CONN)                0190/3120
                                                              018 "DIA CIRC CONCR
                                                    0190/2950 LEN=0040 INSTALLED 2005
                                                              018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

		0190/2937	LEN=0039 INSTALLED 2017
MYERS MILL RD (T381)	0190/2790		
		0190/2155	BMSEN 60/0038/0190/2178 1 0 00075 0 03 0563+78 BEAR RUN
		0190/2137	BMSBG 60/0038/0190/2178 036 "DIA CIR PLASTIC
		0190/1720	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0190/0765	LEN=0040 INSTALLED 2007
			015 "DIA CIRC CONCR
		0190/0739	LEN=0043 INSTALLED 2017
1 0 00075 0 03 0563+78 042694 FT		042694 FT	
ROCKLAND NICKLEVILLE RD (SR2002 SEG 0120/1807)	0190/0000	S 0190/0000	LENGTH(AH 3780 BK 3472)
			018 "DIA CIRC CONCR
		0180/3350	LEN=0055 INSTALLED 1996
			015 "DIA CIRC CONCR
		0180/2734	LEN=0036 INSTALLED 2017
			015 "DIA CIRC CONCR
		0180/2040	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0180/2019	LEN=0040 INSTALLED 2017
			015 "DIA CIRC CONCR
		0180/1445	LEN=0035 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0180/1422	LEN=0034 INSTALLED 2017
	039222 FT	039222 FT	1 0 00075 0 03 0527+55 052"H 82"W ELLIP CONC LEN=0045 INSTALLED UNKN
		S 0180/0000	LENGTH(AH 3472 BK 2340)
			018 "DIA CIRC CONCR
		0170/1035	LEN=0041 INSTALLED UNKN
SHOTGUN CLUB RD (T361)	0170/0353		
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

```
                                                   0170/0022 LEN=0040 INSTALLED UNKN
                        036882 FT                  036882 FT 1 0 00075 0 03 0504+03
                                                             BELL RD
                                                             (T363)
                                                 ==  S 0170/0000 LENGTH(AH 2340 BK 1788)
                                                   0160/0913 BMSEN 60/0038/0160/0898
                                                             1 0 00075 0 03 0495+05
                                                             MILL CK.TR.
                                                   0160/0898 BMSBG 60/0038/0160/0898
1 0 00075 0 03 0486+10  035094 FT                  035094 FT
PORTERFIELD RD
(T357)                   0160/0000             ==  S 0160/0000 LENGTH(AH 1788 BK 2765)
                                                             024 "DIA CIR PLASTIC
                                                   0150/2754 LEN=0035 INSTALLED 1996


                                                             018 "DIA CIRC CONCR
                                                   0150/0980 LEN=0050 INSTALLED UNKN

                                                             015 "DIA CIRC CONCR
                                                   0150/0348 LEN=0045 INSTALLED UNKN
                                                             015 "DIA CIRC CONCR
                                                   0150/0069 LEN=0050 INSTALLED UNKN
                        032329 FT                  032329 FT 1 0 00075 0 03 0458+46
                                                             NORTH KAHLE LAKE RD
                                                             (T359)
                                                 ==  S 0150/0000 LENGTH(AH 2765 BK 2757)
                                                             018 "DIA CIRC METAL
                                                   0140/2340 LEN=0110 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                                   0140/2014 LEN=0040 INSTALLED UNKN

                                                             018 "DIA CIRC CONCR
                                                   0140/1396 LEN=0040 INSTALLED UNKN

                                                             018 "DIA CIRC CONCR
                                                   0140/0796 LEN=0040 INSTALLED UNKN

                                                   0140/0019 BMSEN 60/0038/0140/0000
                        029572 FT                  029572 FT 1 0 00075 0 03 0430+91
                                                             MILL CREEK
                                                             BMSBG 60/0038/0140/0000
                                                 ==  S 0140/0000 LENGTH(AH 2757 BK 1809)
                                                             018 "DIA CIR PLASTIC
                                                   0130/1407 LEN=0038 INSTALLED 1996
```

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

```
                                                    015 "DIA CIRC CONCR
                                        0130/0467   LEN=0036 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                        0130/0020   LEN=0040 INSTALLED UNKN
                027763 FT               027763 FT   1 0 00075 0 03 0412+83
                                                    SOUTH KAHLE LAKE RD
                                                    (T350)
                                      S 0130/0000   LENGTH(AH 1809 BK 3973)
                                        0120/3680   BMSEN 60/0038/0120/3668
                                                    0 0 00000 0 00 0000+00
                                                    MILL CK.TR.
                                        0120/3668   BMSBG 60/0038/0120/3668

                                                    018 "DIA CIRC CONCR
                                        0120/2855   LEN=0040 INSTALLED UNKN
                                                    024 "DIA CIRC CONCR
                                        0120/2286   LEN=0048 INSTALLED UNKN

                                                    018 "DIA CIRC CONCR
                                        0120/1374   LEN=0040 INSTALLED UNKN

                                                    015 "DIA CIR PLASTIC
                                        0120/0365   LEN=0035 INSTALLED UNKN
1 0 00075 0 03 0373+13 023790 FT        023790 FT
AIRPORT RD
(SR2001 SEG 0080/2821)  0120/0000     S 0120/0000   LENGTH(AH 3973 BK 3567)
                                                    015 "DIA CIRC CONCR
                                        0110/3563   LEN=0045 INSTALLED 2019

                                                    015 "DIA CIRC CONCR
                                        0110/2269   LEN=0044 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                        0110/1811   LEN=0030 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                        0110/1566   LEN=0030 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                        0110/0998   LEN=0038 INSTALLED UNKN

                                        0110/0016   BMSEN 60/0038/0110/0000
                020223 FT               020223 FT   1 0 00075 0 03 0337+27
                                                    RICHEY RUN
                                                    BMSBG 60/0038/0110/0000
                                      S 0110/0000   LENGTH(AH 3567 BK 1749)
                                                    024 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

```
                                                 0100/1605 LEN=0042 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                                 0100/0615 LEN=0036 INSTALLED UNKN
WHITEHALL RD                                               SHREFFLER RD
(SR2003 SEG 0080/2441)  0100/0580                0100/0580 (T321)
                       018474 FT                 018474 FT 1 0 00075 0 03 0319+60
                                                *REF-BK    SR 0038 SH
                                                           (SR0038 SEG 0070/2705)
                                                            BK-CLARION          (16)
                                                5 0100/0000 LTH AH 001749 BK 000100
                       018474 FT                 018474 FT  AH-CLARION          (16)
                                                 7092/0000 LTH AH 000100 BK 002709
                                                *REF-AHD   SR 0038 SH
                                                 0090/2709 (SR0038 SEG 0050/0000)
                                                           018 "DIA CIRC CONCR
                                                 0090/2650 LEN=0040 INSTALLED UNKN
                                                 0090/2182 BMSEN 60/0038/0090/2164
                                                           1 0 00075 0 02 0251+90
                                                           RICHEY RUN
                                                 0090/2164 BMSBG 60/0038/0090/2164
                                                           018 "DIA CIRC CONCR
                                                 0090/1880 LEN=0050 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0090/1540 LEN=0045 INSTALLED UNKN
FERREE RD
(T550)                  0090/1485

                                                           018 "DIA CIRC CONCR
                                                 0090/0952 LEN=0034 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0090/0660 LEN=0060 INSTALLED UNKN
                                                           RAMP B RD
                                                 0090/0642 (SR8002 SEG 0510/0942)
                                                           RAMP A RD
                                                 0090/0623 (SR8002 SEG 0500/0000)
                                                           TO 8002/0500 SH
                                                 0090/0493 (CONN)
                                                           024 "DIA CIRC CONCR
                                                 0090/0430 LEN=0055 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                 0090/0250 LEN=0070 INSTALLED UNKN
                       015765 FT                 015765 FT 1 0 00075 0 02 0230+19
                                                5 0090/0000 LENGTH(AH 2709 BK 2342)
                                                           018 "DIA CIRC CONCR
                                                 0080/2130 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0080/1920 LEN=0042 INSTALLED UNKN
                                                           SR 0478 SH
                                                 0080/1763 (SR0478 SEG 0012/0000)
```

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: RICHLAND T RIGHT MUN: RICHLAND T

```
                                                    015 "DIA CIRC CONCR
                                     0080/1503 LEN=0040 INSTALLED UNKN

                                                    018 "DIA CIRC CONCR
                                     0080/0839 LEN=0045 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                     0080/0522 LEN=0045 INSTALLED 2005
                                     0080/0021 BMSEN 60/0038/0080/0000
013423 FT                            013423 FT 1 0 00075 0 02 0206+97
                                        NC SR 0038 SH
                                   * REF-BK     SR 0038 SH
                                                (SR0038 SEG 0030/2304)
                                                RICHEY RUN
                                                BMSBG 60/0038/0080/0000
                                                 BK-CLARION        (16)
                                   S 0080/0000 LTH AH 002342 BK 000100
013423 FT                            013423 FT  AH-CLARION        (16)
                                     7072/0000 LTH AH 000100 BK 001270
                                   * REF-AHD    SR 0038 SH
                                                (SR0038 SEG 0010/0000)
                                     0070/1270 EMLENTON B
                                                RICHEY RUN
                                                STRUCTURE LENGTH  40 FT
                                     0070/1229 BMSID 60/0038/0070/1200


                                                FIRST ST
                                     0070/0300 (BORO)
012153 FT                            012153 FT 1 0 00075 0 01 0124+31
                                                SECOND ST
                                                (BORO)
                                   S 0070/0000 LENGTH(AH 1270 BK 1174)
                                                THIRD ST
                                     0060/0771 (BORO)
                                                FOURTH ST
                                     0060/0369 (BORO)
1 0 00075 0 01 0112+27 010979 FT     010979 FT
KERR AV
(BORO)
MAIN ST
(BORO)                 0060/0000        NC MAIN ST
                                   S 0060/0000 LENGTH(AH 1174 BK 0976)
                                                018 "DIA CIRC CONCR
                                     0056/0875 LEN=0040 INSTALLED UNKN
                                     0056/0734 BMSEN 60/0038/0056/0163

                                                0 0 00000 0 00 0000+00
                                                RIVER AVE.
                                     0056/0062 BMSBG 60/0038/0056/0163
                                                024 "DIA CIRC CONCR
                                     0056/0050 LEN=0070 INSTALLED UNKN
```

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: EMLENTON B RIGHT MUN: EMLENTON B

010003 FT

1 0 00704 0 00 0043+26 009046 FT
HONEYSUCKLE RD
(BORO) 0052/0000

BIG BEND RD
(SR3016 SEG 0100/3342) 0040/0448
006096 FT

010003 FT 0 0 00000 0 00 0000+00
EMLENTON CLINTONVILLE R
(SR0268 SEG 0020/1277)
NC FIFTH ST
EMLENTON
SCRUBGRASS T
S 0056/0000 LENGTH(AH 0976 BK 0957)
024 "DIA CIRC CONCR
0052/0822 LEN=0039 INSTALLED 2017
024 "DIA CIRC CONCR
0052/0656 LEN=0033 INSTALLED 2017
024 "DIA CIRC CONCR
0052/0547 LEN=0032 INSTALLED 2017
018 "DIA CIRC CONCR
0052/0385 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0052/0270 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0052/0050 LEN=0060 INSTALLED UNKN
009046 FT

S 0052/0000 LENGTH(AH 0957 BK 2950)
018 "DIA CIR PLASTIC
0040/2532 LEN=0045 INSTALLED 2014
024 "DIA CIR PLASTIC
0040/2253 LEN=0040 INSTALLED 2014
018 "DIA CIR PLASTIC
0040/1978 LEN=0040 INSTALLED 2014
018 "DIA CIR PLASTIC
0040/1694 LEN=0040 INSTALLED 2014
030 "DIA CIR PLASTIC
0040/1370 LEN=0070 INSTALLED 2014
024 "DIA CIR PLASTIC
0040/0918 LEN=0055 INSTALLED 2014
024 "DIA CIR PLASTIC
0040/0665 LEN=0036 INSTALLED 2014
SQUAW VALLEY RD
0040/0564 (T309)
TRIB TO ALLEGHENY RIVER
STRUCTURE LENGTH 21 FT
0040/0503 BMSID 60/0038/0040/0538

006096 FT 1 0 00075 0 00 0060+00
S 0040/0000 LENGTH(AH 2950 BK 3086)
018 "DIA CIR PLASTIC
0030/2980 LEN=0048 INSTALLED UNKN
024 "DIA CIR PLASTIC
0030/2735 LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 11.849 MI. DIST: 01-5 SR: 38
LEFT MUN: SCRUBGRASS T RIGHT MUN: SCRUBGRASS T

			024 "DIA CIRC METAL
		0030/2077	LEN=0059 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0030/1065	LEN=0042 INSTALLED UNKN
	003010 FT	003010 FT	1 0 00075 0 00 0028+85
		5 0030/0000	LENGTH(AH 3086 BK 1567)
			024 "DIA CIRC METAL
		0020/0409	LEN=0052 INSTALLED UNKN
			024 "DIA CIRC METAL
		0020/0272	LEN=0054 INSTALLED UNKN
			FROM 0038/0010 SH
		0020/0105	(CONN)
	001443 FT	001443 FT	1 0 00075 0 00 0014+32
EMLENTON CLINTONVILLE R			NC EMLENTON CLINTONVILLE RD
(SR0208 SEG 0300/2612)	0020/0000	5 0020/0000	LENGTH(AH 1567 BK 1443)
			TO 0038/0020 SH
		0010/1348	(CONN)
			018 "DIA CIRC CONCR
		0010/1342	LEN=0072 INSTALLED UNKN
			RAMP B RD
		0010/1145	(SR8010 SEG 0500/0665)
			036 "DIA CIRC CONCR
		0010/1058	LEN=0052 INSTALLED UNKN
RAMP A RD			
(SR8010 SEG 0250/0000)	0010/1021		
TO 8010/0250 SH			
(CONN)	0010/0880		
			SR 0080 WB
		0010/0668	OP ID 60/0080/0421/0062
			SR 0080 EB
		0010/0508	OP ID 60/0080/0420/0000
			TO 8010/0750 SH
		0010/0346	(CONN)
			RAMP C RD
		0010/0251	(SR8010 SEG 0750/0000)
RAMP D RD			
(SR8010 SEG 0010/0621)	0010/0040		
	000000 FT	000000 FT	1 0 00075 0 00 0000+00
			NC SR 0038 SH
		* REF-BK	SR 0038 SH
			(SR0038 SEG 0570/2109)
			MFC BEGIN = C
			BK-BUTLER (10)
		5 0010/0000	LENGTH(AH 1443 BK 0000)

DIR: B TOTAL LEN: 5.009 MI. DIST: 01-5 SR: 36
LEFT MUN: PLEASANTVILLE B RIGHT MUN: PLEASANTVILLE B

026447 FT

MAIN ST
(BORO)

0110/2984



026447 FT
INTER-AHD STATE ST
(SR0027 SEG 0240/0000)
MAIN ST
(SR0027 SEG 0240/0000)
0110/2984
018 "DIA CIRC CONCR
0110/2920 LEN=0049 INSTALLED 1996
SCHOOL ST
0110/2115 (BORO)

DIR: B TOTAL LEN: 5.009 MI. DIST: 01-5 SR: 36
LEFT MUN: PLEASANTVILLE B RIGHT MUN: PLEASANTVILLE B

```
                                                    DUNHAM RD
                                          0110/1205 (BORO)

                023463 FT                 023463 FT 2 0 60051 0 00 0066+55
                                                NC STATE ST
                                                    PLEASANTVILLE
                                                    OIL CREEK T
                                        S 0110/0000 LENGTH(AH 2984 BK 2328)
                                                    018 "DIA CIRC CONCR
                                          0100/1874 LEN=0050 INSTALLED 1996

TIGHT PINCH RD                                      OIL CREEK
(T626)           0100/1233                0100/1233 ALLEGHENY T

                                                    018 "DIA CIRC CONCR
                                          0100/0410 LEN=0048 INSTALLED 1996
                021135 FT                 021135 FT 2 0 60051 0 00 0089+83
                                        S 0100/0000 LENGTH(AH 2328 BK 2561)
                                                    018 "DIA CIRC CONCR
                                          0090/2283 LEN=0050 INSTALLED 1996

                                                    018 "DIA CIRC CONCR
                                          0090/1670 LEN=0050 INSTALLED 1996

                                                    018 "DIA CIRC CONCR
                                          0090/0969 LEN=0050 INSTALLED 1996

                018574 FT                 018574 FT 2 0 60051 0 00 0115+75
                                        S 0090/0000 LENGTH(AH 2561 BK 3138)
                                                    024 "DIA CIRC CONCR
                                          0080/2980 LEN=0050 INSTALLED 1996


                                                    018 "DIA CIRC CONCR
                                          0080/1656 LEN=0074 INSTALLED 1996
                                                    018 "DIA CIRC CONCR
                                          0080/1160 LEN=0054 INSTALLED 1996

                                                    018 "DIA CIRC CONCR
                                          0080/0312 LEN=0068 INSTALLED 1996
                                          0080/0018 BMSEN 60/0036/0080/0000
                015436 FT                 015436 FT 2 0 60051 0 00 0147+05
                                                    PITHOLE CR.
                                                    BMSBG 60/0036/0080/0000
                                        S 0080/0000 LENGTH(AH 3138 BK 2248)
                                                    018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 5.009 MI. DIST: 01-5 SR: 36
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

```
                                                  0070/1812 LEN=0048 INSTALLED 1996
WILBUR RD                                                   PIKE RD
(T595)                0070/1790                   0070/1790 (T599)
                                                            018 "DIA CIRC CONCR
                                                  0070/1735 LEN=0056 INSTALLED 1996
PLEASANT VALLEY DR
(T632)                0070/1391
                                                            018 "DIA CIRC CONCR
                                                  0070/1356 LEN=0056 INSTALLED 1996
                                                            018 "DIA CIRC CONCR
                                                  0070/0934 LEN=0080 INSTALLED 1996

                      013188 FT                   013188 FT 2 0 60051 0 00 0169+05
                                                S 0070/0000 LENGTH(AH 2248 BK 2078)
                                                            015 "DIA CIRC CONCR
                                                  0060/1625 LEN=0052 INSTALLED 1996
                                                            018 "DIA CIRC CONCR
                                                  0060/1269 LEN=0074 INSTALLED 1996

                      011110 FT                   011110 FT 2 0 60051 0 00 0190+26
                                                S 0060/0000 LENGTH(AH 2078 BK 1901)
                                                            018 "DIA CIRC CONCR
                                                  0050/1871 LEN=0102 INSTALLED 1996

                                                            018 "DIA CIRC CONCR
                                                  0050/1097 LEN=0060 INSTALLED 1996

TEMPERANCE HOUSE RD
(T603)                 0050/0487
                      009209 FT                   009209 FT 2 0 60051 0 00 0209+27
                                                            BAILEY RD
PITHOLE RD                                                  (T634)
(SR1006 SEG 0130/2683)  0050/0000               S 0050/0000 LENGTH(AH 1901 BK 2118)

                                                  0040/1210 BMSEN 60/0036/0040/1142
                                                            2 0 60051 0 00 0230+57
                                                            PITHOLE CK.0
                                                  0040/1121 BMSBG 60/0036/0040/1142

                                                            018 "DIA CIRC CONCR
                                                  0040/0227 LEN=0050 INSTALLED 1996
                      007091 FT                   007091 FT 2 0 60051 0 00 0230+57
                                                S 0040/0000 LENGTH(AH 2118 BK 1892)

                                                            018 "DIA CIRC CONCR
                                                  0030/1269 LEN=0054 INSTALLED 1996
```

DIR: B TOTAL LEN: 5.009 MI. DIST: 01-5 SR: 36
LEFT MUN: ALLEGHENY T RIGHT MUN: ALLEGHENY T

```
                                                  024 "DIA CIRC CONCR
                                  0030/0739 LEN=0064 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                  0030/0561 LEN=0050 INSTALLED UNKN
                                                  PITHOLE CK.
                                                  STRUCTURE LENGTH  13 FT
                                  0030/0376 BMSID 60/0036/0030/0376
                                                  018 "DIA CIRC CONCR
                                  0030/0025 LEN=0050 INSTALLED 1996
005199 FT                         005199 FT 2 0 60051 0 00 0249+41
                                                  OLD ROUTE 36
                                                  (T601)
                                  0030/0000 LENGTH(AH 1892 BK 2333)
                                                  015 "DIA CIRC CONCR
                                  0020/2057 LEN=0054 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                  0020/1809 LEN=0054 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                  0020/1457 LEN=0054 INSTALLED 1996

                                                  024 "DIA CIRC CONCR
                                  0020/0707 LEN=0050 INSTALLED 1996
                                                  015 "DIA CIRC CONCR
                                  0020/0367 LEN=0052 INSTALLED 1996
002866 FT                         002866 FT 2 0 60051 0 00 0272+80
                                                  OLD ROUTE 36
                                                  (T601)
                                  0020/0000 LENGTH(AH 2333 BK 2866)
                                                  018 "DIA CIRC CONCR
                                  0010/2714 LEN=0060 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                  0010/2232 LEN=0060 INSTALLED 1996


                                                  018 "DIA CIRC CONCR
                                  0010/0964 LEN=0045 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                  0010/0757 LEN=0060 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                  0010/0352 LEN=0045 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                  0010/0129 LEN=0045 INSTALLED 1996
000000 FT                         000000 FT 2 0 60051 0 00 0301+16
                                        NC COL DRAKE HW
                                  REF-BK  COL DRAKE HW
                                                  (SR0036 SEG 0260/2734)
                                                  MFC BEGIN = C
                                                   BK-FOREST          (27)
                                  0010/0000 LENGTH(AH 2866 BK 0000)
```

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

060962 FT

060962 FT AH-WARREN (61)
* REF-AHD ENTERPRISE RD
0290/1432 (SR0027 SEG 0010/0000)
0290/1074 BMSEN 60/0027/0290/1082

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

```
                                                  1 0 00089 0 00 0574+80
                                                  PINE RUN BR.
                                     0290/1055    BMSBG 60/0027/0290/1082

                                     0290/0011    BMSEN 60/0027/0290/0000
059530 FT                            059530 FT    1 0 00089 0 00 0574+80
                                                  PINE CK.TR.
                                                  BMSBG 60/0027/0290/0000
                                   S 0290/0000    LENGTH(AH 1432 BK 2977)

                                                  018 "DIA CIRC CONCR
                                     0280/2197    LEN=0015 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0280/1812    LEN=0020 INSTALLED UNKN
                                     0280/1350    BMSEN 60/0027/0280/1313
                                                  1 0 00089 0 00 0558+33
                                                  BRANCH OF PINE CREEK
                                     0280/1333    BMSBG 60/0027/0280/1313
                                                  018 "DIA CIRC CONCR
                                     0280/1187    LEN=0015 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0280/0745    LEN=0015 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0280/0277    LEN=0062 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0280/0075    LEN=0015 INSTALLED UNKN
056553 FT                            056553 FT    1 0 00089 0 00 0545+20
                                   S 0280/0000    LENGTH(AH 2977 BK 2487)
                                                  012 "DIA CIRC CONCR
                                     0270/2342    LEN=0015 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0270/2053    LEN=0015 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                     0270/1589    LEN=0015 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0270/1265    LEN=0015 INSTALLED UNKN

                                                  024 "DIA CIRC CONCR
                                     0270/0585    LEN=0015 INSTALLED UNKN
                                                  020 "DIA CIRC CONCR
                                     0270/0409    LEN=0015 INSTALLED UNKN
054066 FT                            054066 FT    1 0 00089 0 00 0520+54
                                                  018 "DIA CIRC CONCR
                                                  LEN=0056 INSTALLED UNKN
                                   S 0270/0000    LENGTH(AH 2487 BK 3359)
                                                  018 "DIA CIRC CONCR
                                     0260/3149    LEN=0015 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0260/2741    LEN=0015 INSTALLED UNKN
```

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

```
                                                    018 "DIA CIRC CONCR
                                                0260/2302 LEN=0053 INSTALLED UNKN
                                                          OIL CREEK
                                                0260/2285 PLEASANTVILLE B
                                                          024 "DIA CIRC CONCR
                                                0260/1821 LEN=0015 INSTALLED UNKN
                                                          040 "DIA CIRC CONCR
                                                0260/1540 LEN=0015 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0260/1142 LEN=0015 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0260/0851 LEN=0015 INSTALLED UNKN
                                                          015 "DIA CIR PLASTIC
                                                0260/0450 LEN=0015 INSTALLED UNKN
1 0 00089 0 00 0486+74 050707 FT                050707 FT
MERRICK ST
(SR1008 SEG 0010/3407)  0260/0000             S 0260/0000 LENGTH(AH 3359 BK 0849)
MAIN ST
(BORO)                  0250/0685

                                                     NC ENTERPRISE RD
                                                          015 "DIA CIRC CONCR
                                                0250/0349 LEN=0010 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0250/0005 LEN=0015 INSTALLED UNKN
                        049858 FT               049858 FT 2 0 60074 0 00 0009+44
                                                          THIRD ST
                                                          (SR0227 SEG 0250/0000)
                                                      S 0250/0000 LENGTH(AH 0849 BK 0930)
                                                          015 "DIA CIRC CONCR
                                                0240/0917 LEN=0010 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0240/0581 LEN=0033 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0240/0468 LEN=0033 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0240/0156 LEN=0017 INSTALLED UNKN
                                                          SECOND ST
                                                0240/0132 (BORO)
                        048928 FT               048928 FT 2 0 60074 0 00 0000+00
                                                          STATE ST
                                                          (SR0036 SEG 0110/2984)
                                                     NC MAIN ST

                                                          MAIN ST
                                                          (BORO)
                                                      S 0240/0000 LENGTH(AH 0930 BK 2224)
                                                          030 "DIA CIRC CONCR
                                                0230/1907 LEN=0015 INSTALLED UNKN
                                                          030 "DIA CIRC CONCR
                                                0230/1902 LEN=0010 INSTALLED UNKN
```

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: PLEASANTVILLE B RIGHT MUN: PLEASANTVILLE B

```
                                                        030 "DIA CIRC CONCR
                                                 0230/1765 LEN=0015 INSTALLED UNKN
                                                        SHAMBURG ST
                                                 0230/1496 (BORO)
                                                        015 "DIA CIRC CONCR
                                                 0230/1455 LEN=0010 INSTALLED UNKN
CHESTNUT ST
(BORO)                    0230/1194
                                                        015 "DIA CIRC CONCR
                                                 0230/0779 LEN=0015 INSTALLED UNKN
                                                        015 "DIA CIRC CONCR
                                                 0230/0253 LEN=0015 INSTALLED UNKN
                         046704 FT               046704 FT 2 0 60051 0 00 0014+63
                                                        NEW ST
                                                        (BORO)
                                                 S 0230/0000 LENGTH(AH 2224 BK 1461)


                                                        PLEASANTVILLE
                                                 0220/0151 OIL CREEK T
FOR SR 0027 AND 1008
(CONN)                    0220/0114
                                                      NC STATE ST
2 0 60051 0 00 0000+00 045243 FT                 045243 FT ROUSEVILLE RD
MERRICK ST                                              (SR0227 SEG 0240/2489)
(SR1008 SEG 0010/0000)    0220/0000              S 0220/0000 LENGTH(AH 1461 BK 2501)
                                                        018 "DIA CIRC CONCR
                                                 0210/2142 LEN=0015 INSTALLED UNKN
FAWN LN
(T625)                    0210/1788
                                                        018 "DIA CIRC CONCR
                                                 0210/1612 LEN=0056 INSTALLED UNKN



1 0 00089 0 00 0427+68 042742 FT                 042742 FT
LAURIE DR
(T623)                    0210/0000              S 0210/0000 LENGTH(AH 2501 BK 2240)


                                                        018 "DIA CIRC CONCR
                                                 0200/1122 LEN=0015 INSTALLED UNKN
BUGTOWN RD
(T620)                    0200/1068
                                                        018 "DIA CIRC CONCR
                                                 0200/0270 LEN=0028 INSTALLED UNKN
                                                        018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

```
                                                 0200/0020 LEN=0020 INSTALLED UNKN
                    040502 FT                    040502 FT 1 0 00089 0 00 0405+23
                                                           KUNZ RD
                                                           (T671)
                                                 0200/0000 LENGTH(AH 2240 BK 3134)
                                                 0190/3080 RWIS SITE/AT PLEASANTVI

                                                           024 "DIA CIRC CONCR
                                                 0190/2480 LEN=0070 INSTALLED UNKN
                                                           SR 1013 SH
                                                 0190/2395 (SR1013 SEG 0020/2442)

                                                           018 "DIA CIRC CONCR
                                                 0190/1644 LEN=0015 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0190/1111 LEN=0015 INSTALLED UNKN
                                                           048"H 48"W CON BOX CUL
                                                 0190/1086 LEN=0050 INSTALLED UNKN
HARVEY RD
(T628)              0190/0605

                                                           015 "DIA CIRC CONCR
                                                 0190/0592 LEN=0015 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                 0190/0290 LEN=0012 INSTALLED UNKN
                    037368 FT                    037368 FT 1 0 00089 0 00 0374+00
                                                 0190/0000 LENGTH(AH 3134 BK 2474)
                                                           015 "DIA CIRC CONCR
                                                 0180/2435 LEN=0015 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0180/2060 LEN=0015 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0180/1852 LEN=0015 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0180/1612 LEN=0050 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0180/1375 LEN=0064 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0180/1034 LEN=0060 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0180/0537 LEN=0012 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0180/0285 LEN=0012 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0180/0030 LEN=0012 INSTALLED UNKN
                    034894 FT                    034894 FT 1 0 00089 0 00 0348+97
                                                 0180/0000 LENGTH(AH 2474 BK 2489)
                                                           018 "DIA CIRC CONCR
                                                 0170/2330 LEN=0020 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0170/2185 LEN=0050 INSTALLED UNKN
```

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: OIL CREEK T RIGHT MUN: OIL CREEK T

```
                                                  018 "DIA CIRC CONCR
                                  0170/2178 LEN=0048 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0170/2027 LEN=0015 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                  0170/1626 LEN=0058 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                  0170/1020 LEN=0064 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0170/0764 LEN=0055 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0170/0374 LEN=0020 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0170/0075 LEN=0015 INSTALLED UNKN
032405 FT                         032405 FT 1 0 00089 0 00 0324+08
                                S 0170/0000 LENGTH(AH 2489 BK 1373)
                                                  015 "DIA CIRC CONCR
                                  0160/1050 LEN=0015 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                  0160/0445 LEN=0064 INSTALLED UNKN
                                                  WHITE CITY RD
                                  0160/0388 (T600)
031032 FT                         031032 FT 1 0 00089 0 00 0310+50
                                * REF-BK          SR 0027 SH
                                                  (SR0027 SEG 0530/2750)
                                                   BK-CRAWFORD        (20)
                                S 0160/0000 LTH AH 001373 BK 000100
031032 FT                         031032 FT  AH-CRAWFORD        (20)
                                  7154/0000 LTH AH 000100 BK 002596
                                * REF-AHD         SR 0027 SH
                                                  (SR0027 SEG 0390/0000)
                                  0150/2596 CHERRYTREE T
                                                  018 "DIA CIR PLASTIC
                                  0150/2473 LEN=0012 INSTALLED 1999
                                                  017"H 29"W ELLIP METAL
                                  0150/2100 LEN=0045 INSTALLED UNKN


                                                  015"H 29"W ELLIP METAL
                                  0150/0963 LEN=0018 INSTALLED UNKN

                                                  038"H 59"W ELLIP METAL
                                  0150/0257 LEN=0018 INSTALLED UNKN
028436 FT                         028436 FT 1 0 00089 0 00 0284+47
                                S 0150/0000 LENGTH(AH 2596 BK 1994)

EAST TROY RD                                      STONE SPRINGHOUSE RD
```

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

```
(T854)                    0140/0981    ==|  |==    0140/0981 (T508)

                          026442 FT                026442 FT 1 0 00089 0 00 0264+53
                                                 S 0140/0000 LENGTH(AH 1994 BK 2333)
                                                           042 "DIA CIRC CONCR
                                       ----        0130/1597 LEN=0016 INSTALLED UNKN

                          024109 FT                024109 FT 1 0 00089 0 00 0241+20
                                                           018 "DIA CIR PLASTIC
                                                           LEN=0016 INSTALLED 1999
                                                           CHERRY TREE PLUM LINE R
                                                           (T506)
                                                           CHERRYTREE
SHRINER RD                                                 PLUM T
(T507)                    0130/0000    ----      S 0130/0000 LENGTH(AH 2333 BK 2158)
                                                           015 "DIA CIRC METAL
                                       ----        0120/1641 LEN=0014 INSTALLED 1999

                                                           011 "DIA CIR PLASTIC
                                       ----        0120/0223 LEN=0016 INSTALLED UNKN
                          021951 FT                021951 FT 1 0 00089 0 00 0219+62
                                                 S 0120/0000 LENGTH(AH 2158 BK 1909)

                                                           018 "DIA CIRC CONCR
                                       ----        0110/0136 LEN=0016 INSTALLED UNKN
                          020042 FT                020042 FT 1 0 00089 0 00 0200+53
                                                 S 0110/0000 LENGTH(AH 1909 BK 2383)
                                                           018 "DIA CIRC CONCR
                                       ----        0100/2049 LEN=0012 INSTALLED UNKN
                                                           024"H 42"W ELLIP CONC
                                       ----        0100/1548 LEN=0056 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                       ----        0100/0205 LEN=0014 INSTALLED UNKN
                          017659 FT                017659 FT 1 0 00089 0 00 0178+45
                                                           OLD POST OFFICE RD
                                                           (T713)
                                         |  |==      S 0100/0000 LENGTH(AH 2383 BK 2104)
```

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: PLUM T RIGHT MUN: PLUM T

			OLD POST OFFICE RD
		0090/1381	(T713)
			SUG.CK.TB.
			STRUCTURE LENGTH 20 FT
		0090/1300	BMSID 60/0027/0090/1300
KIGHTLINER RD (T477)	0090/1232		
			018 "DIA CIRC CONCR
		0090/0832	LEN=0014 INSTALLED UNKN
	015555 FT	015555 FT	1 0 00089 0 00 0155+71
			WALLACEVILLE RD
			(SR0428 SEG 0320/2644)
		S 0090/0000	LENGTH(AH 2104 BK 0537)
			018"H 30"W ELLIP METAL
		0080/0431	LEN=0018 INSTALLED UNKN
	015018 FT	015018 FT	1 0 00089 0 00 0150+29
			018 "DIA CIR PLASTIC
TROY CENTER RD (SR0428 SEG 0330/0000)	0080/0000		LEN=0030 INSTALLED 2015
		S 0080/0000	LENGTH(AH 0537 BK 2358)
			024 "DIA CIRC CONCR
		0070/0923	LEN=0014 INSTALLED UNKN
	012660 FT	012660 FT	1 0 00089 0 00 0126+71
		S 0070/0000	LENGTH(AH 2358 BK 2128)
			018 "DIA CIRC CONCR
		0060/1722	LEN=0014 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/0886	LEN=0014 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/0451	LEN=0014 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/0281	LEN=0014 INSTALLED UNKN
	010532 FT	010532 FT	1 0 00089 0 00 0105+43
		S 0060/0000	LENGTH(AH 2128 BK 2115)
	008417 FT	008417 FT	1 0 00089 0 00 0084+19
		S 0050/0000	LENGTH(AH 2115 BK 2543)
			027 "DIA CIRC CONCR

DIR: B TOTAL LEN: 11.546 MI. DIST: 01-5 SR: 27
LEFT MUN: PLUM T RIGHT MUN: PLUM T

```
                                        0040/2496 LEN=0018 INSTALLED UNKN

                                                  030 "DIA CIRC CONCR
                                        0040/0085 LEN=0018 INSTALLED UNKN
005874 FT                               005874 FT 1 0 00089 0 00 0057+52
                                      S 0040/0000 LENGTH(AH 2543 BK 2527)

                                                  027 "DIA CIRC METAL
                                        0030/1272 LEN=0052 INSTALLED UNKN
                                                  SNYDER RD
                                        0030/0974 (T639)

003347 FT                               003347 FT 1 0 00089 0 00 0033+51
                                                  LEBOEUF TRAIL RD
                                                  (SR4009 SEG 0180/0000)
                                      S 0030/0000 LENGTH(AH 2527 BK 1418)
                                                  036 "DIA CIRC CONCR
                                        0020/1259 LEN=0014 INSTALLED UNKN

001929 FT                               001929 FT 1 0 00089 0 00 0020+01
                                                  VILLAGE: CHAPMANVILLE
                                      S 0020/0000 LENGTH(AH 1418 BK 1929)

                                                  LESH RD
                                        0010/1027 (T386)
                                                  LC TO LESH RD
                                        0010/0881 (CONN)
                                                  036 "DIA CIRC CONCR
                                        0010/0737 LEN=0014 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0010/0223 LEN=0014 INSTALLED UNKN
000000 FT                               000000 FT 1 0 00089 0 00 0000+00
                                              NC SR 0027 SH
                                      * REF-BK    SR 0027 SH
                                                  (SR0027 SEG 0380/2329)
                                                  MFC BEGIN = C
                                                   BK-CRAWFORD        (20)
                                      S 0010/0000 LENGTH(AH 1929 BK 0000)
```

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

```
168362 FT                    168755 FT  AH-CRAWFORD          (20)
                           * REF-AHD   SMOCK BL
                             0730/2374 (SR0008 SEG 0010/0000)
                                       024 "DIA CIRC CONCR
                             0730/1993 LEN=0058 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0730/1488 LEN=0106 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0730/1166 LEN=0096 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0730/0850 LEN=0116 INSTALLED UNKN
                                       024 "DIA CIRC CONCR
                             0730/0449 LEN=0054 INSTALLED UNKN
165988 FT                    166381 FT 1 0 00205 0 02 0749+26
                           S 0730/0000 LENGTH(AH 2374 BK 2536)
                                       018 "DIA CIRC CONCR
                             0720/2420 LEN=0100 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0720/1836 LEN=0034 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0720/1200 LEN=0048 INSTALLED UNKN
                                       036"H 36"W BOX CULVRT*
                             0720/0858 LEN=0235 INSTALLED UNKN

                                       048 "DIA CIRC METAL
                             0720/0200 LEN=0100 INSTALLED UNKN
                                       024 "DIA CIRC CONCR
                             0720/0040 LEN=0100 INSTALLED UNKN
163452 FT                    163845 FT 1 0 00205 0 02 0723+90
                           S 0720/0000 LENGTH(AH 2536 BK 2661)

                                       018 "DIA CIRC CONCR
                             0710/1478 LEN=0050 INSTALLED UNKN

                                       HAMMOND RUN
                                       STRUCTURE LENGTH    8 FT
                             0710/0635 BMSID 60/0008/0710/0635
160791 FT                    161184 FT 1 0 00205 0 02 0697+29
                                       BLACK RD
                                       (T669)
                           S 0710/0000 LENGTH(AH 2661 BK 2870)
```

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

OLD ROUTE 8 RD (T670)	0700/2118			018 "DIA CIRC CONCR
			0700/2003	LEN=0058 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0700/1480	LEN=0058 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0700/0775	LEN=0058 INSTALLED UNKN
FAIRVIEW RD (T649)	0700/0335			024 "DIA CIRC CONCR
			0700/0220	LEN=0048 INSTALLED UNKN
	157921 FT		158314 FT	1 0 00205 0 02 0668+74
			S 0700/0000	LENGTH(AH 2870 BK 2930)
				015 "DIA CIRC METAL
			0690/2570	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0690/0270	LEN=0045 INSTALLED 1997
	154991 FT		155384 FT	1 0 00205 0 02 0639+45
			S 0690/0000	LENGTH(AH 2930 BK 2462)
SOPHER RD (T651)	0680/1591			
	152529 FT		152922 FT	1 0 00205 0 02 0614+83
			S 0680/0000	LENGTH(AH 2462 BK 2398)
				018 "DIA CIRC CONCR
			0670/1881	LEN=0035 INSTALLED UNKN
BUXTON RD (SR4022 SEG 0200/3079)	0670/0531			060 "DIA CIRC CONCR
			0670/0530	LEN=0100 INSTALLED UNKN
				060 "DIA CIRC CONCR
			0670/0448	LEN=0080 INSTALLED UNKN
	150131 FT		150524 FT	1 0 00205 0 02 0590+52
				TURKEY FARM RD
				(T633)

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

```
                                        S 0670/0000 LENGTH(AH 2398 BK 2565)
                                                    018 "DIA CIRC CONCR
                                          0660/2128 LEN=0060 INSTALLED UNKN

147566 FT                                 147959 FT 1 0 00205 0 02 0565+22
                                        S 0660/0000 LENGTH(AH 2565 BK 2508)
                                                    018 "DIA CIRC CONCR
                                          0650/1898 LEN=0050 INSTALLED UNKN

                                                    015 "DIA CIR PLASTIC
                                          0650/0954 LEN=0072 INSTALLED UNKN

145058 FT                                 145451 FT 1 0 00205 0 02 0540+14
                                        S 0650/0000 LENGTH(AH 2508 BK 2565)
                                                    024 "DIA CIRC CONCR
                                          0640/1475 LEN=0050 INSTALLED UNKN

                                                    015 "DIA CIRC CONCR
                                          0640/0551 LEN=0040 INSTALLED UNKN
142493 FT                                 142886 FT 1 0 00205 0 02 0514+49
                                        S 0640/0000 LENGTH(AH 2565 BK 2927)
                                                    018 "DIA CIRC CONCR
                                          0630/2090 LEN=0006 INSTALLED UNKN
                                                    PETROLEUM CENTER RD
                                          0630/1992 (SR1009 SEG 0070/2453)

                                                    018 "DIA CIRC CONCR
                                          0630/1058 LEN=0050 INSTALLED UNKN

                                                    018 "DIA CIRC METAL
                                          0630/0299 LEN=0075 INSTALLED UNKN
                                                    036 "DIA CIRC CONCR
                                          0630/0050 LEN=0100 INSTALLED UNKN
139566 FT                                 139959 FT 1 0 00205 0 02 0486+96
                                                    CHERRYTREE RD
                                                    (T540)
                                        S 0630/0000 LENGTH(AH 2927 BK 2984)
```

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

			018 "DIA CIRC CONCR
		0620/2468	LEN=0035 INSTALLED UNKN
CHERRYTREE RD			CHERRYTREE RD
(T540)	0620/1458	0620/1458	(T540)
			024 "DIA CIRC CONCR
		0620/1286	LEN=0150 INSTALLED UNKN
1 0 00205 0 02 0455+49	136582 FT	136975 FT	
LAMEY RD			
(T518)	0620/0000	0620/0000	LENGTH(AH 2984 BK 2266)
			018 "DIA CIRC CONCR
		0610/1635	LEN=0075 INSTALLED UNKN
			OLD PETROLEUM CENTER RD
		0610/1400	(T613)
		0610/1324	BMSEN 60/0008/0610/1242
			0 0 00000 0 00 0000+00
			CHERRYTREE RUN
		0610/1270	BMSBG 60/0008/0610/1242
HAMILTON CORNERS RD			
(T617)	0610/1242		
			018 "DIA CIRC CONCR
		0610/0669	LEN=0050 INSTALLED UNKN
		0610/0454	BMSEN 60/0008/0610/0398
			0 0 00000 0 00 0000+00
			B.CHRYTR.R.
		0610/0431	BMSBG 60/0008/0610/0398
SR 9101 SH			
(SR9101 SEG 0010/0000)	0610/0254		
			018 "DIA CIRC CONCR
		0610/0235	LEN=0060 INSTALLED UNKN
SR 0417 SH			
(SR0417 SEG 0261/0286)	0610/0010		
1 0 00205 0 02 0435+16	134316 FT	134709 FT	
SR 0417 SH			
(SR0417 SEG 0260/0213)	0610/0000	0610/0000	LENGTH(AH 2266 BK 2364)
			024 "DIA CIRC CONCR
		0600/2000	LEN=0075 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0600/1814	LEN=0070 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0600/1506	LEN=0060 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0600/1018	LEN=0050 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0600/0657	LEN=0060 INSTALLED UNKN

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CHERRYTREE T RIGHT MUN: CHERRYTREE T

			024 "DIA CIRC CONCR
		0600/0537	LEN=0060 INSTALLED UNKN
			PAT TARR RD
		0600/0413	(T516)
			024 "DIA CIRC CONCR
		0600/0232	LEN=0063 INSTALLED UNKN
HORN RD (T516)	0600/0126		
	131952 FT	132345 FT	1 0 00205 0 02 0408+82
			CHERRYTREE
			OAKLAND T
		S 0600/0000	LENGTH(AH 2364 BK 2423)
			036 "DIA CIRC CONCR
		0590/2214	LEN=0085 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0590/1648	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0590/1340	LEN=0045 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0590/1035	LEN=0070 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0590/0559	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0590/0265	LEN=0040 INSTALLED UNKN
1 0 00205 0 02 0348+00	129529 FT	129922 FT	
KANEVILLE RD (T538)	0590/0000		
		S 0590/0000	LENGTH(AH 2423 BK 1913)
			OAKLAND
		0580/1600	CORNPLANTER T
			015 "DIA CIRC CONCR
		0580/1432	LEN=0052 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0580/1234	LEN=0112 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0580/0750	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0580/0630	LEN=0055 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0580/0370	LEN=0045 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0580/0182	LEN=0078 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0580/0136	LEN=0078 INSTALLED UNKN
	127616 FT	128009 FT	1 0 00205 0 02 0365+00
		S 0580/0000	LENGTH(AH 1913 BK 1968)
			018 "DIA CIRC CONCR
		0570/1605	LEN=0054 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0570/1306	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
                                                  0570/0997 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0570/0828 LEN=0042 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0570/0755 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0570/0615 LEN=0045 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0570/0441 LEN=0050 INSTALLED 1999
                                                            015 "DIA CIRC CONCR
                                                  0570/0348 LEN=0048 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0570/0040 LEN=0052 INSTALLED UNKN
                    125648 FT                     126041 FT 1 0 00205 0 02 0345+32
                                                S 0570/0000 LENGTH(AH 1968 BK 2783)
                                                            015 "DIA CIRC CONCR
                                                  0560/2368 LEN=0058 INSTALLED UNKN

                                                            015 "DIA CIRC CONCR
                                                  0560/1670 LEN=0058 INSTALLED 1998
                                                            024 "DIA CIRC CONCR
                                                  0560/1353 LEN=0064 INSTALLED UNKN


                                                            024 "DIA CIRC CONCR
                                                  0560/0353 LEN=0064 INSTALLED UNKN
KANE RUN RD
(T587)               0560/0170
                                                  0560/0054 BMSEN 60/0008/0560/0032
                                                            1 0 00205 0 02 0317+84
                                                            KANE RUN
                                                  0560/0032 BMSBG 60/0008/0560/0032
                    122865 FT                     123258 FT 1 0 00205 0 02 0317+47
                                                            HARPER RD
                                                            (T589)
                                                S 0560/0000 LENGTH(AH 2783 BK 3244)

                                                            015 "DIA CIRC CONCR
                                                  0550/2620 LEN=0048 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0550/2050 LEN=0052 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0550/1776 LEN=0052 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0550/1382 LEN=0052 INSTALLED UNKN

                                                            015 "DIA CIRC CONCR
                                                  0550/0700 LEN=0052 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0550/0447 LEN=0052 INSTALLED UNKN
```

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

	119621 FT		120014 FT	1 0 00205 0 02 0285+10
				018 "DIA CIRC CONCR
				LEN=0055 INSTALLED UNKN
			S 0550/0000	LENGTH(AH 3244 BK 2449)
				018 "DIA CIRC CONCR
			0540/1707	LEN=0052 INSTALLED 1998
			0540/0010	BMSEN 60/0008/0540/0000
	117172 FT		117565 FT	1 0 00205 0 02 0260+45
				CHRYTR.RN.TR
				BMSBG 60/0008/0540/0000
			S 0540/0000	LENGTH(AH 2449 BK 2410)
				018 "DIA CIRC METAL
			0530/2169	LEN=0046 INSTALLED UNKN
				024 "DIA CIRC CONCR
			0530/0759	LEN=0048 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0530/0567	LEN=0058 INSTALLED UNKN
GIBSON HILL RD (T585)	0530/0510	==		
RYND HILL RD (T553)	0530/0129	==		
			0530/0060	BMSEN 60/0008/0530/0000
	114762 FT		115155 FT	1 0 00205 0 02 0236+45
				CHERRYTREE
				BMSBG 60/0008/0530/0000
			S 0530/0000	LENGTH(AH 2410 BK 2414)
				STATE PARK RD
			0520/2036	(SR1007 SEG 0010/0000)
WAITZ RD (T560)	0520/1843	==		
			0520/1817	BMSEN 60/0008/0520/1609
				1 0 00000 0 00 0000+00
				OIL CREEK
			0520/1609	BMSBG 60/0008/0520/1609
				OLD BANKSON RD
		==	0520/1515	(T569)
				018 "DIA CIRC CONCR
			0520/0129	LEN=0105 INSTALLED UNKN
	112348 FT		112741 FT	1 0 00205 0 01 0211+64

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

			(AAR 262850M)#TRKS 01
			NC WILLIAM FLINN HW
		S	0520/0000 LENGTH(AH 2414 BK 3423)
			036 "DIA CIRC CONCR
			0510/3394 LEN=0100 INSTALLED UNKN
			CORNPLANTER
			0510/3387 ROUSEVILLE B
			018 "DIA CIRC CONCR
			0510/2696 LEN=0080 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0510/2476 LEN=0070 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0510/2154 LEN=0045 INSTALLED UNKN
			FIFTH ST
	==		0510/2131 (BORO)
			FOURTH ST
	==		0510/1798 (BORO)
			012 "DIA CIR PLASTIC
			0510/1693 LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0510/1110 LEN=0020 INSTALLED UNKN
STRAUB ST (BORO)	0510/1013	==	
			SECOND ST
	==		0510/0872 (BORO)
			DIAMOND ST
MUSTARD ST (BORO)	0510/0667	==	== 0510/0667 (BORO)
			LOCUST ST
	==		0510/0452 (BORO)
WILLETT ST (BORO)	0510/0181	==	
	108925 FT		109318 FT 1 0 00205 0 01 0177+49
			CHERRY RUN RD
			(SR0227 SEG 0010/0000)
		S	0510/0000 LENGTH(AH 3423 BK 2172)
			018 "DIA CIRC CONCR
			0500/2133 LEN=0025 INSTALLED UNKN
RAILROAD ST (BORO)	0500/2124	==	
			0500/2100 BMSEN 60/0008/0500/2059
			1 0 00205 0 01 0176+25
			CHERRY RUN
			0500/2059 BMSBG 60/0008/0500/2059
			MECHANIC ST
	==		0500/1843 (BORO)

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: ROUSEVILLE B RIGHT MUN: ROUSEVILLE B

```
                                                                  107146 FT 1 0 00205 0 01 0155+52
106753 FT                                                                   01B "DIA CIRC CONCR
                                                                            LEN=0060 INSTALLED UNKN
                                                                  0500/0000 LENGTH(AH 2172 BK 2510)
                                                                        NC MAIN ST
                                                                            ROUSEVILLE
                                                                  0490/2491 CORNPLANTER T
                                                                            048"H 60"W CON BOX CUL
                                                                  0490/2266 LEN=0060 INSTALLED UNKN
                                                                            MCCLINTOCKVILLE RD
                                                                  0490/2215 (T562)
                                                                            PIPELINE RD
                                                                  0490/1626 (T561)
                                                                            01B "DIA CIRC CONCR
                                                                  0490/1506 LEN=0032 INSTALLED UNKN
                                                                  0490/1440 BMSEN 60/0008/0490/1135
                                                                            1 0 00205 0 01 0130+17
                                                                            OIL CREEK (SPAN 1)
                                                                  0490/1067 BMSBG 60/0008/0490/1135
                                                                            01B "DIA CIRC CONCR
                                                                  0490/1045 LEN=0032 INSTALLED UNKN
WAITZ RD
(T560)                0490/0780
                                                                  104636 FT 1 0 00205 0 01 0130+17
104243 FT                                                         0490/0000 LENGTH(AH 2510 BK 2874)
                                                                            01B "DIA CIRC CONCR
                                                                  0480/2369 LEN=0043 INSTALLED UNKN
                                                                            015 "DIA CIRC CONCR
                                                                  0480/1865 LEN=0045 INSTALLED UNKN

                                                                  0480/1652 OP ID 60/0008/0480/1675
                                                                            024 "DIA CIRC CONCR
                                                                  0480/1523 LEN=0045 INSTALLED UNKN
                                                                            01B "DIA CIRC CONCR
                                                                  0480/1106 LEN=0045 INSTALLED 2011

                                                                            01B "DIA CIRC CONCR
                                                                  0480/0462 LEN=0046 INSTALLED UNKN
                                                                            01B "DIA CIRC CONCR
                                                                  0480/0201 LEN=0037 INSTALLED UNKN
101369 FT                                                         101762 FT 1 0 00205 0 01 0101+96
                                                                        NC WILLIAM FLINN HW
                                                                  0480/0000 LENGTH(AH 2874 BK 2463)
                                                                            015 "DIA CIRC CONCR
                                                                  0470/2366 LEN=0036 INSTALLED UNKN
                                                                            01B "DIA CIRC CONCR
                                                                  0470/2014 LEN=0037 INSTALLED UNKN
```

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: CORNPLANTER T RIGHT MUN: CORNPLANTER T

```
                                                  018 "DIA CIRC CONCR
                                     0470/1857 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0470/1593 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0470/1334 LEN=0038 INSTALLED UNKN
QUAKER DR
(T531)                0470/1243
                                                  024 "DIA CIRC CONCR
                                     0470/0885 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0470/0702 LEN=0037 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0470/0467 LEN=0030 INSTALLED UNKN
                                                  (APRA) BKI
                                                  BKI DR
                                     0470/0275 (PRDR)
                                                  018 "DIA CIRC CONCR
                                     0470/0240 LEN=0033 INSTALLED UNKN
                      098906 FT      099299 FT 1 0 00205 0 01 0077+25
                                                  CORNPLANTER
                                                  OIL CITY C
                                   S 0470/0000 LENGTH(AH 2463 BK 2613)
                                                  018 "DIA CIRC CONCR
                                     0460/2217 LEN=0033 INSTALLED UNKN
                                     0460/1819 BMSEN 60/0008/0460/1801
                                                  1 0 00205 0 01 0069+07
                                                  CORNPLANTER RUN
                                     0460/1801 BMSBG 60/0008/0460/1801
UNION ST
(CITY)                0460/1647
                                                  018 "DIA CIRC CONCR
                                     0460/1555 LEN=0032 INSTALLED UNKN
                                     0460/1136 (AAR 528676V)#TRKS 02

                                                  024 "DIA CIRC CONCR
                                     0460/0480 LEN=0030 INSTALLED UNKN
                      096293 FT      096686 FT 1 0 00205 0 01 0050+75
                                           NC SENECA ST
                                                  SENECA ST
                                                  (SR6008 SEG 0100/2505)
                                   S 0460/0000 LENGTH(AH 2613 BK 3516)
                                                  018 "DIA CIRC CONCR
                                     0442/3020 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0442/2906 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0442/2692 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0442/2599 LEN=0050 INSTALLED UNKN
```

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

LEFT		RIGHT
		018 "DIA CIRC CONCR
	0442/2502	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0442/2307	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0442/2148	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0442/1768	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0442/1156	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0442/0686	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0442/0384	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0442/0140	LEN=0060 INSTALLED UNKN
092777 FT	093170 FT	1 0 00205 7 00 0003+61
		MFC BEGIN = C
	S 0442/0000	LENGTH(AH 3516 BK 0347)
		018 "DIA CIRC CONCR
	0432/0212	LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0050 INSTALLED UNKN 0433/0205		
1 0 00205 7 00 0000+00 092427 FT	092823 FT	1 0 00205 7 00 0000+00
CENTER ST		CENTER ST
(SR6008 SEG 0070/0000)		(SR6008 SEG 0070/0000)
LENGTH(AH 0350 BK 1130) 0433/0000 S	S 0432/0000	LENGTH(AH 0347 BK 1164)
		018 "DIA CIRC CONCR
	0420/1015	LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0029 INSTALLED UNKN 0421/0988		
018 "DIA CIRC CONCR		
LEN=0029 INSTALLED UNKN 0421/0789		
		024"H 24"W CON BOX CUL
	0420/0765	LEN=0030 INSTALLED UNKN
RELIEF ST		RELIEF ST
(CITY) 0421/0634	0420/0639	(CITY)
018 "DIA CIRC CONCR		
LEN=0029 INSTALLED UNKN 0421/0613		
		018 "DIA CIRC CONCR
	0420/0578	LEN=0030 INSTALLED UNKN
HALYDAY ST		
(SR9105 SEG 0010/0000) 0421/0320		
		FROM 0062/0470 SH
	0420/0133	(CONN)
1 0 00205 0 00 0000+00 091297 FT	091659 FT	1 0 00205 0 00 0000+00
NC MAIN ST		NC MAIN ST

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: OIL CITY C RIGHT MUN: OIL CITY C

HALYDAY ST				HALYDAY ST
(SR0428 SEG 0010/0000)				(SR0428 SEG 0010/0000)
PETROLEUM ST				PETROLEUM ST
(SR0062 SEG 0470/0000)				(SR0062 SEG 0470/0000)
SR 0062 SH	INTER-BK		INTER-BK	SR 62 SH
(SR0062 SEG 0470/0000)				(SR0062 SEG 0470/0000)
MFC BEGIN = C				MFC BEGIN = C
LTH AH 001130 BK 000100	0421/0000		0420/0000	LTH AH 001164 BK 000100
	091297 FT		091659 FT	
LTH AH 000100 BK 000938	7411/0000		7410/0000	LTH AH 000100 BK 000919
(SR0062 SEG 0231/0000)			INTER-AHD	FIFTEENTH ST
MERCER RD				(SR0062 SEG 0230/0000)
(SR0062 SEG 0231/0000)				MERCER RD
(SR0062 SEG 0230/0000)				(SR0062 SEG 0230/0000)
SANDY CREEK T	0401/0938		0400/0919	SANDY CREEK T
FROM 0062/0220 SH				
(CONN)	0401/0888			
TINGLEY LN				TINGLEY LN
(T671)	0401/0817		0400/0839	(T671)
GURNEY RD				GURNEY RD
(CITY)	0401/0298		0400/0313	(CITY)
1 0 00233 0 01 0820+31	090359 FT		090740 FT	1 0 00233 0 01 0817+01
LENGTH(AH 0938 BK 3301)	0401/0000		0400/0000	LENGTH(AH 0919 BK 3300)
HEMLOCK DR				HEMLOCK DR
(CITY)	0391/3141		0390/3138	(CITY)
SANDY CREEK				SANDY CREEK
FRANKLIN C	0391/3095		0390/3066	FRANKLIN C
				018 "DIA CIRC CONCR
			0390/3025	LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR				
LEN=0035 INSTALLED 1998	0391/3036			
				018 "DIA CIRC CONCR
			0390/2731	LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR				
LEN=0035 INSTALLED UNKN	0391/2730			
018 "DIA CIRC CONCR				
LEN=0035 INSTALLED UNKN	0391/2498			
				018 "DIA CIRC CONCR
			0390/2486	LEN=0040 INSTALLED UNKN
WINTERGREEN DR				WINTERGREEN DR
(CITY)	0391/2442		0390/2440	(CITY)
LINDEN DR				LINDEN DR
(CITY)	0391/2248		0390/2248	(CITY)
EVERGREEN DR				EVERGREEN DR
(CITY)	0391/1975		0390/1973	(CITY)
HANGAR DR				HANGAR DR
(CITY)	0391/1603		0390/1607	(CITY)

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: FRANKLIN C RIGHT MUN: FRANKLIN C

LEFT		RIGHT	
018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN	0391/0864		
		0390/0825	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
AIRPORT RD (CITY)	0391/0803	0390/0789	AIRPORT RD (CITY)
		0390/0760	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN	0391/0771		
FRANKLIN SANDY CREEK T	0391/0760	0390/0732	FRANKLIN SANDY CREEK T
		0390/0645	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0390/0472	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN	0391/0440		
		0390/0217	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN	0391/0177		
1 0 00233 0 01 0783+53 087058 FT NC FIFTEENTH ST		087440 FT	1 0 00233 0 01 0787+34 NC FIFTEENTH ST
PONE LN (SR3021 SEG 0010/0000)			PONE LN (SR3021 SEG 0010/0000)
LENGTH(AH 3301 BK 2242)	0391/0000	0390/0000	LENGTH(AH 3300 BK 2225)
		0380/2155	024 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN	0381/2114		
		0380/1896	018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN	0381/1874		
WOODLAND AV (T677)	0381/1641	0380/1618	WOODLAND AV (T677)
THOMPSON RD (T675)	0381/1445	0380/1442	THOMPSON RD (T675)
		0380/1067	024 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN	0381/1071		
MAIN ST (T673)	0381/0820	0380/0792	MAIN ST (T673)
			(APRA) PENNDOT VENANGO
		0380/0025	PENNDOT COUNTY OFFICE 1 (GOVT)

POI

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

```
(APRA) PENNDOT VENANGO
PENNDOT COUNTY OFFICE 1
(GOVT)                          0381/0041  ==  POI
1 0 00233 0 01 0765+47 084816 FT                          085215 FT 1 0 00233 0 01 0765+31
     NC PITTSBURGH RD                                          NC PITTSBURGH RD
LENGTH(AH 2242 BK 2465) 0381/0000 S                     S 0380/0000 LENGTH(AH 2225 BK 2511)
                                                                    018 "DIA CIRC CONCR
                                                          0370/2490 LEN=0035 INSTALLED UNKN
PENNDOT MAINTENANCE 1-5                                             PENNDOT MAINTENANCE 1-5
(GOVT)                          0371/2269  ==  ==         0370/2275 (GOVT)
                                                                    018 "DIA CIRC CONCR
                                                          0370/2203 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN         0371/2185
PA GAME COMMISSION RD                                               PA GAME COMMISSION RD
(GOVT)                          0371/1811      ==  ==     0370/1815 (GOVT)
                                                                    012"H 18"W ELLIP CONC
018 "DIA CIRC CONCR                                       0370/1297 LEN=0035 INSTALLED UNKN
LEN=0035 INSTALLED UNKN         0371/1296


1 0 00233 0 01 0735+85 082351 FT                          082704 FT 1 0 00233 0 01 0740+20
LENGTH(AH 2465 BK 3446) 0371/0000 S                     S 0370/0000 LENGTH(AH 2511 BK 3424)
                                                                    024 "DIA CIRC CONCR
                                                          0360/2800 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN         0361/2759
MEANS DR                                                            MEANS DR
(T665)                          0361/2430      ==  ==     0360/2403 (T665)
                                                                    018 "DIA CIRC METAL
                                                          0360/2402 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN         0361/1986
                                                                    018 "DIA CIRC CONCR
                                                          0360/1694 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN         0361/1671
BERRINGER DR                                                        BERRINGER DR
(T660)                          0361/1293      ==  ==     0360/1281 (T660)
WESTVIEW DR                                                         WESTVIEW DR
(T679)                          0361/0913  ==  ==         0360/0920 (T679)
GARDEN DR                                                           GARDEN DR
(T681)                          0361/0548  ==  ==         0360/0553 (T681)
                                                                    018 "DIA CIRC CONCR
                                                          0360/0380 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN         0361/0372
015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8

LEFT MUN: SANDY CREEK T		RIGHT MUN: SANDY CREEK T	
LEN=0070 INSTALLED UNKN	0361/0015		
1 0 00233 0 01 0705+36 078905 FT		079280 FT	1 0 00233 0 01 0705+36
DEBENCE DR			DEBENCE DR
(T667)			(T667)
POLK CUTOFF RD			POLK CUTOFF RD
(SR3024 SEG 0160/3420)			(SR3024 SEG 0160/3420)
LENGTH(AH 3446 BK 0921)	0361/0000	0360/0000	LENGTH(AH 3424 BK 0903)
TIME MACHINE DR			TIME MACHINE DR
(PRDR)	0351/0525	0350/0530	(PRDR)
1 0 00233 0 00 0697+00 077984 FT		078377 FT	1 0 00233 0 00 0697+00
OLD ROUTE 8 RD			OLD ROUTE 8 RD
(SR3013 SEG 0200/3177)			(SR3013 SEG 0200/3177)
LENGTH(AH 0921 BK 3104)	0351/0000	0350/0000	LENGTH(AH 0903 BK 3544)
NORTH PECAN DR			NORTH PECAN DR
(T683)	0341/2929	0340/3350	(T683)
			048 "DIA CIR PLASTIC
		0340/3178	LEN=0080 INSTALLED UNKN
		0340/0480	MILEPOST 073.00
MILEPOST 073.00	0341/0424		
			018 "DIA CIRC METAL
		0340/0068	LEN=0070 INSTALLED UNKN
1 0 01107 0 00 0678+97 074880 FT		074833 FT	1 0 01107 0 00 0674+77
LENGTH(AH 3104 BK 2481)	0341/0000	0340/0000	LENGTH(AH 3544 BK 2507)
			036 "DIA CIRC METAL
		0330/2150	LEN=0100 INSTALLED UNKN
036 "DIA CIRC METAL			
LEN=0150 INSTALLED UNKN	0331/1878		
024 "DIA CIRC METAL			
LEN=0075 INSTALLED UNKN	0331/0611		
1 0 01107 0 00 0649+44 072399 FT		072326 FT	1 0 01107 0 00 0649+05
LENGTH(AH 2481 BK 3036)	0331/0000	0330/0000	LENGTH(AH 2507 BK 2622)
			030 "DIA CIRC METAL
		0320/2249	LEN=0070 INSTALLED UNKN
018 "DIA CIRC METAL			
LEN=0100 INSTALLED UNKN	0321/1503		
			030 "DIA CIRC METAL
		0320/1250	LEN=0100 INSTALLED UNKN

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: SANDY CREEK T RIGHT MUN: SANDY CREEK T

```
      MILEPOST    072.00 0321/0659
MAINTENANCE CROSSOVER R
(CONN)                   0321/0533
                                                0320/0329        MILEPOST    072.00
                                                          030 "DIA CIRC METAL
                                                0320/0174 LEN=0070 INSTALLED UNKN
                                                069704 FT 1 0 01107 0 00 0622+83
                                                          MAINTENANCE CROSSOVER R
1 0 01107 0 00 0624+43 069363 FT                          (CONN)
LENGTH(AH 3036 BK 2726) 0321/0000 S             0320/0000 LENGTH(AH 2622 BK 2695)
MORRISON RUN                                              MORRISON RUN
STRUCTURE LENGTH   17 FT                                  STRUCTURE LENGTH   17 FT
BMSID 60/0008/0310/2594 0311/2400               0310/2470 BMSID 60/0008/0310/2594

018 "DIA CIRC METAL
LEN=0150 INSTALLED UNKN 0311/2245

SANDY CREEK                                               SANDY CREEK
VICTORY T               0311/1168               0310/0764 VICTORY T

BMSEN 60/0008/0311/0000 0311/0410               0310/0473 BMSEN 60/0008/0310/0000
1 0 01107 0 00 0592+73 066637 FT                067009 FT 1 0 01107 0 00 0595+97
T-370                                                     T-370
BMSBG 60/0008/0311/0000                                   BMSBG 60/0008/0310/0000
LENGTH(AH 2726 BK 1753) 0311/0000 S             0310/0000 LENGTH(AH 2695 BK 2063)

024 "DIA CIRC METAL
LEN=0150 INSTALLED UNKN 0301/1127

1 0 01107 0 00 0575+20 064884 FT                064946 FT 1 0 01107 0 00 0576+20
LENGTH(AH 1753 BK 2509) 0301/0000 S             0300/0000 LENGTH(AH 2063 BK 2627)
                                                0290/2434        MILEPOST    071.00
      MILEPOST    071.00 0291/2367
                                                          036 "DIA CIRC CONCR
                                                0290/2040 LEN=0100 INSTALLED UNKN
036 "DIA CIRC CONCR
LEN=0150 INSTALLED UNKN 0291/1451
                                                          036 "DIA CIRC METAL
                                                0290/1442 LEN=0100 INSTALLED UNKN
                                                          018 "DIA CIRC METAL
                                                0290/1044 LEN=0120 INSTALLED UNKN
                                                          018 "DIA CIRC METAL
                                                0290/0638 LEN=0065 INSTALLED UNKN
                                                          030 "DIA CIRC METAL
                                                0290/0341 LEN=0100 INSTALLED UNKN
030 "DIA CIRC METAL
LEN=0100 INSTALLED UNKN 0291/0300
```

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: VICTORY T RIGHT MUN: VICTORY T

LEFT	RIGHT
1 0 01107 0 00 0550+11 062375 FT	062319 FT 1 0 01107 0 00 0549+93
LENGTH(AH 2509 BK 2439) 0291/0000 S	S 0290/0000 LENGTH(AH 2627 BK 2498)
018 "DIA CIRC METAL	
LEN=0070 INSTALLED UNKN 0281/2028	
018 "DIA CIRC METAL	
LEN=0100 INSTALLED UNKN 0281/1332	
	036 "DIA CIRC METAL
	0280/1046 LEN=0060 INSTALLED UNKN
036 "DIA CIRC METAL	
LEN=0100 INSTALLED UNKN 0281/0934	
	018 "DIA CIRC METAL
	0280/0630 LEN=0055 INSTALLED UNKN
018 "DIA CIRC METAL	
LEN=0080 INSTALLED UNKN 0281/0551	
	018 "DIA CIRC METAL
	0280/0244 LEN=0060 INSTALLED UNKN
018 "DIA CIRC METAL	
LEN=0070 INSTALLED UNKN 0281/0107	
1 0 01107 0 00 0525+43 059936 FT	059821 FT 1 0 01107 0 00 0524+45
LENGTH(AH 2439 BK 2562) 0281/0000 S	S 0280/0000 LENGTH(AH 2498 BK 2417)
MILEPOST 070.00 0271/2088	0270/2069 MILEPOST 070.00
048 "DIA CIRC METAL	
LEN=0130 INSTALLED UNKN 0271/1832	
	048 "DIA CIRC METAL
	0270/1689 LEN=0125 INSTALLED UNKN
024 "DIA CIRC METAL	
LEN=0100 INSTALLED UNKN 0271/1288	
1 0 01107 0 00 0499+81 057374 FT	057404 FT 1 0 01107 0 00 0500+28
LENGTH(AH 2562 BK 2510) 0271/0000 S	S 0270/0000 LENGTH(AH 2417 BK 2553)
042 "DIA CIRC METAL	
LEN=0100 INSTALLED UNKN 0261/1804	
	036 "DIA CIRC METAL
	0260/1205 LEN=0070 INSTALLED UNKN
	036 "DIA CIRC METAL
	0260/0471 LEN=0085 INSTALLED UNKN
018 "DIA CIRC METAL	
LEN=0060 INSTALLED UNKN 0261/0039	
1 0 01107 0 00 0474+71 054864 FT	054851 FT 1 0 01107 0 00 0474+54
LENGTH(AH 2510 BK 2417) 0261/0000 S	S 0260/0000 LENGTH(AH 2553 BK 2406)
	0250/1769 MILEPOST 069.00
MILEPOST 069.00 0251/1735	
	024 "DIA CIRC METAL

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: VICTORY T RIGHT MUN: VICTORY T

LEFT MUN: VICTORY T		RIGHT MUN: VICTORY T
		0250/1674 LEN=0078 INSTALLED UNKN
		018 "DIA CIRC METAL
		0250/1140 LEN=0081 INSTALLED UNKN
024 "DIA CIRC METAL		
LEN=0060 INSTALLED UNKN 0251/0844		
		018 "DIA CIRC CONCR
		0250/0583 LEN=0070 INSTALLED UNKN
		018 "DIA CIRC METAL
018 "DIA CIRC CONCR		
LEN=0055 INSTALLED UNKN 0251/0032		0250/0033 LEN=0078 INSTALLED UNKN
1 0 01107 0 00 0450+54 052447 FT		052445 FT 1 0 01107 0 00 0450+48
SR 3018		SR 3018
OP ID 60/3018/0022/0000		OP ID 60/3018/0026/0000
LENGTH(AH 2417 BK 2586) 0251/0000		0250/0000 LENGTH(AH 2406 BK 2631)
018 "DIA CIRC METAL		
LEN=0070 INSTALLED UNKN 0241/2226		
		018 "DIA CIRC METAL
		0240/2213 LEN=0085 INSTALLED UNKN
		024 "DIA CIRC METAL
		0240/1010 LEN=0280 INSTALLED UNKN
027 "DIA CIRC METAL		
LEN=0150 INSTALLED UNKN 0241/0920		
1 0 01107 0 00 0424+68 049861 FT		049814 FT 1 0 01107 0 00 0424+49
LENGTH(AH 2586 BK 2430) 0241/0000		0240/0000 LENGTH(AH 2631 BK 2496)
		018 "DIA CIRC METAL
		0230/2210 LEN=0085 INSTALLED UNKN
015 "DIA CIRC METAL		
LEN=0060 INSTALLED UNKN 0231/1918		
MAINTENANCE CROSSOVER R		MAINTENANCE CROSSOVER R
(CONN) 0231/1661		0230/1773 (CONN)
		0230/1616
MILEPOST 068.00 0231/1560		MILEPOST 068.00
		018 "DIA CIRC CONCR
		0230/1516 LEN=0090 INSTALLED UNKN
		048 "DIA CIRC CONCR
		0230/0550 LEN=0172 INSTALLED UNKN
048 "DIA CIRC METAL		
LEN=0075 INSTALLED UNKN 0231/0472		
1 0 01107 0 00 0399+87 047431 FT		047318 FT 1 0 01107 0 00 0399+19
LENGTH(AH 2430 BK 2547) 0231/0000		0230/0000 LENGTH(AH 2496 BK 2489)
		030 "DIA CIRC METAL
		0220/2126 LEN=0120 INSTALLED UNKN
015 "DIA CIRC METAL		

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: VICTORY T RIGHT MUN: VICTORY T

LEFT		RIGHT
LEN=0080 INSTALLED UNKN 0221/2033		
018 "DIA CIRC METAL		
LEN=0070 INSTALLED UNKN 0221/1585		
		030 "DIA CIRC METAL
		0220/1177 LEN=0140 INSTALLED UNKN
030 "DIA CIRC METAL		
LEN=0080 INSTALLED UNKN 0221/1100		
1 0 01107 0 00 0375+35 044884 FT		044829 FT 1 0 01107 0 00 0374+30
LENGTH(AH 2547 BK 2547) 0221/0000 S		S 0220/0000 LENGTH(AH 2489 BK 2506)
		018 "DIA CIRC METAL
		0210/2193 LEN=0150 INSTALLED UNKN
BMSEN 60/0008/0211/1301 0211/1447		0210/1588 BMSEN 60/0008/0210/1467
VICTORY		VICTORY
IRWIN T 0211/1388		0210/1528 IRWIN T
1 0 01107 0 00 0362+90		1 0 01107 0 00 0363+97
T371		T371
BMSBG 60/0008/0211/1301 0211/1326		0210/1467 BMSBG 60/0008/0210/1467
		018 "DIA CIRC CONCR
		0210/1374 LEN=0100 INSTALLED UNKN
		0210/1331 MILEPOST 067.00
MILEPOST 067.00 0211/1279		
		018 "DIA CIRC METAL
		0210/0744 LEN=0075 INSTALLED UNKN
1 0 01107 0 00 0349+89 042337 FT		042323 FT 1 0 01107 0 00 0349+30
LENGTH(AH 2547 BK 2406) 0211/0000 S		S 0210/0000 LENGTH(AH 2506 BK 2492)
		018 "DIA CIRC CONCR
		0200/2470 LEN=0140 INSTALLED UNKN
		RAMP B RD
		0200/1618 (SR8014 SEG 0750/1640)
018 "DIA CIRC CONCR		
LEN=0150 INSTALLED UNKN 0201/1219		
RAMP C RD		
(SR8014 SEG 0500/0000) 0201/1039		
		018 "DIA CIRC CONCR
		0200/0870 LEN=0210 INSTALLED UNKN
		W 0200/0215 RWIS SITE/AT SR 308
BMSEN 60/0008/0201/0000 0201/0163		0200/0185 BMSEN 60/0008/0200/0000
1 0 01107 0 00 0325+76 039931 FT		039831 FT 1 0 01107 0 00 0325+04
SR 0308		SR 0308
BMSBG 60/0008/0201/0000		BMSBG 60/0008/0200/0000
LENGTH(AH 2406 BK 2631) 0201/0000 S		S 0200/0000 LENGTH(AH 2492 BK 2546)
018 "DIA CIRC CONCR		
LEN=0120 INSTALLED UNKN 0191/1819		

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

RAMP D RD (SR8014 SEG 0250/1114) 0191/1687		
		0190/1613 RAMP A RD (SR8014 SEG 0010/0000)
018 "DIA CIRC CONCR LEN=0120 INSTALLED UNKN 0191/1177		
		0190/1148 018 "DIA CIRC CONCR LEN=0115 INSTALLED UNKN
		0190/1089 MILEPOST 066.00
MILEPOST 066.00 0191/1036		
018 "DIA CIRC CONCR LEN=0125 INSTALLED UNKN 0191/0513		
		0190/0462 018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0120 INSTALLED UNKN 0191/0035		
		0190/0020 018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
1 0 01107 0 00 0299+61 037300 FT MAINTENANCE CROSSOVER R (CONN)		037285 FT 1 0 01107 0 00 0299+36 MAINTENANCE CROSSOVER R (CONN)
LENGTH(AH 2631 BK 2441) 0191/0000 S		S 0190/0000 LENGTH(AH 2546 BK 2455)
018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN 0181/2096		
		0180/1634 036"H 36"W CON BOX CUL LEN=0130 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN 0181/1159		
018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN 0181/0726		
024 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN 0181/0248		
		0180/0218 018 "DIA CIRC CONCR LEN=0140 INSTALLED UNKN
1 0 01107 0 00 0274+95 034859 FT		034830 FT 1 0 01107 0 00 0275+19
LENGTH(AH 2441 BK 2525) 0181/0000 S		S 0180/0000 LENGTH(AH 2455 BK 2539)
024 "DIA CIRC CONCR LEN=0150 INSTALLED UNKN 0171/2300		
018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN 0171/1666		
		0170/1644 018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN
		0170/0803 MILEPOST 065.00
MILEPOST 065.00 0171/0747		
1 0 01107 0 00 0250+10 032334 FT SR 3102 OP ID 60/3102/0010/0000		032291 FT 1 0 01107 0 00 0249+80 SR 3102 OP ID 60/3102/0010/0000

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

```
LENGTH(AH 2525 BK 2495) 0171/0000 S
024 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0161/2403

018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0161/1877

018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0161/1308

018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0161/0797

018 "DIA CIRC CONCR
LEN=0110 INSTALLED UNKN 0161/0321

1 0 01107 0 00 0224+92 029839 FT
LENGTH(AH 2495 BK 2564) 0161/0000 S

018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0151/2264

018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0151/1730
018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0151/1178

      MILEPOST   064.00 0151/0526

1 0 01107 0 00 0199+92 027275 FT
MAINTENANCE CROSSOVER R
(CONN)
LENGTH(AH 2564 BK 2097) 0151/0000 S
SCRUBGRASS
STRUCTURE LENGTH  12 FT
BMSID 60/0008/0140/2100 0141/1765
018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0141/1697
```

```
S 0170/0000 LENGTH(AH 2539 BK 2489)

018 "DIA CIRC CONCR
0160/2391 LEN=0100 INSTALLED UNKN

018 "DIA CIRC CONCR
0160/1839 LEN=0100 INSTALLED UNKN

018 "DIA CIRC CONCR
0160/1293 LEN=0100 INSTALLED UNKN

030 "DIA CIRC CONCR
0160/0743 LEN=0130 INSTALLED UNKN

018 "DIA CIRC CONCR
0160/0278 LEN=0115 INSTALLED UNKN
029802 FT 1 0 01107 0 00 0225+16
S 0160/0000 LENGTH(AH 2489 BK 2532)
018 "DIA CIRC CONCR
0150/2276 LEN=0115 INSTALLED UNKN

018 "DIA CIRC CONCR
0150/1735 LEN=0110 INSTALLED UNKN

036 "DIA CIRC CONCR
0150/1126 LEN=0120 INSTALLED UNKN
0150/0544        MILEPOST   064.00

018 "DIA CIRC CONCR
0150/0030 LEN=0120 INSTALLED UNKN
027270 FT 1 0 01107 0 00 0199+84
MAINTENANCE CROSSOVER R
(CONN)
S 0150/0000 LENGTH(AH 2532 BK 2120)
SCRUBGRASS
STRUCTURE LENGTH  12 FT
0140/1663 BMSID 60/0008/0140/2100

018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0141/1043
SIGN: 4 CHORD TRUSS
BMSID 60/0008/0141/1022 0141/1020

018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0141/0177
RAMP C RD
(SR8012 SEG 0500/0000) 0141/0172

1 0 01107 0 00 0174+00 025178 FT
MFC BEGIN = B
LENGTH(AH 2097 BK 2373) 0141/0000

022805 FT

020555 FT

017332 FT

0140/1071 LEN=0130 INSTALLED UNKN

RAMP B RD
0140/0467 (SR8012 SEG 0750/1448)

018 "DIA CIRC CONCR
0140/0125 LEN=0060 INSTALLED UNKN
025150 FT 1 0 01107 0 00 0174+00
MFC BEGIN = B
0140/0000 LENGTH(AH 2120 BK 2373)
SIGN: CANTILEVER
0134/2016 BMSID 60/0008/0140/0105
0134/1582 BMSEN 60/0008/0134/1525
0 0 00000 0 00 0000+00
SR 3003
0134/1525 BMSBG 60/0008/0134/1525

022777 FT 0 0 00000 0 00 0000+00
0134/0000 LENGTH(AH 2373 BK 2250)

020527 FT 0 0 00000 0 00 0000+00
0124/0000 LENGTH(AH 2250 BK 3223)

018 "DIA CIRC CONCR
0114/0458 LEN=0100 INSTALLED UNKN
017304 FT 0 0 00000 0 00 0000+00
NC RICHARD C FRAME HW
OLD ROUTE 8 RD
(T318)

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: IRWIN T RIGHT MUN: IRWIN T

LEFT		RIGHT
OLD ROUTE 8 RD		MFC BEGIN = B
(SR6008 SEG 0010/0000) 0114/0000		0114/0000 LENGTH(AH 3223 BK 2068)
015 "DIA CIRC CONCR		
LEN=0090 INSTALLED UNKN 0107/2032		
018 "DIA CIRC CONCR		
LEN=0060 INSTALLED UNKN 0107/1480		
0 0 00000 0 00 0000+00 015241 FT		
NC WILLIAM FLINN HW		015236 FT 0 0 00000 0 00 0000+00
GILMORE RD		GILMORE RD
(T323)		(T323)
MELVIN RD		MELVIN RD
(SR3004 SEG 0010/0000)		(SR3004 SEG 0010/0000)
MFC BEGIN = B		MFC BEGIN = B
LENGTH(AH 2091 BK 1809) 0107/0000		0106/0000 LENGTH(AH 2068 BK 1809)
		IRWIN
		0090/0530 BARKEYVILLE B
		0090/0516 BMSEN 60/0008/0090/0497
		1 0 00233 0 00 0069+00
		EAST BR OF WOLF CREEK
		0090/0497 BMSBG 60/0008/0090/0497
	013432 FT	013427 FT 1 0 00233 0 00 0064+03
		0090/0000 LENGTH(AH 1809 BK 0308)
		015 "DIA CIRC CONCR
		0080/0282 LEN=0070 INSTALLED UNKN
	013124 FT	013119 FT 1 0 00233 0 00 0060+79
		NC WILLIAM FLYNN HW
		MFC BEGIN = B
		0080/0000 LENGTH(AH 0308 BK 1400)
018 "DIA CIRC CONCR		
LEN=0047 INSTALLED UNKN 0071/0945		
		018 "DIA CIRC CONCR
		0070/0926 LEN=0058 INSTALLED UNKN
(APRA) FYDA FREIGHTLINE		(APRA) FYDA FREIGHTLINE
FYDA FREIGHTLINER RD		FYDA FREIGHTLINER RD
(PRDR)		(PRDR)
GIBBS RD		GIBBS RD
(BORO)		(BORO)
	0071/0863	0070/0873
RAMP C RD		RAMP C RD
(SR8002 SEG 0500/1074) 0071/0481		0070/0481 (SR8002 SEG 0500/1074)
RAMP A RD		RAMP A RD
(SR8002 SEG 0250/0000) 0071/0383		0070/0387 (SR8002 SEG 0250/0000)

DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8

LEFT MUN: BARKEYVILLE B		RIGHT MUN: BARKEYVILLE B	
BMSEN 60/0008/0070/0000	0071/0229	0070/0229	BMSEN 60/0008/0070/0000
		011719 FT	1 0 00233 0 00 0047+29
1 0 00233 0 00 0047+29 011719 FT		NC WILLIAM FLYNN HW	
SR 0080 E/W			SR 0080 E/W
BMSBG 60/0008/0070/0000			BMSBG 60/0008/0070/0000
LENGTH(AH 1405 BK 1240)	0071/0000	0070/0000	LENGTH(AH 1400 BK 1240)
			RAMP D RD
		0060/1086	(SR8002 SEG 0750/0000)
RAMP D RD			
(SR8002 SEG 0750/0000)	0061/1071		
RAMP B RD			RAMP B RD
(SR8002 SEG 0010/1140)	0061/0972	0060/0984	(SR8002 SEG 0010/1140)
(APRA) TA TRAVEL CENTER			(APRA) TA TRAVEL CENTER
TA TRAVEL CENTER RD			TA TRAVEL CENTER RD
(PRDR)			(PRDR)
LOG CEMETERY RD			LOG CEMETERY RD
(BORO)	0061/0594	0060/0586	(BORO)
015 "DIA CIRC CONCR			
LEN=0050 INSTALLED UNKN	0061/0545		
			024 "DIA CIRC METAL
		0060/0505	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/0301	LEN=0045 INSTALLED UNKN
STEVENSON RD			STEVENSON RD
(BORO)	0061/0066	0060/0054	(BORO)
1 0 00233 0 00 0034+40 010479 FT		010479 FT	1 0 00233 0 00 0034+40
NC WILLIAM FLYNN HW		NC WILLIAM FLYNN HW	
MFC BEGIN = B			MFC BEGIN = B
LENGTH(AH 1240 BK 3410)	0061/0000	0060/0000	LENGTH(AH 1240 BK 3410)
KWIKFILL TRUCK PLAZA RD			
(PRDR)	0050/3091	0050/3091	(APRA) KWIKFILL TRUCK P
			WILLOW ST
		0050/3048	(BORO)
			018"H 24"W ELLIP METAL
		0050/3025	LEN=0050 INSTALLED UNKN
			OAK ST
		0050/2412	(BORO)
PINE ST			
(BORO)	0050/2141		
			WALNUT ST
		0050/1795	(BORO)
			024 "DIA CIR PLASTIC
		0050/1775	LEN=0050 INSTALLED UNKN
			MAPLE ST
		0050/1505	(BORO)
			CHESTNUT ST
		0050/1137	(BORO)
			018 "DIA CIRC CONCR



DIR: B TOTAL LEN: 31.961 MI. DIST: 01-5 SR: 8
LEFT MUN: BARKEYVILLE B RIGHT MUN: BARKEYVILLE B

		0050/0288	LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR
		0050/0028	LEN=0045 INSTALLED 2004
1 0 00233 0 00 0000+00 007069 FT BARKEYVILLE RD (SR0208 SEG 0040/0000)	0050/0000	007069 FT	CLINTONVILLE RD (SR0208 SEG 0040/0000)
		S 0050/0000	LENGTH(AH 3410 BK 2042)
		0040/1716	015 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN
		0040/1530	015 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN
		0040/1097	015 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
BARKEYVILLE IRWIN T	0040/0362	0040/0362	015 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
	005027 FT	005027 FT	1 0 00218 0 00 0050+70
		S 0040/0000	LENGTH(AH 2042 BK 1841)
		0030/1657	BARKEYVILLE IRWIN T
		0030/1043	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
	003186 FT	003186 FT	1 0 00218 0 00 0032+29
			SLIPPERY ROCK CREEK RD (T303)
		S 0030/0000	LENGTH(AH 1841 BK 1817)
		0020/1491	BMSEN 60/0008/0020/1474 1 0 00218 0 00 0028+72
			N BR OF SLIPPERY ROCK C
		0020/1474	BMSBG 60/0008/0020/1474
1 0 00218 0 00 0014+05 001369 FT DUNCAN RD (T301)	0020/0000	001369 FT	
		S 0020/0000	LENGTH(AH 1817 BK 1369)
		0010/0584	BMSEN 60/0008/0010/0566 1 0 00218 0 00 0006+08
			SLIP.RO.BR.
		0010/0566	BMSBG 60/0008/0010/0566
	000000 FT	000000 FT	1 0 00218 0 00 0000+00
			NC PITTSBURGH RD
		* REF-BK	WILLIAM FLINN HW (SR0008 SEG 0890/3458)
			MFC BEGIN = B BK-BUTLER (10)
		S 0010/0000	LENGTH(AH 1369 BK 0000)