# Straight Line Diagram

**(Including Drain Pipes)**

# Indiana
# 32

# January 2020

This document was produced by the Pennsylvania Department of Transportation (PENNDOT) as an internal management tool for State maintained highways and is not to be used for other purposes. The printed information was compiled from the Department's computerized Roadway Management System (RMS) and is subject to change without notice. Use of any or all of the printed information for purposes other than those intended by the Department may not satisfy other accuracy and completeness requirements and the Department does not warrant that such printed information is accurate or complete.

ROADWAY MANAGEMENT SYSTEM
INDEX FOR SR'S LOCATED IN THE COUNTY OF INDIANA

| SR | BGN PAGE | END PAGE | SR | BGN PAGE | END PAGE | SR | BGN PAGE | END PAGE |
|---|---|---|---|---|---|---|---|---|
| 0022 | 1 | 20 | 1035 | 367 | 370 | 3006 | 518 | 518 |
| 0036 | 21 | 21 | 1037 | 371 | 371 | 3007 | 519 | 524 |
| 0056 | 22 | 35 | 1038 | 372 | 381 | 3008 | 525 | 526 |
| 0085 | 36 | 42 | 1040 | 382 | 383 | 3009 | 527 | 530 |
| 0110 | 43 | 48 | 1041 | 384 | 384 | 3010 | 531 | 533 |
| 0119 | 49 | 85 | 1042 | 385 | 387 | 3011 | 534 | 538 |
| 0210 | 86 | 96 | 1043 | 388 | 390 | 3013 | 539 | 542 |
| 0217 | 97 | 105 | 1044 | 391 | 393 | 3014 | 543 | 543 |
| 0219 | 106 | 107 | 1045 | 394 | 399 | 3015 | 544 | 546 |
| 0240 | 108 | 113 | 1046 | 400 | 404 | 3016 | 547 | 547 |
| 0259 | 114 | 127 | 1047 | 405 | 407 | 3017 | 548 | 551 |
| 0286 | 128 | 169 | 1048 | 408 | 409 | 3018 | 552 | 552 |
| 0403 | 170 | 197 | 1049 | 410 | 410 | 3019 | 553 | 557 |
| 0422 | 198 | 222 | 1050 | 411 | 411 | 3020 | 558 | 558 |
| 0553 | 223 | 229 | 1051 | 412 | 413 | 3021 | 559 | 561 |
| 0580 | 230 | 236 | 1052 | 414 | 418 | 3022 | 562 | 566 |
| 0711 | 237 | 238 | 1053 | 419 | 423 | 3023 | 567 | 569 |
| 0954 | 239 | 265 | 1054 | 424 | 427 | 3024 | 570 | 573 |
| 1001 | 266 | 267 | 1056 | 428 | 428 | 3025 | 574 | 578 |
| 1002 | 268 | 270 | 1057 | 429 | 430 | 3026 | 579 | 579 |
| 1003 | 271 | 271 | 2001 | 431 | 431 | 3027 | 580 | 582 |
| 1004 | 272 | 273 | 2002 | 432 | 435 | 3029 | 583 | 584 |
| 1005 | 274 | 276 | 2003 | 436 | 436 | 3030 | 585 | 585 |
| 1006 | 277 | 282 | 2004 | 437 | 437 | 3031 | 586 | 591 |
| 1007 | 283 | 285 | 2006 | 438 | 438 | 3033 | 592 | 595 |
| 1008 | 286 | 287 | 2007 | 439 | 439 | 3035 | 596 | 600 |
| 1009 | 288 | 288 | 2008 | 440 | 448 | 3037 | 601 | 603 |
| 1010 | 289 | 290 | 2009 | 449 | 449 | 3039 | 604 | 606 |
| 1011 | 291 | 292 | 2011 | 450 | 452 | 3041 | 607 | 607 |
| 1012 | 293 | 302 | 2012 | 453 | 454 | 3043 | 608 | 609 |
| 1013 | 303 | 307 | 2013 | 455 | 462 | 3056 | 610 | 620 |
| 1014 | 308 | 311 | 2014 | 463 | 464 | 4001 | 621 | 625 |
| 1015 | 312 | 317 | 2015 | 465 | 467 | 4002 | 626 | 628 |
| 1016 | 318 | 319 | 2016 | 468 | 470 | 4003 | 629 | 630 |
| 1017 | 320 | 320 | 2017 | 471 | 473 | 4004 | 631 | 632 |
| 1018 | 321 | 324 | 2018 | 474 | 476 | 4005 | 633 | 639 |
| 1019 | 325 | 329 | 2019 | 477 | 481 | 4006 | 640 | 645 |
| 1020 | 330 | 331 | 2020 | 482 | 485 | 4007 | 646 | 647 |
| 1021 | 332 | 335 | 2021 | 486 | 488 | 4008 | 648 | 651 |
| 1022 | 336 | 338 | 2023 | 489 | 491 | 4009 | 652 | 655 |
| 1023 | 339 | 339 | 2024 | 492 | 494 | 4010 | 656 | 657 |
| 1024 | 340 | 341 | 2025 | 495 | 497 | 4011 | 658 | 659 |
| 1025 | 342 | 342 | 2026 | 498 | 498 | 4012 | 660 | 662 |
| 1026 | 343 | 345 | 2027 | 499 | 501 | 4013 | 663 | 663 |
| 1027 | 346 | 346 | 2029 | 502 | 502 | 4015 | 664 | 669 |
| 1028 | 347 | 347 | 3001 | 503 | 503 | 4017 | 670 | 670 |
| 1029 | 348 | 349 | 3002 | 504 | 510 | 4018 | 671 | 673 |
| 1032 | 350 | 352 | 3003 | 511 | 514 | 4020 | 674 | 676 |
| 1033 | 353 | 362 | 3004 | 515 | 516 | 4021 | 677 | 679 |
| 1034 | 363 | 366 | 3005 | 517 | 517 | 4022 | 680 | 681 |

ROADWAY MANAGEMENT SYSTEM
INDEX FOR SR'S LOCATED IN THE COUNTY OF INDIANA

| SR | BGN PAGE | END PAGE | SR | BGN PAGE | END PAGE | SR | BGN PAGE | END PAGE |
|---|---|---|---|---|---|---|---|---|
| 4024 | 682 | 684 | | | | | | |
| 4025 | 685 | 685 | | | | | | |
| 4026 | 686 | 689 | | | | | | |
| 4028 | 690 | 691 | | | | | | |
| 4030 | 692 | 692 | | | | | | |
| 4032 | 693 | 695 | | | | | | |
| 4033 | 696 | 697 | | | | | | |
| 4034 | 698 | 699 | | | | | | |
| 4035 | 700 | 700 | | | | | | |
| 4422 | 701 | 706 | | | | | | |
| 8001 | 707 | 708 | | | | | | |
| 8002 | 709 | 709 | | | | | | |
| 8003 | 710 | 711 | | | | | | |
| 8004 | 712 | 713 | | | | | | |
| 8005 | 714 | 715 | | | | | | |
| 8006 | 716 | 716 | | | | | | |
| 8007 | 717 | 718 | | | | | | |
| 8008 | 719 | 719 | | | | | | |
| 8009 | 720 | 721 | | | | | | |
| 8010 | 722 | 722 | | | | | | |
| 8012 | 723 | 724 | | | | | | |
| 8014 | 725 | 725 | | | | | | |
| 8016 | 726 | 726 | | | | | | |
| 8018 | 727 | 727 | | | | | | |
| 8020 | 728 | 728 | | | | | | |
| 9401 | 729 | 729 | | | | | | |
| 9402 | 730 | 730 | | | | | | |
| 9403 | 731 | 731 | | | | | | |
| 9404 | 732 | 732 | | | | | | |
| 9405 | 733 | 733 | | | | | | |
| 9406 | 734 | 734 | | | | | | |
| 9407 | 735 | 735 | | | | | | |
| 9408 | 736 | 736 | | | | | | |
| 9409 | 737 | 737 | | | | | | |
| 9410 | 738 | 738 | | | | | | |
| 9411 | 739 | 739 | | | | | | |
| 9412 | 740 | 740 | | | | | | |
| 9413 | 741 | 741 | | | | | | |
| 9414 | 742 | 742 | | | | | | |
| 9415 | 743 | 743 | | | | | | |
| 9416 | 744 | 744 | | | | | | |
| 9417 | 745 | 745 | | | | | | |
| 9418 | 746 | 746 | | | | | | |
| 9419 | 747 | 747 | | | | | | |
| 9420 | 748 | 748 | | | | | | |
| 9422 | 749 | 749 | | | | | | |
| 9424 | 750 | 750 | | | | | | |
| 9428 | 751 | 751 | | | | | | |
| 9429 | 752 | 752 | | | | | | |

pennsylvania
DEPARTMENT OF TRANSPORTATION

December 30, 2019

# Pennsylvania State Roads - Straight Line Diagrams

Contained within this document are the 2020 Pennsylvania Straight Line Diagram's (SLD's) for State Routes by county within a particular PennDOT district. At the end of each year, PennDOT takes a snapshot of its current SLD database and creates PDF files from the SLD snapshot. The SLD's are a graphical representation of State Routes (SR's) that PennDOT maintains. The information shown on the SLD's is generated from data found in PennDOT's Roadway Management System (RMS) database. The data from RMS is constantly being updated to match actual roadway inventory data found on Pennsylvania's state highways. PennDOT's SR system is explained briefly in this document along with symbol definitions for each type of roadway feature or attribute found on the SLD. This PDF version of the SLD contains an individual county list of all state roads found in that county. The SR's found on the list are linked to the actual pages that show the individual SLD's. To find an SLD for a particular road that you want, simply point to that road on the SR index list and click on it to jump to the beginning page of that SLD.

If you have any questions or comments concerning information found in this document, please contact Janice L. Arellano, P.E., Chief, Roadway Inventory and Testing Unit, Asset Management Division, Bureau of Maintenance and Operations, by calling (717) 787-7294.

***Additional information on state owned highways is available from your local PENNDOT Engineering District Office, RMS Unit, RMS Coordinator.***

**Straight Line Diagram Disclaimer: This document is for informational purposes only and may be viewed by anyone. No part of the information contained in this document may be altered or redistributed without prior written consent of PENNDOT. Straight Line Diagram information is provided "as is" without warranty of any kind, either expressed or implied. This information could include technical inaccuracies or errors of omission. Changes may be made periodically to the information herein.**

**Copyright © 2019 by the Commonwealth of Pennsylvania. All rights reserved.**

pennsylvania
DEPARTMENT OF TRANSPORTATION

# Asset Management Division
# Mission Statement

To protect and preserve Pennsylvania's infrastructure by providing meaningful, timely, and accurate pavement and roadway management, design, standards, strategies, inventory and condition, as well as fair, consistent and efficient application of Commonwealth laws and regulations.

# CUSTOMER SERVICE RATING FORM

**Straight Line Diagram (SLD) – Customer Service Rating**

As means to improve customer service, we would like you to rate the product/ service you have received, by circling a "grade" from "A" (excellent) to "E" (fail).

**A** **B** **C** **D** **E**

If your rating is not an "A," please let us know what we could do better.

_____

_____

_____

_____

_____

Name and Organization (optional)

_____

Thank You.

*(Fold along line, and tape or staple together before mailing)*

*(Cut along dashed line*

_____

_____

_____

Bureau of Maintenance and Operations
Asset Management Division – BOMO Annex
907 Elmerton Avenue
Harrisburg, PA 17110
ATTN: Janice Arellano

**F-CS-02**

# PENNSYLVANIA DEPARTMENT OF TRANSPORTATION
## Bureau of Maintenance and Operations, Asset Management Division

### Location Referencing System (LRS) – Definitions, Uses & Testing

The Department's LRS, implemented in 1987, is the mechanism to designate the State highway network, to define roadway lengths, locations, and route connectivity, and to serve as the basis for the collection, storage, and integration of roadway information.

An LRS key is a unique series of numbers that identifies the location of each point or feature along a State route. The fourteen digit number is an integral part of the Roadway Management System (RMS) where roadway data is stored. 07/4016/0100/0857 is an example of an LRS key, which identifies County (CO) = 07, State Route (SR) = 4016, Segment (SEG) = 0100, and Offset = 0857.

**County (CO)**

Each of Pennsylvania's sixty-seven counties is identified by a number.

| Name | # | Name | # | Name | # | Name | # |
|---|---|---|---|---|---|---|---|
| Adams | 1 | Clinton | 18 | Lackawanna | 35 | Potter | 52 |
| Allegheny | 2 | Columbia | 19 | Lancaster | 36 | Schuylkill | 53 |
| Armstrong | 3 | Crawford | 20 | Lawrence | 37 | Snyder | 54 |
| Beaver | 4 | Cumberland | 21 | Lebanon | 38 | Somerset | 55 |
| Bedford | 5 | Dauphin | 22 | Lehigh | 39 | Sullivan | 56 |
| Berks | 6 | Delaware | 23 | Luzerne | 40 | Susquehanna | 57 |
| Blair | 7 | Elk | 24 | Lycoming | 41 | Tioga | 58 |
| Bradford | 8 | Erie | 25 | McKean | 42 | Union | 59 |
| Bucks | 9 | Fayette | 26 | Mercer | 43 | Venango | 60 |
| Butler | 10 | Forest | 27 | Mifflin | 44 | Warren | 61 |
| Cambria | 11 | Franklin | 28 | Monroe | 45 | Washington | 62 |
| Cameron | 12 | Fulton | 29 | Montgomery | 46 | Wayne | 63 |
| Carbon | 13 | Greene | 30 | Montour | 47 | Westmoreland | 64 |
| Centre | 14 | Huntingdon | 31 | Northampton | 48 | Wyoming | 65 |
| Chester | 15 | Indiana | 32 | Northumberland | 49 | York | 66 |
| Clarion | 16 | Jefferson | 33 | Perry | 50 | Philadelphia | 67 |
| Clearfield | 17 | Juniata | 34 | Pike | 51 | | |

**State Route (SR)**

State Routes (SR's) are identified by four-digit numbers. SR numbers are assigned as follows:

1. Traffic Routes: Routes designated as Interstates, US or PA Routes 0001-0999
2. Quadrant Routes (Non-Traffic Routes) 1001-4999
3. Relocated Traffic Routes 6000-6999
4. Turned Back, Abandoned, or Null Routes 7000-7999
5. Interchanges 8001-8999
6. WYE's 9101-9199
7. Rest Areas 9201-9299
8. Truck Escape Ramps 9301-9399
9. Others 9401-9499

Even/Odd Convention: Even numbers are typically given to SR's in the East/West direction, and odd numbers to SR's that run North/South. This convention applies to Interstate Routes (except those that are Beltways or Spurs), and Quadrant Routes. This convention may or may not apply to PA or US Traffic Routes.

Hierarchy: If two or more traffic routes occupy the same section of roadway, the SR number is based on the "higher" type route, according to the following hierarchy. If the traffic routes are the same hierarchy class, then the SR number is assigned the lower numbered traffic route (Figure 1).

1. Interstates
2. U.S. Routes
3. PA Routes
4. Quadrant Routes




FIGURE 1

Other Numbering Conventions:

1. The first digit of a quadrant route is based on which quadrant of the county the route is located, as shown in the following diagram (Figure 2).
2. The last three digits of a Relocated Traffic Route are the same as the Traffic Route that was relocated.
3. Interchanges are numbered sequentially. Odd numbers are given to interchanges along SR's in the North/South direction; even numbers are given to interchanges along SR's in the East/West direction (Figure 3).
4. WYE's are given odd numbers if the connecting SR is odd numbered, and even numbers if the connecting SR is even numbered.
5. Rest Areas or Truck Escape Ramps are given odd numbers if they connect to the Southbound or Westbound side of an SR, and even numbers if they connect to the Northbound or Eastbound side.




FIGURE 2




FIGURE 3

**Segment (SEG)**

State routes are divided into segments, which are approximately one-half mile long, and are identified by a four-digit number. Segment begin and end points are placed at physical features where possible. Segment numbers increase in the North or East direction, and typically by 10's (Figure 4). Segments are even numbered on undivided roadways, and in the Northbound or Eastbound direction of divided roadways. Segments are odd numbered in the Southbound or Westbound direction of divided roadways (Figure 5). Interstate segments are associated with the mile posts (Figure 6).

<u>Undivided Roadways</u>




FIGURE 4

<u>Divided Roadways</u>




FIGURE 5

<u>Interstate Roadways</u>




FIGURE 6

Turned Back, Abandoned, and Null Segments are given numbers in the range of 7000-7999. For two coincident State routes, the route with "lower" hierarchy is "nulled."

Segment numbering restarts on Traffic Routes at County boundaries, except Interstates (Figure 7).




FIGURE 7

**Offset**

The offset, a subdivision of the segment, is the distance (in feet) from the beginning of the segment, expressed as a four-digit number. Offsets are measured in the increasing segment direction.

**Segment Markers**

Segment markers, which allow for easy identification of the LRS location on the State highway system, indicate the State route and segment number at the point that each segment is entered. If the beginning of a segment occurs at a physical feature, then the point of reference is at the physical feature and not the sign. At intersections, signs are used to identify beginning or ending State routes or segments.

**Users of the LRS**

Locations of all intersections, structures, and other points of interest are field verified and inventoried in the RMS. This information can be displayed on Straight Line Diagrams (SLD's) which can be viewed in the RMS, or hardcopy form. SLD books are refreshed and printed annually for distribution to the Department's District and County offices, as well as too many external entities.

A list of those within the Department that use the LRS to identify locations in the RMS and in the field includes personnel from the following organizations: Pavement Testing, County Maintenance, Traffic, Design, Surveys, Construction, Bridge, Permits, Crash Review, Planning and Programming, Posted & Bonded Roads, Tort Liability, and Emergency Management.

Users outside the Department include: County & Municipal governments, County 911, Planning Commissions, Federal Highway Administration, State & Local Police, Local Emergency Management, Delivery Services (UPS, Fed Ex, etc.), Fire Departments, Utility Companies, Contractors, and Consultants.

Without segment markers located in the field, all of these users would have to rely solely on the SLD, which would be extremely cumbersome at best and impossible for some.

**Verification, QA & QC**

In order to assure that LRS information is indicated properly in the RMS, on SLD's, and in the field, LRS Quality Assurance (QA) and Quality Commitment (QC) programs are performed each year. The Bureau of Maintenance and Operations, Asset Management Division, Roadway Inventory & Testing Unit (RITU) performs all Statewide QC testing. Field verification and QA is also performed by RITS, except in Engineering Districts 2-0, 11-0, and 12-0, where it is done "in-house." Each Engineering District is responsible for its own LRS completeness and maintenance with respect to the RMS.

Twenty percent of each county is field tested annually as part of the QA program, and five percent of each county is tested for the annual QC program. The goal of the QC program is to maintain at least 90% accuracy between the RMS and the actual field locations of highway features. Annual QC ratings are developed and reported to the Engineering Districts.

Field testing is performed by two-person teams (a permanent employee that operates the test, and a temporary employee that drives the device) with the use of vans equipped with an on-board computer and a Data Measurement Subsystem. Testing is typically performed during the months of April through November.

Vehicle location and roadway features are displayed on the van's computer screen in SLD format, and the software accepts operator inputs verifying or modifying roadway feature locations, as well as comments. Though the system can function at greater speed, test speeds are typically less than 25 mph to ensure accuracy.

There are five categories of information that is verified and/or modified:

1. State Route Length
2. Segment Length
3. Roadway Geometry (lane count, pavement & shoulder types & widths)
4. Intersecting Feature Location (intersections & bridges)
5. Segment Marker Location

# STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY



| | | | |
|---|---|---|---|
| SEGMENT MARKER | AHEAD LEFT INTER STATE OWNED | RAILROAD CROSSING | INTERSTATE MILEPOST |
| TURNBACK | AHEAD LEFT INTER NON-STATE | RAILROAD OVER-PASS | MFC BEGIN |
| NULL | AHEAD RIGHT INTE STATE OWNED | OVER-PASS | MUNICIPAL BOUNDARY |
| UNDIVIDED HIGHWAY | AHEAD RIGHT INTE NON-STATE | BRIDGE END | VILLAGE BEGIN |
| PHYSICALLY DIVIDED | BACK LEFT INTER STATE OWNED | BRIDGE BEGIN | AH - LENGTH FORWARD TO NEXT SEGMENT BEGIN<br>BK - LENGTH BACK WARD TO PREVIOUS SEGMENT BEGIN |
| PAINT DIVIDED | BACK LEFT INTER NON-STATE | TUNNEL | |
| INTERSECTION AHEAD | BACK RIGHT INTER STATE OWNED | SIGN STRUCTURE | MFC - MAINTENANCE FUNCTIONAL CLASS<br>A = INTERSTATE<br>B = EXPRESSWAY AND/OR PRINCIPLE ARTERIAL<br>C = MINOR ARTERIAL<br>D = COLLECTOR<br>E = LOCAL ACCESS<br>F = INTERCHANGE RAMP |
| INTERSECTION BACK | BACK RIGHT INTER NON-STATE | RBR P3 BRIDGE | |
| REFERENCE AHEAD/BACK | T-LEFT INTERSEC STATE OWNED | RETAINING WALL | |
| DIVIDED CONNECTOR | T-LEFT INTERSEC NON-STATE | BRIDGE/CULVERT UNDER FILL | NULL AND TURNBACK SEGMENTS ARE DISPLAYED IN THE DEPARTMENT"S ROADWAY MANAGEMENT SYSTEM (RMS) AS 100 FEET IN LENGTH. ACTUAL SEGMENT AND SECTION LENGTHS MAY VARY SIGNIFICANTLY |
| CROSS INTERSEC STATE OWNED | T-RIGHT INTERSEC STATE OWNED | PIPE (STAMPP) | |
| CROSS INTERSEC NON-STATE | T-RIGHT INTERSEC NON-STATE | ROTARY INTERSEC | |

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY



| | | | |
|---|---|---|---|
| ROAD CLOSED | POI POINT OF INTEREST | BRIDGE CLOSED | P BRIDGE POSTED |
| M MONITORING SITE | TRAFFIC SIGNAL | W RWIS SITE | NC - STREET NAME CHANGE |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

DIR: E TOTAL LEN: .097 MI. DIST: 10-4 SR: 9429
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

000514 FT

000000 FT



```
000514 FT
REF-AHD    PARK AND RIDE RD
0010/0514  (GOVT)
000000 FT  0 0 00000 0 00 0000+00
      NC PARK AND RIDE RD
           OLD WILLIAM HWY
           (SR0119 SEG 0012/0000)
           (SR0119 SEG 0013/0000)
INTER-BK   PINE RIDGE ROAD
           (SR2002 SEG 0070/0000)
           MFC BEGIN = F
0010/0000  LENGTH(AH 0514 BK 0000)
```

DIR: W TOTAL LEN: .106 MI. DIST: 10-4 SR: 9428
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

```
000560 FT                    000560 FT WILLIAM PENN HW
                             0010/0560 (SR0022 SEG 0173/3146)
                                       TOWER RD
                             0010/0200 (PRDR)
                                       SHADY GROVE RD
                             0010/0187 (T806)
000000 FT                    000000 FT 0 0 00000 0 00 0000+00
                                   NC JUGHANDLE RD
                                       WILLIAM PENN HW
                                       (SR0022 SEG 0183/0000)
                                       (SR0022 SEG 0182/0000)
                             INTER-BK  JUGHANDLE RD
                                       (SR9414 SEG 0010/0000)
                                       MFC BEGIN = F
                             S 0010/0000 LENGTH(AH 0560 BK 0000)
```

DIR: W TOTAL LEN: .101 MI. DIST: 10-4 SR: 9424
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

```
000532 FT                    000532 FT WILLIAM PENN HW
                             0010/0532 (SR0022 SEG 0243/2959)
                                       CLAY PIKE RD
                             0010/0190 (T841)
000000 FT                    000000 FT 0 0 00000 0 00 0000+00
                                  NC JUGHANDLE RD
                                       WILLIAM PENN HW
                                       (SR0022 SEG 0253/0000)
                                       (SR0022 SEG 0252/0000)
                             INTER-BK  CLAY PIKE RD
                                       (T841)
                                       MFC BEGIN = F
                             S 0010/0000 LENGTH(AH 0532 BK 0000)
```

DIR: W TOTAL LEN: .073 MI. DIST: 10-4 SR: 9422
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

000385 FT

000000 FT



```
000385 FT
INTER-AHD WILLIAM PENN HW
0010/0385 (SR0022 SEG 0223/2067)
          CLYDE RD
0010/0110 (T700)
000000 FT 0 0 00000 0 00 0000+00
     NC JUGHANDLE RD F
          WILLIAM PENN HW
          (SR0022 SEG 0232/0000)
          (SR0022 SEG 0233/0000)
INTER-BK  JUGHANDLE RD D
          (SR9420 SEG 0010/0000)
          MFC BEGIN = F
0010/0000 LENGTH(AH 0385 BK 0000)
```

DIR: E TOTAL LEN: .089 MI. DIST: 10-4 SR: 9420
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

```
000472 FT                    000472 FT WILLIAM PENN HW
                             0010/0472 (SR0022 SEG 0232/0296)
                                       HARRY BORING RD
                             0010/0148 (T712)
000000 FT                    000000 FT 0 0 00000 0 00 0000+00
                             INTER-AHD JUGHANDLE RD F
                                       (SR9422 SEG 0010/0000)
                                   NC JUGHANDLE RD D
                                       WILLIAM PENN HW
                                       (SR0022 SEG 0232/0000)
                                       (SR0022 SEG 0233/0000)
                                       WILLIAM PENN HW
                                       (SR0022 SEG 0233/0000)
                                       (SR0022 SEG 0232/0000)
                                       WILLIAM PENN HW
                                       (SR0022 SEG 0233/0000)
                                       (SR0022 SEG 0232/0000)
                             INTER-BK  JUGHANDLE RD F
                                       (SR9422 SEG 0010/0000)
                                       MFC BEGIN = F
                             0010/0000 LENGTH(AH 0472 BK 0000)
```

DIR: N TOTAL LEN: .075 MI. DIST: 10-4 SR: 9419
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

000367 FT

000000 FT



000367 FT CAMPBELLS MILL RD
0010/0367 (SR3011 SEG 0100/0078)
000000 FT 0 0 00000 0 00 0000+00
NC JUGHANDLE RD
CAMPBELLS MILL RD
(SR3011 SEG 0090/3407)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0394 BK 0000)

DIR: B TOTAL LEN: .074 MI. DIST: 10-4 SR: 9418
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

000392 FT

000000 FT



000392 FT WILLIAM PENN HW
0010/0392 (SR0022 SEG 0143/1263)
000000 FT 0 0 00000 0 00 0000+00
NC JUGHANDLE RD
WILLIAM PENN HW
(SR0022 SEG 0143/1477)
(SR0022 SEG 0142/1473)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0392 BK 0000)

DIR: N TOTAL LEN: .078 MI. DIST: 10-4 SR: 9417
LEFT MUN: CENTER T RIGHT MUN: CENTER T

```
000411 FT                    000411 FT SR 0119 SH
                             0010/0411 (SR0119 SEG 0152/0240)
                                       THOMAS LN
                             0010/0228 (T732)
                                       BENAMITI DR
                             0010/0080 (T731)
000000 FT                    000000 FT 0 0 00000 0 00 0000+00
                                  NC JUGHANDLE I RD
                                       SR 0119 SH
                                       (SR0119 SEG 0153/0000)
                                       (SR0119 SEG 0152/0000)
                                       MFC BEGIN = F
                             S 0010/0000 LENGTH(AH 0411 BK 0000)
```

DIR: B TOTAL LEN: .083 MI. DIST: 10-4 SR: 9416
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

000436 FT

000000 FT



000436 FT WILLIAM PENN HW
0010/0436 (SR0022 SEG 0103/1976)
000000 FT 0 0 00000 0 00 0000+00
NC JUGHANDLE RD
PALMERTON RD
(SR2017 SEG 0010/0250)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0436 BK 0000)

DIR: N TOTAL LEN: .085 MI. DIST: 10-4 SR: 9415
LEFT MUN: CENTER T RIGHT MUN: CENTER T

000449 FT

000000 FT



000449 FT SR 0119 SH
0010/0449 (SR0119 SEG 0143/2003)
000000 FT 0 0 00000 0 00 0000+00
NC JUGHANDLE H RD
OLD ROUTE 119 HW
(SR3035 SEG 0010/0881)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0449 BK 0000)

DIR: E TOTAL LEN: .095 MI. DIST: 10-4 SR: 9414
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

```
000502 FT                    000502 FT WILLIAM PENN HW
                             0010/0502 (SR0022 SEG 0182/0253)
                                       CLARK RD
                             0010/0158 (TB01)
000000 FT                    000000 FT 0 0 00000 0 00 0000+00
                             INTER-AHD JUGHANDLE RD
                                       (SR9428 SEG 0010/0000)
                                   NC JUGHANDLE RD
                                       WILLIAM PENN HW
                                       (SR0022 SEG 0183/0000)
                                       (SR0022 SEG 0182/0000)
                             INTER-BK  JUGHANDLE RD
                                       (SR9428 SEG 0010/0000)
                                       MFC BEGIN = F
                             S 0010/0000 LENGTH(AH 0502 BK 0000)
```

DIR: N TOTAL LEN: .110 MI. DIST: 10-4 SR: 9413
LEFT MUN: CENTER T RIGHT MUN: CENTER T

000581 FT

000000 FT



```
000581 FT SR 0119 SH
0010/0581 (SR0119 SEG 0122/0250)
          COKE OVEN LN
0010/0163 (TWP )
000000 FT 0 0 00000 0 00 0000+00
     NC JUGHANDLE G RD
          SR 0119 SH
          (SR0119 SEG 0123/0000)
          (SR0119 SEG 0122/0000)
          MFC BEGIN = F
S 0010/0000 LENGTH(AH 0581 BK 0000)
```

DIR: E TOTAL LEN: .079 MI. DIST: 10-4 SR: 9412
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

000416 FT

000000 FT



000416 FT WILLIAM PENN HW
0010/0416 (SR0022 SEG 0162/0226)
JESSIE PENROSE RD
(T704)
PENN VIEW RD
0010/0124 (T722)
000000 FT 0 0 00000 0 00 0000+00
NC JUGHANDLE RD
WILLIAM PENN HW
(SR0022 SEG 0163/0000)
(SR0022 SEG 0162/0000)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0416 BK 0000)

DIR: N TOTAL LEN: .108 MI. DIST: 10-4 SR: 9411
LEFT MUN: CENTER T RIGHT MUN: CENTER T

000569 FT

000000 FT



```
000569 FT SR 0119 SH
0010/0569 (SR0119 SEG 0113/2942)
          GRACETON WY
0010/0152 (T429)
          GRACETON VILLAGE RD
0010/0103 (PRDR)
000000 FT 0 0 00000 0 00 0000+00
     NC JUGHANDLE F RD
          SR 0119 SH
          (SR0119 SEG 0123/0000)
          (SR0119 SEG 0122/0000)
          MFC BEGIN = F
S 0010/0000 LENGTH(AH 0569 BK 0000)
```

DIR: B TOTAL LEN: .092 MI. DIST: 10-4 SR: 9410
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

```
000487 FT                    000487 FT WILLIAM PENN HW
                             0010/0487 (SR0022 SEG 0112/0254)
000000 FT                    000000 FT 0 0 00000 0 00 0000+00
                                   NC JUGHANDLE RD
                                      WILLIAM PENN HW
                                      (SR0022 SEG 0113/0000)
                                      (SR0022 SEG 0112/0000)
                             INTER-BK PALMERTON RD
                                      (SR2017 SEG 0010/0000)
                                      MFC BEGIN = F
                           S 0010/0000 LENGTH(AH 0487 BK 0000)
```

DIR: N TOTAL LEN: .092 MI. DIST: 10-4 SR: 9409
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

000486 FT

000000 FT



000486 FT SR 0119 SH
0010/0486 (SR0119 SEG 0092/0204)
OLD INDIANA RD
0010/0166 (T660)
000000 FT 0 0 00000 0 00 0000+00
NC JUGHANDLE E RD
SR 0119 SH
(SR0119 SEG 0093/0000)
(SR0119 SEG 0092/0000)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0486 BK 0000)

DIR: E TOTAL LEN: .080 MI. DIST: 10-4 SR: 9408
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

```
000422 FT                    000422 FT WILLIAM PENN HW
                                       (SR0022 SEG 0423/0040)
                             0010/0422 (SR0022 SEG 0422/0225)
000000 FT                    000000 FT 0 0 00000 0 00 0000+00
                                  NC JUGHANDLE RD
                                       WILLIAM PENN HW
                                       (SR0022 SEG 0423/0000)
                                       (SR0022 SEG 0422/0000)
                                       MFC BEGIN = F
                             S 0010/0000 LENGTH(AH 0422 BK 0000)
```

DIR: N TOTAL LEN: .094 MI. DIST: 10-4 SR: 9407
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

000497 FT

000000 FT



```
000497 FT SR 0119 SH
0010/0497 (SR0119 SEG 0083/2762)
          LEE BOTTOM RD
0010/0163 (T453)
000000 FT 0 0 00000 0 00 0000+00
     NC JUGHANDLE D RD
          SR 0119 SH
          (SR0119 SEG 0093/0000)
          (SR0119 SEG 0092/0000)
          MFC BEGIN = F
S 0010/0000 LENGTH(AH 0497 BK 0000)
```

DIR: E TOTAL LEN: .076 MI. DIST: 10-4 SR: 9406
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

000399 FT
000000 FT



000399 FT WILLIAM PENN HW
0010/0399 (SR0022 SEG 0392/0313)
000000 FT 0 0 00000 0 00 0000+00
NC JUGHANDLE RD
STUTZMAN RD
(SR2013 SEG 0084/0208)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0399 BK 0000)

DIR: N TOTAL LEN: .098 MI. DIST: 10-4 SR: 9405
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

000517 FT

000000 FT



```
000517 FT SR 0119 SH
0010/0517 (SR0119 SEG 0042/0254)
          DEVINNEY HOLLOW RD
0010/0166 (T588)
          WEIRS RUN
          STRUCTURE LENGTH  11 FT
0010/0104 BMSID 32/9405/0010/0104
000000 FT 0 0 00000 0 00 0000+00
     NC JUGHANDLE C RD
          SR 0119 SH
          (SR0119 SEG 0043/0000)
          (SR0119 SEG 0042/0000)
          MFC BEGIN = F
S 0010/0000 LENGTH(AH 0517 BK 0000)
```

DIR: N TOTAL LEN: .076 MI. DIST: 10-4 SR: 9404
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

000399 FT

000000 FT



000399 FT WILLIAM PENN HW
0010/0399 (SR0022 SEG 0383/1249)
000000 FT 0 0 00000 0 00 0000+00
NC JUGHANDLE RD
WEHRUM RD
(SR2013 SEG 0084/0615)
RAGER RD
(TB90)
INTER-BK WEHRUM RD
(SR2013 SEG 0084/0615)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0399 BK 0000)

DIR: N TOTAL LEN: .097 MI. DIST: 10-4 SR: 9403
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

000514 FT

000000 FT



000514 FT SR 0119 SH
0010/0514 (SR0119 SEG 0033/2287)
DEVINNEY HOLLOW RD
0010/0167 (T588)
000000 FT 0 0 00000 0 00 0000+00
NC JUGHANDLE B RD
SR 0119 SH
(SR0119 SEG 0043/0000)
(SR0119 SEG 0042/0000)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0514 BK 0000)

DIR: N TOTAL LEN: .072 MI. DIST: 10-4 SR: 9402
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

000381 FT

000000 FT



```
000381 FT
INTER-AHD WILLIAM PENN HW
0010/0381 (SR0022 SEG 0353/2083)
          MCFEATERS RD
0010/0099 (TB90)
000000 FT 0 0 00000 0 00 0000+00
     NC JUGHANDLE RD
          WILLIAM PENN HW
          (SR0022 SEG 0365/0000)
          (SR0022 SEG 0364/0000)
          MFC BEGIN = F
S 0010/0000 LENGTH(AH 0381 BK 0000)
```

DIR: N TOTAL LEN: .109 MI. DIST: 10-4 SR: 9401
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

000575 FT

000000 FT



000575 FT SR 0119 SH
0010/0575 (SR0119 SEG 0022/0827)
DEAN DR
0010/0435 (T587)
000000 FT 0 0 00000 0 00 0000+00
NC JUGHANDLE A RD
SR 0119 SH
(SR0119 SEG 0023/0457)
(SR0119 SEG 0022/0446)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 0575 BK 0000)

DIR: N TOTAL LEN: .653 MI. DIST: 10-4 SR: 8020
LEFT MUN: WHITE T RIGHT MUN: WHITE T

```
003448 FT                    003448 FT
                             INTER-AHD  SR 0286  SH
                             0500/0554  (SR0286  SEG  0580/0643)
002894 FT                    002894 FT  1  0  01113  2  21  0000+00
                                  NC  RAMP  F  RD
                             INTER-BK   SR 1004  SH
                                        (SR1004  SEG  0011/0572)
                           S 0500/0000  LENGTH(AH  0554  BK  2894)

                             INTER-AHD  SR 1004  SH
                             0010/2894  (SR1004  SEG  0004/1945)

                             0010/0899  BMSEN  32/0286/0580/0000
                                        1  0  01113  2  18  0000+00
                                        SR1004  EB
                             0010/0707  BMSBG  32/0286/0580/0000
000000 FT                    000000 FT  1  0  01113  2  18  0000+00
                                  NC  RAMP  H  RD
                             INTER-BK   SR 0286  SH
                                        (SR0286  SEG  0581/0122)
                                        MFC  BEGIN  =  F
                           S 0010/0000  LENGTH(AH  2894  BK  0000)
```

DIR: W TOTAL LEN: .565 MI. DIST: 10-4 SR: 8018
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

002985 FT

002985 FT
INTER-AHD WEST PIKE RD
0750/1076 (SR4422 SEG 0010/1129)

001909 FT

001909 FT 0 0 00000 0 00 0000+00
NC RAMP F RD
INTER-BK BENJAMIN FRANKLIN HW
(SR0422 SEG 0155/0000)
S 0750/0000 LENGTH(AH 1076 BK 0815)

INTER-AHD BENJAMIN FRANKLIN HW
0510/0815 (SR0422 SEG 0144/0274)
WEST PIKE RD
0510/0718 (SR4422 SEG 0010/0502)
SR0422 WB
0510/0620 OP ID 32/0422/0145/0462

001094 FT

001094 FT 0 0 00000 0 00 0000+00
RAMP G RD
(SR8018 SEG 0500/0000)
NC RAMP E RD
INTER-BK WEST PIKE RD
(SR4422 SEG 0020/0000)
S 0510/0000 LENGTH(AH 0815 BK 1094)

INTER-AHD BENJAMIN FRANKLIN HW
0500/1094 (SR0422 SEG 0145/0000)

000000 FT

000000 FT 0 0 00000 0 00 0000+00
NC RAMP G RD
INTER-BK WEST PIKE RD
(SR4422 SEG 0020/0000)
MFC BEGIN = F
S 0500/0000 LENGTH(AH 1094 BK 0000)

RAMP E RD
(SR8018 SEG 0510/0000) 0500/0000

DIR: E TOTAL LEN: .632 MI. DIST: 10-4 SR: 8016
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

```
003338 FT                    003338 FT
                             INTER-AHD BENJAMIN FRANKLIN HW
                             0250/1495 (SR0422 SEG 0441/0910)

001843 FT                    001843 FT 1 0 01112 2 10 0000+00
                                   NC RAMP C RD
                             INTER-BK   SR 0553 SH
                                        (SR0553 SEG 0010/0000)
                           S 0250/0000 LENGTH(AH 1495 BK 1843)

                             INTER-AHD SR 0553 SH
                             0010/1843 (SR0553 SEG 0010/0000)

                                         SR0422
                             0010/1187 OP ID 32/0422/0451/0000
                                         SR0422
                             0010/1050 OP ID 32/0422/0450/0000

000000 FT                    000000 FT 1 0 01112 2 11 0000+00
                                   NC RAMP D RD
                             INTER-BK   BENJAMIN FRANKLIN HW
                                        (SR0422 SEG 0440/0612)
                                        MFC BEGIN = F
                           S 0010/0000 LENGTH(AH 1843 BK 0000)
```

DIR: S TOTAL LEN: .333 MI. DIST: 10-4 SR: 8014
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

001759 FT

LC FROM T840 RD
(CONN)

0250/0058
000983 FT



LC TO T840 RD
(CONN)

0010/0663

000000 FT



001759 FT
INTER-AHD BENJAMIN FRANKLIN HW
0250/0776 (SR0422 SEG 0431/0969)

000983 FT 1 0 01112 2 08 0000+00
NC RAMP A
INTER-BK SALTSBURG AV
(T840)
0250/0000 LENGTH(AH 0776 BK 0983)

INTER-AHD SALTSBURG AV
0010/0983 (T840)

000000 FT 1 0 01112 2 09 0000+00
NC RAMP B
INTER-BK BENJAMIN FRANKLIN HW
(SR0422 SEG 0430/1729)
MFC BEGIN = F
0010/0000 LENGTH(AH 0983 BK 0000)

DIR: S TOTAL LEN: .902 MI. DIST: 10-4 SR: 8012
LEFT MUN: WHITE T RIGHT MUN: WHITE T

004765 FT

004765 FT
INTER-AHD BENJAMIN FRANKLIN HW
0750/1175 (SR0422 SEG 0330/1246)

DIR: S TOTAL LEN: .902 MI. DIST: 10-4 SR: 8012
LEFT MUN: WHITE T RIGHT MUN: WHITE T



003590 FT

003590 FT 1 0 01112 2 07 0000+00
NC RAMP R
SR 0954 SH
(SR0954 SEG 0080/2764)
S 0750/0000 LENGTH(AH 1175 BK 1329)

INTER-AHD RAMP M
(SR8012 SEG 0250/0000)
SR 0954 SH
0500/1329 (SR0954 SEG 0090/0000)

002261 FT

002261 FT 1 0 01112 2 06 0000+00
NC RAMP P
INTER-BK BENJAMIN FRANKLIN HW
(SR0422 SEG 0331/1335)
S 0500/0000 LENGTH(AH 1329 BK 0846)

INTER-AHD BENJAMIN FRANKLIN HW
0250/0846 (SR0422 SEG 0321/1279)

FROM 0954/0080 SH
(CONN)

0250/0172
001415 FT

001415 FT 1 0 01112 2 05 0000+00
NC RAMP M
SR 0954 SH
(SR0954 SEG 0090/0000)
INTER-BK SR 8012 SH
(SR8012 SEG 0500/1329)
S 0250/0000 LENGTH(AH 0846 BK 1415)

INTER-AHD SR 0954 SH
0010/1415 (SR0954 SEG 0080/2674)

TO 0954/0080 SH
(CONN)

0010/1292

000000 FT

000000 FT 1 0 01112 2 04 0000+00
NC RAMP N
INTER-BK BENJAMIN FRANKLIN HW
(SR0422 SEG 0320/0896)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 1415 BK 0000)

DIR: E TOTAL LEN: .608 MI. DIST: 10-4 SR: 8010
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

```
003212 FT                    003212 FT
                             INTER-AHD WILLIAM PENN HW
                             0750/0569 (SR0022 SEG 0342/0015)
002643 FT                    002643 FT 1 0 00223 2 07 0000+00
                                  NC RAMP G RD
                                        CRAMER PK
                                        (SR0403 SEG 0100/1941)
                             INTER-BK   RAMP H RD
                                        (SR8010 SEG 0010/0829)
                           S 0750/0000 LENGTH(AH 0569 BK 0753)

                                        DILLTOWN RD
                             0260/0753 (SR0403 SEG 0110/0383)

001890 FT                    001890 FT 1 0 00223 2 05 0000+00
                                  NC RAMP F RD
                             INTER-BK   WILLIAM PENN HW
                                        (SR0022 SEG 0321/1597)
                           S 0260/0000 LENGTH(AH 0753 BK 1061)

                             INTER-AHD WILLIAM PENN HW
                             0250/1061 (SR0022 SEG 0321/1026)

000829 FT                    000829 FT 1 0 00223 2 04 0000+00
                                  NC RAMP E RD
                                        DILLTOWN RD
                                        (SR0403 SEG 0110/0408)
                           S 0250/0000 LENGTH(AH 1061 BK 0829)

                             INTER-AHD RAMP G RD
                                        (SR8010 SEG 0750/0000)
                                        CRAMER PK
                             0010/0829 (SR0403 SEG 0100/1941)

000000 FT                    000000 FT 1 0 00223 2 06 0000+00
                                  NC RAMP H RD
                             INTER-BK   WILLIAM PENN HW
                                        (SR0022 SEG 0320/1499)
                                        MFC BEGIN = F
                           S 0010/0000 LENGTH(AH 0829 BK 0000)
```

DIR: E TOTAL LEN: .976 MI. DIST: 10-4 SR: 8009
LEFT MUN: WHITE T RIGHT MUN: WHITE T

005152 FT

005152 FT
INTER-AHD BENJAMIN FRANKLIN HW

DIR: E TOTAL LEN: .976 MI. DIST: 10-4 SR: 8009
LEFT MUN: WHITE T RIGHT MUN: WHITE T



0750/1260 (SR0422 SEG 0194/1222)

003892 FT

003892 FT 0 0 00000 0 00 0000+00
SR 0286 SH
(SR0286 SEG 0424/2294)

0750/0000 LENGTH(AH 1260 BK 1171)

SR 0286 SH
(SR0286 SEG 0434/0615)

0500/1171
015 "DIA CIRC CONCR
0500/1085 LEN=0080 INSTALLED UNKN
TO 0286/0434 SH
0500/1043 (CONN)

002721 FT

002721 FT 0 0 00000 0 00 0000+00
INTER-BK BENJAMIN FRANKLIN HW
(SR0422 SEG 0195/1078)
0500/0000 LENGTH(AH 1171 BK 1353)

INTER-AHD BENJAMIN FRANKLIN HW
0250/1353 (SR0422 SEG 0185/1327)

001368 FT

001368 FT 0 0 00000 0 00 0000+00
SR 0286 SH
(SR0286 SEG 0434/0615)

0250/0000 LENGTH(AH 1353 BK 1368)

SR 0286 SH
(SR0286 SEG 0424/2294)

0010/1368

000000 FT

000000 FT 0 0 00000 0 00 0000+00
NC SR 8009 SH
INTER-BK BENJAMIN FRANKLIN HW
(SR0422 SEG 0184/1299)
MFC BEGIN = F
0010/0000 LENGTH(AH 1368 BK 0000)

DIR: W TOTAL LEN: .546 MI. DIST: 10-4 SR: 8008
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

```
002881 FT                    002881 FT SR 0056 SH
                             0760/0579 (SR0056 SEG 0530/2629)
002302 FT                    002302 FT 1 0 00223 2 03 0000+00
                                   NC RAMP D RD
                             INTER-BK  WILLIAM PENN HW
                                       (SR0022 SEG 0300/0330)
                           S 0760/0000 LENGTH(AH 0579 BK 0774)

                             INTER-AHD WILLIAM PENN HW
                             0750/0774 (SR0022 SEG 0300/0774)

001528 FT                    001528 FT 1 0 00223 2 02 0000+00
                                   NC RAMP C RD
                                       SR 0056 SH
                                       (SR0056 SEG 0530/2652)
                           S 0750/0000 LENGTH(AH 0774 BK 0845)

                                       SR 0056 SH
                             0510/0845 (SR0056 SEG 0530/1951)

                                       TRIB. TO MARDIS RUN
                                       STRUCTURE LENGTH  14 FT
                             0510/0075 BMSID 32/8008/0510/0075
000683 FT                    000683 FT 1 0 00223 2 01 0000+00
                                   NC RAMP B RD
                             INTER-BK  WILLIAM PENN HW
                                       (SR0022 SEG 0301/0760)
                           S 0510/0000 LENGTH(AH 0845 BK 0683)

                             INTER-AHD WILLIAM PENN HW
                             0500/0683 (SR0022 SEG 0301/0343)
                                       TRIB TO MARDIS RUN
                                       STRUCTURE LENGTH   8 FT
                             0500/0580 BMSID 32/8008/0500/0580
000000 FT                    000000 FT 1 0 00223 2 00 0000+00
                                   NC RAMP A RD
                                       SR 0056 SH
                                       (SR0056 SEG 0530/1972)
                                       MFC BEGIN = F
                           S 0500/0000 LENGTH(AH 0683 BK 0000)
```

DIR: E TOTAL LEN: 2.231 MI. DIST: 10-4 SR: 8007
LEFT MUN: WHITE T RIGHT MUN: WHITE T

011781 FT

011781 FT
INTER-AHD BENJAMIN FRANKLIN HW
0760/1085 (SR0422 SEG 0301/0507)

010696 FT

010696 FT 1 0 01113 2 30 0000+00
NC RAMP D RD
INTER-BK INDIANA BP
(SR0119 SEG 0280/0500)
S 0760/0000 LENGTH(AH 1085 BK 1382)

INTER-AHD INDIANA BP
0750/1382 (SR0119 SEG 0280/1396)

009314 FT

009314 FT 1 0 01112 2 29 0000+00
NC RAMP C RD
INTER-BK BENJAMIN FRANKLIN HW
(SR0422 SEG 0301/1025)
S 0750/0000 LENGTH(AH 1382 BK 1596)

INTER-AHD INDIANA BP
0510/1596 (SR0119 SEG 0281/0732)

007718 FT

007718 FT 1 0 01112 2 27 0000+00
NC RAMP B RD
INTER-BK BENJAMIN FRANKLIN HW
(SR0422 SEG 0235/1891)
S 0510/0000 LENGTH(AH 1596 BK 1719)

INTER-AHD BENJAMIN FRANKLIN HW
0500/1719 (SR0422 SEG 0235/1362)

005999 FT

005999 FT 1 0 01113 2 28 0000+00
NC RAMP A RD
INTER-BK INDIANA BP
(SR0119 SEG 0281/1236)
S 0500/0000 LENGTH(AH 1719 BK 1236)

DIR: E TOTAL LEN: 2.231 MI. DIST: 10-4 SR: 8007
LEFT MUN: WHITE T RIGHT MUN: WHITE T

```
                                        INTER-AHD BENJAMIN FRANKLIN HW
                                        0260/1236 (SR0422 SEG 0234/1826)

004763 FT                               004763 FT 1 0 01113 2 26 0000+00
                                              NC RAMP H RD
                                        INTER-BK  INDIANA BP
                                                  (SR0119 SEG 0271/1241)
                                      S 0260/0000 LENGTH(AH 1236 BK 1437)

                                        INTER-AHD INDIANA BP
                                        0250/1437 (SR0119 SEG 0271/0566)

003326 FT                               003326 FT 1 0 01112 2 25 0000+00
                                              NC RAMP G RD
                                        INTER-BK  BENJAMIN FRANKLIN HW
                                                  (SR0422 SEG 0234/1217)
                                      S 0250/0000 LENGTH(AH 1437 BK 1581)

                                        INTER-AHD INDIANA BP
                                        0020/1581 (SR0119 SEG 0270/0844)

001745 FT                               001745 FT 1 0 01112 2 24 0000+00
                                              NC RAMP F RD
                                        INTER-BK  BENJAMIN FRANKLIN HW
                                                  (SR0422 SEG 0300/0500)
                                      S 0020/0000 LENGTH(AH 1581 BK 1745)

                                        INTER-AHD BENJAMIN FRANKLIN HW
                                        0010/1745 (SR0422 SEG 0300/1016)

000000 FT                               000000 FT 1 0 01113 2 23 0000+00
                                              NC RAMP E RD
                                        INTER-BK  INDIANA BP
                                                  (SR0119 SEG 0270/0331)
                                                  MFC BEGIN = F
                                      S 0010/0000 LENGTH(AH 1745 BK 0000)
```

DIR: E TOTAL LEN: .617 MI. DIST: 10-4 SR: 8006
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

```
003260 FT                    003260 FT SR 0259 SH
                             0260/0690 (SR0259 SEG 0110/0273)

002570 FT                    002570 FT 0 0 00000 0 00 0000+00
                                       WILLIAM PENN HW
                                       (SR0022 SEG 0213/0809)
                           S 0260/0000 LENGTH(AH 0690 BK 0695)

                                       WILLIAM PENN HW
                             0250/0695 (SR0022 SEG 0213/0809)

001875 FT                    001875 FT 0 0 00000 0 00 0000+00
                                 NC RAMP A RD
                                       SR 0259 SH
                                       (SR0259 SEG 0110/0259)
                           S 0250/0000 LENGTH(AH 0695 BK 0950)

                                       WILLIAM PENN HW
                             0020/0950 (SR0022 SEG 0212/0840)

000925 FT                    000925 FT 0 0 00000 0 00 0000+00
                                       SR 0259 SH
                                       (SR0259 SEG 0100/3210)
                           S 0020/0000 LENGTH(AH 0950 BK 0925)

                                       SR 0259 SH
                             0010/0925 (SR0259 SEG 0100/3224)

000000 FT                    000000 FT 0 0 00000 0 00 0000+00
                                 NC RAMP B RD
                                       WILLIAM PENN HW
                                       (SR0022 SEG 0212/0840)
                                       MFC BEGIN = F
                           S 0010/0000 LENGTH(AH 0925 BK 0000)
```

DIR: S TOTAL LEN: .969 MI. DIST: 10-4 SR: 8005
LEFT MUN: WHITE T RIGHT MUN: WHITE T

005118 FT

005118 FT
* REF-AHD OLD ROUTE 119 RD
0760/1594 (SR0110 SEG 0121/1310)

DIR: S TOTAL LEN: .969 MI. DIST: 10-4 SR: 8005
LEFT MUN: WHITE T RIGHT MUN: WHITE T



003524 FT

003524 FT 1 0 01113 2 16 0000+00
NC RAMP I RD
INTER-BK INDIANA BP
(SR0119 SEG 0400/1952)
0760/0000 LENGTH(AH 1594 BK 1987)

INTER-AHD SR 0119 SH
0750/1987 (SR0119 SEG 0420/0283)
MCKEE RUN
STRUCTURE LENGTH 21 FT
0750/1500 BMSID 32/0119/0420/0045

001537 FT

001537 FT 1 0 01113 2 17 0000+00
NC RAMP J RD
REF-BK OLD ROUTE 119 RD
(SR0110 SEG 0120/1266)
0750/0000 LENGTH(AH 1987 BK 0842)

INTER-AHD OLD ROUTE 119 RD
0500/0842 (SR0110 SEG 0121/0671)
MCKEE RUN
STRUCTURE LENGTH 22 FT
0500/0750 BMSID 32/0110/0120/0694

000695 FT

000695 FT 1 0 01113 2 15 0000+00
NC RAMP K RD
INTER-BK INDIANA BP
(SR0119 SEG 0401/1923)
0500/0000 LENGTH(AH 0842 BK 0695)

INTER-AHD INDIANA BP
0250/0695 (SR0119 SEG 0401/0890)
MCKEE RUN
STRUCTURE LENGTH 22 FT
0250/0200 BMSID 32/0110/0120/0694

000000 FT

000000 FT 1 0 01113 2 14 0000+00
NC RAMP L RD
INTER-BK OLD ROUTE 119 RD
(SR0110 SEG 0120/0487)
MFC BEGIN = F
0250/0000 LENGTH(AH 0695 BK 0000)

DIR: W TOTAL LEN: 1.102 MI. DIST: 10-4 SR: 8004
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

005820 FT

005620 FT





```
005820 FT
INTER-AHD  SR 119 INDIANA HW
0770/0200  (SR0119 SEG 0012/0500)
005620 FT  0 0 00000 0 00 0000+00
INTER-BK   SR 8004
           (SR8004 SEG 0760/1178)
5 0770/0000 LENGTH(AH 0200 BK 1352)

INTER-AHD  SR 119 INDIANA HW
0760/1352  (SR0119 SEG 0012/0500)
           SR 119 INDIANA HW
0760/1329  (SR0119 SEG 0013/0311)
           RAMP D RD
0760/1178  (SR8004 SEG 0770/0000)
```

DIR: W TOTAL LEN: 1.102 MI. DIST: 10-4 SR: 8004
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

004268 FT



004268 FT 0 0 00000 0 00 0000+00
NC RAMP D RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0070/0322)
S 0760/0000 LENGTH(AH 1352 BK 1945)

INTER-AHD WILLIAM PENN HW
0750/1945 (SR0022 SEG 0090/0000)

002323 FT



002323 FT 0 0 00000 0 00 0000+00
NC RAMP C RD
SR 0119 SH
(SR0119 SEG 0013/0298)
(SR0119 SEG 0012/0310)
S 0750/0000 LENGTH(AH 1945 BK 1254)

SR 0119 SH
(SR0119 SEG 0013/1050)
0500/1254 (SR0119 SEG 0012/1071)

001069 FT



001069 FT 0 0 00000 0 00 0000+00
NC RAMP B RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0091/0000)
S 0500/0000 LENGTH(AH 1254 BK 1069)

INTER-AHD WILLIAM PENN HW
0250/1069 (SR0022 SEG 0061/1552)

FROM 0119/0013 SH
(CONN)
FROM 0119/0012 SH
(CONN)

0250/0424
000000 FT



000000 FT 1 0 00068 2 04 0000+00
NC RAMP A RD
INTER-BK SR 0119 SH
(SR0119 SEG 0013/1441)
MFC BEGIN = F
S 0250/0000 LENGTH(AH 1069 BK 0000)

DIR: S TOTAL LEN: 1.211 MI. DIST: 10-4 SR: 8003
LEFT MUN: WHITE T RIGHT MUN: WHITE T

006393 FT 006393 FT

DIR: S TOTAL LEN: 1.211 MI. DIST: 10-4 SR: 8003
LEFT MUN: WHITE T RIGHT MUN: WHITE T

```
                                        INTER-AHD SR 1004 SH
                                        0760/2043 (SR1004 SEG 0021/1016)

004350 FT                               004350 FT 1 0 01113 2 10 0000+00
                                              NC RAMP A
                                        INTER-BK  INDIANA BP
                                                  (SR0119 SEG 0350/0634)
                                      S 0760/0000 LENGTH(AH 2043 BK 2324)

                                        INTER-AHD INDIANA BP
                                        0750/2324 (SR0119 SEG 0350/1612)

002026 FT                               002026 FT 1 0 01113 2 11 0000+00
                                              NC RAMP B
                                        INTER-BK  SR 1004 SH
                                                  (SR1004 SEG 0020/0993)
                                      S 0750/0000 LENGTH(AH 2324 BK 0961)

                                        INTER-AHD SR 1004 SH
                                        0500/0961 (SR1004 SEG 0021/0182)

001065 FT                               001065 FT 1 0 01113 2 09 0000+00
                                              NC RAMP C
                                        INTER-BK  INDIANA BP
                                                  (SR0119 SEG 0351/0686)
                                      S 0500/0000 LENGTH(AH 0961 BK 1065)

                                        INTER-AHD INDIANA BP
                                        0250/1065 (SR0119 SEG 0341/0970)

000000 FT                               000000 FT 1 0 01113 2 12 0000+00
                                              NC RAMP D
                                        INTER-BK  SR 1004 SH
                                                  (SR1004 SEG 0020/0115)
                                                  MFC BEGIN = F
                                      S 0250/0000 LENGTH(AH 1065 BK 0000)
```

DIR: N TOTAL LEN: .446 MI. DIST: 10-4 SR: 8002
LEFT MUN: BLAIRSVILLE B RIGHT MUN: BLAIRSVILLE B

```
002354 FT                    002354 FT
                             INTER-AHD WILLIAM PENN HW
                             0760/0770 (SR0022 SEG 0020/0179)
                                       BLAIRSVILLE
                             0760/0630 BURRELL T

001584 FT                    001584 FT 1 0 00068 2 04 0000+00
                                  NC RAMP D RD
                                       RANSON AV
                                       (BORO)
                             INTER-BK  WALNUT ST
                                       (SR2003 SEG 0010/0702)
                           S 0760/0000 LENGTH(AH 0770 BK 0517)

                             INTER-AHD WALNUT ST
                                       (SR2003 SEG 0010/0702)
                                       RANSON AV
                             0750/0517 (BORO)
001067 FT                    001067 FT 1 0 00068 2 03 0000+00
                                  NC RAMP C RD
                             INTER-BK  WILLIAM PENN HW
                                       (SR0022 SEG 0010/1852)
                           S 0750/0000 LENGTH(AH 0517 BK 0482)

                             INTER-AHD WILLIAM PENN HW
                             0510/0482 (SR0022 SEG 0011/1299)
                                       FROM 0217/0050 SH
                             0510/0061 (CONN)
000585 FT                    000585 FT 1 0 00068 2 02 0000+00
                                  NC RAMP A RD
                                       WALNUT ST
                                       (SR0217 SEG 0050/1690)
                           S 0510/0000 LENGTH(AH 0482 BK 0585)

                                       WALNUT ST
                             0500/0585 (SR0217 SEG 0050/1712)
                                       TO 0217/0050 SH
                             0500/0479 (CONN)
                                       DUNN AV
                             0500/0159 (TWP )
000000 FT                    000000 FT 1 0 00068 2 01 0000+00
                                  NC RAMP B RD
                             INTER-BK  WILLIAM PENN HW
                                       (SR0022 SEG 0011/1442)
                                       MFC BEGIN = F
                           S 0500/0000 LENGTH(AH 0585 BK 0000)
```

DIR: N TOTAL LEN: 1.502 MI. DIST: 10-4 SR: 8001
LEFT MUN: WHITE T RIGHT MUN: WHITE T

007930 FT

007315 FT

007930 FT
INTER-AHD RAMP J RD
0500/0615 (SR8001 SEG 0010/2833)

007315 FT 1 0 01113 2 07 0000+00
NC RAMP L RD
INTER-BK INDIANA BP
(SR0119 SEG 0261/1433)
S 0500/0000 LENGTH(AH 0615 BK 1800)

INTER-AHD INDIANA BP
0250/1800 (SR0119 SEG 0251/1716)

DIR: N TOTAL LEN: 1.502 MI. DIST: 10-4 SR: 8001
LEFT MUN: WHITE T RIGHT MUN: WHITE T

RAMP K RD
(SR8001 SEG 0020/0000) 0250/0173
005515 FT



005515 FT 1 0 01113 2 08 0000+00
NC RAMP TO WAYNE AV
INTER-BK WAYNE AV
(SR4422 SEG 0150/3682)
S 0250/0000 LENGTH(AH 1800 BK 2434)

INTER-AHD INDIANA BP
0020/2434 (SR0119 SEG 0260/0259)
WHITE
0020/2194 CENTER T
CENTER
0020/1713 WHITE T

SR 0119
0020/0841 OP ID 32/0119/0260/0928
SR0119 SB
0020/0752 OP ID 32/0119/0261/0813

003081 FT

003081 FT 1 0 01113 2 06 0000+00
NC RAMP K RD
INTER-BK RAMP TO WAYNE AV
(SR8001 SEG 0250/0173)
S 0020/0000 LENGTH(AH 2434 BK 3081)

INTER-AHD WAYNE AV
0010/3081 (SR4422 SEG 0151/3629)
RAMP L RD
0010/2833 (SR8001 SEG 0500/0615)

SR0119 SB
0010/2148 OP ID 32/0119/0261/0813
SR 0119
0010/2059 OP ID 32/0119/0260/0928

WHITE
0010/1087 CENTER T

000000 FT

000000 FT 1 0 01112 2 02 0000+00
NC RAMP J RD
INTER-BK INDIANA BP
(SR0119 SEG 0250/0901)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 3081 BK 0000)

DIR: B TOTAL LEN: 5.671 MI. DIST: 10-4 SR: 4422
LEFT MUN: WHITE T RIGHT MUN: WHITE T

```
                                028667 FT                                  029942 FT
RAMP J RD                        REF-AHD                    REF-AHD    RAMP K RD
(SR8001 SEG 0010/3081)           0151/3629                  0150/3682  (SR8001 SEG 0250/0000)
 SIGN: 4 CHORD TRUSS                                                     SIGN: 4 CHORD TRUSS
BMSID 32/4422/0150/3495          0151/3487                  0150/3495  BMSID 32/4422/0150/3495
                                                                        018 "DIA CIRC CONCR
                                                            0150/3155  LEN=0056 INSTALLED UNKN
                                                                        018 "DIA CIRC CONCR
                                                            0150/2760  LEN=0056 INSTALLED UNKN
                                                                        018 "DIA CIRC CONCR
                                                            0150/2361  LEN=0060 INSTALLED UNKN
                                                                        024 "DIA CIRC CONCR
                                                            0150/1960  LEN=0060 INSTALLED UNKN
                                                                        024 "DIA CIRC CONCR
                                                            0150/1592  LEN=0080 INSTALLED UNKN
     SR0422 EB                                                            SR0422 EB
OP ID 32/0422/0234/0000          0151/1591                  0150/1575  OP ID 32/0422/0234/0000
     SR0422 WB                                                            SR0422 WB
OP ID 32/0422/0235/0000          0151/1503                  0150/1486  OP ID 32/0422/0235/0000
                                                                        015 "DIA CIRC CONCR
                                                            0150/1057  LEN=0065 INSTALLED UNKN

018 "DIA CIRC CONCR                                                     018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN          0151/0309                  0150/0309  LEN=0055 INSTALLED UNKN
                                                                        FROM 3035/0110 SH
                                                            0150/0101  (CONN)
                                                                        018 "DIA CIRC CONCR
                                                            0150/0050  LEN=0042 INSTALLED UNKN
1 0 00068 0 02 0773+23           025038 FT                  026260 FT  1 0 00068 0 02 0773+23
```

DIR: B TOTAL LEN: 5.671 MI. DIST: 10-4 SR: 4422
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| UNKNOWN RD<br>(PRDR)<br>OLD ROUTE 119 HW<br>(SR3035 SEG 0110/2091) | | | UNKNOWN RD<br>(PRDR)<br>OLD ROUTE 119 HW<br>(SR3035 SEG 0110/2091) |
| LENGTH(AH 3629 BK 1546) 0151/0000 | | 0150/0000 | LENGTH(AH 3682 BK 1538)<br>TO 3035/0110 SH |
| | | 0140/1391 | (CONN)<br>018 "DIA CIRC CONCR |
| | | 0140/1385 | LEN=0075 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0037 INSTALLED UNKN 0141/0620 | | 0140/0620 | 018 "DIA CIRC CONCR<br>LEN=0027 INSTALLED UNKN |
| | | 0140/0420 | 018 "DIA CIRC METAL<br>LEN=0095 INSTALLED UNKN |
| 024 "DIA CIRC CONCR<br>LEN=0062 INSTALLED UNKN 0141/0370<br>1 0 00068 0 02 0788+46 023492 FT<br>INDIAN SPRINGS RD<br>(SR4005 SEG 0031/0000)<br>NC WAYNE AV | | 024722 FT | 1 0 00068 0 02 0788+46<br>INDIAN SPRINGS RD<br>(SR4005 SEG 0030/0000)<br>NC WAYNE AV |
| WAYNE AV<br>(SR4005 SEG 0031/0000)<br>MFC BEGIN = B<br>LTH AH 001546 BK 000850 0141/0000 | | 0140/0000 | WAYNE AV<br>(SR4005 SEG 0030/0000)<br>MFC BEGIN = B<br>LENGTH(AH 1538 BK 0850) |
| | | 0130/0432 | BMSEN 32/4422/0130/0414<br>0 0 00000 0 00 0000+00<br>STONEY RUN |
| | | 0130/0414 | BMSBG 32/4422/0130/0414<br>018 "DIA CIRC METAL |
| | | 0130/0398 | LEN=0042 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0130/0194 | LEN=0095 INSTALLED UNKN |
| 022642 FT | | 023872 FT | 2 0 32046 0 01 0056+73 |
| | | 0130/0000 | LENGTH(AH 0850 BK 1814)<br>BUFFALO & PITTSBURGH R. |
| | | 0120/1597 | OVERPASS IS RR X-ING<br>024 "DIA CIRC CONCR |
| | | 0120/1572 | LEN=0050 INSTALLED UNKN<br>024 "DIA CIRC METAL |
| | | 0120/1239 | LEN=0096 INSTALLED UNKN<br>015"H 24"W BOX CULVRT* |
| | | 0120/0966 | LEN=0175 INSTALLED UNKN<br>024 "DIA CIRC CONCR |
| | | 0120/0898 | LEN=0150 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0120/0690 | LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0120/0680 | LEN=0054 INSTALLED UNKN |

DIR: B TOTAL LEN: 5.671 MI. DIST: 10-4 SR: 4422
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | | |
|---|---|---|---|---|
| UNIVERSITY DR (TWP ) | 0120/0572 | | | |
| | | | 0120/0313 | 018 "DIA CIRC METAL LEN=0060 INSTALLED UNKN |
| | | | 0120/0230 | 018 "DIA CIRC METAL LEN=0042 INSTALLED UNKN |
| | | | 0120/0035 | 018 "DIA CIRC METAL LEN=0090 INSTALLED UNKN |
| | 020828 FT | | 022058 FT | 2 0 32046 0 01 0074+87 |
| | | | S 0120/0000 | LENGTH(AH 1814 BK 1965) |
| | | | 0110/1822 | 024 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN |
| | | | 0110/1530 | 018 "DIA CIRC METAL LEN=0060 INSTALLED UNKN |
| | | | 0110/1230 | 018 "DIA CIRC METAL LEN=0200 INSTALLED UNKN |
| | | | 0110/0770 | 018 "DIA CIRC METAL LEN=0150 INSTALLED UNKN |
| | | | 0110/0611 | MCCARTNEY RUN STRUCTURE LENGTH 13 FT BMSID 32/4422/0110/0611 |
| 2 0 32046 0 01 0094+50 | 018863 FT | | 020093 FT | RUSTIC LODGE RD (SR3033 SEG 0110/3554) |
| RUSTIC LODGE RD (T813) | 0110/0000 | | S 0110/0000 | LENGTH(AH 1965 BK 0830) |
| | | | 0100/0781 | 018 "DIA CIRC METAL LEN=0050 INSTALLED UNKN |
| | 018033 FT | | 019263 FT | 2 0 32046 0 01 0103+06 |
| | | | S 0100/0000 | 018 "DIA CIRC METAL LEN=0045 INSTALLED UNKN LENGTH(AH 0830 BK 2336) |
| | | | 0090/1940 | 036 "DIA CIRC METAL LEN=0045 INSTALLED UNKN |
| | | | 0090/1290 | 018"H 18"W BOX CULVRT* LEN=0034 INSTALLED UNKN |
| | | | 0090/1079 | 015 "DIA CIRC METAL LEN=0065 INSTALLED UNKN |
| | | | 0090/0870 | 015 "DIA CIRC METAL LEN=0070 INSTALLED UNKN |
| BIRCHWOOD DR (T420) | 0090/0784 | | | |
| | | | 0090/0700 | 018 "DIA CIRC METAL LEN=0075 INSTALLED UNKN |
| LAZOR ST (T419) | 0090/0680 | | | |
| | | | 0090/0305 | 018"H 12"W BOX CULVRT* LEN=0054 INSTALLED UNKN |

DIR: B TOTAL LEN: 5.671 MI. DIST: 10-4 SR: 4422
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | | FROM 0286/0440 SH |
| | | 0090/0145 | (CONN) |
| | 015697 FT | 016927 FT | 2 0 32046 0 01 0126+43 |
| | | | SR 0286 SH |
| | | | (SR0286 SEG 0450/0000) |
| | | S 0090/0000 | LENGTH(AH 2336 BK 1913) |
| FROM 0286/0450 SH | | | TO 0286/0440 SH |
| (CONN) | 0080/1752 | 0080/1752 | (CONN) |
| | | | 018 "DIA CIRC METAL |
| | | 0080/1638 | LEN=0048 INSTALLED UNKN |
| PENNDOT DIST 10-0 BLDG | | | |
| (PRDR) | 0080/1503 | 0080/1503 | (APRA) PENNDOT DIST 10- |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/1300 | LEN=0036 INSTALLED UNKN |
| | | | TREESE AV |
| | | 0080/0985 | (T719) |
| | | | HILLSIDE DR |
| | | 0080/0572 | (T682) |
| | | | 036 "DIA CIRC METAL |
| | | 0080/0060 | LEN=0060 INSTALLED UNKN |
| | 013784 FT | 015014 FT | 2 0 32046 0 01 0145+39 |
| | | | EVERGREEN DR |
| | | | (T662) |
| | | S 0080/0000 | LENGTH(AH 1913 BK 3230) |
| | | | 036 "DIA CIRC METAL |
| | | 0070/2774 | LEN=0080 INSTALLED UNKN |
| | | | NC INDIAN SPRINGS RD |
| | | | WARREN RD |
| | | | (SR3024 SEG 0060/0518) |
| | | 0070/2660 | |
| | | | 015 "DIA CIRC METAL |
| | | 0070/2644 | LEN=0045 INSTALLED UNKN |
| TOWNFAIR PLAZA | | | |
| (PRDR) | 0070/1910 | 0070/1910 | |
| | | | 036 "DIA CIRC METAL |
| | | 0070/1551 | LEN=0055 INSTALLED UNKN |
| LOWES PLAZA DR | | | |
| (PRDR) | 0070/1169 | 0070/1169 | |
| | | | 015 "DIA CIRC METAL |
| | | 0070/0754 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0070/0348 | LEN=0030 INSTALLED UNKN |
| | 010554 FT | 011784 FT | 2 0 32046 0 01 0177+50 |
| | | | SHELLY DR |
| | | | (T416) |
| | | S 0070/0000 | LENGTH(AH 3230 BK 1841) |
| | | | 018 "DIA CIRC METAL |

DIR: B TOTAL LEN: 5.671 MI. DIST: 10-4 SR: 4422
LEFT MUN: WHITE T RIGHT MUN: WHITE T

```
                                                  0060/1833 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0060/1432 LEN=0040 INSTALLED UNKN
                                                            MELLONEY LN
                                                  0060/1422 (T717)
                                                  0060/1223 BMSEN 32/4422/0060/1205
                                                            0 0 00000 0 00 0000+00
                                                            TR MCCARTNEY RUN
                                                  0060/1205 BMSBG 32/4422/0060/1205
                                                            018 "DIA CIRC METAL
                                                  0060/0699 LEN=0050 INSTALLED UNKN

2 0 32046 0 01 0196+37 008713 FT                  009943 FT
WEST PIKE RD
(SR4032 SEG 0010/0000)                                  NC BEN FRANKLIN RD
BEN FRANKLIN RD                                           MFC BEGIN = D
(T411)                 0060/0000                        S 0060/0000 LENGTH(AH 1841 BK 2048)
                                                  0050/1469 BMSEN 32/4422/0050/1458
                                                            0 0 00000 0 00 0000+00
                                                            060"H 90"W CON BOX CUL
                                                            LEN=0040 INSTALLED UNKN
                                                            TR MCCARTHY RUN
                                                  0050/1458 BMSBG 32/4422/0050/1458

STERLING HILL DR
(T215)                 0050/0019
                     006665 FT                    007895 FT 1 0 00067 0 02 0414+91
                                                  S 0050/0000 LENGTH(AH 2048 BK 2066)
                                                            024 "DIA CIRC CONCR
                                                  0040/1875 LEN=0070 INSTALLED UNKN

                                                            015 "DIA CIRC METAL
                                                  0040/1017 LEN=0090 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0040/0680 LEN=0075 INSTALLED UNKN
                                                            MALLET HILL CT
                                                  0040/0585 (T976)
                                                            018 "DIA CIRC CONCR
                                                  0040/0380 LEN=0060 INSTALLED UNKN
                     004599 FT                    005829 FT 1 0 00067 0 02 0393+48
                                                  S 0040/0000 LENGTH(AH 2066 BK 1461)
                                                            015 "DIA CIRC CONCR
                                                  0030/1380 LEN=0065 INSTALLED UNKN

                                                            030 "DIA CIRC CONCR
                                                  0030/0501 LEN=0070 INSTALLED UNKN
                                                            BARCLAY RD
                                                  0030/0454 (T480)
```

DIR: B TOTAL LEN: 5.671 MI. DIST: 10-4 SR: 4422
LEFT MUN: WHITE T RIGHT MUN: WHITE T

LIONS HEALTH CAMP RD
(SR4004 SEG 0050/2333) 0030/0297



WHITE
0030/0112 ARMSTRONG T
015 "DIA CIRC CONCR
0030/0111 LEN=0045 INSTALLED UNKN
003138 FT 004368 FT 1 0 00067 0 02 0378+64
S 0030/0000 LENGTH(AH 1461 BK 3138)

018 "DIA CIRC CONCR
0020/2496 LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/2330 LEN=0070 INSTALLED UNKN
024 "DIA CIRC CONCR
0020/1795 LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1470 LEN=0075 INSTALLED UNKN

048"H 84"W CON BOX CUL
0020/0216 LEN=0080 INSTALLED UNKN
0020/0191 BMSEN 32/4422/0020/0178
0 0 00000 0 00 0000+00
TR CURRY RUN
0020/0178 BMSBG 32/4422/0020/0178
SIGN: 4 CHORD TRUSS
0020/0102 BMSID 32/4422/0020/0102
1 0 00067 0 02 0348+53 000000 FT 001230 FT
RAMP E RD
(SR8018 SEG 0510/0000)
ARMSTRONG
024 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN
MFC BEGIN = B
0020/0000 S 0020/0000 LENGTH(AH 3138 BK 1230)

RAMP F RD
0010/1129 (SR8018 SEG 0750/1076)
SR0422 WB
0010/0629 OP ID 32/0422/0145/0462
018 "DIA CIRC CONCR
0010/0530 LEN=0700 INSTALLED UNKN
RAMP E RD
0010/0502 (SR8018 SEG 0510/0718)
018 "DIA CIRC CONCR
0010/0300 LEN=0050 INSTALLED UNKN
000000 FT 1 0 00067 0 02 0323+40
NC WEST PIKE RD
INTER-BK SR 0422 BYPASS SH
(SR0422 SEG 0134/3408)
000000 FT MFC BEGIN = B
LTH AH 000975 BK 000000 7011/0000 S 0010/0000 LENGTH(AH 1230 BK 0000)

DIR: B TOTAL LEN: .008 MI. DIST: 10-4 SR: 4035
LEFT MUN: PLUMVILLE B RIGHT MUN: PLUMVILLE B

```
000040 FT                    000040 FT BMSEN 32/4035/0010/0001
                           * REF-AHD   INDIANA ST
                                       (TB40)
                             0010/0040 BRIDGE POSTED (TONS)
000000 FT                    000000 FT 2 0 32157 0 00 0244+05
                                NC INDIANA ST
                           * REF-BK    INDIANA ST
                                       (TB40)
                                       SGL       27 COMB      35
                                       N BR PLUM CR
                                       BMSBG 32/4035/0010/0001
                                       MFC BEGIN = E
                           S 0010/0000 LENGTH(AH 0040 BK 0000)
```

DIR: B TOTAL LEN: 2.530 MI. DIST: 10-4 SR: 4034
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

```
FIVE POINTS RD          013360 FT
(SR4001 SEG 0070/2518)   0050/3427

                        009933 FT
```



```
  013360 FT  FIVE POINTS RD
  0050/3427  (SR4001 SEG 0070/2518)
             036"H 00"W MULT PLSTIC
  0050/3019  LEN=0060 INSTALLED 2005

             018 "DIA CIRC CONCR
  0050/2371  LEN=0030 INSTALLED UNKN
             018 "DIA CIRC CONCR
  0050/2199  LEN=0028 INSTALLED UNKN
             015 "DIA CIRC METAL
  0050/1760  LEN=0030 INSTALLED UNKN
             024 "DIA CIRC METAL
  0050/1184  LEN=0028 INSTALLED UNKN
             018 "DIA CIRC CONCR
  0050/0965  LEN=0043 INSTALLED UNKN
             024 "DIA CIRC METAL
  0050/0601  LEN=0030 INSTALLED UNKN
             015 "DIA CIRC CONCR
  0050/0045  LEN=0020 INSTALLED UNKN
  009933 FT  2 0 32159 0 00 0099+45
S 0050/0000  LENGTH(AH 3427 BK 2850)

             018 "DIA CIRC CONCR
  0040/2111  LEN=0028 INSTALLED UNKN
             015 "DIA CIRC METAL
  0040/1651  LEN=0035 INSTALLED 2015
             024 "DIA CIRC METAL
  0040/1287  LEN=0036 INSTALLED UNKN
             018 "DIA CIRC CONCR
  0040/0922  LEN=0040 INSTALLED 2000
             015 "DIA CIRC METAL
  0040/0660  LEN=0026 INSTALLED UNKN
             018 "DIA CIRC CONCR
  0040/0382  LEN=0056 INSTALLED 2005
             064 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 2.530 MI. DIST: 10-4 SR: 4034
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

```
                                                  0040/0053 LEN=0040 INSTALLED 2000
2 0 32159 0 00 0070+95 007083 FT                  007083 FT
BATES HILL RD
(T366)                 0040/0000                S 0040/0000 LENGTH(AH 2850 BK 1899)
                                                           015 "DIA CIRC METAL
                                                  0030/1842 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                  0030/1519 LEN=0032 INSTALLED 2000
                                                           015 "DIA CIR PLASTIC
                                                  0030/1136 LEN=0100 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                  0030/0815 LEN=0032 INSTALLED 2000

                       005184 FT                  005184 FT 2 0 32159 0 00 0052+30
                                                           CRIBBS RD
                                                           (T364)
                                                S 0030/0000 LENGTH(AH 1899 BK 2757)
                                                           015 "DIA CIRC CONCR
                                                  0020/2195 LEN=0028 INSTALLED UNKN
BUCHHEIT RD
(T362)                 0020/2184

                                                           030 "DIA CIRC METAL
                                                  0020/1993 LEN=0032 INSTALLED UNKN

                                                           015 "DIA CIRC CONCR
                                                  0020/1115 LEN=0036 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                  0020/0813 LEN=0030 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                  0020/0673 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                  0020/0274 LEN=0032 INSTALLED 2005
                       002427 FT                  002427 FT 2 0 32159 0 00 0024+27
                                                S 0020/0000 LENGTH(AH 2757 BK 2427)
                                                           030 "DIA CIRC METAL
                                                  0010/1988 LEN=0025 INSTALLED UNKN

                                                           015 "DIA CIRC CONCR
                                                  0010/1231 LEN=0025 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                  0010/1146 LEN=0025 INSTALLED UNKN
                                                           012 "DIA CIRC CONCR
                                                  0010/0752 LEN=0030 INSTALLED UNKN
                                                           048 "DIA CIRC METAL
                                                  0010/0392 LEN=0040 INSTALLED 2000
                                                        NC DUTCH RUN RD
                                                  INTER-BK  BARKS HILL RD
2 0 32159 0 00 0000+00 000000 FT                  000000 FT (T880)
GRESS RD                                                   MFC BEGIN = E
(T362)                 0010/0000                S 0010/0000 LENGTH(AH 2427 BK 0000)
```

DIR: B TOTAL LEN: 1.608 MI. DIST: 10-4 SR: 4033
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

008492 FT



```
008492 FT  SR 0954 SH
0030/2726  (SR0954 SEG 0420/0000)
0030/2431  BMSEN 32/4033/0030/2411
           2 0 32136 0 00 0081+71
           SUGARCAMP RN
0030/2411  BMSBG 32/4033/0030/2411
           024 "DIA CIRC CONCR
0030/1916  LEN=0042 INSTALLED UNKN
           024 "DIA CIRC CONCR
0030/1571  LEN=0043 INSTALLED UNKN
           018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 1.608 MI. DIST: 10-4 SR: 4033
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

```
                                        0030/1325 LEN=0045 INSTALLED UNKN
                                                  072 "DIA CIRC METAL
                                        0030/0564 LEN=0085 INSTALLED UNKN
005766 FT                               005766 FT 2 0 32136 0 00 0058+24
                                      S 0030/0000 LENGTH(AH 2726 BK 3054)
                                                  018 "DIA CIRC CONCR
                                        0020/3054 LEN=0036 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/2659 LEN=0036 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/2295 LEN=0100 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/2038 LEN=0100 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/1684 LEN=0034 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/1336 LEN=0045 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/1077 LEN=0037 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/0514 LEN=0036 INSTALLED UNKN
002712 FT                               002712 FT 2 0 32136 0 00 0027+21
                                      S 0020/0000 LENGTH(AH 3054 BK 2712)
                                                  060 "DIA CIRC CONCR
                                        0010/2694 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0010/2452 LEN=0100 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0010/2021 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0010/1870 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0010/1627 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0010/1300 LEN=0026 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0010/0727 LEN=0026 INSTALLED UNKN
                                        0010/0389 BMSEN 32/4033/0010/0376
                                                  2 0 32136 0 00 0003+69
                                                  TR S BR PLUM
                                        0010/0376 BMSBG 32/4033/0010/0376
                                                  018 "DIA CIRC METAL
                                        0010/0010 LEN=0031 INSTALLED UNKN
000000 FT                               000000 FT 2 0 32136 0 00 0000+00
                                              NC HUDSON RD
                                                  SR 0954 SH
                                                  (SR0954 SEG 0380/0661)
                                                  MFC BEGIN = E
                                      S 0010/0000 LENGTH(AH 2712 BK 0000)
```

DIR: B TOTAL LEN: 2.005 MI. DIST: 10-4 SR: 4032
LEFT MUN: INDIANA B RIGHT MUN: INDIANA B

010586 FT

NINTH ST
(SR0954 SEG 0170/0052) 0040/3399

CLYMER AV
(BORO) 0040/3096

STATION AV



010586 FT
7060/0000 LENGTH(AH 2878 BK 3399)
INTER-AHD PHILADELPHIA ST
(SR0954 SEG 0170/0052)
0040/3399
CLYMER AV
0040/3114 (BORO)

018 "DIA CIRC CONCR
0040/2782 LEN=0030 INSTALLED UNKN
TENTH ST
0040/2764 (BORO)
018 "DIA CIRC CONCR
0040/2663 LEN=0030 INSTALLED UNKN
FOUNDRY AV
0040/2413 (BORO)
0040/2128 BMSEN 32/4032/0040/2116
1 0 00067 0 04 0527+63
WHITES RUN
0040/2116 BMSBG 32/4032/0040/2116
ELEVENTH ST
(BORO)
0040/2104
018 "DIA CIRC CONCR
0040/2084 LEN=0035 INSTALLED UNKN
0040/1728 (AAR 148845F)#TRKS 01
PAPER MILL AL

DIR: B TOTAL LEN: 2.005 MI. DIST: 10-4 SR: 4032
LEFT MUN: INDIANA B RIGHT MUN: INDIANA B

| | | | | |
|---|---|---|---|---|
| (BORO) | 0040/1722 | | 0040/1722 | (BORO) |
| | | | | TWELFTH ST |
| | | | 0040/1348 | (BORO) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/1312 | LEN=0035 INSTALLED UNKN |
| | | | | FISHER AV |
| | | | 0040/1007 | (BORO) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/0993 | LEN=0035 INSTALLED UNKN |
| | | | | THIRTEENTH ST |
| | | | | (BORO) |
| | | | 0040/0680 | |
| | | | | LOWRY AV |
| | | | 0040/0343 | (BORO) |
| | 007187 FT | | 007187 FT | 1 0 00067 0 04 0506+69 |
| | | | | FOURTEENTH ST |
| | | | | (BORO) |
| | | | S 0040/0000 | LENGTH(AH 3399 BK 2384) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/2335 | LEN=0035 INSTALLED UNKN |
| WINE AV | | | | |
| (BORO) | 0030/2049 | | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/1743 | LEN=0035 INSTALLED UNKN |
| | | | | FIFTEENTH ST |
| | | | 0030/1711 | (BORO) |
| HAMMER AV | | | | REX AV |
| (BORO) | 0030/1370 | | 0030/1370 | (BORO) |
| | | | | SIXTEENTH ST |
| | | | 0030/1033 | (BORO) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/0976 | LEN=0032 INSTALLED UNKN |
| | | | | INDIANA |
| | | | 0030/0899 | WHITE T |
| | | | | WHITE AV |
| | | | 0030/0785 | (BORO) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/0755 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/0465 | LEN=0037 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/0112 | LEN=0050 INSTALLED UNKN |
| | 004803 FT | | 004803 FT | 1 0 00067 0 03 0481+83 |
| | | | | ACORN ST |
| COLLEGE LODGE RD | | | | (T850) |
| (SR4003 SEG 0010/0000) | 0030/0000 | | S 0030/0000 | LENGTH(AH 2384 BK 3424) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0020/2801 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 2.005 MI. DIST: 10-4 SR: 4032
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | | |
|---|---|---|---|---|
| | | | 0020/2582 | LEN=0044 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0020/2301 | LEN=0040 INSTALLED UNKN<br>HERITAGE RUN RD |
| COLONIAL DR<br>(TWP ) | 0020/2237 | | 0020/2237 | (TWP )<br>018 "DIA CIRC CONCR |
| | | | 0020/2120 | LEN=0022 INSTALLED UNKN<br>030 "DIA CIRC METAL |
| | | | 0020/2040 | LEN=0040 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| FULMER ST<br>(T802) | 0020/1619 | | 0020/1620 | LEN=0005 INSTALLED UNKN |
| ERMA ST<br>(PRDR) | 0020/1346 | | | |
| | | | 0020/1126 | CHRISTY PARK DR<br>(T863) |
| | | | 0020/0433 | 018 "DIA CIRC CONCR<br>LEN=0045 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0020/0173 | LEN=0045 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0020/0040 | LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0020/0037 | LEN=0030 INSTALLED UNKN |
| | | | 0020/0012 | BMSEN 32/4032/0020/0000 |
| | 001379 FT | | 001379 FT | 1 0 00067 0 03 0448+88<br>TR MCCARTNEY RUN<br>BMSBG 32/4032/0020/0000 |
| | | | S 0020/0000 | LENGTH(AH 3424 BK 1379)<br>SHELLY DR<br>(T416) |
| MILL RUN DR<br>(T801) | 0010/1330 | | 0010/1330 | |
| | | | 0010/1292 | 018 "DIA CIRC CONCR<br>LEN=0020 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0010/1248 | LEN=0045 INSTALLED UNKN |
| MEADOW LN<br>(PRDR) | 0010/1042 | | | |
| | 000000 FT | | 000000 FT | 1 0 00067 0 03 0436+05<br>NC PHILADELPHIA ST<br>BEN FRANKLIN RD<br>(SR4422 SEG 0060/0000) |
| | | | INTER-BK | WEST PIKE RD<br>(SR4422 SEG 0060/0000)<br>MFC BEGIN = B |
| BEN FRANKLIN RD<br>(T411) | 0010/0000 | | S 0010/0000 | LENGTH(AH 1379 BK 0000) |

DIR: B TOTAL LEN: .418 MI. DIST: 10-4 SR: 4030
LEFT MUN: INDIANA B RIGHT MUN: INDIANA B

002205 FT

SEVENTH ST
(BORO) 0020/1289

2 0 32183 0 00 0000+00 000000 FT
WAYNE AV
(SR4005 SEG 0070/0000) 0020/0000
000000 FT

000000 FT



002205 FT
INTER-AHD CARTER AV
(BORO)
SIXTH ST
0020/2205 (SR0954 SEG 0140/0030)
018 "DIA CIRC CONCR
0020/1913 LEN=0020 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1561 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1359 LEN=0015 INSTALLED UNKN

018 "DIA CIRC METAL
0020/0903 LEN=0024 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/0600 LEN=0030 INSTALLED UNKN
0020/0311 BMSEN 32/4030/0020/0259
2 0 32183 0 00 0002+37
MARSH RUN
0020/0259 BMSBG 32/4030/0020/0259
NC CARTER AV
000000 FT WAYNE AV
(SR4005 SEG 0070/0000)
0020/0000 LTH AH 002205 BK 000100
000000 FT
7014/0000 LTH AH 000100 BK 002285
000000 FT
7008/0000 LENGTH(AH 2285 BK 0000)

DIR: B TOTAL LEN: 1.762 MI. DIST: 10-4 SR: 4028
LEFT MUN: WEST MAHONING T RIGHT MUN: WEST MAHONING T

```
009304 FT                    009304 FT  AH-JEFFERSON        (33)
                           * REF-AHD    SR 3009 SH
                             0040/3017  (SR3009 SEG 0030/0000)
                                        024 "DIA CIRC METAL
                             0040/2760  LEN=0040 INSTALLED UNKN
                                        018 "DIA CIR PLASTIC
                             0040/2382  LEN=0035 INSTALLED UNKN
                                        018 "DIA CIRC CONCR
                             0040/2214  LEN=0037 INSTALLED UNKN
                                        018 "DIA CIRC CONCR
                             0040/2130  LEN=0035 INSTALLED UNKN
                                        018 "DIA CIRC CONCR
                             0040/1947  LEN=0037 INSTALLED UNKN
                                        018 "DIA CIRC CONCR
                             0040/1825  LEN=0032 INSTALLED 2003
                                        018 "DIA CIRC CONCR
                             0040/1563  LEN=0030 INSTALLED UNKN
                                        018 "DIA CIRC METAL
                             0040/1320  LEN=0037 INSTALLED UNKN

                                        018 "DIA CIRC CONCR
                             0040/0518  LEN=0032 INSTALLED 2003
                                        018 "DIA CIRC METAL
                             0040/0201  LEN=0030 INSTALLED UNKN
006287 FT                    006287 FT  2 0 32143 0 01 0073+23
                                        WEST MAHONING
                                        NORTH MAHONING T
                           S 0040/0000  LENGTH(AH 3017 BK 2335)
                                        018 "DIA CIRC CONCR
                             0030/2266  LEN=0032 INSTALLED 2003
                                        NORTH MAHONING
                             0030/2096  WEST MAHONING T
                                        015 "DIA CIRC CONCR
                             0030/2049  LEN=0027 INSTALLED UNKN
                                        015 "DIA CIRC CONCR
                             0030/1883  LEN=0034 INSTALLED UNKN
                                        018 "DIA CIR PLASTIC
                             0030/1525  LEN=0031 INSTALLED 2015
```

DIR: B TOTAL LEN: 1.762 MI. DIST: 10-4 SR: 4028
LEFT MUN: WEST MAHONING T RIGHT MUN: WEST MAHONING T

```
                                                  018 "DIA CIRC CONCR
                                        0030/0789 LEN=0032 INSTALLED 2003

                                                  015 "DIA CIRC CONCR
                                        0030/0170 LEN=0030 INSTALLED UNKN
003952 FT                               003952 FT 2 0 32143 0 01 0049+88
                                      * REF-BK    SR 3009 SH
                                                  (SR3009 SEG 0010/3147)
                                                   BK-JEFFERSON       (33)
                                      S 0030/0000 LTH AH 002335 BK 000100
003952 FT                               003952 FT
                                        7026/0000 LTH AH 000100 BK 000100
003952 FT                               003952 FT
                                        7024/0000 LTH AH 000100 BK 002617
                                                   AH-JEFFERSON       (33)
                                      * REF-AHD   NORTH POINT RD
                                        0020/2617 (SR3009 SEG 0010/0000)
                                                  018 "DIA CIRC CONCR
                                        0020/2479 LEN=0032 INSTALLED 2003
                                                  018 "DIA CIRC CONCR
                                        0020/2197 LEN=0030 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0020/1845 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/1581 LEN=0032 INSTALLED 2003
                                                  018 "DIA CIRC CONCR
                                        0020/1384 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/1166 LEN=0032 INSTALLED 2003
                                                  018 "DIA CIRC CONCR
                                        0020/0765 LEN=0035 INSTALLED UNKN
                                        0020/0324 (AAR 148910J)#TRKS 01
                                                  018 "DIA CIRC CONCR
                                        0020/0320 LEN=0045 INSTALLED UNKN
001335 FT                               001335 FT 2 0 32143 0 01 0023+68
                                      S 0020/0000 LENGTH(AH 2617 BK 1335)
                                                  018 "DIA CIRC CONCR
                                        0010/1140 LEN=0032 INSTALLED 2003


                                                  015 "DIA CIRC CONCR
                                        0010/0100 LEN=0040 INSTALLED UNKN
000000 FT                               000000 FT 2 0 32143 0 00 0000+00
                                              NC NORTH POINT DR
                                                  WEASLE SLIDE DR
                                                  (SR4026 SEG 0140/0000)
                                        INTER-BK  NORTH POINT DR
                                                  (T860)
                                                  MFC BEGIN = D
                                      S 0010/0000 LENGTH(AH 1335 BK 0000)
```

DIR: B TOTAL LEN: 2.661 MI. DIST: 10-4 SR: 4026
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

014048 FT



014048 FT
INTER-AHD ELKIN RD
(T640)
SR 0954 SH
0180/1799 (SR0954 SEG 0680/1333)
018 "DIA CIRC CONCR
0180/1555 LEN=0048 INSTALLED 1998

DIR: B TOTAL LEN: 2.661 MI. DIST: 10-4 SR: 4026
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

| | | | | |
|---|---|---|---|---|
| | | | | 015 "DIA CIRC CONCR |
| | | | 0180/0358 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0180/0020 | LEN=0030 INSTALLED UNKN |
| 2 0 32111 0 02 0492+44 | 012249 FT | | | 012249 FT |
| FETTERHOFF RD | | | | |
| (T641) | 0180/0000 | == | S 0180/0000 | LENGTH(AH 1799 BK 2288) |
| | | | | 018 "DIA CIRC METAL |
| | | | 0170/2032 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/1825 | LEN=0040 INSTALLED 1997 |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0170/1540 | LEN=0030 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0170/0225 | LEN=0027 INSTALLED 1998 |
| | 009961 FT | | | 009961 FT 2 0 32111 0 02 0470+05 |
| | | | S 0170/0000 | LENGTH(AH 2288 BK 3958) |
| | | | | NORTH MAHONING |
| | | | 0160/3754 | WEST MAHONING T |
| | | | | 018 "DIA CIRC METAL |
| | | | 0160/2155 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0160/1141 | LEN=0025 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0160/0346 | LEN=0025 INSTALLED UNKN |
| | 006003 FT | | | 006003 FT 2 0 32111 0 02 0430+46 |
| | | | | WEAVER RD |
| | | | | (T575) |
| | | == | S 0160/0000 | LENGTH(AH 3958 BK 3654) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0150/2948 | LEN=0032 INSTALLED 2009 |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0150/2510 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0150/1951 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0150/1650 | LEN=0040 INSTALLED UNKN |
| NEAL FLAT RD | | | | |
| (T523) | 0150/1513 | == | | |

DIR: B TOTAL LEN: 2.661 MI. DIST: 10-4 SR: 4026
LEFT MUN: WEST MAHONING T RIGHT MUN: WEST MAHONING T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC METAL |
| | | 0150/1494 | LEN=0070 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0150/1068 | LEN=0030 INSTALLED UNKN |
| | | | PHILLIPS RD |
| | | 0150/0851 | (T522) |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0666 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0406 | LEN=0026 INSTALLED 1997 |
| | | | 030 "DIA CIR PLASTIC |
| | | 0150/0264 | LEN=0090 INSTALLED 2015 |
| | 002349 FT | 002349 FT | 2 0 32111 0 02 0393+92 |
| | | | MFC BEGIN = E |
| | | S 0150/0000 | LENGTH(AH 3654 BK 1802) |
| | | | 018 "DIA CIRC METAL |
| | | 0140/1620 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0140/1421 | LEN=0040 INSTALLED UNKN |
| | | | NORTH POINT PARK RD |
| | | 0140/0904 | (T512) |
| | | 0140/0440 | BMSEN 32/4026/0140/0206 |
| | | | 2 0 32111 0 01 0376+66 |
| | | | MAHONING CR |
| | | 0140/0206 | BMSBG 32/4026/0140/0206 |
| | | 000547 FT | ASLE SLIDE DR |
| 2 0 32111 0 01 0374+62 | 000547 FT | INTER-BK | NORTH POINT RD |
| NORTH POINT RD | | | (T860) |
| (SR4028 SEG 0010/0000) | 0140/0000 | S 0140/0000 | LENGTH(AH 1802 BK 0100) |
| | 000547 FT | 000547 FT | |
| | | 7134/0000 | LENGTH(AH 0100 BK 0014) |
| | | * REF-AHD | NORTH POINT DR |
| | | 0130/0014 | (T860) |
| | 000533 FT | 000533 FT | 2 0 32111 0 01 0363+87 |
| | | | STEER RUN |
| | | | STRUCTURE LENGTH 14 FT |
| | | | BMSID 32/4026/0130/0000 |
| | | * REF-BK | NORTH POINT DR |
| | | | (T860) |
| | | S 0130/0000 | LENGTH(AH 0014 BK 0100) |
| | 000533 FT | 000533 FT | |
| | | 7114/0000 | LENGTH(AH 0100 BK 0008) |
| | | * REF-AHD | NORTH POINT DR |
| | | 0110/0008 | (T860) |
| | 000525 FT | 000525 FT | 2 0 32111 0 00 0271+10 |
| | | | TR MAHONING |
| | | | STRUCTURE LENGTH 8 FT |
| | | | BMSID 32/4026/0110/0000 |
| | | * REF-BK | NORTH POINT DR |
| | | | (T860) |

DIR: B TOTAL LEN: 2.661 MI. DIST: 10-4 SR: 4026
LEFT MUN: WEST MAHONING T RIGHT MUN: WEST MAHONING T

| | |
|---|---|
| 000525 FT | 0110/0000 LENGTH(AH 0008 BK 0100)<br>000525 FT<br>7104/0000 LENGTH(AH 0100 BK 0012)<br>* REF-AHD NORTH POINT DR<br>0100/0012 (T860) |
| 000513 FT | 000513 FT 2 0 32111 0 00 0246+67<br>HAMILTON RUN<br>STRUCTURE LENGTH 12 FT<br>BMSID 32/4026/0100/0000<br>* REF-BK NORTH POINT DR<br>(T860) |
| 000513 FT | 0100/0000 LENGTH(AH 0012 BK 0100)<br>000513 FT<br>7064/0000 LENGTH(AH 0100 BK 0024)<br>BMSEN 32/4026/0060/0000<br>* REF-AHD ALLEN FLATS RD<br>0060/0024 (T860) |
| 000489 FT | 000489 FT 2 0 32111 0 00 0155+93<br>NC NORTH POINT DR<br>* REF-BK ALLEN FLATS RD<br>(T860)<br>SUGARCAMP RUN<br>BMSBG 32/4026/0060/0000 |
| 000489 FT | 0060/0000 LENGTH(AH 0024 BK 0100)<br>000489 FT<br>7054/0000 LENGTH(AH 0100 BK 0198)<br>BMSEN 32/4026/0050/0000<br>* REF-AHD GOODVILLE RD<br>0050/0198 (T860) |
| 000291 FT | 000291 FT 2 0 32111 0 00 0142+84<br>* REF-BK GOODVILLE RD<br>(T860)<br>MAHONING CREEK<br>BMSBG 32/4026/0050/0000 |
| 000291 FT | 0050/0000 LENGTH(AH 0198 BK 1203)<br>000291 FT<br>7022/0000 LENGTH(AH 1203 BK 0291)<br>BMSEN 32/4026/0010/0000<br>* REF-AHD GOODVILLE RD<br>0010/0291 (T860) |
| 000000 FT | 000000 FT 2 0 32111 0 00 0019+33<br>VILLAGE: GOODVILLE<br>NC GOODVILLE RD<br>* REF-BK GOODVILLE RD<br>(T860)<br>LT MAHONING<br>BMSBG 32/4026/0010/0000 |
| 000000 FT | 0010/0000 LENGTH(AH 0291 BK 0100)<br>000000 FT<br>7004/0000 LENGTH(AH 0100 BK 0000) |

DIR: B TOTAL LEN: .540 MI. DIST: 10-4 SR: 4025
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

002853 FT

COOLSPRING RD
(T519) 0010/2758

FOR SR 0210 AND 4025
(CONN) 0010/0148

1 0 00622 0 00 0000+00 000000 FT
SR 0210 SH
(SR0210 SEG 0220/0000) 0010/0000




002853 FT AH-JEFFERSON (33)
REF-AHD SR 3013 SH
0010/2853 (SR3013 SEG 0010/0000)
015 "DIA CIRC CONCR
0010/2759 LEN=0030 INSTALLED UNKN
0010/2758 (APRA) VALIER COAL YARD
012 "DIA CIRC CONCR
0010/2552 LEN=0040 INSTALLED UNKN
012 "DIA CIRC CONCR
0010/2171 LEN=0043 INSTALLED UNKN
012 "DIA CIRC CONCR
0010/1832 LEN=0065 INSTALLED UNKN

015 "DIA CIRC CONCR
0010/1000 LEN=0039 INSTALLED UNKN
024 "DIA CIRC CONCR
0010/0662 LEN=0051 INSTALLED UNKN

NC VALIER RD
INTER-BK SR 0210 SH
000000 FT (SR0210 SEG 0220/0000)
MFC BEGIN = D
0010/0000 LENGTH(AH 2853 BK 0000)

DIR: B TOTAL LEN: 3.016 MI. DIST: 10-4 SR: 4024
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

015925 FT



015925 FT SR 0119 SH
0070/2975 (SR0119 SEG 0760/0000)

DIR: B TOTAL LEN: 3.016 MI. DIST: 10-4 SR: 4024
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

| | | |
|---|---|---|
| | | 018 "DIA CIR PLASTIC |
| | 0070/1130 | LEN=0050 INSTALLED UNKN |
| | | 024 "DIA CIR PLASTIC |
| | 0070/0577 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0070/0315 | LEN=0030 INSTALLED UNKN |
| 012950 FT | 012950 FT | 2 0 32110 0 00 0129+40 |
| | S 0070/0000 | LENGTH(AH 2975 BK 2311) |
| | | 015 "DIA CIRC METAL |
| | 0060/1674 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0060/1403 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0060/1157 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0060/0893 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIR PLASTIC |
| | 0060/0585 | LEN=0036 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0060/0137 | LEN=0030 INSTALLED UNKN |
| 010639 FT | 010639 FT | 2 0 32110 0 00 0106+29 |
| | S 0060/0000 | LENGTH(AH 2311 BK 2579) |
| | | 018 "DIA CIRC CONCR |
| | 0050/2180 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/1800 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/1300 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/0967 | LEN=0030 INSTALLED UNKN |
| | | 036 "DIA CIRC CONCR |
| | 0050/0905 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0050/0739 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/0572 | LEN=0030 INSTALLED UNKN |
| 008060 FT | 008060 FT | 2 0 32110 0 00 0080+50 |
| | | FOOSE RD |
| | | (T652) |
| | S 0050/0000 | LENGTH(AH 2579 BK 1659) |
| | | 036"H 00"W MULT CONCR |
| | 0040/1477 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0040/1238 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/0888 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/0694 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |

DIR: B TOTAL LEN: 3.016 MI. DIST: 10-4 SR: 4024
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

```
                                          0040/0223 LEN=0030 INSTALLED UNKN
006401 FT                                 006401 FT 2 0 32110 0 00 0063+14
                                                    036"H 00"W MULT METAL
                                                    LEN=0030 INSTALLED UNKN
                                        S 0040/0000 LENGTH(AH 1659 BK 2360)
                                                    018 "DIA CIRC CONCR
                                          0030/1986 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIRC METAL
                                          0030/1564 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0030/1247 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0030/0911 LEN=0030 INSTALLED UNKN
                                                    024 "DIA CIR PLASTIC
                                          0030/0585 LEN=0040 INSTALLED 2009
                                                    018 "DIA CIRC METAL
                                          0030/0150 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0030/0088 LEN=0040 INSTALLED 2001
004041 FT                                 004041 FT 2 0 32110 0 00 0040+42
                                        S 0030/0000 LENGTH(AH 2360 BK 1706)
                                                    015 "DIA CIRC METAL
                                          0020/1628 LEN=0050 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0020/1096 LEN=0032 INSTALLED 2001
                                                    018 "DIA CIRC CONCR
                                          0020/0816 LEN=0024 INSTALLED 2001
                                                    018 "DIA CIRC CONCR
                                          0020/0281 LEN=0032 INSTALLED 2001
                                                    BUSH RD
                                          0020/0131 (T648)
002335 FT                                 002335 FT 2 0 32110 0 00 0023+23
                                        S 0020/0000 LENGTH(AH 1706 BK 2335)

                                                    018 "DIA CIRC CONCR
                                          0010/1698 LEN=0030 INSTALLED 2001
                                                    018 "DIA CIRC METAL
                                          0010/1305 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/0912 LEN=0024 INSTALLED 2001
                                                    015 "DIA CIRC METAL
                                          0010/0519 LEN=0030 INSTALLED UNKN
                                                    015 "DIA CIRC METAL
                                          0010/0020 LEN=0036 INSTALLED UNKN
000000 FT                                 000000 FT 2 0 32110 0 00 0000+00
                                                NC BEAVER DR
                                                    SR 0210 SH
                                                    (SR0210 SEG 0170/0000)
                                                    MFC BEGIN = E
                                        S 0010/0000 LENGTH(AH 2335 BK 0000)
```

DIR: B TOTAL LEN: 1.546 MI. DIST: 10-4 SR: 4022
LEFT MUN: WEST MAHONING T RIGHT MUN: WEST MAHONING T

008164 FT

008164 FT
INTER-AHD SMICKSBURG RD
(SR4021 SEG 0060/0404)
BARNARD RD
0030/2970 (SR4021 SEG 0060/0404)

DIR: B TOTAL LEN: 1.546 MI. DIST: 10-4 SR: 4022
LEFT MUN: WEST MAHONING T RIGHT MUN: WEST MAHONING T

```
                                                  015 "DIA CIRC METAL
                                  0030/2430 LEN=0055 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                  0030/2175 LEN=0048 INSTALLED UNKN

                                                  024 "DIA CIRC CONCR
                                  0030/1121 LEN=0072 INSTALLED UNKN

005194 FT                         005194 FT 2 0 32142 0 00 0051+85
                                                  DRY KNOB RD
                                                  (T384)
                                  0030/0000 LENGTH(AH 2970 BK 3153)
                                                  015 "DIA CIRC METAL
                                  0020/2640 LEN=0058 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                  0020/2107 LEN=0042 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                  0020/2095 LEN=0047 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0020/2003 LEN=0050 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                  0020/1687 LEN=0044 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0020/1300 LEN=0050 INSTALLED UNKN

002041 FT                         002041 FT 2 0 32142 0 00 0020+33
                                                  DRAKE RD
                                                  (T379)
                                  0020/0000 LENGTH(AH 3153 BK 2041)
                                                  015 "DIA CIRC METAL
                                  0010/1986 LEN=0043 INSTALLED UNKN


                                                  015 "DIA CIRC METAL
                                  0010/0363 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                  0010/0068 LEN=0037 INSTALLED UNKN
000000 FT                         000000 FT 2 0 32142 0 00 0000+00
                                        NC DAYTON SMICKSBURG RD
                                  REF-BK        SMICKSBURG RD
                                                  (SR1022 SEG 0020/3059)
                                                  MFC BEGIN = D
                                                   BK-ARMSTRONG       (03)
                                  0010/0000 LENGTH(AH 2041 BK 0000)
```

DIR: B TOTAL LEN: 3.812 MI. DIST: 10-4 SR: 4021
LEFT MUN: SMICKSBURG B RIGHT MUN: SMICKSBURG B

| | | | |
|---|---|---|---|
| KITTANNING ST (SR0954 SEG 0600/0541) | 020128 FT 0070/1231 | 020128 FT | INDIANA ST |
| | | 0070/1231 | (SR0954 SEG 0600/0541) |
| | | 0070/1048 | BMSEN 32/4021/0070/1014 |
| | | | 0 0 00000 0 00 0000+00 |
| | | | CONDRON RUN |
| | | 0070/1014 | BMSBG 32/4021/0070/1014 |
| GOODVILLE RD (T860) | 0070/0433 | | |
| | | | 018 "DIA CIRC METAL |
| | | 0070/0391 | LEN=0045 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0070/0130 | LEN=0050 INSTALLED UNKN |
| | 018897 FT | 018897 FT | 2 0 32097 0 01 0188+04 |
| | | | SMICKSBURG |
| | | | WEST MAHONING T |
| | | S 0070/0000 | LENGTH(AH 1231 BK 3395) |
| | | | 018 "DIA CIRC METAL |
| | | 0060/2388 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0060/2035 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1689 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1312 | LEN=0075 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |

DIR: B TOTAL LEN: 3.812 MI. DIST: 10-4 SR: 4021
LEFT MUN: WEST MAHONING T RIGHT MUN: WEST MAHONING T

| | | | |
|---|---|---|---|
| | | 0060/0960 | LEN=0015 INSTALLED UNKN |
| SMICKSBURG RD (SR4022 SEG 0030/2970) | 0060/0404 | | NC SMICKSBURG RD |
| | | | 018 "DIA CIRC METAL |
| | | 0060/0035 | LEN=0060 INSTALLED UNKN |
| | 015502 FT | 015502 FT | 2 0 32097 0 00 0155+00 |
| | | | MFC BEGIN = D |
| | | S 0060/0000 | LENGTH(AH 3395 BK 1955) |
| | | | 018 "DIA CIRC METAL |
| | | 0050/1758 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0050/1545 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0050/1285 | LEN=0030 INSTALLED UNKN |
| | | | 036 "DIA CIRC METAL |
| | | 0050/1006 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0239 | LEN=0040 INSTALLED UNKN |
| | 013547 FT | 013547 FT | 2 0 32097 0 00 0134+68 |
| | | S 0050/0000 | LENGTH(AH 1955 BK 3334) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2965 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0040/0092 | LEN=0015 INSTALLED UNKN |
| 2 0 32097 0 00 0101+34 | 010213 FT | 010213 FT | |
| DRY KNOB RD (T384) | 0040/0000 | S 0040/0000 | LENGTH(AH 3334 BK 2923) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2910 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2114 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1464 | LEN=0030 INSTALLED UNKN |
| MARSH RD (T367) | 0030/0428 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0421 | LEN=0030 INSTALLED UNKN |

DIR: B TOTAL LEN: 3.812 MI. DIST: 10-4 SR: 4021
LEFT MUN: WEST MAHONING T RIGHT MUN: WEST MAHONING T

| | | | |
|---|---|---|---|
| | 007290 FT | 007290 FT | 2 0 32097 0 00 0071+85 |
| | | | RUMMEL RD |
| | | | (T840) |
| | | 0030/0000 | LENGTH(AH 2923 BK 3748) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/3263 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2756 | LEN=0035 INSTALLED UNKN |
| | | | WILSON RD |
| | | 0020/1519 | (T382) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1464 | LEN=0040 INSTALLED UNKN |
| SMITH RD (T383) | 0020/1122 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0661 | LEN=0030 INSTALLED UNKN |
| | 003542 FT | 003542 FT | 2 0 32097 0 00 0034+40 |
| | | 0020/0000 | LENGTH(AH 3748 BK 3542) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/3393 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2788 | LEN=0042 INSTALLED UNKN |
| | | | WEST MAHONING |
| | | 0010/2702 | SOUTH MAHONING T |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2340 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1950 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1641 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1363 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1037 | LEN=0032 INSTALLED 2002 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0506 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0275 | LEN=0042 INSTALLED 1996 |
| | 000000 FT | 000000 FT | 2 0 32097 0 00 0000+00 |
| | | | NC BARNARD RD |
| | | REF-BK | BARNARD RD |
| | | | (SR1026 SEG 0030/2870) |
| | | | MFC BEGIN = E |
| | | | BK-ARMSTRONG (03) |
| | | 0010/0000 | LENGTH(AH 3542 BK 0000) |

DIR: B TOTAL LEN: 3.988 MI. DIST: 10-4 SR: 4020
LEFT MUN: EAST MAHONING T RIGHT MUN: EAST MAHONING T

```
021058 FT                    021058 FT SR 0119 SH
                             0070/1020 (SR0119 SEG 0690/0683)

                                       018 "DIA CIRC CONCR
                             0070/0300 LEN=0042 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0070/0130 LEN=0044 INSTALLED UNKN
020038 FT                    020038 FT 2 0 32098 0 00 0201+36
                           S 0070/0000 LENGTH(AH 1020 BK 2994)
                                       018 "DIA CIRC CONCR
                             0060/2800 LEN=0043 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0060/2534 LEN=0030 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0060/2347 LEN=0030 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0060/2103 LEN=0034 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0060/1955 LEN=0035 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0060/1835 LEN=0035 INSTALLED UNKN
                                       020 "DIA CIRC CONCR
                             0060/1544 LEN=0034 INSTALLED UNKN
                                       030 "DIA CIRC CONCR
                             0060/0990 LEN=0080 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0060/0688 LEN=0040 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0060/0171 LEN=0045 INSTALLED 2002
017044 FT                    017044 FT 2 0 32098 0 00 0171+42
                           S 0060/0000 LENGTH(AH 2994 BK 3452)

                                       015 "DIA CIRC CONCR
                             0050/2735 LEN=0041 INSTALLED UNKN


                                       018 "DIA CIRC CONCR
                             0050/1120 LEN=0042 INSTALLED UNKN
                                       024 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 3.988 MI. DIST: 10-4 SR: 4020
LEFT MUN: EAST MAHONING T RIGHT MUN: EAST MAHONING T

```
                                                  0050/0550 LEN=0037 INSTALLED UNKN
                                                            042 "DIA CIRC CONCR
                                                  0050/0166 LEN=0045 INSTALLED 1997
                    013592 FT                     013592 FT 2 0 32098 0 00 0136+90
                                                            FRANKLIN RD
                                                            (T511)
                                              ==  S 0050/0000 LENGTH(AH 3452 BK 3600)
                                                            015 "DIA CIRC CONCR
                                                  0040/3540 LEN=0032 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0040/3305 LEN=0038 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0040/3039 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0040/2902 LEN=0032 INSTALLED 2006
                                                            018 "DIA CIRC CONCR
                                                  0040/2700 LEN=0040 INSTALLED 2006
                                                            EAST MAHONING
                                                  0040/2528 NORTH MAHONING T
                                                            018 "DIA CIRC CONCR
                                                  0040/2377 LEN=0040 INSTALLED 2001
                                                            018 "DIA CIRC CONCR
                                                  0040/2140 LEN=0046 INSTALLED 2001
                                                            018 "DIA CIRC CONCR
                                                  0040/1870 LEN=0040 INSTALLED 2006
                                                            018 "DIA CIRC CONCR
                                                  0040/1556 LEN=0040 INSTALLED 2006
                                                            018 "DIA CIRC CONCR
                                                  0040/1260 LEN=0034 INSTALLED UNKN
                                                  0040/0906 BMSEN 32/4020/0040/0895
                                                            2 0 32098 0 00 0110+31
                                                            TR LT MAHON
                                                  0040/0895 BMSBG 32/4020/0040/0895
MOTTARN RD
(T654)                0040/0860               ==
                                                            018 "DIA CIRC CONCR
                                                  0040/0540 LEN=0040 INSTALLED 2001
                    009992 FT                     009992 FT 2 0 32098 0 00 0100+65
                                                  S 0040/0000 LENGTH(AH 3600 BK 2927)
                                                            018 "DIA CIRC CONCR
                                                  0030/2899 LEN=0034 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/2375 LEN=0035 INSTALLED UNKN

                                                            018 "DIA CIRC METAL
                                                  0030/1638 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/1410 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/1161 LEN=0036 INSTALLED UNKN
```

DIR: B TOTAL LEN: 3.988 MI. DIST: 10-4 SR: 4020
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

```
                                                  018 "DIA CIRC CONCR
                                        0030/0719 LEN=0036 INSTALLED UNKN

                  007065 FT             007065 FT 2 0 32098 0 00 0070+47
                                      S 0030/0000 LENGTH(AH 2927 BK 3612)

                                                  018 "DIA CIRC CONCR
                                        0020/2875 LEN=0030 INSTALLED UNKN
                                                  030 "DIA CIRC METAL
                                        0020/2440 LEN=0030 INSTALLED UNKN
                                                  030 "DIA CIRC METAL
                                        0020/2242 LEN=0070 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/1930 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/1645 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/1425 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/1205 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/0909 LEN=0030 INSTALLED UNKN

                                        0020/0034 BMSEN 32/4020/0020/0000
                  003453 FT             003453 FT 2 0 32098 0 00 0034+79
                                                  MUDLICK RUN
                                                  BMSBG 32/4020/0020/0000
                                      S 0020/0000 LENGTH(AH 3612 BK 3453)
                                                  018 "DIA CIRC CONCR
                                        0010/2991 LEN=0052 INSTALLED UNKN
BEHM RD
(T658)            0010/2944

                                                  018 "DIA CIRC CONCR
                                        0010/2670 LEN=0032 INSTALLED UNKN


                                                  018 "DIA CIRC CONCR
                                        0010/1581 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0010/1040 LEN=0050 INSTALLED 2002
                                                  030 "DIA CIRC METAL
                                        0010/0578 LEN=0050 INSTALLED UNKN
                  000000 FT             000000 FT 2 0 32098 0 00 0000+00
                                              NC WEST CREEK RD
                                                  SR 0210 SH
                                                  (SR0210 SEG 0130/2914)
                                        INTER-BK  ALABRAN RD
                                                  (T524)
                                                  MFC BEGIN = E
                                      S 0010/0000 LENGTH(AH 3453 BK 0000)
```

DIR: B TOTAL LEN: 4.009 MI. DIST: 10-4 SR: 4018
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | | |
|---|---|---|---|
| | 021167 FT | | 021167 FT SR 0210 SH |
| | | | 0080/1111 (SR0210 SEG 0100/1620) |
| | | | 024 "DIA CIRC CONCR |
| | | | 0080/0562 LEN=0079 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0080/0237 LEN=0040 INSTALLED UNKN |
| 2 0 32101 0 00 0011+00 | 020056 FT | | 020056 FT |
| OLD MCCORMICK RD | | | |
| (T384) | 0080/0000 | | S 0080/0000 LENGTH(AH 1111 BK 2105) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0070/1094 LEN=0030 INSTALLED 1997 |
| | | | 0070/0556 BMSEN 32/4018/0070/0450 |
| | | | 2 0 32101 0 00 0027+51 |
| | | | LT MAHON CR |
| | | | 0070/0450 BMSBG 32/4018/0070/0450 |
| | 017951 FT | | 017951 FT 2 0 32101 0 00 0031+98 |
| | | | VILLAGE: MCCORMICK |
| | | | S 0070/0000 LENGTH(AH 2105 BK 3874) |
| | | | 018 "DIA CIRC METAL |
| | | | 0060/2291 LEN=0079 INSTALLED UNKN |
| | | | 044"H 48"W CON BOX CUL |
| | | | 0060/2019 LEN=0031 INSTALLED UNKN |
| STEPHENSON RD | | | |
| (T512) | 0060/1881 | | |
| | | | 018 "DIA CIRC CONCR |
| | | | 0060/1585 LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | | 0060/1526 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0060/1098 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0060/0807 LEN=0036 INSTALLED 2006 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0060/0530 LEN=0036 INSTALLED 2006 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0060/0137 LEN=0030 INSTALLED UNKN |
| | 014077 FT | | 014077 FT 2 0 32101 0 01 0080+28 |
| | | | S 0060/0000 LENGTH(AH 3874 BK 2858) |
| | | | 015 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 4.009 MI. DIST: 10-4 SR: 4018
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

```
                                          0050/2654 LEN=0032 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0050/2416 LEN=0036 INSTALLED 2006
                                                    018 "DIA CIRC CONCR
                                          0050/2184 LEN=0032 INSTALLED 2006
                                                    036 "DIA CIRC METAL
                                          0050/1911 LEN=0049 INSTALLED UNKN
                                                    SOUTH MAHONING
                                          0050/1653 WEST MAHONING T
                                                    024 "DIA CIRC CONCR
                                          0050/1505 LEN=0036 INSTALLED 2006


                                                    018 "DIA CIRC CONCR
                                          0050/0488 LEN=0032 INSTALLED 2006
011219 FT                                 011219 FT 2 0 32101 0 01 0108+93
                                                    036 "DIA CIRC CONCR
                                                    LEN=0032 INSTALLED 2006
                                        S 0050/0000 LENGTH(AH 2858 BK 2611)

                                                    018 "DIA CIRC METAL
                                          0040/1860 LEN=0031 INSTALLED UNKN

                                                    018 "DIA CIRC CONCR
                                          0040/1071 LEN=0033 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0040/0740 LEN=0033 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0040/0556 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0040/0385 LEN=0030 INSTALLED UNKN
008608 FT                                 008608 FT 2 0 32101 0 01 0135+15
                                                    GRIFFITH RD
                                                    (TB40)
                                        S 0040/0000 LENGTH(AH 2611 BK 3536)
                                                    018 "DIA CIRC CONCR
                                          0030/3522 LEN=0048 INSTALLED 2006
                                                    018 "DIA CIRC METAL
                                          0030/3385 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0030/3216 LEN=0016 INSTALLED 2006


                                          0030/2275 BMSEN 32/4018/0030/2263
                                                    2 0 32101 0 01 0147+85
                                                    TR LT MAHONG
                                          0030/2263 BMSBG 32/4018/0030/2263
                                                    018 "DIA CIRC CONCR
                                          0030/1712 LEN=0016 INSTALLED 2006
                                                    018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 4.009 MI. DIST: 10-4 SR: 4018
LEFT MUN: WEST MAHONING T RIGHT MUN: WEST MAHONING T

```
                                                  0030/1226 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/0895 LEN=0032 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0030/0482 LEN=0032 INSTALLED UNKN
                  005072 FT                       005072 FT 2 0 32101 0 01 0170+50
                                                S 0030/0000 LENGTH(AH 3536 BK 3364)
                                                            018 "DIA CIRC CONCR
                                                  0020/3204 LEN=0040 INSTALLED 2006
                                                            018 "DIA CIRC CONCR
                                                  0020/2738 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/2468 LEN=0032 INSTALLED 2002
                                                            042"H 72"W CON BOX CUL
                                                  0020/2144 LEN=0018 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/2021 LEN=0040 INSTALLED 2006
                                                            018 "DIA CIRC CONCR
                                                  0020/1535 LEN=0032 INSTALLED 2006
                                                            024 "DIA CIRC CONCR
                                                  0020/1351 LEN=0032 INSTALLED 2006
                                                            018 "DIA CIRC CONCR
                                                  0020/0802 LEN=0032 INSTALLED 2006
                                                            024 "DIA CIR PLASTIC
                                                  0020/0490 LEN=0030 INSTALLED 1998
                  001708 FT                       001708 FT 2 0 32101 0 01 0203+70
                                                            NORTH CREEK RD
                                                            (T398)
                                                S 0020/0000 LENGTH(AH 3364 BK 1708)
                                                            018 "DIA CIRC CONCR
                                                  0010/1700 LEN=0040 INSTALLED 2000
                                                            018 "DIA CIRC CONCR
                                                  0010/1549 LEN=0040 INSTALLED 2006
                                                            024"H 00"W MULT CONCR
                                                  0010/1302 LEN=0032 INSTALLED 1998
                                                            018 "DIA CIRC CONCR
                                                  0010/1165 LEN=0032 INSTALLED 1998
                                                            015 "DIA CIRC METAL
                                                  0010/1026 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0010/0768 LEN=0025 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/0634 LEN=0025 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/0436 LEN=0025 INSTALLED UNKN
                                                        NC MCCORMICK RD
                                                            SR 0954 SH
2 0 32101 0 01 0220+87 000000 FT                  000000 FT (SR0954 SEG 0620/0551)
SR 0954 SH                                                  MFC BEGIN = D
(SR0954 SEG 0620/0551)  0010/0000               S 0010/0000 LENGTH(AH 1708 BK 0000)
```

DIR: B TOTAL LEN: .826 MI. DIST: 10-4 SR: 4017
LEFT MUN: WHITE T RIGHT MUN: WHITE T

004361 FT

003329 FT

1 1 00530 8 00 0000+00 000000 FT
WAYNE AV
(SR4005 SEG 0051/0000)
(SR4005 SEG 0050/0000) 0010/0000



004361 FT
INTER-AHD PRATT DR
(PRDR)
WAYNE AV
(SR4005 SEG 0061/1680)
(SR4005 SEG 0060/1676)
0020/1032

003329 FT 1 1 00530 8 00 0031+98
(APRA) INDIANA HOSPITAL
HOSPITAL ENTRANCE RD
(PRDR)
S 0020/0000 LENGTH(AH 1032 BK 3329)

020 "DIA CIRC CONCR
0010/0774 LEN=0029 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0299 LEN=0041 INSTALLED UNKN
NC HOSPITAL RD
WAYNE AV
000000 FT (SR4005 SEG 0051/0000)
(SR4005 SEG 0050/0000)
MFC BEGIN = D
S 0010/0000 LENGTH(AH 3329 BK 0000)

DIR: B TOTAL LEN: 6.954 MI. DIST: 10-4 SR: 4015
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

SR 0210 SH 036715 FT
(SR0210 SEG 0090/0000) 0130/2889



036715 FT SR 0210 SH
0130/2889 (SR0210 SEG 0090/0000)
024 "DIA CIRC CONCR
0130/2659 LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 6.954 MI. DIST: 10-4 SR: 4015
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0130/1439 | LEN=0044 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0130/0995 | LEN=0031 INSTALLED UNKN |
| 033826 FT | | 033826 FT | 2 0 32096 0 00 0029+25 |
| | | | 036 "DIA CIRC CONCR |
| | | | LEN=0035 INSTALLED UNKN |
| | | S 0130/0000 | LENGTH(AH 2889 BK 3064) |
| | | | 036 "DIA CIRC CONCR |
| | | 0120/2458 | LEN=0044 INSTALLED UNKN |
| | | | 036 "DIA CIR PLASTIC |
| | | 0120/1634 | LEN=0040 INSTALLED UNKN |
| | | | SOUTH MAHONING |
| | | 0120/0455 | EAST MAHONING T |
| | | 0120/0321 | BMSEN 32/4015/0120/0302 |
| | | | 2 0 32096 0 00 0057+62 |
| | | | TR ROSS RUN |
| | | 0120/0302 | BMSBG 32/4015/0120/0302 |
| 030762 FT | | 030762 FT | 2 0 32096 0 00 0061+24 |
| | | | WEAVER RD |
| | | | (TB31) |
| | | NC JOHNSTON RD | |
| | | | JOHNSTON RD |
| | | | (TB34) |
| | | | MFC BEGIN = D |
| | | S 0120/0000 | LENGTH(AH 3064 BK 3245) |
| | | 0110/2952 | BMSEN 32/4015/0110/2931 |
| | | | 2 0 32081 0 00 0304+55 |
| | | | ROSS RUN |
| | | 0110/2931 | BMSBG 32/4015/0110/2931 |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/2353 | LEN=0032 INSTALLED 2000 |
| | | | 043 "DIA CIRC CONCR |
| | | 0110/2195 | LEN=0032 INSTALLED 2007 |
| | | | EAST MAHONING |
| | | 0110/1753 | SOUTH MAHONING T |
| | | | 030 "DIA CIR PLASTIC |
| | | 0110/1456 | LEN=0034 INSTALLED 2019 |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0975 | LEN=0032 INSTALLED 2000 |
| | | | 036 "DIA CIRC METAL |
| | | 0110/0280 | LEN=0032 INSTALLED UNKN |
| 2 0 32081 0 00 0274+85 027517 FT | | 027517 FT | |

DIR: B TOTAL LEN: 6.954 MI. DIST: 10-4 SR: 4015
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | | |
|---|---|---|---|
| MAHONING RD (T365) | 0110/0000 | 0110/0000 | LENGTH(AH 3245 BK 2122) |
| | | | 018 "DIA CIRC METAL |
| | | 0100/2050 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/1793 | LEN=0032 INSTALLED 2000 |
| | | | 024 "DIA CIRC METAL |
| | | 0100/1300 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0100/0573 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/0169 | LEN=0032 INSTALLED 2000 |
| | 025395 FT | 025395 FT | 2 0 32081 0 00 0253+67 |
| | | | SMYRNA RD |
| | | | (T507) |
| | | 0100/0000 | LENGTH(AH 2122 BK 3361) |
| | | | 015 "DIA CIRC METAL |
| | | 0090/3112 | LEN=0030 INSTALLED UNKN |
| SMYRNA RD (T507) | 0090/2719 | | |
| | | | 015 "DIA CIRC METAL |
| | | 0090/2638 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/2375 | LEN=0030 INSTALLED UNKN |
| | | | 030 "DIA CIRC METAL |
| | | 0090/1763 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0090/1223 | LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1120 | LEN=0032 INSTALLED 2000 |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/0961 | LEN=0032 INSTALLED 2000 |
| | 022034 FT | 022034 FT | 2 0 32081 0 00 0220+31 |
| | | | LEMMON RD |
| | | | (T536) |
| | | 0090/0000 | LENGTH(AH 3361 BK 3496) |
| | | | 060 "DIA CIR PLASTIC |
| | | 0080/3459 | LEN=0080 INSTALLED 2010 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0080/3045 | LEN=0030 INSTALLED 2013 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0080/2565 | LEN=0040 INSTALLED 2013 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0080/2037 | LEN=0030 INSTALLED 2013 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0080/1689 | LEN=0040 INSTALLED 2013 |

DIR: B TOTAL LEN: 6.954 MI. DIST: 10-4 SR: 4015
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | | | |
|---|---|---|---|---|
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0080/1535 | LEN=0029 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0080/1347 | LEN=0040 INSTALLED 2013 |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0080/1023 | LEN=0030 INSTALLED 2013 |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0080/0807 | LEN=0048 INSTALLED 2000 |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0080/0356 | LEN=0040 INSTALLED 2013 |
| | 018538 FT | | 018538 FT | 2 0 32081 0 00 0185+22 |
| | | S | 0080/0000 | LENGTH(AH 3496 BK 2896) |
| | | | | 024 "DIA CIR PLASTIC |
| | | | 0070/2752 | LEN=0040 INSTALLED 2013 |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0070/2410 | LEN=0030 INSTALLED 2013 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0070/2114 | LEN=0032 INSTALLED 2000 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0070/1790 | LEN=0032 INSTALLED 2000 |
| | | | | 015 "DIA CIRC METAL |
| | | | 0070/1542 | LEN=0031 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0070/1345 | LEN=0032 INSTALLED 2000 |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0070/1190 | LEN=0030 INSTALLED 2013 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0070/0746 | LEN=0032 INSTALLED 2000 |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0070/0391 | LEN=0030 INSTALLED 2013 |
| HARBRIDGE RD (T506) | 0070/0108 | | | |
| | | | 0070/0011 | BMSEN 32/4015/0070/0000 |
| | 015642 FT | | 015642 FT | 2 0 32081 0 00 0156+46 |
| | | | | GOOSE RUN |
| | | | | BMSBG 32/4015/0070/0000 |
| | | S | 0070/0000 | LENGTH(AH 2896 BK 2492) |
| | | | | HOPKINS RD |
| | | | 0060/1728 | (T826) |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0060/1461 | LEN=0040 INSTALLED 2013 |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0060/1262 | LEN=0040 INSTALLED 2013 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0060/0172 | LEN=0032 INSTALLED 2000 |
| | 013150 FT | | 013150 FT | 2 0 32081 0 00 0131+44 |
| | | S | 0060/0000 | LENGTH(AH 2492 BK 2550) |

DIR: B TOTAL LEN: 6.954 MI. DIST: 10-4 SR: 4015
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0050/2423 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/1992 | LEN=0040 INSTALLED 2013 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/1750 | LEN=0035 INSTALLED 2013 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/1432 | LEN=0030 INSTALLED 2013 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/1048 | LEN=0040 INSTALLED 2013 |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0726 | LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/0327 | LEN=0040 INSTALLED 2013 |
| AMBROSE RD | | | BRADY RD |
| (SR4006 SEG 0130/0000) | 0050/0271 | 0050/0271 | (SR4006 SEG 0130/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0205 | LEN=0032 INSTALLED 2000 |
| | | 0050/0025 | BMSEN 32/4015/0050/0000 |
| | 010600 FT | 010600 FT | 2 0 32081 0 00 0106+02 |
| | | | VILLAGE: AMBROSE |
| | | | S BR PLUM CR |
| | | | BMSBG 32/4015/0050/0000 |
| | | 5 0050/0000 | LENGTH(AH 2550 BK 3114) |
| | | | 015 "DIA CIRC METAL |
| | | 0040/2731 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2393 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/2108 | LEN=0030 INSTALLED 2013 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/1673 | LEN=0030 INSTALLED 2013 |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1280 | LEN=0029 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0040/0835 | LEN=0032 INSTALLED 2000 |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0668 | LEN=0032 INSTALLED 2000 |
| | 007486 FT | 007486 FT | 2 0 32081 0 00 0074+84 |
| | | 5 0040/0000 | LENGTH(AH 3114 BK 2083) |
| | | | 036 "DIA CIR PLASTIC |
| | | 0030/1832 | LEN=0040 INSTALLED 2005 |
| | | | 018 "DIA CIRC METAL |
| | | 0030/1630 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1330 | LEN=0040 INSTALLED 2000 |
| | | | 018 "DIA CIRC METAL |
| | | 0030/1003 | LEN=0028 INSTALLED UNKN |

DIR: B TOTAL LEN: 6.954 MI. DIST: 10-4 SR: 4015
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

```
                                                  SOUTH MAHONING
                                  0030/0400 EAST MAHONING T
                                                  018 "DIA CIRC METAL
                                  0030/0375 LEN=0027 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0030/0167 LEN=0035 INSTALLED 2013
                                                  018 "DIA CIRC METAL
                                  0030/0017 LEN=0028 INSTALLED UNKN
005403 FT                         005403 FT 2 0 32081 0 00 0054+00
                                                  EAST MAHONING
                                                  RAYNE T
                                  S 0030/0000 LENGTH(AH 2083 BK 2925)

                                                  024 "DIA CIRC METAL
                                  0020/2310 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                  0020/2119 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0020/1947 LEN=0030 INSTALLED 2013
                                                  018 "DIA CIRC CONCR
                                  0020/1585 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0020/1393 LEN=0026 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0020/0812 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                  0020/0287 LEN=0040 INSTALLED 2000
002478 FT                         002478 FT 2 0 32081 0 00 0024+78
                                          NC GEORGEVILLE RD
                                  S 0020/0000 LENGTH(AH 2925 BK 2478)
                                                  018 "DIA CIRC METAL
                                  0010/2330 LEN=0028 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                  0010/1911 LEN=0031 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0010/1545 LEN=0040 INSTALLED 2013
                                                  018 "DIA CIRC METAL
                                  0010/1199 LEN=0033 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/0805 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                  0010/0491 LEN=0055 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                  0010/0290 LEN=0024 INSTALLED UNKN
000000 FT                         000000 FT 2 0 32081 0 00 0000+00
                                          NC WRIGDEN RUN RD
                                                  SR 0119 SH
                                                  (SR0119 SEG 0550/0000)
                                                  MFC BEGIN = E
                                  S 0010/0000 LENGTH(AH 2478 BK 0000)
```

DIR: B TOTAL LEN: .002 MI. DIST: 10-4 SR: 4013
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | |
|---|---|---|
| 000013 FT | | 000013 FT |
| | | 7072/0000 LENGTH(AH 1960 BK 0013) |
| | * | REF-AHD ROSSMOYNE RD |
| | | 0070/0013 (T900) |
| 000000 FT | | 000000 FT 2 0 32094 0 00 0159+33 |
| | | NC ROSSMOYNE RD |
| | | TR ROSS RUN |
| | | STRUCTURE LENGTH 13 FT |
| | | BMSID 32/4013/0070/0000 |
| | * | REF-BK ROSSMOYNE RD |
| | | (T900) |
| | S | 0070/0000 LENGTH(AH 0013 BK 1533) |
| 000000 FT | | 000000 FT |
| | | 7060/0000 LENGTH(AH 1533 BK 2714) |
| 000000 FT | | 000000 FT |
| | | 7050/0000 LENGTH(AH 2714 BK 3463) |
| 000000 FT | | 000000 FT |
| | | 7040/0000 LENGTH(AH 3463 BK 3537) |
| 000000 FT | | 000000 FT |
| | | 7030/0000 LENGTH(AH 3537 BK 2928) |
| 000000 FT | | 000000 FT |
| | | 7020/0000 LENGTH(AH 2928 BK 1278) |
| 000000 FT | | 000000 FT |
| | | 7012/0000 LENGTH(AH 1278 BK 0785) |
| 000000 FT | | 000000 FT |
| | | 7010/0000 LENGTH(AH 0785 BK 0000) |

DIR: B TOTAL LEN: 3.200 MI. DIST: 10-4 SR: 4012
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

016896 FT



016896 FT SR 0119 SH
0050/3498 (SR0119 SEG 0520/1376)
018 "DIA CIRC CONCR
0050/3099 LEN=0030 INSTALLED UNKN
015 "DIA CIRC METAL
0050/2581 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/2191 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/1993 LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 3.200 MI. DIST: 10-4 SR: 4012
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | |
|---|---|---|
| | | 024 "DIA CIRC METAL |
| | 0050/0764 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/0126 | LEN=0030 INSTALLED UNKN |
| 013398 FT | 013398 FT | 2 0 32078 0 01 0134+54 |
| | S 0050/0000 | LENGTH(AH 3498 BK 3408) |
| | | 018 "DIA CIRC CONCR |
| | 0040/3243 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/2417 | LEN=0030 INSTALLED UNKN |
| | | 036 "DIA CIRC METAL |
| | 0040/1914 | LEN=0030 INSTALLED UNKN |
| | | JOHNSON RD |
| | 0040/1839 | (T540) |
| | | 018 "DIA CIRC CONCR |
| | 0040/0354 | LEN=0030 INSTALLED UNKN |
| 009990 FT | 009990 FT | 2 0 32078 0 00 0100+12 |
| | S 0040/0000 | LENGTH(AH 3408 BK 3633) |
| | | 015 "DIA CIRC CONCR |
| | 0030/3157 | LEN=0030 INSTALLED UNKN |
| | 0030/2664 | BMSEN 32/4012/0030/2651 |
| | | 2 0 32078 0 00 0090+77 |
| | | TR CROOKED |
| | 0030/2651 | BMSBG 32/4012/0030/2651 |
| | | 018 "DIA CIRC CONCR |
| | 0030/2300 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/2049 | LEN=0030 INSTALLED UNKN |
| | | HOUSER RD |
| | 0030/1997 | (T538) |
| | | 018 "DIA CIRC CONCR |
| | 0030/1877 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/1683 | LEN=0030 INSTALLED UNKN |
| | 0030/1425 | BMSEN 32/4012/0030/1414 |
| | | 2 0 32078 0 00 0078+29 |
| | | TR CROOKED |
| | 0030/1414 | BMSBG 32/4012/0030/1414 |
| CONN LC TO/FROM GROFT R (TWP ) 0030/1264 | | |
| | | GROFT RD |
| | 0030/1066 | (T494) |

DIR: B TOTAL LEN: 3.200 MI. DIST: 10-4 SR: 4012
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | |
|---|---|---|
| | | 018 "DIA CIRC METAL |
| | 0030/0683 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/0202 | LEN=0030 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0030/0092 | LEN=0075 INSTALLED UNKN |
| 006357 FT | 006357 FT | 2 0 32078 0 00 0063+09 |
| | S 0030/0000 | LENGTH(AH 3633 BK 2797) |
| | | 018 "DIA CIRC CONCR |
| | 0020/1587 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0020/1290 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0020/1101 | LEN=0032 INSTALLED 2000 |
| | | RAYNE |
| | 0020/0978 | WASHINGTON T |
| | | 018 "DIA CIRC CONCR |
| | 0020/0897 | LEN=0030 INSTALLED UNKN |
| | | 030 "DIA CIRC METAL |
| | 0020/0487 | LEN=0030 INSTALLED UNKN |
| 003560 FT | 003560 FT | 2 0 32078 0 00 0035+42 |
| | S 0020/0000 | LENGTH(AH 2797 BK 3560) |
| | | 018 "DIA CIRC CONCR |
| | 0010/2730 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/2621 | LEN=0032 INSTALLED 2000 |
| | | 018 "DIA CIRC CONCR |
| | 0010/2177 | LEN=0032 INSTALLED 2000 |
| | | 018 "DIA CIRC CONCR |
| | 0010/0850 | LEN=0030 INSTALLED 2000 |
| | | DAVIS ROAD |
| | | (SR4011 SEG 0040/1940) |
| | | NC WASHINGTON CHURCH RD |
| | | 018 "DIA CIRC CONCR |
| | 0010/0211 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0010/0090 | LEN=0040 INSTALLED UNKN |
| | | NC DAVIS RD |
| | | FIVE POINTS RD |
| 2 0 32078 0 00 0000+00 000000 FT | 000000 FT | (SR4006 SEG 0060/0423) |
| FIVE POINTS RD | | MFC BEGIN = E |
| (SR4006 SEG 0060/0423) 0010/0000 | S 0010/0000 | LENGTH(AH 3560 BK 0000) |

DIR: B TOTAL LEN: 2.061 MI. DIST: 10-4 SR: 4011
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

010880 FT



008940 FT

010880 FT
INTER-AHD WASHINGTON CHURCH RD
(SR4012 SEG 0010/0849)
WASHINGTON CHURCH RD
0040/1940 (SR4012 SEG 0010/0849)
036 "DIA CIRC METAL
0040/1900 LEN=0037 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/1630 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/1179 LEN=0033 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/0876 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/0531 LEN=0038 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/0191 LEN=0038 INSTALLED UNKN
008940 FT 2 0 32073 0 00 0089+43
HAWK RD

DIR: B TOTAL LEN: 2.061 MI. DIST: 10-4 SR: 4011
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

```
                                                                  (T492)
                                                   ==   S 0040/0000 LENGTH(AH 1940 BK 3661)

                                                                  015 "DIA CIRC METAL
                                                        0030/2863 LEN=0040 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                        0030/2619 LEN=0042 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                        0030/2060 LEN=0043 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                        0030/1718 LEN=0035 INSTALLED UNKN
                                                                  030 "DIA CIR PLASTIC
                                                        0030/1404 LEN=0040 INSTALLED 2000
                                                                  018 "DIA CIRC CONCR
                                                        0030/1069 LEN=0032 INSTALLED 2000

                                                                  018 "DIA CIRC CONCR
                                                        0030/0208 LEN=0060 INSTALLED UNKN
2 0 32073 0 00 0052+90 005279 FT                        005279 FT
BLACK RD
(T403)                  0030/0000                   S 0030/0000 LENGTH(AH 3661 BK 2059)
                                                                  024 "DIA CIRC METAL
                                                        0020/1682 LEN=0035 INSTALLED UNKN

                                                                  015 "DIA CIRC CONCR
                                                        0020/0836 LEN=0100 INSTALLED UNKN
                                                                  015 "DIA CIRC CONCR
                                                        0020/0335 LEN=0033 INSTALLED UNKN
                        003220 FT                       003220 FT 2 0 32073 0 00 0032+31
                                                      S 0020/0000 LENGTH(AH 2059 BK 3220)
                                                                  WASHINGTON
                                                        0010/3200 PINE T
                                                                  015 "DIA CIRC METAL
                                                        0010/2893 LEN=0037 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                        0010/2334 LEN=0029 INSTALLED UNKN

                                                                  018 "DIA CIR PLASTIC
                                                        0010/1734 LEN=0040 INSTALLED 2014
                                                                  015 "DIA CIRC CONCR
                                                        0010/1159 LEN=0038 INSTALLED UNKN
                                                                  015 "DIA CIRC CONCR
                                                        0010/0826 LEN=0041 INSTALLED UNKN

                        000000 FT                       000000 FT 2 0 32073 0 00 0000+00
                                                              NC DAVIS RD
                                                                  CHAMBERSVILLE RD
                                                                  (SR4008 SEG 0050/0000)
                                                                  MFC BEGIN = E
                                                      S 0010/0000 LENGTH(AH 3220 BK 0000)
```

DIR: B TOTAL LEN: 1.893 MI. DIST: 10-4 SR: 4010
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

```
009996 FT                    009996 FT SR 0119 SH
                             0040/3221 (SR0119 SEG 0470/0000)

                                       018 "DIA CIRC CONCR
                             0040/2450 LEN=0035 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                             0040/2070 LEN=0035 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0040/1729 LEN=0040 INSTALLED UNKN
                                       024 "DIA CIRC METAL
                             0040/1161 LEN=0035 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0040/0960 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0040/0722 LEN=0040 INSTALLED 2007
                                       018 "DIA CIRC CONCR
                             0040/0500 LEN=0035 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0040/0035 LEN=0035 INSTALLED UNKN
006775 FT                    006775 FT 2 0 32070 0 00 0029+35
                           S 0040/0000 LENGTH(AH 3221 BK 2485)
                                       015 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 1.893 MI. DIST: 10-4 SR: 4010
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

```
                                  0030/2150 LEN=0030 INSTALLED UNKN
                                            030 "DIA CIRC METAL
                                  0030/1915 LEN=0050 INSTALLED UNKN

                                            027 "DIA CIRC METAL
                                  0030/1200 LEN=0040 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0030/0850 LEN=0032 INSTALLED 2007
                                            018 "DIA CIRC CONCR
                                  0030/0645 LEN=0040 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0030/0390 LEN=0035 INSTALLED UNKN
004290 FT                         004290 FT 2 0 32070 0 00 0056+00
                                            DEHAVEN RD
                                            (T546)
                                S 0030/0000 LENGTH(AH 2485 BK 2790)
                                            018 "DIA CIRC CONCR
                                  0020/2727 LEN=0040 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0020/2413 LEN=0048 INSTALLED 1999
                                            018 "DIA CIRC METAL
                                  0020/2173 LEN=0035 INSTALLED UNKN
                                            018 "DIA CIR PLASTIC
                                  0020/1803 LEN=0030 INSTALLED 2015

                                            018 "DIA CIRC METAL
                                  0020/1197 LEN=0035 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0020/0774 LEN=0032 INSTALLED 1999
                                  0020/0484 BMSEN 32/4010/0020/0461
                                            2 0 32070 0 00 0078+88
                                            TR CROOKED
                                  0020/0461 BMSBG 32/4010/0020/0461
                                            STADTMILLER RD
                                  0020/0422 (T541)
001500 FT                         001500 FT 2 0 32070 0 00 0084+60
                                S 0020/0000 LENGTH(AH 2790 BK 1500)
                                RBR
                                  0010/0676 BMSEN 32/4010/0010/0530
                                            2 0 32070 0 01 0095+38
                                            P3
                                RBR         CROOKED CREEK
                                  0010/0530 BMSBG 32/4010/0010/0530
000000 FT                         000000 FT 2 0 32070 0 01 0100+65
                                        NC KIMMELL RD
                                            CHAMBERSVILLE RD
                                            (SR4008 SEG 0070/0743)
                                            MFC BEGIN = E
                                S 0010/0000 LENGTH(AH 1500 BK 0000)
```

DIR: B TOTAL LEN: 4.520 MI. DIST: 10-4 SR: 4009
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

023868 FT

023868 FT AH-ARMSTRONG (03)
REF-AHD INDIANA ST
0080/3510 (SR2002 SEG 0034/3130)

DIR: B TOTAL LEN: 4.520 MI. DIST: 10-4 SR: 4009
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

PINE HOLLOW RD
(T368)

0080/3348

| | | |
|---|---|---|
| | | 015 "DIA CIRC CONCR |
| | 0080/3096 | LEN=0024 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0080/2711 | LEN=0030 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0080/2431 | LEN=0030 INSTALLED UNKN |
| | | FRICK RD |
| | 0080/1624 | (T372) |
| | | 018 "DIA CIRC CONCR |
| | 0080/1446 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0080/1140 | LEN=0045 INSTALLED UNKN |
| | | 024 "DIA CIR PLASTIC |
| | 0080/0698 | LEN=0040 INSTALLED 2009 |
| | | 018 "DIA CIRC CONCR |
| | 0080/0382 | LEN=0040 INSTALLED 2000 |
| 020358 FT | 020358 FT | 2 0 32146 0 01 0072+25 |
| | S 0080/0000 | LENGTH(AH 3510 BK 3574) |
| | | 015 "DIA CIRC METAL |
| | 0070/3380 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0070/3151 | LEN=0040 INSTALLED UNKN |
| | | BLYSTONE RD |
| | 0070/2806 | (T374) |
| | | 018 "DIA CIR PLASTIC |
| | 0070/2677 | LEN=0040 INSTALLED UNKN |
| | 0070/2186 | BMSEN 32/4009/0070/2173 |
| | | 2 0 32146 0 00 0057+75 |
| | | TR S BR PLUM |
| | 0070/2173 | BMSBG 32/4009/0070/2173 |
| | | 024 "DIA CIRC METAL |
| | 0070/1686 | LEN=0032 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0070/1076 | LEN=0033 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0070/0572 | LEN=0033 INSTALLED UNKN |
| | | 018 "DIA CIR PLASTIC |
| | 0070/0094 | LEN=0040 INSTALLED UNKN |
| 016784 FT | 016784 FT | 2 0 32146 0 00 0035+23 |
| | S 0070/0000 | LENGTH(AH 3574 BK 3563) |
| | | 015 "DIA CIRC METAL |
| | 0060/3281 | LEN=0035 INSTALLED UNKN |
| | | 012 "DIA CIRC METAL |
| | 0060/2850 | LEN=0035 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0060/2305 | LEN=0048 INSTALLED 1997 |

DIR: B TOTAL LEN: 4.520 MI. DIST: 10-4 SR: 4009
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | |
|---|---|---|
| | | 018 "DIA CIRC CONCR |
| | 0060/1750 | LEN=0032 INSTALLED 1997 |
| | | 015 "DIA CIRC METAL |
| | 0060/1518 | LEN=0038 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0060/1024 | LEN=0032 INSTALLED 1997 |
| | | 018 "DIA CIRC CONCR |
| | 0060/0600 | LEN=0040 INSTALLED 1997 |
| | | 015 "DIA CIRC METAL |
| | 0060/0345 | LEN=0050 INSTALLED UNKN |
| 013221 FT | 013221 FT | 2 0 32146 0 00 0000+00 |
| | | VILLAGE: FIVE POINTS |
| | | SR 0954 SH |
| | | (SR0954 SEG 0390/0000) |
| | | NC ATWOOD RD |
| | | SR 0954 SH |
| | | (SR0954 SEG 0390/0000) |
| | S 0060/0000 | LENGTH(AH 3563 BK 2704) |
| | | 030 "DIA CIR PLASTIC |
| | 0050/1000 | LEN=0040 INSTALLED 2013 |
| | | 030 "DIA CIRC METAL |
| | 0050/0100 | LEN=0035 INSTALLED UNKN |
| 010517 FT | 010517 FT | 2 0 32072 0 01 0107+00 |
| | | FIVE POINTS RD |
| | | (SR4001 SEG 0100/2940) |
| | | MFC BEGIN = D |
| | S 0050/0000 | LENGTH(AH 2704 BK 2287) |
| | | 015 "DIA CIRC CONCR |
| | 0040/1860 | LEN=0036 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/1565 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/1284 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/0918 | LEN=0033 INSTALLED UNKN |
| | 0040/0013 | BMSEN 32/4009/0040/0000 |
| 008230 FT | 008230 FT | 2 0 32072 0 00 0083+98 |
| | | TR S BR PLUM |
| | | BMSBG 32/4009/0040/0000 |
| | S 0040/0000 | LENGTH(AH 2287 BK 3559) |

DIR: B TOTAL LEN: 4.520 MI. DIST: 10-4 SR: 4009
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | | |
|---|---|---|---|
| | | | 048 "DIA CIRC METAL |
| | | 0030/2173 | LEN=0046 INSTALLED UNKN |
| CARPENTER RD (T370) | 0030/2121 | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0030/1897 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0030/1740 | LEN=0040 INSTALLED 2013 |
| | | 0030/0846 | (APRA) KEYSTONE COAL MI |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0784 | LEN=0030 INSTALLED 2001 |
| | | | CREEK RD |
| | | 0030/0746 | (T742) |
| | | | 015 "DIA CIRC CONCR |
| | | 0030/0383 | LEN=0030 INSTALLED UNKN |
| 2 0 32072 0 00 0047+54 | 004671 FT | 004671 FT | |
| PINE HOLLOW RD (T368) | 0030/0000 | 0030/0000 | LENGTH(AH 3559 BK 2871) |
| | | | 036 "DIA CIRC CONCR |
| | | 0020/2734 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/1759 | LEN=0033 INSTALLED UNKN |
| | | | 048 "DIA CIRC METAL |
| | | 0020/0035 | LEN=0050 INSTALLED UNKN |
| | 001800 FT | 001800 FT | 2 0 32072 0 00 0019+40 |
| | | 0020/0000 | LENGTH(AH 2871 BK 1800) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1041 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0776 | LEN=0040 INSTALLED 2013 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0439 | LEN=0031 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/0299 | LEN=0030 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32072 0 00 0000+00 |
| | | | NC COPPER VALLEY RD |
| | | REF-BK | SR 2004 SH |
| | | | (SR2004 SEG 0050/1636) |
| | | | MFC BEGIN = E |
| | | | BK-ARMSTRONG (03) |
| | | 0010/0000 | LENGTH(AH 1800 BK 0000) |

DIR: B TOTAL LEN: 5.207 MI. DIST: 10-4 SR: 4008
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | | |
|---|---|---|---|
| | 027494 FT | 027494 FT | SR 0119 SH |
| | | 0090/2727 | (SR0119 SEG 0500/0906) |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/2491 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1945 | LEN=0040 INSTALLED 2006 |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1725 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1507 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1307 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0090/0836 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/0397 | LEN=0030 INSTALLED UNKN |
| | 024767 FT | 024767 FT | 1 0 00063 7 03 0542+78 |
| | | | (AAR 148781W)#TRKS 01 |
| | | S 0090/0000 | LENGTH(AH 2727 BK 3030) |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/2785 | LEN=0032 INSTALLED 2007 |
| | | | 024 "DIA CIRC CONCR |
| | | 0080/2394 | LEN=0006 INSTALLED 2005 |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/2030 | LEN=0048 INSTALLED 2007 |
| | | | 015 "DIA CIRC METAL |
| | | 0080/0861 | LEN=0030 INSTALLED UNKN |
| 1 0 00063 7 03 0512+25 | 021737 FT | 021737 FT | |
| JOHNSON RD | | | |
| (T540) | 0080/0000 | S 0080/0000 | LENGTH(AH 3030 BK 3113) |
| JOHNSON RD | | | |
| (TWP ) | 0070/3058 | | |
| | | 0070/2735 | BMSEN 32/4008/0070/2726 |
| | | | 1 0 00063 7 03 0508+40 |
| | | | TR CROOKED |
| | | 0070/2726 | BMSBG 32/4008/0070/2726 |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/2408 | LEN=0030 INSTALLED UNKN |

DIR: B TOTAL LEN: 5.207 MI. DIST: 10-4 SR: 4008
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1726 | LEN=0030 INSTALLED UNKN |
| | | | 016 "DIA CIRC METAL |
| | | 0070/1562 | LEN=0030 INSTALLED UNKN |
| | | 0070/1480 | (AAR 148783K)#TRKS 01 |
| | | | 012 "DIA CIRC METAL |
| | | 0070/1275 | LEN=0030 INSTALLED UNKN |
| | | | KIMMEL RD |
| | | 0070/0743 | (SR4010 SEG 0010/0000) |
| | | | 015 "DIA CIRC METAL |
| | | 0070/0667 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0070/0251 | LEN=0030 INSTALLED UNKN |
| | 018624 FT | 018624 FT | 1 0 00063 7 03 0479+96 |
| | | | 060 "DIA CIR PLASTIC |
| | | | LEN=0040 INSTALLED UNKN |
| | | S 0070/0000 | LENGTH(AH 3113 BK 2882) |
| HOUSER RD (T538) | 0060/2829 | | |
| | | | 015 "DIA CIRC METAL |
| | | 0060/2745 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIR PLASTIC |
| | | 0060/2160 | LEN=0030 INSTALLED UNKN |
| | | 0060/2025 | (AAR 148785Y)#TRKS 01 |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1918 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1381 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0716 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0060 | LEN=0030 INSTALLED UNKN |
| | | | GROFT RD |
| | | 0060/0033 | (T494) |
| | 015742 FT | 015742 FT | 1 0 00063 7 03 0451+20 |
| | | | VILLAGE: KIMMEL |
| | | | 005"H 07"W OTHER STRUC |
| | | | LEN=0024 INSTALLED UNKN |
| | | S 0060/0000 | LENGTH(AH 2882 BK 3776) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/3001 | LEN=0030 INSTALLED UNKN |
| HAWK RD (T492) | 0050/2939 | | |
| | | 0050/2879 | BMSEN 32/4008/0050/2870 |
| | | | 1 0 00063 7 03 0442+09 |
| | | | TRIB TO CROOKED CR. |
| | | 0050/2870 | BMSBG 32/4008/0050/2870 |

DIR: B TOTAL LEN: 5.207 MI. DIST: 10-4 SR: 4008
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | | |
|---|---|---|---|
| | | 0050/2477 | 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| | | 0050/2178 | 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| | | 0050/1691 | 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| | | 0050/1368 | 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| | | 0050/0756 | 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| 1 0 00063 7 03 0413+40 | 011966 FT | 0050/0025 | 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| DAVIS RD | | 011966 FT | |
| (SR4011 SEG 0010/0000) | 0050/0000 | S 0050/0000 | LENGTH(AH 3776 BK 2369) |
| | | 0040/2101 | BMSEN 32/4008/0040/2088 |
| | | | 1 0 00063 7 03 0410+46 |
| | | | TR CROOKED |
| | | 0040/2088 | BMSBG 32/4008/0040/2088 |
| | | 0040/0501 | 018 "DIA CIRC CONCR LEN=0036 INSTALLED 2002 |
| CARNAHAN RD | | | |
| (T490) | 0040/0486 | | |
| | | 0040/0008 | 018 "DIA CIR PLASTIC LEN=0036 INSTALLED 1997 |
| | 009597 FT | 009597 FT | 1 0 00063 7 03 0389+71 |
| | | | CHAMBERSVILLE HILL RD |
| | | | (T760) |
| | | S 0040/0000 | LENGTH(AH 2369 BK 3008) |
| | | 0030/2748 | 015 "DIA CIRC METAL LEN=0030 INSTALLED UNKN |
| | | 0030/2541 | 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| | | 0030/1814 | 015 "DIA CIRC METAL LEN=0030 INSTALLED UNKN |
| | | 0030/1176 | RAYNE WASHINGTON T |
| | | 0030/0753 | 048 "DIA CIRC METAL LEN=0030 INSTALLED UNKN |
| | 006589 FT | 006589 FT | 1 0 00063 7 02 0358+16 |
| | | | VILLAGE: CHAMBERSVILLE |

DIR: B TOTAL LEN: 5.207 MI. DIST: 10-4 SR: 4008
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | | |
|---|---|---|---|
| | | | BLUE SPRUCE RD (T488) |
| | | | S 0030/0000 LENGTH(AH 3008 BK 3134) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/3093 LEN=0050 INSTALLED UNKN |
| DONAHUE RD (T489) | 0020/3056 | | |
| | | | 048 "DIA CIRC CONCR |
| | | | 0020/2948 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/2695 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | | 0020/2440 LEN=0050 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | | 0020/2126 LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | | 0020/1749 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/1344 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/0724 LEN=0030 INSTALLED UNKN |
| HANGING ROCK RD (T401) | 0020/0232 | | |
| | | | 0020/0013 BMSEN 32/4008/0020/0000 |
| | 003455 FT | | 003455 FT 1 0 00063 7 02 0325+97 |
| | | | TR CROOKED |
| | | | BMSBG 32/4008/0020/0000 |
| | | | S 0020/0000 LENGTH(AH 3134 BK 3455) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/3165 LEN=0030 INSTALLED UNKN |
| | | | 012 "DIA CIRC METAL |
| | | | 0010/2569 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/1956 LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | | 0010/1542 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/1242 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | | 0010/0855 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/0553 LEN=0030 INSTALLED UNKN |
| | 000000 FT | | 000000 FT 1 0 00063 7 02 0291+42 |
| | | | NC CHAMBERSVILLE RD |
| | | | INTER-BK SR 0954 SH |
| | | | (SR0954 SEG 0320/0000) |
| SR 0954 SH (SR0954 SEG 0320/0000) | 0010/0000 | | MFC BEGIN = D |
| | | | S 0010/0000 LENGTH(AH 3455 BK 0000) |

DIR: B TOTAL LEN: .733 MI. DIST: 10-4 SR: 4007
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| FOURTH ST | 003872 FT | 003872 FT | FOURTH ST |
| (SR4005 SEG 0140/0000) | 0030/0719 | 0030/0719 | (SR4005 SEG 0140/0000) |
| FOURTH AV | | | |
| (T566) | 0030/0578 | | |
| | | | 018 "DIA CIRC METAL |
| | | 0030/0154 | LEN=0040 INSTALLED UNKN |
| | | | MCGREGOR ST |
| | | 0030/0135 | (T536) |
| | | | NC FIFTH ST ET |
| FIFTH ST | | | |
| (T565) | 0030/0067 | | |
| | | | 030 "DIA CIRC METAL |
| | | 0030/0065 | LEN=0040 INSTALLED UNKN |
| | 003153 FT | 003153 FT | 1 1 00530 0 00 0031+03 |
| | | 0030/0000 | LENGTH(AH 0719 BK 1265) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1182 | LEN=0040 INSTALLED UNKN |
| HIGH SCHOOL DR | | | |



DIR: B TOTAL LEN: .733 MI. DIST: 10-4 SR: 4007
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| (BORO) | 0020/0977 | | |
| | | | 048 "DIA CIRC CONCR |
| | | 0020/0890 | LEN=0055 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0780 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0539 | LEN=0045 INSTALLED UNKN |
| CLARK ST | | | |
| (BORO) | 0020/0522 | | |
| | | | WHITE |
| | | 0020/0338 | INDIANA B |
| | | | NORTH AV |
| | | 0020/0337 | (BORO) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0308 | LEN=0030 INSTALLED UNKN |
| 1 1 00530 0 00 0018+87 001888 FT | | 001888 FT | |
| STANNARD AV | | | |
| (BORO) | 0020/0000 | 0020/0000 | LENGTH(AH 1265 BK 1888) |
| | | | STANNARD AV |
| | | 0010/1789 | (BORO) |
| | | | 012 "DIA CIR PLASTIC |
| | | 0010/1583 | LEN=0020 INSTALLED UNKN |
| | | | CHESTNUT ST |
| | | 0010/1536 | (BORO) |
| SHRYOCK AV | | | |
| (BORO) | 0010/1274 | | |
| | | | SHRYOCK AV |
| | | 0010/1159 | (BORO) |
| | | | OAK ST |
| | | 0010/0999 | (BORO) |
| | | | BURNS AV |
| | | 0010/0761 | (BORO) |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/0604 | LEN=0033 INSTALLED UNKN |
| | | | WATER ST |
| | | | (BORO) |
| | | 0010/0513 | |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/0467 | LEN=0030 INSTALLED UNKN |
| | | | NIXON AV |
| | | 0010/0260 | (BORO) |
| | 000000 FT | 000000 FT | 1 1 00530 0 00 0000+00 |
| | | NC | FIFTH ST |
| | | | PHILADELPHIA ST |
| | | | (SR0286 SEG 0540/0000) |
| | | INTER-BK | FIFTH ST |
| | | | (BORO) |
| | | | MFC BEGIN = D |
| | | 0010/0000 | LENGTH(AH 1888 BK 0000) |

DIR: B TOTAL LEN: 7.188 MI. DIST: 10-4 SR: 4006
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

037954 FT

==

037954 FT
* REF-AHD BRADY RD
0130/2916 (T832)
BIRCH LN
0130/2830 (PRDR)
018 "DIA CIRC METAL

DIR: B TOTAL LEN: 7.188 MI. DIST: 10-4 SR: 4006
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | | |
|---|---|---|---|
| | | 0130/2738 | LEN=0030 INSTALLED UNKN<br>048 "DIA CIRC METAL |
| | | 0130/2609 | LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0130/2067 | LEN=0040 INSTALLED UNKN<br>015 "DIA CIRC METAL |
| | | 0130/1920 | LEN=0040 INSTALLED UNKN<br>024 "DIA CIRC METAL |
| | | 0130/1140 | LEN=0040 INSTALLED UNKN<br>027 "DIA CIRC METAL |
| | | 0130/1120 | LEN=0040 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0130/0831 | LEN=0030 INSTALLED UNKN<br>036"H 00"W MULT METAL |
| | | 0130/0350 | LEN=0040 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0130/0043 | LEN=0060 INSTALLED UNKN |
| | 035038 FT | 035038 FT | 2 0 32085 0 01 0113+39<br>VILLAGE: AMBROSE |
| | | NC | BRADY RD<br>WRIGDEN RUN RD<br>(SR4015 SEG 0050/0271) |
| GEORGEVILLE RD<br>(SR4015 SEG 0050/0271) | 0130/0000 | 0130/0000 | LENGTH(AH 2916 BK 2423) |
| | | 0120/1628 | 015 "DIA CIRC CONCR<br>LEN=0035 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0120/1339 | LEN=0035 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0120/1092 | LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0120/0502 | LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0120/0043 | LEN=0030 INSTALLED UNKN |
| | 032615 FT | 032615 FT | 2 0 32085 0 00 0087+72 |
| | | 0120/0000 | LENGTH(AH 2423 BK 3005) |
| | | 0110/2250 | BMSEN 32/4006/0110/2221<br>2 0 32085 0 00 0079+17<br>GOOSE RUN |
| | | 0110/2221 | BMSBG 32/4006/0110/2221 |
| HARBRIDGE RD<br>(T506) | 0110/1943 | | |
| | | 0110/1942 | 015 "DIA CIRC METAL<br>LEN=0050 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0110/1602 | LEN=0030 INSTALLED UNKN<br>036 "DIA CIRC METAL |
| | | 0110/1490 | LEN=0040 INSTALLED UNKN |

DIR: B TOTAL LEN: 7.188 MI. DIST: 10-4 SR: 4006
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | | | |
|---|---|---|---|---|
| | | | | 015 "DIA CIRC CONCR |
| | | | 0110/0980 | LEN=0035 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0110/0619 | LEN=0030 INSTALLED UNKN |
| 2 0 32085 0 00 0057+05 | 029610 FT | | 029610 FT | |
| MCMILLEN RD | | | | |
| (T504) | 0110/0000 | | 5 0110/0000 | LENGTH(AH 3005 BK 2433) |
| | | | 0100/2176 | BMSEN 32/4006/0100/2153 |
| | | | | 2 0 32085 0 00 0054+27 |
| | | | | LEISURE RUN |
| | | | 0100/2153 | BMSBG 32/4006/0100/2153 |
| | | | | 048 "DIA CIR PLASTIC |
| | | | 0100/1496 | LEN=0040 INSTALLED 2015 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0100/1011 | LEN=0060 INSTALLED 2000 |
| | | | | SOUTH MAHONING |
| | | | 0100/0200 | WASHINGTON T |
| | 027177 FT | | 027177 FT | 2 0 32085 0 00 0032+84 |
| | | | 5 0100/0000 | LENGTH(AH 2433 BK 3257) |
| | | | | 015 "DIA CIRC METAL |
| | | | 0090/3095 | LEN=0035 INSTALLED UNKN |
| MORROW RD | | | | |
| (T498) | 0090/2766 | | | |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0090/2680 | LEN=0075 INSTALLED UNKN |
| | | | | 060"H 60"W CONC STRUCT |
| | | | 0090/1919 | LEN=0050 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0090/1457 | LEN=0045 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0090/0770 | LEN=0035 INSTALLED UNKN |
| | 023920 FT | | 023920 FT | 2 0 32085 0 00 0000+00 |
| | | | | SR 0085 SH |
| | | | | (SR0085 SEG 0120/0604) |
| | | | | NC AMBROSE RD |
| | | | INTER-BK | SR 0085 SH |
| | | | | (SR0085 SEG 0120/0604) |
| | | | 5 0090/0000 | LTH AH 003257 BK 000100 |
| | 023920 FT | | 023920 FT | |
| | | | 7084/0000 | LTH AH 000100 BK 002472 |
| SR 0085 SH | | | INTER-AHD | SR 0085 SH |
| (SR0085 SEG 0120/0000) | 0080/2472 | | 0080/2472 | (SR0085 SEG 0120/0000) |
| | | | 0080/2102 | BMSEN 32/4006/0080/2090 |
| | | | | 2 0 32072 0 02 0390+05 |

DIR: B TOTAL LEN: 7.188 MI. DIST: 10-4 SR: 4006
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | | | |
|---|---|---|---|---|
| | | | | TRIB S BR PLUM CR |
| | | | 0080/2090 | BMSBG 32/4006/0080/2090 |
| MARCOLINE RD (T680) | 0080/1904 | == | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0080/1238 | LEN=0032 INSTALLED 1998 |
| | | | | 018 "DIA CIRC METAL |
| | | | 0080/1160 | LEN=0035 INSTALLED UNKN |
| POTTS RD (T393) | 0080/0576 | == | | |
| | 021448 FT | | 021448 FT | 2 0 32072 0 02 0390+05 |
| | | | | 036 "DIA CIRC METAL |
| | | | | LEN=0040 INSTALLED UNKN |
| | | | S 0080/0000 | LENGTH(AH 2472 BK 3647) |
| | | | | 024 "DIA CIRC METAL |
| | | | 0070/2662 | LEN=0040 INSTALLED UNKN |
| | | | | 024 "DIA CIRC METAL |
| | | | 0070/1981 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0070/1407 | LEN=0035 INSTALLED UNKN |
| BELL SCHOOL RD (T396) | 0070/0669 | == | | |
| | | | 0070/0060 | BMSEN 32/4006/0070/0000 |
| | 017801 FT | | 017801 FT | 2 0 32072 0 02 0353+77 |
| | | | | S BR PLUM CR |
| | | | | BMSBG 32/4006/0070/0000 |
| | | | S 0070/0000 | LENGTH(AH 3647 BK 3485) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0060/2852 | LEN=0075 INSTALLED UNKN |
| | | | | HILL RD |
| | | == | 0060/2833 | (T398) |
| | | | | 015 "DIA CIRC METAL |
| | | | 0060/2247 | LEN=0045 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0060/1635 | LEN=0032 INSTALLED 1998 |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0060/1437 | LEN=0032 INSTALLED 1998 |
| | | | | 015 "DIA CIRC METAL |
| | | | 0060/1302 | LEN=0035 INSTALLED UNKN |
| | | | | DAVIS RD |
| | | == | 0060/0423 | (SR4012 SEG 0010/0000) |

DIR: B TOTAL LEN: 7.188 MI. DIST: 10-4 SR: 4006
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | | |
|---|---|---|---|
| | | | 042"H 42"W CONC STRUCT |
| | | 0060/0273 | LEN=0045 INSTALLED UNKN |
| | 014316 FT | 014316 FT | 2 0 32072 0 01 0318+57 |
| | | 0060/0000 | LENGTH(AH 3485 BK 2317) |
| | | 0050/1840 | BMSEN 32/4006/0050/1777 |
| | | | 2 0 32072 0 01 0313+16 |
| | | | S BR PLUM CR |
| | | 0050/1777 | BMSBG 32/4006/0050/1777 |
| CUMMINGS RD (T410) | 0050/1604 | | |
| | | | 018 "DIA CIRC METAL |
| | | 0050/1294 | LEN=0060 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0050/0790 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0050/0460 | LEN=0040 INSTALLED UNKN |
| | | | 036 "DIA CIRC METAL |
| | | 0050/0065 | LEN=0045 INSTALLED UNKN |
| | 011999 FT | 011999 FT | 2 0 32072 0 01 0295+04 |
| | | 0050/0000 | LENGTH(AH 2317 BK 3360) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/3140 | LEN=0032 INSTALLED 2007 |
| | | | 036 "DIA CIRC CONCR |
| | | 0040/2661 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0040/2422 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/2091 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0040/1755 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0040/1537 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0040/1219 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1170 | LEN=0032 INSTALLED 2007 |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0669 | LEN=0032 INSTALLED 2007 |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0441 | LEN=0032 INSTALLED 2007 |
| | 008639 FT | 008639 FT | 2 0 32072 0 01 0261+66 |
| | | | DONAHUE RD |
| | | | (T489) |
| | | | 018 "DIA CIRC METAL |
| | | | LEN=0032 INSTALLED 1998 |
| | | 0040/0000 | LENGTH(AH 3360 BK 2492) |
| | | | 015 "DIA CIRC METAL |
| | | 0030/2306 | LEN=0035 INSTALLED UNKN |
| | | | 024"H 00"W MULT METAL |
| | | 0030/1710 | LEN=0040 INSTALLED UNKN |

DIR: B TOTAL LEN: 7.188 MI. DIST: 10-4 SR: 4006
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | | |
|---|---|---|---|
| REDDING RUN RD (T840) | 0030/1082 | 0030/1005 | BMSEN 32/4006/0030/0986 |
| | | | 2 0 32072 0 01 0246+52 |
| | | | REDDINGS RUN |
| | | 0030/0986 | BMSBG 32/4006/0030/0986 |
| | 006147 FT | 006147 FT | 2 0 32072 0 01 0236+88 |
| | | | TRUSAL RD |
| | | | (T406) |
| | | S 0030/0000 | LENGTH(AH 2492 BK 2747) |
| | | | 018 "DIA CIRC METAL |
| | | 0020/2655 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0020/1477 | LEN=0040 INSTALLED UNKN |
| CAYLOR LN (PRDR) | 0020/1457 | | |
| | | | 036 "DIA CIRC METAL |
| | | 0020/1054 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0628 | LEN=0032 INSTALLED 1997 |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0237 | LEN=0032 INSTALLED 1998 |
| | 003400 FT | 003400 FT | 2 0 32072 0 01 0209+36 |
| | | S 0020/0000 | LENGTH(AH 2747 BK 3400) |
| | | | 015 "DIA CIRC METAL |
| | | 0010/3218 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2920 | LEN=0040 INSTALLED UNKN |
| KETTERING RD (T740) | 0010/1702 | | |
| | | | 060 "DIA CIRC METAL |
| | | 0010/1257 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1031 | LEN=0032 INSTALLED 1998 |
| | 000000 FT | 000000 FT | 2 0 32072 0 01 0174+94 |
| | | | SR 0954 SH |
| | | | (SR0954 SEG 0380/0000) |
| | | | NC FIVE POINTS RD |
| | | | MFC BEGIN = D |
| SR 0954 SH (SR0954 SEG 0380/0000) | 0010/0000 | S 0010/0000 | LENGTH(AH 3400 BK 0000) |

DIR: B TOTAL LEN: 5.923 MI. DIST: 10-4 SR: 4005
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | | |
|---|---|---|---|---|
| | 031275 FT | | 031258 FT | |
| EARNEST RD | | | INTER-AHD | OLD RT 119 RD |
| (SR0110 SEG 0100/0000) | 0170/3266 | | 0170/3266 | (SR0110 SEG 0100/0000) |
| TO/FROM 0110/0090 SH | | | | |
| (CONN) | 0170/3059 | | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/2854 | LEN=0045 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/2440 | LEN=0045 INSTALLED UNKN |
| | | | 0170/2240 | BMSEN 32/4005/0170/2220 |
| | | | | 1 0 00063 0 00 0134+59 |
| | | | | TRIB TO MCKEE RUN |
| | | | 0170/2220 | BMSBG 32/4005/0170/2220 |
| | | | | THOMPSON RD |
| | | | 0170/1747 | (T547) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/1712 | LEN=0070 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/0922 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/0520 | LEN=0040 INSTALLED UNKN |
| | 028009 FT | | 027992 FT | 1 0 00063 0 00 0114+46 |
| | | | 5 0170/0000 | LENGTH(AH 3266 BK 3179) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0160/2868 | LEN=0060 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0160/2510 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0160/2213 | LEN=0050 INSTALLED UNKN |
| MCHENRY RD | | | | |
| (T552) | 0160/1916 | | | |
| | | | | HARRISON DR |
| | | | 0160/1805 | (T557) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0160/1430 | LEN=0045 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0160/1020 | LEN=0040 INSTALLED UNKN |
| | | | | HARRISON DR |
| | | | 0160/0921 | (T557) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0160/0705 | LEN=0045 INSTALLED UNKN |

DIR: B TOTAL LEN: 5.923 MI. DIST: 10-4 SR: 4005
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| 1 0 00063 0 00 0080+12 024830 FT | | 024813 FT | |
| MARION RD | | | |
| (T550) | 0160/0000 | 0160/0000 | LENGTH(AH 3179 BK 1908) |
| | | | HAMILL RD |
| | | 0150/1875 | (T554) |
| | | | 015 "DIA CIRC METAL |
| | | 0150/1758 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0892 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0699 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0145 | LEN=0100 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0075 | LEN=0125 INSTALLED UNKN |
| 1 0 00063 0 00 0061+57 022922 FT | | 022905 FT | |
| MARION RD | | | |
| (T550) | | | |
| ELKIN AV | | | |
| (T563) | | | |
| LINCOLN AV | | | NC OLD ROUTE 119 RD |
| (T545) | 0150/0000 | 0150/0000 | LENGTH(AH 1908 BK 2920) |
| | | | 018 "DIA CIRC METAL |
| | | 0140/2835 | LEN=0085 INSTALLED UNKN |
| | | | COUNTRY CLUB RD |
| | | 0140/2375 | (T747) |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/2305 | LEN=0040 INSTALLED UNKN |
| NORTH FIFTH AV | | | |
| (T565) | 0140/2297 | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0140/1550 | LEN=0050 INSTALLED UNKN |
| | | | GREENVIEW DR |
| | | 0140/1497 | (T741) |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/1280 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0140/1039 | LEN=0055 INSTALLED UNKN |
| CENTER ST | | | |
| (T571) | 0140/0953 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/0470 | LEN=0055 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/0070 | LEN=0055 INSTALLED UNKN |
| 1 0 00063 0 00 0023+18 020002 FT | | 019985 FT | |
| FIFTH ST | | | |
| (SR4007 SEG 0030/0719) | 0140/0000 | 0140/0000 | LENGTH(AH 2920 BK 3212) |
| | | | WHITE |

DIR: B TOTAL LEN: 5.923 MI. DIST: 10-4 SR: 4005
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | 0130/3124 | INDIANA B |
| | | | QUEEN LN |
| | | 0130/2330 | (BORO) |
| | | | 024 "DIA CIRC METAL |
| | | 0130/2293 | LEN=0090 INSTALLED UNKN |
| MCGREGOR ST (T536) NORTH AV (BORO) | 0130/2229 | | |
| | | | ANDERSON AV |
| | | 0130/2143 | (BORO) |
| | | | DOUGLAS AV |
| | | 0130/1884 | (BORO) |
| | | | 024 "DIA CIRC METAL |
| | | 0130/1860 | LEN=0070 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0130/1565 | LEN=0045 INSTALLED UNKN |
| | | | CHESTNUT ST |
| | | | (BORO) |
| | | 0130/1544 | |
| | | | SHRYOCK AV |
| | | 0130/1282 | (BORO) |
| SHRYOCK AV (BORO) | 0130/1166 | | |
| | | | OAK ST |
| | | 0130/1008 | (BORO) |
| | | | 015 "DIA CIRC METAL |
| | | 0130/0966 | LEN=0045 INSTALLED UNKN |
| | | | BURNS AV |
| | | 0130/0769 | (BORO) |
| | | | 015 "DIA CIRC METAL |
| | | 0130/0560 | LEN=0045 INSTALLED UNKN |
| | | | WATER ST |
| | | 0130/0514 | (BORO) |
| | | | NIXON AV |
| | | 0130/0261 | (BORO) |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/0061 | LEN=0045 INSTALLED UNKN |
| | 016790 FT | 016773 FT | 1 0 00063 0 00 0000+00 |
| | | | PHILADELPHIA ST |
| | | | (SR0286 SEG 0540/0709) |
| | | NC | FOURTH ST |
| | | | FOURTH ST |
| | | | (BORO) |
| | | INTER-BK | PHILADELPHIA ST |
| | | | (SR0286 SEG 0540/0709) |
| | | | MFC BEGIN = C |
| | | 5 0130/0000 | LTH AH 003212 BK 000100 |

DIR: B TOTAL LEN: 5.923 MI. DIST: 10-4 SR: 4005
LEFT MUN: INDIANA B RIGHT MUN: INDIANA B

| | | | |
|---|---|---|---|
| | 016790 FT | | 016773 FT |
| SEVENTH ST | | | 7114/0000 LTH AH 000100 BK 001917 |
| (BORO) | | | INTER-AHD PHILADELPHIA ST |
| PHILADELPHIA ST | | | (SR0286 SEG 0520/0371) |
| (SR0286 SEG 0520/0371) | 0090/1917 | | 0090/1917 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0090/1880 LEN=0050 INSTALLED UNKN |
| | | | GOMPERS AV |
| | | | 0090/1655 (BORO) |
| | | | 012 "DIA CIRC CONCR |
| | | | 0090/1460 LEN=0040 INSTALLED UNKN |
| | | | CHURCH ST |
| | | | (BORO) |
| | | | 0090/1417 |
| KLONDYKE AV | | | |
| (BORO) | 0090/1238 | | |
| | | | SCHOOL ST |
| | | | 0090/1048 (BORO) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0090/0750 LEN=0030 INSTALLED UNKN |
| | | | WASHINGTON ST |
| | | | 0090/0710 (BORO) |
| | | | 015 "DIA CIRC METAL |
| | | | 0090/0240 LEN=0030 INSTALLED UNKN |
| | | | SOUTH ST |
| | | | 0090/0202 (BORO) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0090/0015 LEN=0020 INSTALLED UNKN |
| | 014873 FT | | 014856 FT 1 0 00068 0 03 0888+25 |
| | | | WAYNE AV |
| | | | (BORO) |
| | | | NC SEVENTH ST |
| | | | LOCUST ST |
| | | | (BORO) |
| | | | SEVENTH ST |
| | | | (BORO) |
| LOCUST ST | | | 5 0090/0000 LENGTH(AH 1917 BK 2281) |
| (BORO) | 0070/2281 | | |
| BORO AL | | | |
| (BORO) | 0070/1942 | | |
| | | | 018 "DIA CIRC CONCR |
| | | | 0070/1940 LEN=0027 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0070/1540 LEN=0027 INSTALLED UNKN |
| | | | GRANT ST |
| | | | 0070/1459 (BORO) |
| | | | LOWRY ST |
| | | | 0070/1017 (BORO) |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 5.923 MI. DIST: 10-4 SR: 4005
LEFT MUN: INDIANA B RIGHT MUN: INDIANA B

| | | | |
|---|---|---|---|
| | | 0070/0785 | LEN=0027 INSTALLED UNKN<br>MAPLE ST<br>(BORO) |
| | | 0070/0701 | |
| | | | 016 "DIA CIRC CONCR |
| | | 0070/0696 | LEN=0001 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0500 | LEN=0027 INSTALLED UNKN<br>INDIANA |
| | | 0070/0068 | WHITE T |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0060 | LEN=0060 INSTALLED UNKN |
| | 012592 FT | 012575 FT | 1 0 00068 0 03 0865+40<br>CARTER AV<br>(SR4030 SEG 0020/0000)<br>MFC BEGIN = B |
| | | S 0070/0000 | LENGTH(AH 2281 BK 2286) |
| BMSEN 32/4005/0060/1951 | 0061/1991 | 0060/1987 | BMSEN 32/4005/0060/1951 |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1975 | LEN=0060 INSTALLED UNKN |
| 1 0 00068 0 03 0862+35<br>MARSH RUN | | | 1 0 00068 0 03 0862+35<br>MARSH RUN |
| BMSBG 32/4005/0060/1951<br>PRATT<br>(PRDR)<br>HOSPITAL RD<br>(SR4017 SEG 0020/1032) | 0061/1955 | 0060/1951 | BMSBG 32/4005/0060/1951<br>PRATT DR<br>(PRDR)<br>HOSPITAL RD<br>(SR4017 SEG 0020/1032) |
| | 0061/1680 | 0060/1676 | |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1397 | LEN=0027 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1135 | LEN=0027 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0890 | LEN=0027 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0060/0530 | LEN=0070 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0371 | LEN=0027 INSTALLED UNKN |
| 024 "DIA CIRC CONCR<br>LEN=0050 INSTALLED UNKN | 0061/0100 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0090 | LEN=0027 INSTALLED UNKN |
| 1 0 00068 0 03 0841+01<br>ROSE ST<br>(SR3043 SEG 0010/0000) | 010307 FT | 010289 FT | 1 0 00068 0 03 0843+20<br>ROSE ST<br>(SR3043 SEG 0010/0000) |
| LENGTH(AH 2285 BK 2799) | S 0061/0000 | S 0060/0000 | LENGTH(AH 2286 BK 2774) |
| | | | 030 "DIA CIRC CONCR |
| | | 0050/2550 | LEN=0027 INSTALLED UNKN |

DIR: B TOTAL LEN: 5.923 MI. DIST: 10-4 SR: 4005
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| LEFT | | RIGHT | |
|---|---|---|---|
| 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN | 0051/2525 | | |
| | | 0050/2335 | 024 "DIA CIRC CONCR LEN=0020 INSTALLED UNKN |
| | | 0050/2334 | 024 "DIA CIRC CONCR LEN=0020 INSTALLED UNKN |
| | | 0050/2044 | 048 "DIA CIRC CONCR LEN=0027 INSTALLED UNKN |
| (APRA) LEZZER LUMBER LEZZER LUMBER DR (PRDR) | 0051/1510 | 0050/1510 | (APRA) LEZZER LUMBER LEZZER LUMBER DR (PRDR) |
| | | 0050/0803 | 030"H 40"W CONC STRUCT LEN=0020 INSTALLED UNKN |
| | | 0050/0624 | 024 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN |
| 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN | 0051/0415 | | |
| | | 0050/0203 | 018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN |
| 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN | 0051/0155 | | |
| 1 0 00068 0 02 0810+99 007508 FT | | 007515 FT | 1 0 00068 0 02 0810+84 |
| HOSPITAL RD (SR4017 SEG 0010/0000) LENGTH(AH 2799 BK 1474) | 0051/0000 S | 0050/0000 S | HOSPITAL RD (SR4017 SEG 0010/0000) LENGTH(AH 2774 BK 1481) |
| | | 0040/1421 | 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN | 0041/1141 | | |
| 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN | 0041/1140 | | |
| | | 0040/0838 | 060 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| PLUM ST (T780) | 0041/0679 | 0040/0680 | PLUM ST (T780) |
| 048 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN | 0041/0645 | | |
| 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN | 0041/0475 | | |
| | | 0040/0343 | 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| 1 0 00068 0 02 0795+00 006034 FT | | 006034 FT | 1 0 00068 0 02 0795+00 |
| STUTZMAN RD (T721) LENGTH(AH 1474 BK 0655) | 0041/0000 S | 0040/0000 S | STUTZMAN RD (T721) LENGTH(AH 1481 BK 0655) |
| | | 0030/0650 | 018 "DIA CIRC METAL LEN=0025 INSTALLED UNKN |
| | | 0030/0357 | 018 "DIA CIRC METAL LEN=0025 INSTALLED UNKN |

POI POI

DIR: B TOTAL LEN: 5.923 MI. DIST: 10-4 SR: 4005
LEFT MUN: WHITE T RIGHT MUN: WHITE T

018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0031/0284
1 0 00068 0 02 0788+46 005379 FT
WAYNE AV
(SR4422 SEG 0141/0000)
(SR4422 SEG 0140/0000)
015 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN
NC WAYNE AV

WAYNE AV
(SR4422 SEG 0140/0000)
(SR4422 SEG 0141/0000)
MFC BEGIN = B
LENGTH(AH 0655 BK 2882) 0031/0000

ALEX DR
(T222) 0020/1853
BENNETT DR
(T221) 0020/1277

002497 FT

000000 FT

005379 FT 1 0 00068 0 02 0788+46
INDIAN SPRINGS RD
(SR4422 SEG 0141/0000)
(SR4422 SEG 0140/0000)
NC WAYNE AV

WAYNE AV
(SR4422 SEG 0141/0000)
(SR4422 SEG 0140/0000)
MFC BEGIN = B
0030/0000 LENGTH(AH 0655 BK 2882)
018 "DIA CIRC CONCR
0020/2675 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/2357 LEN=0035 INSTALLED UNKN

018 "DIA CIRC CONCR
0020/0971 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/0503 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/0158 LEN=0075 INSTALLED UNKN
002497 FT 2 0 32046 0 00 0025+00
0020/0000 LENGTH(AH 2882 BK 2497)

HOME FARM RD
0010/1302 (T900)
018 "DIA CIRC CONCR
0010/0890 LEN=0075 INSTALLED UNKN
018 "DIA CIRC METAL
0010/0635 LEN=0075 INSTALLED UNKN
018 "DIA CIRC METAL
0010/0309 LEN=0075 INSTALLED UNKN
018 "DIA CIRC METAL
0010/0093 LEN=0060 INSTALLED UNKN
000000 FT 2 0 32046 0 00 0000+00
NC INDIAN SPRINGS RD
SIXTH ST
(SR0954 SEG 0120/0000)

MFC BEGIN = C
0010/0000 LENGTH(AH 2497 BK 0000)

DIR: B TOTAL LEN: 2.122 MI. DIST: 10-4 SR: 4004
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | | |
|---|---|---|---|---|
| WEST PIKE RD | 011205 FT | | 011205 FT | WEST PIKE RD |
| (SR4422 SEG 0030/0297) | 0050/2333 | | 0050/2333 | (SR4422 SEG 0030/0297) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/2190 | LEN=0065 INSTALLED UNKN |
| | | | | WHITE |
| | | | 0050/2143 | ARMSTRONG T |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0050/1409 | LEN=0047 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0050/0912 | LEN=0039 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0050/0150 | LEN=0036 INSTALLED UNKN |
| | 008872 FT | | 008872 FT | 2 0 32167 0 00 0088+64 |
| | | | 5 0050/0000 | LENGTH(AH 2333 BK 2189) |
| | | | | 015 "DIA CIRC METAL |
| | | | 0040/2020 | LEN=0045 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0040/1530 | LEN=0030 INSTALLED UNKN |
| | | | | 030 "DIA CIRC CONCR |
| | | | 0040/1204 | LEN=0045 INSTALLED UNKN |

DIR: B TOTAL LEN: 2.122 MI. DIST: 10-4 SR: 4004
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | | |
|---|---|---|---|
| | 006683 FT | | 006683 FT 2 0 32167 0 00 0066+75 |
| | | | TULIP DR |
| | | | (T700) |
| | | S | 0040/0000 LENGTH(AH 2189 BK 2390) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0030/2380 LEN=0037 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0030/1975 LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0030/1728 LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0030/1450 LEN=0045 INSTALLED UNKN |
| HENRY RD (T479) | 0030/1129 | | |
| | | | 018 "DIA CIRC CONCR |
| | | | 0030/1025 LEN=0089 INSTALLED UNKN |
| | | | TULIP DR |
| | | | 0030/0312 (T700) |
| | | | 018 "DIA CIRC METAL |
| | | | 0030/0082 LEN=0055 INSTALLED UNKN |
| | 004293 FT | | 004293 FT 2 0 32167 0 00 0042+56 |
| | | S | 0030/0000 LENGTH(AH 2390 BK 2354) |
| | | | 036 "DIA CIR PLASTIC |
| | | | 0020/2051 LEN=0040 INSTALLED 2005 |
| | | | 024 "DIA CIRC CONCR |
| | | | 0020/0050 LEN=0042 INSTALLED UNKN |
| | 001939 FT | | 001939 FT 2 0 32167 0 00 0019+50 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0060 INSTALLED UNKN |
| | | S | 0020/0000 LENGTH(AH 2354 BK 1939) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/1644 LEN=0032 INSTALLED 2006 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/1218 LEN=0024 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/1041 LEN=0032 INSTALLED 2006 |
| | 000000 FT | | 000000 FT 2 0 32167 0 00 0000+00 |
| | | | NC LIONS HEALTH CAMP RD |
| | | | BENJAMIN FRANKLIN HW |
| | | | (SR0422 SEG 0130/0000) |
| | | | MFC BEGIN = E |
| | | S | 0010/0000 LENGTH(AH 1939 BK 0000) |

DIR: B TOTAL LEN: 2.745 MI. DIST: 10-4 SR: 4003
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | 014491 FT | 014491 FT | |
| | | INTER-AHD | SAINT CLAIR RD |
| | | | (T486) |
| | | | FULTON RUN RD |
| | | 0050/2016 | (SR0954 SEG 0230/0000) |
| | | 0050/1894 | BMSEN 32/4003/0050/1879 |
| | | | 2 0 32046 0 01 0338+33 |
| | | | FULTON RUN |
| | | 0050/1879 | BMSBG 32/4003/0050/1879 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/1599 | LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0140 | LEN=0030 INSTALLED UNKN |
| | 012475 FT | 012475 FT | 2 0 32046 0 01 0319+55 |
| | | S 0050/0000 | LENGTH(AH 2016 BK 2041) |
| | | | 015 "DIA CIRC METAL |
| | | 0040/1440 | LEN=0026 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0040/0501 | LEN=0028 INSTALLED UNKN |
| 2 0 32046 0 01 0299+17 | 010434 FT | 010434 FT | |
| MARY ANN HILL RD | | | |
| (T713) | 0040/0000 | S 0040/0000 | LENGTH(AH 2041 BK 3446) |
| | | | 018 "DIA CIRC METAL |
| | | 0030/2343 | LEN=0025 INSTALLED UNKN |
| | | | 030 "DIA CIRC METAL |
| | | 0030/1748 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1564 | LEN=0027 INSTALLED UNKN |
| | | | 030 "DIA CIRC CONCR |
| | | 0030/1111 | LEN=0032 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0030/0551 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0308 | LEN=0035 INSTALLED UNKN |
| | 006988 FT | 006988 FT | 2 0 32046 0 01 0264+83 |
| | | S 0030/0000 | LENGTH(AH 3446 BK 3525) |

DIR: B TOTAL LEN: 2.745 MI. DIST: 10-4 SR: 4003
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0020/3347 | LEN=0034 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0020/2969 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2340 | LEN=0027 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1155 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0542 | LEN=0027 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0335 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0190 | LEN=0035 INSTALLED UNKN |
| | 003463 FT | 003463 FT | 2 0 32046 0 01 0229+58 |
| | | S 0020/0000 | LENGTH(AH 3525 BK 3463) |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/3265 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0010/2773 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2417 | LEN=0030 INSTALLED UNKN |
| OLD GLORY RD (BORO) | 0010/1812 | | |
| HOYT DR (T760) | 0010/1156 | | |
| | | | WATER ST |
| | | 0010/0870 | (T408) |
| | | | 015 "DIA CIRC METAL |
| | | 0010/0584 | LEN=0023 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0010/0583 | LEN=0023 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0178 | LEN=0062 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0177 | LEN=0062 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0064 | LEN=0015 INSTALLED 2014 |
| | 000000 FT | 000000 FT | 2 0 32046 0 01 0196+37 |
| | | NC COLLEGE LODGE RD | |
| | | | PHILADELPHIA ST |
| | | | (SR4032 SEG 0030/0000) |
| | | | MFC BEGIN = D |
| | | S 0010/0000 | LENGTH(AH 3463 BK 0000) |

DIR: B TOTAL LEN: 3.278 MI. DIST: 10-4 SR: 4002
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

017308 FT



017308 FT
INTER-AHD CREEKSIDE RD
(SR0954 SEG 0280/0000)
SR 0954 SH
0070/2153 (SR0954 SEG 0280/0000)

015 "DIA CIRC CONCR
0070/0888 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0070/0475 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0070/0375 LEN=0046 INSTALLED UNKN

DIR: B TOTAL LEN: 3.278 MI. DIST: 10-4 SR: 4002
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | | |
|---|---|---|---|
| | 015155 FT | 015155 FT | 2 0 32061 0 00 0154+55 |
| | | S 0070/0000 | LENGTH(AH 2153 BK 2587) |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/2032 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1472 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1353 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/0580 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0115 | LEN=0036 INSTALLED UNKN |
| | 012568 FT | 012568 FT | 2 0 32061 0 00 0128+63 |
| | | S 0060/0000 | LENGTH(AH 2587 BK 3520) |
| | | | 036 "DIA CIRC CONCR |
| | | 0050/2925 | LEN=0050 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0050/1750 | LEN=0050 INSTALLED UNKN |
| | | 0050/1030 | OP ID 32/4002/0050/1030 |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0635 | LEN=0040 INSTALLED UNKN |
| | | | THOMAS COVERED BRIDGE R (T415) |
| SPENCE RD (T415) | | | WASHINGTON |
| | 0050/0607 | 0050/0607 | ARMSTRONG T |
| | | | 060 "DIA CIRC METAL |
| | | 0050/0427 | LEN=0090 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/0011 | LEN=0035 INSTALLED UNKN |
| | 009048 FT | 009048 FT | 2 0 32061 0 00 0097+19 |
| | | S 0050/0000 | LENGTH(AH 3520 BK 1111) |
| | | | 015 "DIA CIRC METAL |
| | | 0040/0030 | LEN=0150 INSTALLED UNKN |
| | 007937 FT | 007937 FT | 2 0 32061 0 00 0079+47 |
| | | S 0040/0000 | LENGTH(AH 1111 BK 1908) |
| | | | 030 "DIA CIRC CONCR |
| | | 0030/1411 | LEN=0052 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0030/1292 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0030/1077 | LEN=0036 INSTALLED UNKN |
| | | | 060 "DIA CIRC METAL |
| | | 0030/0699 | LEN=0050 INSTALLED UNKN |

DIR: B TOTAL LEN: 3.278 MI. DIST: 10-4 SR: 4002
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0322 | LEN=0040 INSTALLED 1998 |
| | 006029 FT | 006029 FT | 2 0 32061 0 00 0060+49 |
| | | 0030/0000 | LENGTH(AH 1908 BK 2583) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2509 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2338 | LEN=0037 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0020/2138 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/1875 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1660 | LEN=0037 INSTALLED UNKN |
| | | 0020/0469 | BMSEN 32/4002/0020/0442 |
| | | | 2 0 32061 0 00 0038+83 |
| | | | DARK HOLLOW |
| | | 0020/0442 | BMSBG 32/4002/0020/0442 |
| 2 0 32061 0 00 0034+17 | 003446 FT | 003446 FT | |
| DARK HOLLOW RD | | | |
| (T412) | 0020/0000 | 0020/0000 | LENGTH(AH 2583 BK 3446) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/3056 | LEN=0034 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/2832 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2504 | LEN=0033 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/2169 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1574 | LEN=0033 INSTALLED UNKN |
| | | 0010/0091 | BMSEN 32/4002/0010/0072 |
| | | | 006 "DIA CIR PLASTIC |
| | | 0010/0079 | LEN=0040 INSTALLED UNKN |
| | | | 2 0 32061 0 00 0000+72 |
| | | | MITCHELL RUN |
| | | 0010/0072 | BMSBG 32/4002/0010/0072 |
| | | | 006 "DIA CIR PLASTIC |
| | | 0010/0051 | LEN=0040 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32061 0 00 0000+00 |
| | | | NC CREEKSIDE RD |
| | | | FIVE POINTS RD |
| | | | (SR4001 SEG 0020/0000) |
| | | | MFC BEGIN = D |
| | | 0010/0000 | LENGTH(AH 3446 BK 0000) |

DIR: B TOTAL LEN: 5.949 MI. DIST: 10-4 SR: 4001
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

COPPER VALLEY RD 031409 FT
(SR4009 SEG 0050/0000) 0100/2940



031409 FT COPPER VALLEY RD
0100/2940 (SR4009 SEG 0050/0000)

0100/1841 BMSEN 32/4001/0100/1766
2 0 32060 0 02 0304+04
S BR PLUM CR
0100/1766 BMSBG 32/4001/0100/1766
018 "DIA CIRC CONCR
0100/1452 LEN=0033 INSTALLED UNKN
015 "DIA CIRC METAL
0100/1233 LEN=0033 INSTALLED UNKN

MILLER RD
0100/0546 (T421)
0100/0419 BMSEN 32/4001/0100/0405
2 0 32060 0 02 0289+98
MUDLICK RUN

DIR: B TOTAL LEN: 5.949 MI. DIST: 10-4 SR: 4001
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | | | |
|---|---|---|---|---|
| | | | 0100/0405 | BMSBG 32/4001/0100/0405 |
| CREEK RD (T742) | 0100/0364 | | | |
| | | | | 018 "DIA CIRC METAL |
| | | | 0100/0180 | LEN=0040 INSTALLED UNKN |
| | 028469 FT | | 028469 FT | 2 0 32060 0 02 0285+62 |
| | | S | 0100/0000 | LENGTH(AH 2940 BK 3777) |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0090/3688 | LEN=0040 INSTALLED 2012 |
| | | | | 015 "DIA CIRC METAL |
| | | | 0090/2942 | LEN=0034 INSTALLED UNKN |
| | | | | 015 "DIA CIRC METAL |
| | | | 0090/2266 | LEN=0034 INSTALLED UNKN |
| | | | | 015 "DIA CIRC METAL |
| | | | 0090/1800 | LEN=0035 INSTALLED UNKN |
| | | | | 018"H 00"W MULT METAL |
| | | | 0090/0645 | LEN=0032 INSTALLED UNKN |
| | | | 0090/0026 | BMSEN 32/4001/0090/0000 |
| | 024692 FT | | 024692 FT | 2 0 32060 0 02 0248+08 |
| | | | | MUDLICK RUN |
| | | | | BMSBG 32/4001/0090/0000 |
| | | S | 0090/0000 | LENGTH(AH 3777 BK 2080) |
| | | | | 018 "DIA CIRC METAL |
| | | | 0080/1381 | LEN=0030 INSTALLED UNKN |
| | | | | 024 "DIA CIRC METAL |
| | | | 0080/0760 | LEN=0030 INSTALLED UNKN |
| | 022612 FT | | 022612 FT | 2 0 32060 0 02 0226+96 |
| | | | | (APRA) FAIRMAN ROOF TRU |
| | | | | BREWER RD |
| | | | | (T345) |
| | | POI S | 0080/0000 | LENGTH(AH 2080 BK 2746) |
| | | | | 036 "DIA CIRC METAL |
| | | | 0070/2630 | LEN=0033 INSTALLED UNKN |
| DUTCH RUN RD (SR4034 SEG 0050/3427) | 0070/2518 | | | |
| | | | | 024 "DIA CIR PLASTIC |
| | | | 0070/1895 | LEN=0032 INSTALLED 2009 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0070/1565 | LEN=0032 INSTALLED UNKN |
| | | | | 015 "DIA CIRC METAL |
| | | | 0070/1335 | LEN=0032 INSTALLED UNKN |

DIR: B TOTAL LEN: 5.949 MI. DIST: 10-4 SR: 4001
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | | |
|---|---|---|---|
| | | | 024 "DIA CIR PLASTIC |
| | | 0070/0920 | LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0205 | LEN=0016 INSTALLED 2005 |
| 019866 FT | | 019866 FT | 2 0 32060 0 02 0199+50 |
| | | S 0070/0000 | LENGTH(AH 2746 BK 2948) |
| | | | 018 "DIA CIRC METAL |
| | | 0060/2847 | LEN=0027 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0060/2695 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0060/2434 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/2038 | LEN=0046 INSTALLED 2012 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/1657 | LEN=0040 INSTALLED 2012 |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0912 | LEN=0040 INSTALLED 1996 |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0434 | LEN=0042 INSTALLED 1996 |
| | | | 018 "DIA CIRC METAL |
| | | 0060/0112 | LEN=0042 INSTALLED UNKN |
| 016918 FT | | 016918 FT | 2 0 32060 0 01 0169+99 |
| | | S 0060/0000 | LENGTH(AH 2948 BK 3578) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/3428 | LEN=0040 INSTALLED 2012 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/3126 | LEN=0040 INSTALLED 2012 |
| | | | 048 "DIA CIRC METAL |
| | | 0050/2766 | LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/2626 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0050/1741 | LEN=0040 INSTALLED UNKN |
| | | | 030 "DIA CIRC METAL |
| | | 0050/1224 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0871 | LEN=0050 INSTALLED 1996 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/0767 | LEN=0040 INSTALLED 2012 |
| 2 0 32060 0 01 0134+23 013340 FT | | 013340 FT | |
| CRIBBS RD | | | |
| (T364) 0050/0000 | == | S 0050/0000 | LENGTH(AH 3578 BK 3348) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/3301 | LEN=0050 INSTALLED 2012 |
| | | | 018 "DIA CIR PLASTIC |

DIR: B TOTAL LEN: 5.949 MI. DIST: 10-4 SR: 4001
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | | |
|---|---|---|---|
| | | 0040/3209 | LEN=0040 INSTALLED 2012 |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2378 | LEN=0040 INSTALLED 2003 |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1969 | LEN=0040 INSTALLED 2003 |
| | | | BLACK WALNUT RD |
| | | 0040/1945 | (T344) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1767 | LEN=0040 INSTALLED UNKN |
| | | | WASHINGTON |
| | | 0040/1374 | ARMSTRONG T |
| | | 0040/1091 | BMSEN 32/4001/0040/1067 |
| | | | 2 0 32060 0 01 0111+48 |
| | | | MITCHELL RUN |
| | | 0040/1067 | BMSBG 32/4001/0040/1067 |
| | | 0040/0652 | BMSEN 32/4001/0040/0641 |
| | | | 2 0 32060 0 01 0107+20 |
| | | | TR MITCHELL |
| | | 0040/0641 | BMSBG 32/4001/0040/0641 |
| BUCKLEY RD | | | |
| (T343) | 0040/0557 | | |
| | 009992 FT | 009992 FT | 2 0 32060 0 01 0100+73 |
| | | 0040/0000 | LENGTH(AH 3348 BK 3086) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2717 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2598 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1975 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1693 | LEN=0034 INSTALLED UNKN |
| | | | 024"H 00"W MULT METAL |
| | | 0030/1500 | LEN=0031 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1345 | LEN=0027 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0030/0908 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0435 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0324 | LEN=0029 INSTALLED UNKN |
| | | | 015"H 00"W **UNKNOWN** |
| | | 0030/0081 | LEN=0030 INSTALLED UNKN |
| | 006906 FT | 006906 FT | 2 0 32060 0 01 0069+91 |
| | | 0030/0000 | LENGTH(AH 3086 BK 3570) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/3468 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |

DIR: B TOTAL LEN: 5.949 MI. DIST: 10-4 SR: 4001
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

```
                                                 0020/3274 LEN=0027 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/3069 LEN=0028 INSTALLED UNKN
                                                           036 "DIA CIRC METAL
                                                 0020/2770 LEN=0036 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/2582 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/2151 LEN=0026 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                                 0020/1321 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/0945 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/0601 LEN=0028 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0020/0494 LEN=0036 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/0159 LEN=0056 INSTALLED 2004
                 003336 FT                       003336 FT 2 0 32060 0 01 0034+21
                                                           CREEKSIDE RD
                                                           (SR4002 SEG 0010/0000)
                                                 0020/0000 LENGTH(AH 3570 BK 3336)
                                                           018 "DIA CIRC CONCR
                                                 0010/3336 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0010/2852 LEN=0028 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0010/2637 LEN=0028 INSTALLED UNKN
                                                 0010/2480 (AAR 148800Y)#TRKS 01
CREEK RD
(T335)           0010/2337

                                                 0010/1607 BMSEN 32/4001/0010/1464
                                                           2 0 32060 0 00 0000+00
                                                           CROOKED CREEK
                                                 0010/1464 BMSBG 32/4001/0010/1464
                                                           018 "DIA CIRC CONCR
                                                 0010/1002 LEN=0040 INSTALLED UNKN

                                                           015 "DIA CIRC METAL
                                                 0010/0062 LEN=0038 INSTALLED UNKN
                 000000 FT                       000000 FT 2 0 32060 0 00 0000+00
                                                       NC FIVE POINTS RD
                                                           BENJAMIN FRANKLIN HW
                                                           (SR0422 SEG 0080/0000)
                                                           MFC BEGIN = D
                                                 0010/0000 LENGTH(AH 3336 BK 0000)
```

DIR: B TOTAL LEN: 15.402 MI. DIST: 10-4 SR: 3056
LEFT MUN: HOMER CITY B RIGHT MUN: HOMER CITY B

| | | | |
|---|---|---|---|
| | 081320 FT | 081320 FT | |
| | | INTER-AHD | RIDGE AV |
| | | | (SR0056 SEG 0310/0000) |
| | | | SR 0119 SH |
| | | | (SR0119 SEG 0180/0000) |
| | | | (SR0119 SEG 0181/0000) |
| | | 0300/1434 | |
| FROM 0119/0181 SH | | | |
| (CONN) | 0300/1268 | | |
| | | | LINCOLN ST |
| | | 0300/1218 | (BORO) |
| LINCOLN ST | | | |
| (BORO) | 0300/0898 | | |
| | | | VINE AL |
| | | 0300/0870 | (BORO) |
| | | | GRAPE AV |
| | | 0300/0492 | (BORO) |
| | | | 018 "DIA CIRC CONCR |
| | | 0300/0368 | LEN=0028 INSTALLED UNKN |
| WILEY ST | | | |
| (BORO) | 0300/0307 | | |
| | | NC | RIDGE AV |
| | | | RACE AV |
| | | 0300/0192 | (BORO) |
| | 079886 FT | 079886 FT | 1 0 00337 0 00 0652+62 |
| | | | MAIN ST |
| | | | (SR3035 SEG 0030/2102) |
| | | NC | WILEY ST |
| | | | WILEY ST |
| | | | (BORO) |
| | | | MFC BEGIN = C |
| | | 0300/0000 | LENGTH(AH 1434 BK 0421) |
| 2 0 32187 1 00 0025+08 | 079465 FT | 079465 FT | |
| ELM ST | | | |
| (BORO) | | | |
| MAIN ST | | NC | MAIN ST |
| (SR3035 SEG 0040/0000) | 0290/0000 | 0290/0000 | LENGTH(AH 0421 BK 1635) |
| | | | ROSE AV |
| | | 0280/1451 | (BORO) |
| | | | 015"H 15"W **UNKNOWN** |
| | | 0280/0994 | LEN=0200 INSTALLED UNKN |
| | | | FILBERT AV |
| | | 0280/0982 | (BORO) |
| RAILROAD AV | | | |
| (BORO) | 0280/0761 | | |

DIR: B TOTAL LEN: 15.402 MI. DIST: 10-4 SR: 3056
LEFT MUN: HOMER CITY B RIGHT MUN: HOMER CITY B

```
                                                    COOPER ST
                                  == ==     0280/0345 (BORO)
                                                    015 "DIA CIRC METAL
                                            0280/0097 LEN=0040 INSTALLED UNKN
                077830 FT                   077830 FT 1 0 00572 0 00 0253+05
                                          S 0280/0000 LENGTH(AH 1635 BK 0953)
                                                    018 "DIA CIRC CONCR
                                            0270/0905 LEN=0026 INSTALLED UNKN
                                                    BORO AL
                                               ==   0270/0895 (BORO)
                                                    015 "DIA CIRC CONCR
                                            0270/0700 LEN=0038 INSTALLED UNKN
                                                    015 "DIA CIRC METAL
                                            0270/0551 LEN=0030 INSTALLED UNKN
                                                    HOMER CITY
                                            0270/0520 CENTER T
                                            0270/0502 BMSEN 32/3056/0270/0340
                                                    0 0 00000 0 00 0000+00
                                                    TWO LICK CREEK
                                            0270/0340 BMSBG 32/3056/0270/0340
                                                    RIVERSIDE AV
                                               ==   0270/0282 (T420)
                076877 FT                   076877 FT 1 0 00572 0 00 0243+53
CATHERINE ST                                      NC ELM ST
(T422)           0270/0000                  S 0270/0000 LENGTH(AH 0953 BK 3477)

                                                    OAK ST
                                               ==   0260/2850 (T423)
                                                    024 "DIA CIRC CONCR
                                            0260/2610 LEN=0060 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                            0260/2205 LEN=0024 INSTALLED UNKN
                                                    WATERWORKS ST
                                               ==   0260/1974 (TWP )
                                                    CHERRY RUN RD
                                            0260/1953 (SR3017 SEG 0100/1807)
                                            0260/1876 BMSEN 32/3056/0260/1834
                                                    0 0 00000 0 00 0000+00
                                                    CSX                 RR
                                            0260/1834 BMSBG 32/3056/0260/1834
                                                    018 "DIA CIRC CONCR
                                            0260/1499 LEN=0075 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                            0260/1308 LEN=0060 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                            0260/1080 LEN=0048 INSTALLED UNKN


                                                    018 "DIA CIR PLASTIC
                                            0260/0130 LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 15.402 MI. DIST: 10-4 SR: 3056
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| | 073400 FT | 073400 FT | 1 0 00572 0 00 0209+10 |
| | | S 0260/0000 | LENGTH(AH 3477 BK 3122) |
| | | | 030"H 00"W MULT CONCR |
| | | 0250/2747 | LEN=0075 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0250/1717 | LEN=0036 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0250/1498 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0250/1290 | LEN=0027 INSTALLED 2002 |
| | | | 015 "DIA CAST IRON |
| | | 0250/0897 | LEN=0065 INSTALLED UNKN |
| | | | 060"H 48"W CON BOX CUL |
| | | 0250/0095 | LEN=0045 INSTALLED UNKN |
| 1 0 00572 0 00 0177+88 | 070278 FT | 070278 FT | |
| JACKSONVILLE RD | | | |
| (T902) | 0250/0000 | S 0250/0000 | LENGTH(AH 3122 BK 2276) |
| | | | 018 "DIA CIRC CONCR |
| | | 0240/1495 | LEN=0040 INSTALLED 2005 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0240/1285 | LEN=0030 INSTALLED 2006 |
| | | | SMITH RD |
| | | 0240/0191 | (T600) |
| | | | 018 "DIA CIRC CONCR |
| | | 0240/0186 | LEN=0040 INSTALLED UNKN |
| | | | 048"H 00"W MULT PLSTIC |
| | | | LEN=0100 INSTALLED 2006 |
| | | | TRIB TO CHERRY RUN |
| | | | STRUCTURE LENGTH 10 FT |
| | | 0240/0048 | BMSID 32/3056/0240/0048 |
| 1 0 00572 0 00 0155+14 | 068002 FT | 068002 FT | |
| JOHNSON RD | | | |
| (T569) | 0240/0000 | S 0240/0000 | LENGTH(AH 2276 BK 2667) |
| | | | 018 "DIA CIRC CONCR |
| | | 0230/1756 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0230/1331 | LEN=0030 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0230/0192 | LEN=0045 INSTALLED UNKN |
| | 065335 FT | 065335 FT | 1 0 00572 0 00 0128+02 |

DIR: B TOTAL LEN: 15.402 MI. DIST: 10-4 SR: 3056
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| | | | 5 0230/0000 LENGTH(AH 2667 BK 1777) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0220/1462 LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0220/1221 LEN=0030 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | | 0220/0655 LEN=0034 INSTALLED UNKN |
| | 063558 FT | | 063558 FT 1 0 00572 0 00 0109+70 |
| | | | FITZGERALD RD |
| | | | (T469) |
| | | == | 5 0220/0000 LENGTH(AH 1777 BK 2062) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0210/0234 LEN=0032 INSTALLED UNKN |
| | 061496 FT | | 061496 FT 1 0 00572 0 00 0089+62 |
| | | | 5 0210/0000 LENGTH(AH 2062 BK 2787) |
| | | | 0200/2517 BMSEN 32/3056/0200/2502 |
| | | | 0 0 00000 0 00 0000+00 |
| | | | TR CHERRY RUN |
| | | | 0200/2502 BMSBG 32/3056/0200/2502 |
| RUSTIC LODGE RD | | | |
| (SR3033 SEG 0070/0000) | 0200/2397 | | 0200/2290 BMSEN 32/3056/0200/2266 |
| | | | 0 0 00000 0 00 0000+00 |
| | | | TR CHERRY RUN |
| | | | 0200/2266 BMSBG 32/3056/0200/2266 |
| SEXTON RD | | | |
| (T983) | 0200/2059 | == | |
| | | | 018 "DIA CIRC CONCR |
| | | | 0200/1696 LEN=0037 INSTALLED UNKN |
| | | | 0200/1090 BMSEN 32/3056/0200/1056 |
| | | | 0 0 00000 0 00 0000+00 |
| | | | CHERRY RUN |
| | | | 0200/1056 BMSBG 32/3056/0200/1056 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0200/0574 LEN=0046 INSTALLED UNKN |
| | | | 036 "DIA CIRC METAL |
| | | | 0200/0007 LEN=0045 INSTALLED UNKN |
| 1 0 00572 0 00 0060+00 | 058709 FT | | 058709 FT HILLTOP RD ET |
| HILLTOP RD | | | |
| (T562) | 0200/0000 | == == | 5 0200/0000 LENGTH(AH 2787 BK 3227) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0190/3174 LEN=0040 INSTALLED 2001 |
| | | | 048 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 15.402 MI. DIST: 10-4 SR: 3056
LEFT MUN: CENTER T RIGHT MUN: CENTER T

```
                                                  0190/2985 LEN=0037 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0190/2406 LEN=0033 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0190/1966 LEN=0048 INSTALLED 2001
                                                            018 "DIA CIRC CONCR
                                                  0190/1621 LEN=0033 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0190/0893 LEN=0030 INSTALLED 2006
                                                            018 "DIA CIRC CONCR
                                                  0190/0461 LEN=0030 INSTALLED UNKN
                     055482 FT                    055482 FT 1 0 00572 0 00 0027+81
                                                S 0190/0000 LENGTH(AH 3227 BK 2777)
                                                            018 "DIA CIRC CONCR
                                                  0180/2700 LEN=0024 INSTALLED UNKN

                                                            FABIN RD
                                              ==  0180/1925 (T564)
                                                            018 "DIA CIRC CONCR
                                                  0180/1886 LEN=0035 INSTALLED UNKN



                                                            018 "DIA CIRC CONCR
                                                  0180/0433 LEN=0036 INSTALLED UNKN
                                                            036 "DIA CIRC CONCR
                                                  0180/0150 LEN=0040 INSTALLED UNKN
                     052705 FT                    052705 FT 1 0 00572 0 00 0000+00
                                                            VILLAGE: EDGEWOOD
                                                            SR 0286 SH
SR 0286 SH                                                  (SR0286 SEG 0380/0000)
(SR0286 SEG 0380/0000)  0180/0000              S 0180/0000 LENGTH(AH 2777 BK 1682)
                                                            018 "DIA CIRC CONCR
                                                  0170/1643 LEN=0075 INSTALLED 2016
                                                            018 "DIA CIRC CONCR
                                                  0170/1581 LEN=0025 INSTALLED 2016
                                                            018 "DIA CIRC CONCR
                                                  0170/1074 LEN=0032 INSTALLED 2005
                                                            018 "DIA CIRC CONCR
                                                  0170/0595 LEN=0040 INSTALLED 2006
                                                            036 "DIA CIRC METAL
                                                  0170/0410 LEN=0035 INSTALLED UNKN
                     051023 FT                    051023 FT 1 0 00188 0 02 0509+80
                                                            036"H 00"W MULT PLSTIC
                                                            LEN=0040 INSTALLED 2012
                                                S 0170/0000 LENGTH(AH 1682 BK 2523)

                                                            024 "DIA CIRC CONCR
                                                  0160/1874 LEN=0040 INSTALLED 2005
```

DIR: B TOTAL LEN: 15.402 MI. DIST: 10-4 SR: 3056
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| | | | 036 "DIA CIRC METAL |
| | | 0160/0505 | LEN=0027 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0160/0070 | LEN=0045 INSTALLED UNKN |
| | 048500 FT | 048500 FT | 1 0 00188 0 02 0486+35 |
| WARREN RD | | | VILLAGE: EDGEWOOD |
| (SR3024 SEG 0010/0000) | 0160/0000 | S 0160/0000 | LENGTH(AH 2523 BK 1140) |
| | | | 018 "DIA CIRC METAL |
| | | 0154/1123 | LEN=0085 INSTALLED UNKN |
| 0 0 00000 0 00 0000+00 | 047360 FT | 047360 FT | |
| RHEA RD | | | |
| (T478) | 0154/0000 | S 0154/0000 | LENGTH(AH 1140 BK 2038) |
| | | | 084 "DIA CIRC METAL |
| | | 0150/1892 | LEN=0050 INSTALLED UNKN |
| | | | TR CHERRY RN |
| | | | STRUCTURE LENGTH 9 FT |
| | | 0150/1886 | BMSID 32/3056/0150/1860 |
| | | | 018 "DIA CIRC METAL |
| | | 0150/1321 | LEN=0034 INSTALLED UNKN |
| | 045322 FT | 045322 FT | 1 0 00188 0 01 0453+55 |
| | | | ANTHONY RD |
| | | | (T472) |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0048 INSTALLED 2005 |
| | | | JOHN GEORGES RD |
| | | | (T417) |
| | | S 0150/0000 | LENGTH(AH 2038 BK 2865) |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/2002 | LEN=0032 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0140/1338 | LEN=0030 INSTALLED UNKN |
| | | | CENTER |
| | | 0140/0824 | ARMSTRONG T |
| | | | (APRA) VAUGHN BRADY DR |
| | | | BRADY RD |
| | | 0140/0683 | (T468) |
| | | | LC TO/FROM T468 RD |
| | | 0140/0531 | (CONN) |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/0473 | LEN=0031 INSTALLED UNKN |

DIR: B TOTAL LEN: 15.402 MI. DIST: 10-4 SR: 3056
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | | |
|---|---|---|---|
| | 042457 FT | | 042457 FT 1 0 00188 0 01 0424+62 |
| | | | 5 0140/0000 LENGTH(AH 2865 BK 3498) |
| | | | 015 "DIA CIRC METAL |
| | | | 0130/3394 LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | | 0130/2555 LEN=0032 INSTALLED 2005 |
| | | | 018 "DIA CIRC METAL |
| | | | 0130/2300 LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0130/1980 LEN=0036 INSTALLED UNKN |
| DOGWOOD RD (T473) HICKORY RD (T474) | 0130/1753 | | |
| | | | 024 "DIA CIRC CONCR |
| | | | 0130/1720 LEN=0048 INSTALLED 2005 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0130/0335 LEN=0036 INSTALLED UNKN |
| | 038959 FT | | 038959 FT 1 0 00188 0 01 0389+70 |
| | | | 5 0130/0000 LENGTH(AH 3498 BK 3507) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0120/3009 LEN=0037 INSTALLED 2005 |
| | | | 018 "DIA CIRC METAL |
| | | | 0120/2184 LEN=0020 INSTALLED 2006 |
| | | | 024 "DIA CIRC CONCR |
| | | | 0120/1961 LEN=0032 INSTALLED 2005 |
| | | | 036 "DIA CIRC CONCR |
| | | | 0120/1682 LEN=0031 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | | 0120/1222 LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0120/0625 LEN=0008 INSTALLED 2005 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0120/0475 LEN=0035 INSTALLED UNKN |
| | 035452 FT | | 035452 FT 1 0 00188 0 01 0354+57 |
| | | | 5 0120/0000 LENGTH(AH 3507 BK 3465) |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0110/3257 LEN=0030 INSTALLED 2012 |
| | | | LAUREL RD |
| | | | 0110/2715 (T464) |
| | | | 015 "DIA CIRC METAL |
| | | | 0110/2182 LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0110/1769 LEN=0033 INSTALLED 2005 |
| | | | 024 "DIA CIRC METAL |

DIR: B TOTAL LEN: 15.402 MI. DIST: 10-4 SR: 3056
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

```
                                                 0110/1365 LEN=0032 INSTALLED UNKN

                                                           024 "DIA CIRC METAL
                                                 0110/0410 LEN=0032 INSTALLED UNKN
                     031987 FT                   031987 FT 1 0 00188 0 01 0319+92
                                                 0110/0000 LENGTH(AH 3465 BK 3677)
                                                           018 "DIA CIRC CONCR
                                                 0100/3414 LEN=0040 INSTALLED 2005
                                                           018 "DIA CIR PLASTIC
                                                 0100/3063 LEN=0010 INSTALLED 2005
                                                           036 "DIA CIRC METAL
                                                 0100/2759 LEN=0033 INSTALLED UNKN
BIRCH RD
(T423)                0100/2259
                                                           018 "DIA CIRC CONCR
                                                 0100/2236 LEN=0040 INSTALLED 2005
                                                           018 "DIA CIRC CONCR
                                                 0100/2128 LEN=0027 INSTALLED UNKN

                                                           015 "DIA CIRC METAL
                                                 0100/1421 LEN=0027 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                                 0100/0394 LEN=0027 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0100/0287 LEN=0040 INSTALLED 2005
                     028310 FT                   028310 FT 1 0 00188 0 01 0283+11
                                                           WILLOW RD
                                                           (T444)
                                                 0100/0000 LENGTH(AH 3677 BK 3089)
                                                           018 "DIA CIRC CONCR
                                                 0090/2902 LEN=0032 INSTALLED 2005
                                                           024 "DIA CIRC METAL
                                                 0090/2585 LEN=0034 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                                 0090/1786 LEN=0032 INSTALLED 2005
                                                           018 "DIA CIRC CONCR
                                                 0090/1192 LEN=0032 INSTALLED 2005

1 0 00188 0 01 0252+04 025221 FT                 025221 FT
MILLEN RD
(T432)                0090/0000                  0090/0000 LENGTH(AH 3089 BK 3596)
                                                 0080/3216 (AAR 148811L)#TRKS 01
                                                 0080/2742 BMSEN 32/3056/0080/2725
                                                           0 0 00000 0 00 0000+00
                                                           BLACKLEGS CREEK
```

DIR: B TOTAL LEN: 15.402 MI. DIST: 10-4 SR: 3056
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | | |
|---|---|---|---|
| | | 0080/2725 | BMSBG 32/3056/0080/2725 |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/2394 | LEN=0040 INSTALLED 2005 |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/1086 | LEN=0032 INSTALLED 2005 |
| | | | 024 "DIA CIRC CONCR |
| | | 0080/0475 | LEN=0032 INSTALLED 2000 |
| | | | 018 "DIA CIRC CONCR |
| 1 0 00188 0 01 0216+28 021625 FT | | 0080/0403 | LEN=0032 INSTALLED 2005 |
| CRAIG RD | | 021625 FT | |
| (SR3037 SEG 0010/0000) 0080/0000 | | S 0080/0000 | LENGTH(AH 3596 BK 3357) |
| | | | 024 "DIA CIRC CONCR |
| | | 0070/3049 | LEN=0032 INSTALLED 2005 |
| | | | ARMSTRONG |
| | | 0070/2291 | YOUNG T |
| | | | MCINTYRE RD |
| | | 0070/2133 | (SR3031 SEG 0130/1892) |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/2100 | LEN=0038 INSTALLED UNKN |
| | | | 072 "DIA CIRC METAL |
| | | 0070/1530 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0691 | LEN=0036 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0070/0320 | LEN=0032 INSTALLED UNKN |
| 1 0 00188 0 00 0183+32 018268 FT | | 018268 FT | WEISS RD |
| BLAKLEY RD | | | (T350) |
| (T350) 0070/0000 | | S 0070/0000 | LENGTH(AH 3357 BK 2738) |
| | | 0060/2479 | BMSEN 32/3056/0060/2467 |
| | | | 0 0 00000 0 00 0000+00 |
| | | | TR BLACKLEGS |
| | | 0060/2467 | BMSBG 32/3056/0060/2467 |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/2185 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1893 | LEN=0034 INSTALLED UNKN |
| BIRDS RD | | | |
| (T329) 0060/1703 | | | |
| | | | 048 "DIA CIRC METAL |
| | | 0060/1531 | LEN=0052 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1180 | LEN=0036 INSTALLED UNKN |

DIR: B TOTAL LEN: 15.402 MI. DIST: 10-4 SR: 3056
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | | |
|---|---|---|---|---|
| | | | | 018 "DIA CIRC CONCR |
| | | | 0060/0414 | LEN=0034 INSTALLED UNKN |
| | | | 0060/0012 | BMSEN 32/3056/0060/0000 |
| | 015530 FT | | 015530 FT | 1 0 00188 0 00 0155+95 |
| | | | | TRIB BLACKLEGS CREEK |
| | | | | BMSBG 32/3056/0060/0000 |
| | | | S 0060/0000 | LENGTH(AH 2738 BK 3388) |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0050/3057 | LEN=0040 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0050/2767 | LEN=0036 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/1925 | LEN=0033 INSTALLED UNKN |
| | | | | 072 "DIA CIRC METAL |
| | | | 0050/1512 | LEN=0044 INSTALLED UNKN |
| MARK RD (T348) | 0050/1430 | | 0050/1430 | WERTZ RD (T348) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0050/1145 | LEN=0036 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/0740 | LEN=0033 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/0464 | LEN=0036 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0050/0086 | LEN=0060 INSTALLED UNKN |
| | 012142 FT | | 012142 FT | 1 0 00188 0 00 0122+13 |
| | | | S 0050/0000 | LENGTH(AH 3388 BK 3595) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/3317 | LEN=0036 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0040/2971 | LEN=0029 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0040/2452 | LEN=0038 INSTALLED UNKN |
| PARKWOOD RD (SR3022 SEG 0010/0000) | 0040/1629 | | | |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0040/0917 | LEN=0028 INSTALLED UNKN |
| | | | | 015 "DIA CIR PLASTIC |
| | | | 0040/0507 | LEN=0030 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0040/0240 | LEN=0035 INSTALLED UNKN |
| | 008547 FT | | 008547 FT | 1 0 00188 0 00 0086+50 |
| | | | | MCCRACKEN RD (T344) |
| | | | S 0040/0000 | LENGTH(AH 3595 BK 2503) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/2190 | LEN=0031 INSTALLED UNKN |

DIR: B TOTAL LEN: 15.402 MI. DIST: 10-4 SR: 3056
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

```
POUNDS RD                                                  BLACK LEGS RD
(T940)                0030/1695   ==  ||      0030/1695 (SR3027 SEG 0080/3233)
                                              FIRE STATION RD
                                          ==  0030/1471 (T343)
                                              030 "DIA CIRC CONCR
                                              0030/0932 LEN=0036 INSTALLED UNKN

                                              024 "DIA CIRC CONCR
                                              0030/0101 LEN=0038 INSTALLED UNKN
                      006044 FT               006044 FT 1 0 00188 0 00 0060+50
CAMPBELL RD                                   VILLAGE: WEST LEBANON
(T356)                0030/0000               0030/0000 LENGTH(AH 2503 BK 3139)
                                              015 "DIA CIRC CONCR
                                              0020/3053 LEN=0031 INSTALLED UNKN
                                              COLEMAN RD
                                              0020/2584 (SR3023 SEG 0070/3731)
                                              018 "DIA CIRC CONCR
                                              0020/2478 LEN=0057 INSTALLED UNKN

                                              018 "DIA CIRC CONCR
                                              0020/1757 LEN=0040 INSTALLED UNKN

                                              015 "DIA CIRC CONCR
                                              0020/1018 LEN=0027 INSTALLED UNKN
                                              015 "DIA CIRC CONCR
                                              0020/0646 LEN=0028 INSTALLED UNKN
                                              018 "DIA CIRC CONCR
                                              0020/0088 LEN=0036 INSTALLED UNKN
                      002905 FT               002905 FT 1 0 00188 0 00 0029+05
                                              0020/0000 LENGTH(AH 3139 BK 2905)
                                              018 "DIA CIRC CONCR
                                              0010/2721 LEN=0033 INSTALLED UNKN



                                              015 "DIA CIRC CONCR
                                              0010/0624 LEN=0032 INSTALLED UNKN
                                              GEORGE RD
                                          ==  0010/0576 (T328)
                                              018 "DIA CIRC CONCR
                                              0010/0490 LEN=0034 INSTALLED UNKN
                      000000 FT               000000 FT 1 0 00188 0 00 0000+00
                                                   NC OLD ROUTE 56 SH
                                              REF-BK    OLD ROUTE 56 HW
                                                        (SR2056 SEG 0070/1965)
                                                        MFC BEGIN = D
                                                         BK-ARMSTRONG      (03)
                                              0010/0000 LENGTH(AH 2905 BK 0000)
```

DIR: B TOTAL LEN: .823 MI. DIST: 10-4 SR: 3043
LEFT MUN: WHITE T RIGHT MUN: WHITE T

004345 FT

004345 FT
INTER-AHD WARREN RD
(SR3024 SEG 0070/2976)
OAKLAND AV
(SR0286 SEG 0470/0606)



0020/2176
018 "DIA CIRC CONCR
0020/2088 LEN=0035 INSTALLED 2001

WILLIS DR
(T890)

0020/1979 ==

018 "DIA CIRC CONCR

DIR: B TOTAL LEN: .823 MI. DIST: 10-4 SR: 3043
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | | 0020/1950 LEN=0035 INSTALLED 2001 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/1788 LEN=0030 INSTALLED 2001 |
| GETTY AV | | | |
| (T559) | 0020/1632 | == | |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/1556 LEN=0030 INSTALLED 2001 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/1288 LEN=0030 INSTALLED 2001 |
| | | | SALTSBURG AV |
| | | == == | 0020/1283 (T840) |
| | | | 024 "DIA CIRC METAL |
| | | | 0020/0656 LEN=0060 INSTALLED 2001 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/0426 LEN=0055 INSTALLED 2001 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/0050 LEN=0065 INSTALLED 2001 |
| 0 0 00000 0 00 0000+00 | 002169 FT | | 002169 FT |
| KOLTER DR | | | |
| (T220) | 0020/0000 | == | S 0020/0000 LENGTH(AH 2176 BK 2169) |
| | | | ROBERTSHAW DR |
| | | == | 0010/1206 (PRDR) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/0945 LEN=0055 INSTALLED 2001 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/0760 LEN=0060 INSTALLED 2001 |
| BECKWITH MACHINE DR | | | |
| (PRDR) | 0010/0732 | POI | 0010/0732 (APRA) CLEVELAND BROS E |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/0545 LEN=0055 INSTALLED 2001 |
| | | | S THIRTEENTH ST ET |
| | | == | 0010/0469 (T601) |
| | | | 0010/0383 BMSEN 32/3043/0010/0360 |
| | | | 0 0 00000 0 00 0000+00 |
| | | | STONEY RUN |
| | | | 0010/0360 BMSBG 32/3043/0010/0360 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/0046 LEN=0035 INSTALLED UNKN |
| | 000000 FT | | 000000 FT 0 0 00000 0 00 0000+00 |
| | | | (AAR 925953W)#TRKS 01 |
| | | | NC ROSE ST |
| | | | WAYNE AV |
| | | | (SR4005 SEG 0060/0000) |
| | | | (SR4005 SEG 0061/0000) |
| | | | MFC BEGIN = D |
| | | | S 0010/0000 LENGTH(AH 2169 BK 0000) |

DIR: B TOTAL LEN: .000 MI. DIST: 10-4 SR: 3041
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

000000 FT

000000 FT
7010/0000 LENGTH(AH 0100 BK 0000)

DIR: B TOTAL LEN: 2.693 MI. DIST: 10-4 SR: 3039
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

014217 FT

OLD 422 RD
(T370) 0050/2733

HAWKS NEST CR
(T150) 0050/2408

SHARP PL
(T151) 0050/2020



014217 FT BENJAMIN FRANKLIN HW
0050/2857 (SR0422 SEG 0060/0699)

0050/2710 024 "DIA CIRC CONCR
LEN=0049 INSTALLED UNKN

0050/2135 018 "DIA CIRC CONCR
LEN=0049 INSTALLED UNKN

DIR: B TOTAL LEN: 2.693 MI. DIST: 10-4 SR: 3039
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

```
                                                036 "DIA CIRC METAL
                                0050/1270 LEN=0051 INSTALLED UNKN
                                0050/1253 (AAR 003660*)#TRKS 01
                                          036 "DIA CIRC METAL
                                0050/1241 LEN=0053 INSTALLED UNKN
                                          018 "DIA CIRC METAL
                                0050/1029 LEN=0040 INSTALLED UNKN
                                          018 "DIA CIRC METAL
                                0050/0561 LEN=0038 INSTALLED UNKN
                                          018 "DIA CIRC METAL
                                0050/0417 LEN=0045 INSTALLED UNKN
011360 FT                       011360 FT 2 0 32050 0 00 0113+60
                                5 0050/0000 LENGTH(AH 2857 BK 2479)
                                          015 "DIA CIRC CONCR
                                0040/2471 LEN=0033 INSTALLED UNKN
                                          018 "DIA CIRC CONCR
                                0040/2181 LEN=0040 INSTALLED 2001

                                0040/1484 (AAR 148805H)#TRKS 01
                                0040/1189 BMSEN 32/3039/0040/1169
                                          2 0 32050 0 00 0100+07
                                          ANTHONY RUN
                                0040/1169 BMSBG 32/3039/0040/1169
                                          015 "DIA CIRC CONCR
                                0040/0743 LEN=0034 INSTALLED UNKN
                                          CURRY RUN RD
                                0040/0527 (T409)
                                          024 "DIA CIRC CONCR
                                0040/0458 LEN=0033 INSTALLED UNKN
                                          018 "DIA CIRC CONCR
                                0040/0146 LEN=0033 INSTALLED UNKN
008881 FT                       008881 FT 2 0 32050 0 00 0088+47
                                5 0040/0000 LENGTH(AH 2479 BK 3442)
                                          015 "DIA CIRC CONCR
                                0030/3336 LEN=0036 INSTALLED UNKN
                                          018 "DIA CIRC CONCR
                                0030/2924 LEN=0033 INSTALLED UNKN
                                          048 "DIA CIRC CONCR
                                0030/2518 LEN=0046 INSTALLED UNKN
                                          015 "DIA CIRC CONCR
                                0030/2180 LEN=0033 INSTALLED UNKN
                                          015 "DIA CIRC CONCR
                                0030/2000 LEN=0033 INSTALLED UNKN
                                          018 "DIA CIRC CONCR
                                0030/1683 LEN=0035 INSTALLED UNKN
                                          024 "DIA CIRC CONCR
                                0030/1349 LEN=0034 INSTALLED UNKN
                                          015 "DIA CIRC CONCR
                                0030/1165 LEN=0035 INSTALLED UNKN
```

DIR: B TOTAL LEN: 2.693 MI. DIST: 10-4 SR: 3039
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | | | |
|---|---|---|---|---|
| | | | | 024 "DIA CIRC CONCR |
| | | | 0030/0756 | LEN=0040 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0030/0291 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/0016 | LEN=0035 INSTALLED UNKN |
| 2 0 32050 0 00 0053+84 005439 FT | | | 005439 FT | |
| MILLEN RD | | | | |
| (T432) | 0030/0000 | == | S 0030/0000 | LENGTH(AH 3442 BK 3080) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0020/2757 | LEN=0052 INSTALLED UNKN |
| | | | | DEER RUN LN |
| | | == | 0020/2341 | (PRDR) |
| | | | | 030 "DIA CIRC CONCR |
| | | | 0020/2211 | LEN=0037 INSTALLED UNKN |
| | | | | 048 "DIA CIRC CONCR |
| | | | 0020/1605 | LEN=0040 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0020/1302 | LEN=0033 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0020/0902 | LEN=0031 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0020/0477 | LEN=0032 INSTALLED UNKN |
| | | | | 048 "DIA CIRC CONCR |
| | | | 0020/0032 | LEN=0047 INSTALLED UNKN |
| | 002359 FT | | 002359 FT | 2 0 32050 0 00 0023+94 |
| | | | | CUNNINGHAM RD |
| | | | | (T407) |
| | | == | S 0020/0000 | LENGTH(AH 3080 BK 2359) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0010/1678 | LEN=0037 INSTALLED UNKN |
| | | | 0010/1467 | BMSEN 32/3029/0010/1455 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0010/1459 | LEN=0035 INSTALLED UNKN |
| | | | | 2 0 32050 0 00 0000+00 |
| | | | | TRIB TO NEAL RUN |
| | | | 0010/1455 | BMSBG 32/3029/0010/1455 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0010/0432 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0010/0014 | LEN=0068 INSTALLED UNKN |
| | | | NC | ANTHONY RUN RD |
| | | | | PARKWOOD RD |
| 2 0 32050 0 00 0000+00 000000 FT | | | 000000 FT | (SR3022 SEG 0100/0000) |
| PARKWOOD RD | | | | MFC BEGIN = E |
| (SR3022 SEG 0100/0000) | 0010/0000 | | S 0010/0000 | LENGTH(AH 2359 BK 0000) |

DIR: B TOTAL LEN: 3.942 MI. DIST: 10-4 SR: 3037
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | | |
|---|---|---|---|
| | 020816 FT | 020816 FT | |
| | | INTER-AHD | OVERVIEW DR |
| | | | (T337) |
| SR 0056 SH | | | SR 0056 SH |
| (SR0056 SEG 0032/1041) | 0060/3414 | 0060/3414 | (SR0056 SEG 0032/1041) |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/3291 | LEN=0133 INSTALLED UNKN |
| | | | 048 "DIA CIRC CONCR |
| | | 0060/2168 | LEN=0059 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0060/1660 | LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/1185 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/0635 | LEN=0037 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0060/0440 | LEN=0041 INSTALLED UNKN |
| | 017402 FT | 017402 FT | 2 0 32049 0 00 0175+04 |
| | | S 0060/0000 | LENGTH(AH 3414 BK 3440) |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/2661 | LEN=0033 INSTALLED UNKN |

DIR: B TOTAL LEN: 3.942 MI. DIST: 10-4 SR: 3037
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | | |
|---|---|---|---|
| | | | 024 "DIA CIRC CONCR |
| | | 0050/2007 | LEN=0038 INSTALLED UNKN |
| | | | LC TO T335 RD |
| | | 0050/1984 | (CONN) |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/1656 | LEN=0039 INSTALLED UNKN |
| | | | LYTLE RD |
| | | 0050/1628 | (T333) |
| | | | 036 "DIA CIRC CONCR |
| | | 0050/1211 | LEN=0034 INSTALLED UNKN |
| LYTLE RD (T333) | 0050/0752 | | |
| | | 0050/0016 | BMSEN 32/3037/0050/0000 |
| | 013962 FT | 013962 FT | 2 0 32049 0 00 0140+03 |
| | | | WALKER RUN |
| | | | BMSBG 32/3037/0050/0000 |
| | | S 0050/0000 | LENGTH(AH 3440 BK 3469) |
| | | | 030 "DIA CIRC CONCR |
| | | 0040/3062 | LEN=0033 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/2742 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2298 | LEN=0035 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0040/1863 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1588 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1161 | LEN=0031 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0769 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0384 | LEN=0036 INSTALLED UNKN |
| | 010493 FT | 010493 FT | 2 0 32049 0 00 0105+18 |
| | | S 0040/0000 | LENGTH(AH 3469 BK 3403) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0030/3069 | LEN=0040 INSTALLED UNKN |
| | | | 036 "DIA CIRC METAL |
| | | 0030/2852 | LEN=0060 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0030/2396 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0030/2121 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1850 | LEN=0033 INSTALLED UNKN |
| | | | RIDGE RD |
| | | 0030/1613 | (T362) |
| | | | 018 "DIA CIRC METAL |
| | | 0030/1592 | LEN=0045 INSTALLED UNKN |

DIR: B TOTAL LEN: 3.942 MI. DIST: 10-4 SR: 3037
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | |
|---|---|---|
| | | 015 "DIA CIRC CONCR |
| | 0030/0631 | LEN=0032 INSTALLED UNKN |
| 007090 FT | 007090 FT | 2 0 32049 0 00 0071+06 |
| | | NC SPORTSMAN CLUB RD |
| | | PARKWOOD RD |
| | | (SR3022 SEG 0060/0000) |
| | S 0030/0000 | LENGTH(AH 3403 BK 3535) |
| | | 018 "DIA CIRC METAL |
| | 0020/3269 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0020/2272 | LEN=0038 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0020/1420 | LEN=0037 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0020/0922 | LEN=0035 INSTALLED UNKN |
| 003555 FT | 003555 FT | 2 0 32049 0 00 0035+55 |
| | | VILLAGE: PARKWOOD |
| | | 018 "DIA CIR PLASTIC |
| | | LEN=0038 INSTALLED UNKN |
| | S 0020/0000 | LENGTH(AH 3535 BK 3555) |
| | | 018 "DIA CIRC METAL |
| | 0010/3311 | LEN=0036 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/2863 | LEN=0044 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0010/1996 | LEN=0041 INSTALLED UNKN |
| | | 036 "DIA CIRC METAL |
| | 0010/1721 | LEN=0081 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0010/1415 | LEN=0036 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0010/0764 | LEN=0041 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0010/0424 | LEN=0040 INSTALLED UNKN |
| 000000 FT | 000000 FT | 2 0 32049 0 00 0000+00 |
| | | OLD ROUTE 56 HW |
| | | (SR3056 SEG 0080/0000) |
| | | NC CRAIG RD |
| | | MFC BEGIN = D |
| OLD ROUTE 56 HW (SR3056 SEG 0080/0000) 0010/0000 | S 0010/0000 | LENGTH(AH 3555 BK 0000) |

DIR: B TOTAL LEN: 4.761 MI. DIST: 10-4 SR: 3035
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | | |
|---|---|---|---|---|
| | 025138 FT | | 025138 FT | WAYNE AV |
| | | | | (SR4422 SEG 0151/0000) |
| | | | | (SR4422 SEG 0150/0000) |
| | | | 0110/2091 | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/2044 | LEN=0040 INSTALLED UNKN |
| FROM 4422/0140 SH | | | | TO 4422/0150 SH |
| (CONN) | 0110/1976 | | 0110/1976 | (CONN) |
| | | | 0110/1293 | BMSEN 32/3035/0110/1264 |
| | | | | 2 0 32188 0 00 0154+83 |
| | | | | STONEY RUN |
| | | | 0110/1264 | BMSBG 32/3035/0110/1264 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/0775 | LEN=0045 INSTALLED UNKN |
| | | | | CSX RAIL TRANSPORTATION |
| | | | 0110/0700 | OVERPASS IS RR X-ING |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/0624 | LEN=0045 INSTALLED UNKN |
| | | | | SR0422 WB |
| | | | 0110/0495 | OP ID 32/0422/0235/0000 |
| | | | | SR0422 EB |
| SIMPSON RD | | | | |
| (SR3026 SEG 0020/1948) | 0110/0435 | | 0110/0435 | OP ID 32/0422/0234/0000 |
| | | | | 036 "DIA CIRC METAL |
| | | | 0110/0339 | LEN=0040 INSTALLED UNKN |
| | 023047 FT | | 023047 FT | 2 0 32188 0 00 0142+14 |
| | | | S 0110/0000 | LENGTH(AH 2091 BK 3371) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0100/2709 | LEN=0032 INSTALLED UNKN |
| | | | | 060"H 84"W CON BOX CUL |
| | | | 0100/1509 | LEN=0040 INSTALLED UNKN |
| JOHNSON RD | | | | |
| (T600) | 0100/1273 | | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0100/1080 | LEN=0035 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0100/0656 | LEN=0037 INSTALLED UNKN |
| | | | | WHITE |
| | | | 0100/0136 | CENTER T |
| | 019676 FT | | 019676 FT | 2 0 32188 0 00 0108+45 |
| | | | S 0100/0000 | LENGTH(AH 3371 BK 3321) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0090/2864 | LEN=0035 INSTALLED UNKN |
| SPRING RD | | | | |
| (TWP ) | 0090/2831 | | | |

DIR: B TOTAL LEN: 4.761 MI. DIST: 10-4 SR: 3035
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | |
|---|---|---|
| | | 018 "DIA CIRC CONCR |
| | 0090/2100 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0090/1670 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0090/0090 | LEN=0035 INSTALLED UNKN |
| | | 042"H 00"W MULT CONCR |
| | 0090/0048 | LEN=0050 INSTALLED UNKN |
| 016355 FT | 016355 FT | 2 0 32188 0 00 0075+07 |
| | | (AAR 148855L)#TRKS 01 |
| | 0090/0000 | LENGTH(AH 3321 BK 2996) |
| | | TWO LICK DR |
| | 0080/2770 | (T602) |
| | | 015 "DIA CIRC CONCR |
| | 0080/2130 | LEN=0035 INSTALLED UNKN |
| | 0080/1659 | BMSEN 32/3035/0080/1440 |
| | | 2 0 32188 0 00 0046+00 |
| | | TWO LICK CREEK |
| | 0080/1440 | BMSBG 32/3035/0080/1440 |
| | | (APRA) IA ASPHALT PLANT |
| | | IA ASPHALT PLANT DR |
| | 0080/1279 | (PRDR) |
| | | 018 "DIA CIRC CONCR |
| | 0080/0709 | LEN=0040 INSTALLED UNKN |
| | | 042 "DIA CIRC CONCR |
| | 0080/0180 | LEN=0040 INSTALLED UNKN |
| 013359 FT | 013359 FT | 2 0 32188 0 00 0046+00 |
| | | LISLIE ST |
| | | (T602) |
| | 0080/0000 | LENGTH(AH 2996 BK 2150) |
| | | 018 "DIA CIRC CONCR |
| | 0070/1797 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0070/1644 | LEN=0046 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0070/1419 | LEN=0043 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0070/1211 | LEN=0030 INSTALLED UNKN |
| | | ORCHARD LN |
| | 0070/1162 | (T603) |
| | | 015 "DIA CIRC CONCR |
| | 0070/0944 | LEN=0040 INSTALLED UNKN |
| | | DIVISION ST |
| | 0070/0439 | (T603) |

DIR: B TOTAL LEN: 4.761 MI. DIST: 10-4 SR: 3035
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | | |
|---|---|---|---|---|
| | 011209 FT | | 011209 FT | 2 0 32188 0 00 0023+00 |
| | | | | DIVISION ST |
| | | | | (T433) |
| | | == | S 0070/0000 | LENGTH(AH 2150 BK 2453) |
| | | | | STAKE HOMES RD |
| | | == | 0060/2272 | (PRDR) |
| | | | | 042"H 84"W CONC STRUCT |
| | | | 0060/1819 | LEN=0050 INSTALLED UNKN |
| | | | | LUCERNE RD ET |
| | | | 0060/1742 | (SR2023 SEG 0006/0000) |
| | | | | LOCKARD AV EXT |
| | | == | 0060/1546 | (T433) |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0060/0994 | LEN=0040 INSTALLED UNKN |
| | | | | TRAIL LN |
| | | == | 0060/0986 | (TWP ) |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0060/0806 | LEN=0040 INSTALLED UNKN |
| | | | | GREENVILLE RD |
| | | == | 0060/0494 | (T841) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0060/0035 | LEN=0030 INSTALLED UNKN |
| | 008756 FT | | 008756 FT | 2 0 32188 0 00 0000+00 |
| | | | | WATER ST |
| | | | | (T430) |
| | | == | S 0060/0000 | LENGTH(AH 2453 BK 1324) |
| | | | NC OLD | ROUTE 119 HW |
| | | | | CENTER |
| | | | 0050/1294 | HOMER CITY B |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0050/0455 | LEN=0022 INSTALLED UNKN |
| JACKSONVILLE RD (T902) INDIANA ST (BORO) | 0050/0450 | | | |
| | | | | MULLEN AV |
| | | == | 0050/0118 | (BORO) |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0050/0079 | LEN=0030 INSTALLED UNKN |
| | 007432 FT | | 007432 FT | 2 0 32187 1 00 0037+18 |
| | | | | 024 "DIA CIRC CONCR |
| | | | | LEN=0040 INSTALLED UNKN |
| | | | | STATION ST |
| | | | | (BORO) |
| | | | S 0050/0000 | LENGTH(AH 1324 BK 1283) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/1269 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/1134 | LEN=0035 INSTALLED UNKN |

DIR: B TOTAL LEN: 4.761 MI. DIST: 10-4 SR: 3035
LEFT MUN: HOMER CITY B RIGHT MUN: HOMER CITY B

| | | | |
|---|---|---|---|
| | | 0040/1050 | BMSEN 32/3035/0040/0930<br>2 0 32187 1 00 0025+08<br>YELLOW CREEK |
| | | 0040/0970 | BMSBG 32/3035/0040/0930<br>018 "DIA CIRC CONCR |
| | | 0040/0764 | LEN=0040 INSTALLED UNKN<br>MILLER AV |
| BORO AL<br>(BORO) | 0040/0741 | 0040/0741 | (BORO) |
| BORO AL<br>(BORO) | 0040/0624 | | |
| | | 0040/0423 | CHURCH ST<br>(BORO)<br>015 "DIA CIRC CONCR |
| | | 0040/0404 | LEN=0036 INSTALLED UNKN |
| | 006149 FT | 006149 FT | 2 0 32187 1 00 0025+08<br>018 "DIA CIRC CONCR<br>LEN=0016 INSTALLED UNKN<br>ELM ST<br>(BORO) |
| | | INTER-BK | MAIN ST<br>(SR3056 SEG 0290/0000)<br>MFC BEGIN = D |
| ELM ST<br>(SR3056 SEG 0290/0000) | 0040/0000<br>006149 FT | S 0040/0000<br>006149 FT | LTH AH 001283 BK 000100 |
| | | 7034/0000<br>INTER-AHD | LTH AH 000100 BK 002102<br>MAIN ST<br>(SR3056 SEG 0300/0000)<br>WILEY ST |
| WILEY ST<br>(BORO) | 0030/2102 | 0030/2102 | (SR3056 SEG 0300/0000)<br>JUNIPER ST |
| | | 0030/1925 | (BORO)<br>030 "DIA CIRC CONCR |
| | | 0030/1676 | LEN=0036 INSTALLED UNKN<br>SPRING GARDEN AL |
| | | 0030/1658 | (BORO)<br>HARRISON ST |
| | | 0030/1462 | (BORO) |
| CENTER ST<br>(BORO) | 0030/1155 | | |
| | | 0030/1139 | 018 "DIA CIRC CONCR<br>LEN=0036 INSTALLED UNKN<br>MEADE ST |
| | | 0030/1054 | (BORO) |
| OAKLAND ST<br>(BORO) | 0030/0804 | | |
| | | 0030/0523 | BRYAN ST<br>(BORO) |
| COLUMBIA ST<br>(BORO) | 0030/0433 | | |
| | | | 015 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 4.761 MI. DIST: 10-4 SR: 3035
LEFT MUN: HOMER CITY B RIGHT MUN: HOMER CITY B

```
                                                  0030/0417 LEN=0036 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/0020 LEN=0035 INSTALLED UNKN
                        004047 FT                 004047 FT 2 0 32187 1 00 0000+00
                                                       NC MAIN ST
                                                            HOMER CITY
SYCAMORE ST                                                 CENTER T
(BORO)                  0030/0000               S 0030/0000 LENGTH(AH 2102 BK 1878)
MAIN ST ET
(T698)                  0020/1787
                                                            018 "DIA CIRC CONCR
                                                  0020/1511 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/1149 LEN=0045 INSTALLED UNKN
LC FOR MAIN ST ET
(CONN)                  0020/1130
                                                            018 "DIA CIRC CONCR
                                                  0020/0800 LEN=0040 INSTALLED UNKN
                                                            TEARING RUN
                                                            STRUCTURE LENGTH  25 FT
                                                  0020/0242 BMSID 32/3035/0020/0609
MAIN ST ET
(T696)
KASSAL ST
(T612)                  0020/0068
                        002169 FT                 002169 FT 2 0 32187 0 00 0019+18
                                                            SIX FLAT RD
                                                            (T698)
                                                S 0020/0000 LENGTH(AH 1878 BK 2169)
                                                            015 "DIA CIRC CONCR
                                                  0010/1860 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/1273 LEN=0120 INSTALLED UNKN
                                                            RED BARN RD
                                                  0010/1184 (T670)
                                                            JUGHANDLE H RD
                                                  0010/0881 (SR9415 SEG 0010/0000)
                                                            015 "DIA CIRC CONCR
                                                  0010/0674 LEN=0040 INSTALLED UNKN
                                                            SCRIBE AV
                                                  0010/0230 (T613)
                                                            018 "DIA CIR PLASTIC
                                                  0010/0073 LEN=0100 INSTALLED UNKN
                        000000 FT                 000000 FT 2 0 32187 0 00 0000+00
                                                       NC OLD ROUTE 119 HW
                                                            SR 0119 SH
                                                            (SR0119 SEG 0143/1451)
                                                            (SR0119 SEG 0142/1444)
                                                            MFC BEGIN = C
                                                S 0010/0000 LENGTH(AH 2169 BK 0000)
```

DIR: B TOTAL LEN: 4.948 MI. DIST: 10-4 SR: 3033
LEFT MUN: WHITE T RIGHT MUN: WHITE T

026128 FT

022574 FT



```
026128 FT
INTER-AHD  RUSTIC LODGE RD
           (TB13)
           INDIANA SPRINGS RD
           (SR4422 SEG 0110/0000)
0110/3554
           036 "DIA CIRC CONCR
0110/3124  LEN=0050 INSTALLED UNKN
           015 "DIA CIRC CONCR
0110/2970  LEN=0032 INSTALLED UNKN
           015 "DIA CIRC CONCR
0110/2440  LEN=0030 INSTALLED UNKN
           024 "DIA CIRC CONCR
0110/2163  LEN=0065 INSTALLED UNKN
           015 "DIA CIRC CONCR
0110/1873  LEN=0038 INSTALLED UNKN

           015 "DIA CIRC CONCR
0110/0807  LEN=0038 INSTALLED UNKN
           015 "DIA CIRC CONCR
0110/0231  LEN=0039 INSTALLED UNKN
022574 FT  2 0 32148 0 00 0000+00
           SIMPSON RD
           (SR3026 SEG 0010/0000)
           MFC BEGIN = D
```

DIR: B TOTAL LEN: 4.948 MI. DIST: 10-4 SR: 3033
LEFT MUN: WHITE T RIGHT MUN: WHITE T

```
                                          S 0110/0000 LENGTH(AH 3554 BK 2474)
                                                      018 "DIA CIRC CONCR
                                            0100/2450 LEN=0032 INSTALLED UNKN
                                                      018 "DIA CIRC CONCR
                                            0100/1973 LEN=0032 INSTALLED UNKN
                                                      018 "DIA CIRC CONCR
                                            0100/1484 LEN=0044 INSTALLED UNKN
                                                        SR0422 WB
                                            0100/1208 OP ID 32/0422/0215/0000
                                                      018 "DIA CIRC CONCR
                                            0100/1190 LEN=0044 INSTALLED UNKN
                                                        SR0422 EB
                                            0100/1119 OP ID 32/0422/0214/0000
                                                      018 "DIA CIRC CONCR
                                            0100/0824 LEN=0044 INSTALLED UNKN
                                                      BECK RD
                                            0100/0732 (T943)
020100 FT                                   020100 FT 2 0 32042 0 00 0079+26
                                          S 0100/0000 LENGTH(AH 2474 BK 2780)
                                                      036 "DIA CIRC CONCR
                                            0090/2690 LEN=0054 INSTALLED UNKN


                                                      018 "DIA CIRC CONCR
                                            0090/1428 LEN=0042 INSTALLED UNKN
                                                      024 "DIA CIRC CONCR
                                            0090/1410 LEN=0030 INSTALLED UNKN


017320 FT                                   017320 FT 2 0 32042 0 00 0051+56
                                                      TR CHERRY RUN
                                                      STRUCTURE LENGTH 20 FT
                                                      BMSID 32/3033/0090/0000
                                          S 0090/0000 LENGTH(AH 2780 BK 2984)
                                                      015 "DIA CIRC CONCR
                                            0080/2776 LEN=0026 INSTALLED UNKN
                                                      015 "DIA CIRC METAL
                                            0080/2436 LEN=0026 INSTALLED UNKN
                                                      018 "DIA CIRC METAL
                                            0080/2069 LEN=0028 INSTALLED UNKN

                                                      024 "DIA CIRC METAL
                                            0080/1452 LEN=0036 INSTALLED UNKN
                                                      015 "DIA CIRC METAL
                                            0080/1090 LEN=0030 INSTALLED UNKN
```

DIR: B TOTAL LEN: 4.948 MI. DIST: 10-4 SR: 3033
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | 014336 FT | 014336 FT | 2 0 32042 0 00 0021+72 |
| | | | WHITE |
| | | | CENTER T |
| | | 0080/0000 | LENGTH(AH 2984 BK 2320) |
| | | | 018 "DIA CIRC METAL |
| | | 0070/2250 | LEN=0030 INSTALLED 2002 |
| | | | 018 "DIA CIRC METAL |
| | | 0070/1376 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0070/1184 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0070/0740 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0070/0166 | LEN=0035 INSTALLED 2002 |
| | 012016 FT | 012016 FT | 2 0 32042 0 00 0000+00 |
| | | | OLD ROUTE 56 HW |
| | | | (SR3056 SEG 0200/2397) |
| | | | NC RUSTIC LODGE RD |
| | | INTER-BK | OLD ROUTE 56 HW |
| | | | (SR3056 SEG 0200/2397) |
| | | 0070/0000 | LTH AH 002320 BK 000100 |
| | 012016 FT | 012016 FT | |
| | | 7068/0000 | LTH AH 000100 BK 002805 |
| | 012016 FT | 012016 FT | |
| | | 7060/0000 | LENGTH(AH 2805 BK 2095) |
| | 012016 FT | 012016 FT | |
| | | 7050/0000 | LENGTH(AH 2095 BK 2545) |
| BETHEL CHURCH RD | | INTER-AHD | HILLTOP RD ET |
| (T950) | 0040/2545 | 0040/2545 | (T880) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2386 | LEN=0032 INSTALLED 2001 |
| | | | 018 "DIA CIRC METAL |
| | | 0040/1650 | LEN=0065 INSTALLED 2002 |
| | | | 024 "DIA CIRC CONCR |
| | | 0040/1121 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0040/1087 | LEN=0008 INSTALLED 2001 |
| | 009471 FT | 009471 FT | 2 0 32030 0 00 0154+24 |
| | | 0040/0000 | LENGTH(AH 2545 BK 3481) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2689 | LEN=0040 INSTALLED 2001 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2511 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |

DIR: B TOTAL LEN: 4.948 MI. DIST: 10-4 SR: 3033
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| | | | 0030/1657 LEN=0040 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | | 0030/1155 LEN=0050 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | | 0030/0617 LEN=0036 INSTALLED UNKN<br>024 "DIA CIRC CONCR |
| | | | 0030/0055 LEN=0032 INSTALLED UNKN<br>005990 FT |
| 2 0 32030 0 00 0189+53 005990 FT<br>HENRY RD<br>(T566) | 0030/0000 | == | S 0030/0000 LENGTH(AH 3481 BK 2401)<br>018 "DIA CIRC METAL |
| | | | 0020/1850 LEN=0033 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0020/1259 LEN=0029 INSTALLED UNKN<br>015 "DIA CIRC METAL |
| | | | 0020/0992 LEN=0031 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | | 0020/0820 LEN=0030 INSTALLED UNKN<br>024 "DIA CIRC METAL |
| | | | 0020/0588 LEN=0035 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0020/0535 LEN=0027 INSTALLED UNKN |
| | 003589 FT | | 003589 FT 2 0 32030 0 00 0212+70<br>SMITH RD<br>(T600)<br>SCHORK RD<br>(T568) |
| | | | S 0020/0000 LENGTH(AH 2401 BK 3589)<br>024 "DIA CIRC CONCR |
| | | | 0010/2713 LEN=0032 INSTALLED 2001 |
| HILLCREST DR<br>(T860) | 0010/1599 | == | |
| | | | CIRCLE DR<br>0010/1575 (T861) |
| LONG RD<br>(T565) | 0010/1370 | == | |
| | 000000 FT | | 000000 FT 2 0 32030 0 00 0249+50<br>NC COAL RD<br>CHERRY RUN RD<br>(SR3017 SEG 0070/0000)<br>INTER-BK COAL RD<br>(SR3017 SEG 0070/0000)<br>MFC BEGIN = E |
| | | | S 0010/0000 LENGTH(AH 3589 BK 0000) |

DIR: B TOTAL LEN: 7.128 MI. DIST: 10-4 SR: 3031
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

037636 FT



037636 FT OLD ROUTE 56 HW
0130/1892 (SR3056 SEG 0070/2133)
0130/1622 BMSEN 32/3031/0130/1601
2 0 32033 0 01 0239+84
BLACKLEGS CREEK
0130/1601 BMSBG 32/3031/0130/1601

DIR: B TOTAL LEN: 7.128 MI. DIST: 10-4 SR: 3031
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | | |
|---|---|---|---|---|
| | | | | YOUNG |
| | | | 0130/1321 | ARMSTRONG T |
| | | | 0130/1223 | (AAR 148813A)#TRKS 01 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0130/0408 | LEN=0055 INSTALLED UNKN |
| | | | | ARMSTRONG |
| | | | 0130/0225 | YOUNG T |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0130/0162 | LEN=0035 INSTALLED UNKN |
| | 035744 FT | | 035744 FT | 2 0 32033 0 01 0226+15 |
| | | | S 0130/0000 | LENGTH(AH 1892 BK 2167) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0120/1990 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0120/1462 | LEN=0040 INSTALLED UNKN |
| | | | | 027 "DIA CIRC CONCR |
| | | | 0120/0928 | LEN=0035 INSTALLED UNKN |
| 2 0 32033 0 01 0202+18 | 033577 FT | | 033577 FT | |
| REARICK RD | | | | |
| (SR3010 SEG 0050/3707) | 0120/0000 | | S 0120/0000 | LENGTH(AH 2167 BK 3728) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0110/3673 | LEN=0035 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0110/2802 | LEN=0030 INSTALLED UNKN |
| PARK DR | | | | MARUCA RD |
| (SR3025 SEG 0090/3071) | 0110/1963 | | 0110/1963 | (T423) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0110/1799 | LEN=0030 INSTALLED UNKN |
| | | | | 030 "DIA CIRC CONCR |
| | | | 0110/0893 | LEN=0040 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0110/0480 | LEN=0035 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0110/0150 | LEN=0045 INSTALLED UNKN |
| | 029849 FT | | 029849 FT | 2 0 32033 0 01 0164+73 |
| | | | S 0110/0000 | LENGTH(AH 3728 BK 3185) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0100/2777 | LEN=0030 INSTALLED 2000 |
| | | | | 030 "DIA CIRC CONCR |
| | | | 0100/2129 | LEN=0035 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0100/1565 | LEN=0040 INSTALLED UNKN |

DIR: B TOTAL LEN: 7.128 MI. DIST: 10-4 SR: 3031
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 0100/0853 | LEN=0160 INSTALLED UNKN |
| | | | 030 "DIA CIRC CONCR |
| | | 0100/0744 | LEN=0130 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/0704 | LEN=0050 INSTALLED UNKN |
| 2 0 32033 0 01 0131+50 026664 FT | | 026664 FT | |
| CHURCH ST | | | |
| (T474) 0100/0000 | | 5 0100/0000 | LENGTH(AH 3185 BK 1807) |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/1483 | LEN=0040 INSTALLED UNKN |
| SHORT ST | | | |
| (PRDR) 0090/1478 | | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/1162 | LEN=0035 INSTALLED UNKN |
| MOUNTAIN MAN RD | | | |
| (T661) 0090/0854 | | | |
| | | | HILL RD |
| | | 0090/0587 | (PRDR) |
| MOUNTAIN MAN RD | | | |
| (PRDR) 0090/0369 | | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/0356 | LEN=0035 INSTALLED UNKN |
| 024857 FT | | 024857 FT | 2 0 32033 0 01 0115+00 |
| PRIVATE DR | | | VILLAGE: MCINTYRE |
| (PRDR) 0090/0000 | | 5 0090/0000 | LENGTH(AH 1807 BK 3877) |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/3873 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/3595 | LEN=0030 INSTALLED UNKN |
| | | | HILL RD |
| | | 0080/3594 | (PRDR) |
| | | | 036 "DIA CIRC METAL |
| | | 0080/3224 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/2864 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/2672 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/1864 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/1661 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/1349 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/1052 | LEN=0035 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |

DIR: B TOTAL LEN: 7.128 MI. DIST: 10-4 SR: 3031
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | |
|---|---|---|---|
| | | | 0080/0644 LEN=0035 INSTALLED UNKN<br>012 "DIA CIRC CONCR |
| | | | 0080/0358 LEN=0030 INSTALLED UNKN |
| | 020980 FT | | 020980 FT 2 0 32033 0 01 0076+60<br>015 "DIA CIRC CONCR |
| COAL RUN RD<br>(SR3029 SEG 0010/0000) | 0080/0000 | | LEN=0040 INSTALLED UNKN<br>S 0080/0000 LENGTH(AH 3877 BK 3172)<br>015 "DIA CIRC CONCR |
| | | | 0070/2735 LEN=0035 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0070/2180 LEN=0035 INSTALLED UNKN |
| | | | 0070/1756 BMSEN 32/3031/0070/1743<br>2 0 32033 0 01 0062+07<br>REEDS RUN |
| | | | 0070/1743 BMSBG 32/3031/0070/1743<br>LC TO T444 RD |
| | | | 0070/1663 (CONN)<br>NEAL RD<br>(T444)<br>CHALLENGER RD |
| | | | 0070/1462 (TWP )<br>018 "DIA CIRC CONCR |
| | | | 0070/0957 LEN=0035 INSTALLED UNKN |
| | | | 072"H 72"W CONC STRUCT |
| | | | 0070/0010 LEN=0040 INSTALLED UNKN |
| | | | 0070/0009 BMSEN 32/3031/0070/0000 |
| | 017808 FT | | 017808 FT 2 0 32033 0 01 0054+30<br>TR REEDS RUN<br>BMSBG 32/3031/0070/0000 |
| | | | S 0070/0000 LENGTH(AH 3172 BK 2295)<br>015 "DIA CIRC METAL |
| | | | 0060/2052 LEN=0035 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0060/1803 LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0060/1100 LEN=0035 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0060/0793 LEN=0030 INSTALLED UNKN<br>024 "DIA CIRC CONCR |
| | | | 0060/0489 LEN=0035 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0060/0300 LEN=0035 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0060/0101 LEN=0035 INSTALLED UNKN |
| | 015513 FT | | 015513 FT 2 0 32033 0 01 0021+87<br>MILL RD<br>(T460) |

DIR: B TOTAL LEN: 7.128 MI. DIST: 10-4 SR: 3031
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | |
|---|---|---|---|
| | | | YOUNG |
| | | | BLACK LICK T |
| | | S 0060/0000 | LENGTH(AH 2295 BK 2025) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1823 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1714 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1322 | LEN=0031 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0050/0411 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0125 | LEN=0050 INSTALLED UNKN |
| | | | NC MCINTYRE RD |
| | | INTER-BK | MAIN ST |
| 2 0 32033 0 00 0000+00 | 013488 FT | 013488 FT | (SR0286 SEG 0270/0429) |
| MAIN ST | | | MFC BEGIN = D |
| (SR0286 SEG 0270/0429) | 0050/0000 | S 0050/0000 | LTH AH 002025 BK 000100 |
| | 013488 FT | 013488 FT | |
| | | 7044/0000 | LTH AH 000100 BK 003513 |
| | | INTER-AHD | MAIN ST |
| | | | (SR0286 SEG 0270/0899) |
| | | | MILL ST |
| | | | (T400) |
| | | | MAIN ST |
| | | 0040/3513 | (SR0286 SEG 0270/0899) |
| CARTER ST | | | |
| (T402) | 0040/3284 | | |
| CARTER ST | | | |
| (T402) | 0040/2767 | | |
| | | 0040/2754 | BMSEN 32/3031/0040/2728 |
| | | | 2 0 32171 0 00 0099+76 |
| | | | REEDS RUN |
| | | 0040/2728 | BMSBG 32/3031/0040/2728 |
| | | 0040/1761 | BMSEN 32/3031/0040/1721 |
| | | | 0 0 00000 0 00 0000+00 |
| | | | AULTMANS RUN |
| | | 0040/1721 | BMSBG 32/3031/0040/1721 |
| | | | 036 "DIA CIRC METAL |
| | | 0040/0788 | LEN=0030 INSTALLED UNKN |
| | 009975 FT | 009975 FT | 2 0 32171 0 00 0100+27 |
| | | S 0040/0000 | LENGTH(AH 3513 BK 3409) |

DIR: B TOTAL LEN: 7.128 MI. DIST: 10-4 SR: 3031
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

| | | |
|---|---|---|
| | | 036 "DIA CIR PLASTIC |
| | 0030/2361 | LEN=0040 INSTALLED 2005 |
| | | 024 "DIA CIRC METAL |
| | 0030/1332 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0030/0811 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0030/0611 | LEN=0030 INSTALLED UNKN |
| 006566 FT | 006566 FT | 2 0 32171 0 00 0065+64 |
| | 0030/0000 | LENGTH(AH 3409 BK 3561) |
| | | 018 "DIA CIRC METAL |
| | 0020/1735 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0020/0623 | LEN=0030 INSTALLED UNKN |
| 2 0 32171 0 00 0030+00 003005 FT | 003005 FT | |
| CLAWSON RD | | |
| (T459) 0020/0000 | 0020/0000 | LENGTH(AH 3561 BK 3005) |
| | | 015 "DIA CIRC METAL |
| | 0010/2142 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0010/1388 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIR PLASTIC |
| | 0010/1255 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0010/0647 | LEN=0035 INSTALLED UNKN |
| | | 024 "DIA CIRC METAL |
| | 0010/0265 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/0057 | LEN=0030 INSTALLED UNKN |
| 000000 FT | 000000 FT | 2 0 32171 0 00 0000+00 |
| | NC CUNKELMAN RD | |
| | | SR 0217 SH |
| | | (SR0217 SEG 0160/2495) |
| | | MFC BEGIN = E |
| | 0010/0000 | LENGTH(AH 3005 BK 0000) |

DIR: B TOTAL LEN: .000 MI. DIST: 10-4 SR: 3030
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | |
|---|---|---|
| 000000 FT | | 000000 FT |
| | | 7022/0000 LENGTH(AH 0310 BK 0537) |
| 000000 FT | | 000000 FT |
| | | 7020/0000 LENGTH(AH 0537 BK 3378) |
| 000000 FT | | 000000 FT |
| | | 7010/0000 LENGTH(AH 3378 BK 0000) |

DIR: B TOTAL LEN: 2.580 MI. DIST: 10-4 SR: 3029
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

```
013621 FT                    013621 FT
                             INTER-AHD  GAZDA  RD
                                        (T438)
                                        PARK  DR
                             0040/3606  (SR3025  SEG  0090/0000)
                                        015  "DIA  CIRC  METAL
                             0040/3520  LEN=0023  INSTALLED  UNKN
                                        015  "DIA  CIRC  METAL
                             0040/3169  LEN=0030  INSTALLED  UNKN

                                        018  "DIA  CIRC  METAL
                             0040/2560  LEN=0023  INSTALLED  UNKN
                                        018  "DIA  CIRC  METAL
                             0040/2479  LEN=0023  INSTALLED  UNKN


                                        015  "DIA  CIRC  CONCR
                             0040/1409  LEN=0024  INSTALLED  2006


010015 FT                    010015 FT  2  0  32118  0  00  0100+24
                           S 0040/0000  LENGTH(AH  3606  BK  3163)
                                        027  "DIA  CIRC  METAL
                             0030/2865  LEN=0023  INSTALLED  UNKN



                                        015  "DIA  CIRC  CONCR
                             0030/1275  LEN=0033  INSTALLED  UNKN
                                        015  "DIA  CIRC  CONCR
                             0030/1125  LEN=0022  INSTALLED  UNKN
                                        024  "DIA  CIRC  METAL
                             0030/0712  LEN=0032  INSTALLED  UNKN
                                        018  "DIA  CIRC  METAL
```

DIR: B TOTAL LEN: 2.580 MI. DIST: 10-4 SR: 3029
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | |
|---|---|---|---|
| | | 0030/0340 | LEN=0030 INSTALLED UNKN |
| | 006852 FT | 006852 FT | 2 0 32118 0 00 0068+63 |
| | | S 0030/0000 | LENGTH(AH 3163 BK 3278) |
| | | | 024 "DIA CIR PLASTIC |
| | | 0020/2340 | LEN=0028 INSTALLED UNKN |
| | | | 036"H 72"W CONC STRUCT |
| | | 0020/1846 | LEN=0024 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0020/1414 | LEN=0024 INSTALLED UNKN |
| | | | FIFTH ST |
| | | 0020/0587 | (T472) |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/0025 | LEN=0033 INSTALLED UNKN |
| | 003574 FT | 003574 FT | 2 0 32118 0 00 0034+00 |
| | | | FOURTH ST |
| | | | (T471) |
| | | S 0020/0000 | LENGTH(AH 3278 BK 3574) |
| | | | 036 "DIA CIRC METAL |
| | | 0010/3044 | LEN=0033 INSTALLED UNKN |
| KLIMKOS RD (T456) | 0010/2817 | | |
| | | | 012 "DIA CIRC CONCR |
| | | 0010/2490 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2311 | LEN=0031 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0010/2106 | LEN=0033 INSTALLED UNKN |
| | | | SECOND ST |
| | | 0010/1789 | (T473) |
| GEMMELL RD (T438) | 0010/1675 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0805 | LEN=0034 INSTALLED UNKN |
| | | | 012 "DIA CIR PLASTIC |
| | | 0010/0374 | LEN=0032 INSTALLED UNKN |
| | | 0010/0222 | BMSEN 32/3029/0010/0193 |
| | | | 2 0 32118 0 00 0001+78 |
| | | | NEAL RUN |
| | | 0010/0193 | BMSBG 32/3029/0010/0193 |
| | 000000 FT | 000000 FT | 2 0 32118 0 00 0000+00 |
| | | | VILLAGE: COAL RUN |
| | | | NC COAL RUN RD |
| | | | MCINTYRE RD |
| | | | (SR3031 SEG 0080/0000) |
| | | | MFC BEGIN = E |
| | | S 0010/0000 | LENGTH(AH 3574 BK 0000) |

DIR: B TOTAL LEN: 3.999 MI. DIST: 10-4 SR: 3027
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | |
|---|---|---|
| 021114 FT | | 021114 FT |
| | | 7110/0000 LENGTH(AH 3242 BK 3329) |
| 021114 FT | | 021114 FT |
| | | 7100/0000 LENGTH(AH 3329 BK 1282) |
| 021114 FT | | 021114 FT |
| | | 7090/0000 LENGTH(AH 1282 BK 3233) |
| | | INTER-AHD (TBK) POUNDS RD |
| | | (TWP ) |
| | | OLD ROUTE 56 HW |
| | | 0080/3233 (SR3056 SEG 0030/1695) |
| | | 015 "DIA CIRC METAL |
| | | 0080/2655 LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | | 0080/1482 LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | | 0080/0081 LEN=0033 INSTALLED UNKN |
| 017881 FT | | 017881 FT 2 0 32165 0 00 0032+45 |

DIR: B TOTAL LEN: 3.999 MI. DIST: 10-4 SR: 3027
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

```
                                                    VILLAGE: WEST LEBANON
                                                    REARICK RD
                                                    (SR3010 SEG 0010/0000)
                                                 S  0080/0000 LENGTH(AH 3233 BK 1726)

                                                    015 "DIA CIRC CONCR
                                                       0070/0061 LEN=0030 INSTALLED UNKN
2 0 32166 0 00 0161+99 016155 FT                       016155 FT
WHISKEY RUN RD
(T332)                  0070/0000                  S  0070/0000 LENGTH(AH 1726 BK 3095)

                                                    015 "DIA CIRC CONCR
                                                       0060/1018 LEN=0030 INSTALLED UNKN

                        013060 FT                      013060 FT 2 0 32166 0 00 0131+54
                                                    S  0060/0000 LENGTH(AH 3095 BK 3861)
                                                    015 "DIA CIRC CONCR
                                                       0050/3361 LEN=0035 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                                       0050/3293 LEN=0035 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                                       0050/2888 LEN=0033 INSTALLED UNKN
                                                    030 "DIA CIRC METAL
                                                       0050/2320 LEN=0040 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                                       0050/2222 LEN=0035 INSTALLED UNKN

                                                    015 "DIA CIRC CONCR
                                                       0050/1541 LEN=0035 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                                       0050/1097 LEN=0035 INSTALLED UNKN

                                                    015 "DIA CIRC CONCR
                                                       0050/0291 LEN=0030 INSTALLED UNKN
                        009199 FT                      009199 FT 2 0 32166 0 00 0092+20
                                                    SHROKMAN RD
                                                    (T336)
                                                 S  0050/0000 LENGTH(AH 3861 BK 2601)
                                                    015 "DIA CIRC CONCR
                                                       0040/2265 LEN=0030 INSTALLED UNKN

                                                    036 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 3.999 MI. DIST: 10-4 SR: 3027
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

```
                                                  0040/1549 LEN=0031 INSTALLED UNKN
                                                            027 "DIA CIRC CONCR
                                                  0040/0781 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0040/0300 LEN=0030 INSTALLED UNKN
                                                            036 "DIA CIR PLASTIC
                                                  0040/0105 LEN=0020 INSTALLED 2002
                        006598 FT                 006598 FT 2 0 32166 0 00 0065+37
                                                S 0040/0000 LENGTH(AH 2601 BK 2707)
                                                            018 "DIA CIRC CONCR
                                                  0030/2339 LEN=0030 INSTALLED UNKN
                                                            012 "DIA CIRC CONCR
                                                  0030/1815 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/1560 LEN=0030 INSTALLED UNKN
                                                  0030/0974 BMSEN 32/3027/0030/0941
                                                            2 0 32166 0 00 0047+97
                                                            WHISKY RUN
                                                  0030/0941 BMSBG 32/3027/0030/0941

2 0 32166 0 00 0037+82 003891 FT                  003891 FT
WHISKEY RUN RD
(T332)                  0030/0000               S 0030/0000 LENGTH(AH 2707 BK 3096)
                                                            015 "DIA CIRC CONCR
                                                  0020/2876 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/2551 LEN=0035 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0020/2179 LEN=0040 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0020/1475 LEN=0035 INSTALLED 2004
                                                            024 "DIA CIRC METAL
                                                  0020/0600 LEN=0035 INSTALLED UNKN
                        000795 FT                 000795 FT 2 0 32166 0 00 0006+86
                                                S 0020/0000 LENGTH(AH 3096 BK 0795)
                                                            036 "DIA CIRC CONCR
                                                  0010/0710 LEN=0045 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0010/0480 LEN=0045 INSTALLED UNKN
                        000000 FT                 000000 FT 2 0 32166 0 00 0000+00
                                                            PARK DR
                                                            (SR3025 SEG 0020/1976)
                                                      NC BLACKLEGGS RD
PARK DR                                                     MFC BEGIN = E
(SR3025 SEG 0020/1976)  0010/0000               S 0010/0000 LENGTH(AH 0795 BK 0000)
```

DIR: B TOTAL LEN: .912 MI. DIST: 10-4 SR: 3026
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | 004816 FT | | 004816 FT |
| | | | INTER-AHD OLD US 119 HW |
| | | | (SR3035 SEG 0110/0435) |
| OLD US 119 HW | | | SR0422 EB |
| (SR3035 SEG 0110/0435) | 0020/1948 | | 0020/1948 OP ID 32/0422/0234/0000 |
| | | | SR0422 WB |
| | | | 0020/1884 OP ID 32/0422/0235/0000 |
| | | | 024 "DIA CIR PLASTIC |
| | | | 0020/0738 LEN=0045 INSTALLED 2016 |
| | 002868 FT | | 002868 FT 2 0 32042 0 00 0132+76 |
| | | | S 0020/0000 LENGTH(AH 1948 BK 2868) |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0010/2040 LEN=0075 INSTALLED 2002 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/1067 LEN=0075 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/0701 LEN=0030 INSTALLED UNKN |
| | 000000 FT | | 000000 FT 2 0 32042 0 00 0104+08 |
| | | | NC SIMPSON RD |
| | | | RUSTIC LODGE RD |
| | | | (SR3033 SEG 0110/0000) |
| | | | MFC BEGIN = D |
| | | | S 0010/0000 LENGTH(AH 2868 BK 0000) |

DIR: B TOTAL LEN: 5.399 MI. DIST: 10-4 SR: 3025
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

028505 FT

028505 FT
INTER-AHD MARUCA RD
(T423)
MCINTYRE RD
0090/3071 (SR3031 SEG 0110/1963)

DIR: B TOTAL LEN: 5.399 MI. DIST: 10-4 SR: 3025
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | |
|---|---|---|---|
| | | 0090/2885 | 018 "DIA CIRC CONCR<br>LEN=0030 INSTALLED UNKN |
| | | 0090/2210 | 015 "DIA CIRC CONCR<br>LEN=0040 INSTALLED UNKN |
| | | 0090/1674 | 024 "DIA CIRC CONCR<br>LEN=0048 INSTALLED 2008 |
| | | 0090/1404 | 018 "DIA CIRC CONCR<br>LEN=0035 INSTALLED UNKN |
| | | 0090/1216 | 018 "DIA CIR PLASTIC<br>LEN=0040 INSTALLED 2008 |
| | | 0090/0770 | 018 "DIA CIR PLASTIC<br>LEN=0040 INSTALLED 2008 |
| | | 0090/0420 | 018 "DIA CIR PLASTIC<br>LEN=0040 INSTALLED 2008 |
| 2 0 32032 0 01 0255+94 025434 FT<br>GAZDA RD<br>(T438) 0090/0000 | | 025434 FT<br>5 0090/0000 | COAL RUN RD<br>(SR3029 SEG 0040/3606)<br>LENGTH(AH 3071 BK 3795) |
| | | 0080/3740 | 036 "DIA CIR PLASTIC<br>LEN=0053 INSTALLED 1998 |
| | | 0080/3106 | 018 "DIA CIR UNKNOWN<br>LEN=0040 INSTALLED UNKN |
| | | 0080/2384 | BMSEN 32/3025/0080/2371<br>2 0 32032 0 01 0241+80<br>HOOPERS RUN |
| | | 0080/2371 | BMSBG 32/3025/0080/2371 |
| | | 0080/2150 | 018 "DIA CIR PLASTIC<br>LEN=0040 INSTALLED 2008 |
| | | 0080/2071 | 024 "DIA CIR PLASTIC<br>LEN=0050 INSTALLED 2008 |
| | | 0080/1902 | 018 "DIA CIRC CONCR<br>LEN=0030 INSTALLED UNKN |
| | | 0080/1703 | 018 "DIA CIR PLASTIC<br>LEN=0040 INSTALLED 2008 |
| | | 0080/1252 | 018 "DIA CIR PLASTIC<br>LEN=0040 INSTALLED 2008 |
| | | 0080/0557 | 018 "DIA CIRC CONCR<br>LEN=0035 INSTALLED UNKN |
| 021639 FT | | 021639 FT<br>5 0080/0000 | 2 0 32032 0 01 0217+98<br>054 "DIA CIRC METAL<br>LEN=0040 INSTALLED UNKN<br>LENGTH(AH 3795 BK 1978) |
| | | 0070/1670 | 018 "DIA CIR PLASTIC<br>LEN=0040 INSTALLED 2008 |
| | | 0070/1283 | 018 "DIA CIRC CONCR<br>LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 5.399 MI. DIST: 10-4 SR: 3025
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

```
                                                  0070/1102 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0070/0826 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0070/0456 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0070/0172 LEN=0030 INSTALLED UNKN
                                                  0070/0023 BMSEN 32/3025/0070/0000
                     019661 FT                    019661 FT 2 0 32032 0 01 0198+20
                                                            HOOPER RUN
                                                            BMSBG 32/3025/0070/0000
                                                S 0070/0000 LENGTH(AH 1978 BK 3007)
                                                            015 "DIA CIRC METAL
                                                  0060/2903 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0060/2736 LEN=0037 INSTALLED UNKN
                                                            MCGEE RD
                                                  0060/2692 (T350)
                                                            015 "DIA CIRC CONCR
                                                  0060/2263 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0060/1837 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0060/1473 LEN=0040 INSTALLED 2008
                                                            018 "DIA CIRC CONCR
                                                  0060/1018 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0060/0705 LEN=0037 INSTALLED UNKN
                                                            HANCOCK RD
                                                  0060/0632 (T442)
                                                            018 "DIA CIRC CONCR
                                                  0060/0575 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
2 0 32032 0 01 0169+00 016654 FT                  0060/0050 LEN=0037 INSTALLED UNKN
CRIBBS RD                                         016654 FT
(T440)                0060/0000                 S 0060/0000 LENGTH(AH 3007 BK 3321)
                                                            048 "DIA CIRC METAL
                                                  0050/3030 LEN=0050 INSTALLED 1997
                                                            018 "DIA CIR PLASTIC
                                                  0050/2670 LEN=0036 INSTALLED 2008
                                                            018 "DIA CIR PLASTIC
                                                  0050/2450 LEN=0040 INSTALLED 2008
                                                            018 "DIA CIRC CONCR
                                                  0050/2210 LEN=0035 INSTALLED 1996
                                                            018 "DIA CIR PLASTIC
                                                  0050/1950 LEN=0040 INSTALLED 2008
                                                            036 "DIA CIR PLASTIC
                                                  0050/1479 LEN=0040 INSTALLED 2008
                                                            018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 5.399 MI. DIST: 10-4 SR: 3025
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

```
                                        0050/1104 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/0605 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/0302 LEN=0035 INSTALLED UNKN
                                                  030 "DIA CIR PLASTIC
                                        0050/0147 LEN=0040 INSTALLED 2008
013333 FT                               013333 FT 2 0 32032 0 01 0135+51
                                      S 0050/0000 LENGTH(AH 3321 BK 3565)
                                                  018 "DIA CIR PLASTIC
                                        0040/3500 LEN=0040 INSTALLED 2008
                                                  018 "DIA CIR PLASTIC
                                        0040/3225 LEN=0032 INSTALLED 2008
                                                  030 "DIA CIRC METAL
                                        0040/3070 LEN=0040 INSTALLED 2008
                                                  018 "DIA CIRC CONCR
                                        0040/2953 LEN=0045 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
                                        0040/2525 LEN=0040 INSTALLED 2008
                                                  018 "DIA CIR PLASTIC
                                        0040/2300 LEN=0034 INSTALLED 2008
                                                  036 "DIA CIR PLASTIC
                                        0040/2125 LEN=0040 INSTALLED 2008
                                                  018 "DIA CIRC CONCR
                                        0040/1925 LEN=0032 INSTALLED 2008
                                                  018 "DIA CIRC CONCR
                                        0040/1358 LEN=0032 INSTALLED 2008

                                                  018 "DIA CIRC CONCR
                                        0040/0500 LEN=0032 INSTALLED 2008
                                                  018 "DIA CIR PLASTIC
                                        0040/0170 LEN=0040 INSTALLED 2013
009768 FT                               009768 FT 2 0 32032 0 01 0099+86
                                      S 0040/0000 LENGTH(AH 3565 BK 3515)
                                                  018 "DIA CIRC CONCR
                                        0030/3240 LEN=0036 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
                                        0030/3078 LEN=0032 INSTALLED 2008

                                                  018 "DIA CIRC METAL
                                        0030/2420 LEN=0036 INSTALLED 1997
                                                  024 "DIA CIR PLASTIC
                                        0030/2200 LEN=0040 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0030/1587 LEN=0031 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0030/1135 LEN=0032 INSTALLED 2008
                                                  018 "DIA CIRC METAL
                                        0030/0680 LEN=0030 INSTALLED 1997
```

DIR: B TOTAL LEN: 5.399 MI. DIST: 10-4 SR: 3025
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | |
|---|---|---|---|
| | | 0030/0052 | BMSEN 32/3025/0030/0000 |
| | 006253 FT | 006253 FT | 2 0 32032 0 00 0064+54 |
| | | | BLACKLEGS CREEK |
| | | | BMSBG 32/3025/0030/0000 |
| | | S 0030/0000 | LENGTH(AH 3515 BK 2764) |
| | | 0020/2567 | (AAR 148820K)#TRKS 01 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0020/2475 | LEN=0030 INSTALLED UNKN |
| BLACKLEGGS RD | | | |
| (SR3027 SEG 0010/0000) | 0020/1976 | | |
| | | 0020/1794 | BMSEN 32/3025/0020/1773 |
| | | | 2 0 32032 0 00 0054+24 |
| | | | NESBIT RUN |
| | | 0020/1773 | BMSBG 32/3025/0020/1773 |
| | | | 006 "DIA CIR PLASTIC |
| | | 0020/1620 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1506 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1118 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0702 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0020/0172 | LEN=0035 INSTALLED UNKN |
| | 003489 FT | 003489 FT | 2 0 32032 0 00 0035+73 |
| | | S 0020/0000 | LENGTH(AH 2764 BK 3489) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/3326 | LEN=0048 INSTALLED 1999 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/3062 | LEN=0035 INSTALLED 1999 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2513 | LEN=0040 INSTALLED 1999 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2246 | LEN=0045 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0010/1535 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1151 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0848 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0413 | LEN=0035 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32032 0 00 0000+00 |
| | | | SR 0286 SH |
| | | | (SR0286 SEG 0150/0319) |
| | | | NC PARK DR |
| SR 0286 SH | | | MFC BEGIN = E |
| (SR0286 SEG 0150/0319) | 0010/0000 | S 0010/0000 | LENGTH(AH 3489 BK 0000) |

DIR: B TOTAL LEN: 3.760 MI. DIST: 10-4 SR: 3024
LEFT MUN: WHITE T RIGHT MUN: WHITE T

019852 FT

LAUREL ST
(T561) 0070/2195

HARTMAN DR
(PRDR) 0070/0241

2 0 32044 0 00 0170+33 016876 FT
HICKORY LN
(T417) 0070/0000



019852 FT
INTER-AHD ROSE ST
(SR3043 SEG 0020/2176)
OAKLAND AVE
(SR0286 SEG 0470/0606)
0070/2976
018 "DIA CIRC CONCR
0070/2830 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
0070/2467 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0070/2400 LEN=0035 INSTALLED UNKN

018 "DIA CIRC CONCR
0070/1340 LEN=0060 INSTALLED UNKN
LILAC ST
(T663)
0070/1116

LISA DR
0070/0509 (T733)

MCKNIGHT RD
0070/0151 (T482)
016876 FT
S 0070/0000 LENGTH(AH 2976 BK 2055)
0060/1794 BMSEN 32/3024/0060/1779
2 0 32044 0 00 0168+86
MCCARTNEY RUN
0060/1779 BMSBG 32/3024/0060/1779
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 3.760 MI. DIST: 10-4 SR: 3024
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | | 0060/1732 LEN=0031 INSTALLED UNKN |
| | | | LC FROM MALL ENTRANCE |
| | | | 0060/1543 (CONN) |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0060/1514 LEN=0032 INSTALLED 2006 |
| WOODRIDGE LN | | | MALL ENTRANCE RD |
| (T930) | 0060/1495 | | 0060/1495 (PRDR) |
| | | | LC TO MALL ENTRANCE |
| | | | 0060/1411 (CONN) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0060/1300 LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0060/0690 LEN=0030 INSTALLED UNKN |
| | | | INDIAN SPRINGS RD |
| BENJAMIN FRANKLIN HW | | | (SR4422 SEG 0070/2660) |
| (SR4422 SEG 0070/2660) | 0060/0518 | | 0060/0518 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0060/0330 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0060/0138 LEN=0030 INSTALLED UNKN |
| | 014821 FT | | 014821 FT 2 0 32044 0 00 0150+50 |
| | | | LOCKARD ST |
| | | | (T661) |
| | | | S 0060/0000 LENGTH(AH 2055 BK 3742) |
| BRIARWOOD DR | | | |
| (T910) | 0050/3686 | | |
| | | | 015 "DIA CIRC CONCR |
| | | | 0050/3635 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0050/3375 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0050/2765 LEN=0031 INSTALLED UNKN |
| KACIE LN | | | |
| (TWP ) | 0050/2368 | | |
| | | | 015 "DIA CIRC CONCR |
| | | | 0050/2160 LEN=0010 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0050/1977 LEN=0031 INSTALLED UNKN |
| KAYLA LN | | | |
| (TWP ) | 0050/1899 | | |
| MALIA LN | | | |
| (TWP ) | 0050/1697 | | |
| CENTENNIAL DR | | | |
| (PRDR) | 0050/1098 | | |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0050/0804 LEN=0031 INSTALLED UNKN |
| RESTON DR | | | |
| (TWP ) | 0050/0693 | | |

DIR: B TOTAL LEN: 3.760 MI. DIST: 10-4 SR: 3024
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | | |
|---|---|---|---|---|
| RESTON DR (TWP ) | 0050/0454 011079 FT | | | MEADOW WOOD RD (T414) |
| | | == | == | 0050/0454 011079 FT 2 0 32044 0 00 0113+48 (APRA) TYSON FARM MH PA |
| BARCLAY RD (T480) | 0050/0000 | POI | | 0050/0000 LENGTH(AH 3742 BK 3588) 018 "DIA CIRC CONCR |
| | | | | 0040/3545 LEN=0050 INSTALLED UNKN 018 "DIA CIRC CONCR |
| | | | | 0040/3141 LEN=0030 INSTALLED UNKN 015 "DIA CIRC CONCR |
| | | | | 0040/2349 LEN=0020 INSTALLED UNKN 018 "DIA CIRC CONCR |
| | | | | 0040/2260 LEN=0065 INSTALLED UNKN 018 "DIA CIRC CONCR |
| | | | | 0040/2209 LEN=0080 INSTALLED UNKN |
| | | | | 0040/1958 BMSEN 32/3024/0040/1947 0 0 00000 0 00 0000+00 TR CHERRY RN |
| | | | | 0040/1947 BMSBG 32/3024/0040/1947 096"H 60"W CON BOX CUL |
| | | | | 0040/1925 LEN=0060 INSTALLED UNKN |
| GREEN VALLEY DR (PRDR) | 0040/1860 | POI | | 0040/1860 (APRA) GREEN VALLEY EST |
| | | | | 0040/1801 BMSEN 32/3024/0040/1787 060"H 72"W CONC STRUCT |
| | | | | 0040/1795 LEN=0055 INSTALLED UNKN 0 0 00000 0 00 0000+00 TR CHERRY RN |
| | | | | 0040/1787 BMSBG 32/3024/0040/1787 SR0422 WB |
| | | | | 0040/1608 OP ID 32/0422/0175/0000 SR0422 EB |
| | | | | 0040/1521 OP ID 32/0422/0174/0000 024 "DIA CIRC CONCR |
| | | | | 0040/1391 LEN=0110 INSTALLED UNKN 036"H 00"W MULT CONCR |
| | | | | 0040/1178 LEN=0100 INSTALLED UNKN 018 "DIA CIRC CONCR |
| | | | | 0040/0820 LEN=0040 INSTALLED 2004 018 "DIA CIRC CONCR |
| | | | | 0040/0639 LEN=0035 INSTALLED UNKN |
| | 007491 FT | | | 007491 FT 2 0 32044 0 00 0077+58 FENTON RD (T475) |
| | | | == | 0040/0000 LENGTH(AH 3588 BK 3123) 015 "DIA CIRC METAL |
| | | | | 0030/3101 LEN=0040 INSTALLED UNKN WHITE |

DIR: B TOTAL LEN: 3.760 MI. DIST: 10-4 SR: 3024
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | 0030/2687 | CENTER T<br>015 "DIA CIR PLASTIC |
| | | 0030/2430 | LEN=0034 INSTALLED UNKN<br>036 "DIA CIRC CONCR |
| | | 0030/2238 | LEN=0050 INSTALLED UNKN<br>018 "DIA CIR PLASTIC |
| | | 0030/2237 | LEN=0035 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0030/1836 | LEN=0037 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0030/1667 | LEN=0044 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0030/1174 | LEN=0039 INSTALLED UNKN |
| 2 0 32044 0 00 0045+37<br>KING HILL RD<br>(T562) | 004368 FT<br>0030/0000 | 004368 FT<br>S 0030/0000 | BROWN RD<br>(T562)<br>LENGTH(AH 3123 BK 2714)<br>030 "DIA CIRC METAL |
| | | 0020/2555 | LEN=0052 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0020/2375 | LEN=0041 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0020/2084 | LEN=0040 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0020/1865 | LEN=0036 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0020/1340 | LEN=0036 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0020/1055 | LEN=0037 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0020/0605 | LEN=0035 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0020/0348 | LEN=0036 INSTALLED UNKN |
| | 001654 FT | 001654 FT<br>S 0020/0000 | 2 0 32044 0 00 0018+23<br>LENGTH(AH 2714 BK 1654)<br>018 "DIA CIRC CONCR |
| | | 0010/1510 | LEN=0035 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0010/1227 | LEN=0035 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0010/0967 | LEN=0039 INSTALLED UNKN |
| | 000000 FT | 000000 FT<br>INTER-BK | 0 0 00000 0 00 0000+00<br>NC WARREN RD<br>OLD ROUTE 56 SH<br>(SR3056 SEG 0160/0000)<br>MFC BEGIN = D |
| OLD ROUTE 56 SH<br>(SR3056 SEG 0160/0000) | 0010/0000 | S 0010/0000 | LENGTH(AH 1654 BK 0000) |

DIR: B TOTAL LEN: 4.173 MI. DIST: 10-4 SR: 3023
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | | |
|---|---|---|---|---|
| OLD ROUTE 56 HW | 022035 FT | | 022035 FT | OLD ROUTE 56 HW |
| (SR3056 SEG 0020/2584) | 0070/3731 | | 0070/3731 | (SR3056 SEG 0020/2584) |
| | | | | 024 "DIA CIR PLASTIC |
| | | | 0070/3121 | LEN=0035 INSTALLED 2006 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0070/2298 | LEN=0037 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0070/1727 | LEN=0040 INSTALLED 2016 |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0070/1165 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0070/0580 | LEN=0042 INSTALLED UNKN |
| | 018304 FT | | 018304 FT | 2 0 32031 0 00 0182+29 |
| | | | S 0070/0000 | LENGTH(AH 3731 BK 1553) |
| | | | | 036 "DIA CIRC CONCR |
| | | | 0060/0529 | LEN=0070 INSTALLED UNKN |
| | 016751 FT | | 016751 FT | 2 0 32031 0 00 0166+76 |
| | | | | 048"H 72"W CON BOX CUL |
| | | | | LEN=0035 INSTALLED UNKN |
| | | | S 0060/0000 | LENGTH(AH 1553 BK 3105) |
| | | | | 015 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 4.173 MI. DIST: 10-4 SR: 3023
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

```
                                                  0050/2886 LEN=0033 INSTALLED UNKN
PONY RD
(T342)                0050/2469   ==
                                                            015 "DIA CIRC CONCR
                                                  0050/2011 LEN=0039 INSTALLED UNKN
                                                            027 "DIA CIR PLASTIC
                                                  0050/1716 LEN=0040 INSTALLED 2016
                                                            015 "DIA CIRC CONCR
                                                  0050/1150 LEN=0032 INSTALLED UNKN
                                                            024 "DIA CIR PLASTIC
                                                  0050/0994 LEN=0034 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0050/0793 LEN=0036 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0050/0610 LEN=0030 INSTALLED UNKN

                      013646 FT                   013646 FT 2 0 32031 0 00 0136+00
                                                            BENDIS RD
                                                            (T342)
                                                S 0050/0000 LENGTH(AH 3105 BK 3081)
                                                  0040/2829 BMSEN 32/3023/0040/2813
                                                            2 0 32031 0 00 0133+29
                                                            WHISKY RUN
                                                  0040/2813 BMSBG 32/3023/0040/2813
                                                            015 "DIA CIRC CONCR
                                                  0040/2384 LEN=0044 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/1934 LEN=0035 INSTALLED UNKN
                                                            012 "DIA CIRC CONCR
                                                  0040/1727 LEN=0037 INSTALLED UNKN
                                                            036 "DIA CIRC CONCR
                                                  0040/1528 LEN=0050 INSTALLED UNKN
                                                            036 "DIA CIRC CONCR
                                                  0040/1217 LEN=0038 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/0859 LEN=0039 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/0361 LEN=0042 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/0123 LEN=0035 INSTALLED UNKN
                      010565 FT                   010565 FT 2 0 32031 0 00 0105+16
                                                S 0040/0000 LENGTH(AH 3081 BK 3434)
                                                            030 "DIA CIRC CONCR
                                                  0030/3202 LEN=0043 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0030/2640 LEN=0031 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/2413 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/2090 LEN=0032 INSTALLED UNKN
```

DIR: B TOTAL LEN: 4.173 MI. DIST: 10-4 SR: 3023
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 0030/1770 | LEN=0037 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0030/1165 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0030/0680 | LEN=0037 INSTALLED UNKN |
| ELDERS RIDGE RD | | | |
| (SR3019 SEG 0130/3238) | 0030/0630 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0254 | LEN=0032 INSTALLED UNKN |
| | 007131 FT | 007131 FT | 2 0 32031 0 00 0070+74 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0041 INSTALLED UNKN |
| | | S 0030/0000 | LENGTH(AH 3434 BK 3346) |
| | | | 024 "DIA CIRC CONCR |
| | | 0020/3050 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1347 | LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0970 | LEN=0040 INSTALLED UNKN |
| | | | BENDIS RD |
| | | 0020/0374 | (T321) |
| | 003785 FT | 003785 FT | 2 0 32031 0 00 0037+29 |
| | | S 0020/0000 | LENGTH(AH 3346 BK 3785) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/3207 | LEN=0038 INSTALLED UNKN |
| STONEY HILL FARM RD | | | CEMETERY RD |
| (T461) | 0010/2036 | 0010/2036 | (T461) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1753 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1295 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0730 | LEN=0046 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0010/0470 | LEN=0045 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |
| | | 0010/0173 | LEN=0054 INSTALLED UNKN |
| | | NC COLEMAN RD | |
| | | | ISELIN RD |
| 2 0 32031 0 00 0000+00 | 000000 FT | 000000 FT | (SR3021 SEG 0050/0000) |
| ISELIN RD | | | MFC BEGIN = D |
| (SR3021 SEG 0050/0000) | 0010/0000 | S 0010/0000 | LENGTH(AH 3785 BK 0000) |

DIR: B TOTAL LEN: 6.906 MI. DIST: 10-4 SR: 3022
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

036465 FT

034688 FT

PARKVIEW LN



```
036465 FT  BENJAMIN FRANKLIN HW
0130/1777  (SR0422 SEG 0134/0604)
           HEMLOCK RD
0130/1588  (T562)
           048 "DIA CIRC CONCR
0130/1089  LEN=0050 INSTALLED UNKN
           015 "DIA CIRC CONCR
0130/1068  LEN=0050 INSTALLED UNKN
           WHITE OAK RD
0130/1051  (T480)
           048 "DIA CIRC CONCR
0130/0700  LEN=0060 INSTALLED UNKN

           015 "DIA CIRC CONCR
0130/0096  LEN=0040 INSTALLED UNKN
034688 FT  2 0 32048 0 01 0346+17
S 0130/0000  LENGTH(AH 1777 BK 3536)
           015 "DIA CIRC CONCR
0120/3455  LEN=0032 INSTALLED UNKN
           015 "DIA CIRC CONCR
0120/3100  LEN=0040 INSTALLED UNKN
           024 "DIA CIRC CONCR
0120/2794  LEN=0040 INSTALLED UNKN
           015 "DIA CIRC CONCR
0120/2450  LEN=0040 INSTALLED UNKN
           018 "DIA CIRC CONCR
0120/2276  LEN=0032 INSTALLED 2002
           018 "DIA CIRC CONCR
0120/1924  LEN=0040 INSTALLED UNKN
           030 "DIA CIRC CONCR
0120/1572  LEN=0040 INSTALLED UNKN
           015 "DIA CIRC CONCR
0120/1194  LEN=0040 INSTALLED UNKN
           015 "DIA CIRC CONCR
0120/0939  LEN=0040 INSTALLED UNKN
           036 "DIA CIRC CONCR
0120/0706  LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 6.906 MI. DIST: 10-4 SR: 3022
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | | |
|---|---|---|---|
| (TWP ) | 0120/0665 | | |
| | 031152 FT | 031152 FT | 2 0 32048 0 01 0308+00 |
| | | | HICKORY RD |
| | | | (T474) |
| | | S 0120/0000 | LENGTH(AH 3536 BK 1584) |
| | | | 030 "DIA CIRC CONCR |
| | | 0110/1320 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/1086 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0110/0865 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0470 | LEN=0040 INSTALLED UNKN |
| | 029568 FT | 029568 FT | 2 0 32048 0 01 0295+00 |
| | | | LAUREL RD |
| | | | (T464) |
| | | S 0110/0000 | LENGTH(AH 1584 BK 2529) |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/2151 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/1575 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/1428 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/1002 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/0024 | LEN=0040 INSTALLED UNKN |
| 2 0 32048 0 01 0269+65 | 027039 FT | 027039 FT | |
| ANTHONY RUN RD | | | |
| (SR3039 SEG 0010/0000) | 0100/0000 | S 0100/0000 | LENGTH(AH 2529 BK 3548) |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/3126 | LEN=0040 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0090/2654 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/2196 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/1924 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0090/1743 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/1478 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0090/1390 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/0813 | LEN=0040 INSTALLED UNKN |

DIR: B TOTAL LEN: 6.906 MI. DIST: 10-4 SR: 3022
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | | |
|---|---|---|---|
| | 023491 FT | 023491 FT | 2 0 32048 0 01 0233+52 |
| | | | WILLOW RD |
| | | | (T444) |
| | | 0090/0000 | LENGTH(AH 3548 BK 1911) |
| | | | 048 "DIA CIRC CONCR |
| | | 0080/1739 | LEN=0045 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0080/1394 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/0982 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/0534 | LEN=0051 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/0051 | LEN=0050 INSTALLED UNKN |
| | 021580 FT | 021580 FT | 2 0 32048 0 01 0214+74 |
| | | 0080/0000 | LENGTH(AH 1911 BK 3698) |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/3300 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/3076 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/2693 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/2201 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1800 | LEN=0052 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1175 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0202 | LEN=0050 INSTALLED UNKN |
| 2 0 32048 0 00 0178+34 | 017882 FT | 017882 FT | |
| MILLEN RD | | | |
| (T432) | 0070/0000 | 0070/0000 | LENGTH(AH 3698 BK 2257) |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/2175 | LEN=0064 INSTALLED UNKN |
| | | | MILLEN RD |
| | | 0060/1679 | (T432) |
| | | 0060/1570 | BMSEN 32/3022/0060/1418 |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/1568 | LEN=0035 INSTALLED UNKN |
| | | | 2 0 32048 0 00 0169+95 |
| | | | NORFOLK SOUTHERN RAI RR |
| | | 0060/1418 | BMSBG 32/3022/0060/1418 |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/0946 | LEN=0065 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0573 | LEN=0055 INSTALLED UNKN |

DIR: B TOTAL LEN: 6.906 MI. DIST: 10-4 SR: 3022
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | | | |
|---|---|---|---|---|
| | | | | PARKWOOD STATION RD |
| | | | 0060/0362 | (T419) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0060/0240 | LEN=0040 INSTALLED UNKN |
| 2 0 32048 0 00 0155+69 | 015625 FT | | 015625 FT | CRAIG RD |
| SPORTSMAN CLUB RD | | | | (SR3037 SEG 0030/0000) |
| (SR3037 SEG 0030/0000) | 0060/0000 | | S 0060/0000 | LENGTH(AH 2257 BK 3627) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0050/3397 | LEN=0040 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0050/3147 | LEN=0045 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/2347 | LEN=0050 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0050/0034 | LEN=0035 INSTALLED UNKN |
| | 011998 FT | | 011998 FT | 2 0 32048 0 00 0119+66 |
| | | | | VILLAGE: PARKWOOD |
| | | | | BLAKLEY RD |
| | | | | (T350) |
| | | | S 0050/0000 | LENGTH(AH 3627 BK 2337) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0040/1778 | LEN=0040 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0040/1221 | LEN=0040 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0040/0711 | LEN=0050 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0040/0416 | LEN=0040 INSTALLED UNKN |
| 2 0 32048 0 00 0096+52 | 009661 FT | | 009661 FT | |
| GOBBLERS RUN RD | | | | |
| (T830) | 0040/0000 | | S 0040/0000 | LENGTH(AH 2337 BK 2186) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0030/1717 | LEN=0040 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0030/1295 | LEN=0050 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0030/0347 | LEN=0035 INSTALLED UNKN |
| | 007475 FT | | 007475 FT | 2 0 32048 0 00 0074+74 |
| | | | | 015 "DIA CIRC CONCR |
| | | | | LEN=0040 INSTALLED UNKN |
| | | | | BIRDS RD |

DIR: B TOTAL LEN: 6.906 MI. DIST: 10-4 SR: 3022
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | | |
|---|---|---|---|
| | | | (T329) |
| | | | ARMSTRONG |
| | | | YOUNG T |
| WEST UNION RD | | | |
| (T891) | 0030/0000 | S 0030/0000 | LENGTH(AH 2186 BK 3925) |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/3727 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/3404 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/2410 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/2141 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1808 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/0504 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/0140 | LEN=0035 INSTALLED UNKN |
| | 003550 FT | 003550 FT | 2 0 32048 0 00 0035+09 |
| | | | MARK RD |
| | | | (T348) |
| | | S 0020/0000 | LENGTH(AH 3925 BK 3550) |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/3011 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/2615 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/1857 | LEN=0090 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/1498 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/1205 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0890 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/0340 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0142 | LEN=0035 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32048 0 00 0000+00 |
| | | NC PARKWOOD RD | |
| | | | OLD ROUTE 56 HW |
| | | | (SR3056 SEG 0040/1629) |
| | | | MFC BEGIN = D |
| | | S 0010/0000 | LENGTH(AH 3550 BK 0000) |

DIR: B TOTAL LEN: 3.246 MI. DIST: 10-4 SR: 3021
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

017137 FT

ELDERS RIDGE RD
(SR3019 SEG 0120/0000) 0060/3275

FOR SR 3019 AND 3021
(CONN) 0060/3116

013701 FT



017137 FT AH-ARMSTRONG (03)
REF-AHD OLIVET RD
0060/3436 (SR2039 SEG 0010/0000)
018 "DIA CIRC CONCR
0060/3388 LEN=0040 INSTALLED UNKN
ELDERS RIDGE RD
0060/3275 (SR3019 SEG 0120/0000)
015 "DIA CIRC METAL
0060/3220 LEN=0020 INSTALLED UNKN

018 "DIA CIRC METAL
0060/3070 LEN=0045 INSTALLED UNKN

018 "DIA CIRC CONCR
0060/2302 LEN=0050 INSTALLED UNKN
015 "DIA CIRC CONCR
0060/2117 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/1581 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/1335 LEN=0040 INSTALLED UNKN
024 "DIA CIRC CONCR
0060/0788 LEN=0042 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/0635 LEN=0055 INSTALLED UNKN

0060/0021 BMSEN 32/3021/0060/0000
013701 FT 1 0 00000 0 00 0000+00
VILLAGE: ELDERS RIDGE
HARPERS RUN
BMSBG 32/3021/0060/0000
0060/0000 LENGTH(AH 3436 BK 3660)

DIR: B TOTAL LEN: 3.246 MI. DIST: 10-4 SR: 3021
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | |
|---|---|---|---|
| | | 0050/3440 | 030 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | | 0050/2828 | 024 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN |
| | | 0050/2105 | 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN |
| BOSCH RD (T324) | 0050/1671 | | |
| | | 0050/1494 | 072"H 72"W ELLIP CONC LEN=0100 INSTALLED UNKN |
| | | 0050/0700 | 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| | 010041 FT | 010041 FT | 1 0 00574 0 00 0070+34 |
| | | S 0050/0000 | COLEMAN RD (SR3023 SEG 0010/0000) LENGTH(AH 3660 BK 2305) |
| | | 0040/2249 | 015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| TOWNSHIP AL (TWP ) | 0040/2053 | | |
| GREEN ST (T750) | 0040/1768 | | |
| BLUE ST (T464) | 0040/1612 | | |
| WHITE ST (T463) | 0040/1346 | | |
| | | 0040/1297 | 036"H 84"W CONC STRUCT LEN=0040 INSTALLED UNKN |
| | | 0040/1109 | 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| RED ST (T462) | 0040/1088 | 0040/1088 | CEMETERY DR (T461) |
| | | 0040/1074 | 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | | 0040/0988 | 015 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN |
| | | 0040/0496 | 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | 007736 FT | 007736 FT | 1 0 00574 0 00 0093+55 |
| | | S 0040/0000 | VILLAGE: ISLEN LENGTH(AH 2305 BK 2643) |
| | | 0030/1954 | 015 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN |
| | | 0030/1725 | 015 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN |

DIR: B TOTAL LEN: 3.246 MI. DIST: 10-4 SR: 3021
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | |
|---|---|---|
| | | 018 "DIA CIRC CONCR |
| | 0030/1482 | LEN=0050 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/1034 | LEN=0048 INSTALLED 2002 |
| | | 015 "DIA CIRC CONCR |
| | 0030/0782 | LEN=0050 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0030/0660 | LEN=0050 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0030/0499 | LEN=0050 INSTALLED UNKN |
| 005093 FT | 005093 FT | 1 0 00574 0 00 0120+21 |
| | S 0030/0000 | LENGTH(AH 2643 BK 1965) |
| | | 015 "DIA CIRC CONCR |
| | 0020/1914 | LEN=0040 INSTALLED UNKN |
| | | 030 "DIA CIRC CONCR |
| | 0020/1614 | LEN=0050 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0020/1196 | LEN=0045 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0020/0835 | LEN=0045 INSTALLED UNKN |
| | 0020/0023 | BMSEN 32/3021/0020/0000 |
| 003128 FT | 003128 FT | 1 0 00574 0 00 0139+61 |
| | | HARPERS RUN |
| | | BMSBG 32/3021/0020/0000 |
| | S 0020/0000 | LENGTH(AH 1965 BK 3128) |
| | | 018 "DIA CIRC CONCR |
| | 0010/2360 | LEN=0047 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/1976 | LEN=0050 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/1556 | LEN=0041 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/1112 | LEN=0050 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/0731 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/0335 | LEN=0045 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/0326 | LEN=0065 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/0078 | LEN=0050 INSTALLED UNKN |
| 000000 FT | 000000 FT | 1 0 00574 0 00 0171+01 |
| | | VILLAGE: CLARKSBURG |
| | | NC ISELIN RD |
| | | SR 0286 SH |
| | | (SR0286 SEG 0150/0082) |
| | | MFC BEGIN = D |
| | S 0010/0000 | LENGTH(AH 3128 BK 0000) |

DIR: B TOTAL LEN: .000 MI. DIST: 10-4 SR: 3020
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

000000 FT
000000 FT

000000 FT
7020/0000 LENGTH(AH 0894 BK 1016)
000000 FT
7010/0000 LENGTH(AH 1016 BK 0000)

DIR: B TOTAL LEN: 6.335 MI. DIST: 10-4 SR: 3019
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | | |
|---|---|---|---|---|
| COLEMAN RD (SR3023 SEG 0030/0630) | 033449 FT 0130/3238 | | 033449 FT 0130/3238 | COLEMAN RD (SR3023 SEG 0030/0630) |
| | | | 0130/1960 | 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| | | | 0130/1570 | 018 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN |
| | | | 0130/0822 | 018 "DIA CIR PLASTIC LEN=0032 INSTALLED 2004 |
| | | | 0130/0620 | 024 "DIA CIRC METAL LEN=0045 INSTALLED UNKN |
| | | | 0130/0444 | 024 "DIA CIRC METAL LEN=0038 INSTALLED UNKN |
| | | | 0130/0042 | 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| | 030211 FT | | 030211 FT | 2 0 32014 0 00 0299+87 |
| | | | 5 0130/0000 | LENGTH(AH 3238 BK 2711) |
| | | | 0120/2270 | 018 "DIA CIRC METAL LEN=0032 INSTALLED UNKN |
| | | | 0120/2131 | DURAND ST (T371) |
| ROSENSTEEL RD (T326) | 0120/2027 | | | |
| | | | 0120/1970 | 036 "DIA CIRC METAL LEN=0040 INSTALLED 1998 |
| | | | 0120/1917 | 018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN |
| | | | 0120/1680 | 018 "DIA CIRC CONCR LEN=0033 INSTALLED UNKN |
| | | | 0120/1397 | 018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN |

DIR: B TOTAL LEN: 6.335 MI. DIST: 10-4 SR: 3019
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | | |
|---|---|---|---|---|
| | | | | 024 "DIA CIRC CONCR |
| | | | 0120/0775 | LEN=0041 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0120/0400 | LEN=0032 INSTALLED UNKN |
| | | | | 015 "DIA CIRC METAL |
| | | | 0120/0020 | LEN=0034 INSTALLED UNKN |
| | 027500 FT | | 027500 FT | 2 0 32014 0 00 0272+95 |
| | | | | ISELIN RD |
| | | | | (SR3021 SEG 0060/3275) |
| | | | | MFC BEGIN = E |
| | | | 5 0120/0000 | LENGTH(AH 2711 BK 2698) |
| MANIFEST RD | | | | FOR SR 3019 AND 3021 |
| (T670) | 0110/2543 | | 0110/2543 | (CONN) |
| | | | | 018 "DIA CIRC METAL |
| | | | 0110/2234 | LEN=0033 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/1468 | LEN=0038 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0110/0455 | LEN=0036 INSTALLED UNKN |
| | 024802 FT | | 024802 FT | 2 0 32014 0 00 0245+04 |
| | | | | VILLAGE: ELDERS RIDGE |
| | | | 5 0110/0000 | LENGTH(AH 2698 BK 3066) |
| | | | | PHILLIPS RD |
| | | | 0100/2734 | (T322) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0100/2723 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0100/2490 | LEN=0028 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0100/2043 | LEN=0033 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0100/1615 | LEN=0035 INSTALLED UNKN |
| | | | | 030 "DIA CIRC METAL |
| | | | 0100/1333 | LEN=0035 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0100/0737 | LEN=0036 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0100/0381 | LEN=0056 INSTALLED UNKN |
| 2 0 32014 0 00 0213+45 | 021736 FT | | 021736 FT | |
| MANIFIST RD | | | | |
| (T354) | 0100/0000 | | 5 0100/0000 | LENGTH(AH 3066 BK 2132) |
| | | | | 030 "DIA CIRC METAL |
| | | | 0090/2077 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0090/1725 | LEN=0050 INSTALLED UNKN |

DIR: B TOTAL LEN: 6.335 MI. DIST: 10-4 SR: 3019
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIR PLASTIC |
| | | 0090/0568 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/0318 | LEN=0040 INSTALLED 2000 |
| 019604 FT | | 019604 FT | 2 0 32014 0 00 0192+60 |
| | | | 015 "DIA CIRC CONCR |
| | | | LEN=0029 INSTALLED UNKN |
| | | S 0090/0000 | LENGTH(AH 2132 BK 3104) |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/2802 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/2321 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/1996 | LEN=0029 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/1803 | LEN=0029 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/1594 | LEN=0029 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |
| | | 0080/1281 | LEN=0025 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/1183 | LEN=0029 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/0765 | LEN=0029 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/0591 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/0321 | LEN=0029 INSTALLED UNKN |
| | | 0080/0030 | BMSEN 32/3019/0080/0000 |
| | | | YOUNG |
| | | 0080/0016 | CONEMAUGH T |
| 016500 FT | | 016500 FT | 2 0 32014 0 00 0161+64 |
| | | | BIG RUN |
| | | | BMSBG 32/3019/0080/0000 |
| | | S 0080/0000 | LENGTH(AH 3104 BK 3079) |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/2745 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/2401 | LEN=0034 INSTALLED UNKN |
| | | | LC TO SPORTSMAN RD |
| | | 0070/2117 | (CONN) |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1880 | LEN=0040 INSTALLED UNKN |
| | | | SPORTSMAN RD |
| | | 0070/1699 | (T304) |
| IRWIN RD (T514) | 0070/1443 | | |
| | | | 030 "DIA CIR PLASTIC |
| | | 0070/1440 | LEN=0040 INSTALLED UNKN |
| | | | 048 "DIA CIRC METAL |

DIR: B TOTAL LEN: 6.335 MI. DIST: 10-4 SR: 3019
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

```
                                                  0070/1210 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0070/0800 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0070/0374 LEN=0033 INSTALLED UNKN
                    013421 FT                     013421 FT 2 0 32014 0 00 0130+84
                                                S 0070/0000 LENGTH(AH 3079 BK 2610)
                                                            015 "DIA CIRC CONCR
                                                  0060/2527 LEN=0028 INSTALLED UNKN
                                                            030 "DIA CIRC CONCR
                                                  0060/2120 LEN=0037 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0060/1880 LEN=0033 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0060/1558 LEN=0031 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0060/1254 LEN=0029 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0060/0970 LEN=0029 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0060/0685 LEN=0035 INSTALLED UNKN

                    010811 FT                     010811 FT 2 0 32014 0 00 0104+65
                                                            SPERANZA RD
                                                            (T515)
                                                ==S 0060/0000 LENGTH(AH 2610 BK 2473)

                                                            018 "DIA CIRC CONCR
                                                  0050/1822 LEN=0032 INSTALLED UNKN
LYTLE DR
(T303)               0050/1790                ==
                                                            015 "DIA CIRC CONCR
                                                  0050/1440 LEN=0039 INSTALLED UNKN

                                                            015 "DIA CIRC CONCR
                                                  0050/0550 LEN=0028 INSTALLED UNKN
                    008338 FT                     008338 FT 2 0 32014 0 00 0080+35
NOWRYTOWN RD                                                VILLAGE: NOWRYTOWN
(T302)               0050/0000                ==S 0050/0000 LENGTH(AH 2473 BK 2905)
                                                            015 "DIA CIRC CONCR
                                                  0040/2700 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0040/2500 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0040/2285 LEN=0034 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/1985 LEN=0029 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/1677 LEN=0034 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 6.335 MI. DIST: 10-4 SR: 3019
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

```
                                        0040/1369 LEN=0032 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0040/1090 LEN=0035 INSTALLED 1998
                                                  018 "DIA CIRC METAL
                                        0040/0621 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/0197 LEN=0032 INSTALLED 1998
005433 FT                               005433 FT 2 0 32014 0 00 0050+71
                                      S 0040/0000 LENGTH(AH 2905 BK 2557)
                                                  036 "DIA CIRC METAL
                                        0030/2283 LEN=0040 INSTALLED 1998

                                                  018 "DIA CIRC CONCR
                                        0030/1576 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0030/1224 LEN=0037 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0030/0935 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0030/0720 LEN=0032 INSTALLED UNKN
                                                  048 "DIA CIRC CONCR
                                        0030/0544 LEN=0044 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0030/0230 LEN=0036 INSTALLED UNKN
002876 FT                               002876 FT 2 0 32014 0 00 0025+15
                                      S 0030/0000 LENGTH(AH 2557 BK 2876)
                                                  018 "DIA CIRC CONCR
                                        0010/2623 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0010/2268 LEN=0037 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0010/1993 LEN=0034 INSTALLED UNKN
                                                  048 "DIA CIRC CONCR
                                        0010/1763 LEN=0038 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0010/1602 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0010/1287 LEN=0030 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0010/1065 LEN=0030 INSTALLED UNKN


                                                  030 "DIA CIRC CONCR
                                        0010/0146 LEN=0032 INSTALLED UNKN
000000 FT                               000000 FT 2 0 32014 1 00 0000+00
                                              NC ELDERS RIDGE RD
                                                  SR 0286 SH
                                                  (SR0286 SEG 0080/0227)
                                                  MFC BEGIN = D
                                      S 0010/0000 LENGTH(AH 2876 BK 0000)
```

DIR: B TOTAL LEN: .000 MI. DIST: 10-4 SR: 3018
LEFT MUN: CENTER T RIGHT MUN: CENTER T

000000 FT

000000 FT
7010/0000 LENGTH(AH 0096 BK 0000)

DIR: B TOTAL LEN: 4.694 MI. DIST: 10-4 SR: 3017
LEFT MUN: CENTER T RIGHT MUN: CENTER T

WATERWORKS RD 024782 FT
(SR3056 SEG 0260/1953) 0100/1807

024782 FT
INTER-AHD OLD ROUTE 56 HW
0100/1807 (SR3056 SEG 0260/1953)
018 "DIA CIRC METAL
0100/1304 LEN=0080 INSTALLED UNKN

DIR: B TOTAL LEN: 4.694 MI. DIST: 10-4 SR: 3017
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | | |
|---|---|---|---|---|
| | | | | 018 "DIA CIRC CONCR |
| | | | 0100/0774 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0100/0031 | LEN=0036 INSTALLED UNKN |
| | 022975 FT | | 022975 FT | 2 0 32030 0 01 0354+45 |
| | | | | NEAL RD |
| | | | | (T598) |
| | | | S 0100/0000 | LENGTH(AH 1807 BK 3007) |
| | | | 0090/2680 | (AAR 148863D)#TRKS 01 |
| | | | | 018 "DIA CIRC METAL |
| | | | 0090/2027 | LEN=0030 INSTALLED UNKN |
| | | P | | BMSEN 32/3017/0090/1353 |
| | | | 0090/1390 | BRIDGE POSTED (TONS) |
| | | | | 2 0 32030 0 01 0338+63 |
| | | | | SGL 24 COMB 33 |
| | | P | | CHERRY RUN |
| | | | 0090/1353 | BMSBG 32/3017/0090/1353 |
| | | | | 018 "DIA CIRC METAL |
| | | | 0090/0887 | LEN=0040 INSTALLED UNKN |
| GINTER RD (T681) | 0090/0535 | == | | |
| | 019968 FT | | 019968 FT | 2 0 32030 0 00 0320+26 |
| | | | | 060"H 60"W BOX CULVRT* |
| | | | | LEN=0055 INSTALLED UNKN |
| | | | | TR CHERRY RN |
| | | | | STRUCTURE LENGTH 14 FT |
| | | | | BMSID 32/3017/0090/0000 |
| | | | S 0090/0000 | LENGTH(AH 3007 BK 3506) |
| | | | | 060 "DIA CIRC METAL |
| | | | 0080/2832 | LEN=0060 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0080/2545 | LEN=0034 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0080/2175 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0080/1919 | LEN=0033 INSTALLED UNKN |
| | | | | 060 "DIA CIRC METAL |
| | | | 0080/0821 | LEN=0060 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0080/0601 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0080/0315 | LEN=0030 INSTALLED UNKN |
| | 016462 FT | | 016462 FT | 2 0 32030 0 00 0285+09 |
| | | | S 0080/0000 | LENGTH(AH 3506 BK 3559) |

DIR: B TOTAL LEN: 4.694 MI. DIST: 10-4 SR: 3017
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC METAL |
| | | 0070/3458 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/3105 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0070/2696 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0070/2380 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0070/2137 | LEN=0030 INSTALLED UNKN |
| | | | 060 "DIA CIRC METAL |
| | | 0070/1888 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0070/1524 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0070/1282 | LEN=0052 INSTALLED UNKN |
| | | | 030 "DIA CIR PLASTIC |
| | | 0070/1048 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0070/0871 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/0530 | LEN=0030 INSTALLED UNKN |
| 2 0 32030 0 00 0249+50 | 012903 FT | 012903 FT | |
| COAL RD | | | NC CHERRY RUN RD |
| (SR3033 SEG 0010/0000) | 0070/0000 | S 0070/0000 | LENGTH(AH 3559 BK 1077) |
| | | | 015 "DIA CIRC METAL |
| | | 0060/0892 | LEN=0034 INSTALLED UNKN |
| | 011826 FT | 011826 FT | 2 0 32024 0 00 0165+31 |
| | | | (APRA) QUALITY CENTER R |
| | | | QUALITY CENTER RD |
| | | | (PRDR) |
| | | S 0060/0000 | LENGTH(AH 1077 BK 3370) |
| | | | 018 "DIA CIRC METAL |
| | | 0050/2986 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0050/2200 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0050/1634 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0050/0927 | LEN=0035 INSTALLED UNKN |
| | 008456 FT | 008456 FT | 2 0 32024 0 00 0131+78 |
| | | | (APRA) HOMER CITY POWER |
| | | | POWER PLANT RD |
| | | | (PRDR) |
| | | | POWER PLANT RD |

DIR: B TOTAL LEN: 4.694 MI. DIST: 10-4 SR: 3017
LEFT MUN: CENTER T RIGHT MUN: CENTER T

BRUNER RD
(T463)

| | | |
|---|---|---|
| | | (PRDR) |
| | | 5 0050/0000 LENGTH(AH 3370 BK 1158) |
| 0040/0582 | | |
| 007298 FT | | 007298 FT 2 0 32153 0 00 0072+90 |
| | | CENTER |
| | | BLACK LICK T |
| | | 5 0040/0000 LENGTH(AH 1158 BK 3073) |
| | | 036 "DIA CIRC CONCR |
| | | 0030/1861 LEN=0048 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | | 0030/1407 LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | | 0030/0694 LEN=0025 INSTALLED UNKN |
| 004225 FT | | 004225 FT 2 0 32153 0 00 0042+32 |
| | | 5 0030/0000 LENGTH(AH 3073 BK 2255) |
| | | 066"H 90"W ELLIP METAL |
| | | 0020/2192 LEN=0031 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | | 0020/1535 LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | | 0020/1265 LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | | 0020/0380 LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | | 0020/0125 LEN=0031 INSTALLED 2001 |
| 001970 FT | | 001970 FT 2 0 32153 0 00 0019+64 |
| | | 5 0020/0000 LENGTH(AH 2255 BK 1970) |
| | | 018 "DIA CIRC METAL |
| | | 0010/1786 LEN=0030 INSTALLED UNKN |
| | | 030 "DIA CIRC METAL |
| | | 0010/1543 LEN=0038 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | | 0010/0246 LEN=0030 INSTALLED UNKN |
| 000000 FT | | 000000 FT 2 0 32153 0 00 0000+00 |
| | | NC COAL RD |
| | | BLACKLICK RD |
| | | (SR3013 SEG 0050/1296) |
| | | MFC BEGIN = D |
| | | 5 0010/0000 LENGTH(AH 1970 BK 0000) |

DIR: B TOTAL LEN: .020 MI. DIST: 10-4 SR: 3016
LEFT MUN: CENTER T RIGHT MUN: CENTER T

000104 FT

000000 FT

000000 FT

000000 FT

000000 FT



```
  000104 FT
  7034/0000 LENGTH(AH 0131 BK 0104)
            BMSEN 32/3016/0030/0000
* REF-AHD   JACKSONVILLE RD
  0030/0104 (BORO)
  000000 FT 2 0 32123 0 00 0057+63
        NC JACKSONVILLE RD
* REF-BK    JACKSONVILLE RD
            (T902)
            TWO LICK CREEK
            BMSBG 32/3016/0030/0000
5 0030/0000 LENGTH(AH 0104 BK 1370)
  000000 FT
  7030/0000 LENGTH(AH 1370 BK 2751)
  000000 FT
  7020/0000 LENGTH(AH 2751 BK 2915)
  000000 FT
  7010/0000 LENGTH(AH 2915 BK 0000)
```

DIR: B TOTAL LEN: 3.119 MI. DIST: 10-4 SR: 3015
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

BLACKLICK RD 016466 FT
(SR3013 SEG 0070/0000) 0060/1248

016466 FT BLACKLICK RD
0060/1248 (SR3013 SEG 0070/0000)
036 "DIA CIR PLASTIC
0060/0973 LEN=0070 INSTALLED 2015
0060/0761 BMSEN 32/3015/0060/0727
2 0 32028 0 00 0159+59
MUDDY RUN
0060/0727 BMSBG 32/3015/0060/0727

DIR: B TOTAL LEN: 3.119 MI. DIST: 10-4 SR: 3015
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

| | | |
|---|---|---|
| | | 060 "DIA CIR PLASTIC |
| | 0060/0405 | LEN=0060 INSTALLED 2016 |
| 015218 FT | 015218 FT | 2 0 32028 0 00 0152+40 |
| | | MUDDY RUN RD |
| | | (T570) |
| | S 0060/0000 | LENGTH(AH 1248 BK 2977) |
| | | 018 "DIA CIR PLASTIC |
| | 0050/2826 | LEN=0054 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/2670 | LEN=0060 INSTALLED 2010 |
| | | 018 "DIA CIRC CONCR |
| | 0050/1238 | LEN=0039 INSTALLED UNKN |
| | | 015 "DIA CIR UNKNOWN |
| | 0050/0715 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/0085 | LEN=0040 INSTALLED UNKN |
| 012241 FT | 012241 FT | 2 0 32028 0 00 0122+40 |
| | | SMITH RD |
| | | (T574) |
| | S 0050/0000 | LENGTH(AH 2977 BK 2217) |
| | | 024 "DIA CIRC CONCR |
| | 0040/1485 | LEN=0040 INSTALLED 2004 |
| | | 015 "DIA CIR PLASTIC |
| | 0040/1370 | LEN=0060 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/0750 | LEN=0036 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/0419 | LEN=0040 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0040/0264 | LEN=0040 INSTALLED UNKN |
| 010024 FT | 010024 FT | 2 0 32028 0 00 0099+86 |
| | S 0040/0000 | LENGTH(AH 2217 BK 3490) |
| | | 015 "DIA CIRC METAL |
| | 0030/2932 | LEN=0001 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/2628 | LEN=0043 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/2158 | LEN=0044 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/1959 | LEN=0037 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/1630 | LEN=0035 INSTALLED UNKN |
| | | 036 "DIA CIRC METAL |
| | 0030/1427 | LEN=0038 INSTALLED UNKN |

DIR: B TOTAL LEN: 3.119 MI. DIST: 10-4 SR: 3015
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0876 | LEN=0032 INSTALLED 2007 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0673 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0339 | LEN=0055 INSTALLED UNKN |
| 006534 FT | | 006534 FT | 2 0 32028 0 00 0065+00 |
| | S | 0030/0000 | LENGTH(AH 3490 BK 3452) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/3350 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2890 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1986 | LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1777 | LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1268 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0967 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0612 | LEN=0043 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0438 | LEN=0035 INSTALLED UNKN |
| 003082 FT | | 003082 FT | 2 0 32028 0 00 0031+05 |
| | S | 0020/0000 | LENGTH(AH 3452 BK 3082) |
| | | | 048"H 60"W BOX CULVERT |
| | | 0010/2994 | LEN=0038 INSTALLED UNKN |
| | | | 030 "DIA CIR PLASTIC |
| | | 0010/2403 | LEN=0040 INSTALLED 2015 |
| | | | 030 "DIA CIR PLASTIC |
| | | 0010/2190 | LEN=0050 INSTALLED 2015 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/1180 | LEN=0040 INSTALLED 2015 |
| | | | HOPEWELL CHURCH RD |
| | | | (SR3001 SEG 0010/3752) |
| | | 0010/0914 | MFC BEGIN = E |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0610 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0251 | LEN=0042 INSTALLED UNKN |
| | | | NC HILL RD |
| | | | SR 0217 SH |
| 2 0 32028 0 00 0000+00 000000 FT | | 000000 FT | (SR0217 SEG 0130/0000) |
| SR 0217 SH | | | MFC BEGIN = D |
| (SR0217 SEG 0130/0000) 0010/0000 | | S 0010/0000 | LENGTH(AH 3082 BK 0000) |

DIR: B TOTAL LEN: .000 MI. DIST: 10-4 SR: 3014
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

| | | |
|---|---|---|
| 000000 FT | | 000000 FT |
| | | 7050/0000 LENGTH(AH 0721 BK 3743) |
| 000000 FT | | 000000 FT |
| | | 7040/0000 LENGTH(AH 3743 BK 1982) |
| 000000 FT | | 000000 FT |
| | | 7032/0000 LENGTH(AH 1982 BK 0009) |
| 000000 FT | | 000000 FT |
| | | 7030/0000 LENGTH(AH 0009 BK 2977) |
| 000000 FT | | 000000 FT |
| | | 7020/0000 LENGTH(AH 2977 BK 2631) |
| 000000 FT | | 000000 FT |
| | | 7014/0000 LENGTH(AH 2631 BK 0028) |
| 000000 FT | | 000000 FT |
| | | 7012/0000 LENGTH(AH 0028 BK 0430) |
| 000000 FT | | 000000 FT |
| | | 7010/0000 LENGTH(AH 0430 BK 0000) |

DIR: B TOTAL LEN: 6.011 MI. DIST: 10-4 SR: 3013
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

SR 0217 SH
(SR0217 SEG 0190/0000)



| | | |
|---|---|---|
| 031740 FT | 031740 FT | SR 0217 SH |
| 0090/3765 | 0090/3765 | (SR0217 SEG 0190/0000) |
| | 0090/3540 | BMSEN 32/3013/0090/3521 |
| | | 2 0 32022 0 00 0314+44 |
| | | STEWART RUN |
| | 0090/3521 | BMSBG 32/3013/0090/3521 |
| | | 048 "DIA CIRC CONCR |
| | 0090/0926 | LEN=0041 INSTALLED UNKN |
| 027975 FT | 027975 FT | 2 0 32022 0 00 0280+07 |
| | S 0090/0000 | LENGTH(AH 3765 BK 3527) |
| | | 018 "DIA CIRC METAL |
| | 0080/3437 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIR PLASTIC |
| | 0080/2539 | LEN=0042 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0080/1909 | LEN=0029 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0080/1580 | LEN=0080 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0080/0742 | LEN=0030 INSTALLED 1999 |
| | | 018 "DIA CIR PLASTIC |
| | 0080/0140 | LEN=0040 INSTALLED 2015 |
| 024448 FT | 024448 FT | 2 0 32022 0 00 0244+78 |
| | S 0080/0000 | LENGTH(AH 3527 BK 3405) |
| | | 018 "DIA CIR PLASTIC |

DIR: B TOTAL LEN: 6.011 MI. DIST: 10-4 SR: 3013
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

| | | | |
|---|---|---|---|
| | | 0070/3055 | LEN=0040 INSTALLED 2015<br>018 "DIA CIRC METAL |
| | | 0070/2835 | LEN=0037 INSTALLED UNKN<br>018 "DIA CIR PLASTIC |
| | | 0070/2492 | LEN=0060 INSTALLED 2010<br>STRONG RD |
| | | 0070/2463 | (T566) |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1149 | LEN=0033 INSTALLED UNKN |
| | | 0070/1027 | BMSEN 32/3013/0070/0999<br>2 0 32022 0 00 0221+01<br>MUDDY RUN |
| | | 0070/0999 | BMSBG 32/3013/0070/0999 |
| | | | 045"H 48"W CONC STRUCT |
| | | 0070/0053 | LEN=0031 INSTALLED UNKN |
| 2 0 32022 0 00 0211+03 021043 FT<br>HILL RD<br>(SR3015 SEG 0060/1248) 0070/0000 | | 021043 FT<br>S 0070/0000 | LENGTH(AH 3405 BK 3608) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/3550 | LEN=0043 INSTALLED UNKN<br>018 "DIA CAST IRON |
| | | 0060/3175 | LEN=0037 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0060/2728 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/2038 | LEN=0048 INSTALLED 2008 |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1372 | LEN=0034 INSTALLED UNKN<br>012 "DIA CIRC METAL |
| | | 0060/0830 | LEN=0035 INSTALLED UNKN |
| | 017435 FT | 017435 FT | 2 0 32022 0 00 0174+96<br>018 "DIA CIRC CONCR<br>LEN=0048 INSTALLED 2008 |
| | | S 0060/0000 | LENGTH(AH 3608 BK 3472)<br>SAWMILL RD |
| | | 0050/3430 | (TWP ) |
| | | | 018 "DIA CIRC METAL |
| | | 0050/2080 | LEN=0035 INSTALLED UNKN<br>018 "DIA CIRC METAL |

DIR: B TOTAL LEN: 6.011 MI. DIST: 10-4 SR: 3013
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

```
                                                  0050/1510 LEN=0050 INSTALLED UNKN
                                                            COAL RD
                                                  0050/1296 (SR3017 SEG 0010/0000)

                                                            018 "DIA CIR PLASTIC
                                                  0050/0120 LEN=0050 INSTALLED UNKN
                        013963 FT                 013963 FT 2 0 32022 0 00 0140+23
                                                S 0050/0000 LENGTH(AH 3472 BK 3438)
                                                            018 "DIA CIRC METAL
                                                  0040/3342 LEN=0035 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0040/2193 LEN=0040 INSTALLED UNKN

                                                            015 "DIA CIR PLASTIC
                                                  0040/1370 LEN=0060 INSTALLED UNKN
                                                            030 "DIA CIRC CONCR
                                                  0040/1280 LEN=0046 INSTALLED UNKN
                                                            DICKEY RD
                                                  0040/1235 (T455)
                                                            015 "DIA CIRC CONCR
                                                  0040/1000 LEN=0035 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0040/0006 LEN=0033 INSTALLED UNKN
                        010525 FT                 010525 FT 2 0 32022 0 00 0104+99
                                                S 0040/0000 LENGTH(AH 3438 BK 3512)
                                                            030 "DIA CIRC CONCR
                                                  0030/3163 LEN=0047 INSTALLED UNKN
                                                            060 "DIA CIRC CONCR
                                                  0030/2910 LEN=0061 INSTALLED UNKN
THOMPSON RD
(SR3008 SEG 0050/3579)  0030/2440

                                                            024 "DIA CIRC METAL
                                                  0030/2008 LEN=0034 INSTALLED UNKN
MCCONNELL RD
(T592)                  0030/1960

                                                            018 "DIA CIRC METAL
                                                  0030/1842 LEN=0085 INSTALLED 2006

                                                            018 "DIA CIRC METAL
                                                  0030/1026 LEN=0039 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0030/0567 LEN=0039 INSTALLED UNKN
                        007013 FT                 007013 FT 2 0 32022 0 00 0069+90
                                                S 0030/0000 LENGTH(AH 3512 BK 3439)
                                                            018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 6.011 MI. DIST: 10-4 SR: 3013
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

| | | | |
|---|---|---|---|
| | | | 0020/3147 LEN=0050 INSTALLED UNKN |
| ASH RD (PRDR) | 0020/3143 | | |
| DUNLAP DR (TWP ) | 0020/2711 | | |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/2604 LEN=0075 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | | 0020/2028 LEN=0080 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/1470 LEN=0040 INSTALLED 2002 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/0980 LEN=0040 INSTALLED UNKN |
| DUNLAP DR (TWP ) | 0020/0916 | | |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0020/0658 LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0020/0255 LEN=0042 INSTALLED UNKN |
| 2 0 32022 0 00 0035+63 003574 FT | | | 003574 FT |
| MCCONNELL RD (T592) | 0020/0000 | | 5 0020/0000 LENGTH(AH 3439 BK 3574) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0010/3562 LEN=0060 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | | 0010/3190 LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0010/2670 LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/2121 LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | | 0010/1620 LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/1390 LEN=0075 INSTALLED 2002 |
| | | | MAHAN SCHOOL RD |
| | | | 0010/1321 (T596) |
| | | | 024 "DIA CIRC CONCR |
| | | | 0010/1015 LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | | 0010/0746 LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/0407 LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | | 0010/0102 LEN=0045 INSTALLED UNKN |
| | 000000 FT | | 000000 FT 2 0 32022 0 00 0000+00 |
| | | | NC BLACKLICK RD |
| | | | CAMPBELLS MILL RD |
| | | | (SR3011 SEG 0100/0000) |
| | | | MFC BEGIN = D |
| | | | 5 0010/0000 LENGTH(AH 3574 BK 0000) |

DIR: B TOTAL LEN: 5.433 MI. DIST: 10-4 SR: 3011
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

028687 FT

028687 FT
INTER-AHD MAIN ST

DIR: B TOTAL LEN: 5.433 MI. DIST: 10-4 SR: 3011
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

| | | | |
|---|---|---|---|
| | | | (SR2017 SEG 0060/1076) |
| | | | PATRICK J. STAPLETON HW |
| | | | (SR0119 SEG 0063/0000) |
| | | | (SR0119 SEG 0062/0000) |
| | | 0100/2173 | |
| | | | 012 "DIA CIRC CONCR |
| | | 0100/2106 | LEN=0050 INSTALLED UNKN |
| | | 0100/0934 | BMSEN 32/3011/0100/0519 |
| | | | BURRELL |
| | | 0100/0726 | BLACK LICK T |
| | | | 2 0 32016 0 00 0195+82 |
| | | | BLACKLICK CR |
| | | 0100/0519 | BMSBG 32/3011/0100/0519 |
| | | | JUGHANDLE RD |
| | | 0100/0078 | (SR9419 SEG 0010/0367) |
| 2 0 32016 0 00 0190+55 026514 FT | | 026514 FT | |
| BLACKLICK RD | | | MFC BEGIN = D |
| (SR3013 SEG 0010/0000) 0100/0000 | | S 0100/0000 | LENGTH(AH 2173 BK 3537) |
| | | | JUGHANDLE RD |
| | | 0090/3407 | (SR9419 SEG 0010/0000) |
| | | | 036 "DIA CIRC CONCR |
| | | 0090/3068 | LEN=0035 INSTALLED UNKN |
| | | | GRAFTON RD |
| | | 0090/2591 | (T448) |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/2580 | LEN=0030 INSTALLED 2003 |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/2075 | LEN=0047 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1688 | LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1460 | LEN=0029 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0090/1230 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/0810 | LEN=0045 INSTALLED UNKN |
| | 022977 FT | 022977 FT | 2 0 32016 0 00 0155+08 |
| | | S 0090/0000 | LENGTH(AH 3537 BK 2990) |
| | | | 036 "DIA CIRC CONCR |
| | | 0080/2648 | LEN=0048 INSTALLED 2003 |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/2501 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/2210 | LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/1590 | LEN=0033 INSTALLED 2003 |

DIR: B TOTAL LEN: 5.433 MI. DIST: 10-4 SR: 3011
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0080/0890 | LEN=0050 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0080/0793 | LEN=0058 INSTALLED UNKN |
| | | 0080/0412 | BMSEN 32/3011/0080/0000 |
| | | | BLACK LICK |
| | | 0080/0207 | BURRELL T |
| | 019987 FT | 019987 FT | 2 0 32016 0 00 0125+08 |
| | | | BLACKLICK CR |
| | | | BMSBG 32/3011/0080/0000 |
| | | S 0080/0000 | LENGTH(AH 2990 BK 3770) |
| HOWARD BROS. EXCAVATING (PRDR) | 0070/2249 | 0070/2249 | (APRA) HOWARD BROS. EXC |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/1983 | LEN=0068 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/1338 | LEN=0099 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/0730 | LEN=0037 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/0426 | LEN=0039 INSTALLED UNKN |
| 2 0 32016 0 00 0089+00 | 016217 FT | 016217 FT | |
| FALLING RUN RD (T447) | 0070/0000 | S 0070/0000 | LENGTH(AH 3770 BK 2363) |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/2315 | LEN=0049 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/1108 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/0756 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/0517 | LEN=0031 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/0024 | LEN=0055 INSTALLED UNKN |
| | 013854 FT | 013854 FT | 2 0 32016 0 00 0065+73 |
| | | S 0060/0000 | LENGTH(AH 2363 BK 3479) |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/3270 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/3139 | LEN=0034 INSTALLED UNKN |

DIR: B TOTAL LEN: 5.433 MI. DIST: 10-4 SR: 3011
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 0050/2660 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/1850 | LEN=0035 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0050/1460 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/1320 | LEN=0040 INSTALLED 2015 |
| | | | YORK ST |
| | | 0050/0418 | (T881) |
| | | | 036 "DIA CIRC CONCR |
| | | 0050/0112 | LEN=0045 INSTALLED UNKN |
| | | 0050/0046 | (AAR 545121E)#TRKS 01 |
| | 010375 FT | 010375 FT | 2 0 32016 0 00 0030+97 |
| | | | CORNELL RD |
| | | | (T841) |
| | | | NC CAMPBELLS MILL RD |
| | | S 0050/0000 | LENGTH(AH 3479 BK 1524) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1333 | LEN=0030 INSTALLED UNKN |
| | | | WALLACE RD |
| | | 0040/0947 | (T705) |
| | | | BRIDGE ST |
| | | 0040/0355 | (T795) |
| COUNTRY LN (T445) | 0040/0172 | | |
| | 008851 FT | 008851 FT | 1 1 00433 0 00 0055+00 |
| | | | HOKE RD |
| | | | (T446) |
| | | S 0040/0000 | LENGTH(AH 1524 BK 2534) |
| | | | 018 "DIA CIRC METAL |
| | | 0030/2136 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0030/1787 | LEN=0055 INSTALLED UNKN |
| | | | SOCIALVILLE LN |
| | | 0030/1715 | (T441) |
| | | | 030"H 36"W CON BOX CUL |
| | | 0030/1418 | LEN=0025 INSTALLED UNKN |
| | | | 030 "DIA CIRC METAL |
| | | 0030/0724 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0278 | LEN=0038 INSTALLED UNKN |
| | | 0030/0050 | (APRA) AMFIRE MINING EN |
| | 006317 FT | 006317 FT | 1 1 00433 0 00 0031+81 |
| | | | NC CORNELL RD |
| | | | WILLIAM PENN HW |

DIR: B TOTAL LEN: 5.433 MI. DIST: 10-4 SR: 3011
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

```
                                                  (SR0022 SEG 0041/0000)
                                                  (SR0022 SEG 0040/0000)
                                                  MFC BEGIN = E
                                   S 0030/0000    LENGTH(AH 2534 BK 3161)
                                                  018 "DIA CIRC CONCR
                                     0020/3126    LEN=0040 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                     0020/2272    LEN=0069 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                     0020/1615    LEN=0039 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0020/1085    LEN=0032 INSTALLED 1998

                                                  (APRA) 12TH CONGRESS EQ
                                                  12TH CONGRESS EQUIP DR
                                     0020/0368    (PRDR)
003156 FT                            003156 FT 1 1 00433 0 00 0000+00
                                           NC INDIANA AV
                                                  EVANS AV
                                                  (BORO)
                                                  BURRELL
                                                  BLAIRSVILLE B
                                   S 0020/0000    LENGTH(AH 3161 BK 3156)
                                                  HILL ST
                                     0010/2564    (BORO)

                                                  CEDAR AV
                                     0010/1807    (BORO)
                                                  MAPLE AV
                                     0010/1559    (BORO)
                                                  EAST AV
                                     0010/1164    (BORO)
                                                  MAHER ST
                                     0010/0838    (BORO)
                                                  NORTH AV
                                     0010/0553    (BORO)
                                                  CAMPBELL ST
                                     0010/0372    (BORO)
                                                  SUGAR AL
                                     0010/0188    (BORO)
000000 FT                            000000 FT 2 0 32016 0 00 0000+00
                                           NC BRADY ST
                                                  MARKET ST
                                                  (SR2002 SEG 0020/0827)
                                     INTER-BK     BRADY ST
                                                  (BORO)
                                                  MFC BEGIN = D
                                   S 0010/0000    LENGTH(AH 3156 BK 0000)
```

DIR: B TOTAL LEN: 2.909 MI. DIST: 10-4 SR: 3010
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

015362 FT
MCINTYRE RD
(SR3031 SEG 0120/0000) 0050/3707



015362 FT
INTER-AHD MCINTYRE RD
0050/3707 (SR3031 SEG 0120/0000)

018 "DIA CIRC METAL
0050/2859 LEN=0021 INSTALLED UNKN
018 "DIA CIRC METAL
0050/2630 LEN=0035 INSTALLED UNKN
024 "DIA CIRC CONCR
0050/2324 LEN=0029 INSTALLED UNKN

DIR: B TOTAL LEN: 2.909 MI. DIST: 10-4 SR: 3010
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/1680 | LEN=0026 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0050/1052 | LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0050/0034 | LEN=0029 INSTALLED UNKN |
| 2 0 32165 0 00 0149+00 011655 FT | | 011655 FT | |
| WEISS RD | | | |
| (T350) 0050/0000 | | S 0050/0000 | LENGTH(AH 3707 BK 3265) |
| | | | 018 "DIA CIRC METAL |
| | | 0040/3135 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0040/2809 | LEN=0021 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/2570 | LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2133 | LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2030 | LEN=0008 INSTALLED 1997 |
| | | | GAZDA RD |
| | | 0040/1973 | (T438) |
| | | | 015 "DIA CIRC METAL |
| | | 0040/1719 | LEN=0025 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0040/1538 | LEN=0023 INSTALLED UNKN |
| | | | 024 "DIA CIR PLASTIC |
| | | 0040/0890 | LEN=0029 INSTALLED UNKN |
| | | | 015 "DIA CAST IRON |
| | | 0040/0820 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/0619 | LEN=0033 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0040/0319 | LEN=0035 INSTALLED UNKN |
| 008390 FT | | 008390 FT | 2 0 32165 0 00 0116+58 |
| | | | 036"H 00"W MULT METAL |
| | | | LEN=0030 INSTALLED UNKN |
| | | S 0040/0000 | LENGTH(AH 3265 BK 2802) |
| | | | 015 "DIA CIRC METAL |
| | | 0030/2139 | LEN=0035 INSTALLED UNKN |
| | | | 024 "DIA CIR PLASTIC |
| | | 0030/1550 | LEN=0033 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 2.909 MI. DIST: 10-4 SR: 3010
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T



| | | |
|---|---|---|
| | 0030/0531 | LEN=0024 INSTALLED UNKN |
| | 0030/0018 | BMSEN 32/3010/0030/0000 |
| 005588 FT | 005588 FT | 2 0 32165 0 00 0088+52 |
| | | TR BLACKLEGS CREEK |
| | | BMSBG 32/3010/0030/0000 |
| | 0030/0000 | LENGTH(AH 2802 BK 2920) |
| | 0020/2832 | (AAR 148816V)#TRKS 01 |
| | | TO/FROM T336 RT |
| | 0020/2727 | (CONN) |
| | | SHROKMAN RD |
| | 0020/2645 | (T336) |
| | 0020/2434 | BMSEN 32/3010/0020/2401 |
| | | 2 0 32165 0 00 0083+04 |
| | | BLACKLEGS CR |
| | 0020/2401 | BMSBG 32/3010/0020/2401 |
| WERTZ RD (T348) | 0020/2022 | |
| | | 015 "DIA CIRC CONCR |
| | 0020/1977 | LEN=0074 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0020/1324 | LEN=0041 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0020/0749 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIR PLASTIC |
| | 0020/0376 | LEN=0050 INSTALLED 2016 |
| | | 015 "DIA CIRC METAL |
| | 0020/0098 | LEN=0040 INSTALLED UNKN |
| 002668 FT | 002668 FT | 2 0 32165 0 00 0059+09 |
| | 0020/0000 | LENGTH(AH 2920 BK 2668) |
| | | 024 "DIA CIRC CONCR |
| | 0010/2550 | LEN=0030 INSTALLED UNKN |
| | | 012 "DIA CIRC CONCR |
| | 0010/1274 | LEN=0028 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0010/0600 | LEN=0028 INSTALLED UNKN |
| | | 018 "DIA CIR PLASTIC |
| | 0010/0074 | LEN=0040 INSTALLED 2016 |
| 000000 FT | 000000 FT | 2 0 32165 0 00 0032+45 |
| | | BLACK LEGS RD |
| | | (SR3027 SEG 0080/0000) |
| | | NC REARICK RD |
| | INTER-BK | BLACK LEGS RD |
| | | (SR3027 SEG 0080/0000) |
| | | MFC BEGIN = E |
| | 0010/0000 | LENGTH(AH 2668 BK 0000) |

DIR: B TOTAL LEN: 6.567 MI. DIST: 10-4 SR: 3009
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| LEFT | | RIGHT |
|---|---|---|
| SALTSBURG RD<br>(SR3002 SEG 0150/2904) | 034676 FT<br>0110/2421 | 034676 FT SALTSBURG RD<br>0110/2421 (SR3002 SEG 0150/2904) |
| | 032255 FT | 032255 FT 2 0 32004 0 02 0365+16<br>5 0110/0000 LENGTH(AH 2421 BK 2999)<br>018 "DIA CIRC METAL<br>0100/2475 LEN=0041 INSTALLED UNKN<br>YOUNG<br>0100/1662 CONEMAUGH T |
| BROWN RD<br>(T518) | 0100/0905 | LEWISVILLE RD<br>0100/0802 (T433) |
| | 029256 FT | 029256 FT 2 0 32004 0 02 0335+19<br>VILLAGE: LEWISVILLE<br>5 0100/0000 LENGTH(AH 2999 BK 3708)<br>018 "DIA CIRC CONCR<br>0090/3287 LEN=0040 INSTALLED UNKN<br>018 "DIA CIRC METAL<br>0090/2418 LEN=0033 INSTALLED UNKN<br>018 "DIA CIRC CONCR<br>0090/1911 LEN=0030 INSTALLED UNKN<br>036 "DIA CIRC CONCR<br>0090/1479 LEN=0032 INSTALLED UNKN |
| 2 0 32004 0 02 0302+41<br>BARKLEY RD<br>(T439) | 025548 FT<br>0090/0000 | 018 "DIA CIRC CONCR<br>0090/0060 LEN=0031 INSTALLED UNKN<br>025548 FT<br>5 0090/0000 LENGTH(AH 3708 BK 3304) |
| | | 030 "DIA CIRC METAL<br>0080/2087 LEN=0175 INSTALLED UNKN |

DIR: B TOTAL LEN: 6.567 MI. DIST: 10-4 SR: 3009
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

| | | | |
|---|---|---|---|
| | | | 024 "DIA CIRC METAL |
| | | 0080/1713 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0080/1436 | LEN=0045 INSTALLED UNKN |
| | | 0080/0637 | BMSEN 32/3009/0080/0622 |
| | | | 2 0 32004 0 00 0276+22 |
| | | | MILLER RUN |
| | | 0080/0622 | BMSBG 32/3009/0080/0622 |
| | | | 018 "DIA CIRC METAL |
| | | 0080/0421 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0080/0165 | LEN=0035 INSTALLED UNKN |
| | 022244 FT | 022244 FT | 2 0 32004 0 01 0270+00 |
| | | 5 0080/0000 | LENGTH(AH 3304 BK 3529) |
| | | | 024 "DIA CIRC METAL |
| | | 0070/3360 | LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/2717 | LEN=0045 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0070/2400 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1465 | LEN=0054 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0882 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0637 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0407 | LEN=0056 INSTALLED UNKN |
| | 018715 FT | 018715 FT | 2 0 32004 0 00 0229+24 |
| | | 5 0070/0000 | LENGTH(AH 3529 BK 1871) |
| CLARKSBURG RD | | | |
| (SR3007 SEG 0010/0000) | 0060/0904 | 0060/0904 | MFC BEGIN = E |
| | | 0060/0313 | BMSEN 32/3009/0060/0000 |
| | | | CONEMAUGH |
| | | 0060/0159 | BLACK LICK T |
| | 016844 FT | 016844 FT | 2 0 32004 0 00 0210+49 |
| | | | AULTMANS RUN |
| | | | BMSBG 32/3009/0060/0000 |
| | | 5 0060/0000 | LENGTH(AH 1871 BK 3023) |
| | | | 018 "DIA CIRC METAL |
| | | 0050/2995 | LEN=0035 INSTALLED 2018 |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/2990 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 6.567 MI. DIST: 10-4 SR: 3009
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

```
                                        0050/2596 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/2264 LEN=0046 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/2162 LEN=0046 INSTALLED UNKN

                                                  060 "DIA CIRC CONCR
                                        0050/1537 LEN=0080 INSTALLED UNKN
                                                  GRANGE RD
                                        0050/1448 (SR3004 SEG 0010/0000)
                                                  018 "DIA CIRC CONCR
                                        0050/1057 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/0731 LEN=0040 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0050/0070 LEN=0035 INSTALLED UNKN
013821 FT                               013821 FT 2 0 32004 0 00 0180+30
                                      S 0050/0000 LENGTH(AH 3023 BK 3555)
                                                  018 "DIA CIRC CONCR
                                        0040/3180 LEN=0037 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/2975 LEN=0038 INSTALLED UNKN
                                                  030 "DIA CIRC CONCR
                                        0040/2763 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/2455 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/2110 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/1861 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/1335 LEN=0036 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/1060 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/0820 LEN=0034 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0040/0545 LEN=0034 INSTALLED UNKN
010266 FT                               010266 FT 2 0 32004 0 00 0144+75
                                      S 0040/0000 LENGTH(AH 3555 BK 3527)
                                                  015 "DIA CIRC CONCR
                                        0030/3527 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0030/3489 LEN=0049 INSTALLED 2012

                                                  018 "DIA CIRC CONCR
                                        0030/2870 LEN=0034 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0030/2530 LEN=0034 INSTALLED UNKN
```

DIR: B TOTAL LEN: 6.567 MI. DIST: 10-4 SR: 3009
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2075 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1500 | LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0838 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0415 | LEN=0030 INSTALLED UNKN |
| | 006739 FT | 006739 FT | 2 0 32004 0 00 0109+48 |
| | | S 0030/0000 | LENGTH(AH 3527 BK 3468) |
| | | | STEWART RUN |
| | | | STRUCTURE LENGTH 20 FT |
| | | 0020/2935 | BMSID 32/3009/0020/2935 |
| | | 0020/1487 | BMSEN 32/3009/0020/1033 |
| | | | BLACK LICK |
| | | 0020/1248 | BURRELL T |
| | | | 2 0 32004 0 00 0085+15 |
| | | | BLACKLICK CR |
| | | 0020/1033 | BMSBG 32/3009/0020/1033 |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/0803 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0515 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0212 | LEN=0065 INSTALLED UNKN |
| | 003271 FT | 003271 FT | 2 0 32004 0 00 0074+91 |
| | | S 0020/0000 | LENGTH(AH 3468 BK 3271) |
| | | | 036"H 24"W UNKN STRUCT |
| | | 0010/2778 | LEN=0060 INSTALLED UNKN |
| AIRPORT RD (T443) | 0010/2491 | | |
| | | | LAKEVIEW DR |
| | | 0010/2300 | (T583) |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/1758 | LEN=0030 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0010/1165 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0300 | LEN=0040 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32004 0 00 0042+17 |
| | | | FLENNIKEN BL |
| | | | (SR0217 SEG 0080/0000) |
| | | | NC NEWPORT RD |
| FLENNIKEN BL (SR0217 SEG 0080/0000) | 0010/0000 | | MFC BEGIN = D |
| | | S 0010/0000 | LENGTH(AH 3271 BK 0000) |

DIR: B TOTAL LEN: 2.667 MI. DIST: 10-4 SR: 3008
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

014082 FT

MUDDY RUN RD
(T574)

0050/1060

010503 FT



```
014082 FT  BLACKLICK RD
0050/3579  (SR3013 SEG 0030/2440)
           018 "DIA CIRC CONCR
0050/3130  LEN=0035 INSTALLED UNKN
           015 "DIA CIRC METAL
0050/2988  LEN=0035 INSTALLED UNKN
           018 "DIA CIRC CONCR
0050/2576  LEN=0032 INSTALLED 1999
           018 "DIA CIR PLASTIC
0050/2267  LEN=0040 INSTALLED 2015
           018 "DIA CIR PLASTIC
0050/1865  LEN=0040 INSTALLED 2015
           018 "DIA CIR PLASTIC
0050/1469  LEN=0048 INSTALLED 2015

0050/1039  BMSEN 32/3008/0050/0999
           2 0 32154 0 00 0110+25
           MUDDY RUN
0050/0999  BMSBG 32/3008/0050/0999

           018 "DIA CIR PLASTIC
0050/0333  LEN=0040 INSTALLED 2015
010503 FT  2 0 32154 0 00 0100+33
5 0050/0000 LENGTH(AH 3579 BK 3442)
           018 "DIA CIRC CONCR
0040/3400  LEN=0034 INSTALLED UNKN
           018 "DIA CIR PLASTIC
0040/3060  LEN=0048 INSTALLED 2015
           018 "DIA CIR PLASTIC
0040/2962  LEN=0045 INSTALLED 2015

           024 "DIA CIR PLASTIC
0040/2310  LEN=0043 INSTALLED UNKN

           018 "DIA CIR PLASTIC
0040/1474  LEN=0040 INSTALLED 2015
           030 "DIA CIR PLASTIC
0040/0970  LEN=0050 INSTALLED 2015
           024 "DIA CIR PLASTIC
0040/0784  LEN=0045 INSTALLED 2015
           015 "DIA CIRC CONCR
0040/0351  LEN=0031 INSTALLED UNKN
```

DIR: B TOTAL LEN: 2.667 MI. DIST: 10-4 SR: 3008
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

| | | |
|---|---|---|
| 2 0 32154 0 00 0065+72 007061 FT<br>CRAMER RD<br>(T570) 0040/0000 | | 007061 FT |
| | | S 0040/0000 LENGTH(AH 3442 BK 3485)<br>018 "DIA CIRC CONCR |
| | | 0030/3485 LEN=0060 INSTALLED UNKN<br>018 "DIA CIR PLASTIC |
| | | 0030/3278 LEN=0040 INSTALLED 2015<br>018 "DIA CIRC METAL |
| | | 0030/3040 LEN=0030 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0030/2454 LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0030/1642 LEN=0030 INSTALLED UNKN<br>018 "DIA CIR PLASTIC |
| | | 0030/1286 LEN=0036 INSTALLED UNKN<br>015 "DIA CIRC METAL |
| | | 0030/1206 LEN=0032 INSTALLED UNKN<br>036 "DIA CIR PLASTIC |
| | | 0030/0980 LEN=0050 INSTALLED 2015<br>018 "DIA CIRC CONCR |
| | | 0030/0640 LEN=0038 INSTALLED UNKN |
| 003576 FT | | 003576 FT 2 0 32154 0 00 0030+08<br>YANKEE HILL RD<br>(T449)<br>018 "DIA CIR PLASTIC<br>LEN=0050 INSTALLED 2015 |
| | | S 0030/0000 LENGTH(AH 3485 BK 0564) |
| 2 0 32120 0 00 0037+22 003012 FT<br>HOPEWELL RD<br>(SR3001 SEG 0010/0000) 0020/0000 | | 003012 FT |
| | | S 0020/0000 LENGTH(AH 0564 BK 3012)<br>015 "DIA CIRC CONCR |
| | | 0010/2969 LEN=0060 INSTALLED UNKN<br>036 "DIA CIRC CONCR |
| | | 0010/1877 LEN=0033 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0010/1127 LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0010/0030 LEN=0050 INSTALLED UNKN<br>NC THOMPSON RD<br>SR 0217 SH |
| 2 0 32154 0 00 0000+00 000000 FT<br>SR 0217 SH<br>(SR0217 SEG 0120/0684) 0010/0000 | | 000000 FT (SR0217 SEG 0120/0684)<br>MFC BEGIN = D |
| | | S 0010/0000 LENGTH(AH 3012 BK 0000) |

DIR: B TOTAL LEN: 6.651 MI. DIST: 10-4 SR: 3007
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

035117 FT



035117 FT
INTER-AHD PHILLIPS RD
(T320)
SR 0286 SH
0120/2741 (SR0286 SEG 0140/0000)
BMSEN 32/3007/0120/2408
0120/2490 BRIDGE POSTED (TONS)
2 0 32003 0 01 0318+32
SGL 32 COMB 40
BLACKLEGS CREEK

DIR: B TOTAL LEN: 6.651 MI. DIST: 10-4 SR: 3007
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

```
                                                 0120/2408 BMSBG 32/3007/0120/2408
                                                           024 "DIA CIRC CONCR
                                                 0120/2295 LEN=0032 INSTALLED 2008
                                                           018 "DIA CIRC CONCR
                                                 0120/2025 LEN=0035 INSTALLED UNKN
                                                           NORFOLK SOUTHERN
                                                 0120/1942 OVERPASS IS RR X-ING
                                                           048 "DIA CIRC METAL
                                                 0120/1856 LEN=0050 INSTALLED UNKN
                                                           036 "DIA CIRC CONCR
                                                 0120/1505 LEN=0050 INSTALLED UNKN
TUNNELTON RD
(SR3003 SEG 0110/1968)   0120/1501
                                                           024 "DIA CIRC CONCR
                                                 0120/1470 LEN=0064 INSTALLED 2008
                                                           018 "DIA CIRC CONCR
                                                 0120/1298 LEN=0034 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0120/0959 LEN=0036 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0120/0468 LEN=0030 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0120/0270 LEN=0045 INSTALLED UNKN

                                                 0120/0037 BMSEN 32/3007/0120/0000
                         032376 FT               032376 FT 2 0 32003 0 01 0294+00
                                                           P3
                                                           MARSHALL RUN
                                                           BMSBG 32/3007/0120/0000
                                                 5 0120/0000 LENGTH(AH 2741 BK 3598)

                                                           036 "DIA CIRC CONCR
                                                 0110/2914 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0110/2650 LEN=0036 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0110/2200 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0110/1970 LEN=0034 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0110/1750 LEN=0028 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0110/1225 LEN=0036 INSTALLED UNKN
                                                           036"H 72"W CON BOX CUL
                                                 0110/0955 LEN=0033 INSTALLED UNKN
                                                           CRIBBS RD
                                                 0110/0930 (T680)
                                                           015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 6.651 MI. DIST: 10-4 SR: 3007
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

```
                                        0110/0875 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0110/0550 LEN=0048 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0110/0274 LEN=0032 INSTALLED UNKN
028778 FT                               028778 FT 2 0 32003 0 01 0258+21
                                                  MARSHALL RUN
                                                  STRUCTURE LENGTH 20 FT
                                                  BMSID 32/3007/0110/0000
                                      S 0110/0000 LENGTH(AH 3598 BK 3329)
                                                  015 "DIA CIRC CONCR
                                        0100/2956 LEN=0025 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0100/2700 LEN=0032 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0100/2290 LEN=0025 INSTALLED 2000
                                                  015 "DIA CIRC CONCR
                                        0100/2053 LEN=0034 INSTALLED UNKN
                                                  HANS RD
                                        0100/1985 (T448)
                                                  084"H 72"W CONCR ARCH
                                        0100/1790 LEN=0060 INSTALLED UNKN
                                                  DIXON RD
                                        0100/1564 (T433)
                                                  015 "DIA CIRC CONCR
                                        0100/1280 LEN=0025 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0100/1087 LEN=0036 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0100/0980 LEN=0082 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0100/0526 LEN=0025 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0100/0378 LEN=0034 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0100/0138 LEN=0045 INSTALLED UNKN
025449 FT                               025449 FT 2 0 32003 0 01 0225+57
                                      S 0100/0000 LENGTH(AH 3329 BK 3837)
                                                  018 "DIA CIRC CONCR
                                        0090/3644 LEN=0045 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0090/3150 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0090/2870 LEN=0033 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0090/2526 LEN=0039 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0090/2220 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0090/1869 LEN=0038 INSTALLED UNKN
```

DIR: B TOTAL LEN: 6.651 MI. DIST: 10-4 SR: 3007
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

| | | |
|---|---|---|
| | | 015 "DIA CIRC CONCR |
| | 0090/1590 | LEN=0042 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0090/1305 | LEN=0032 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0090/0902 | LEN=0050 INSTALLED UNKN |
| | | SALTSBURG RD |
| | 0090/0652 | (SR3002 SEG 0120/0000) |
| | | 015 "DIA CIRC CONCR |
| | 0090/0392 | LEN=0056 INSTALLED UNKN |
| 021612 FT | 021612 FT | 2 0 32003 0 01 0187+28 |
| | S 0090/0000 | LENGTH(AH 3837 BK 2698) |
| | | 018 "DIA CIRC CONCR |
| | 0080/2503 | LEN=0041 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0080/1360 | LEN=0034 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0080/0761 | LEN=0032 INSTALLED UNKN |
| | | 030 "DIA CIRC CONCR |
| | 0080/0020 | LEN=0040 INSTALLED UNKN |
| 018914 FT | 018914 FT | 2 0 32003 0 01 0160+28 |
| | S 0080/0000 | LENGTH(AH 2698 BK 2501) |
| | | 015 "DIA CIRC CONCR |
| | 0070/1889 | LEN=0025 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0070/1414 | LEN=0036 INSTALLED UNKN |
| | | 036 "DIA CIRC CONCR |
| | 0070/0405 | LEN=0066 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0070/0184 | LEN=0029 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0070/0053 | LEN=0040 INSTALLED UNKN |
| 016413 FT | 016413 FT | 2 0 32003 0 01 0135+16 |
| | S 0070/0000 | LENGTH(AH 2501 BK 1862) |
| | | 018 "DIA CIRC CONCR |
| | 0060/0624 | LEN=0032 INSTALLED UNKN |
| | | MARSHALL RD |
| | 0060/0149 | (T452) |
| | | 018 "DIA CIRC CONCR |
| | 0060/0012 | LEN=0050 INSTALLED UNKN |
| 2 0 32003 0 01 0116+84 014551 FT | 014551 FT | |

DIR: B TOTAL LEN: 6.651 MI. DIST: 10-4 SR: 3007
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

| | | | |
|---|---|---|---|
| HILL RD | | | MFC BEGIN = E |
| (SR3005 SEG 0010/0000) | 0060/0000 | 5 0060/0000 | LENGTH(AH 1862 BK 1597) |
| | | | 024 "DIA CIRC CONCR |
| | | 0050/1289 | LEN=0033 INSTALLED UNKN |
| RIVERVIEW DR | | | |
| (T525) | 0050/0798 | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/0795 | LEN=0042 INSTALLED UNKN |
| | 012954 FT | 012954 FT | 2 0 32003 0 00 0130+64 |
| | | 5 0050/0000 | LENGTH(AH 1597 BK 3316) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/3306 | LEN=0043 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/2900 | LEN=0032 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0040/2257 | LEN=0060 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/1720 | LEN=0038 INSTALLED UNKN |
| | | 0040/1290 | BMSEN 32/3007/0040/1275 |
| | | | 2 0 32003 0 00 0109+34 |
| | | | ROARING RUN |
| | | 0040/1275 | BMSBG 32/3007/0040/1275 |
| | | | STEVENS RD |
| | | 0040/0935 | (T450) |
| | | | 036 "DIA CIRC CONCR |
| | | 0040/0843 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/0434 | LEN=0036 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0040/0138 | LEN=0031 INSTALLED UNKN |
| | 009638 FT | 009638 FT | 2 0 32003 0 00 0096+75 |
| | | | CLAWSON RD |
| | | | (T673) |
| | | 5 0040/0000 | LENGTH(AH 3316 BK 2614) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2570 | LEN=0034 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0030/2166 | LEN=0041 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0030/1898 | LEN=0029 INSTALLED UNKN |
| | | | BARKLEY RD |
| | | 0030/1461 | (T439) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1300 | LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0030/0949 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0030/0706 | LEN=0032 INSTALLED UNKN |

DIR: B TOTAL LEN: 6.651 MI. DIST: 10-4 SR: 3007
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

```
                                                  018 "DIA CIRC CONCR
                                  0030/0393 LEN=0047 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0030/0102 LEN=0047 INSTALLED UNKN
007024 FT                         007024 FT 2 0 32003 0 00 0070+61
                                S 0030/0000 LENGTH(AH 2614 BK 3501)
                                                  030 "DIA CIRC CONCR
                                  0020/3327 LEN=0048 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0020/2756 LEN=0057 INSTALLED UNKN
                                                  030 "DIA CIRC CONCR
                                  0020/2618 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0020/2263 LEN=0049 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                  0020/1615 LEN=0047 INSTALLED UNKN
                                                  072"H 84"W CONCR ARCH
                                  0020/1063 LEN=0100 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0020/0608 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0020/0359 LEN=0045 INSTALLED UNKN
003523 FT                         003523 FT 2 0 32003 0 00 0035+23
                                S 0020/0000 LENGTH(AH 3501 BK 3523)
                                                  018 "DIA CIRC CONCR
                                  0010/3207 LEN=0046 INSTALLED UNKN
                                                  036 "DIA CIRC CONCR
                                  0010/2957 LEN=0047 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/2709 LEN=0046 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/2265 LEN=0044 INSTALLED UNKN
                                                  TR AULTMANS
                                                  STRUCTURE LENGTH    8 FT
                                  0010/1889 BMSID 32/3007/0010/1889
                                                  018 "DIA CIRC CONCR
                                  0010/1512 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/1210 LEN=0043 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/0766 LEN=0050 INSTALLED UNKN
                                                  036 "DIA CIRC METAL
                                  0010/0371 LEN=0100 INSTALLED UNKN
000000 FT                         000000 FT 2 0 32003 0 00 0000+00
                                        NC CLARKSBURG RD
                                                  NEWPORT RD
                                                  (SR3009 SEG 0060/0904)
                                                  MFC BEGIN = D
                                S 0010/0000 LENGTH(AH 3523 BK 0000)
```

DIR: B TOTAL LEN: 1.166 MI. DIST: 10-4 SR: 3006
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

```
YANKEE HILL RD          006159 FT                    006159 FT PLATT LANE
(T449)                   0020/3138                   0020/3138 (T450)

                                                              036 "DIA CIRC CONCR
                                                    0020/2140 LEN=0036 INSTALLED UNKN
                                                              018 "DIA CIRC METAL
                                                    0020/1976 LEN=0040 INSTALLED 2003

                                                              018 "DIA CIRC CONCR
                                                    0020/1200 LEN=0030 INSTALLED UNKN

                        003021 FT                   003021 FT 2 0 32156 0 00 0030+21
                                                  S 0020/0000 LENGTH(AH 3138 BK 3021)

                                                              018 "DIA CIRC METAL
                                                    0010/2114 LEN=0040 INSTALLED 2003
                                                              018 "DIA CIRC CONCR
                                                    0010/1673 LEN=0035 INSTALLED UNKN

                                                              018 "DIA CIRC CONCR
                                                    0010/0095 LEN=0030 INSTALLED UNKN
                        000000 FT                   000000 FT 2 0 32156 0 00 0000+00
                                                          NC WILLIAMS RD
                                                              SR 0217 SH
                                                              (SR0217 SEG 0100/2759)
                                                    INTER-BK  MCCORMICKS BRIDGE RD
                                                              (T453)
                                                              MFC BEGIN = E
                                                  S 0010/0000 LENGTH(AH 3021 BK 0000)
```

DIR: B TOTAL LEN: 1.394 MI. DIST: 10-4 SR: 3005
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

| | | | |
|---|---|---|---|
| | 007361 FT | 007361 FT | SALTSBURG RD |
| | | 0030/0526 | (SR3002 SEG 0100/0000) |
| | | | 018 "DIA CIRC METAL |
| | | 0030/0520 | LEN=0040 INSTALLED 1996 |
| | 006835 FT | 006835 FT | 2 0 32015 0 00 0068+60 |
| | | | TR ELDERS RUN |
| | | | STRUCTURE LENGTH 12 FT |
| | | | BMSID 32/3005/0030/0000 |
| | | S 0030/0000 | LENGTH(AH 0526 BK 3812) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1473 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0921 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0310 | LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0020/0105 | LEN=0030 INSTALLED 1996 |
| | 003023 FT | 003023 FT | 2 0 32015 0 00 0029+97 |
| | | S 0020/0000 | LENGTH(AH 3812 BK 3023) |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/2169 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/1924 | LEN=0030 INSTALLED UNKN |
| QUICK RD (T437) | 0010/1805 | | |
| | 000000 FT | 000000 FT | 2 0 32015 0 00 0000+00 |
| | | | CLARKSBURG RD |
| | | | (SR3007 SEG 0060/0000) |
| | | NC HILL RD | |
| | | | MFC BEGIN = D |
| CLARKSBURG RD (SR3007 SEG 0060/0000) | 0010/0000 | S 0010/0000 | LENGTH(AH 3023 BK 0000) |

DIR: B TOTAL LEN: 2.634 MI. DIST: 10-4 SR: 3004
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

WAINWRIGHT RD
(T433)

```
013908 FT                    013908 FT SR 0217 SH
                             0050/2866 (SR0217 SEG 0130/2633)
0050/2433
                                       024 "DIA CIRC METAL
                             0050/2317 LEN=0089 INSTALLED 2017
                                       015 "DIA CIRC CONCR
                             0050/2026 LEN=0027 INSTALLED 1999
                                       015 "DIA CIRC CONCR
                             0050/1704 LEN=0029 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0050/1452 LEN=0033 INSTALLED UNKN
                                       024 "DIA CIRC CONCR
                             0050/1100 LEN=0034 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0050/0819 LEN=0030 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0050/0415 LEN=0032 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0050/0138 LEN=0036 INSTALLED UNKN
011042 FT                    011042 FT 1 0 00434 0 00 0110+36
                           S 0050/0000 LENGTH(AH 2866 BK 2504)
                                       015 "DIA CIRC CONCR
                             0040/2162 LEN=0030 INSTALLED UNKN
                                       036 "DIA CIRC CONCR
                             0040/1810 LEN=0030 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0040/1515 LEN=0063 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0040/1362 LEN=0030 INSTALLED UNKN
                                       024 "DIA CIRC CONCR
                             0040/1060 LEN=0034 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0040/0788 LEN=0032 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0040/0558 LEN=0032 INSTALLED UNKN
                                       036 "DIA CIRC CONCR
                             0040/0124 LEN=0037 INSTALLED UNKN
008538 FT                    008538 FT 1 0 00434 0 00 0085+32
                           S 0040/0000 LENGTH(AH 2504 BK 2876)
                                       048 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 2.634 MI. DIST: 10-4 SR: 3004
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

```
                                                  0030/2630 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/2400 LEN=0024 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0030/2260 LEN=0049 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/1904 LEN=0072 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/1403 LEN=0045 INSTALLED UNKN
                                                            036 "DIA CIRC CONCR
                                                  0030/0988 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/0653 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/0390 LEN=0030 INSTALLED UNKN
1 0 00434 0 00 0056+60 005662 FT                  005662 FT HOWARD RD
ARCHIBALD RD                                              (T443)
(T440)                 0030/0000                S 0030/0000 LENGTH(AH 2876 BK 3230)
                                                            036 "DIA CIRC CONCR
                                                  0020/2665 LEN=0038 INSTALLED 2010

                                                            015 "DIA CIRC CONCR
                                                  0020/1835 LEN=0027 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0020/1614 LEN=0027 INSTALLED UNKN


                                                            018 "DIA CIRC CONCR
                                                  0020/0706 LEN=0035 INSTALLED UNKN

                       002432 FT                  002432 FT 1 0 00434 0 00 0024+30
                                                  S 0020/0000 LENGTH(AH 3230 BK 2432)
                                                            018 "DIA CIRC CONCR
                                                  0010/1960 LEN=0016 INSTALLED 2001
                                                            018 "DIA CIRC CONCR
                                                  0010/1745 LEN=0050 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/1364 LEN=0042 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0010/0934 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/0448 LEN=0030 INSTALLED 2001
                                                            018 "DIA CIRC CONCR
                                                  0010/0025 LEN=0045 INSTALLED UNKN
                       000000 FT                  000000 FT 1 0 00434 0 00 0000+00
                                                        NC GRANGE RD
                                                            NEWPORT RD
                                                            (SR3009 SEG 0050/1448)
                                                            MFC BEGIN = E
                                                  S 0010/0000 LENGTH(AH 2432 BK 0000)
```

DIR: B TOTAL LEN: 5.543 MI. DIST: 10-4 SR: 3003
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

| | | | |
|---|---|---|---|
| | 029269 FT | 029269 FT | CLARKSBURG RD |
| | | 0110/1968 | (SR3007 SEG 0120/1501) |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/1666 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/1360 | LEN=0039 INSTALLED UNKN |
| | | | CABLE DR |
| | | 0110/1248 | (PRDR) |
| | | | 018 "DIA CIRC METAL |
| | | 0110/1170 | LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0760 | LEN=0040 INSTALLED 2001 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0110/0192 | LEN=0040 INSTALLED 2010 |
| | 027301 FT | 027301 FT | 2 0 32015 0 00 0175+35 |
| | | S 0110/0000 | LENGTH(AH 1968 BK 3306) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0100/3150 | LEN=0048 INSTALLED 2010 |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/2897 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/2226 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/1932 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0100/1666 | LEN=0040 INSTALLED 2000 |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/1350 | LEN=0036 INSTALLED 2001 |
| | | | 060 "DIA CIRC METAL |
| | | 0100/1130 | LEN=0080 INSTALLED 2001 |
| | | | 015 "DIA CIRC METAL |
| | | 0100/0634 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/0181 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/0010 | LEN=0060 INSTALLED UNKN |
| 2 0 32015 0 00 0142+55 | 023995 FT | 023995 FT | |
| BELL RD | | | |
| (T315) | 0100/0000 | S 0100/0000 | LENGTH(AH 3306 BK 3039) |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/2643 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0090/1855 | LEN=0040 INSTALLED 2001 |

DIR: B TOTAL LEN: 5.543 MI. DIST: 10-4 SR: 3003
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1530 | LEN=0040 INSTALLED 2001 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0090/1315 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/0796 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0090/0642 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0090/0144 | LEN=0040 INSTALLED UNKN |
| 020956 FT | | 020956 FT | 2 0 32015 0 00 0111+00 |
| | | | SCHRECONGOST RD |
| | | | (T435) |
| | | 5 0090/0000 | LENGTH(AH 3039 BK 3735) |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/3735 | LEN=0048 INSTALLED 2001 |
| | | | 018 "DIA CIRC METAL |
| | | 0080/3288 | LEN=0034 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0080/2401 | LEN=0035 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0080/2338 | LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0080/1400 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0080/1382 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0080/1206 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/0280 | LEN=0040 INSTALLED 2001 |
| | | | 015 "DIA CIRC METAL |
| | | 0080/0035 | LEN=0030 INSTALLED UNKN |
| 017221 FT | | 017221 FT | 2 0 32015 0 00 0073+86 |
| | | | SALTSBURG RD |
| | | | (SR3002 SEG 0080/2060) |
| SALTSBURG RD | | | MFC BEGIN = E |
| (SR3002 SEG 0080/2060) 0080/0000 | | 5 0080/0000 | LENGTH(AH 3735 BK 1757) |
| | | 0070/1225 | BMSEN 32/3003/0070/1204 |
| | | | 2 0 32002 0 01 0163+59 |
| | | | ELDERS RUN |
| | | 0070/1204 | BMSBG 32/3003/0070/1204 |
| 2 0 32002 0 01 0151+67 015464 FT | | 015464 FT | |

DIR: B TOTAL LEN: 5.543 MI. DIST: 10-4 SR: 3003
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

| | | | |
|---|---|---|---|
| BIEDA RD (T310) | 0070/0000 | S 0070/0000 | LENGTH(AH 1757 BK 2204) |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1158 | LEN=0030 INSTALLED UNKN |
| | 013260 FT | 013260 FT | 2 0 32002 0 01 0129+35 |
| | | | QUICK RD |
| | | | (T437) |
| | | S 0060/0000 | LENGTH(AH 2204 BK 3018) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/2038 | LEN=0035 INSTALLED UNKN |
| | | 0050/1119 | BMSEN 32/3003/0050/1106 |
| | | | 2 0 32002 0 01 0110+36 |
| | | | TR ELDERS RN |
| | | 0050/1106 | BMSBG 32/3003/0050/1106 |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/0021 | LEN=0030 INSTALLED UNKN |
| 2 0 32002 0 01 0099+21 | 010242 FT | 010242 FT | |
| TREESE RD (T323) | 0050/0000 | S 0050/0000 | LENGTH(AH 3018 BK 2455) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2000 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1838 | LEN=0030 INSTALLED UNKN |
| | | | 015"H 15"W **UNKNOWN** |
| | | 0040/1323 | LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0040/0354 | LEN=0031 INSTALLED UNKN |
| | 007787 FT | 007787 FT | 2 0 32002 0 01 0074+43 |
| | | S 0040/0000 | LENGTH(AH 2455 BK 3126) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2791 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2576 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2140 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1590 | LEN=0034 INSTALLED UNKN |
| | | | 040 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 5.543 MI. DIST: 10-4 SR: 3003
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

| | | | |
|---|---|---|---|
| | | 0030/1280 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0909 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0449 | LEN=0030 INSTALLED UNKN |
| | | | AUEN RD |
| | | 0030/0178 | (T312) |
| 2 0 32002 0 01 0042+85 004661 FT | | 004661 FT | |
| COALTOWN RD | | | |
| (T517) 0030/0000 | | 5 0030/0000 | LENGTH(AH 3126 BK 3107) |
| HILLTOP DR | | | |
| (T309) 0020/2156 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1040 | LEN=0040 INSTALLED UNKN |
| | | | NORFOLK SOUTHERN |
| | | 0020/0992 | OVERPASS IS RR X-ING |
| | | | 024 "DIA CIRC CONCR |
| | | 0020/0756 | LEN=0090 INSTALLED 2000 |
| CHURCH ST | | | FIRST AV |
| (T309) 0020/0671 | | 0020/0671 | (T672) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0463 | LEN=0060 INSTALLED UNKN |
| SECOND AV | | | |
| (T671) 0020/0423 | | | |
| | | | THIRD AV |
| | | 0020/0220 | (T670) |
| 001554 FT | | 001554 FT | 2 0 32002 0 00 0011+53 |
| | | | FOURTH AV |
| | | | (BORO) |
| | | 5 0020/0000 | LENGTH(AH 3107 BK 1554) |
| | | | (APRA) ROBERT WEIMER SC |
| | | | ROBERT WEIMER DR |
| | POI | 0010/0674 | (PRDR) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0458 | LEN=0026 INSTALLED UNKN |
| | | 0010/0403 | BMSEN 32/3003/0010/0000 |
| 000000 FT | | 000000 FT | 2 0 32002 0 00 0000+00 |
| | | | VILLAGE: TUNNELTON |
| | | NC | TUNNELTON RD |
| | | * REF-BK | PUMP STATION RD |
| | | | (T903) |
| | | | CONEMAUGH RIVER |
| | | | BMSBG 32/3003/0010/0000 |
| | | | MFC BEGIN = D |
| | | 5 0010/0000 | LENGTH(AH 1554 BK 0000) |

DIR: B TOTAL LEN: 9.835 MI. DIST: 10-4 SR: 3002
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

051928 FT

048906 FT

MARYAI RD
(T440)

0170/1158



051928 FT SR 0286 SH
0180/3022 (SR0286 SEG 0250/0000)
018 "DIA CIRC CONCR
0180/2950 LEN=0080 INSTALLED UNKN

018 "DIA CIRC CONCR
0180/2100 LEN=0050 INSTALLED UNKN

018 "DIA CIRC CONCR
0180/1265 LEN=0040 INSTALLED 2008
018 "DIA CIRC CONCR
0180/1075 LEN=0040 INSTALLED UNKN
015 "DIA CIRC METAL
0180/0582 LEN=0045 INSTALLED UNKN
0180/0017 BMSEN 32/3002/0180/0000
048906 FT 2 0 32001 0 00 0488+44
COAL RUN
BMSBG 32/3002/0180/0000
5 0180/0000 LENGTH(AH 3022 BK 3162)
015 "DIA CIRC METAL
0170/2925 LEN=0040 INSTALLED UNKN

060 "DIA CIRC METAL
0170/1950 LEN=0060 INSTALLED UNKN

DIR: B TOTAL LEN: 9.835 MI. DIST: 10-4 SR: 3002
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC METAL |
| | | 0170/0740 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0170/0252 | LEN=0050 INSTALLED UNKN |
| | 045744 FT | 045744 FT | 2 0 32001 0 00 0455+60 |
| | | S 0170/0000 | LENGTH(AH 3162 BK 2610) |
| | | | 015 "DIA CIRC METAL |
| | | 0160/2602 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0160/2240 | LEN=0040 INSTALLED UNKN |
| PENNDOT SHED RD (GOVT) | 0160/1750 | == | |
| | | | 030 "DIA CIRC METAL |
| | | 0160/0765 | LEN=0050 INSTALLED UNKN |
| 2 0 32001 0 00 0429+47 | 043134 FT | 043134 FT | |
| PRYMAK RD (T456) | 0160/0000 | == S 0160/0000 | LENGTH(AH 2610 BK 3381) |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/2934 | LEN=0040 INSTALLED 1996 |
| | | | NEWPORT RD |
| | | 0150/2904 | (SR3009 SEG 0110/2421) |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/2523 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/2000 | LEN=0032 INSTALLED 2008 |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0600 | LEN=0032 INSTALLED 2008 |
| | 039753 FT | 039753 FT | 2 0 32001 0 00 0395+47 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0040 INSTALLED 2008 |
| | | S 0150/0000 | LENGTH(AH 3381 BK 2906) |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/1670 | LEN=0040 INSTALLED 2008 |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/1182 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/1010 | LEN=0040 INSTALLED 2008 |
| | | | YOUNG |
| | | 0140/1006 | CONEMAUGH T |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 9.835 MI. DIST: 10-4 SR: 3002
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

036847 FT

0140/0540 LEN=0040 INSTALLED UNKN
036847 FT 2 0 32001 0 00 0366+49
BROWN RD
(T518)
018 "DIA CIR PLASTIC
LEN=0020 INSTALLED 2006
S 0140/0000 LENGTH(AH 2906 BK 2562)
018 "DIA CIRC CONCR
0130/2461 LEN=0048 INSTALLED 2008

024 "DIA CIRC CONCR
0130/0800 LEN=0040 INSTALLED UNKN

018 "DIA CIRC CONCR
0130/0050 LEN=0031 INSTALLED UNKN

034285 FT

034285 FT 2 0 32001 0 00 0340+76
GYENES RD
(T524)
S 0130/0000 LENGTH(AH 2562 BK 2450)

018 "DIA CIRC CONCR
0120/0062 LEN=0030 INSTALLED UNKN

031835 FT

031835 FT 2 0 32001 0 00 0316+37
CLARKSBURG RD
(SR3007 SEG 0090/0652)
S 0120/0000 LENGTH(AH 2450 BK 3687)
018 "DIA CIRC CONCR
0110/3670 LEN=0036 INSTALLED 1997

018 "DIA CIRC CONCR
0110/2950 LEN=0032 INSTALLED 2008
018 "DIA CIRC CONCR
0110/2430 LEN=0032 INSTALLED 2008
018 "DIA CIRC CONCR
0110/2225 LEN=0032 INSTALLED 2008
018 "DIA CIRC CONCR
0110/2100 LEN=0030 INSTALLED UNKN

BERTS RD
(T434)

0110/1657

015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 9.835 MI. DIST: 10-4 SR: 3002
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

| | | | |
|---|---|---|---|
| | | | 0110/0693 LEN=0045 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0110/0389 LEN=0064 INSTALLED 2008 |
| | 028148 FT | | 028148 FT 2 0 32001 0 00 0278+66<br>CEMETERY RD<br>(T990) |
| | | == | S 0110/0000 LENGTH(AH 3687 BK 2612)<br>018 "DIA CIRC CONCR |
| | | | 0100/2603 LEN=0075 INSTALLED UNKN<br>036 "DIA CIRC METAL |
| | | | 0100/2280 LEN=0045 INSTALLED UNKN |
| SCHRECENGOST RD<br>(T435) | 0100/2261 | == | |
| | | | 018 "DIA CIRC CONCR |
| | | | 0100/1540 LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0100/0776 LEN=0032 INSTALLED 2008<br>018 "DIA CIRC CONCR |
| | | | 0100/0522 LEN=0040 INSTALLED UNKN |
| | 025536 FT | | 025536 FT 2 0 32001 0 00 0253+21<br>HILL RD<br>(SR3005 SEG 0030/0526) |
| | | | S 0100/0000 LENGTH(AH 2612 BK 2631)<br>018 "DIA CIRC CONCR |
| | | | 0090/2519 LEN=0048 INSTALLED 2008<br>018 "DIA CIRC METAL |
| | | | 0090/2095 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | | 0090/0540 LEN=0035 INSTALLED UNKN |
| | | | 0090/0013 BMSEN 32/3002/0090/0000 |
| | 022905 FT | | 022905 FT 2 0 32001 0 00 0226+23<br>TR ELDERS RN<br>BMSBG 32/3002/0090/0000 |
| | | | S 0090/0000 LENGTH(AH 2631 BK 2700)<br>018 "DIA CIRC CONCR |
| | | | 0080/2510 LEN=0040 INSTALLED UNKN<br>TUNNELTON RD |
| TUNNELTON RD<br>(SR3003 SEG 0080/0000) | 0080/2060 | | 0080/2060 (SR3003 SEG 0080/0000)<br>018 "DIA CIR PLASTIC |
| | | | 0080/1970 LEN=0050 INSTALLED 2008 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0080/1275 LEN=0030 INSTALLED UNKN |

DIR: B TOTAL LEN: 9.835 MI. DIST: 10-4 SR: 3002
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

| | | | | |
|---|---|---|---|---|
| 2 0 32001 0 00 0200+71 020205 FT | | | | 020205 FT |
| BEDICK RD | | | | |
| (T511) | 0080/0000 | == | S | 0080/0000 LENGTH(AH 2700 BK 3871) |
| | | | | 018 "DIA CIRC CONCR |
| | | ---- | | 0070/3761 LEN=0040 INSTALLED 2008 |
| | | | | 036 "DIA CIR PLASTIC |
| | | ---- | | 0070/3306 LEN=0050 INSTALLED 2008 |
| | | | | 018 "DIA CIRC CONCR |
| | | ---- | | 0070/3000 LEN=0040 INSTALLED 2008 |
| | | | | 018 "DIA CIRC CONCR |
| | | ---- | | 0070/1490 LEN=0040 INSTALLED UNKN |
| | | | | TREECE RD |
| | | | == | 0070/1287 (T304) |
| | | | | 015 "DIA CIRC CONCR |
| | | ---- | | 0070/0196 LEN=0030 INSTALLED UNKN |
| | 016334 FT | | | 016334 FT 2 0 32001 0 00 0163+04 |
| | | | | WHITE STATION RD |
| | | | | (T830) |
| | | | == | S 0070/0000 LENGTH(AH 3871 BK 2749) |
| | | | | 018 "DIA CIRC CONCR |
| | | ---- | | 0060/2230 LEN=0035 INSTALLED 2002 |
| | | | | 015 "DIA CIRC CONCR |
| | | ---- | | 0060/1067 LEN=0030 INSTALLED UNKN |
| 2 0 32001 0 00 0135+57 013585 FT | | | | 013585 FT |
| ROSE RD | | | | |
| (T316) | 0060/0000 | == | S | 0060/0000 LENGTH(AH 2749 BK 2704) |
| | | | | 018 "DIA CIRC CONCR |
| | | ---- | | 0050/1750 LEN=0030 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | ---- | | 0050/1390 LEN=0030 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | ---- | | 0050/1120 LEN=0030 INSTALLED UNKN |
| | | | | 015 "DIA CIR UNKNOWN |
| | | ---- | | 0050/0125 LEN=0040 INSTALLED UNKN |

DIR: B TOTAL LEN: 9.835 MI. DIST: 10-4 SR: 3002
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

```
010881 FT                    010881 FT 2 0 32001 0 00 0108+43
                           S 0050/0000 LENGTH(AH 2704 BK 2555)
                                       018 "DIA CIRC CONCR
                             0040/2057 LEN=0040 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0040/1331 LEN=0045 INSTALLED UNKN
                                       048 "DIA CIRC METAL
                             0040/1020 LEN=0090 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0040/0783 LEN=0040 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0040/0530 LEN=0035 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0040/0150 LEN=0035 INSTALLED 2002
008326 FT                    008326 FT 2 0 32001 0 00 0082+88
                           S 0040/0000 LENGTH(AH 2555 BK 2963)
                                       036 "DIA CIRC CONCR
                             0030/2942 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0030/2440 LEN=0040 INSTALLED UNKN


                                       036 "DIA CIRC METAL
                             0030/1525 LEN=0040 INSTALLED UNKN


                                       015 "DIA CIRC CONCR
                             0030/0398 LEN=0052 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0030/0193 LEN=0040 INSTALLED UNKN
005363 FT                    005363 FT 2 0 32001 0 00 0053+10
                                 NC SALTSBURG RD
                           S 0030/0000 LENGTH(AH 2963 BK 3854)

                                       018 "DIA CIRC CONCR
                             0020/3060 LEN=0030 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0020/2386 LEN=0035 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0020/1815 LEN=0035 INSTALLED UNKN
                                       CONEMAUGH
                             0020/1230 SALTSBURG B
                                       EDGEWOOD DR
                             0020/1164 (BORO)
                                       PENN ST
                             0020/0945 (BORO)
                                       SPRUCE WY
                             0020/0822 (BORO)
```

DIR: B TOTAL LEN: 9.835 MI. DIST: 10-4 SR: 3002
LEFT MUN: SALTSBURG B RIGHT MUN: SALTSBURG B

| | | | |
|---|---|---|---|
| | | | BIRCH WY |
| | | 0020/0704 | (BORO) |
| | | | GRANT ST |
| | | 0020/0578 | (BORO) |
| | | | SUGAR WY |
| | | 0020/0449 | (BORO) |
| | | | THORN WY |
| | | 0020/0332 | (BORO) |
| | | | 012 "DIA CIRC CONCR |
| | | 0020/0253 | LEN=0075 INSTALLED UNKN |
| | | | WOOD ST |
| | | 0020/0203 | (BORO) |
| | | | MILL WY |
| | | 0020/0087 | (BORO) |
| 2 0 32001 0 00 0014+96 001509 FT | | 001509 FT | |
| CATHEDRAL ST | | | NC INDIANA AV |
| (BORO) | 0020/0000 | 0020/0000 | LENGTH(AH 3854 BK 1509) |
| | | | 012 "DIA CIR UNKNOWN |
| | | 0010/1460 | LEN=0059 INSTALLED UNKN |
| | | | CATHEDRAL ST |
| | | 0010/1438 | (BORO) |
| | | | 012 "DIA CIR UNKNOWN |
| | | 0010/1135 | LEN=0020 INSTALLED UNKN |
| | | | POPLAR WY |
| | | 0010/1114 | (BORO) |
| | | | HIGH ST |
| | | 0010/0890 | (BORO) |
| PLUM WY | | | |
| (BORO) | 0010/0665 | | |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0642 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0485 | LEN=0035 INSTALLED UNKN |
| | | | SALT ST |
| | | | (BORO) |
| | | | POINT ST |
| | | 0010/0451 | (BORO) |
| | | | NC POINT ST |
| | | | ASH WY |
| | | 0010/0220 | (BORO) |
| | | | 012 "DIA CIRC CONCR |
| | | 0010/0030 | LEN=0035 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32001 0 00 0000+00 |
| | | | NC SALT ST |
| | | | WASHINGTON ST |
| | | | (SR0286 SEG 0010/0931) |
| | | INTER-BK | SALT ST |
| | | | (SR0286 SEG 0010/0931) |
| WASHINGTON ST | | | MFC BEGIN = D |
| (BORO) | 0010/0000 | 0010/0000 | LENGTH(AH 1509 BK 0000) |

DIR: B TOTAL LEN: .711 MI. DIST: 10-4 SR: 3001
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

003752 FT



003752 FT HILL RD
0010/3752 (SR3015 SEG 0010/0914)

018 "DIA CIRC CONCR
0010/2500 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/1968 LEN=0035 INSTALLED UNKN

018 "DIA CIRC CONCR
0010/1245 LEN=0042 INSTALLED UNKN

0010/0374 BMSEN 32/3001/0010/0360
2 0 00000 0 00 0000+00
GREYS RUN
0010/0360 BMSBG 32/3001/0010/0360
NC HOPEWELL CHURCH RD
INTER-BK THOMPSON RD
000000 FT (SR3008 SEG 0020/0000)
MFC BEGIN = D
0010/0000 LENGTH(AH 3752 BK 0000)

2 0 32120 0 00 0037+22 000000 FT
HILL RD
(SR3008 SEG 0020/0000) 0010/0000

DIR: B TOTAL LEN: .175 MI. DIST: 10-4 SR: 2029
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

```
000924 FT                    000924 FT
                             INTER-AHD  SNYDER LN
                                        (T586)
                                        WILLIAM PENN HW
                             0010/0924  (SR0022 SEG 0090/2359)
                                        018 "DIA CIRC CONCR
                             0010/0910  LEN=0070 INSTALLED 2006
                                        018 "DIA CIRC CONCR
                             0010/0700  LEN=0150 INSTALLED UNKN

000000 FT                    000000 FT  0 0 00000 0 00 0000+00
                                  NC OLD FARM RD
                                        OLD WILLIAM PENN HW
                                        (SR2002 SEG 0080/1006)
                                        MFC BEGIN = E
                           S 0010/0000  LENGTH(AH 0924 BK 0000)
```

DIR: B TOTAL LEN: 3.143 MI. DIST: 10-4 SR: 2027
LEFT MUN: PINE T RIGHT MUN: PINE T

016597 FT



| | |
|---|---|
| 016597 FT | BENJAMIN FRANKLIN HW |
| 0060/3106 | (SR0422 SEG 0570/1708) |
| | 018 "DIA CIRC CONCR |
| 0060/3065 | LEN=0040 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| 0060/2710 | LEN=0048 INSTALLED 2005 |
| | 018 "DIA CIRC CONCR |
| 0060/2440 | LEN=0048 INSTALLED 2005 |
| | 018 "DIA CIRC CONCR |
| 0060/1423 | LEN=0048 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| 0060/0975 | LEN=0048 INSTALLED UNKN |
| | 018 "DIA CIR PLASTIC |
| 0060/0345 | LEN=0048 INSTALLED UNKN |
| 013491 FT | 2 0 32040 0 00 0135+71 |
| | 018 "DIA CIRC METAL |
| | LEN=0040 INSTALLED UNKN |

013491 FT

DIR: B TOTAL LEN: 3.143 MI. DIST: 10-4 SR: 2027
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | | | |
|---|---|---|---|---|
| | | | | PINE |
| | | | | BUFFINGTON T |
| | | | S 0060/0000 | LENGTH(AH 3106 BK 3116) |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0050/2920 | LEN=0055 INSTALLED 2012 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/2220 | LEN=0048 INSTALLED 2005 |
| | | | | 015 "DIA CIRC METAL |
| | | | 0050/1810 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0050/1540 | LEN=0040 INSTALLED 2012 |
| JAMESON LN (PRDR) | 0050/1244 | == | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/1204 | LEN=0040 INSTALLED 2005 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/0774 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0050/0408 | LEN=0040 INSTALLED 2012 |
| 2 0 32040 0 00 0104+61 | 010375 FT | | 010375 FT | FACTORY HOLLOW RD |
| EWINGS RD | | | | (T875) |
| (T878) | 0050/0000 | == == | S 0050/0000 | LENGTH(AH 3116 BK 2401) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/2316 | LEN=0032 INSTALLED 2005 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/1635 | LEN=0040 INSTALLED 2005 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/1420 | LEN=0040 INSTALLED 2005 |
| | | | | 015 "DIA CIRC METAL |
| | | | 0040/0708 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/0460 | LEN=0032 INSTALLED 2005 |
| | 007974 FT | | 007974 FT | 2 0 32040 0 00 0080+41 |
| | | | S 0040/0000 | LENGTH(AH 2401 BK 2000) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/1266 | LEN=0052 INSTALLED 2006 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/0760 | LEN=0048 INSTALLED 2006 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/0425 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/0158 | LEN=0050 INSTALLED 2006 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/0150 | LEN=0035 INSTALLED UNKN |
| | 005974 FT | | 005974 FT | 2 0 32040 0 00 0060+31 |
| | | | S 0030/0000 | LENGTH(AH 2000 BK 2860) |

DIR: B TOTAL LEN: 3.143 MI. DIST: 10-4 SR: 2027
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 0020/2508 | LEN=0035 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1847 | LEN=0045 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0020/0625 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0353 | LEN=0040 INSTALLED 2005 |
| | | | 018 "DIA CIRC METAL |
| | | 0020/0290 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0183 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0140 | LEN=0035 INSTALLED UNKN |
| | 003114 FT | 003114 FT | 2 0 32040 0 00 0031+71 |
| | | | BUFFINGTON |
| | | | BRUSH VALLEY T |
| | | S 0020/0000 | LENGTH(AH 2860 BK 3114) |
| | | | 015 "DIA CIRC METAL |
| | | 0010/2737 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2410 | LEN=0040 INSTALLED 2006 |
| OLD MILL RD (T742) | 0010/2365 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1918 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0949 | LEN=0040 INSTALLED 2006 |
| | | 0010/0736 | BMSEN 32/2027/0010/0695 |
| | | | 2 0 32040 0 00 0006+89 |
| | | | LT YELLOW CR |
| | | 0010/0695 | BMSBG 32/2027/0010/0695 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0488 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0136 | LEN=0034 INSTALLED 2012 |
| | 000000 FT | 000000 FT | 2 0 32040 0 00 0000+00 |
| | | | NC SIMONS ROCK RD |
| | | | SR 0259 SH |
| | | | (SR0259 SEG 0320/1838) |
| | | INTER-BK | SR 0259 SH |
| | | | (SR0259 SEG 0320/1838) |
| | | | MFC BEGIN = D |
| | | S 0010/0000 | LENGTH(AH 3114 BK 0000) |

DIR: B TOTAL LEN: .155 MI. DIST: 10-4 SR: 2026
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

000817 FT

000000 FT

REXIS RD
(SR2013 SEG 0180/0545) 0010/0000



000817 FT AH-CAMBRIA (11)
REF-AHD MAIN ST
0010/0817 (SR3045 SEG 0060/2427)
0010/0487 BMSEN 32/2026/0010/0397
2 0 32117 0 00 0003+92
N BR BLACKLICK CR
0010/0397 BMSBG 32/2026/0010/0397
000000 FT 2 0 32117 0 00 0000+00
NC KUNKLEMAN RD
WEHRUM RD
(SR2013 SEG 0180/0545)
MFC BEGIN = D
0010/0000 LENGTH(AH 0817 BK 0000)

DIR: B TOTAL LEN: 3.333 MI. DIST: 10-4 SR: 2025
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

017596 FT



```
017596 FT  SR 0553 SH
0060/1949  (SR0553 SEG 0040/0000)
           015 "DIA CIRC CONCR
0060/1898  LEN=0045 INSTALLED UNKN
           018 "DIA CIRC METAL
0060/1598  LEN=0045 INSTALLED UNKN
0060/1318  BMSEN 32/2025/0060/1301
           2 0 00000 0 00 0000+00
           TR PENN RUN
0060/1301  BMSBG 32/2025/0060/1301
           SPORTSMAN RD
0060/1235  (T629)
```

DIR: B TOTAL LEN: 3.333 MI. DIST: 10-4 SR: 2025
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| | 015647 FT | 015647 FT | 2 0 32038 0 00 0313+58 |
| | | | VILLAGE: PENN RUN |
| | | S 0060/0000 | LENGTH(AH 1949 BK 2729) |
| | | | 018 "DIA CIRC METAL |
| | | 0050/2428 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0050/1890 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/1268 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/1008 | LEN=0035 INSTALLED UNKN |
| | | | YELLOW CREEK RD |
| | | 0050/0730 | (T742) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/0015 | LEN=0033 INSTALLED UNKN |
| 2 0 32038 0 00 0286+27 | 012918 FT | 012918 FT | |
| NURSERY RD | | | |
| (T750) | 0050/0000 | S 0050/0000 | LENGTH(AH 2729 BK 3175) |
| | | | 018 "DIA CIRC METAL |
| | | 0040/2861 | LEN=0040 INSTALLED 2016 |
| | | | 015 "DIA CIRC METAL |
| | | 0040/2585 | LEN=0032 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0040/1615 | LEN=0038 INSTALLED UNKN |
| | | | 030 "DIA CIRC CONCR |
| | | 0040/0147 | LEN=0040 INSTALLED UNKN |
| | | | BENJAMIN FRANKLIN HW |
| 2 0 32038 0 00 0254+66 | 009743 FT | 009743 FT | (SR0422 SEG 0500/0979) |
| BENJAMIN FRANKLIN HW | | | MFC BEGIN = D |
| (SR0422 SEG 0500/0979) | 0040/0000 | S 0040/0000 | LENGTH(AH 3175 BK 2871) |
| | | | 015 "DIA CIRC METAL |
| | | 0030/1498 | LEN=0030 INSTALLED UNKN |
| | | | 030 "DIA CIRC METAL |
| | | 0030/0698 | LEN=0040 INSTALLED UNKN |
| JODY DR | | | |
| (T230) | 0030/0584 | | |
| | 006872 FT | 006872 FT | 2 0 32038 0 00 0226+00 |

DIR: B TOTAL LEN: 3.333 MI. DIST: 10-4 SR: 2025
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| | | | COLLEGE LODGE RD |
| | | | (T734) |
| | | S 0030/0000 | LENGTH(AH 2871 BK 3668) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/3070 | LEN=0032 INSTALLED 2003 |
| | | | 018 "DIA CIRC METAL |
| | | 0020/2272 | LEN=0027 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0020/2220 | LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0020/2115 | LEN=0036 INSTALLED UNKN |
| | | | (APRA) ALTEMUS FARMS DR |
| | | | ALTEMUS FARMS DR |
| | POI | 0020/2092 | (PRDR) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0759 | LEN=0032 INSTALLED 1998 |
| 003204 FT | | 003204 FT | 2 0 32038 0 00 0189+41 |
| | | | 048"H 72"W STRUCTURE * |
| | | | LEN=0044 INSTALLED UNKN |
| | | S 0020/0000 | LENGTH(AH 3668 BK 3204) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/3135 | LEN=0040 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2657 | LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2481 | LEN=0032 INSTALLED 1998 |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/2090 | LEN=0040 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1729 | LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1402 | LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1311 | LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/1040 | LEN=0040 INSTALLED 2016 |
| | | | STATE PARK RD |
| | | 0010/1003 | (PARK) |
| | | | NC HARMONY RD |
| | | INTER-BK | WESTON RD |
| 2 0 32038 0 00 0157+60 000000 FT | | 000000 FT | (T762) |
| RAY RD | | | MFC BEGIN = E |
| (T746) 0010/0000 | | S 0010/0000 | LENGTH(AH 3204 BK 0000) |

DIR: B TOTAL LEN: 2.325 MI. DIST: 10-4 SR: 2024
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

012276 FT

012276 FT WILLIAM PENN HW
0040/2693 (SR0022 SEG 0320/0000)

DIR: B TOTAL LEN: 2.325 MI. DIST: 10-4 SR: 2024
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2629 | LEN=0025 INSTALLED UNKN |
| | | | MCCACHREN RD |
| | | 0040/2444 | (T589) |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/2326 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1394 | LEN=0035 INSTALLED UNKN |
| | | | SHOUP RD |
| | | 0040/1209 | (PRDR) |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/0951 | LEN=0034 INSTALLED UNKN |
| | | | GRANGE HALL RD |
| | | 0040/0537 | (SR2013 SEG 0010/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0510 | LEN=0035 INSTALLED UNKN |
| | | | VILLAGE DR |
| | | 0040/0298 | (T706) |
| 009583 FT | | 009583 FT | 1 0 00223 3 00 0563+17 |
| | | | ORCHARD DR |
| | | | (T704) |
| | | 5 0040/0000 | LENGTH(AH 2693 BK 3462) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/3434 | LEN=0200 INSTALLED UNKN |
| | | | EAST WHEATFIELD |
| | | 0030/3315 | ARMAGH B |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/3298 | LEN=0043 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2808 | LEN=0037 INSTALLED UNKN |
| | | | DICK ST |
| | | 0030/2580 | (BORO) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2313 | LEN=0033 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0030/1989 | LEN=0037 INSTALLED UNKN |
| | | | INDIANA ST |
| | | | (SR0056 SEG 0540/0000) |
| | | 0030/1869 | |
| | | | PENN ST |
| | | 0030/1252 | (BORO) |
| | | | ARMAGH |
| | | 0030/0557 | EAST WHEATFIELD T |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0189 | LEN=0035 INSTALLED UNKN |
| 006121 FT | | 006121 FT | 1 0 00223 3 00 0528+49 |

DIR: B TOTAL LEN: 2.325 MI. DIST: 10-4 SR: 2024
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | | |
|---|---|---|---|
| | | | MOUNTAIN VIEW DR |
| | | | (T721) |
| | | 0030/0000 | LENGTH(AH 3462 BK 3296) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/3155 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2750 | LEN=0040 INSTALLED UNKN |
| HUTCHISON ST | | | |
| (T723) | 0020/2679 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2400 | LEN=0060 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/1407 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/0856 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0600 | LEN=0055 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0306 | LEN=0037 INSTALLED UNKN |
| | 002825 FT | 002825 FT | 1 0 00223 3 00 0495+54 |
| | | | HUTCHISON HOLLOW RD |
| | | | (T720) |
| | | 0020/0000 | LENGTH(AH 3296 BK 2825) |
| | | | BILL DICK RD |
| | | 0010/2019 | (T735) |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/1520 | LEN=0050 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/0680 | LEN=0046 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/0450 | LEN=0038 INSTALLED UNKN |
| | | | MCLAIN HILL RD |
| | | 0010/0172 | (T893) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0031 | LEN=0120 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0030 | LEN=0050 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 1 0 00223 3 00 0464+60 |
| | | NC | PHILADELPHIA ST |
| | | | WILLIAM PENN HW |
| | | | (SR0022 SEG 0273/0000) |
| | | | (SR0022 SEG 0272/0000) |
| | | INTER-BK | CLYDE RD |
| | | | (T700) |
| | | | MFC BEGIN = D |
| | | 0010/0000 | LENGTH(AH 2825 BK 0000) |

DIR: B TOTAL LEN: 2.423 MI. DIST: 10-4 SR: 2023
LEFT MUN: WHITE T RIGHT MUN: WHITE T

012795 FT

HUCKLEBERRY RD
(T990)

0050/0848

011508 FT



012795 FT
INTER-AHD FERGUSON RD
(T604)
SR 0954 SH
(SR0954 SEG 0080/0000)
0050/1287
024 "DIA CIRC CONCR
0050/0858 LEN=0042 INSTALLED UNKN

011508 FT 2 0 32041 0 01 0135+07
S 0050/0000 LENGTH(AH 1287 BK 2329)
ALBERT ST
0040/1838 (T971)

DIR: B TOTAL LEN: 2.423 MI. DIST: 10-4 SR: 2023
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | | | |
|---|---|---|---|---|---|
| | | | | | 036 "DIA CIRC METAL |
| | | | | 0040/1155 | LEN=0038 INSTALLED UNKN |
| | | | | | 018 "DIA CIRC CONCR |
| | | | | 0040/1064 | LEN=0056 INSTALLED 2001 |
| | | | | | 018 "DIA CIRC CONCR |
| | | | | 0040/1014 | LEN=0045 INSTALLED UNKN |
| | | | | | 018 "DIA CIR PLASTIC |
| | | | | 0040/0706 | LEN=0320 INSTALLED UNKN |
| | | | | | 018 "DIA CIR PLASTIC |
| | | | | 0040/0610 | LEN=0050 INSTALLED UNKN |
| SANDRO ST | | | | | ANN CR |
| (T972) | 0040/0589 | == | == | 0040/0589 | (T970) |
| | 009179 FT | | | 009179 FT | 2 0 32041 0 00 0106+21 |
| | | | | S 0040/0000 | LENGTH(AH 2329 BK 3069) |
| | | | | | 018 "DIA CIRC CONCR |
| | | | | 0030/2951 | LEN=0032 INSTALLED UNKN |
| | | | | | 018 "DIA CIRC CONCR |
| | | | | 0030/2748 | LEN=0036 INSTALLED UNKN |
| | | | | | 018 "DIA CIRC CONCR |
| | | | | 0030/2251 | LEN=0036 INSTALLED UNKN |
| | | | | | 024 "DIA CIRC METAL |
| | | | | 0030/1932 | LEN=0020 INSTALLED 1997 |
| | | | | | LUCERNE ET |
| | | | == | 0030/0562 | (T985) |
| | 006110 FT | | | 006110 FT | 2 0 32041 0 00 0075+42 |
| | | | | S 0030/0000 | LENGTH(AH 3069 BK 3629) |
| FIRST CLASS ENERGY | | | | | |
| (PRDR) | 0020/3418 | POI | | 0020/3418 | (APRA) FIRST CLASS ENER |
| | | | | | WHITE |
| | | | | 0020/3039 | CENTER T |
| | | | | | 030 "DIA CIRC CONCR |
| | | | | 0020/2954 | LEN=0040 INSTALLED UNKN |
| | | | | | 018 "DIA CIRC CONCR |
| | | | | 0020/2368 | LEN=0040 INSTALLED UNKN |
| INDUSTRIAL DR | | | | | |
| (PRDR) | 0020/1911 | == | | | |
| | | | | | 018 "DIA CIRC CONCR |
| | | | | 0020/1671 | LEN=0032 INSTALLED UNKN |
| | | | | | 018 "DIA CIRC CONCR |
| | | | | 0020/1238 | LEN=0045 INSTALLED UNKN |
| | | | | | 018 "DIA CIRC CONCR |
| | | | | 0020/0636 | LEN=0040 INSTALLED 1999 |
| KOMATSU RD | | | | | |
| (PRDR) | 0020/0623 | POI | | 0020/0623 | (APRA) KOMATSU |
| | | | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 2.423 MI. DIST: 10-4 SR: 2023
LEFT MUN: CENTER T RIGHT MUN: CENTER T

HALLIBURTON ENERGY SER
(PRDR)

002481 FT
0010/1493
000750 FT
000000 FT



0020/0100 LEN=0040 INSTALLED UNKN
002481 FT 2 0 32041 0 00 0039+00
ELEVENTH ST
(T986)
0020/0000 LENGTH(AH 3629 BK 1731)
0010/1493 (APRA) HALLIBURTON ENER
030 "DIA CIRC METAL
0010/1177 LEN=0034 INSTALLED UNKN
FOURTH ST
0010/1086 (T992)
SECOND AV
0010/0919 (T993)
015 "DIA CIRC CONCR
0010/0711 LEN=0040 INSTALLED UNKN
024 "DIA CIRC CONCR
0010/0576 LEN=0045 INSTALLED UNKN
024"H 30"W ELLIP CONC
0010/0453 LEN=0125 INSTALLED 2016
024 "DIA CIRC CONCR
0010/0173 LEN=0080 INSTALLED 2016
000750 FT 2 0 32041 0 00 0021+62
NC LUCERNE RD
PATRICK J. STAPLETON HW
(SR0119 SEG 0211/0000)
(SR0119 SEG 0210/0000)
0010/0000 LENGTH(AH 1731 BK 0750)
030 "DIA CIRC CONCR
0006/0667 LEN=0050 INSTALLED 2016
048"H 84"W CON BOX CUL
0006/0564 LEN=0200 INSTALLED 2016
015 "DIA CIRC CONCR
0006/0545 LEN=0048 INSTALLED 2016
0006/0418 BMSEN 32/2023/0006/0400
0 0 00000 0 00 0000+00
TRIB TO TWO LICK CREEK
0006/0400 BMSBG 32/2023/0006/0400
LOCKARD AV
0006/0391 (TWP )
018 "DIA CIRC CONCR
0006/0340 LEN=0100 INSTALLED 2016
018 "DIA CIRC CONCR
0006/0256 LEN=0040 INSTALLED 2016
000000 FT 0 0 00000 0 00 0000+00
NC LUCERNE ROAD ET
OLD ROUTE 119 HW
(SR3035 SEG 0060/1742)
MFC BEGIN = D
0006/0000 LENGTH(AH 0750 BK 0000)

DIR: B TOTAL LEN: 3.531 MI. DIST: 10-4 SR: 2021
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

018646 FT



018646 FT
INTER-AHD MICHAELS RD
(T740)
CAMERONS RD
0060/2793 (SR2020 SEG 0060/0000)
018 "DIA CIRC CONCR
0060/2250 LEN=0035 INSTALLED UNKN
018 "DIA CIRC METAL
0060/1935 LEN=0050 INSTALLED UNKN
018 "DIA CIRC METAL
0060/1407 LEN=0030 INSTALLED UNKN
BARKLEY CHURCH RD
0060/1231 (T740)
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 3.531 MI. DIST: 10-4 SR: 2021
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | | |
|---|---|---|---|
| | | 0060/0917 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0415 | LEN=0025 INSTALLED UNKN |
| | 015853 FT | 015853 FT | 2 0 32020 0 01 0248+39 |
| | | S 0060/0000 | LENGTH(AH 2793 BK 3500) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/3250 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/2608 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1168 | LEN=0034 INSTALLED UNKN |
| | 012353 FT | 012353 FT | 2 0 32020 0 01 0213+38 |
| | | S 0050/0000 | LENGTH(AH 3500 BK 3496) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/3430 | LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2688 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2343 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1615 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1250 | LEN=0037 INSTALLED UNKN |
| STILES RD (T736) | 0040/0577 | | |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/0125 | LEN=0040 INSTALLED UNKN |
| | 008857 FT | 008857 FT | 2 0 32020 0 01 0178+58 |
| | | S 0040/0000 | LENGTH(AH 3496 BK 3655) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2350 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1746 | LEN=0032 INSTALLED 2003 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1543 | LEN=0041 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0030/1322 | LEN=0044 INSTALLED UNKN |

DIR: B TOTAL LEN: 3.531 MI. DIST: 10-4 SR: 2021
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0987 | LEN=0054 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0613 | LEN=0054 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0371 | LEN=0044 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0030/0041 | LEN=0040 INSTALLED UNKN |
| | 005202 FT | 005202 FT | 2 0 32020 0 01 0141+78 |
| | | S 0030/0000 | LENGTH(AH 3655 BK 3094) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0020/2838 | LEN=0040 INSTALLED 2016 |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/2571 | LEN=0036 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/2235 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1902 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1698 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1286 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/0982 | LEN=0039 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0643 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0271 | LEN=0036 INSTALLED UNKN |
| 2 0 32020 0 01 0110+71 | 002108 FT | 002108 FT | |
| ONEIDA MINE RD | | | |
| (SR2016 SEG 0060/3565) | 0020/0000 | S 0020/0000 | LENGTH(AH 3094 BK 2108) |
| | | | 036 "DIA CIRC METAL |
| | | 0010/2055 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1620 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0010/1291 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0662 | LEN=0040 INSTALLED 2003 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0310 | LEN=0040 INSTALLED UNKN |
| | | | FROM 0403/0150 SH |
| | | 0010/0127 | (CONN) |
| | 000000 FT | 000000 FT | 2 0 32020 0 01 0089+11 |
| | | | SR 0403 SH |
| | | | (SR0403 SEG 0150/0000) |
| | | NC RIDGE RD | |
| SR 0403 SH | | | MFC BEGIN = E |
| (SR0403 SEG 0150/0000) | 0010/0000 | S 0010/0000 | LENGTH(AH 2108 BK 0000) |

DIR: B TOTAL LEN: 5.997 MI. DIST: 10-4 SR: 2020
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | | |
|---|---|---|---|
| | 031666 FT | 031666 FT | |
| | | INTER-AHD | SHULTZ RD |
| | | | (T589) |
| | | | SR 0403 SH |
| | | 0100/3082 | (SR0403 SEG 0240/0000) |
| | | | 015 "DIA CIRC METAL |
| | | 0100/3050 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/2360 | LEN=0036 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/0820 | LEN=0032 INSTALLED 2001 |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/0292 | LEN=0033 INSTALLED UNKN |
| 2 0 32039 0 00 0129+20 | 028584 FT | 028584 FT | |
| SHORTCUT RD | | | |
| (T876) | 0100/0000 | 0100/0000 | LENGTH(AH 3082 BK 1902) |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1791 | LEN=0042 INSTALLED UNKN |
| | 026682 FT | 026682 FT | 2 0 32039 0 00 0108+18 |

DIR: B TOTAL LEN: 5.997 MI. DIST: 10-4 SR: 2020
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | | |
|---|---|---|---|
| | | | DEYARMIN RD |
| | | | (T877) |
| | | S 0090/0000 | LENGTH(AH 1902 BK 3754) |
| FACTORY HOLLOW RD | | | |
| (T874) | 0080/2802 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/2703 | LEN=0040 INSTALLED 2002 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0080/2155 | LEN=0031 INSTALLED 2012 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0080/0185 | LEN=0036 INSTALLED 2012 |
| | 022928 FT | 022928 FT | 2 0 32039 0 00 0070+66 |
| | | S 0080/0000 | LENGTH(AH 3754 BK 3672) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0070/3378 | LEN=0030 INSTALLED 2012 |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1434 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1075 | LEN=0031 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0734 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0410 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/0029 | LEN=0040 INSTALLED UNKN |
| | 019256 FT | 019256 FT | 2 0 32039 0 00 0033+95 |
| | | | STEWART HOLLOW RD |
| | | | (T720) |
| | | S 0070/0000 | LENGTH(AH 3672 BK 3360) |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/3222 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/2218 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIR PLASTIC |
| | | 0060/1718 | LEN=0032 INSTALLED 2012 |
| | | | 024 "DIA CIR PLASTIC |

DIR: B TOTAL LEN: 5.997 MI. DIST: 10-4 SR: 2020
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | | |
|---|---|---|---|
| | | 0060/1475 | LEN=0033 INSTALLED 2012 |
| 2 0 32039 0 00 0000+00 | 015896 FT | 015896 FT | RIDGE RD |
| MICHAELS RD | | | (SR2021 SEG 0060/2793) |
| (T741) | 0060/0000 | 0060/0000 | LENGTH(AH 3360 BK 3335) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/3016 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/2621 | LEN=0039 INSTALLED UNKN |
| | | | SPRUCE HOLLOW RD |
| | | 0050/2285 | (T719) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/2095 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1787 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0869 | LEN=0039 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0576 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0251 | LEN=0039 INSTALLED UNKN |
| | 012561 FT | 012561 FT | 2 0 32020 0 01 0310+95 |
| | | 0050/0000 | LENGTH(AH 3335 BK 3404) |
| | | | 024 "DIA CIRC METAL |
| | | 0040/3264 | LEN=0030 INSTALLED 2012 |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/3101 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2847 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2437 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2016 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1600 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/1489 | LEN=0034 INSTALLED 2012 |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1150 | LEN=0027 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/0959 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0744 | LEN=0032 INSTALLED UNKN |
| | | | BUFFINGTON |
| | | 0040/0300 | BRUSH VALLEY T |
| | 009157 FT | 009157 FT | 2 0 32020 0 02 0345+74 |

DIR: B TOTAL LEN: 5.997 MI. DIST: 10-4 SR: 2020
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

```
                                                  S 0040/0000 LENGTH(AH 3404 BK 3902)
                                                              018 "DIA CIRC CONCR
                                                    0030/3515 LEN=0030 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0030/3363 LEN=0030 INSTALLED UNKN
                                                              018 "DIA CIR PLASTIC
                                                    0030/2880 LEN=0040 INSTALLED 2016
                                                              015 "DIA CIRC METAL
                                                    0030/2395 LEN=0035 INSTALLED UNKN

                                                              015 "DIA CIR PLASTIC
                                                    0030/1770 LEN=0030 INSTALLED 2012
                                                              ADAMS RD
                                                    0030/1478 (T701)
                                                              015 "DIA CIRC CONCR
                                                    0030/1260 LEN=0028 INSTALLED UNKN

                                                              018 "DIA CIR PLASTIC
                                                    0030/0528 LEN=0045 INSTALLED 2015
                                                    0030/0025 BMSEN 32/2020/0030/0000
                          005255 FT                 005255 FT 2 0 32020 0 03 0394+76
                                                              BRUSH CREEK
                                                              BMSBG 32/2020/0030/0000
                                                  S 0030/0000 LENGTH(AH 3902 BK 2449)
                                                              018 "DIA CIRC CONCR
                                                    0020/1992 LEN=0040 INSTALLED UNKN

                                                              018 "DIA CIRC CONCR
                                                    0020/1159 LEN=0039 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0020/0745 LEN=0038 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0020/0321 LEN=0031 INSTALLED UNKN
2 0 32020 0 04 0419+49 002806 FT                    002806 FT CAMPGROUND RD
CAMPGROUND RD                                               (T735)
(T735)                  0020/0000                   S 0020/0000 LENGTH(AH 2449 BK 2806)

                                                              018 "DIA CIRC CONCR
                                                    0010/2202 LEN=0040 INSTALLED 2002

                                                              018 "DIA CIRC CONCR
                                                    0010/1389 LEN=0031 INSTALLED UNKN

                                                              036 "DIA CIRC METAL
                                                    0010/0548 LEN=0040 INSTALLED UNKN
                                                          NC CAMERONS RD
                                                              SR 0259 SH
2 0 32020 0 04 0446+30 000000 FT                    000000 FT (SR0259 SEG 0300/0000)
SR 0259 SH                                                  MFC BEGIN = D
(SR0259 SEG 0300/0000)  0010/0000                   S 0010/0000 LENGTH(AH 2806 BK 0000)
```

DIR: B TOTAL LEN: 6.164 MI. DIST: 10-4 SR: 2019
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | | |
|---|---|---|---|---|
| RIDGE AV | 032547 FT | | 032547 FT | RIDGE AV |
| (SR0056 SEG 0310/1073) | 0110/2942 | | 0110/2942 | (SR0056 SEG 0310/1073) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/2929 | LEN=0060 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/2716 | LEN=0032 INSTALLED 2003 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/2501 | LEN=0030 INSTALLED UNKN |
| | | | | TILLIO LN |
| | | == | 0110/2461 | (TWP ) |
| | | | | DOLORES RD |
| | | == | 0110/1972 | (TWP ) |
| GREEN RD | | | | |
| (TWP ) | 0110/1749 | | | |
| | | | | 018 "DIA CIRC METAL |
| | | | 0110/1090 | LEN=0045 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0110/0627 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/0415 | LEN=0040 INSTALLED 2003 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/0284 | LEN=0040 INSTALLED 2003 |
| | | | 0110/0030 | BMSEN 32/2019/0110/0000 |
| | 029605 FT | | 029605 FT | 2 0 32023 0 01 0295+45 |
| | | | | TEARING RUN |
| | | | | BMSBG 32/2019/0110/0000 |
| | | | 0110/0000 | LENGTH(AH 2942 BK 3194) |
| | | | | 024 "DIA CIRC METAL |

DIR: B TOTAL LEN: 6.164 MI. DIST: 10-4 SR: 2019
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| | | 0100/2130 | LEN=0040 INSTALLED UNKN<br>018 "DIA CIR PLASTIC |
| | | 0100/1690 | LEN=0040 INSTALLED 2019<br>018 "DIA CIRC METAL |
| | | 0100/1276 | LEN=0024 INSTALLED 2003 |
| COY RD<br>(T615) | 0100/1257 | | 024 "DIA CIRC CONCR |
| | | 0100/1213 | LEN=0040 INSTALLED 2003<br>018 "DIA CIRC METAL |
| | | 0100/1134 | LEN=0048 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0100/1030 | LEN=0048 INSTALLED 2003<br>012 "DIA CIRC CONCR |
| | | 0100/0675 | LEN=0030 INSTALLED UNKN<br>024 "DIA CIRC METAL |
| | | 0100/0410 | LEN=0035 INSTALLED UNKN<br>018 "DIA CIR PLASTIC |
| | | 0100/0291 | LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0100/0240 | LEN=0032 INSTALLED 1997 |
| | 026411 FT | 0100/0017<br>026411 FT | BMSEN 32/2019/0100/0000<br>2 0 32023 0 01 0263+48<br>TR TEARING RUN<br>BMSBG 32/2019/0100/0000 |
| | | S 0100/0000 | LENGTH(AH 3194 BK 3065)<br>018 "DIA CIRC CONCR |
| | | 0090/2775 | LEN=0040 INSTALLED UNKN<br>018 "DIA CIR PLASTIC |
| | | 0090/2590 | LEN=0040 INSTALLED 2019<br>018 "DIA CIRC CONCR |
| | | 0090/2140 | LEN=0040 INSTALLED UNKN<br>018 "DIA CIR PLASTIC |
| | | 0090/1687 | LEN=0040 INSTALLED 2019<br>015 "DIA CIRC CONCR |
| | | 0090/1170 | LEN=0040 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0090/1040 | LEN=0043 INSTALLED 2003<br>018 "DIA CIRC CONCR |
| | | 0090/0578 | LEN=0032 INSTALLED 2003 |
| | 023346 FT | 023346 FT<br>S 0090/0000 | 2 0 32023 0 01 0232+96<br>LENGTH(AH 3065 BK 1857)<br>024 "DIA CIRC CONCR |
| | | 0080/1773 | LEN=0045 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0080/1739 | LEN=0040 INSTALLED UNKN<br>024 "DIA CIRC CONCR |
| | | 0080/1126 | LEN=0045 INSTALLED UNKN<br>015 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 6.164 MI. DIST: 10-4 SR: 2019
LEFT MUN: CENTER T RIGHT MUN: CENTER T

```
                                        0080/1104 LEN=0045 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0080/0877 LEN=0045 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0080/0849 LEN=0045 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0080/0451 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0080/0424 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0080/0070 LEN=0035 INSTALLED UNKN
021489 FT                               021489 FT 2 0 32023 0 01 0214+38
                                      S 0080/0000 LENGTH(AH 1857 BK 3157)
                                                  015 "DIA CIRC CONCR
                                        0070/2983 LEN=0035 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0070/2770 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0070/2438 LEN=0030 INSTALLED 1996
                                                  018 "DIA CIR PLASTIC
                                        0070/2255 LEN=0040 INSTALLED 2019
                                                  018 "DIA CIRC CONCR
                                        0070/2058 LEN=0035 INSTALLED 1996
                                                  018 "DIA CIRC METAL
                                        0070/1812 LEN=0040 INSTALLED 1996

                                                  024 "DIA CIRC CONCR
                                        0070/1120 LEN=0040 INSTALLED 1998
                                                  024 "DIA CIRC CONCR
                                        0070/0723 LEN=0040 INSTALLED 1998
                                                  036 "DIA CIRC CONCR
                                        0070/0589 LEN=0030 INSTALLED UNKN
018332 FT                               018332 FT 2 0 32023 0 01 0182+32
                                                  VILLAGE: LUCIUSBORO
                                                  LUCIUSBORO RD
                                                  (SR2018 SEG 0010/0000)
                                          NC FIRE ACADEMY RD
                                      S 0070/0000 LENGTH(AH 3157 BK 2467)
                                                  018 "DIA CIRC CONCR
                                        0060/2127 LEN=0050 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0060/1575 LEN=0075 INSTALLED UNKN


015865 FT                               015865 FT 2 0 32023 0 00 0157+60
                                                  AULDS RUN RD
                                                  (SR2014 SEG 0010/0000)
                                                  MFC BEGIN = D
```

DIR: B TOTAL LEN: 6.164 MI. DIST: 10-4 SR: 2019
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| | | | 0060/0000 LENGTH(AH 2467 BK 2080) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0050/1864 LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0050/0600 LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0050/0032 LEN=0045 INSTALLED UNKN |
| | 013785 FT | | 013785 FT 2 0 32023 0 00 0136+80 |
| | | | RHINE RD |
| | | | (T611) |
| | | == | 0050/0000 LENGTH(AH 2080 BK 3703) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0040/2866 LEN=0032 INSTALLED 1998 |
| SIX FLAT RD (T698) | 0040/2083 | == | |
| | | | 018 "DIA CIRC METAL |
| | | | 0040/1890 LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0040/0992 LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0040/0856 LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0040/0348 LEN=0030 INSTALLED UNKN |
| | 010082 FT | | 010082 FT 2 0 32023 0 00 0100+26 |
| | | | 0040/0000 LENGTH(AH 3703 BK 3353) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0030/3320 LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0030/2782 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0030/2670 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0030/1742 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0030/1160 LEN=0016 INSTALLED 1998 |
| | | | (APRA) PELLEGRENE LANDF |
| | | | EVERGREEN LN |
| | | POE | 0030/0197 (PRDR) |
| | 006729 FT | | 006729 FT 2 0 32023 0 00 0066+69 |
| | | | 0030/0000 LENGTH(AH 3353 BK 3331) |

DIR: B TOTAL LEN: 6.164 MI. DIST: 10-4 SR: 2019
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0020/3165 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2728 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2392 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1900 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1698 | LEN=0040 INSTALLED UNKN |
| | | | 018"H 00"W MULT CONCR |
| | | 0020/1464 | LEN=0064 INSTALLED 1997 |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1123 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0672 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0319 | LEN=0035 INSTALLED UNKN |
| | 003398 FT | 003398 FT | 2 0 32023 0 00 0033+96 |
| | | S 0020/0000 | LENGTH(AH 3331 BK 3398) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/3351 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2988 | LEN=0045 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0010/2582 | LEN=0040 INSTALLED UNKN |
| | | | TR TWO LICK CR |
| | | | STRUCTURE LENGTH 10 FT |
| | | 0010/1233 | BMSID 32/2019/0010/1233 |
| | | | 048"H 72"W CONC STRUCT |
| | | 0010/1194 | LEN=0050 INSTALLED UNKN |
| UNKNOWN RD (PRDR) | 0010/0856 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0452 | LEN=0060 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/0055 | LEN=0035 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32023 0 00 0000+00 |
| | | NC LUCIUSBORO RD | |
| | | | PATRICK J. STAPLETON HW |
| | | | (SR0119 SEG 0113/0000) |
| | | | (SR0119 SEG 0112/0000) |
| | | INTER-BK | POWER PLANT RD |
| | | | (T680) |
| | | | MFC BEGIN = E |
| | | S 0010/0000 | LENGTH(AH 3398 BK 0000) |

DIR: B TOTAL LEN: 2.960 MI. DIST: 10-4 SR: 2018
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

015627 FT

015627 FT

015627 FT
7080/0000 LENGTH(AH 2681 BK 3061)
015627 FT
7070/0000 LENGTH(AH 3061 BK 3845)
INTER-AHD HINER RD
(TB80)
SR 0259 SH

DIR: B TOTAL LEN: 2.960 MI. DIST: 10-4 SR: 2018
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

| | | | |
|---|---|---|---|
| | | 0060/3845 | (SR0259 SEG 0240/0000) |
| | | 0060/3590 | BMSEN 32/2018/0060/3559 |
| | | | 2 0 32125 0 00 0154+10 |
| | | | TR BRUSH CREEK |
| | | 0060/3559 | BMSBG 32/2018/0060/3559 |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/3220 | LEN=0035 INSTALLED 2002 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/2590 | LEN=0040 INSTALLED 2016 |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1946 | LEN=0040 INSTALLED 2002 |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0787 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0030 | LEN=0045 INSTALLED UNKN |
| 2 0 32125 0 00 0118+81 011782 FT | | 011782 FT | |
| FRYE CEMETERY RD | | | |
| (T696) 0060/0000 | | S 0060/0000 | LENGTH(AH 3845 BK 1231) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0769 | LEN=0035 INSTALLED 2002 |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0470 | LEN=0040 INSTALLED 2002 |
| | | 0050/0139 | BMSEN 32/2018/0050/0125 |
| | | | 2 0 32125 0 00 0107+38 |
| | | | TR BRUSH CR |
| | | 0050/0125 | BMSBG 32/2018/0050/0125 |
| 010551 FT | | 010551 FT | 2 0 32125 0 00 0106+30 |
| | | | OLD MISSION RD |
| | | | (T724) |
| | | S 0050/0000 | LENGTH(AH 1231 BK 2547) |
| | | | 036 "DIA CIRC METAL |
| | | 0040/2348 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/2045 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1798 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1450 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0927 | LEN=0035 INSTALLED UNKN |
| | | | 016 "DIA CIRC CONCR |
| | | 0040/0571 | LEN=0035 INSTALLED UNKN |
| | | | SIMON RD |
| | | 0040/0060 | (T950) |
| 008004 FT | | 008004 FT | 2 0 32125 0 00 0080+23 |

DIR: B TOTAL LEN: 2.960 MI. DIST: 10-4 SR: 2018
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

| | | |
|---|---|---|
| | 0040/0000 | LENGTH(AH 2547 BK 2903) |
| | | BRUSH VALLEY |
| | 0030/2636 | CENTER T |
| | | 018 "DIA CIRC CONCR |
| | 0030/2237 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/1001 | LEN=0035 INSTALLED UNKN |
| 005101 FT | 005101 FT | 2 0 32125 0 00 0051+02 |
| | 0030/0000 | LENGTH(AH 2903 BK 2367) |
| | | 018 "DIA CIRC CONCR |
| | 0020/2310 | LEN=0040 INSTALLED 2002 |
| | | 018 "DIA CIRC CONCR |
| | 0020/1812 | LEN=0030 INSTALLED UNKN |
| | | AKERS RD |
| | 0020/1025 | (T700) |
| | | 024 "DIA CIRC METAL |
| | 0020/0520 | LEN=0030 INSTALLED UNKN |
| 002734 FT | 002734 FT | 2 0 32125 0 00 0022+32 |
| | | 018 "DIA CIRC CONCR |
| | | LEN=0040 INSTALLED UNKN |
| | 0020/0000 | LENGTH(AH 2367 BK 2734) |
| | | 018 "DIA CIRC CONCR |
| | 0010/2310 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/1186 | LEN=0030 INSTALLED UNKN |
| | | ZACK ST |
| | 0010/0751 | (T700) |
| | | 018 "DIA CIR PLASTIC |
| | 0010/0750 | LEN=0040 INSTALLED 2000 |
| | | 024 "DIA CIRC CONCR |
| | 0010/0320 | LEN=0030 INSTALLED UNKN |
| | | KANOUFF ST |
| | 0010/0149 | (T702) |
| | | 018 "DIA CIRC CONCR |
| | 0010/0106 | LEN=0040 INSTALLED 2002 |
| 000000 FT | 000000 FT | 2 0 32125 0 00 0000+00 |
| | | VILLAGE: LUCIUSBORO |
| | NC | LUCIUSBORO RD |
| | INTER-BK | LUCIUSBORO RD |
| | | (SR2019 SEG 0070/0000) |
| FIRE ACADEMY RD | | MFC BEGIN = E |
| (SR2019 SEG 0070/0000) 0010/0000 | 0010/0000 | LENGTH(AH 2734 BK 0000) |

DIR: B TOTAL LEN: 2.799 MI. DIST: 10-4 SR: 2017
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

| | | | |
|---|---|---|---|
| | 014781 FT | 014781 FT | |
| | | INTER-AHD | CAMPBELLS MILL RD |
| | | | (SR3011 SEG 0100/2173) |
| | | | PATRICK J. STAPLETON HW |
| | | | (SR0119 SEG 0063/0000) |
| | | | (SR0119 SEG 0062/0000) |
| | | 0060/1076 | |
| | | | BLAIR RD |
| | | 0060/0666 | (T515) |
| | | | GRANT ST |
| | | 0060/0335 | (T801) |
| | 013705 FT | 013705 FT | 2 0 32017 0 00 0131+00 |
| | | | WILLOW ST |
| | | | (T805) |
| | | S 0060/0000 | LENGTH(AH 1076 BK 1840) |
| HEMLOCK ST (T791) | 0050/1522 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1144 | LEN=0056 INSTALLED 2004 |
| | | | BURRELL ST |
| | | 0050/1136 | (T793) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1100 | LEN=0056 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/0781 | LEN=0026 INSTALLED UNKN |
| | | | LANEY ST |
| | | 0050/0478 | (T791) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0260 | LEN=0032 INSTALLED UNKN |
| | 011865 FT | 011865 FT | 2 0 32017 0 00 0112+50 |
| | | | VILLAGE: BLACKLICK |
| | | | PARK DR |
| | | | (T799) |
| | | NC MAIN ST | |
| | | S 0050/0000 | LENGTH(AH 1840 BK 1995) |
| | | | OLD INDIANA RD |
| | | 0040/1925 | (T660) |
| CRIPPS ST (T818) MOCK ST | 0040/1468 | | |

DIR: B TOTAL LEN: 2.799 MI. DIST: 10-4 SR: 2017
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

| | | | |
|---|---|---|---|
| (T817) | 0040/1125 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1102 | LEN=0036 INSTALLED UNKN |
| LEIKERT AV | | | |
| (T816) | 0040/0816 | | |
| CHURCH ST | | | TROLLEY ST |
| (T815) | 0040/0375 | 0040/0375 | (T402) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0217 | LEN=0035 INSTALLED UNKN |
| | 009870 FT | 009870 FT | 2 0 32017 0 00 0092+63 |
| | | | SCHOOL HOUSE RD |
| | | | (T609) |
| | | S 0040/0000 | LENGTH(AH 1995 BK 2417) |
| | | | 048 "DIA CIRC CONCR |
| | | 0030/2403 | LEN=0043 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0030/2088 | LEN=0035 INSTALLED 2006 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1832 | LEN=0040 INSTALLED 2002 |
| | | | FIRST AV |
| | | 0030/1715 | (T785) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1577 | LEN=0045 INSTALLED 2004 |
| | | | SECOND ST |
| | | 0030/1269 | (T400) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1228 | LEN=0032 INSTALLED 2002 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1058 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0936 | LEN=0032 INSTALLED 2002 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0661 | LEN=0030 INSTALLED 2002 |
| | | | 015 "DIA CIRC CONCR |
| | | 0030/0497 | LEN=0036 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0030/0300 | LEN=0045 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0030/0040 | LEN=0040 INSTALLED UNKN |
| | 007453 FT | 007453 FT | 2 0 32017 0 00 0068+62 |
| | | | HILL DR |
| | | | (T805) |
| | | S 0030/0000 | LENGTH(AH 2417 BK 2989) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2794 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2504 | LEN=0048 INSTALLED 2000 |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1723 | LEN=0047 INSTALLED UNKN |

DIR: B TOTAL LEN: 2.799 MI. DIST: 10-4 SR: 2017
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

| | | | |
|---|---|---|---|
| | | | 030 "DIA CIR PLASTIC |
| | | 0020/0954 | LEN=0030 INSTALLED UNKN |
| | | | 030 "DIA CIR PLASTIC |
| | | 0020/0620 | LEN=0035 INSTALLED 2004 |
| 2 0 32017 0 00 0037+00 | 004464 FT | 004464 FT | |
| MARSHALL HEIGHTS RD | | | MFC BEGIN = D |
| (T590) | 0020/0000 | 0020/0000 | LENGTH(AH 2989 BK 3360) |
| | | | 018 "DIA CIRC CONCR |
| | | 0012/2725 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0012/2432 | LEN=0040 INSTALLED 2002 |
| | | | 048 "DIA CIRC CONCR |
| | | 0012/2081 | LEN=0048 INSTALLED 2002 |
| | | | 018 "DIA CIRC CONCR |
| | | 0012/1583 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0012/1174 | LEN=0026 INSTALLED UNKN |
| | | | 043"H 68"W ELLIP CONC |
| | | 0012/0956 | LEN=0032 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0012/0687 | LEN=0032 INSTALLED 2002 |
| | | | 018 "DIA CIRC CONCR |
| | | 0012/0600 | LEN=0016 INSTALLED 2002 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0012/0482 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0012/0395 | LEN=0040 INSTALLED 2002 |
| | | | 016 "DIA CIRC CONCR |
| | | 0012/0194 | LEN=0036 INSTALLED UNKN |
| | | | 016 "DIA CIRC CONCR |
| | | 0012/0029 | LEN=0035 INSTALLED UNKN |
| | 001104 FT | 001104 FT | 0 0 00000 0 00 0000+00 |
| | | 0012/0000 | LENGTH(AH 3360 BK 1104) |
| | | | 016 "DIA CIR PLASTIC |
| | | 0010/0952 | LEN=0029 INSTALLED UNKN |
| JUGHANDLE RD | | | |
| (SR9416 SEG 0010/0000) | 0010/0250 | | |
| | 000000 FT | 000000 FT | 2 0 32017 0 00 0000+00 |
| | | | NC PALMERTON RD |
| | | | WILLIAM PENN HW |
| | | | (SR0022 SEG 0113/0000) |
| | | | (SR0022 SEG 0112/0000) |
| | | INTER-BK | JUGHANDLE RD |
| | | | (SR9410 SEG 0010/0000) |
| | | | MFC BEGIN = E |
| | | 0010/0000 | LENGTH(AH 1104 BK 0000) |

DIR: B TOTAL LEN: 3.453 MI. DIST: 10-4 SR: 2016
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

018233 FT



018233 FT RIDGE RD
0060/3565 (SR2021 SEG 0020/0000)
048 "DIA CIRC CONCR
0060/3459 LEN=0035 INSTALLED UNKN
015 "DIA CIRC CONCR
0060/3017 LEN=0035 INSTALLED UNKN
015 "DIA CIRC CONCR
0060/2430 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/2152 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/1720 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/1545 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/1170 LEN=0035 INSTALLED UNKN

DIR: B TOTAL LEN: 3.453 MI. DIST: 10-4 SR: 2016
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | |
|---|---|---|
| | | 018 "DIA CIRC CONCR |
| | 0060/0495 | LEN=0035 INSTALLED UNKN |
| 014668 FT | 014668 FT | 2 0 32127 0 00 0146+34 |
| | S 0060/0000 | LENGTH(AH 3565 BK 3269) |
| | | 018 "DIA CIRC CONCR |
| | 0050/3100 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/2865 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/2272 | LEN=0035 INSTALLED UNKN |
| | | DILLTOWN HEIGHTS RD |
| | 0050/1875 | (T882) |
| | | 018 "DIA CIRC CONCR |
| | 0050/1825 | LEN=0035 INSTALLED UNKN |
| | | BUFFINGTON |
| | 0050/1338 | BRUSH VALLEY T |
| | | 018 "DIA CIRC CONCR |
| | 0050/1057 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/0641 | LEN=0035 INSTALLED UNKN |
| 011399 FT | 011399 FT | 2 0 32127 0 00 0113+77 |
| | S 0050/0000 | LENGTH(AH 3269 BK 3215) |
| | 0040/2276 | BMSEN 32/2016/0040/2263 |
| | | 2 0 32127 0 00 0104+09 |
| | | TR BLACKLICK |
| | 0040/2263 | BMSBG 32/2016/0040/2263 |
| | | 024 "DIA CIRC CONCR |
| | 0040/1593 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/1307 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/0887 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/0284 | LEN=0035 INSTALLED UNKN |
| 008184 FT | 008184 FT | 2 0 32127 0 00 0081+63 |
| | S 0040/0000 | LENGTH(AH 3215 BK 2226) |
| | | 018 "DIA CIRC CONCR |
| | 0030/2085 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/1825 | LEN=0035 INSTALLED UNKN |
| | | DIAS RD |
| | 0030/1296 | (PRDR) |
| | | 015 "DIA CIRC CONCR |
| | 0030/0971 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 3.453 MI. DIST: 10-4 SR: 2016
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

| | | | |
|---|---|---|---|
| | | 0030/0633 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0262 | LEN=0035 INSTALLED UNKN |
| | 005958 FT | 005958 FT | 2 0 32127 0 00 0059+43 |
| | | 0030/0000 | LENGTH(AH 2226 BK 3094) |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/2825 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/2460 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/2091 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/1557 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/1170 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/0769 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/0359 | LEN=0035 INSTALLED UNKN |
| | | 0020/0013 | BMSEN 32/2016/0020/0000 |
| | 002864 FT | 002864 FT | 2 0 32127 0 00 0028+58 |
| | | | TR BLACKLICK |
| | | | BMSBG 32/2016/0020/0000 |
| | | 0020/0000 | LENGTH(AH 3094 BK 2864) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/2528 | LEN=0040 INSTALLED 2013 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/2156 | LEN=0040 INSTALLED 2012 |
| LONGS RD | | | LONGS RD |
| (T618) | 0010/2000 | 0010/2000 | (T618) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/1975 | LEN=0050 INSTALLED 2013 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/1524 | LEN=0050 INSTALLED 2013 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0459 | LEN=0045 INSTALLED 2013 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0375 | LEN=0060 INSTALLED 2013 |
| BRUSH CREEK RD | | | |
| (T734) | 0010/0112 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0101 | LEN=0035 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32127 0 00 0000+00 |
| | | | NC ONEIDA MINE RD |
| | | | SR 0056 SH |
| | | | (SR0056 SEG 0470/0000) |
| | | | MFC BEGIN = E |
| | | 0010/0000 | LENGTH(AH 2864 BK 0000) |

DIR: B TOTAL LEN: 3.949 MI. DIST: 10-4 SR: 2015
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

020850 FT



020850 FT PYER RD
0070/3730 (SR0403 SEG 0210/0000)
018 "DIA CIR PLASTIC
0070/3644 LEN=0035 INSTALLED 1996
018 "DIA CIR PLASTIC
0070/3463 LEN=0035 INSTALLED UNKN

015 "DIA CIRC CONCR
0070/2094 LEN=0035 INSTALLED UNKN

018 "DIA CIR PLASTIC
0070/1293 LEN=0035 INSTALLED UNKN
018 "DIA CIRC METAL
0070/0931 LEN=0035 INSTALLED UNKN

DIR: B TOTAL LEN: 3.949 MI. DIST: 10-4 SR: 2015
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | |
|---|---|---|
| | | 018 "DIA CIRC METAL |
| | 0070/0546 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0070/0345 | LEN=0035 INSTALLED UNKN |
| 017120 FT | 017120 FT | 2 0 32128 0 01 0172+52 |
| | S 0070/0000 | LENGTH(AH 3730 BK 2356) |
| | | 018 "DIA CIR PLASTIC |
| | 0060/1398 | LEN=0025 INSTALLED UNKN |
| | | 018 "DIA CIR PLASTIC |
| | 0060/0842 | LEN=0025 INSTALLED UNKN |
| | | 018 "DIA CIR PLASTIC |
| | 0060/0039 | LEN=0025 INSTALLED 1999 |
| 014764 FT | 014764 FT | 2 0 32128 0 00 0148+00 |
| | | WISSINGER RD |
| | | (T840) |
| | S 0060/0000 | LENGTH(AH 2356 BK 1988) |
| | | 015 "DIA CIRC METAL |
| | 0050/1760 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0050/1016 | LEN=0035 INSTALLED UNKN |
| 012776 FT | 012776 FT | 2 0 32128 0 00 0127+88 |
| | S 0050/0000 | LENGTH(AH 1988 BK 2646) |
| | | 015 "DIA CIR PLASTIC |
| | 0040/1954 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/1646 | LEN=0035 INSTALLED 1996 |
| | | 024 "DIA CIRC CONCR |
| | 0040/0970 | LEN=0035 INSTALLED 1996 |
| | | 018 "DIA CIRC CONCR |
| | 0040/0416 | LEN=0035 INSTALLED UNKN |
| 010130 FT | 010130 FT | 2 0 32128 0 00 0101+65 |
| | | MACK DR |
| | | (T894) |
| | S 0040/0000 | LENGTH(AH 2646 BK 3117) |
| | | 018 "DIA CIRC METAL |
| | 0030/2587 | LEN=0035 INSTALLED UNKN |
| BARKLEY CHURCH RD (T740) 0030/2502 | | |
| | | NC PYER RD |
| | | 018 "DIA CIRC METAL |
| | 0030/2116 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |

DIR: B TOTAL LEN: 3.949 MI. DIST: 10-4 SR: 2015
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

```
                                                 0030/1597 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0030/1372 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0030/1006 LEN=0035 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                                 0030/0295 LEN=0040 INSTALLED UNKN
                    007013 FT                    007013 FT 2 0 32128 0 00 0070+36
                                                S0030/0000 LENGTH(AH 3117 BK 3683)



                                                           018 "DIA CIRC METAL
                                                 0020/2179 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/1883 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/1450 LEN=0044 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/1132 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/0810 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/0560 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/0292 LEN=0040 INSTALLED UNKN
                    003330 FT                    003330 FT 2 0 32128 0 00 0033+54
                                                S0020/0000 LENGTH(AH 3683 BK 3330)
                                                           018 "DIA CIRC METAL
                                                 0010/3242 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0010/2980 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0010/2600 LEN=0075 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0010/2130 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0010/1800 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0010/1407 LEN=0100 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0010/0830 LEN=0040 INSTALLED UNKN

                                                       NC BRACKEN RD
                                                           RIVER RD
2 0 32128 0 00 0000+00 000000 FT                 000000 FT (SR2012 SEG 0040/0000)
RIVER RD                                                   MFC BEGIN = E
(SR2012 SEG 0040/0000)  0010/0000               S0010/0000 LENGTH(AH 3330 BK 0000)
```

DIR: B TOTAL LEN: 2.423 MI. DIST: 10-4 SR: 2014
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

| | | | | |
|---|---|---|---|---|
| SR 0259 SH | 012795 FT | | 012795 FT | SR 0259 SH |
| (SR0259 SEG 0190/0000) | 0050/2548 | | 0050/2548 | (SR0259 SEG 0190/0000) |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0050/1590 | LEN=0040 INSTALLED 2016 |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0050/0705 | LEN=0038 INSTALLED UNKN |
| | | | | 030 "DIA CIRC CONCR |
| | | | 0050/0355 | LEN=0048 INSTALLED 1997 |
| | 010247 FT | | 010247 FT | 2 0 32025 0 01 0100+14 |
| | | | S 0050/0000 | LENGTH(AH 2548 BK 3272) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/3115 | LEN=0034 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/2852 | LEN=0036 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/1880 | LEN=0034 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0040/1508 | LEN=0048 INSTALLED 1999 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/1169 | LEN=0035 INSTALLED UNKN |
| | 006975 FT | | 006975 FT | 2 0 32025 0 01 0067+35 |
| | | | | ALTIMUS RD |
| | | | | (TB05) |
| | | | S 0040/0000 | LENGTH(AH 3272 BK 2983) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/2926 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/2670 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/2575 | LEN=0036 INSTALLED UNKN |

DIR: B TOTAL LEN: 2.423 MI. DIST: 10-4 SR: 2014
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2270 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2018 | LEN=0034 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0030/1678 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1332 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0994 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0709 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0558 | LEN=0035 INSTALLED UNKN |
| | | 0030/0015 | BMSEN 32/2014/0030/0000 |
| 003992 FT | | 003992 FT | 2 0 32025 0 01 0037+43 |
| | | | LAUREL RUN |
| | | | BMSBG 32/2014/0030/0000 |
| | | S 0030/0000 | LENGTH(AH 2983 BK 2107) |
| | | | BRUSH VALLEY |
| | | 0020/1905 | CENTER T |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1751 | LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0020/1569 | LEN=0035 INSTALLED UNKN |
| | | | 012 "DIA CIRC METAL |
| | | 0020/1177 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0920 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0556 | LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0477 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0300 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0007 | LEN=0030 INSTALLED UNKN |
| 001885 FT | | 001885 FT | 2 0 32025 0 01 0018+85 |
| | | S 0020/0000 | LENGTH(AH 2107 BK 1885) |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/1178 | LEN=0055 INSTALLED UNKN |
| 000000 FT | | 000000 FT | 2 0 32025 0 00 0000+00 |
| | | NC AULDS RUN RD | |
| | | | LUCIUSBORO RD |
| | | | (SR2019 SEG 0060/0000) |
| | | | MFC BEGIN = D |
| | | S 0010/0000 | LENGTH(AH 1885 BK 0000) |

DIR: B TOTAL LEN: 11.943 MI. DIST: 10-4 SR: 2013
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | | |
|---|---|---|---|
| | 063057 FT | 063057 FT | |
| | | INTER-AHD | SR 0403 SH |
| | | | (SR0403 SEG 0220/0000) |
| SR 0403 SH | | | HAGENS RD |
| (SR0403 SEG 0220/0000) | 0230/3315 | 0230/3315 | (T898) |
| | | | 015 "DIA CIRC CONCR |
| | | 0230/2704 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0230/2351 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0230/1993 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0230/1681 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0230/1142 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0230/0440 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0230/0052 | LEN=0040 INSTALLED UNKN |
| | 059742 FT | 059742 FT | 2 0 32021 0 02 0430+44 |
| | | S 0230/0000 | LENGTH(AH 3315 BK 3620) |
| | | | 015 "DIA CIRC CONCR |
| | | 0220/3473 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0220/2715 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0220/1852 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0220/1544 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0220/0936 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0220/0770 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0220/0556 | LEN=0070 INSTALLED UNKN |
| | 056122 FT | 056122 FT | 2 0 32021 0 02 0394+43 |
| | | | DUNCAN RD |

DIR: B TOTAL LEN: 11.943 MI. DIST: 10-4 SR: 2013
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

```
                                                                  (T900)
                                                   S 0220/0000 LENGTH(AH 3620 BK 1050)
                                                                015 "DIA CIRC CONCR
                                                     0210/0945 LEN=0035 INSTALLED UNKN
                                                                024 "DIA CIRC CONCR
                                                     0210/0602 LEN=0040 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                     0210/0435 LEN=0035 INSTALLED UNKN
2 0 32021 0 02 0383+77 055072 FT                     055072 FT
WISSINGER RD
(T840)                  0210/0000                  S 0210/0000 LENGTH(AH 1050 BK 3335)
                                                                018 "DIA CIR PLASTIC
                                                     0200/3331 LEN=0050 INSTALLED 2016
                                                                030 "DIA CIRC CONCR
                                                     0200/3040 LEN=0035 INSTALLED UNKN

                                                                015 "DIA CIRC CONCR
                                                     0200/2130 LEN=0035 INSTALLED UNKN
                                                                015 "DIA CIRC CONCR
                                                     0200/1732 LEN=0035 INSTALLED UNKN
                                                                030 "DIA CIRC METAL
                                                     0200/1270 LEN=0040 INSTALLED UNKN
                                                                018 "DIA CIRC METAL
                                                     0200/0895 LEN=0035 INSTALLED UNKN
                                                                018 "DIA CIRC METAL
                                                     0200/0528 LEN=0035 INSTALLED UNKN
                                                                018 "DIA CIRC METAL
                                                     0200/0357 LEN=0035 INSTALLED UNKN
                        051737 FT                    051737 FT 2 0 32021 0 02 0350+42
                                                          NC PLOWMAN RD
                                                   S 0200/0000 LENGTH(AH 3335 BK 3529)
                                                                018 "DIA CIRC METAL
                                                     0190/3462 LEN=0035 INSTALLED UNKN
                                                                018 "DIA CIRC METAL
                                                     0190/3145 LEN=0035 INSTALLED UNKN
                                                                018 "DIA CIRC METAL
                                                     0190/2600 LEN=0035 INSTALLED UNKN
                                                                018 "DIA CIRC METAL
                                                     0190/2393 LEN=0035 INSTALLED UNKN
                                                                018 "DIA CIRC METAL
                                                     0190/2083 LEN=0035 INSTALLED UNKN

                                                                018 "DIA CIRC METAL
                                                     0190/1393 LEN=0035 INSTALLED UNKN
                                                                018 "DIA CIRC METAL
                                                     0190/0980 LEN=0065 INSTALLED UNKN
                                                                018 "DIA CIRC METAL
                                                     0190/0568 LEN=0035 INSTALLED UNKN
                                                                018 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 11.943 MI. DIST: 10-4 SR: 2013
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | | |
|---|---|---|---|
| | | 0190/0311 | LEN=0035 INSTALLED UNKN |
| | 048208 FT | 048208 FT | 2 0 32021 0 01 0314+76 |
| | | | VILLAGE: REXIS |
| | | S 0190/0000 | LENGTH(AH 3529 BK 1011) |
| | | | NC REXIS RD |
| | | | KUNKLEMAN RD |
| | | 0180/0545 | (SR2026 SEG 0010/0000) |
| | | | 024 "DIA CIRC CONCR |
| | | 0180/0473 | LEN=0040 INSTALLED UNKN |
| | 047197 FT | 047197 FT | 2 0 32021 0 01 0304+65 |
| | | S 0180/0000 | LENGTH(AH 1011 BK 3444) |
| | | | 015 "DIA CIRC CONCR |
| | | 0170/1963 | LEN=0038 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0170/1235 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0170/0770 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIR PLASTIC |
| | | 0170/0421 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0170/0147 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0170/0010 | LEN=0030 INSTALLED UNKN |
| 2 0 32021 0 01 0270+35 | 043753 FT | 043753 FT | |
| LOWER LAUREL RUN RD | | | |
| (T722) | 0170/0000 | S 0170/0000 | LENGTH(AH 3444 BK 2055) |
| | | | 015 "DIA CIRC CONCR |
| | | 0160/1643 | LEN=0035 INSTALLED UNKN |
| | | | TR BLACKLICK CR |
| | | | STRUCTURE LENGTH 18 FT |
| | | 0160/1337 | BMSID 32/2013/0160/1337 |
| | | | 018 "DIA CIRC CONCR |
| | | 0160/0507 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0160/0370 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0160/0241 | LEN=0035 INSTALLED UNKN |
| | 041698 FT | 041698 FT | 2 0 32021 0 01 0251+14 |
| | | S 0160/0000 | LENGTH(AH 2055 BK 3783) |
| | | | 015 "DIA CIRC CONCR |
| | | 0150/3674 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/3394 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/3178 | LEN=0035 INSTALLED UNKN |

DIR: B TOTAL LEN: 11.943 MI. DIST: 10-4 SR: 2013
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | | |
|---|---|---|---|
| | | | 048 "DIA CIRC CONCR |
| | | 0150/2847 | LEN=0070 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0150/2350 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0150/1825 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/1670 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0150/1230 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0150/0403 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0085 | LEN=0055 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0020 | LEN=0042 INSTALLED 1997 |
| 2 0 32021 0 01 0214+61 | 037915 FT | 037915 FT | |
| MACK DR | | | |
| (T894) | 0150/0000 | S 0150/0000 | LENGTH(AH 3783 BK 2217) |
| | | | 015 "DIA CIRC CONCR |
| | | 0140/2131 | LEN=0055 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/0900 | LEN=0030 INSTALLED UNKN |
| | | 0140/0279 | BMSEN 32/2013/0140/0000 |
| | | | BUFFINGTON |
| | | 0140/0110 | EAST WHEATFIELD T |
| | 035698 FT | 035698 FT | 2 0 32021 0 00 0188+67 |
| | | | VILLAGE: WEHRUM |
| | | | BLACKLICK CREEK |
| | | | BMSBG 32/2013/0140/0000 |
| | | S 0140/0000 | LENGTH(AH 2217 BK 3431) |
| | | | 018 "DIA CIRC METAL |
| | | 0130/2963 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/1913 | LEN=0040 INSTALLED UNKN |
| | | | 018"H 00"W MULT CONCR |
| | | 0130/0411 | LEN=0040 INSTALLED UNKN |
| | 032267 FT | 032267 FT | 2 0 32021 0 00 0154+36 |
| | | S 0130/0000 | LENGTH(AH 3431 BK 2585) |

DIR: B TOTAL LEN: 11.943 MI. DIST: 10-4 SR: 2013
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0120/2343 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0120/2075 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/1990 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/1875 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0120/1333 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0120/0557 | LEN=0035 INSTALLED UNKN |
| 2 0 32021 0 00 0128+70 | 029682 FT | 029682 FT | |
| RIVER RD | | | |
| (SR2012 SEG 0040/2735) | 0120/0000 | S 0120/0000 | LENGTH(AH 2585 BK 1109) |
| | | | 072"H 88"W ELLIP METAL |
| | | 0110/0546 | LEN=0050 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0110/0214 | LEN=0030 INSTALLED UNKN |
| | 028573 FT | 028573 FT | 2 0 32021 1 00 0000+00 |
| | | | PLOWMAN RD |
| | | | (T740) |
| | | S 0110/0000 | LENGTH(AH 1109 BK 2988) |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/2790 | LEN=0030 INSTALLED UNKN |
| RAGER RD | | | |
| (T890) | 0100/2729 | | |
| | | | 048"H 72"W CONC STRUCT |
| | | 0100/2630 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/2204 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/1533 | LEN=0035 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0100/1429 | LEN=0075 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/0871 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/0522 | LEN=0075 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/0392 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/0264 | LEN=0050 INSTALLED UNKN |
| | 025585 FT | 025585 FT | 1 1 04849 0 00 0027+11 |
| | | S 0100/0000 | LENGTH(AH 2988 BK 1760) |
| | | | 018 "DIA CIR UNKNOWN |
| | | 0092/1615 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 11.943 MI. DIST: 10-4 SR: 2013
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

```
                                                  0092/1300 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0092/0500 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0092/0300 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0092/0180 LEN=0030 INSTALLED UNKN
                     023825 FT                    023825 FT 0 0 00000 0 00 0000+00
                                                S 0092/0000 LENGTH(AH 1760 BK 0942)
                                                            036 "DIA CIRC CONCR
                                                  0084/0700 LEN=0080 INSTALLED UNKN
JUGHANDLE RD
(SR9404 SEG 0010/0000)
RAGER RD
(T890)               0084/0615

                                                       NC WEHRUM RD
                                                            WILLIAM PENN HW
                                                            (SR0022 SEG 0393/0000)
                                                  0084/0415 (SR0022 SEG 0392/0000)
                                                            018 "DIA CIRC CONCR
                                                  0084/0346 LEN=0100 INSTALLED UNKN
                                                            JUG HANDLE RD
                                                  0084/0208 (SR9406 SEG 0010/0000)
                     022883 FT                    022883 FT 0 0 00000 0 00 0000+00
                                                            GAS CENTER RD
                                                            (T910)
                                                       NC BEVERLY LN
                                                S 0084/0000 LENGTH(AH 0942 BK 0733)
                     022150 FT                    022150 FT 0 0 00000 0 00 0000+00
GAS CENTER RD                                          NC GAS CENTER RD
(T910)               0082/0000                  S 0082/0000 LENGTH(AH 0733 BK 0855)
                     021295 FT                    021295 FT 2 0 32013 0 00 0218+45
                                                S 0080/0000 LENGTH(AH 0855 BK 3302)
                                                            018 "DIA CIRC CONCR
                                                  0070/2866 LEN=0050 INSTALLED 1996
                                                            024 "DIA CIRC CONCR
                                                  0070/2191 LEN=0035 INSTALLED 1996
                                                            018 "DIA CIRC CONCR
                                                  0070/1692 LEN=0050 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0070/1427 LEN=0060 INSTALLED UNKN
                                                            024 "DIA CIRC METAL
                                                  0070/0891 LEN=0055 INSTALLED UNKN
                                                            036 "DIA CIRC METAL
                                                  0070/0547 LEN=0065 INSTALLED UNKN
                                                            024 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 11.943 MI. DIST: 10-4 SR: 2013
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | | |
|---|---|---|---|
| | | 0070/0148 | LEN=0050 INSTALLED UNKN |
| 2 0 32013 0 00 0184+00 | 017993 FT | 017993 FT | |
| DONELSON RD | | | |
| (T733) | 0070/0000 | 0070/0000 | LENGTH(AH 3302 BK 3645) |
| | | | 024 "DIA CIRC METAL |
| | | 0060/3402 | LEN=0115 INSTALLED UNKN |
| | | | DEYARMIN RD |
| | | 0060/3131 | (T884) |
| FINDLEY RD | | | |
| (T730) | 0060/1256 | | |
| | 014348 FT | 014348 FT | 2 0 32013 0 00 0149+32 |
| | | | NC STUTZMAN RD |
| | | | SR 0403 SH |
| | | | (SR0403 SEG 0070/0000) |
| | | | MFC BEGIN = D |
| | | 0060/0000 | LENGTH(AH 3645 BK 1467) |
| | | | TR CONEMAUGH |
| | | | STRUCTURE LENGTH 13 FT |
| | | 0050/1387 | BMSID 32/2013/0050/1387 |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0634 | LEN=0040 INSTALLED UNKN |
| | 012881 FT | 012881 FT | 2 0 32013 0 00 0134+65 |
| | | 0050/0000 | LENGTH(AH 1467 BK 2971) |
| | | | 024 "DIA CIRC CONCR |
| | | 0040/2672 | LEN=0040 INSTALLED UNKN |
| | | | HILL RD |
| | | 0040/2310 | (T888) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0773 | LEN=0035 INSTALLED UNKN |
| | 009910 FT | 009910 FT | 2 0 32013 0 00 0103+79 |
| | | 0040/0000 | LENGTH(AH 2971 BK 3117) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2822 | LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIR PLASTIC |

DIR: B TOTAL LEN: 11.943 MI. DIST: 10-4 SR: 2013
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

```
                                        0030/1982 LEN=0030 INSTALLED UNKN

                                                  024 "DIA CIRC CONCR
                                        0030/0746 LEN=0035 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0030/0385 LEN=0045 INSTALLED UNKN
006793 FT                               006793 FT 2 0 32013 0 00 0071+47
                                                  FALOON HOLLOW RD
                                                  (T886)
                                      5 0030/0000 LENGTH(AH 3117 BK 3787)
                                                  048 "DIA CIRC CONCR
                                        0020/3515 LEN=0040 INSTALLED 1996

                                                  015 "DIA CIRC CONCR
                                        0020/2588 LEN=0035 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/2190 LEN=0035 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/1766 LEN=0035 INSTALLED UNKN
                                                  056"H 72"W CONC STRUCT
                                        0020/1695 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/1292 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/0896 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0020/0409 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0020/0005 LEN=0035 INSTALLED UNKN
003006 FT                               003006 FT 2 0 32013 0 00 0031+26
                                      5 0020/0000 LENGTH(AH 3787 BK 3006)

                                                  015 "DIA CIRC CONCR
                                        0010/0010 LEN=0030 INSTALLED UNKN
000000 FT                               000000 FT 2 0 32013 0 00 0000+00
                                            NC GRANGE HALL RD
                                                  PHILADELPHIA ST
                                                  (SR2024 SEG 0040/0537)
                                                  MFC BEGIN = E
                                      5 0010/0000 LENGTH(AH 3006 BK 0000)
```

DIR: B TOTAL LEN: 2.441 MI. DIST: 10-4 SR: 2012
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

012891 FT

2 0 32021 0 00 0101+03 010156 FT
BRACKEN RD
(SR2015 SEG 0010/0000) 0040/0000

007064 FT



012891 FT WEHRUM RD
0040/2735 (SR2013 SEG 0120/0000)
0040/2700 BMSEN 32/2012/0040/2597
EAST WHEATFIELD
0040/2648 BUFFINGTON T
2 0 32021 0 00 0127+28
BLACKLICK CREEK
0040/2597 BMSBG 32/2012/0040/2597

036"H 00"W MULT CONCR
0040/0597 LEN=0032 INSTALLED UNKN
010156 FT
S 0040/0000 LENGTH(AH 2735 BK 3092)

018 "DIA CIRC CONCR
0030/2021 LEN=0032 INSTALLED 1997
024 "DIA CIRC CONCR
0030/1722 LEN=0032 INSTALLED 1997
018 "DIA CIRC CONCR
0030/1295 LEN=0032 INSTALLED 1997
018 "DIA CIRC CONCR
0030/0907 LEN=0032 INSTALLED 1997
0030/0513 BMSEN 32/2012/0030/0485
2 0 32021 0 00 0075+29
CLARKE RUN
0030/0485 BMSBG 32/2012/0030/0485
007064 FT 2 0 32021 0 00 0070+45
S 0030/0000 LENGTH(AH 3092 BK 3692)

DIR: B TOTAL LEN: 2.441 MI. DIST: 10-4 SR: 2012
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | |
|---|---|---|
| | | 018 "DIA CIRC METAL |
| | 0020/3100 | LEN=0035 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0020/2690 | LEN=0032 INSTALLED 1997 |
| | | 018 "DIA CIRC CONCR |
| | 0020/2450 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0020/2300 | LEN=0031 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0020/1720 | LEN=0028 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0020/1365 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0020/1145 | LEN=0027 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0020/0943 | LEN=0035 INSTALLED UNKN |
| | | 015 "DIA CIR PLASTIC |
| | 0020/0785 | LEN=0060 INSTALLED 2013 |
| | | 018 "DIA CIRC METAL |
| | 0020/0720 | LEN=0044 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0020/0440 | LEN=0034 INSTALLED UNKN |
| 003372 FT | 003372 FT | 2 0 32021 0 00 0033+72 |
| | 0020/0000 | LENGTH(AH 3692 BK 3372) |
| | | 018 "DIA CIRC METAL |
| | 0010/3174 | LEN=0032 INSTALLED UNKN |
| | | 036 "DIA CIRC CONCR |
| | 0010/2896 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/2059 | LEN=0030 INSTALLED 1996 |
| | | 018 "DIA CIRC METAL |
| | 0010/1953 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIR PLASTIC |
| | 0010/0625 | LEN=0030 INSTALLED 2013 |
| | 0010/0211 | BMSEN 32/2012/0010/0181 |
| | | 2 0 32021 0 00 0001+74 |
| | | MARDIS RUN |
| | 0010/0181 | BMSBG 32/2012/0010/0181 |
| 000000 FT | 000000 FT | 2 0 32021 0 00 0000+00 |
| | | NC RIVER RD |
| | | SR 0403 SH |
| | | (SR0403 SEG 0130/2068) |
| | INTER-BK | DILLTOWN HEIGHTS RD |
| | | (T882) |
| | | MFC BEGIN = E |
| | 0010/0000 | LENGTH(AH 3372 BK 0000) |

DIR: B TOTAL LEN: 2.730 MI. DIST: 10-4 SR: 2011
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

SR 0259 SH 014417 FT
(SR0259 SEG 0060/0000) 0060/1976



014417 FT SR 0259 SH
0060/1976 (SR0259 SEG 0060/0000)
GAMBLE RD
0060/1906 (T605)
0060/1842 BMSEN 32/2011/0060/1818
2 0 32011 0 00 0141+61
E BR RICHARD

DIR: B TOTAL LEN: 2.730 MI. DIST: 10-4 SR: 2011
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T



```
                                  0060/1818 BMSBG 32/2011/0060/1818
                                            018 "DIA CIRC CONCR
                                  0060/1386 LEN=0040 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0060/1155 LEN=0040 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0060/0869 LEN=0038 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0060/0507 LEN=0035 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0060/0267 LEN=0033 INSTALLED UNKN
012441 FT                         012441 FT 2 0 32011 0 00 0124+74
                                            036"H 72"W BOX CULVRT*
                                            LEN=0035 INSTALLED UNKN
                                S 0060/0000 LENGTH(AH 1976 BK 2507)

                                            018 "DIA CIRC CONCR
                                  0050/1790 LEN=0036 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0050/1590 LEN=0035 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0050/1450 LEN=0030 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0050/1022 LEN=0035 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0050/0785 LEN=0035 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0050/0344 LEN=0035 INSTALLED UNKN
                                            018 "DIA CIRC METAL
                                  0050/0205 LEN=0036 INSTALLED UNKN
009934 FT                         009934 FT 2 0 32011 0 00 0099+68
                                S 0050/0000 LENGTH(AH 2507 BK 2645)
                                            018 "DIA CIRC CONCR
                                  0040/2591 LEN=0035 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0040/2318 LEN=0035 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0040/2004 LEN=0035 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0040/1590 LEN=0040 INSTALLED UNKN

                                            018 "DIA CIRC CONCR
                                  0040/0962 LEN=0035 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0040/0718 LEN=0050 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0040/0190 LEN=0037 INSTALLED UNKN
007289 FT                         007289 FT 2 0 32011 0 00 0073+00
                                            HOOD RD
                                            (T603)
```

DIR: B TOTAL LEN: 2.730 MI. DIST: 10-4 SR: 2011
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

```
                                                  S 0040/0000 LENGTH(AH 2645 BK 1424)
                                                            018 "DIA CIRC CONCR
                                                    0030/0873 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0030/0580 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0030/0026 LEN=0040 INSTALLED UNKN
2 0 32011 0 00 0059+08 005865 FT                    005865 FT
CLAWSON RD
(T850)                 0030/0000                  S 0030/0000 LENGTH(AH 1424 BK 3073)
                                                            018 "DIA CIRC CONCR
                                                    0020/2858 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0020/2442 LEN=0055 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                    0020/2131 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                    0020/1893 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                    0020/1660 LEN=0055 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0020/1149 LEN=0045 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                    0020/0285 LEN=0055 INSTALLED UNKN
                       002792 FT                    002792 FT 2 0 32011 0 00 0028+68
                                                  S 0020/0000 LENGTH(AH 3073 BK 2792)
                                                            018 "DIA CIRC CONCR
                                                    0010/2717 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0010/2524 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0010/2136 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                    0010/1830 LEN=0040 INSTALLED UNKN
                                                            036"H 48"W CON BOX CUL
                                                    0010/1405 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                    0010/0948 LEN=0060 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                    0010/0609 LEN=0040 INSTALLED UNKN
                                                    0010/0385 BMSEN 32/2011/0010/0370
                                                            2 0 32011 0 00 0003+59
                                                            TURKEY RUN
                                                    0010/0370 BMSBG 32/2011/0010/0370
                                                          NC MULLIGAN HILL RD
                                                    INTER-BK  CLIMAX RD
2 0 32011 0 00 0000+00 000000 FT                    000000 FT (SR2008 SEG 0130/0000)
CLIMAX RD                                                   MFC BEGIN = D
(SR2008 SEG 0130/0000)  0010/0000                  S 0010/0000 LENGTH(AH 2792 BK 0000)
```

DIR: B TOTAL LEN: .399 MI. DIST: 10-4 SR: 2009
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

```
002106 FT                    002106 FT
                             INTER-AHD  CLIMAX RD
                                        (SR2008 SEG 0140/0597)
                                        POWER PLANT RD
                             0020/0504  (SR2008 SEG 0140/0597)
                             0020/0435  (AAR 529052H)#TRKS 01
                             0020/0012  BMSEN 32/2009/0020/0000
001602 FT                    001602 FT  2 0 32009 0 00 0013+22
                                        TR CONEMAUGH
                                        BMSBG 32/2009/0020/0000
                           S 0020/0000  LENGTH(AH 0504 BK 1602)
                                        UNKNOWN RD
                             0010/1036  (PRDR)
                                        01B "DIA CIRC CONCR
                             0010/0578  LEN=0032 INSTALLED UNKN
                             0010/0499  BMSEN 32/2009/0010/0000
000000 FT                    000000 FT  2 0 32009 0 00 0000+00
                                  NC SR 2009 SH
                           * REF-BK     LIGIONEER ST
                                        (SR1001 SEG 0010/1964)
                                        CONEMAUGH RIVER
                                        BMSBG 32/2009/0010/0000
                                        MFC BEGIN = D
                                         BK-WESTMORELAND    (64)
                           S 0010/0000  LENGTH(AH 1602 BK 0000)
```

DIR: B TOTAL LEN: 10.929 MI. DIST: 10-4 SR: 2008
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

057703 FT

HUTCHINSON HOLLOW RD
(T720) 0210/2756

UNKNOWN RD
(PRDR)
UNKNOWN RD
(PRDR) 0210/0226

2 0 32008 0 01 0548+20 054473 FT
WELLER RD
(T599) 0210/0000



057703 FT
INTER-AHD CHARLES RD
(SR0711 SEG 0010/0000)
SR 0056 SH
(SR0056 SEG 0590/0000)
0210/3230
TR CONEMAUGH
STRUCTURE LENGTH 16 FT
0210/2782 BMSID 32/2008/0210/2782

018 "DIA CIRC CONCR
0210/2189 LEN=0042 INSTALLED UNKN
024 "DIA CIRC METAL
0210/1791 LEN=0040 INSTALLED UNKN

024 "DIA CIRC METAL
0210/1175 LEN=0041 INSTALLED UNKN
018 "DIA CIRC METAL
0210/1074 LEN=0042 INSTALLED UNKN
018 "DIA CIRC METAL
0210/0942 LEN=0047 INSTALLED UNKN
018 "DIA CIRC ALUMIN
0210/0589 LEN=0065 INSTALLED UNKN

042"H 72"W ELLIP CONC
0210/0030 LEN=0120 INSTALLED UNKN
054473 FT
S 0210/0000 LENGTH(AH 3230 BK 3026)

DIR: B TOTAL LEN: 10.929 MI. DIST: 10-4 SR: 2008
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | | | |
|---|---|---|---|---|
| | | | | 018 "DIA CIRC CONCR |
| | | | 0200/2860 | LEN=0050 INSTALLED 2002 |
| LC TO WELLER RD (CONN) | 0200/2828 | | | |
| | | | | 018 "DIA CIRC METAL |
| | | | 0200/2577 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0200/2338 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0200/1480 | LEN=0045 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0200/1218 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0200/0887 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0200/0722 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0200/0431 | LEN=0040 INSTALLED UNKN |
| | | | | 040 "DIA CIRC METAL |
| | | | 0200/0005 | LEN=0050 INSTALLED UNKN |
| | 051447 FT | | 051447 FT | 2 0 32008 0 01 0514+85 |
| | | S | 0200/0000 | LENGTH(AH 3026 BK 3010) |
| | | | | 018 "DIA CIRC METAL |
| | | | 0190/2622 | LEN=0055 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0190/2200 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0190/1880 | LEN=0040 INSTALLED UNKN |
| | | | | 036 "DIA CIRC METAL |
| | | | 0190/1738 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0190/1539 | LEN=0040 INSTALLED 2002 |
| LC TO SEWARD PWR PLT DR (CONN) | 0190/0504 | | | |
| | | | | 036 "DIA CIRC METAL |
| | | | 0190/0275 | LEN=0045 INSTALLED UNKN |
| | 048437 FT | | 048437 FT | 2 0 32008 0 01 0484+85 |
| | | S | 0190/0000 | LENGTH(AH 3010 BK 2377) |
| | | | | 018 "DIA CIRC METAL |
| | | | 0180/2071 | LEN=0035 INSTALLED UNKN |
| SEWARD POWER PLANT DR (PRDR) | 0180/1939 | POI | 0180/1939 | (APRA) SEWARD POWER PLA |
| POWER PLANT JUGHANDLE R (PRDR) | 0180/1787 | | | |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0180/1752 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 10.929 MI. DIST: 10-4 SR: 2008
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

```
                                                 0180/1440 LEN=0040 INSTALLED UNKN
POWER PLANT JUGHANDLE R
(PRDR)                    0180/1317   ==
                                                           024 "DIA CIRC METAL
                                                 0180/1290 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0180/1187 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0180/1115 LEN=0035 INSTALLED UNKN
                                                             PRIVATE RD
                                                 0180/1092 OP ID 32/2008/0180/0994
                                                           018 "DIA CIRC CONCR
                                                 0180/0789 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0180/0554 LEN=0035 INSTALLED UNKN
                          046060 FT              046060 FT 2 0 32008 0 00 0461+01
                                                S 0180/0000 LENGTH(AH 2377 BK 2475)
                                                           018 "DIA CIRC METAL
                                                 0170/2331 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0170/1822 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0170/1640 LEN=0045 INSTALLED UNKN

PUMP HOUSE RD
(T718)                    0170/0790   ==
                                                           018 "DIA CIRC METAL
                                                 0170/0755 LEN=0035 INSTALLED UNKN
                                                 0170/0727 BMSEN 32/2008/0170/0712
                                                           2 0 32008 0 00 0443+50
                                                           TR CONEMAUGH
                                                 0170/0712 BMSBG 32/2008/0170/0712
                                                           018 "DIA CIRC CONCR
                                                 0170/0366 LEN=0050 INSTALLED UNKN
                          043585 FT              043585 FT 2 0 32008 0 00 0436+35
                                                S 0170/0000 LENGTH(AH 2475 BK 3025)
                                                           EAST WHEATFIELD
                                                 0160/2813 WEST WHEATFIELD T
                                                           018 "DIA CIRC METAL
                                                 0160/2782 LEN=0045 INSTALLED UNKN
                                                           036 "DIA CIRC METAL
                                                 0160/2399 LEN=0150 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0160/2115 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0160/1804 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0160/1632 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0160/1561 LEN=0045 INSTALLED UNKN
```

DIR: B TOTAL LEN: 10.929 MI. DIST: 10-4 SR: 2008
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

| | | | | |
|---|---|---|---|---|
| | | | | 018 "DIA CIRC METAL |
| | | | 0160/1246 | LEN=0045 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0160/0360 | LEN=0035 INSTALLED UNKN |
| | 040560 FT | | 040560 FT | 2 0 32008 0 00 0406+14 |
| | | | S 0160/0000 | LENGTH(AH 3025 BK 2509) |
| | | | | 018 "DIA CIRC METAL |
| | | | 0150/2433 | LEN=0040 INSTALLED UNKN |
| | | | | (APRA) CONEMAUGH POWER |
| | | | | POWER PLANT RD |
| | | POI | 0150/2187 | (PRDR) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0150/2006 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0150/1653 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0150/1371 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0150/1222 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0150/1059 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0150/1000 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0150/0801 | LEN=0040 INSTALLED UNKN |
| | | | | PRIVATE RD |
| | | | 0150/0457 | OP ID 32/2008/0150/0457 |
| | | | 0150/0016 | BMSEN 32/2008/0150/0000 |
| | 038051 FT | | 038051 FT | 2 0 32008 0 00 0380+86 |
| | | | | TR CONEMAUGH |
| | | | | BMSBG 32/2008/0150/0000 |
| | | | S 0150/0000 | LENGTH(AH 2509 BK 3137) |
| | | | | CONVEYOR |
| | | | 0140/2601 | OP ID 32/2008/0140/2601 |
| | | | | 018 "DIA CIRC METAL |
| | | | 0140/2439 | LEN=0040 INSTALLED UNKN |
| | | | | 024 "DIA CIRC METAL |
| | | | 0140/2172 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0140/1901 | LEN=0040 INSTALLED UNKN |
| UNKNOWN RD (PRDR) | 0140/1608 | == | | |
| | | | | 018 "DIA CIRC METAL |
| | | | 0140/1535 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0140/1156 | LEN=0040 INSTALLED UNKN |
| TRADE AV (PRDR) | 0140/0887 | == | | |
| | | | | SR 2009 SH |

DIR: B TOTAL LEN: 10.929 MI. DIST: 10-4 SR: 2008
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

| | | | |
|---|---|---|---|
| | | | (SR2009 SEG 0020/0504) |
| | | | NC POWER PLANT RD |
| | | | 018 "DIA CIRC METAL |
| | | 0140/0427 | LEN=0040 INSTALLED UNKN |
| 2 0 32008 0 00 0349+58 034914 FT | | 034914 FT | |
| CLAY PIKE RD | | | |
| (T840) 0140/0000 | | S 0140/0000 | LENGTH(AH 3137 BK 2253) |
| | | | 036"H 36"W ELLIP METAL |
| | | 0130/1976 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/1652 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/1427 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0130/1183 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/0943 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/0475 | LEN=0035 INSTALLED UNKN |
| 2 0 32008 0 00 0326+84 032661 FT | | 032661 FT | |
| MULLIGAN HILL RD | | | MFC BEGIN = D |
| (SR2011 SEG 0010/0000) 0130/0000 | | S 0130/0000 | LENGTH(AH 2253 BK 2731) |
| | | 0120/2367 | BMSEN 32/2008/0120/2264 |
| | | | 2 0 32008 0 00 0323+02 |
| | | | TR CONEMAUGH |
| | | 0120/2352 | BMSBG 32/2008/0120/2264 |
| | | | 036 "DIA CAST IRON |
| | | 0120/1916 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/1626 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/1090 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/0962 | LEN=0032 INSTALLED 1998 |
| | | | 036 "DIA CIRC METAL |
| | | 0120/0693 | LEN=0080 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/0485 | LEN=0030 INSTALLED UNKN |
| | | | 036 "DIA CIR PLASTIC |
| | | 0120/0028 | LEN=0050 INSTALLED 2019 |
| | 029930 FT | 029930 FT | 2 0 32008 0 00 0300+45 |
| | | S 0120/0000 | LENGTH(AH 2731 BK 2409) |
| | | | 036 "DIA CIRC CONCR |
| | | 0110/2358 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/1509 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0110/1023 | LEN=0040 INSTALLED 2016 |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 10.929 MI. DIST: 10-4 SR: 2008
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

```
                                                  0110/0849 LEN=0030 INSTALLED UNKN
                                                            048 "DIA CIRC METAL
                                                  0110/0536 LEN=0030 INSTALLED UNKN
                        027521 FT                 027521 FT 2 0 32008 0 00 0276+20
                                                S 0110/0000 LENGTH(AH 2409 BK 3468)
                                                            018 "DIA CIRC CONCR
                                                  0100/3034 LEN=0030 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0100/2379 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0100/2232 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0100/1909 LEN=0030 INSTALLED UNKN
                                                            036 "DIA CIRC METAL
                                                  0100/1632 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0100/1146 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0100/0911 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0100/0634 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0100/0104 LEN=0030 INSTALLED 2016
                        024053 FT                 024053 FT 2 0 32008 0 00 0241+20
                                                S 0100/0000 LENGTH(AH 3468 BK 3373)
                                                            018 "DIA CIR PLASTIC
                                                  0090/2987 LEN=0031 INSTALLED 2016
                                                            018 "DIA CIRC CONCR
                                                  0090/2520 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0090/2104 LEN=0030 INSTALLED 2016
                                                            018 "DIA CIR PLASTIC
                                                  0090/1721 LEN=0040 INSTALLED 2016
                                                            018 "DIA CIR PLASTIC
                                                  0090/1538 LEN=0040 INSTALLED 2016
                                                            018 "DIA CIRC CONCR
                                                  0090/1250 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0090/0876 LEN=0040 INSTALLED 2012
                                                            018 "DIA CIRC CONCR
                                                  0090/0514 LEN=0030 INSTALLED UNKN
                                                            048 "DIA CIRC METAL
                                                  0090/0151 LEN=0045 INSTALLED UNKN
2 0 32008 0 00 0207+47 020680 FT                  020680 FT
CRAWFORD RD
(T708)                  0090/0000          ==   S 0090/0000 LENGTH(AH 3373 BK 2293)
                                                            018 "DIA CIR PLASTIC
                                                  0080/2222 LEN=0040 INSTALLED 2016
                                                            024 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 10.929 MI. DIST: 10-4 SR: 2008
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

| | | | | |
|---|---|---|---|---|
| | | | 0080/1861 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0080/0960 | LEN=0035 INSTALLED 2016 |
| | | | | 015 "DIA CIRC METAL |
| | | | 0080/0370 | LEN=0030 INSTALLED UNKN |
| CRAWFORD RD (T708) | 0080/0357 | == | | |
| | | | | 048"H 00"W MULT PLSTIC |
| | | | 0080/0035 | LEN=0080 INSTALLED UNKN |
| | 018387 FT | | 018387 FT | 2 0 32008 0 00 0184+24 |
| | | | | VILLAGE: INDIA |
| | | | S 0080/0000 | LENGTH(AH 2293 BK 3591) |
| | | | | 018 "DIA CIRC METAL |
| | | | 0070/2890 | LEN=0030 INSTALLED UNKN |
| ISABELLE CEMETERY RD (T799) | 0070/2874 | == | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0070/2625 | LEN=0020 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0070/2360 | LEN=0040 INSTALLED 2016 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0070/2034 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0070/1413 | LEN=0030 INSTALLED 2016 |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0070/1167 | LEN=0040 INSTALLED 2016 |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0070/0986 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0070/0788 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0070/0296 | LEN=0030 INSTALLED UNKN |
| | 014796 FT | | 014796 FT | 2 0 32008 0 00 0148+24 |
| | | | | VILLAGE: CLIMAX/INDIA |
| | | | S 0070/0000 | LENGTH(AH 3591 BK 2724) |
| | | | | 015 "DIA CIRC METAL |
| | | | 0060/2420 | LEN=0040 INSTALLED UNKN |
| | | | | 015 "DIA CIRC METAL |
| | | | 0060/2230 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0060/1970 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0060/1760 | LEN=0045 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0060/1640 | LEN=0040 INSTALLED 2016 |
| | | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 10.929 MI. DIST: 10-4 SR: 2008
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

| | | | |
|---|---|---|---|
| | | 0060/1410 | LEN=0040 INSTALLED 2003<br>018 "DIA CIR PLASTIC |
| | | 0060/1180 | LEN=0040 INSTALLED 2016<br>OLD CLIMAX RD |
| | | 0060/1096 | (T706)<br>018 "DIA CIRC CONCR |
| | | 0060/0970 | LEN=0055 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0060/0715 | LEN=0004 INSTALLED 2003<br>018 "DIA CIR PLASTIC |
| | | 0060/0595 | LEN=0040 INSTALLED 2016<br>018 "DIA CIRC CONCR |
| | | 0060/0355 | LEN=0030 INSTALLED UNKN |
| | 012072 FT | 012072 FT | 2 0 32008 0 00 0117+07<br>VILLAGE: CLIMAX |
| | | S 0060/0000 | LENGTH(AH 2724 BK 2127)<br>015 "DIA CIR PLASTIC |
| | | 0050/1815 | LEN=0025 INSTALLED UNKN<br>015 "DIA CIR UNKNOWN |
| | | 0050/1645 | LEN=0030 INSTALLED UNKN<br>015 "DIA CIR PLASTIC |
| | | 0050/1220 | LEN=0025 INSTALLED UNKN<br>018 "DIA CIR PLASTIC |
| | | 0050/0890 | LEN=0040 INSTALLED UNKN<br>015 "DIA CIRC METAL |
| | | 0050/0465 | LEN=0040 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0050/0155 | LEN=0035 INSTALLED UNKN |
| | 009945 FT | 009945 FT | 2 0 32008 0 00 0100+54 |
| | | S 0050/0000 | LENGTH(AH 2127 BK 1950) |
| | | | 015 "DIA CIRC METAL |
| | | 0040/1180 | LEN=0035 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0040/0820 | LEN=0035 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0040/0250 | LEN=0035 INSTALLED UNKN |
| 2 0 32008 0 00 0080+30 | 007995 FT | 007995 FT | |
| CLAWSON RD<br>(T850) | 0040/0000 | | MFC BEGIN = E |
| | | S 0040/0000 | LENGTH(AH 1950 BK 3449)<br>018 "DIA CIRC CONCR |
| | | 0030/3434 | LEN=0040 INSTALLED 2001 |
| LC FOR CLAWSON RD<br>(CONN) | 0030/3243 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/3050 | LEN=0040 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0030/2717 | LEN=0035 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0030/2243 | LEN=0040 INSTALLED 1998 |

DIR: B TOTAL LEN: 10.929 MI. DIST: 10-4 SR: 2008
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1125 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0597 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0332 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0149 | LEN=0035 INSTALLED UNKN |
| | 004546 FT | 004546 FT | 2 0 32008 0 00 0045+92 |
| | | S 0030/0000 | LENGTH(AH 3449 BK 2821) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2690 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2510 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2185 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1813 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1402 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0767 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0328 | LEN=0016 INSTALLED 1998 |
| | 001725 FT | 001725 FT | 2 0 32008 0 00 0017+57 |
| | | | JERICHO RD |
| | | | (T606) |
| | | S 0020/0000 | LENGTH(AH 2821 BK 1725) |
| | | 0010/1445 | BMSEN 32/2008/0010/1410 |
| | | | 2 0 32008 0 00 0014+62 |
| | | | RICHARDS RUN |
| | | 0010/1410 | BMSBG 32/2008/0010/1410 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1350 | LEN=0040 INSTALLED 2001 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1070 | LEN=0035 INSTALLED UNKN |
| | | | JONES ST |
| | | 0010/0638 | (T800) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0500 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0010/0130 | LEN=0030 INSTALLED UNKN |
| | | | NC CLIMAX RD |
| | | | SR 0259 SH |
| 2 0 32008 0 00 0000+00 | 000000 FT | 000000 FT | (SR0259 SEG 0030/0000) |
| SR 0259 SH | | | MFC BEGIN = D |
| (SR0259 SEG 0030/0000) | 0010/0000 | S 0010/0000 | LENGTH(AH 1725 BK 0000) |

DIR: B TOTAL LEN: .000 MI. DIST: 10-4 SR: 2007
LEFT MUN: BLAIRSVILLE B RIGHT MUN: BLAIRSVILLE B

| | | |
|---|---|---|
| 000000 FT | | 000000 FT |
| | | 7060/0000 LENGTH(AH 0887 BK 2030) |
| 000000 FT | | 000000 FT |
| | | 7050/0000 LENGTH(AH 2030 BK 2055) |
| 000000 FT | | 000000 FT |
| | | 7040/0000 LENGTH(AH 2055 BK 2582) |
| 000000 FT | | 000000 FT |
| | | 7030/0000 LENGTH(AH 2582 BK 2703) |
| 000000 FT | | 000000 FT |
| | | 7020/0000 LENGTH(AH 2703 BK 2677) |
| 000000 FT | | 000000 FT |
| | | 7010/0000 LENGTH(AH 2677 BK 0000) |

DIR: B TOTAL LEN: .000 MI. DIST: 10-4 SR: 2006
LEFT MUN: BLAIRSVILLE B RIGHT MUN: BLAIRSVILLE B

000000 FT
000000 FT
000000 FT

000000 FT
7030/0000 LENGTH(AH 2396 BK 2770)
000000 FT
7020/0000 LENGTH(AH 2770 BK 3505)
000000 FT
7010/0000 LENGTH(AH 3505 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 10-4 SR: 2004
LEFT MUN: BLAIRSVILLE B RIGHT MUN: BLAIRSVILLE B

| | | |
|---|---|---|
| 000000 FT | | 000000 FT |
| | | 7072/0000 LENGTH(AH 0100 BK 3186) |
| 000000 FT | | 000000 FT |
| | | 7070/0000 LENGTH(AH 3186 BK 1218) |
| 000000 FT | | 000000 FT |
| | | 7060/0000 LENGTH(AH 1218 BK 1733) |
| 000000 FT | | 000000 FT |
| | | 7050/0000 LENGTH(AH 1733 BK 1707) |
| 000000 FT | | 000000 FT |
| | | 7040/0000 LENGTH(AH 1707 BK 3545) |
| 000000 FT | | 000000 FT |
| | | 7030/0000 LENGTH(AH 3545 BK 2754) |
| 000000 FT | | 000000 FT |
| | | 7020/0000 LENGTH(AH 2754 BK 0992) |
| 000000 FT | | 000000 FT |
| | | 7010/0000 LENGTH(AH 0992 BK 0000) |

DIR: B TOTAL LEN: .133 MI. DIST: 10-4 SR: 2003
LEFT MUN: BLAIRSVILLE B RIGHT MUN: BLAIRSVILLE B

000702 FT

000702 FT
INTER-AHD RAMP D RD
(SR8002 SEG 0760/0000)
RANSON AV
0010/0702 (BORO)
POPLAR AL
0010/0524 (BORO)
CHESTNUT ST
0010/0354 (BORO)
SASAFRAS AL
0010/0180 (BORO)

000000 FT

000000 FT 2 0 32004 1 00 0000+00
NC WALNUT ST
BURRELL ST
(BORO)
INTER-BK WALNUT ST
(SR0217 SEG 0050/0000)
MFC BEGIN = C

BURRELL ST
(SR0217 SEG 0050/0000) 0010/0000

0010/0000 LENGTH(AH 0702 BK 0000)

DIR: B TOTAL LEN: 3.827 MI. DIST: 10-4 SR: 2002
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

020202 FT

020209 FT WILLIAM PENN HW
0080/2338 (SR0022 SEG 0094/0000)
015 "DIA CIRC CONCR
0080/2271 LEN=0042 INSTALLED UNKN

OLD FARM RD
(SR2029 SEG 0010/0000) 0080/1006

015 "DIA CIRC CONCR
0080/0970 LEN=0042 INSTALLED UNKN

015 "DIA CIRC CONCR
0080/0080 LEN=0060 INSTALLED UNKN

017864 FT

017871 FT 2 0 32179 0 00 0188+56
S 0080/0000 LENGTH(AH 2338 BK 3631)

STRANGFORD RD
0070/0924 (T888)

014233 FT

014240 FT 2 0 32179 0 00 0161+92
INTER-AHD PARK AND RIDE RD
(SR9429 SEG 0010/0000)
NC PINE RIDGE RD
MFC BEGIN = E
S 0070/0000 LENGTH(AH 3631 BK 0806)

OLD WILLIAM PENN HW
(SR0119 SEG 0013/0000)
(SR0119 SEG 0012/0000) 0070/0000

018 "DIA CIR PLASTIC
LEN=0035 INSTALLED UNKN 0065/0524

018 "DIA CIR PLASTIC
0064/0524 LEN=0035 INSTALLED UNKN

018 "DIA CIR PLASTIC
LEN=0035 INSTALLED UNKN 0065/0149

018 "DIA CIR PLASTIC
0064/0054 LEN=0035 INSTALLED UNKN

0 0 00000 0 00 0000+00 013434 FT
MFC BEGIN = D
LENGTH(AH 0799 BK 0816) 0065/0000 S

013434 FT 0 0 00000 0 00 0000+00
MFC BEGIN = D
S 0064/0000 LENGTH(AH 0806 BK 0816)

LC TO CLUB LN
(CONN) 0060/0068
2 0 32179 0 00 0124+70 012618 FT
CLUB LN

012618 FT VINE ST
(T705)

DIR: B TOTAL LEN: 3.827 MI. DIST: 10-4 SR: 2002
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

| | | | |
|---|---|---|---|
| (T230) | 0060/0000 | 0060/0000 | LENGTH(AH 0816 BK 3165) |
| LC FROM CLUB LN | | | |
| (CONN) | 0050/3121 | | |
| | | | 018"H 18"W ELLIP METAL |
| | | 0050/3090 | LEN=0050 INSTALLED UNKN |
| | | | 018"H 18"W ELLIP METAL |
| | | 0050/2904 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/2670 | LEN=0050 INSTALLED UNKN |
| | | | 018"H 00"W MULT CONCR |
| | | 0050/2018 | LEN=0064 INSTALLED 2004 |
| LINTER RD | | | STRANGFORD RD |
| (T842) | 0050/1847 | 0050/1847 | (T888) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1810 | LEN=0005 INSTALLED UNKN |
| VILLA RD | | | |
| (T445) | 0050/0651 | | |
| | | | HEYBERT DR |
| | | 0050/0300 | (T751) |
| | | | 018 "DIA CIRC METAL |
| | | 0050/0282 | LEN=0048 INSTALLED UNKN |
| 2 0 32179 0 00 0107+00 | 009453 FT | 009453 FT | |
| RIDGE VIEW AV | | | |
| (T300) | 0050/0000 | 0050/0000 | LENGTH(AH 3165 BK 2719) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2015 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2000 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1701 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/1690 | LEN=0035 INSTALLED UNKN |
| SHARP HILL RD | | | |
| (T720) | 0040/1656 | | |
| | | | 030 "DIA CIRC CONCR |
| | | 0040/0924 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0916 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0630 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0612 | LEN=0040 INSTALLED 2004 |
| | 006734 FT | 006734 FT | 2 0 32179 0 00 0079+81 |
| | | | NC OLD WILLIAM PENN HW |

DIR: B TOTAL LEN: 3.827 MI. DIST: 10-4 SR: 2002
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

| | | | | |
|---|---|---|---|---|
| | | | 0040/0000 | LENGTH(AH 2719 BK 2454) |
| | | | | BURRELL |
| | | | 0030/2363 | BLAIRSVILLE B |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0030/2120 | LEN=0060 INSTALLED UNKN |
| SERRELL DR (BORO) | 0030/2046 | POI | 0030/2046 | (APRA) BENTLEY DEVELOPM |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/2038 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/1980 | LEN=0058 INSTALLED UNKN |
| BENTLEY DR (BORO) | 0030/1514 | | | |
| | | | | BLAIRSVILLE |
| | | | 0030/1106 | BURRELL T |
| | | | | 018 "DIA CIRC METAL |
| | | | 0030/1096 | LEN=0030 INSTALLED UNKN |
| CEMETERY RD (PRDR) | 0030/0633 | | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/0060 | LEN=0060 INSTALLED UNKN |
| | 004280 FT | | 004280 FT | 2 0 32179 0 00 0054+53 |
| | | | | 018 "DIA CIRC CONCR |
| CEMETERY RD (PRDR) | 0030/0000 | | | LEN=0045 INSTALLED UNKN |
| | | | 0030/0000 | LENGTH(AH 2454 BK 2805) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0020/2573 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0020/2460 | LEN=0060 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0020/2440 | LEN=0066 INSTALLED UNKN |
| | | | | BURRELL |
| | | | 0020/2253 | BLAIRSVILLE B |
| | | | | BROWN ST |
| | | | 0020/2029 | (BORO) |
| | | | | 018 "DIA CIRC METAL |
| | | | 0020/1870 | LEN=0050 INSTALLED UNKN |
| | | | | GRANDVIEW AV |
| | | | 0020/1781 | (BORO) |
| CORNELL AV (BORO) | 0020/1165 | | | |
| BURRELL AL (BORO) | 0020/1012 | | | |
| | | | | BRADY ST |
| BRADY ST (SR3011 SEG 0010/0000) | 0020/0827 | | 0020/0827 | (BORO) |
| | | | | 012 "DIA CIR PLASTIC |
| | | | 0020/0481 | LEN=0040 INSTALLED UNKN |
| | | | | 004 "DIA CIR PLASTIC |
| | | | 0020/0456 | LEN=0060 INSTALLED UNKN |

DIR: B TOTAL LEN: 3.827 MI. DIST: 10-4 SR: 2002
LEFT MUN: BLAIRSVILLE B RIGHT MUN: BLAIRSVILLE B



| | | |
|---|---|---|
| | | 004 "DIA CIR PLASTIC |
| | 0020/0455 | LEN=0060 INSTALLED UNKN |
| | | 012 "DIA CAST IRON |
| | 0020/0439 | LEN=0036 INSTALLED UNKN |
| | | MORROW ST |
| | | (BORO) |
| | 0020/0417 | |
| | | 015 "DIA CIRC METAL |
| | 0020/0039 | LEN=0040 INSTALLED UNKN |
| | | 008 "DIA CIR PLASTIC |
| | 0020/0038 | LEN=0031 INSTALLED UNKN |
| | | 012 "DIA CAST IRON |
| | 0020/0024 | LEN=0035 INSTALLED UNKN |
| 001475 FT | 001475 FT | 2 0 32179 0 00 0026+56 |
| | | (AAR 545116H)#TRKS 01 |
| | S 0020/0000 | LENGTH(AH 2805 BK 1117) |
| | 0014/1053 | BMSEN 32/2002/0014/1016 |
| | | 2 0 32179 0 00 0000+00 |
| | | NORFOLK SOUTHERN RAI RR |
| | 0014/1016 | BMSBG 32/2002/0014/1016 |
| | | EAST LN |
| | 0014/0695 | (BORO) |
| | | STEWART ST |
| | | (BORO) |
| | 0014/0415 | |
| 000358 FT | 000358 FT | 0 0 00000 0 00 0000+00 |
| | | WALNUT ST |
| | | (SR0217 SEG 0040/0000) |
| | INTER-BK | MARKET ST |
| | | (BORO) |
| | S 0014/0000 | LENGTH(AH 1117 BK 1390) |
| 000358 FT | 000358 FT | |
| | 7012/0000 | LENGTH(AH 1390 BK 0358) |
| | | BMSEN 32/2002/0010/0000 |
| | * REF-AHD | MARKET ST |
| | 0010/0358 | (BORO) |
| | | 018 "DIA CIRC CONCR |
| | 0010/0349 | LEN=0041 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/0188 | LEN=0031 INSTALLED UNKN |
| 000000 FT | 000000 FT | 2 0 32179 0 00 0000+00 |
| | NC | MARKET ST |
| | * REF-BK | MARKET ST |
| | | (SR1016 SEG 0020/2547) |
| | | CONEMAUGH RIVER |
| | | BMSBG 32/2002/0010/0000 |
| | | MFC BEGIN = D |
| | | BK-WESTMORELAND (64) |
| | S 0010/0000 | LENGTH(AH 0358 BK 0000) |

DIR: B TOTAL LEN: .000 MI. DIST: 10-4 SR: 2001
LEFT MUN: GREEN T RIGHT MUN: GREEN T

000000 FT
000000 FT
000000 FT

000000 FT
7020/0000 LENGTH(AH 0831 BK 0741)
000000 FT
7014/0000 LENGTH(AH 0741 BK 0891)
000000 FT
7010/0000 LENGTH(AH 0891 BK 0000)

DIR: B TOTAL LEN: 2.976 MI. DIST: 10-4 SR: 1057
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| SR 0580 SH<br>(SR0580 SEG 0040/0000) | 015715 FT<br>0050/2966 | | 015715 FT SR 0580 SH<br>0050/2966 (SR0580 SEG 0040/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0050/1112 LEN=0036 INSTALLED 1997 |
| HILL TOP RD<br>(PRDR) | 0050/0694 | | |
| | | | 012 "DIA CIRC CONCR |
| | | | 0050/0185 LEN=0026 INSTALLED UNKN |
| | 012749 FT | | 012749 FT 2 0 32134 0 00 0128+84 |
| | | | VILLAGE: PINE FLATS |
| | | | S 0050/0000 LENGTH(AH 2966 BK 3476) |
| | | | 024 "DIA CIRC METAL |
| | | | 0040/2800 LEN=0034 INSTALLED UNKN |
| | | | STITT RD |
| | | | 0040/1770 (T639) |
| | 009273 FT | | 009273 FT 2 0 32134 0 00 0094+08 |
| | | | S 0040/0000 LENGTH(AH 3476 BK 3380) |
| | | | 015 "DIA CIRC METAL |
| | | | 0030/3195 LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0030/2465 LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0030/2190 LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0030/1790 LEN=0030 INSTALLED 2015 |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0030/1513 LEN=0040 INSTALLED 2015 |
| | | | 018 "DIA CIRC METAL |
| | | | 0030/1257 LEN=0041 INSTALLED 2012 |
| | | | 018 "DIA CIRC METAL |
| | | | 0030/0975 LEN=0040 INSTALLED 2012 |

DIR: B TOTAL LEN: 2.976 MI. DIST: 10-4 SR: 1057
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIR PLASTIC |
| | | 0030/0507 | LEN=0050 INSTALLED 2015 |
| | | | 024 "DIA CIRC METAL |
| | | 0030/0357 | LEN=0038 INSTALLED UNKN |
| | | 0030/0013 | BMSEN 32/1057/0030/0000 |
| | 005893 FT | 005893 FT | 2 0 32134 0 00 0059+06 |
| | | | SIDES RUN |
| | | | BMSBG 32/1057/0030/0000 |
| | | 5 0030/0000 | LENGTH(AH 3380 BK 3739) |
| | | | 012 "DIA CIRC CONCR |
| | | 0020/3026 | LEN=0026 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |
| | | 0020/2807 | LEN=0030 INSTALLED UNKN |
| | | | 072"H 48"W CON BOX CUL |
| | | 0020/2076 | LEN=0026 INSTALLED UNKN |
| LAUREL RD (T641) | 0020/1841 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1420 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0020/0945 | LEN=0040 INSTALLED 2015 |
| | | | GREEN |
| | | 0020/0935 | PINE T |
| | | | 036 "DIA CIRC METAL |
| | | 0020/0342 | LEN=0032 INSTALLED UNKN |
| | 002154 FT | 002154 FT | 2 0 32134 0 00 0021+64 |
| | | | LAUREL RD |
| | | | (T641) |
| | | 5 0020/0000 | LENGTH(AH 3739 BK 2154) |
| | | | 036 "DIA CIRC METAL |
| | | 0010/1958 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/1752 | LEN=0040 INSTALLED 2015 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/1547 | LEN=0030 INSTALLED 2015 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1385 | LEN=0024 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |
| | | 0010/0848 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0005 | LEN=0073 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32134 0 00 0000+00 |
| | | | SR 0553 SH |
| | | | (SR0553 SEG 0150/0000) |
| | | NC EVERGREEN RD | |
| | | | MFC BEGIN = E |
| SR 0553 SH (SR0553 SEG 0150/0000) | 0010/0000 | 5 0010/0000 | LENGTH(AH 2154 BK 0000) |

DIR: B TOTAL LEN: 1.315 MI. DIST: 10-4 SR: 1056
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

| | | | |
|---|---|---|---|
| | 006945 FT | 006945 FT | SR 0286 SH |
| | | 0020/3271 | (SR0286 SEG 1090/1797) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/3236 | LEN=0150 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2969 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/2564 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0020/2208 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2071 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/1147 | LEN=0051 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0020/0314 | LEN=0075 INSTALLED UNKN |
| 1 1 05461 0 00 0037+10 | 003674 FT | 003674 FT | |
| WILLIAMS RD | | | |
| (T948) | 0020/0000 | 0020/0000 | LENGTH(AH 3271 BK 3674) |
| | | | W BR CUSH CREEK |
| | | | STRUCTURE LENGTH 18 FT |
| | | 0010/3427 | BMSID 32/1056/0010/3427 |
| | | | 018 "DIA CAST IRON |
| | | 0010/2907 | LEN=0072 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/1850 | LEN=0055 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/1598 | LEN=0036 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/1348 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CAST IRON |
| | | 0010/0902 | LEN=0070 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/0720 | LEN=0065 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/0558 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/0289 | LEN=0055 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 1 1 05461 0 00 0000+00 |
| | | | NC TROJAN RD |
| | | INTER-BK | GIPSY RD |
| | | | (SR1033 SEG 0100/2418) |
| GIPSY RD | | | MFC BEGIN = D |
| (SR1033 SEG 0100/2418) | 0010/0000 | 0010/0000 | LENGTH(AH 3674 BK 0000) |

DIR: B TOTAL LEN: 5.816 MI. DIST: 10-4 SR: 1054
LEFT MUN: BANKS T RIGHT MUN: BANKS T

```
030710 FT                    030710 FT  AH-JEFFERSON        (33)
                           * REF-AHD   HILLMAN RD
                             0100/3024 (SR2007 SEG 0010/0000)

                                       (APRA) P AND N COAL COM
                                       COAL TIPPLE DR
                             0100/1814 (PRDR)
                             0100/1703 BMSEN 32/1054/0100/1633
                                       0 0 00000 0 00 0000+00
                                       OTHER                RR
                             0100/1633 BMSBG 32/1054/0100/1633
                                       LOCKVALE RD
                             0100/1511 (SR1053 SEG 0100/2362)

                                       018 "DIA CIRC METAL
                             0100/0595 LEN=0038 INSTALLED UNKN
027686 FT                    027686 FT 2 0 32115 0 00 0274+83
                           S 0100/0000 LENGTH(AH 3024 BK 2531)
                                       018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 5.816 MI. DIST: 10-4 SR: 1054
LEFT MUN: BANKS T RIGHT MUN: BANKS T

| | | | |
|---|---|---|---|
| | | 0090/2355 | LEN=0028 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0090/2148 | LEN=0033 INSTALLED UNKN<br>024 "DIA CIRC CONCR |
| | | 0090/1629 | LEN=0032 INSTALLED UNKN<br>024 "DIA CIRC CONCR |
| | | 0090/1441 | LEN=0031 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0090/0154 | LEN=0026 INSTALLED UNKN |
| | 025155 FT | 025155 FT | 2 0 32115 0 00 0249+52<br>VILLAGE: HILLMAN |
| BROOKS RD<br>(T968) | 0090/0000 | S 0090/0000 | LENGTH(AH 2531 BK 3777)<br>018 "DIA CIR PLASTIC |
| | | 0080/3750 | LEN=0040 INSTALLED 2015<br>018 "DIA CIR PLASTIC |
| | | 0080/3444 | LEN=0040 INSTALLED 2015<br>015 "DIA CIRC METAL |
| | | 0080/3128 | LEN=0030 INSTALLED UNKN<br>015 "DIA CIR PLASTIC |
| | | 0080/2758 | LEN=0031 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0080/2148 | LEN=0031 INSTALLED UNKN<br>018 "DIA CIR PLASTIC |
| | | 0080/1918 | LEN=0040 INSTALLED 2015<br>015 "DIA CIRC METAL |
| | | 0080/0768 | LEN=0032 INSTALLED UNKN<br>012 "DIA CIRC METAL |
| | | 0080/0396 | LEN=0020 INSTALLED UNKN |
| | 021378 FT | 021378 FT | 2 0 32115 0 00 0211+57<br>JOHNSONBURG RD<br>(SR1052 SEG 0090/3059) |
| | | S 0080/0000 | LENGTH(AH 3777 BK 2087)<br>018 "DIA CIRC CONCR |
| | | 0070/2071 | LEN=0042 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0070/1793 | LEN=0038 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0070/0652 | LEN=0037 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0070/0081 | LEN=0030 INSTALLED UNKN |
| | 019291 FT | 019291 FT | 2 0 32115 0 00 0190+70<br>VILLAGE: FLORA |

DIR: B TOTAL LEN: 5.816 MI. DIST: 10-4 SR: 1054
LEFT MUN: BANKS T RIGHT MUN: BANKS T

NC HILLMAN RD
BONNER RD
(SR1033 SEG 0240/0000)
0070/0000 LENGTH(AH 2087 BK 3651)
024 "DIA CIRC CONCR
0060/3102 LEN=0025 INSTALLED UNKN
018 "DIA CIRC METAL
0060/2901 LEN=0030 INSTALLED UNKN
018 "DIA CIRC METAL
0060/2629 LEN=0040 INSTALLED UNKN
018 "DIA CIRC METAL
0060/2061 LEN=0040 INSTALLED UNKN

018 "DIA CIRC CONCR
0060/0185 LEN=0040 INSTALLED UNKN
015640 FT 015640 FT 2 0 32115 0 00 0155+17
0060/0000 LENGTH(AH 3651 BK 3834)
018 "DIA CIRC CONCR
0050/3771 LEN=0030 INSTALLED UNKN

030 "DIA CIRC METAL
0050/2777 LEN=0030 INSTALLED UNKN

018 "DIA CIRC METAL
0050/1007 LEN=0030 INSTALLED UNKN
015 "DIA CIRC METAL
0050/0564 LEN=0030 INSTALLED UNKN
BANKS
0050/0011 CANOE T
011806 FT 011806 FT 2 0 32115 0 00 0117+80
0050/0000 LENGTH(AH 3834 BK 3754)

018 "DIA CIRC CONCR
0040/2110 LEN=0025 INSTALLED UNKN

018 "DIA CIRC METAL

DIR: B TOTAL LEN: 5.816 MI. DIST: 10-4 SR: 1054
LEFT MUN: CANOE T RIGHT MUN: CANOE T

```
                                                 0040/0571 LEN=0038 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0040/0010 LEN=0035 INSTALLED UNKN
                        008052 FT                008052 FT 2 0 32115 0 00 0080+23
                                                      NC STEFFEY CHURCH RD
                                                           STONEBURG RD
BAIR RD                                                    (SR1047 SEG 0140/0000)
(SR1047 SEG 0140/0000)  0040/0000              S 0040/0000 LENGTH(AH 3754 BK 1955)

                                                           018 "DIA CIRC METAL
                                                 0030/1029 LEN=0025 INSTALLED UNKN

                        006097 FT                006097 FT 2 0 32115 0 00 0060+83
                                               S 0030/0000 LENGTH(AH 1955 BK 3014)

                                                           015 "DIA CIRC METAL
                                                 0020/1594 LEN=0030 INSTALLED UNKN
                                                           016 "DIA CIRC METAL
                                                 0020/1075 LEN=0025 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/0685 LEN=0025 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                 0020/0180 LEN=0025 INSTALLED UNKN
                        003083 FT                003083 FT 2 0 32115 0 00 0030+69
                                               S 0020/0000 LENGTH(AH 3014 BK 3083)
                                                           018 "DIA CIRC METAL
                                                 0010/2965 LEN=0030 INSTALLED UNKN

                                                           024 "DIA CIRC METAL
                                                 0010/2329 LEN=0035 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                 0010/1919 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0010/1746 LEN=0025 INSTALLED UNKN

                                                           018 "DIA CIRC METAL
                                                 0010/0035 LEN=0030 INSTALLED UNKN
                        000000 FT                000000 FT 2 0 32115 0 00 0000+00
                                                           SMYERSTOWN RD
                                                           (SR1052 SEG 0010/0273)
                                                      NC BUFFALO LODGE RD
SMYERSTOWN RD                                              MFC BEGIN = E
(SR1052 SEG 0010/0273)  0010/0000              S 0010/0000 LENGTH(AH 3083 BK 0000)
```

DIR: B TOTAL LEN: 5.777 MI. DIST: 10-4 SR: 1053
LEFT MUN: BANKS T RIGHT MUN: BANKS T

030500 FT



030500 FT HILLMAN RD
0100/2362 (SR1054 SEG 0100/1511)
018 "DIA CIRC CONCR
0100/2308 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 5.777 MI. DIST: 10-4 SR: 1053
LEFT MUN: BANKS T RIGHT MUN: BANKS T

```
                                                  0100/2064 LEN=0045 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0100/1544 LEN=0035 INSTALLED UNKN
                                                            048 "DIA CIRC CONCR
                                                  0100/1175 LEN=0031 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0100/0755 LEN=0040 INSTALLED 2006
                                                            015 "DIA CIRC METAL
                                                  0100/0435 LEN=0034 INSTALLED UNKN
                  028138 FT                       028138 FT 2 0 32102 0 00 0316+20
                                                            VILLAGE: HILLMAN
                                                S 0100/0000 LENGTH(AH 2362 BK 3556)
                                                            018 "DIA CIRC CONCR
                                                  0090/3310 LEN=0024 INSTALLED 2001
                                                            018 "DIA CIRC METAL
                                                  0090/2934 LEN=0025 INSTALLED UNKN

                                                            015 "DIA CIRC CONCR
                                                  0090/2305 LEN=0030 INSTALLED UNKN

                                                            030 "DIA CIRC CONCR
                                                  0090/1605 LEN=0038 INSTALLED UNKN


                                                            015 "DIA CIRC METAL
                                                  0090/0635 LEN=0028 INSTALLED UNKN

                  024582 FT                       024582 FT 2 0 32102 0 00 0279+64
                                                S 0090/0000 LENGTH(AH 3556 BK 3412)
                                                            030 "DIA CIR PLASTIC
                                                  0080/3125 LEN=0040 INSTALLED 2014
CAMERON RD
(T703)             0080/2959                    ==
                                                            018 "DIA CIR PLASTIC
                                                  0080/2780 LEN=0040 INSTALLED 2014


                                                            018 "DIA CIR PLASTIC
                                                  0080/1594 LEN=0040 INSTALLED 2014
                                                            015 "DIA CIRC CONCR
                                                  0080/1100 LEN=0033 INSTALLED UNKN

                  021170 FT                       021170 FT 2 0 32102 0 00 0246+52
                                                S 0080/0000 LENGTH(AH 3412 BK 2918)
                                                            018 "DIA CIRC CONCR
                                                  0070/2860 LEN=0026 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0070/2518 LEN=0034 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 5.777 MI. DIST: 10-4 SR: 1053
LEFT MUN: BANKS T RIGHT MUN: BANKS T

| | | | |
|---|---|---|---|
| | | 0070/2275 | LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0070/1247 | LEN=0040 INSTALLED 2014 |
| | | | 015 "DIA CIRC METAL |
| | | 0070/0930 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0070/0613 | LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0070/0277 | LEN=0040 INSTALLED 2014 |
| | 018252 FT | 018252 FT | 2 0 32102 0 00 0217+34 |
| | | S 0070/0000 | LENGTH(AH 2918 BK 2501) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/2301 | LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/1859 | LEN=0040 INSTALLED 2014 |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/1440 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/1230 | LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0863 | LEN=0032 INSTALLED 2001 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/0355 | LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIRC METAL |
| | | 0060/0060 | LEN=0038 INSTALLED UNKN |
| | 015751 FT | 015751 FT | 2 0 32102 0 00 0192+33 |
| | | S 0060/0000 | LENGTH(AH 2501 BK 1652) |
| | | | 018 "DIA CIRC METAL |
| | | 0050/1119 | LEN=0030 INSTALLED UNKN |
| | | | SIDNEY RD |
| | | 0050/0668 | (T701) |
| | | | BMSEN 32/1053/0050/0000 |
| | | 0050/0027 | BRIDGE POSTED (TONS) |
| | 014099 FT | 014099 FT | 2 0 32102 0 00 0175+47 |
| | | | VILLAGE: LOCHVALE |
| | | | SGL 23 COMB 34 |
| | | | S BR BEAR RUN |
| | | | BMSBG 32/1053/0050/0000 |
| | | S 0050/0000 | LENGTH(AH 1652 BK 3417) |
| MEARS ENTERPRISES INCO (PRDR) | 0040/3140 | 0040/3140 | (APRA) MEARS ENTERPRISE |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/2587 | LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/2233 | LEN=0050 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/2014 | LEN=0040 INSTALLED 2014 |

DIR: B TOTAL LEN: 5.777 MI. DIST: 10-4 SR: 1053
LEFT MUN: BANKS T RIGHT MUN: BANKS T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC METAL |
| | | 0040/1747 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0040/1488 | LEN=0044 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/1159 | LEN=0049 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/0810 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/0389 | LEN=0051 INSTALLED 2014 |
| | | | 018 "DIA CIRC METAL |
| | | 0040/0013 | LEN=0033 INSTALLED UNKN |
| | 010682 FT | 010682 FT | 2 0 32102 0 00 0141+13 |
| | | S 0040/0000 | LENGTH(AH 3417 BK 3526) |
| | | | 018 "DIA CIRC METAL |
| | | 0030/3038 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2855 | LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0030/2763 | LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0030/2436 | LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0030/1534 | LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1152 | LEN=0040 INSTALLED 2014 |
| | | | 024 "DIA CIRC CONCR |
| | | 0030/0900 | LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0030/0724 | LEN=0040 INSTALLED 2014 |
| FIRE TOWER RD | | | FIRE TOWER RD |
| (SR1048 SEG 0030/1857) | 0030/0560 | 0030/0560 | (T700) |
| | 007156 FT | 007156 FT | 2 0 32102 0 00 0105+87 |
| | | S 0030/0000 | LENGTH(AH 3526 BK 3454) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0020/3227 | LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2853 | LEN=0044 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0020/2237 | LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0020/2003 | LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1793 | LEN=0040 INSTALLED 2014 |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/1654 | LEN=0031 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 5.777 MI. DIST: 10-4 SR: 1053
LEFT MUN: BANKS T RIGHT MUN: BANKS T

```
                                          0020/1434 LEN=0030 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                          0020/0944 LEN=0034 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0020/0564 LEN=0035 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                          0020/0449 LEN=0033 INSTALLED UNKN
003702 FT                                 003702 FT 2 0 32102 0 00 0071+33
                                                    015 "DIA CIRC CONCR
                                                    LEN=0034 INSTALLED UNKN
                                        S 0020/0000 LENGTH(AH 3454 BK 3702)
                                                    018 "DIA CIRC CONCR
                                          0010/3331 LEN=0032 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/3166 LEN=0033 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/2942 LEN=0032 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/2678 LEN=0035 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/2609 LEN=0036 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/2419 LEN=0034 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                          0010/2246 LEN=0040 INSTALLED 2014
                                                    018 "DIA CIRC CONCR
                                          0010/2080 LEN=0032 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/1992 LEN=0033 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/1567 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/1460 LEN=0035 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/1203 LEN=0034 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/0870 LEN=0033 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/0582 LEN=0035 INSTALLED UNKN
                                                    072 "DIA CIRC METAL
                                          0010/0306 LEN=0045 INSTALLED UNKN
000000 FT                                 000000 FT 2 0 32102 0 00 0033+74
                                                    018 "DIA CIRC CONCR
                                                    LEN=0035 INSTALLED UNKN
                                                NC LOCKVALE RD
                                        * REF-BK    JEFFERSON ST
                                                    (BORO)
                                        S 0010/0000 LTH AH 003702 BK 000100
000000 FT                                 000000 FT
                                          7006/0000 LTH AH 000100 BK 000000
```

DIR: B TOTAL LEN: 4.959 MI. DIST: 10-4 SR: 1052
LEFT MUN: BANKS T RIGHT MUN: BANKS T

026181 FT



026181 FT HILLMAN RD
0090/3059 (SR1054 SEG 0080/0000)

024 "DIA CIRC METAL
0090/2336 LEN=0040 INSTALLED UNKN
016 "DIA CIRC CONCR
0090/2103 LEN=0040 INSTALLED UNKN
CAMERON RD
0090/1515 (T703)
018 "DIA CIRC CONCR
0090/1513 LEN=0040 INSTALLED 2003
018 "DIA CIRC METAL
0090/1188 LEN=0040 INSTALLED UNKN
016 "DIA CIRC METAL
0090/0955 LEN=0040 INSTALLED UNKN
036 "DIA CIRC CONCR

DIR: B TOTAL LEN: 4.959 MI. DIST: 10-4 SR: 1052
LEFT MUN: BANKS T RIGHT MUN: BANKS T

```
                                                  0090/0509 LEN=0032 INSTALLED 2003
                                                            018 "DIA CIRC METAL
                                                  0090/0399 LEN=0040 INSTALLED UNKN
                        023122 FT                 023122 FT 2 0 32114 0 00 0000+00
                                                            VILLAGE: FLORA/JOHNBURG
                                                            HEMLOCK LAKE RD
                                                            (SR1033 SEG 0230/0000)
BONNER RD                                                   MFC BEGIN = E
(SR1033 SEG 0230/0000)  0090/0000               5 0090/0000 LENGTH(AH 3059 BK 2493)
                                                            018 "DIA CIRC CONCR
                                                  0080/2435 LEN=0060 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0080/2059 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0080/1745 LEN=0040 INSTALLED UNKN

                                                            030 "DIA CIRC CONCR
                                                  0080/1135 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0080/0935 LEN=0040 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0080/0215 LEN=0040 INSTALLED UNKN
                        020629 FT                 020629 FT 1 0 00573 0 01 0444+75
                                                            VILLAGE: JOHNSONBURG
                                                            POLLOCK RD
                                                            (T964)
                                                 5 0080/0000 LENGTH(AH 2493 BK 3659)
                                                            018 "DIA CIRC CONCR
                                                  0070/3187 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0070/2662 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0070/2407 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0070/2061 LEN=0035 INSTALLED UNKN

                                                            036 "DIA CIRC CONCR
                                                  0070/1252 LEN=0040 INSTALLED UNKN

                                                            024 "DIA CIRC CONCR
                                                  0070/0582 LEN=0040 INSTALLED UNKN
                        016970 FT                 016970 FT 1 0 00573 0 01 0481+54
                                                            TR CANOE CR
                                                            STRUCTURE LENGTH 8 FT
                                                            BMSID 32/1052/0070/0000
                                                 5 0070/0000 LENGTH(AH 3659 BK 3255)
                                                            018 "DIA CIRC CONCR
                                                  0060/2970 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 4.959 MI. DIST: 10-4 SR: 1052
LEFT MUN: BANKS T RIGHT MUN: BANKS T

```
                                        0060/2615 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0060/2355 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0060/1805 LEN=0040 INSTALLED UNKN
                                                  BANKS
                                        0060/1784 CANOE T
                                                  018 "DIA CIRC CONCR
                                        0060/1400 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0060/1015 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0060/0645 LEN=0016 INSTALLED 2005
                                                  018 "DIA CIRC CONCR
                                        0060/0340 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0060/0215 LEN=0040 INSTALLED UNKN
013715 FT                               013715 FT 1 0 00573 0 01 0514+30
                                      S 0060/0000 LENGTH(AH 3255 BK 3518)
                                                  018 "DIA CIRC CONCR
                                        0050/3425 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/3295 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/3165 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/2929 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/2435 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0050/2260 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/2121 LEN=0056 INSTALLED 2005
                                                  024 "DIA CIRC CONCR
                                        0050/1740 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/1500 LEN=0056 INSTALLED 2005
                                                  018 "DIA CIRC CONCR
                                        0050/1062 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/0743 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/0273 LEN=0050 INSTALLED UNKN
010197 FT                               010197 FT 1 0 00573 0 01 0549+50
                                      S 0050/0000 LENGTH(AH 3518 BK 2265)
                                                  024 "DIA CIRC CONCR
                                        0040/2121 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/1800 LEN=0030 INSTALLED UNKN
```

DIR: B TOTAL LEN: 4.959 MI. DIST: 10-4 SR: 1052
LEFT MUN: CANOE T RIGHT MUN: CANOE T

```
                                                                  018 "DIA CIRC METAL
                                                   0040/1153 LEN=0035 INSTALLED UNKN
                                                                  024 "DIA CIRC METAL
                                                   0040/1062 LEN=0035 INSTALLED UNKN
                                                                  036 "DIA CIRC CONCR
                                                   0040/0594 LEN=0030 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                   0040/0167 LEN=0025 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                   0040/0045 LEN=0050 INSTALLED UNKN
                                                   007932 FT HNSONBURG RD
1 0 00573 0 01 0572+15 007932 FT                   INTER-BK  UNION HILL RD
STONEBURG RD                                                      (SR1047 SEG 0120/0000)
(SR1047 SEG 0120/0000)  0040/0000                S 0040/0000 LTH AH 002265 BK 000100
                       007932 FT                   007932 FT
                                                   7034/0000 LTH AH 000100 BK 002610
                                                   INTER-AHD UNION HILL RD
                                                                  (SR1047 SEG 0110/0000)
                                                                  UNION HILL RD
                                                   0030/2610 (SR1047 SEG 0110/0000)
                                                                  018 "DIA CIRC CONCR
                                                   0030/2026 LEN=0025 INSTALLED UNKN
THIRD ST                                                          THIRD ST
(T608)                  0030/1996                  0030/1996 (PRDR)
                                                                  018 "DIA CIRC CONCR
                                                   0030/1694 LEN=0025 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
SECOND ST                                          0030/1508 LEN=0025 INSTALLED UNKN
(T602)                  0030/1507
                                                                  015 "DIA CIRC CONCR
                                                   0030/1091 LEN=0035 INSTALLED UNKN
                                                                  FIRST ST
                                                   0030/1063 (T604)
                                                                  015 "DIA CIRC CONCR
                                                   0030/0622 LEN=0025 INSTALLED UNKN
                                                                  015 "DIA CIRC CONCR
                                                   0030/0168 LEN=0025 INSTALLED UNKN
                                                                  RAILROAD ST
                                                   0030/0077 (T605)
1 0 00433 0 00 0025+25 005322 FT                   005322 FT
HILL ST
(T600)                  0030/0000                S 0030/0000 LENGTH(AH 2610 BK 1647)
                                                                  WEST SIDE ST
                                                   0020/1475 (T661)
                                                                  015 "DIA CIRC CONCR
                                                   0020/1391 LEN=0035 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                   0020/1262 LEN=0030 INSTALLED UNKN
                                                                  015 "DIA CIRC CONCR
                                                   0020/0993 LEN=0030 INSTALLED UNKN
```

DIR: B TOTAL LEN: 4.959 MI. DIST: 10-4 SR: 1052
LEFT MUN: CANOE T RIGHT MUN: CANOE T

```
                                                  0020/0837 BMSEN 32/1052/0020/0824
                                                            1 0 00433 0 00 0049+59
                                                            TR CANOE CR
                                                  0020/0824 BMSBG 32/1052/0020/0824
                                                            015 "DIA CIRC CONCR
SUNSET ST                                                   LEN=0038 INSTALLED UNKN
(T966)                0020/0265                         NC CENTRAL ST
STONETOWN RD
(T606)                0020/0240
                     003675 FT                    003675 FT 1 0 00433 0 00 0043+00
                                                            VILLAGE: ROSSITER
                                                            LUNGER RD
                                                            (T525)
                                                  S 0020/0000 LENGTH(AH 1647 BK 3675)
                                                            015 "DIA CIRC CONCR
                                                  0010/3661 LEN=0030 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0010/3461 LEN=0150 INSTALLED UNKN
                                                            015 "DIA CIRC OTHER
                                                  0010/3166 LEN=0030 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0010/2860 LEN=0030 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0010/2390 LEN=0030 INSTALLED UNKN
                                                            036 "DIA CIRC CONCR
                                                  0010/2210 LEN=0030 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0010/1855 LEN=0012 INSTALLED 2005
                                                            018 "DIA CIR PLASTIC
                                                  0010/1590 LEN=0010 INSTALLED 2005
                                                            018 "DIA CIR PLASTIC
                                                  0010/1260 LEN=0010 INSTALLED 2005

                                                            024 "DIA CIRC CONCR
                                                  0010/0560 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/0312 LEN=0056 INSTALLED 2002
BUFFALO LODGE RD
(SR1054 SEG 0010/0000)  0010/0273

                                                            024 "DIA CIRC OTHER
                                                  0010/0260 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/0020 LEN=0030 INSTALLED UNKN
                     000000 FT                    000000 FT 1 0 00433 0 00 0079+32
                                                       NC SMYERSTOWN RD
                                                  * REF-BK  SR 2011 SH
                                                            (SR2011 SEG 0010/0000)
                                                            MFC BEGIN = D
                                                             BK-JEFFERSON      (33)
                                                  S 0010/0000 LENGTH(AH 3675 BK 0000)
```

DIR: B TOTAL LEN: 1.970 MI. DIST: 10-4 SR: 1051
LEFT MUN: BANKS T RIGHT MUN: BANKS T

010401 FT



010401 FT LOGAN RD
0040/1986 (SR1033 SEG 0130/1528)
024 "DIA CIRC METAL
0040/1805 LEN=0030 INSTALLED UNKN

012 "DIA CIRC METAL
0040/0868 LEN=0025 INSTALLED UNKN
018 "DIA CIR PLASTIC
0040/0757 LEN=0040 INSTALLED 2009

DIR: B TOTAL LEN: 1.970 MI. DIST: 10-4 SR: 1051
LEFT MUN: BANKS T RIGHT MUN: BANKS T

| | | | |
|---|---|---|---|
| | 008415 FT | 008415 FT | 2 0 32145 0 00 0084+48 |
| | | S 0040/0000 | LENGTH(AH 1986 BK 2674) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0030/2382 | LEN=0040 INSTALLED 2009 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1706 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1175 | LEN=0032 INSTALLED 2003 |
| 2 0 32145 0 00 0057+57 | 005741 FT | 005741 FT | |
| FRYE CEMETERY RD | | | |
| (T539) | 0030/0000 | S 0030/0000 | LENGTH(AH 2674 BK 2153) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0020/1165 | LEN=0040 INSTALLED 2009 |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0498 | LEN=0025 INSTALLED UNKN |
| | 003588 FT | 003588 FT | 2 0 32145 0 00 0035+77 |
| | | | BANKS |
| | | | MONTGOMERY T |
| | | S 0020/0000 | LENGTH(AH 2153 BK 3588) |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/3386 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2880 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2320 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1836 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0010/1646 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/0725 | LEN=0035 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32145 0 00 0000+00 |
| | | | VILLAGE: GIPSY |
| | | NC GIPSY RD | |
| | | | LOGAN RD |
| | | | (SR1033 SEG 0110/0398) |
| | | INTER-BK | GIPSY RD |
| | | | (SR1033 SEG 0110/0398) |
| BALLPARK RD | | | MFC BEGIN = E |
| (T688) | 0010/0000 | S 0010/0000 | LENGTH(AH 3588 BK 0000) |

DIR: B TOTAL LEN: .000 MI. DIST: 10-4 SR: 1050
LEFT MUN: CANOE T RIGHT MUN: CANOE T

000000 FT
000000 FT
000000 FT

000000 FT
7030/0000 LENGTH(AH 2447 BK 2498)
000000 FT
7020/0000 LENGTH(AH 2498 BK 3047)
000000 FT
7010/0000 LENGTH(AH 3047 BK 0000)

DIR: B TOTAL LEN: 1.349 MI. DIST: 10-4 SR: 1049
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | | |
|---|---|---|---|
| | 007124 FT | 007124 FT | |
| UNION HILL RD | | INTER-AHD | CHURCH RD |
| (SR1047 SEG 0090/0000) | 0030/2347 | 0030/2347 | (T900) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0977 | LEN=0008 INSTALLED 2003 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0055 | LEN=0030 INSTALLED UNKN |
| 2 0 32109 0 00 0048+00 | 004777 FT | 004777 FT | |
| SMITH RD | | | |
| (T527) | 0030/0000 | S 0030/0000 | LENGTH(AH 2347 BK 2256) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0020/1812 | LEN=0011 INSTALLED 2010 |
| | | | 024 "DIA CIR PLASTIC |
| | | 0020/1476 | LEN=0015 INSTALLED 2010 |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0771 | LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0020/0482 | LEN=0020 INSTALLED UNKN |
| | 002521 FT | 002521 FT | 2 0 32109 0 00 0025+33 |
| | | S 0020/0000 | LENGTH(AH 2256 BK 2521) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/2467 | LEN=0040 INSTALLED 2010 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/2274 | LEN=0018 INSTALLED 2010 |
| | | | 036 "DIA CIRC METAL |
| | | 0010/1415 | LEN=0031 INSTALLED UNKN |
| | | | 016 "DIA CIRC CONCR |
| | | 0010/0948 | LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0621 | LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0030 | LEN=0030 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32109 0 00 0000+00 |
| | | | CANOE RIDGE RD |
| | | | (SR1046 SEG 0040/0000) |
| | | NC DOMBS HILL RD | |
| | | INTER-BK | CANOE RIDGE RD |
| | | | (SR1046 SEG 0040/0000) |
| | | | MFC BEGIN = E |
| | | S 0010/0000 | LENGTH(AH 2521 BK 0000) |

DIR: B TOTAL LEN: 1.311 MI. DIST: 10-4 SR: 1048
LEFT MUN: BANKS T RIGHT MUN: BANKS T

006923 FT

006923 FT
7080/0000 LENGTH(AH 1688 BK 2536)

DIR: B TOTAL LEN: 1.311 MI. DIST: 10-4 SR: 1048
LEFT MUN: BANKS T RIGHT MUN: BANKS T

| | | | |
|---|---|---|---|
| | 006923 FT | | 006923 FT |
| | | | 7070/0000 LENGTH(AH 2536 BK 3047) |
| | 006923 FT | | 006923 FT |
| | | | 7060/0000 LENGTH(AH 3047 BK 2315) |
| | 006923 FT | | 006923 FT |
| | | | 7050/0000 LENGTH(AH 2315 BK 1871) |
| | 006923 FT | | 006923 FT |
| | | | 7040/0000 LENGTH(AH 1871 BK 1857) |
| | | | INTER-AHD FIRE TOWER RD |
| | | | (T700) |
| | | | LOCKVALE RD |
| | | | 0030/1857 (SR1053 SEG 0030/0560) |
| | | | 015 "DIA CIRC METAL |
| | | | 0030/0235 LEN=0037 INSTALLED UNKN |
| | 005066 FT | | 005066 FT 2 0 32103 0 01 0019+95 |
| | | | S 0030/0000 LENGTH(AH 1857 BK 1982) |
| | | | 016 "DIA CIRC CONCR |
| | | | 0020/1644 LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | | 0020/1090 LEN=0044 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/0925 LEN=0033 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0020/0374 LEN=0033 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0020/0070 LEN=0052 INSTALLED UNKN |
| 2 0 32103 0 01 0000+00 | 003084 FT | | 003084 FT WATSON RD |
| BRICKELL RD | | | (T971) |
| (T973) | 0020/0000 | | S 0020/0000 LENGTH(AH 1982 BK 3084) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/1875 LEN=0033 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0010/1251 LEN=0032 INSTALLED UNKN |
| | 000000 FT | | 000000 FT 2 0 32103 0 00 0000+00 |
| | | | GLEN CAMPBELL RD |
| | | | (SR1038 SEG 0220/0000) |
| | | | NC FIRE TOWER RD |
| GLEN CAMPBELL RD | | | MFC BEGIN = E |
| (SR1038 SEG 0220/0000) | 0010/0000 | | S 0010/0000 LENGTH(AH 3084 BK 0000) |

DIR: B TOTAL LEN: 2.676 MI. DIST: 10-4 SR: 1047
LEFT MUN: CANOE T RIGHT MUN: CANOE T

```
                                014129 FT                    014129 FT
                                                           * REF-AHD    BAIR RD
                                                             0140/1783 (T840)
                                                                       018 "DIA CIRC CONCR
                                                             0140/1363 LEN=0020 INSTALLED UNKN
                                                                       018 "DIA CIRC METAL
                                                             0140/0825 LEN=0030 INSTALLED UNKN
                                                                       024 "DIA CIRC METAL
                                                             0140/0716 LEN=0025 INSTALLED UNKN

                                012346 FT                    012346 FT 2 0 32189 0 00 0061+68
                                                                 NC BAIR RD
                                                                       STEFFEY CHURCH RD
BUFFALO LODGE RD                                                       (SR1054 SEG 0040/0000)
(SR1054 SEG 0040/0000)   0140/0000                         S 0140/0000 LENGTH(AH 1783 BK 2287)


                                                                       018 "DIA CIRC METAL
                                                             0130/1002 LEN=0046 INSTALLED UNKN
                                                                       018 "DIA CIRC METAL
                                                             0130/0653 LEN=0042 INSTALLED UNKN
                                                                       015 "DIA CIRC METAL
                                                             0130/0480 LEN=0027 INSTALLED UNKN
2 0 32189 0 00 0038+90 010059 FT                             010059 FT
STONETOWN RD
(T606)                   0130/0000                         S 0130/0000 LENGTH(AH 2287 BK 3869)
                                                                       024 "DIA CIRC CONCR
                                                             0120/3632 LEN=0031 INSTALLED UNKN
                                                             0120/3183 BMSEN 32/1047/0120/3164
                                                                       2 0 32189 0 00 0031+85
                                                                       TR CANOE CR
                                                             0120/3164 BMSBG 32/1047/0120/3164
                                                                       012 "DIA CIRC METAL
                                                             0120/2779 LEN=0027 INSTALLED UNKN
                                                                       018 "DIA CIRC METAL
                                                             0120/2482 LEN=0032 INSTALLED UNKN
                                                                       018 "DIA CIRC METAL
                                                             0120/2089 LEN=0025 INSTALLED UNKN
```

DIR: B TOTAL LEN: 2.676 MI. DIST: 10-4 SR: 1047
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC METAL |
| | | 0120/0944 | LEN=0031 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/0090 | LEN=0063 INSTALLED UNKN |
| SUNSET ST | | | |
| (T966) | 0120/0064 | 0120/0064 | MFC BEGIN = E |
| | 006190 FT | 006190 FT | 2 0 32189 0 00 0000+00 |
| | | | JOHNSONBURG RD |
| | | | (SR1052 SEG 0040/0000) |
| | | | NC STONEBURG RD |
| | | 0120/0000 | LENGTH(AH 3869 BK 0769) |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0678 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0430 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0068 | LEN=0063 INSTALLED UNKN |
| 1 0 00573 0 01 0579+84 | 005421 FT | 005421 FT | |
| CENTRAL ST | | | |
| (SR1052 SEG 0030/2610) | 0110/0000 | 0110/0000 | LENGTH(AH 0769 BK 3611) |
| | | 0100/3457 | BMSEN 32/1047/0100/3440 |
| | | | 2 0 32105 0 02 0309+60 |
| | | | TRIB. TO CANOE CREEK |
| | | 0100/3440 | BMSBG 32/1047/0100/3440 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0100/3305 | LEN=0050 INSTALLED UNKN |
| CLINTON ST | | | |
| (T601) | 0100/3058 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/3015 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/2830 | LEN=0039 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0100/2465 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/2175 | LEN=0038 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0100/1660 | LEN=0033 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0100/1440 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0100/1370 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0100/1245 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0100/1025 | LEN=0036 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |

DIR: B TOTAL LEN: 2.676 MI. DIST: 10-4 SR: 1047
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | |
|---|---|---|
| | | 0100/0730 LEN=0030 INSTALLED UNKN |
| | | 015 "DIA CIR PLASTIC |
| | | 0100/0450 LEN=0042 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | | 0100/0085 LEN=0032 INSTALLED UNKN |
| | 001810 FT | 001810 FT 2 0 32105 0 02 0309+60 |
| | | S 0100/0000 LENGTH(AH 3611 BK 1784) |
| | | 015 "DIA CIRC METAL |
| | | 0090/1661 LEN=0043 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | | 0090/1299 LEN=0043 INSTALLED UNKN |
| | | 043 "DIA CIRC CONCR |
| | | 0090/0936 LEN=0040 INSTALLED 2005 |
| | | 015 "DIA CIRC METAL |
| | | 0090/0139 LEN=0032 INSTALLED UNKN |
| 2 0 32105 0 01 0291+76 | 000026 FT | 000026 FT ION HILL RD |
| DOMBS HILL RD | | INTER-BK CHURCH RD |
| (SR1049 SEG 0030/2347) | 0090/0000 | (T900) |
| | | S 0090/0000 LENGTH(AH 1784 BK 1364) |
| | 000026 FT | 000026 FT |
| | | 7090/0000 LENGTH(AH 1364 BK 2197) |
| | 000026 FT | 000026 FT |
| | | 7084/0000 LENGTH(AH 2197 BK 0026) |
| | | BMSEN 32/1047/0080/0000 |
| | | * REF-AHD CHURCH RD |
| | | 0080/0026 (T900) |
| | 000000 FT | 000000 FT 2 0 32105 0 01 0253+55 |
| | | NC CHURCH RD |
| | | * REF-BK CHURCH RD |
| | | (T900) |
| | | TR N BR STRAIGHT RUN |
| | | BMSBG 32/1047/0080/0000 |
| | | S 0080/0000 LENGTH(AH 0026 BK 1404) |
| | 000000 FT | 000000 FT |
| | | 7080/0000 LENGTH(AH 1404 BK 3392) |
| | 000000 FT | 000000 FT |
| | | 7070/0000 LENGTH(AH 3392 BK 2742) |
| | 000000 FT | 000000 FT |
| | | 7060/0000 LENGTH(AH 2742 BK 2787) |
| | 000000 FT | 000000 FT |
| | | 7050/0000 LENGTH(AH 2787 BK 3681) |
| | 000000 FT | 000000 FT |
| | | 7040/0000 LENGTH(AH 3681 BK 3656) |
| | 000000 FT | 000000 FT |
| | | 7030/0000 LENGTH(AH 3656 BK 3203) |
| | 000000 FT | 000000 FT |
| | | 7020/0000 LENGTH(AH 3203 BK 3402) |
| | 000000 FT | 000000 FT |
| | | 7010/0000 LENGTH(AH 3402 BK 0000) |

DIR: B TOTAL LEN: 6.123 MI. DIST: 10-4 SR: 1046
LEFT MUN: BANKS T RIGHT MUN: BANKS T

```
032328 FT                    032328 FT GLEN CAMPBELL RD
                             0100/3292 (SR1033 SEG 0160/0000)
                                       018 "DIA CIRC CONCR
                             0100/3090 LEN=0025 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0100/2763 LEN=0032 INSTALLED 2010

                                       018 "DIA CIR PLASTIC
                             0100/2135 LEN=0040 INSTALLED 2010
                                       018 "DIA CIR PLASTIC
                             0100/1910 LEN=0040 INSTALLED 2010

                                       018 "DIA CIR PLASTIC
                             0100/1104 LEN=0040 INSTALLED 2010

                                       018 "DIA CIR PLASTIC
                             0100/0338 LEN=0040 INSTALLED 2010
                                       018 "DIA CIRC CONCR
                             0100/0143 LEN=0030 INSTALLED UNKN
029036 FT                    029036 FT 2 0 32106 0 00 0290+13
                           S 0100/0000 LENGTH(AH 3292 BK 3580)
                                       018 "DIA CIRC METAL
                             0090/3324 LEN=0030 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 6.123 MI. DIST: 10-4 SR: 1046
LEFT MUN: BANKS T RIGHT MUN: BANKS T

```
                                                  0090/2997 LEN=0032 INSTALLED 1997
                                                            018 "DIA CIR PLASTIC
                                                  0090/2415 LEN=0040 INSTALLED 2010
                                                            018 "DIA CIR PLASTIC
                                                  0090/2172 LEN=0050 INSTALLED 2010
                                                            018 "DIA CIR PLASTIC
                                                  0090/1999 LEN=0040 INSTALLED 2010
                                                            018 "DIA CIR PLASTIC
                                                  0090/1730 LEN=0040 INSTALLED 2010

                                                            018 "DIA CIRC CONCR
                                                  0090/1100 LEN=0040 INSTALLED 1997
                                                            018 "DIA CIRC METAL
                                                  0090/0824 LEN=0025 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0090/0406 LEN=0040 INSTALLED 1997
                                                  0090/0187 BMSEN 32/1046/0090/0134
                                                            2 0 32106 0 00 0255+82
                                                            STRAIGHT RUN
                                                  0090/0134 BMSBG 32/1046/0090/0134
2 0 32106 0 00 0254+35 025456 FT                  025456 FT
S.D.A. CAMP RD
(T960)                 0090/0000          ==   S 0090/0000 LENGTH(AH 3580 BK 1798)
                                                            018 "DIA CIRC CONCR
                                                  0080/1760 LEN=0032 INSTALLED 1997
                                                            018 "DIA CIRC CONCR
                                                  0080/1340 LEN=0032 INSTALLED 1997
                                                            018 "DIA CIRC CONCR
                                                  0080/1038 LEN=0032 INSTALLED 1997
                                                            024 "DIA CIR PLASTIC
                                                  0080/0805 LEN=0040 INSTALLED 2010
                                                            018 "DIA CIRC CONCR
                                                  0080/0609 LEN=0032 INSTALLED 1997

                       023658 FT                  023658 FT 2 0 32106 0 00 0236+36
                                                            018 "DIA CIRC METAL
                                                            LEN=0025 INSTALLED UNKN
                                                  S 0080/0000 LENGTH(AH 1798 BK 3601)
                                                            048"H 36"W CON BOX CUL
                                                  0070/3330 LEN=0025 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0070/3075 LEN=0025 INSTALLED 1996
                                                            018 "DIA CIR PLASTIC
                                                  0070/2757 LEN=0040 INSTALLED 2010
                                                            BANKS
                                                  0070/2636 CANOE T
                                                            024 "DIA CIR PLASTIC
                                                  0070/2389 LEN=0040 INSTALLED 2010
                                                            018 "DIA CIRC METAL
                                                  0070/2075 LEN=0030 INSTALLED UNKN
```

DIR: B TOTAL LEN: 6.123 MI. DIST: 10-4 SR: 1046
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1395 | LEN=0032 INSTALLED 1997 |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0897 | LEN=0032 INSTALLED 1997 |
| LIONS CLUB RD (T962) | 0070/0865 | | |
| | | | 024 "DIA CIRC CONCR |
| | | 0070/0650 | LEN=0025 INSTALLED 1997 |
| | 020057 FT | 020057 FT | 2 0 32106 0 00 0200+35 |
| | | S 0070/0000 | LENGTH(AH 3601 BK 3495) |
| | | | 015 "DIA CIRC METAL |
| | | 0060/3321 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/3045 | LEN=0032 INSTALLED 1997 |
| | | | 024 "DIA CIRC CONCR |
| | | 0060/2765 | LEN=0025 INSTALLED 1997 |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/2525 | LEN=0030 INSTALLED 1996 |
| | | | NC PORTERFIELD RD |
| | | | CHURCH RD |
| | | 0060/2054 | (T900) |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1990 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1420 | LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0060/0845 | LEN=0025 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0060/0550 | LEN=0030 INSTALLED UNKN |
| | 016562 FT | 016562 FT | 2 0 32106 0 00 0165+40 |
| | | S 0060/0000 | LENGTH(AH 3495 BK 3641) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/3300 | LEN=0025 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/3020 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/2690 | LEN=0025 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0050/2535 | LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0050/2382 | LEN=0030 INSTALLED UNKN |
| HENRY RD (T534) | 0050/2227 | | |
| | | | 018 "DIA CIRC METAL |
| | | 0050/2165 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1906 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 6.123 MI. DIST: 10-4 SR: 1046
LEFT MUN: CANOE T RIGHT MUN: CANOE T

```
                                                 0050/1676 LEN=0032 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0050/1384 LEN=0025 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0050/1146 LEN=0025 INSTALLED UNKN
                                                           GASTON RD
                                                 0050/0853 (T965)
                                                           018"H 00"W MULT METAL
                                                 0050/0655 LEN=0025 INSTALLED UNKN
                                                           036 "DIA CIRC METAL
                                                 0050/0339 LEN=0025 INSTALLED 1996
                                                           018 "DIA CIRC METAL
                                                 0050/0112 LEN=0025 INSTALLED UNKN
                                                 0050/0023 BMSEN 32/1046/0050/0000
                        012921 FT                012921 FT 2 0 32106 0 00 0128+97
                                                           TR N BR STR
                                                           BMSBG 32/1046/0050/0000
                                                 S 0050/0000 LENGTH(AH 3641 BK 3114)
                                                           015 "DIA CIRC CONCR
                                                 0040/2900 LEN=0030 INSTALLED UNKN

                                                           015 "DIA CIRC METAL
                                                 0040/2040 LEN=0025 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0040/1748 LEN=0040 INSTALLED 1997
                                                           018 "DIA CIRC CONCR
                                                 0040/1369 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0040/1021 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0040/0807 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CAST IRON
                                                 0040/0578 LEN=0030 INSTALLED UNKN
                                                           036 "DIA CIRC METAL
                                                 0040/0366 LEN=0025 INSTALLED UNKN
2 0 32106 0 00 0098+37 009807 FT                 009807 FT
DOMBS HILL RD
(SR1049 SEG 0010/0000)  0040/0000                S 0040/0000 LENGTH(AH 3114 BK 3375)

                                                           015 "DIA CIRC CONCR
                                                 0030/2593 LEN=0035 INSTALLED UNKN
DUG HILL RD
(T810)                  0030/2585

                                                           036 "DIA CIRC CONCR
                                                 0030/2071 LEN=0025 INSTALLED 1996
                                                           018 "DIA CIRC CONCR
                                                 0030/1563 LEN=0025 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                                 0030/0740 LEN=0025 INSTALLED UNKN
```

DIR: B TOTAL LEN: 6.123 MI. DIST: 10-4 SR: 1046
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0564 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0279 | LEN=0030 INSTALLED UNKN |
| | 006432 FT | 006432 FT | 2 0 32106 0 00 0064+40 |
| | | | VILLAGE: CANOE RIDGE |
| | | | TYGER RD |
| | | | (T819) |
| | | 5 0030/0000 | LENGTH(AH 3375 BK 3081) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2920 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2640 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2190 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1800 | LEN=0070 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1320 | LEN=0030 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0020/0953 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0548 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0315 | LEN=0030 INSTALLED UNKN |
| 2 0 32106 0 00 0033+55 | 003351 FT | 003351 FT | |
| WINEBARK RD | | | |
| (T814) | 0020/0000 | 5 0020/0000 | LENGTH(AH 3081 BK 3351) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2990 | LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/2690 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2375 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0821 | LEN=0003 INSTALLED UNKN |
| | | | 024 "DIA CAST IRON |
| | | 0010/0450 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0120 | LEN=0020 INSTALLED 2005 |
| | 000000 FT | 000000 FT | 2 0 32106 0 00 0000+00 |
| | | NC | CANOE RIDGE RD |
| | | INTER-BK | LOCUST LN |
| | | | (SR1045 SEG 0060/0000) |
| LOCUST LN | | | MFC BEGIN = D |
| (SR1045 SEG 0060/0000) | 0010/0000 | 5 0010/0000 | LENGTH(AH 3351 BK 0000) |

DIR: B TOTAL LEN: 6.810 MI. DIST: 10-4 SR: 1045
LEFT MUN: CANOE T RIGHT MUN: CANOE T

035958 FT



SPRANKLE RD
(T523)

0130/0815

```
035958 FT   AH-JEFFERSON        (33)
REF-AHD     GRANGE HALL RD
0130/2270   (SR2013 SEG 0010/0000)
            018 "DIA CIRC CONCR
0130/1963   LEN=0050 INSTALLED UNKN
            015 "DIA CIR PLASTIC
0130/1780   LEN=0063 INSTALLED UNKN
0130/1634   BMSEN 32/1045/0130/1617
            1 0 00435 0 02 0559+30
            PAINTER RUN
0130/1617   BMSBG 32/1045/0130/1617
            SEGAR RD
0130/1553   (T525)

            018 "DIA CIRC CONCR
0130/0920   LEN=0035 INSTALLED UNKN

            024 "DIA CIR PLASTIC
0130/0800   LEN=0053 INSTALLED UNKN
            015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 6.810 MI. DIST: 10-4 SR: 1045
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | | |
|---|---|---|---|
| | | 0130/0630 | LEN=0039 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0130/0290 | LEN=0023 INSTALLED UNKN |
| | 033688 FT | 033688 FT | 1 0 00435 0 02 0540+50 |
| | | S 0130/0000 | LENGTH(AH 2270 BK 3098) |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/3050 | LEN=0045 INSTALLED UNKN |
| | | | 030 "DIA CIRC METAL |
| | | 0120/2635 | LEN=0054 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/2040 | LEN=0036 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0120/1620 | LEN=0039 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0120/1435 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0120/1165 | LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0120/0889 | LEN=0036 INSTALLED UNKN |
| | | | 016 "DIA CIRC METAL |
| | | 0120/0675 | LEN=0044 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/0498 | LEN=0034 INSTALLED UNKN |
| | | | 048 "DIA CIRC METAL |
| | | 0120/0120 | LEN=0038 INSTALLED UNKN |
| | 030590 FT | 030590 FT | 1 0 00435 0 02 0509+60 |
| WHITE AL | | | VILLAGE: JUNEAU |
| (T663) | 0120/0000 | S 0120/0000 | LENGTH(AH 3098 BK 2917) |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/2636 | LEN=0020 INSTALLED UNKN |
| | | | LUNGER RD |
| | | 0110/2272 | (T525) |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/1925 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0110/1592 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/1079 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0812 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0546 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0281 | LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0025 | LEN=0047 INSTALLED UNKN |
| 1 0 00435 0 02 0480+20 | 027673 FT | 027673 FT | |
| BARNETT HILL RD | | | |
| (T811) | 0110/0000 | S 0110/0000 | LENGTH(AH 2917 BK 2942) |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 6.810 MI. DIST: 10-4 SR: 1045
LEFT MUN: CANOE T RIGHT MUN: CANOE T

```
                                                  0100/2536 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0100/2378 LEN=0035 INSTALLED UNKN
JUNEAU RD
(SR1044 SEG 0060/2918)  0100/2321                 0100/2321 MFC BEGIN = D
                                                  0100/1961 BMSEN 32/1045/0100/1890
                                                            1 0 00435 0 02 0450+94
                                                            CANOE CREEK
                                                  0100/1890 BMSBG 32/1045/0100/1890
                                                  0100/1783 (AAR 148742F)#TRKS 01
                                                        NC JUNEAU RD
                                                            DUG HILL RD
                                                  0100/1714 (TB10)
                                                            036"H 00"W MULT CONCR
                                                  0100/1485 LEN=0038 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0100/1084 LEN=0032 INSTALLED 2000
                                                            018 "DIA CIRC CONCR
                                                  0100/0604 LEN=0032 INSTALLED UNKN

                        024731 FT                 024731 FT 1 0 00435 0 02 0450+94
                                                S 0100/0000 LENGTH(AH 2942 BK 2403)
                                                            015 "DIA CIRC CONCR
                                                  0090/2075 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0090/1785 LEN=0028 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0090/1270 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0090/1080 LEN=0032 INSTALLED 1998
                                                            018 "DIA CIRC CONCR
                                                  0090/0775 LEN=0032 INSTALLED 1998
                                                            018 "DIA CIRC CONCR
                                                  0090/0240 LEN=0032 INSTALLED 1998
                        022328 FT                 022328 FT 1 0 00435 0 02 0427+06
                                                            (AAR 148743M)#TRKS 01
                                                S 0090/0000 LENGTH(AH 2403 BK 2680)
                                                            018 "DIA CIRC CONCR
                                                  0080/2195 LEN=0040 INSTALLED 2006
                                                            036 "DIA CIRC METAL
                                                  0080/1636 LEN=0043 INSTALLED UNKN

                                                            018 "DIA CIRC METAL
                                                  0080/1024 LEN=0032 INSTALLED UNKN

                        019648 FT                 019648 FT 1 0 00435 0 02 0400+25
                                                S 0080/0000 LENGTH(AH 2680 BK 2219)
                                                            018 "DIA CIRC CONCR
                                                  0070/2080 LEN=0032 INSTALLED 1998
```

DIR: B TOTAL LEN: 6.810 MI. DIST: 10-4 SR: 1045
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1373 | LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0717 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0355 | LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIRC METAL |
| | | 0070/0036 | LEN=0032 INSTALLED 1998 |
| | 017429 FT | 017429 FT | 1 0 00435 0 02 0378+05 |
| | | | BUFFALO, ROCHESTER & PI |
| | | | OVERPASS IS RR X-ING |
| | | | MFC BEGIN = E |
| | | S 0070/0000 | LENGTH(AH 2219 BK 1943) |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1450 | LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1338 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1091 | LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIRC METAL |
| | | 0060/0692 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0343 | LEN=0048 INSTALLED 1998 |
| | 015486 FT | 015486 FT | 1 0 00435 0 02 0358+71 |
| | | | CANOE RIDGE RD |
| | | | (SR1046 SEG 0010/0000) |
| | | S 0060/0000 | LENGTH(AH 1943 BK 2461) |
| | | 0050/2407 | BMSEN 32/1045/0050/2280 |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/2375 | LEN=0030 INSTALLED 2000 |
| | | | 0 0 00000 0 00 0000+00 |
| | | | BUFFALO, ROCHESTER & RR |
| | | 0050/2280 | BMSBG 32/1045/0050/2280 |
| LOCUST RD | | | |
| (SR1042 SEG 0090/2974) | 0050/2188 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1697 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1349 | LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0831 | LEN=0040 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0111 | LEN=0040 INSTALLED 1998 |
| | 013025 FT | 013025 FT | 1 0 00435 0 02 0334+75 |
| | | | VILLAGE: LOCUST |
| | | | RISHELL RD |
| | | | (T820) |

DIR: B TOTAL LEN: 6.810 MI. DIST: 10-4 SR: 1045
LEFT MUN: CANOE T RIGHT MUN: CANOE T

```
                                                  0050/0000 LENGTH(AH 2461 BK 3256)
                                                            018 "DIA CIRC METAL
                                                  0040/3217 LEN=0035 INSTALLED UNKN
                                                            LC TO/FROM RISHELL RD
                                                  0040/3190 (CONN)
                                                            018 "DIA CIRC CONCR
                                                  0040/2721 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0040/2451 LEN=0033 INSTALLED UNKN
                                                            CALDERWOOD RD
                                                  0040/2423 (T816)

                                                            018 "DIA CIRC CONCR
                                                  0040/1775 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0040/1308 LEN=0040 INSTALLED 2010
                                                            018 "DIA CIRC CONCR
                                                  0040/0796 LEN=0043 INSTALLED UNKN

                                                            060 "DIA CIRC METAL
                                                  0040/0117 LEN=0041 INSTALLED UNKN
1 0 00435 0 02 0302+52 009769 FT                  009769 FT
OBERLIN HILL RD
(T797)                0040/0000                   0040/0000 LENGTH(AH 3256 BK 3249)
                                                            018 "DIA CIR PLASTIC
                                                  0030/3230 LEN=0068 INSTALLED 2009
                                                            018 "DIA CIR PLASTIC
                                                  0030/3000 LEN=0040 INSTALLED 2010

                                                            018 "DIA CIR PLASTIC
                                                  0030/2359 LEN=0040 INSTALLED 2009
                                                            018 "DIA CIR PLASTIC
                                                  0030/2173 LEN=0040 INSTALLED 2009
                                                            018 "DIA CIRC CONCR
                                                  0030/2079 LEN=0032 INSTALLED 1998
                                                            018 "DIA CIRC CONCR
                                                  0030/1861 LEN=0040 INSTALLED 2010
                                                            018 "DIA CIR PLASTIC
                                                  0030/1739 LEN=0040 INSTALLED 2009
                                                            015 "DIA CIR PLASTIC
                                                  0030/1413 LEN=0033 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0030/1146 LEN=0036 INSTALLED UNKN

                                                            018 "DIA CIRC METAL
                                                  0030/0514 LEN=0036 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0030/0156 LEN=0030 INSTALLED 2000
                      006520 FT                   006520 FT 1 0 00435 0 02 0269+83
                                                  0030/0000 LENGTH(AH 3249 BK 3364)
```

DIR: B TOTAL LEN: 6.810 MI. DIST: 10-4 SR: 1045
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | |
|---|---|---|
| | | 015 "DIA CIRC METAL |
| | 0020/3115 | LEN=0035 INSTALLED UNKN |
| | 0020/2807 | BMSEN 32/1045/0020/2770 |
| | | 0 0 00000 0 00 0000+00 |
| | | BROADHEAD RN |
| | 0020/2770 | BMSBG 32/1045/0020/2770 |
| | | 015 "DIA CIR PLASTIC |
| | 0020/2152 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0020/1964 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIR PLASTIC |
| | 0020/1689 | LEN=0040 INSTALLED 2010 |
| | | 018 "DIA CIRC METAL |
| | 0020/1480 | LEN=0032 INSTALLED 1998 |
| | | 024 "DIA CIR PLASTIC |
| | 0020/0969 | LEN=0025 INSTALLED UNKN |
| | 0020/0857 | BMSEN 32/1045/0020/0824 |
| | | 0 0 00000 0 00 0000+00 |
| | | BROADHEAD RN |
| | 0020/0824 | BMSBG 32/1045/0020/0824 |
| | | 018 "DIA CIRC CONCR |
| | 0020/0135 | LEN=0004 INSTALLED 2001 |
| 1 0 00435 0 02 0236+00 003156 FT | 003156 FT | |
| WRIGHT RD | | |
| (T798) 0020/0000 | S 0020/0000 | LENGTH(AH 3364 BK 3156) |
| | | 018 "DIA CIRC METAL |
| | 0010/2930 | LEN=0040 INSTALLED UNKN |
| | | BOWERS RD |
| | 0010/2748 | (T799) |
| | | 018 "DIA CIRC CONCR |
| | 0010/2656 | LEN=0032 INSTALLED 1998 |
| | | 018 "DIA CIRC CONCR |
| | 0010/2070 | LEN=0032 INSTALLED 1998 |
| | | 015 "DIA CIRC CONCR |
| | 0010/1680 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIR PLASTIC |
| | 0010/1244 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0010/0763 | LEN=0035 INSTALLED UNKN |
| 000000 FT | 000000 FT | 1 0 00435 0 02 0206+10 |
| | | EAST CREEK RD |
| | | (SR1038 SEG 0090/0000) |
| | NC LOCUST LN | |
| | INTER-BK | EAST CREEK RD |
| | | (SR1038 SEG 0090/0000) |
| | | MFC BEGIN = D |
| | S 0010/0000 | LENGTH(AH 3156 BK 0000) |

DIR: B TOTAL LEN: 3.139 MI. DIST: 10-4 SR: 1044
LEFT MUN: CANOE T RIGHT MUN: CANOE T

JUNEAU RD 016574 FT
(SR1045 SEG 0100/2321) 0060/2918



016574 FT DUG HILL RD
0060/2918 (SR1045 SEG 0100/2321)
015 "DIA CIRC CONCR
0060/2340 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0060/2135 LEN=0034 INSTALLED UNKN
015 "DIA CIRC CONCR
0060/1526 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0060/0996 LEN=0032 INSTALLED UNKN
012 "DIA CAST IRON

DIR: B TOTAL LEN: 3.139 MI. DIST: 10-4 SR: 1044
LEFT MUN: CANOE T RIGHT MUN: CANOE T

```
                                                  0060/0788 LEN=0034 INSTALLED UNKN
                                                  0060/0334 BMSEN 32/1044/0060/0319
                                                            0 0 00000 0 00 0000+00
                                                            TR CANOE CR
                                                  0060/0319 BMSBG 32/1044/0060/0319
2 0 32112 0 00 0136+60 013656 FT                  013656 FT STIVER RD
DUNMIRE RD                                                  (T800)
(T801)                 0060/0000                5 0060/0000 LENGTH(AH 2918 BK 3193)
                                                            015 "DIA CIRC CONCR
                                                  0050/3150 LEN=0045 INSTALLED UNKN

                                                            015 "DIA CIRC CONCR
                                                  0050/2515 LEN=0035 INSTALLED UNKN
                                                            024 "DIA CIR PLASTIC
                                                  0050/2065 LEN=0036 INSTALLED UNKN
                                                            012 "DIA CAST IRON
                                                  0050/1958 LEN=0028 INSTALLED UNKN
                                                            030 "DIA CIRC CONCR
                                                  0050/1555 LEN=0040 INSTALLED UNKN
                                                            024 "DIA CAST IRON
                                                  0050/1220 LEN=0062 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0050/1005 LEN=0037 INSTALLED UNKN
                                                            012 "DIA CAST IRON
                                                  0050/0580 LEN=0035 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0050/0380 LEN=0035 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0050/0170 LEN=0035 INSTALLED UNKN
                       010463 FT                  010463 FT 2 0 32112 0 00 0104+70
                                                5 0050/0000 LENGTH(AH 3193 BK 2695)
                                                            015 "DIA CIRC CONCR
                                                  0040/2546 LEN=0032 INSTALLED UNKN
                                                            030 "DIA CIRC CONCR
                                                  0040/2168 LEN=0045 INSTALLED UNKN
                                                            036 "DIA CIRC CONCR
                                                  0040/1726 LEN=0044 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0040/1545 LEN=0033 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0040/1150 LEN=0030 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/0853 LEN=0038 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0040/0696 LEN=0036 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0040/0494 LEN=0020 INSTALLED 2014
                                                            018 "DIA CIR PLASTIC
                                                  0040/0232 LEN=0042 INSTALLED UNKN
                       007768 FT                  007768 FT 2 0 32112 0 00 0077+77
```

DIR: B TOTAL LEN: 3.139 MI. DIST: 10-4 SR: 1044
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | |
|---|---|---|
| | | CANOE |
| | | NORTH MAHONING T |
| | S 0040/0000 | LENGTH(AH 2695 BK 2803) |
| | | 015 "DIA CIRC METAL |
| | 0030/2780 | LEN=0030 INSTALLED UNKN |
| | | 030 "DIA CIRC METAL |
| | 0030/2509 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0030/1702 | LEN=0030 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0030/1460 | LEN=0030 INSTALLED UNKN |
| 004965 FT | 004965 FT | 2 0 32112 0 00 0049+71 |
| | S 0030/0000 | LENGTH(AH 2803 BK 2218) |
| | | 028 "DIA CIRC METAL |
| | 0020/2146 | LEN=0034 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0020/1488 | LEN=0035 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0020/1011 | LEN=0035 INSTALLED UNKN |
| 2 0 32112 0 00 0027+50 002747 FT | 002747 FT | |
| WACHOB RD | | |
| (T804) 0020/0000 | S 0020/0000 | LENGTH(AH 2218 BK 2747) |
| | | 036 "DIA CIRC METAL |
| | 0010/2586 | LEN=0042 INSTALLED UNKN |
| | | 024 "DIA CIRC METAL |
| | 0010/1832 | LEN=0036 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0010/0930 | LEN=0036 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0010/0574 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/0290 | LEN=0035 INSTALLED UNKN |
| | | 024 "DIA CIR PLASTIC |
| | 0010/0020 | LEN=0035 INSTALLED UNKN |
| 000000 FT | 000000 FT | 2 0 32112 0 00 0000+00 |
| | NC JUNEAU RD | |
| | | SR 0119 SH |
| | | (SR0119 SEG 0790/0000) |
| | | MFC BEGIN = D |
| | S 0010/0000 | LENGTH(AH 2747 BK 0000) |

DIR: B TOTAL LEN: 3.416 MI. DIST: 10-4 SR: 1043
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

| | | | |
|---|---|---|---|
| | 018035 FT | | 018035 FT SR 0119 SH |
| KOHLHEPP RD | | | 0060/2616 (SR0119 SEG 0750/0000) |
| (T660) | 0060/2310 | | |
| | | | WATERING TROUGH RD |
| | | | 0060/0983 (SR1040 SEG 0010/0000) |
| | | | 024 "DIA CIRC METAL |
| | | | 0060/0560 LEN=0032 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | | 0060/0250 LEN=0032 INSTALLED UNKN |
| | 015419 FT | | 015419 FT 2 0 32099 0 01 0175+08 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0030 INSTALLED UNKN |
| | | | S 0060/0000 LENGTH(AH 2616 BK 2855) |

DIR: B TOTAL LEN: 3.416 MI. DIST: 10-4 SR: 1043
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

| | | |
|---|---|---|
| | | 018 "DIA CIRC METAL |
| | 0050/2509 | LEN=0028 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/2050 | LEN=0022 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/1731 | LEN=0027 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/0975 | LEN=0026 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/0548 | LEN=0028 INSTALLED UNKN |
| | | 036"H 00"W MULT METAL |
| | 0050/0005 | LEN=0032 INSTALLED 1998 |
| 012564 FT | 012564 FT | 2 0 32099 0 01 0142+93 |
| | S 0050/0000 | LENGTH(AH 2855 BK 2445) |
| | | 018 "DIA CIRC CONCR |
| | 0040/1955 | LEN=0026 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0040/1345 | LEN=0032 INSTALLED UNKN |
| | | 036"H 00"W MULT METAL |
| | 0040/0859 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0040/0613 | LEN=0025 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0040/0158 | LEN=0037 INSTALLED UNKN |
| 010119 FT | 010119 FT | 2 0 32099 0 01 0118+48 |
| | S 0040/0000 | LENGTH(AH 2445 BK 3254) |
| | | 036 "DIA CIRC CONCR |
| | 0030/2831 | LEN=0029 INSTALLED UNKN |
| | | 018 "DIA CIR PLASTIC |
| | 0030/2492 | LEN=0040 INSTALLED 2014 |
| | | 018 "DIA CIRC CONCR |
| | 0030/2315 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/1836 | LEN=0029 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/1627 | LEN=0031 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/1440 | LEN=0028 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/0793 | LEN=0032 INSTALLED 1998 |
| | | WULFERT RD |
| | 0030/0642 | (T529) |
| | | 036 "DIA CIRC METAL |
| | 0030/0460 | LEN=0031 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0030/0247 | LEN=0030 INSTALLED UNKN |
| 006865 FT | 006865 FT | 2 0 32099 0 01 0085+00 |

DIR: B TOTAL LEN: 3.416 MI. DIST: 10-4 SR: 1043
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

| | | |
|---|---|---|
| | | NORTH MAHONING |
| | | CANOE T |
| | S 0030/0000 | LENGTH(AH 3254 BK 3743) |
| | | 018 "DIA CIRC CONCR |
| | 0020/3095 | LEN=0033 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0020/2613 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0020/2243 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0020/2032 | LEN=0031 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0020/1757 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0020/1579 | LEN=0031 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0020/0790 | LEN=0060 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0020/0464 | LEN=0032 INSTALLED UNKN |
| 003122 FT | 003122 FT | 2 0 32099 0 01 0047+62 |
| | S 0020/0000 | LENGTH(AH 3743 BK 3122) |
| | | 018 "DIA CIRC CONCR |
| | 0010/2975 | LEN=0047 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0010/2220 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/1828 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/1620 | LEN=0029 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/1383 | LEN=0034 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/1054 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/0851 | LEN=0033 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/0730 | LEN=0031 INSTALLED UNKN |
| | | 024 "DIA CIRC METAL |
| | 0010/0385 | LEN=0045 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/0114 | LEN=0031 INSTALLED UNKN |
| 000000 FT | 000000 FT | 2 0 32099 0 01 0015+80 |
| | | NC LEASURE RUN RD |
| | INTER-BK | EAST CREEK RD |
| | | (SR1038 SEG 0070/0000) |
| | | MFC BEGIN = E |
| EAST CREEK RD (SR1038 SEG 0070/0000) 0010/0000 | S 0010/0000 | LENGTH(AH 3122 BK 0000) |

DIR: B TOTAL LEN: 4.664 MI. DIST: 10-4 SR: 1042
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | | |
|---|---|---|---|
| | 024626 FT | | 024626 FT |
| LOCUST LN | | | INTER-AHD LOCUST LN |
| (SR1045 SEG 0050/2188) | 0090/2974 | | 0090/2974 (SR1045 SEG 0050/2188) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0090/2948 LEN=0114 INSTALLED 1998 |
| | | | 018 "DIA CIRC METAL |
| | | | 0090/2670 LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | | 0090/2330 LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | | 0090/2073 LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | | 0090/1330 LEN=0037 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | | 0090/0276 LEN=0032 INSTALLED UNKN |
| | 021652 FT | | 021652 FT 2 0 32107 0 00 0127+02 |
| | | | S 0090/0000 LENGTH(AH 2974 BK 3071) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0080/2491 LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | | 0080/2275 LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0080/1669 LEN=0043 INSTALLED UNKN |
| STIVER RD | | | |
| (T800) | 0080/1190 | == | |
| | | | 018 "DIA CIRC CONCR |
| | | | 0080/1144 LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0080/0117 LEN=0020 INSTALLED UNKN |
| | | | WRIGHT RD |
| | | == | 0080/0071 (T798) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0080/0011 LEN=0040 INSTALLED UNKN |
| | 018581 FT | | 018581 FT 2 0 32107 0 00 0096+06 |
| | | | WATERING TROUGH RD |
| | | | (SR1040 SEG 0040/1093) |
| | | | S 0080/0000 LENGTH(AH 3071 BK 1775) |
| | | | 015 "DIA CIRC METAL |

DIR: B TOTAL LEN: 4.664 MI. DIST: 10-4 SR: 1042
LEFT MUN: CANOE T RIGHT MUN: CANOE T

```
                                        0070/0725 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0070/0211 LEN=0041 INSTALLED UNKN
016806 FT                               016806 FT 2 0 32107 0 00 0078+04
                                      S 0070/0000 LENGTH(AH 1775 BK 2305)
                                                  CANOE
                                        0060/2290 NORTH MAHONING T
                                                  018 "DIA CIRC CONCR
                                        0060/2145 LEN=0041 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0060/1798 LEN=0042 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0060/1350 LEN=0030 INSTALLED UNKN
                                                  036 "DIA CIRC METAL
                                        0060/0937 LEN=0046 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0060/0900 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0060/0600 LEN=0035 INSTALLED UNKN
                                        0060/0079 BMSEN 32/1042/0060/0060
                                                  2 0 32107 0 00 0055+34
                                                  TR CANOE CR
                                        0060/0060 BMSBG 32/1042/0060/0060
014501 FT                               014501 FT 2 0 32107 0 00 0054+72
                                                  KNOX RD
                                                  (T796)
                                      S 0060/0000 LENGTH(AH 2305 BK 2405)
                                                  018 "DIA CIRC CONCR
                                        0050/1985 LEN=0044 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0050/1555 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/1245 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/0865 LEN=0034 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/0480 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/0323 LEN=0035 INSTALLED UNKN
012096 FT                               012096 FT 2 0 32107 0 00 0030+67
                                      S 0050/0000 LENGTH(AH 2405 BK 3066)


                                                  016 "DIA CIRC CONCR
                                        0040/2152 LEN=0031 INSTALLED UNKN



                                                  018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 4.664 MI. DIST: 10-4 SR: 1042
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

```
                                          0040/0528 LEN=0032 INSTALLED UNKN
009030 FT                                 009030 FT 2 0 32107 0 00 0000+00
                                                NC LOCUST RD
                                                      SR 0119 SH
                                                      (SR0119 SEG 0780/1979)
                                                      MFC BEGIN = E
                                        S 0040/0000 LENGTH(AH 3066 BK 3008)

                                                      015 "DIA CIRC CONCR
                                          0030/2351 LEN=0033 INSTALLED UNKN

                                                      015 "DIA CIRC CONCR
                                          0030/1747 LEN=0032 INSTALLED UNKN

                                                      036 "DIA CIRC CONCR
                                          0030/1109 LEN=0034 INSTALLED UNKN
                                                      015 "DIA CIRC CONCR
                                          0030/0598 LEN=0034 INSTALLED UNKN
                                                      036 "DIA CIRC CONCR
                                          0030/0479 LEN=0038 INSTALLED UNKN
006022 FT                                 006022 FT 2 0 32144 0 00 0060+19
                                        S 0030/0000 LENGTH(AH 3008 BK 2998)
                                                      024 "DIA CIRC CONCR
                                          0020/2596 LEN=0034 INSTALLED UNKN
                                                      015 "DIA CIRC CONCR
                                          0020/2264 LEN=0032 INSTALLED UNKN
                                                      018 "DIA CIRC CONCR
                                          0020/1963 LEN=0034 INSTALLED UNKN



003024 FT                                 003024 FT 2 0 32144 0 00 0030+21
                                        S 0020/0000 LENGTH(AH 2998 BK 3024)

                                                      024 "DIA CIRC CONCR
                                          0010/2291 LEN=0032 INSTALLED 2002


                                                      015 "DIA CIRC CONCR
                                          0010/1191 LEN=0032 INSTALLED UNKN

000000 FT                                 000000 FT 2 0 32144 0 00 0000+00
                                                NC SAWMILL RD
                                                      SR 0210 SH
                                                      (SR0210 SEG 0190/0982)
                                                      MFC BEGIN = D
                                        S 0010/0000 LENGTH(AH 3024 BK 0000)
```

DIR: B TOTAL LEN: .262 MI. DIST: 10-4 SR: 1041
LEFT MUN: CANOE T RIGHT MUN: CANOE T

```
001383 FT                    001383 FT  EAST CREEK RD
                             0010/1383  (SR1038 SEG 0080/0000)
                                        018 "DIA CIRC CONCR
                             0010/1230  LEN=0055 INSTALLED UNKN
                             0010/1065  (AAR 148755G)#TRKS 01
                             0010/0731  BMSEN 32/1041/0010/0601
                                        CANOE
                             0010/0666  GRANT T
                                        1 0 00435 0 01 0185+77
                                        LITTLE MAHONING CREEK
                             0010/0601  BMSBG 32/1041/0010/0601
                                        018 "DIA CIRC CONCR
                             0010/0315  LEN=0039 INSTALLED UNKN
                                        OBERLIN RD
                             0010/0186  (T793)
000000 FT                    000000 FT  1 0 00435 0 01 0180+08
                                        NASHVILLE RD
                                        (T940)
                                  NC SR 1041 SH
                             INTER-BK   RICHMOND RD
                                        (SR1034 SEG 0090/1063)
                                        MFC BEGIN = D
                             0010/0000  LENGTH(AH 1383 BK 0000)
```

DIR: B TOTAL LEN: 1.945 MI. DIST: 10-4 SR: 1040
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | | |
|---|---|---|---|
| LOCUST RD<br>(SR1042 SEG 0080/0000) | 010268 FT<br>0040/1093 | | 010268 FT LOCUST RD<br>0040/1093 (SR1042 SEG 0080/0000)<br>018 "DIA CIRC CONCR<br>0040/0960 LEN=0032 INSTALLED 2001 |
| | 009175 FT | | 009175 FT 2 0 32137 0 00 0092+12<br>CANOE<br>NORTH MAHONING T<br>S 0040/0000 LENGTH(AH 1093 BK 3610)<br>018 "DIA CIR PLASTIC<br>0030/2720 LEN=0035 INSTALLED 2014 |

DIR: B TOTAL LEN: 1.945 MI. DIST: 10-4 SR: 1040
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 0030/1770 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0330 | LEN=0036 INSTALLED 1997 |
| KNOX RD (T796) | 0030/0272 | | |
| | | | 018 "DIA CIRC METAL |
| | | 0030/0030 | LEN=0023 INSTALLED UNKN |
| | 005565 FT | 005565 FT | 2 0 32137 0 00 0055+75 |
| | | | PARSON RD |
| | | | (T797) |
| | | S 0030/0000 | LENGTH(AH 3610 BK 2413) |
| | | | 024 "DIA CIRC CONCR |
| | | 0020/2334 | LEN=0032 INSTALLED 1997 |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1160 | LEN=0032 INSTALLED 1997 |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1030 | LEN=0032 INSTALLED 1997 |
| | | | 024 "DIA CIRC CONCR |
| | | 0020/0185 | LEN=0032 INSTALLED 1997 |
| | 003152 FT | 003152 FT | 2 0 32137 0 00 0031+57 |
| | | S 0020/0000 | LENGTH(AH 2413 BK 3152) |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/1520 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1049 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0768 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/0657 | LEN=0036 INSTALLED 1997 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0021 | LEN=0060 INSTALLED 2014 |
| | 000000 FT | 000000 FT | 2 0 32137 0 00 0000+00 |
| | | | LEASURE RUN RD |
| | | | (SR1043 SEG 0060/0983) |
| | | NC | WATERING TROUGH RD |
| | | | MFC BEGIN = E |
| LEASURE RUN RD (SR1043 SEG 0060/0983) | 0010/0000 | S 0010/0000 | LENGTH(AH 3152 BK 0000) |

DIR: B TOTAL LEN: 13.123 MI. DIST: 10-4 SR: 1038
LEFT MUN: GLEN CAMPBELL B RIGHT MUN: GLEN CAMPBELL B

069288 FT



069288 FT SR 0286 SH
0260/2714 (SR0286 SEG 1130/0750)
FRAZIER ST
0260/2533 (BORO)
SCHRADER ST
0260/2186 (BORO)
015 "DIA CIRC CONCR
0260/2161 LEN=0035 INSTALLED UNKN

DIR: B TOTAL LEN: 13.123 MI. DIST: 10-4 SR: 1038
LEFT MUN: GLEN CAMPBELL B RIGHT MUN: GLEN CAMPBELL B

| | | | |
|---|---|---|---|
| | | | OAK ST |
| | | 0260/1810 | (BORO) |
| | | | 015 "DIA CIRC CONCR |
| | | 0260/1800 | LEN=0040 INSTALLED 1998 |
| | | | FIRST AV |
| | | 0260/1454 | (BORO) |
| | | | 015 "DIA CIRC CONCR |
| | | 0260/1432 | LEN=0032 INSTALLED UNKN |
| | | | SECOND AV |
| | | 0260/1103 | (BORO) |
| | | | 015 "DIA CIRC CONCR |
| | | 0260/1071 | LEN=0035 INSTALLED UNKN |
| | | | THIRD AV |
| NUGENT ST (BORO) | 0260/0710 | 0260/0710 | (BORO) |
| | | | 018 "DIA CIRC METAL |
| | | 0260/0675 | LEN=0030 INSTALLED 1998 |
| GRAHAM ST (BORO) | 0260/0359 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0260/0335 | LEN=0030 INSTALLED UNKN |
| 1 0 00573 0 00 0027+19 066574 FT | | 066574 FT | |
| JEFFERSON ST (BORO) | 0260/0000 | S 0260/0000 | LENGTH(AH 2714 BK 1757) |
| | | | 015 "DIA CIRC CONCR |
| | | 0250/1728 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0250/1500 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | | LEN=0030 INSTALLED UNKN |
| | | | WILLIAMS ST |
| | | 0250/1250 | (BORO) |
| | | | HALL ST |
| | | 0250/0890 | (BORO) |
| | | | 018 "DIA CIRC CONCR |
| | | 0250/0887 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0250/0252 | LEN=0040 INSTALLED UNKN |
| | 064817 FT | 064817 FT | 1 0 00573 0 00 0049+70 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0050 INSTALLED UNKN |
| | | NC | GLENWOOD AV |
| | | | RICKARDSDALE RD |
| | | | (BORO) |
| | | | GLEN CAMPBELL |
| | | | BANKS T |
| | | S 0250/0000 | LENGTH(AH 1757 BK 2601) |
| | | | 015 "DIA CIRC METAL |
| | | 0240/2079 | LEN=0075 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 13.123 MI. DIST: 10-4 SR: 1038
LEFT MUN: BANKS T RIGHT MUN: BANKS T

| | | |
|---|---|---|
| | 0240/1596 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0240/1315 | LEN=0030 INSTALLED UNKN |
| | | 024 "DIA CIRC METAL |
| | 0240/1081 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0240/0782 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0240/0198 | LEN=0040 INSTALLED UNKN |
| 062216 FT | 062216 FT | 1 0 00573 0 00 0073+31 |
| | S 0240/0000 | LENGTH(AH 2601 BK 3491) |
| | | 018 "DIA CIRC CONCR |
| | 0230/3411 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0230/3084 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0230/2853 | LEN=0040 INSTALLED UNKN |
| | | SMILEY RD |
| | 0230/2522 | (T972) |
| | | 018 "DIA CIRC CONCR |
| | 0230/2498 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0230/1860 | LEN=0100 INSTALLED 1998 |
| | | 018 "DIA CIRC CONCR |
| | 0230/1670 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0230/1275 | LEN=0040 INSTALLED 2002 |
| | | 018 "DIA CIRC CONCR |
| | 0230/1120 | LEN=0035 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0230/0815 | LEN=0030 INSTALLED UNKN |
| 058725 FT | 058725 FT | 1 0 00573 0 00 0108+22 |
| | S 0230/0000 | LENGTH(AH 3491 BK 3676) |
| | | 018 "DIA CIRC CONCR |
| | 0220/3502 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0220/3112 | LEN=0040 INSTALLED 1998 |
| | | SMILEY RD |
| | 0220/2265 | (T972) |
| WATSON RD (T972) 0220/2146 | | |
| | | 018 "DIA CIRC METAL |
| | 0220/1207 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0220/0787 | LEN=0040 INSTALLED 1998 |

DIR: B TOTAL LEN: 13.123 MI. DIST: 10-4 SR: 1038
LEFT MUN: BANKS T RIGHT MUN: BANKS T

| | | | |
|---|---|---|---|
| | 055049 FT | 055049 FT | 1 0 00573 0 00 0142+57 |
| FIRE TOWER RD | | | VILLAGE: SMITHVILLE |
| (SR1048 SEG 0010/0000) | 0220/0000 | S 0220/0000 | LENGTH(AH 3676 BK 3792) |
| | | | SMITHPORT RD |
| | | 0210/2324 | (T970) |
| | | | 015 "DIA CIRC CONCR |
| | | 0210/2200 | LEN=0500 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0210/1853 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0210/1061 | LEN=0040 INSTALLED UNKN |
| | 051257 FT | 051257 FT | 1 0 00573 0 00 0180+41 |
| | | | NC GLEN CAMPBELL RD |
| | | INTER-BK | GLEN CAMPBELL RD |
| HEMLOCK LAKE RD | | | (SR1033 SEG 0170/0000) |
| (SR1033 SEG 0170/0000) | 0210/0000 | S 0210/0000 | LTH AH 003792 BK 000100 |
| | 051257 FT | 051257 FT | |
| | | 7204/0000 | LTH AH 000100 BK 002548 |
| | | INTER-AHD | GLEN CAMPBELL RD |
| | | | (SR1033 SEG 0150/0000) |
| | | | SMITHPORT RD |
| | | 0200/2548 | (SR1033 SEG 0150/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0200/1587 | LEN=0030 INSTALLED UNKN |
| | | | PENN DOT STOCKPILE 08 |
| | | 0200/0887 | (PRDR) |
| | 048709 FT | 048709 FT | 2 0 32100 0 01 0299+98 |
| | | | VILLAGE: SMITHPORT |
| | | | BANKS |
| | | | CANOE T |
| | | S 0200/0000 | LENGTH(AH 2548 BK 2977) |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 13.123 MI. DIST: 10-4 SR: 1038
LEFT MUN: CANOE T RIGHT MUN: CANOE T

```
                                        0190/0516 LEN=0035 INSTALLED UNKN
045732 FT                               045732 FT 2 0 32100 0 01 0270+21
                                      S 0190/0000 LENGTH(AH 2977 BK 3328)
                                                  018 "DIA CIRC METAL
                                        0180/3260 LEN=0032 INSTALLED UNKN

                                                  018 "DIA CIRC METAL
                                        0180/2343 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0180/1845 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0180/1480 LEN=0036 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0180/0510 LEN=0030 INSTALLED UNKN
042404 FT                               042404 FT 2 0 32100 0 01 0236+92
                                      S 0180/0000 LENGTH(AH 3328 BK 2652)
                                                  018 "DIA CIRC CONCR
                                        0170/2536 LEN=0030 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                        0170/2189 LEN=0028 INSTALLED 1996

                                                  018 "DIA CIRC CONCR
                                        0170/1467 LEN=0035 INSTALLED 1996
                                                  018 "DIA CIRC CONCR
                                        0170/1105 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0170/0758 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0170/0618 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0170/0315 LEN=0030 INSTALLED UNKN
039752 FT                               039752 FT 2 0 32100 0 01 0210+41
                                      S 0170/0000 LENGTH(AH 2652 BK 2158)
                                                  018 "DIA CIRC CONCR
                                        0160/2089 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0160/1755 LEN=0033 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0160/1400 LEN=0033 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0160/1019 LEN=0027 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0160/0661 LEN=0030 INSTALLED UNKN

                                                  BMSEN 32/1038/0160/0000
                                        0160/0046 BRIDGE POSTED (TONS)
037594 FT                               037594 FT 2 0 32100 0 01 0188+48
```

DIR: B TOTAL LEN: 13.123 MI. DIST: 10-4 SR: 1038
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | | |
|---|---|---|---|
| | | | NC MILLSTONE RD |
| | | | SGL 30 COMB |
| | | | STRAIGHT RUN |
| | | | BMSBG 32/1038/0160/0000 |
| | | S 0160/0000 | LENGTH(AH 2158 BK 2628) |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/1863 | LEN=0030 INSTALLED UNKN |
| POUNDS RD (T824) | 0150/1516 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/1355 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/1237 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/1044 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0868 | LEN=0030 INSTALLED UNKN |
| | 034966 FT | 034966 FT | 2 0 32100 0 01 0160+50 |
| | | | FRYE CEMETERY RD |
| | | | (T539) |
| | | S 0150/0000 | LENGTH(AH 2628 BK 3702) |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/3677 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/3140 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0140/2859 | LEN=0030 INSTALLED UNKN |
| | | | 036 "DIA CIRC METAL |
| | | 0140/1705 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/1425 | LEN=0030 INSTALLED UNKN |
| | | | 036 "DIA CIRC METAL |
| | | 0140/1298 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/1120 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0140/0615 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/0020 | LEN=0030 INSTALLED UNKN |
| 2 0 32100 0 00 0125+02 | 031264 FT | 031264 FT | |
| CHURCH RD (T900) | 0140/0000 | S 0140/0000 | LENGTH(AH 3702 BK 2232) |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/2200 | LEN=0033 INSTALLED UNKN |
| | | | 060 "DIA CIRC METAL |
| | | 0130/2016 | LEN=0030 INSTALLED UNKN |

DIR: B TOTAL LEN: 13.123 MI. DIST: 10-4 SR: 1038
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0130/1730 | LEN=0030 INSTALLED 1911 |
| | | | 015 "DIA CIRC METAL |
| | | 0130/1075 | LEN=0036 INSTALLED 1911 |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/0695 | LEN=0030 INSTALLED 1911 |
| | | | 015 "DIA CIRC CONCR |
| | | 0130/0311 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0130/0180 | LEN=0030 INSTALLED UNKN |
| | 029032 FT | 029032 FT | 2 0 32100 0 00 0101+70 |
| | | S 0130/0000 | LENGTH(AH 2232 BK 2015) |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/1779 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0120/1365 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0120/0553 | LEN=0040 INSTALLED UNKN |
| | 027017 FT | 027017 FT | 2 0 32100 0 00 0081+55 |
| | | S 0120/0000 | LENGTH(AH 2015 BK 3090) |
| | | | 015 "DIA CIRC CONCR |
| | | 0110/2930 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0110/2437 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0110/2260 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0110/1500 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0745 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0481 | LEN=0033 INSTALLED 1999 |
| | | 0110/0053 | BMSEN 32/1038/0110/0035 |
| | | | 2 0 32100 0 00 0050+10 |
| | | | BREWER RUN |
| | | 0110/0035 | BMSBG 32/1038/0110/0035 |
| 2 0 32100 0 00 0049+65 | 023927 FT | 023927 FT | |
| PAINTER RD | | | |
| (T815) | 0110/0000 | S 0110/0000 | LENGTH(AH 3090 BK 3720) |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/3258 | LEN=0030 INSTALLED 2002 |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/2665 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/2099 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |

DIR: B TOTAL LEN: 13.123 MI. DIST: 10-4 SR: 1038
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | | |
|---|---|---|---|
| | | 0100/1540 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0100/0556 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0100/0126 | LEN=0030 INSTALLED UNKN |
| | 020207 FT | 020207 FT | 2 0 32100 0 00 0011+69 |
| | | | BROADHEAD RN |
| | | | STRUCTURE LENGTH 14 FT |
| | | | BMSID 32/1038/0100/0000 |
| | | S 0100/0000 | LENGTH(AH 3720 BK 1254) |
| BOWERS RD (T799) | 0090/1211 | | |
| | | | 024 "DIA CIRC METAL |
| | | 0090/1024 | LEN=0030 INSTALLED UNKN |
| | | 0090/0784 | (AAR 148753T)#TRKS 01 |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/0640 | LEN=0032 INSTALLED 1999 |
| 2 0 32100 0 00 0000+00 LOCUST LN | 018953 FT | 018953 FT | |
| (SR1045 SEG 0010/0000) | 0090/0000 | S 0090/0000 | LENGTH(AH 1254 BK 1402) |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/1379 | LEN=0035 INSTALLED UNKN |
| | | | HURD RD |
| | | 0080/0686 | (T817) |
| | | | 015 "DIA CIRC METAL |
| | | 0080/0620 | LEN=0050 INSTALLED UNKN |
| | 017551 FT | 017551 FT | 1 0 00435 0 01 0193+68 |
| | | | SR 1041 SH |
| | | | (SR1041 SEG 0010/1383) |
| | | S 0080/0000 | LENGTH(AH 1402 BK 0759) |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0310 | LEN=0048 INSTALLED 1999 |
| 2 0 32099 0 01 0015+80 LEASURE RUN RD | 016792 FT | 016792 FT | |
| (SR1043 SEG 0010/0000) | 0070/0000 | S 0070/0000 | LENGTH(AH 0759 BK 2644) |
| | | 0060/2504 | BMSEN 32/1038/0060/2492 |
| | | | 2 0 32161 0 00 0036+82 |
| | | | LEASURE RUN |
| | | 0060/2492 | BMSBG 32/1038/0060/2492 |
| | | | 036 "DIA CIRC METAL |
| | | 0060/1908 | LEN=0040 INSTALLED 1997 |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1093 | LEN=0031 INSTALLED 1996 |

DIR: B TOTAL LEN: 13.123 MI. DIST: 10-4 SR: 1038
LEFT MUN: CANOE T RIGHT MUN: CANOE T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0381 | LEN=0033 INSTALLED 1996 |
| | 014148 FT | 014148 FT | 2 0 32161 0 00 0011+88 |
| | | 0060/0000 | LENGTH(AH 2644 BK 1113) |
| | | | CANOE |
| | | 0050/1101 | EAST MAHONING T |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0985 | LEN=0034 INSTALLED 1996 |
| | | | 048"H 48"W OTHER STRUC |
| | | 0050/0801 | LEN=0034 INSTALLED UNKN |
| HAMILTON RD (T794) | 0050/0666 | | |
| | 013035 FT | 013035 FT | 2 0 32161 0 00 0000+00 |
| | | | SNYDER DR |
| | | | (T820) |
| | | 0050/0000 | LENGTH(AH 1113 BK 3410) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/3330 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2817 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2489 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/2461 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2140 | LEN=0027 INSTALLED 1996 |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1742 | LEN=0040 INSTALLED 1999 |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1249 | LEN=0036 INSTALLED 1999 |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1004 | LEN=0030 INSTALLED UNKN |
| | | | 036 "DIA CIRC METAL |
| | | 0040/0110 | LEN=0037 INSTALLED UNKN |
| 1 0 00435 0 00 0096+10 | 009625 FT | 009625 FT | |
| KOHLHEPP RD (T660) | 0040/0000 | 0040/0000 | LENGTH(AH 3410 BK 3624) |
| | | 0030/2057 | BMSEN 32/1038/0030/2036 |
| | | | 1 0 00435 0 00 0080+30 |
| | | | TR LT MAHON |
| | | 0030/2036 | BMSBG 32/1038/0030/2036 |
| | | | 018 "DIA CIRC METAL |
| | | 0030/1322 | LEN=0130 INSTALLED UNKN |

DIR: B TOTAL LEN: 13.123 MI. DIST: 10-4 SR: 1038
LEFT MUN: EAST MAHONING T RIGHT MUN: EAST MAHONING T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1010 | LEN=0032 INSTALLED 1999 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0621 | LEN=0032 INSTALLED 1999 |
| | 006001 FT | 006001 FT | 1 0 00435 0 00 0059+94 |
| | | 0030/0000 | LENGTH(AH 3624 BK 2777) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2629 | LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0020/2330 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0020/1776 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0020/1073 | LEN=0055 INSTALLED 2014 |
| | | | 018 "DIA CIRC METAL |
| | | 0020/0888 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0020/0577 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0020/0270 | LEN=0030 INSTALLED UNKN |
| | 003224 FT | 003224 FT | 1 0 00435 0 00 0032+17 |
| | | 0020/0000 | LENGTH(AH 2777 BK 3224) |
| | | | 018 "DIA CIRC METAL |
| | | 0010/2646 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2506 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2315 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2204 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1836 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0010/1506 | LEN=0034 INSTALLED UNKN |
| | | | 036 "DIA CIR PLASTIC |
| | | 0010/1342 | LEN=0040 INSTALLED 1999 |
| MARSHALL RD (T658) | 0010/1281 | | |
| | | | 072 "DIA CIRC METAL |
| | | 0010/0380 | LEN=0040 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 1 0 00435 0 00 0000+00 |
| | | | NC EAST CREEK RD |
| | | | SR 0119 SH |
| | | | (SR0119 SEG 0690/0634) |
| | | | MFC BEGIN = D |
| | | 0010/0000 | LENGTH(AH 3224 BK 0000) |

DIR: B TOTAL LEN: .000 MI. DIST: 10-4 SR: 1037
LEFT MUN: GRANT T RIGHT MUN: GRANT T

| | | |
|---|---|---|
| 000000 FT | | 000000 FT |
| | | 7090/0000 LENGTH(AH 0292 BK 2273) |
| 000000 FT | | 000000 FT |
| | | 7080/0000 LENGTH(AH 2273 BK 3404) |
| 000000 FT | | 000000 FT |
| | | 7070/0000 LENGTH(AH 3404 BK 3577) |
| 000000 FT | | 000000 FT |
| | | 7060/0000 LENGTH(AH 3577 BK 1844) |
| 000000 FT | | 000000 FT |
| | | 7050/0000 LENGTH(AH 1844 BK 1082) |
| 000000 FT | | 000000 FT |
| | | 7040/0000 LENGTH(AH 1082 BK 3020) |
| 000000 FT | | 000000 FT |
| | | 7030/0000 LENGTH(AH 3020 BK 2460) |
| 000000 FT | | 000000 FT |
| | | 7020/0000 LENGTH(AH 2460 BK 3555) |
| 000000 FT | | 000000 FT |
| | | 7010/0000 LENGTH(AH 3555 BK 0000) |

DIR: B TOTAL LEN: 3.540 MI. DIST: 10-4 SR: 1035
LEFT MUN: GRANT T RIGHT MUN: GRANT T

| | | | |
|---|---|---|---|
| | 018691 FT | | 018691 FT |
| | | | 7130/0000 LENGTH(AH 2500 BK 2335) |
| | 018691 FT | | 018691 FT |
| | | | 7120/0000 LENGTH(AH 2335 BK 3730) |
| | 018691 FT | | 018691 FT |
| | | | 7112/0000 LENGTH(AH 3730 BK 0007) |
| | 018691 FT | | 018691 FT |
| | | | 7110/0000 LENGTH(AH 0007 BK 1957) |
| | 018691 FT | | 018691 FT |
| | | | 7100/0000 LENGTH(AH 1957 BK 2800) |
| | 018691 FT | | 018691 FT |
| | | | 7090/0000 LENGTH(AH 2800 BK 3028) |
| | 018691 FT | | 018691 FT |
| | | | 7080/0000 LENGTH(AH 3028 BK 1850) |
| | 018691 FT | | 018691 FT |
| | | | 7072/0000 LENGTH(AH 1850 BK 0670) |
| DECKERS POINT RD | | | INTER-AHD PICKERING RUN RD |
| (T910) | 0070/0670 | | 0070/0670 (T911) |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0070/0570 LEN=0040 INSTALLED 2013 |
| | | | 054 "DIA CIRC METAL |
| | | | 0070/0184 LEN=0037 INSTALLED UNKN |
| | 018021 FT | | 018021 FT 2 0 32090 0 00 0000+00 |
| | | | VILLAGE: DECKERS POINT |
| | | | PINEVALE RD |
| | | | (T880) |
| | | | 5 0070/0000 LENGTH(AH 0670 BK 2576) |

DIR: B TOTAL LEN: 3.540 MI. DIST: 10-4 SR: 1035
LEFT MUN: GRANT T RIGHT MUN: GRANT T

| | | | |
|---|---|---|---|
| | | | 012 "DIA CIRC CONCR |
| | | 0060/2380 | LEN=0033 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/2261 | LEN=0033 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |
| | | 0060/1700 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/1375 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/1226 | LEN=0040 INSTALLED 2016 |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/1097 | LEN=0029 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0060/0384 | LEN=0050 INSTALLED UNKN |
| 2 0 32077 0 00 0154+45 | 015445 FT | 015445 FT | |
| BEATTY RD | | | |
| (T555) | 0060/0000 | 0060/0000 | LENGTH(AH 2576 BK 2435) |
| | | | RASPBERRY RD |
| | | 0050/2132 | (T782) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1564 | LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1256 | LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0855 | LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0630 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0381 | LEN=0034 INSTALLED UNKN |
| | 013010 FT | 013010 FT | 2 0 32077 0 00 0129+80 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0031 INSTALLED 2003 |
| | | 0050/0000 | LENGTH(AH 2435 BK 3535) |
| | | 0040/2921 | BMSEN 32/1035/0040/2934 |
| | | | 2 0 32077 0 00 0107+98 |
| | | | TR DIXON RUN |
| | | 0040/2909 | BMSBG 32/1035/0040/2934 |
| | | | 018 "DIA CIRC METAL |
| | | 0040/2355 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0040/2120 | LEN=0028 INSTALLED UNKN |
| | | | 014 "DIA CIRC ALUMIN |
| | | 0040/1830 | LEN=0035 INSTALLED UNKN |
| | | | GRANT |
| | | 0040/1752 | EAST MAHONING T |
| | | 0040/1343 | BMSEN 32/1035/0040/1327 |
| | | | 2 0 32077 0 00 0107+98 |
| | | | TR DIXON RUN |

DIR: B TOTAL LEN: 3.540 MI. DIST: 10-4 SR: 1035
LEFT MUN: EAST MAHONING T RIGHT MUN: EAST MAHONING T

| | | |
|---|---|---|
| | 0040/1327 | BMSBG 32/1035/0040/1327 |
| | | EAST MAHONING |
| | 0040/1106 | RAYNE T |
| | | 024 "DIA CIRC CONCR |
| | 0040/1000 | LEN=0038 INSTALLED UNKN |
| | | 018 "DIA CIR PLASTIC |
| | 0040/0800 | LEN=0040 INSTALLED 2014 |
| | | 018 "DIA CIRC METAL |
| | 0040/0614 | LEN=0030 INSTALLED UNKN |
| | | 012 "DIA CIRC METAL |
| | 0040/0380 | LEN=0036 INSTALLED UNKN |
| | | POPLAR RD |
| | 0040/0361 | (T671) |
| | | 015 "DIA CIRC CONCR |
| | 0040/0083 | LEN=0040 INSTALLED UNKN |
| 2 0 32077 0 00 0094+15 009475 FT | 009475 FT | |
| LORAINE RD | | |
| (T670) 0040/0000 | 0040/0000 | LENGTH(AH 3535 BK 3999) |
| | 0030/3807 | BMSEN 32/1035/0030/3790 |
| | | 2 0 32077 0 00 0092+62 |
| | | DIXON RUN |
| | 0030/3790 | BMSBG 32/1035/0030/3790 |
| | | 018 "DIA CIRC CONCR |
| | 0030/3150 | LEN=0033 INSTALLED UNKN |
| | | 014 "DIA CIRC CONCR |
| | 0030/3022 | LEN=0034 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0030/2862 | LEN=0034 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0030/2646 | LEN=0029 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0030/2318 | LEN=0050 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0030/2222 | LEN=0028 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0030/1995 | LEN=0033 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0030/1360 | LEN=0075 INSTALLED UNKN |
| | | 036 "DIA CIR PLASTIC |
| | 0030/1230 | LEN=0053 INSTALLED 2019 |
| | | 012 "DIA CIRC CONCR |
| | 0030/1043 | LEN=0034 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0030/0448 | LEN=0053 INSTALLED 2013 |
| 2 0 32077 0 00 0054+62 005476 FT | 005476 FT | |
| BROCIOUS RD | | |
| (T561) 0030/0000 | 0030/0000 | LENGTH(AH 3999 BK 2488) |
| | | 036 "DIA CIR PLASTIC |

DIR: B TOTAL LEN: 3.540 MI. DIST: 10-4 SR: 1035
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | |
|---|---|---|
| | 0020/2427 | LEN=0040 INSTALLED 2013 |
| | | ASH RD |
| | 0020/2388 | (T562) |
| | | RAYNE |
| | 0020/2252 | GREEN T |
| | | LC TO/FROM ASH RD |
| | 0020/2202 | (CONN) |
| | | 036 "DIA CIR PLASTIC |
| | 0020/1705 | LEN=0052 INSTALLED UNKN |
| | | 014 "DIA CIRC METAL |
| | 0020/1545 | LEN=0035 INSTALLED UNKN |
| | | 012 "DIA CIRC CONCR |
| | 0020/0790 | LEN=0037 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0020/0542 | LEN=0040 INSTALLED UNKN |
| 002988 FT | 002988 FT | 2 0 32077 0 00 0029+63 |
| | | PEAR RD |
| | | (T835) |
| | S 0020/0000 | LENGTH(AH 2488 BK 2988) |
| | | 018 "DIA CIRC CONCR |
| | 0010/2836 | LEN=0034 INSTALLED UNKN |
| | | 043"H 68"W ELLIP CONC |
| | 0010/2463 | LEN=0032 INSTALLED 2007 |
| | | 018 "DIA CIRC CONCR |
| | 0010/2177 | LEN=0029 INSTALLED UNKN |
| | | 043 "DIA CIRC CONCR |
| | 0010/2014 | LEN=0040 INSTALLED 2007 |
| | | 043 "DIA CIRC CONCR |
| | 0010/1288 | LEN=0032 INSTALLED 2007 |
| | | 043"H 68"W ELLIP CONC |
| | 0010/0976 | LEN=0040 INSTALLED 2007 |
| | | 018 "DIA CIRC METAL |
| | 0010/0790 | LEN=0029 INSTALLED UNKN |
| | | 012 "DIA CIRC CONCR |
| | 0010/0450 | LEN=0035 INSTALLED UNKN |
| | 0010/0156 | BMSEN 32/0403/0630/1796 |
| | | 2 0 32077 0 00 0000+00 |
| | | TR DIXON RUN |
| | 0010/0141 | BMSBG 32/0403/0630/1796 |
| | | 015 "DIA CIRC METAL |
| | 0010/0055 | LEN=0015 INSTALLED UNKN |
| 000000 FT | 000000 FT | 2 0 32077 0 00 0000+00 |
| | | VILLAGE: DIXONVILLE |
| | | NC DIXONVILLE RD |
| | | SR 0403 SH |
| | | (SR0403 SEG 0630/1613) |
| | | MFC BEGIN = D |
| SR 0403 SH (SR0403 SEG 0630/1613) 0010/0000 | S 0010/0000 | LENGTH(AH 2988 BK 0000) |

DIR: B TOTAL LEN: 2.915 MI. DIST: 10-4 SR: 1034
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

```
GIPSY RD                    015391 FT
(SR1033 SEG 0090/0000)       0230/2774

2 0 32162 0 01 0111+83 012617 FT
BUGAY RD
(T850)                       0230/0000
```



```
015391 FT WILGUS RD
0230/2774 (SR1033 SEG 0090/0000)
0230/2558 BMSEN 32/1034/0230/2543
          0 0 00000 0 00 0000+00
          S BR CUSH CR
0230/2543 BMSBG 32/1034/0230/2543
          024 "DIA CIRC METAL
0230/2355 LEN=0030 INSTALLED UNKN
          018 "DIA CIRC CONCR
0230/1765 LEN=0035 INSTALLED UNKN
          018 "DIA CIRC CONCR
0230/1380 LEN=0035 INSTALLED UNKN
          016 "DIA CIRC METAL
0230/1106 LEN=0025 INSTALLED UNKN

          016 "DIA CIRC METAL
0230/0460 LEN=0025 INSTALLED UNKN
          016 "DIA CIRC METAL
0230/0050 LEN=0030 INSTALLED UNKN
012617 FT
5 0230/0000 LENGTH(AH 2774 BK 3692)
          024 "DIA CIRC METAL
0220/3613 LEN=0030 INSTALLED UNKN
          015 "DIA CIRC METAL
0220/3055 LEN=0035 INSTALLED UNKN
          016 "DIA CIRC METAL
0220/2694 LEN=0030 INSTALLED UNKN
          016 "DIA CIRC METAL
0220/2439 LEN=0030 INSTALLED 2000
          016 "DIA CIRC METAL
0220/2267 LEN=0035 INSTALLED UNKN
          018 "DIA CIRC METAL
0220/1771 LEN=0035 INSTALLED UNKN
          MONTGOMERY
0220/1674 GRANT T
          016 "DIA CIRC METAL
0220/1475 LEN=0030 INSTALLED UNKN
          016 "DIA CIRC METAL
0220/1093 LEN=0025 INSTALLED UNKN
          016 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 2.915 MI. DIST: 10-4 SR: 1034
LEFT MUN: GRANT T RIGHT MUN: GRANT T

| | | |
|---|---|---|
| | 0220/0682 | LEN=0025 INSTALLED UNKN |
| 008925 FT | 008925 FT | 2 0 32162 0 01 0074+35 |
| | | SHIELDS RD |
| | | (T467) |
| | 0220/0000 | LENGTH(AH 3692 BK 3489) |
| | | 018 "DIA CIR PLASTIC |
| | 0210/3134 | LEN=0080 INSTALLED 2016 |
| | | 018 "DIA CIR PLASTIC |
| | 0210/2425 | LEN=0040 INSTALLED 2016 |
| | | 016 "DIA CIRC METAL |
| | 0210/1593 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0210/1140 | LEN=0040 INSTALLED UNKN |
| | | 016 "DIA CIRC METAL |
| | 0210/0790 | LEN=0040 INSTALLED UNKN |
| 005436 FT | 005436 FT | 2 0 32162 0 01 0039+85 |
| | | WALKER RD |
| | | (T932) |
| | 0210/0000 | LENGTH(AH 3489 BK 3427) |
| | | 018 "DIA CIRC METAL |
| | 0200/3187 | LEN=0040 INSTALLED UNKN |
| | | 016 "DIA CIRC CONCR |
| | 0200/2894 | LEN=0040 INSTALLED UNKN |
| | | 016 "DIA CIRC METAL |
| | 0200/2576 | LEN=0040 INSTALLED UNKN |
| | | 016 "DIA CIRC CONCR |
| | 0200/2235 | LEN=0040 INSTALLED UNKN |
| | | 016 "DIA CIRC CONCR |
| | 0200/1855 | LEN=0040 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0200/1675 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0200/1483 | LEN=0030 INSTALLED UNKN |
| | | 016 "DIA CIRC METAL |
| | 0200/1173 | LEN=0040 INSTALLED UNKN |
| | | 016 "DIA CIRC METAL |
| | 0200/0765 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0200/0446 | LEN=0040 INSTALLED UNKN |
| | | 016 "DIA CIRC CONCR |
| | 0200/0060 | LEN=0040 INSTALLED UNKN |
| 002009 FT | 002009 FT | 2 0 32162 0 00 0006+95 |
| | 0200/0000 | LENGTH(AH 3427 BK 0916) |
| | | 015 "DIA CIRC METAL |
| | 0190/0695 | LEN=0040 INSTALLED UNKN |

KRINER BOTTOM RD

DIR: B TOTAL LEN: 2.915 MI. DIST: 10-4 SR: 1034
LEFT MUN: GRANT T RIGHT MUN: GRANT T

(T850)



| | | |
|---|---|---|
| 0190/0354 | 0190/0158 | BMSEN 32/1034/0190/0105 |
| | | 2 0 32162 0 00 0001+20 |
| | | LT MAHONING CREEK |
| | 0190/0105 | BMSBG 32/1034/0190/0105 |
| 001093 FT | 001093 FT | 2 0 32162 0 00 0000+00 |
| | | PINE VALE RD |
| | | (T880) |
| | | NC GIPSY RD |
| | REF-BK | NASHVILLE RD |
| | | (TWP ) |
| | | MFC BEGIN = D |
| | 0190/0000 | LENGTH(AH 0916 BK 2714) |
| 001093 FT | 001093 FT | |
| | 7182/0000 | LENGTH(AH 2714 BK 0010) |
| | | BMSEN 32/1034/0180/0000 |
| | REF-AHD | NASHVILLE RD |
| | 0180/0010 | (TWP ) |
| 001083 FT | 001083 FT | 2 0 32077 0 02 0422+50 |
| | REF-BK | NASHVILLE RD |
| | | (TWP ) |
| | | TR LT MAHON |
| | | BMSBG 32/1034/0180/0000 |
| | 0180/0000 | LENGTH(AH 0010 BK 2180) |
| 001083 FT | 001083 FT | |
| | 7170/0000 | LENGTH(AH 2180 BK 1681) |
| 001083 FT | 001083 FT | |
| | 7160/0000 | LENGTH(AH 1681 BK 3072) |
| 001083 FT | 001083 FT | |
| | 7150/0000 | LENGTH(AH 3072 BK 2706) |
| 001083 FT | 001083 FT | |
| | 7144/0000 | LENGTH(AH 2706 BK 0007) |
| | REF-AHD | NASHVILLE RD |
| | 0142/0007 | (TWP ) |
| 001076 FT | 001076 FT | 2 0 32077 0 00 0519+35 |
| | | 072"H 64"W CONC STRUCT |
| | | LEN=0040 INSTALLED 2005 |
| | REF-BK | NASHVILLE RD |
| | | (TWP ) |
| | 0142/0000 | LENGTH(AH 0007 BK 0355) |
| 001076 FT | 001076 FT | |
| | 7140/0000 | LENGTH(AH 0355 BK 2333) |
| 001076 FT | 001076 FT | |
| | 7132/0000 | LENGTH(AH 2333 BK 0013) |
| | | BMSEN 32/1034/0130/0000 |
| | REF-AHD | NASHVILLE RD |
| | 0130/0013 | (TWP ) |
| 001063 FT | 001063 FT | 2 0 32077 0 02 0547+42 |
| | | NC NASHVILLE RD |
| | REF-BK | NASHVILLE RD |

DIR: B TOTAL LEN: 2.915 MI. DIST: 10-4 SR: 1034
LEFT MUN: GRANT T RIGHT MUN: GRANT T

| | | | |
|---|---|---|---|
| | | | (TWP ) |
| | | | BEECH RUN |
| | | | BMSBG 32/1034/0130/0000 |
| | | | MFC BEGIN = E |
| | | 0130/0000 | LENGTH(AH 0013 BK 1341) |
| | 001063 FT | 001063 FT | |
| | | 7120/0000 | LENGTH(AH 1341 BK 2756) |
| | 001063 FT | 001063 FT | |
| | | 7110/0000 | LENGTH(AH 2756 BK 1547) |
| | 001063 FT | 001063 FT | |
| | | 7100/0000 | LENGTH(AH 1547 BK 1063) |
| | | INTER-AHD | NASHVILLE RD |
| SR 1041 SH | | | (T940) |
| (SR1041 SEG 0010/0000) | 0090/1063 | 0090/1063 | EAST MAHONING T |
| SAWMILL RUN RD | | | |
| (PRDR) | 0090/0891 | | |
| | | | GRANT ST |
| | | 0090/0748 | (T960) |
| | | | 024 "DIA CIRC METAL |
| | | 0090/0740 | LEN=0027 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0090/0550 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0090/0370 | LEN=0026 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0090/0161 | LEN=0025 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 1 0 00435 0 01 0169+80 |
| | | | VILLAGE: ROCHESTER MILL |
| | | NC | RICHMOND RD |
| | | INTER-BK | RICHMOND RD |
| SAVAN RD | | | (T853) |
| (T820) | 0090/0000 | 0090/0000 | LENGTH(AH 1063 BK 0100) |
| | 000000 FT | 000000 FT | |
| | | 7088/0000 | LENGTH(AH 0100 BK 1320) |
| | 000000 FT | 000000 FT | |
| | | 7080/0000 | LENGTH(AH 1320 BK 3479) |
| | 000000 FT | 000000 FT | |
| | | 7070/0000 | LENGTH(AH 3479 BK 3775) |
| | 000000 FT | 000000 FT | |
| | | 7060/0000 | LENGTH(AH 3775 BK 3116) |
| | 000000 FT | 000000 FT | |
| | | 7050/0000 | LENGTH(AH 3116 BK 3452) |
| | 000000 FT | 000000 FT | |
| | | 7040/0000 | LENGTH(AH 3452 BK 2532) |
| | 000000 FT | 000000 FT | |
| | | 7030/0000 | LENGTH(AH 2532 BK 3423) |
| | 000000 FT | 000000 FT | |
| | | 7020/0000 | LENGTH(AH 3423 BK 1624) |
| | 000000 FT | 000000 FT | |
| | | 7010/0000 | LENGTH(AH 1624 BK 0000) |

DIR: B TOTAL LEN: 14.159 MI. DIST: 10-4 SR: 1033
LEFT MUN: BANKS T RIGHT MUN: BANKS T

074762 FT

074762 FT AH-JEFFERSON (33)
* REF-AHD WINSLOW ET
0250/2954 (SR2001 SEG 0010/0000)
018 "DIA CIRC METAL
0250/2916 LEN=0035 INSTALLED UNKN

DIR: B TOTAL LEN: 14.159 MI. DIST: 10-4 SR: 1033
LEFT MUN: BANKS T RIGHT MUN: BANKS T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0250/1639 | LEN=0034 INSTALLED UNKN |
| CAREY RD (PRDR) | 0250/1611 | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0250/1248 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0250/0928 | LEN=0030 INSTALLED UNKN |
| | 071808 FT | 071808 FT | 2 0 32113 0 00 0044+20 |
| | | 5 0250/0000 | LENGTH(AH 2954 BK 1580) |
| | | | 024 "DIA CIRC CONCR |
| | | 0240/0615 | LEN=0008 INSTALLED 2005 |
| | | | 018 "DIA CIRC CONCR |
| | | 0240/0264 | LEN=0030 INSTALLED UNKN |
| | 070228 FT | 070228 FT | 2 0 32113 0 00 0028+20 |
| | | | VILLAGE: JOHNSONBURG |
| | | | HILLMAN RD |
| STEFFEY CHURCH RD (SR1054 SEG 0070/0000) | 0240/0000 | | (SR1054 SEG 0070/0000) |
| | | 5 0240/0000 | LENGTH(AH 1580 BK 2930) |
| | | | 018 "DIA CIRC CONCR |
| | | 0230/2865 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIR PLASTIC |
| | | 0230/1850 | LEN=0010 INSTALLED 2005 |
| | | 0230/0841 | BMSEN 32/1033/0230/0826 |
| | | | 2 0 32113 0 00 0007+13 |
| | | | S BR BEAR RN |
| | | 0230/0826 | BMSBG 32/1033/0230/0826 |
| | | | 015 "DIA CIRC CONCR |
| | | 0230/0386 | LEN=0032 INSTALLED UNKN |
| | 067298 FT | 067298 FT | 2 0 32113 0 00 0000+00 |
| | | NC | BONNER RD |
| | | | HAGG RD |
| JOHNSONBURG RD (SR1052 SEG 0090/0000) | 0230/0000 | | (SR1052 SEG 0090/0000) |
| | | 5 0230/0000 | LENGTH(AH 2930 BK 1712) |
| | | | 018 "DIA CIRC METAL |
| | | 0220/0551 | LEN=0030 INSTALLED UNKN |
| | 065586 FT | 065586 FT | 1 0 00573 0 00 0354+83 |
| | | | VILLAGE: JOHNSONBURG |

DIR: B TOTAL LEN: 14.159 MI. DIST: 10-4 SR: 1033
LEFT MUN: BANKS T RIGHT MUN: BANKS T

| | | | |
|---|---|---|---|
| | | S 0220/0000 | LENGTH(AH 1712 BK 3454) |
| | | | 018 "DIA CIRC METAL |
| | | 0210/2956 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0210/2659 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0210/1292 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0210/0960 | LEN=0035 INSTALLED UNKN |
| | 062132 FT | 062132 FT | 1 0 00573 0 00 0320+29 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0048 INSTALLED 2005 |
| | | S 0210/0000 | LENGTH(AH 3454 BK 3482) |
| | | | 018 "DIA CIRC METAL |
| | | 0200/3094 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0200/2338 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0200/1727 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0200/1246 | LEN=0050 INSTALLED UNKN |
| LC TO/FROM HEMLOCK LAK (CONN) | 0200/1120 | | |
| | | | 018 "DIA CIRC METAL |
| | | 0200/0696 | LEN=0040 INSTALLED UNKN |
| HEMLOCK LAKE RD (PARK) | 0200/0630 | | |
| | | | 018 "DIA CIRC METAL |
| | | 0200/0242 | LEN=0030 INSTALLED UNKN |
| | 058650 FT | 058650 FT | 1 0 00573 0 00 0285+47 |
| | | S 0200/0000 | LENGTH(AH 3482 BK 3487) |
| | | | 018 "DIA CIRC CONCR |
| | | 0190/3290 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0190/1430 | LEN=0033 INSTALLED UNKN |
| | | | 015 "DIA CIR PLASTIC |
| | | 0190/0972 | LEN=0132 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |

DIR: B TOTAL LEN: 14.159 MI. DIST: 10-4 SR: 1033
LEFT MUN: BANKS T RIGHT MUN: BANKS T

```
                                                 0190/0612 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0190/0283 LEN=0033 INSTALLED UNKN
                    055163 FT                    055163 FT 1 0 00573 0 00 0250+24
                                               S 0190/0000 LENGTH(AH 3487 BK 3503)
                                                           018 "DIA CIRC METAL
                                                 0180/3030 LEN=0033 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                 0180/2570 LEN=0035 INSTALLED UNKN
                                                           BRICKELL RD
                                                 0180/2315 (T972)
                                                           018 "DIA CIRC CONCR
                                                 0180/1928 LEN=0040 INSTALLED 2005
                                                           015 "DIA CIRC CONCR
                                                 0180/1476 LEN=0035 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0180/1005 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0180/0611 LEN=0033 INSTALLED UNKN

                    051660 FT                    051660 FT 1 0 00573 0 00 0215+21
                                               S 0180/0000 LENGTH(AH 3503 BK 3487)
                                                           018 "DIA CIRC CONCR
                                                 0170/3379 LEN=0032 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0170/3031 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0170/2673 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0170/2392 LEN=0030 INSTALLED UNKN

                                                           015 "DIA CIRC METAL
                                                 0170/1533 LEN=0035 INSTALLED 1998
                                                           018 "DIA CIRC CONCR
                                                 0170/1117 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0170/0739 LEN=0030 INSTALLED UNKN

                    048173 FT                    048173 FT 1 0 00573 0 00 0180+41
                                                       NC HEMLOCK LAKE RD
                                                           SR 1038 SH
                                                           (SR1038 SEG 0210/0000)
                                               S 0170/0000 LENGTH(AH 3487 BK 0615)
                                                           018 "DIA CIRC CONCR
                                                 0160/0085 LEN=0040 INSTALLED UNKN
2 0 32106 0 00 0323+02 047558 FT                 047558 FT
PORTERFIELD RD
(SR1046 SEG 0100/3292)  0160/0000              S 0160/0000 LENGTH(AH 0615 BK 1216)
                                                           024 "DIA CIRC CONCR
                                                 0150/0649 LEN=0035 INSTALLED UNKN
```

DIR: B TOTAL LEN: 14.159 MI. DIST: 10-4 SR: 1033
LEFT MUN: BANKS T RIGHT MUN: BANKS T

```
2 0 32100 0 01 0325+80 046342 FT                046342 FT
MILLSTONE RD                                          NC GLEN CAMPBELL RD
(SR1038 SEG 0200/2548)  0150/0000               S 0150/0000 LENGTH(AH 1216 BK 3711)
                                                            024 "DIA CIRC CONCR
                                                  0140/3400 LEN=0040 INSTALLED UNKN
                                                          NC SMITHPORT RD
                                                            SMITHPORT RD
                                                  0140/2865 (T970)
                                                            018 "DIA CIRC CONCR
                                                  0140/2491 LEN=0042 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0140/2241 LEN=0032 INSTALLED 1998

                                                            018 "DIA CIRC CONCR
                                                  0140/1572 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0140/1309 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0140/0936 LEN=0036 INSTALLED UNKN

                        042631 FT                 042631 FT 2 0 32086 0 00 0335+96
                                                            VILLAGE: SMITHPORT
                                                S 0140/0000 LENGTH(AH 3711 BK 3423)
                                                            018 "DIA CIRC CONCR
                                                  0130/2921 LEN=0030 INSTALLED UNKN
                                                            024 "DIA CIR PLASTIC
                                                  0130/2329 LEN=0040 INSTALLED 2009

                                                            024 "DIA CIRC CONCR
                                                  0130/1556 LEN=0080 INSTALLED UNKN
GIPSY RD
(SR1051 SEG 0040/1986)  0130/1528

                                                            SPOTTS RD
                                                  0130/0530 (T540)
                        039208 FT                 039208 FT 2 0 32086 0 00 0301+73
                                                            018 "DIA CIRC CONCR
                                                            LEN=0030 INSTALLED UNKN
                                                S 0130/0000 LENGTH(AH 3423 BK 3539)
                                                            018 "DIA CIRC CONCR
                                                  0120/3098 LEN=0032 INSTALLED 1998
                                                            018 "DIA CIR PLASTIC
                                                  0120/2525 LEN=0040 INSTALLED 2009
                                                            018 "DIA CIRC CONCR
                                                  0120/2270 LEN=0030 INSTALLED UNKN
```

DIR: B TOTAL LEN: 14.159 MI. DIST: 10-4 SR: 1033
LEFT MUN: BANKS T RIGHT MUN: BANKS T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIR PLASTIC |
| | | 0120/1284 | LEN=0031 INSTALLED 2009 |
| | | | 024 "DIA CIR PLASTIC |
| | | 0120/1080 | LEN=0040 INSTALLED 2009 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0120/0780 | LEN=0033 INSTALLED UNKN |
| | | | WILLIAMS RD |
| | | 0120/0749 | (T948) |
| | | | 015 "DIA CIR PLASTIC |
| | | 0120/0657 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0120/0407 | LEN=0036 INSTALLED UNKN |
| | | | 024 "DIA CIR PLASTIC |
| | | 0120/0285 | LEN=0040 INSTALLED 2009 |
| | 035669 FT | 035669 FT | 2 0 32086 0 00 0266+24 |
| | | | BANKS |
| | | | MONTGOMERY T |
| | | S 0120/0000 | LENGTH(AH 3539 BK 3854) |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/3577 | LEN=0026 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0110/3405 | LEN=0028 INSTALLED UNKN |
| | | | 030 "DIA CIRC CONCR |
| | | 0110/2553 | LEN=0026 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0110/1970 | LEN=0040 INSTALLED 2009 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0110/1832 | LEN=0040 INSTALLED 2009 |
| | | | 018 "DIA CIRC METAL |
| | | 0110/1354 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0760 | LEN=0028 INSTALLED 1998 |
| | | | 060"H 72"W CONC STRUCT |
| | | 0110/0509 | LEN=0040 INSTALLED 1998 |
| GIPSY RD | | | |
| (SR1051 SEG 0010/0000) | | | |
| BALL PARK RD | | | |
| (T688) | 0110/0398 | | NC LOGAN RD |
| | | | 018 "DIA CIR PLASTIC |
| | | 0110/0039 | LEN=0040 INSTALLED 2009 |
| 2 0 32086 0 00 0227+55 | 031815 FT | 031815 FT | |
| GORMAN RD | | | |
| (T687) | 0110/0000 | S 0110/0000 | LENGTH(AH 3854 BK 3081) |
| | | 0100/2792 | BMSEN 32/1033/0100/2715 |
| | | | 2 0 32086 0 00 0196+75 |
| | | | W BR CUSH CREEK |
| | | 0100/2715 | BMSBG 32/1033/0100/2715 |
| | | | TROJAN RD |
| | | 0100/2418 | (SR1056 SEG 0010/0000) |

DIR: B TOTAL LEN: 14.159 MI. DIST: 10-4 SR: 1033
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

| | | | |
|---|---|---|---|
| | | | 012 "DIA CIRC CONCR |
| | | 0100/2397 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0100/1446 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0100/0987 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIR PLASTIC |
| | | 0100/0845 | LEN=0040 INSTALLED 2009 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0100/0517 | LEN=0040 INSTALLED 2009 |
| | 028734 FT | 028734 FT | 2 0 32086 0 00 0196+75 |
| | | | VILLAGE: GIPSY |
| | | | LUCAS RD |
| | | | (T689) |
| | | S 0100/0000 | LENGTH(AH 3081 BK 3221) |
| | | | 024"H 00"W MULT PLSTIC |
| | | 0090/3138 | LEN=0040 INSTALLED 2009 |
| | | | 015 "DIA CIRC METAL |
| | | 0090/2737 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0090/2358 | LEN=0040 INSTALLED 2009 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0090/2145 | LEN=0050 INSTALLED 2009 |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1840 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0090/1186 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0090/0370 | LEN=0040 INSTALLED 2009 |
| | | | 015 "DIA CIRC METAL |
| | | 0090/0025 | LEN=0038 INSTALLED UNKN |
| | 025513 FT | 025513 FT | 2 0 32086 0 00 0164+33 |
| | | | NC GIPSY RD |
| GIPSY RD | | | MFC BEGIN = D |
| (SR1034 SEG 0230/2774) | 0090/0000 | S 0090/0000 | LENGTH(AH 3221 BK 3865) |
| | | | 015 "DIA CIRC METAL |
| | | 0080/3786 | LEN=0152 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0080/3508 | LEN=0040 INSTALLED 2009 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0080/3356 | LEN=0040 INSTALLED 2009 |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/2995 | LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0080/2625 | LEN=0040 INSTALLED 2009 |
| | | | 018 "DIA CIRC METAL |

DIR: B TOTAL LEN: 14.159 MI. DIST: 10-4 SR: 1033
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

| | | | | |
|---|---|---|---|---|
| | | | 0080/2244 | LEN=0032 INSTALLED UNKN<br>018 "DIA CIR PLASTIC |
| | | | 0080/1882 | LEN=0039 INSTALLED 2009<br>024 "DIA CIRC METAL |
| | | | 0080/1796 | LEN=0034 INSTALLED UNKN<br>018 "DIA CIR PLASTIC |
| | | | 0080/1511 | LEN=0040 INSTALLED 2009<br>018 "DIA CIR PLASTIC |
| | | | 0080/1100 | LEN=0030 INSTALLED 2009<br>018 "DIA CIR PLASTIC |
| | | | 0080/0358 | LEN=0030 INSTALLED 2009<br>SALSGIVER LN |
| | | == | 0080/0331 | (PRDR)<br>024"H 00"W MULT METAL |
| | | | 0080/0164 | LEN=0040 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0080/0025 | LEN=0030 INSTALLED UNKN |
| | 021648 FT | | 021648 FT | 2 0 32086 0 00 0125+76<br>UPPER WILGUS RD<br>(T686) |
| | | == | S 0080/0000 | LENGTH(AH 3865 BK 2910)<br>018 "DIA CIR PLASTIC |
| | | | 0070/2699 | LEN=0031 INSTALLED 2009<br>018 "DIA CIRC CONCR |
| | | | 0070/2514 | LEN=0032 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0070/2206 | LEN=0032 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0070/1906 | LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0070/1438 | LEN=0034 INSTALLED UNKN<br>018 "DIA CIR PLASTIC |
| | | | 0070/0871 | LEN=0030 INSTALLED 2009<br>018 "DIA CIRC CONCR |
| | | | 0070/0448 | LEN=0036 INSTALLED UNKN |
| SHIELDS RD<br>(T934) | 0070/0321 | == | | |
| | | | 0070/0304 | 018 "DIA CIR PLASTIC<br>LEN=0040 INSTALLED 2009 |
| | 018738 FT | | 018738 FT | 2 0 32086 0 00 0096+50<br>VILLAGE: WILGUS |
| BLOSE RD<br>(T840) | 0070/0000 | == | S 0070/0000 | LENGTH(AH 2910 BK 2506)<br>024 "DIA CIR PLASTIC |
| | | | 0060/2243 | LEN=0040 INSTALLED 2009<br>018 "DIA CIRC METAL |
| | | | 0060/1559 | LEN=0032 INSTALLED UNKN<br>015 "DIA CIRC METAL |
| | | | 0060/1341 | LEN=0042 INSTALLED UNKN |

DIR: B TOTAL LEN: 14.159 MI. DIST: 10-4 SR: 1033
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

| | | | | |
|---|---|---|---|---|
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0060/0987 | LEN=0040 INSTALLED 2009 |
| | | | | 015 "DIA CIRC METAL |
| | | | 0060/0350 | LEN=0036 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0060/0180 | LEN=0036 INSTALLED UNKN |
| | 016232 FT | | 016232 FT | 2 0 32086 0 00 0071+59 |
| | | | | ROD AND GUN CLUB RD |
| | | | | (T936) |
| | | | | 018 "DIA CIRC METAL |
| | | | | LEN=0042 INSTALLED UNKN |
| | | | S 0060/0000 | LENGTH(AH 2506 BK 3621) |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0050/2610 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0050/2520 | LEN=0032 INSTALLED UNKN |
| | | | | 014 "DIA CIRC METAL |
| | | | 0050/2450 | LEN=0034 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0050/1986 | LEN=0040 INSTALLED UNKN |
| LENTZ RD | | | | ROWLEY CEMETERY RD |
| (T547) | 0050/1653 | == == | 0050/1653 | (T548) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/1600 | LEN=0001 INSTALLED 2002 |
| | | | | 024 "DIA CIRC METAL |
| | | | 0050/0804 | LEN=0036 INSTALLED UNKN |
| | 012611 FT | | 012611 FT | 2 0 32086 0 00 0035+26 |
| | | | S 0050/0000 | LENGTH(AH 3621 BK 3514) |
| | | | | 030"H 00"W MULT METAL |
| | | | 0040/2146 | LEN=0040 INSTALLED UNKN |
| | | | | 024 "DIA CIRC METAL |
| | | | 0040/1364 | LEN=0032 INSTALLED UNKN |
| | | | | 024 "DIA CIR PLASTIC |
| | | | 0040/1066 | LEN=0040 INSTALLED 2009 |
| | | | | 036 "DIA CIRC METAL |
| | | | 0040/0346 | LEN=0040 INSTALLED UNKN |
| | | | | (APRA) HILLSDALE CONSTR |
| | | POE | | HILLSDALE CONSTRUCTION |
| | | | 0040/0241 | (PRDR) |
| | 009097 FT | | 009097 FT | 2 0 32086 0 00 0000+00 |

DIR: B TOTAL LEN: 14.159 MI. DIST: 10-4 SR: 1033
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

VILLAGE: HILLSDALE
NC WILGUS RD
SR 0286 SH
(SR0286 SEG 0990/1932)
S 0040/0000 LENGTH(AH 3514 BK 3059)

018 "DIA CIR PLASTIC
0030/2076 LEN=0040 INSTALLED 2009

018 "DIA CIR PLASTIC
0030/0318 LEN=0030 INSTALLED 2002
006038 FT 006038 FT 2 0 32141 0 00 0061+22
S 0030/0000 LENGTH(AH 3059 BK 3041)

024 "DIA CIR PLASTIC
0020/2090 LEN=0040 INSTALLED 2009
015 "DIA CIRC CONCR
0020/1845 LEN=0030 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1614 LEN=0040 INSTALLED 2009

018 "DIA CIR PLASTIC
0020/0800 LEN=0032 INSTALLED 2009
018 "DIA CIR PLASTIC
0020/0367 LEN=0030 INSTALLED 2009
002997 FT 002997 FT 2 0 32141 0 00 0030+81
S 0020/0000 LENGTH(AH 3041 BK 2997)
018 "DIA CIRC CONCR
0010/2816 LEN=0024 INSTALLED 2015
018 "DIA CIRC METAL
0010/2539 LEN=0024 INSTALLED 2014

018 "DIA CIR PLASTIC
0010/1649 LEN=0040 INSTALLED 2009

018 "DIA CIRC CONCR
0010/0182 LEN=0024 INSTALLED 2002
000000 FT 000000 FT 2 0 32141 0 00 0000+00
NC HILLSDALE RD
PIONEER LAKE RD
(SR1015 SEG 0140/0312)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 2997 BK 0000)

DIR: B TOTAL LEN: 4.347 MI. DIST: 10-4 SR: 1032
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

```
022953 FT                    022953 FT
                             INTER-AHD  MOYER RD
                                        (T930)
                                        CHERRY TREE RD
                             0080/3552  (SR1026 SEG 0060/0000)
                                        024 "DIA CIRC CONCR
                             0080/3115  LEN=0033 INSTALLED UNKN

                                        015 "DIA CIRC METAL
                             0080/1266  LEN=0033 INSTALLED UNKN
                                        018 "DIA CIRC METAL
                             0080/1017  LEN=0032 INSTALLED UNKN
                                        018 "DIA CIRC CONCR
                             0080/0462  LEN=0032 INSTALLED 1999
                                        018 "DIA CIRC CONCR
                             0080/0169  LEN=0032 INSTALLED 1999
019401 FT                    019401 FT  1 0 00571 0 01 0135+12
                           5 0080/0000  LENGTH(AH 3552 BK 3624)
                                        048 "DIA CIRC METAL
                             0070/3178  LEN=0042 INSTALLED UNKN

                                        018 "DIA CIRC CONCR
                             0070/2434  LEN=0032 INSTALLED 1999

                                        015 "DIA CIRC CONCR
                             0070/1833  LEN=0032 INSTALLED UNKN
```

DIR: B TOTAL LEN: 4.347 MI. DIST: 10-4 SR: 1032
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC METAL |
| | | 0070/1289 | LEN=0037 INSTALLED UNKN |
| | | | HILEMAN RD |
| | | 0070/1268 | (T679) |
| | | | 036 "DIA CIRC METAL |
| | | 0070/0952 | LEN=0026 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0070/0588 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0070/0007 | LEN=0051 INSTALLED UNKN |
| 015777 FT | | 015777 FT | 1 0 00571 0 01 0170+89 |
| | | | DEYARMIN RD |
| | | | (T952) |
| | | | BOWDERTOWN RD |
| | | | (T851) |
| | | S 0070/0000 | LENGTH(AH 3624 BK 2897) |
| | | | 018 "DIA CIRC METAL |
| | | 0060/2266 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0060/0776 | LEN=0033 INSTALLED UNKN |
| 012880 FT | | 012880 FT | 1 0 00571 0 01 0196+64 |
| | | S 0060/0000 | LENGTH(AH 2897 BK 3170) |
| | | | 048 "DIA CIRC METAL |
| | | 0050/2785 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0050/1869 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0050/1400 | LEN=0045 INSTALLED UNKN |
| | | | 036 "DIA CIRC METAL |
| | | 0050/0987 | LEN=0038 INSTALLED UNKN |
| 009710 FT | | 009710 FT | 1 0 00571 0 01 0225+63 |
| | | | 015 "DIA CIRC METAL |
| CLARK RD | | | LEN=0072 INSTALLED UNKN |
| (T940) 0050/0000 | | S 0050/0000 | LENGTH(AH 3170 BK 1752) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1368 | LEN=0040 INSTALLED 1999 |
| | | | 048 "DIA CIRC METAL |
| | | 0040/0385 | LEN=0041 INSTALLED UNKN |
| 007958 FT | | 007958 FT | 1 0 00571 0 01 0246+38 |

DIR: B TOTAL LEN: 4.347 MI. DIST: 10-4 SR: 1032
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

```
                                                  S 0040/0000 LENGTH(AH 1752 BK 2868)
                                                            018 "DIA CIRC CONCR
                                                    0030/2426 LEN=0032 INSTALLED 1999
                                                            015 "DIA CIRC METAL
                                                    0030/2130 LEN=0033 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0030/1630 LEN=0032 INSTALLED 1999

                                                            015 "DIA CIRC METAL
                                                    0030/0970 LEN=0036 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                    0030/0540 LEN=0034 INSTALLED UNKN
                  005090 FT                         005090 FT 1 0 00571 0 01 0278+26
                                                            KING RD
                                                            (T946)
                                                  S 0030/0000 LENGTH(AH 2868 BK 3693)
PELES RD                                                    CUSH CREEK RD
(T938)             0020/3226                      0020/3226 (T938)
                                                            018 "DIA CIRC CONCR
                                                    0020/2825 LEN=0032 INSTALLED 1999
                                                            018 "DIA CIRC CONCR
                                                    0020/2510 LEN=0040 INSTALLED 1999
                                                            018 "DIA CIRC CONCR
                                                    0020/1915 LEN=0032 INSTALLED 1999
                                                            018 "DIA CIRC METAL
                                                    0020/1375 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0020/0940 LEN=0030 INSTALLED 1996
                                                            018 "DIA CIRC CONCR
                                                    0020/0465 LEN=0048 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                    0020/0435 LEN=0040 INSTALLED 1999
                  001397 FT                         001397 FT 1 0 00571 0 01 0314+00
                                                            KERR AV
                                                            (T937)
                                                  S 0020/0000 LENGTH(AH 3693 BK 1397)
                                                            018 "DIA CIRC METAL
                                                    0010/1125 LEN=0048 INSTALLED UNKN

                                                            018 "DIA CIRC METAL
                                                    0010/0390 LEN=0042 INSTALLED UNKN
                  000000 FT                         000000 FT 1 0 00571 0 01 0328+76
                                                            VILLAGE: ARCADIA
                                                          NC ARCADIA RD
                                                            SR 0286 SH
                                                            (SR0286 SEG 1060/0000)
                                                      INTER-BK NUMBER ELEVEN RD
                                                            (T685)
                                                            MFC BEGIN = D
                                                  S 0010/0000 LENGTH(AH 1397 BK 0000)
```

DIR: B TOTAL LEN: 1.905 MI. DIST: 10-4 SR: 1029
LEFT MUN: GREEN T RIGHT MUN: GREEN T

010057 FT



010057 FT HEMLOCK RD
0040/1999 (SR1024 SEG 0010/1771)

036 "DIA CIRC METAL
0040/1340 LEN=0035 INSTALLED UNKN

DIR: B TOTAL LEN: 1.905 MI. DIST: 10-4 SR: 1029
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | 008058 FT | | 008058 FT 2 0 32164 0 00 0081+28 |
| | | S | 0040/0000 LENGTH(AH 1999 BK 2123) |
| | | | 018 "DIA CIRC METAL |
| | | | 0030/1775 LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0030/0525 LEN=0035 INSTALLED UNKN |
| | | | 0030/0449 (AAR 528066M)#TRKS 01 |
| 2 0 32164 0 00 0060+05 | 005935 FT | | 005935 FT |
| PINE RD | | | |
| (T569) | 0030/0000 | S | 0030/0000 LENGTH(AH 2123 BK 2840) |
| | | | 018 "DIA CIRC METAL |
| | | | 0020/2820 LEN=0035 INSTALLED UNKN |
| | | | CEDAR RD |
| | | | 0020/1450 (T570) |
| | | | 024 "DIA CIRC METAL |
| | | | 0020/1100 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/0136 LEN=0035 INSTALLED 2000 |
| | 003095 FT | | 003095 FT 2 0 32164 0 00 0031+30 |
| | | S | 0020/0000 LENGTH(AH 2840 BK 3095) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/2020 LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/1275 LEN=0032 INSTALLED 2002 |
| WALNUT RD | | | |
| (T571) | 0010/0250 | | |
| | | | 036 "DIA CIRC METAL |
| | | | 0010/0208 LEN=0024 INSTALLED UNKN |
| | 000000 FT | | 000000 FT 2 0 32164 0 00 0000+00 |
| | | | PIONEER LAKE RD |
| | | | (SR1015 SEG 0090/0000) |
| | | | NC FLEMING SUMMIT RD |
| PIONEER LAKE RD | | | MFC BEGIN = E |
| (SR1015 SEG 0090/0000) | 0010/0000 | S | 0010/0000 LENGTH(AH 3095 BK 0000) |

DIR: B TOTAL LEN: 1.211 MI. DIST: 10-4 SR: 1028
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T



| | | | |
|---|---|---|---|
| | 006396 FT | 006396 FT | |
| | | 7022/0000 | LENGTH(AH 0100 BK 3042) |
| IRWIN HILL RD | | INTER-AHD | BOWDERTOWN RD |
| (T681) | 0020/3042 | 0020/3042 | (T851) |
| | | | 018 "DIA CIRC METAL |
| | | 0020/1990 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0020/1785 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0020/1565 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0020/0220 | LEN=0032 INSTALLED UNKN |
| | | | HILEMAN RD |
| | | 0020/0215 | (T679) |
| | | 003354 FT | IFFLER RD |
| 2 0 32087 0 00 0000+00 | 003354 FT | INTER-BK | CHERRY TREE RD |
| CHERRY TREE RD | | | (SR1026 SEG 0020/1741) |
| (SR1026 SEG 0020/1741) | 0020/0000 | 0020/0000 | LTH AH 003042 BK 000100 |
| | 003354 FT | 003354 FT | |
| | | 7014/0000 | LTH AH 000100 BK 003354 |
| | | INTER-AHD | CHERRY TREE RD |
| | | | (SR1026 SEG 0030/0000) |
| | | | CHERRY TREE RD |
| | | 0010/3354 | (SR1026 SEG 0030/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2108 | LEN=0030 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |
| | | 0010/1206 | LEN=0022 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0616 | LEN=0035 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32079 0 00 0093+49 |
| | | NC | PIONEER LAKE RD |
| | | | HAZELET CHURCH RD |
| | | | (SR1015 SEG 0160/0000) |
| | | INTER-BK | PIONEER LAKE RD |
| | | | (SR1015 SEG 0160/0000) |
| | | | MFC BEGIN = E |
| | | 0010/0000 | LENGTH(AH 3354 BK 0000) |

DIR: B TOTAL LEN: .552 MI. DIST: 10-4 SR: 1027
LEFT MUN: GREEN T RIGHT MUN: GREEN T

ALLISON RD
(SR1012 SEG 0080/2594)

002917 FT
0010/2917



002917 FT ALLISON RD
0010/2917 (SR1012 SEG 0080/2594)

018 "DIA CIRC METAL
0010/2080 LEN=0025 INSTALLED UNKN

015 "DIA CIRC METAL
0010/1410 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/1112 LEN=0023 INSTALLED UNKN

020 "DIA CIRC METAL
0010/0098 LEN=0025 INSTALLED UNKN
000000 FT 2 0 32175 0 00 0000+00
NC TAYLORSVILLE RD
SR 0286 SH
(SR0286 SEG 0840/1293)
MFC BEGIN = E
0010/0000 LENGTH(AH 2917 BK 0000)

000000 FT

DIR: B TOTAL LEN: 4.103 MI. DIST: 10-4 SR: 1026
LEFT MUN: CHERRY TREE B RIGHT MUN: CHERRY TREE B

| | | | |
|---|---|---|---|
| | 021665 FT | 021665 FT | |
| | | INTER-AHD | FRONT ST |
| | | | (SR0580 SEG 0180/0000) |
| CHERRY ST | | | CLARION RD |
| (SR0580 SEG 0180/0000) | 0080/1184 | 0080/1184 | (BORO) |
| | | | PEACH AL |
| | | 0080/0961 | (BORO) |
| | | | 018 "DIA CIRC METAL |
| | | 0080/0770 | LEN=0052 INSTALLED UNKN |
| | | | HIGH ST |
| | | 0080/0739 | (BORO) |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/0730 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/0230 | LEN=0034 INSTALLED UNKN |
| | 020481 FT | 020481 FT | 1 0 00571 0 00 0018+76 |
| | | | NC FRONT ST |
| | | REF-BK | STIFFLERTOWN RD |
| | | | (SR3002 SEG 0010/0000) |
| | | | BK-CLEARFIELD (17) |
| | | 0080/0000 | LTH AH 001184 BK 000100 |
| | 020481 FT | 020481 FT | |
| | | 7074/0000 | LTH AH 000100 BK 002993 |
| | | | AH-CLEARFIELD (17) |
| | | REF-AHD | STIFFLERTOWN RD |
| | | | (SR3004 SEG 0010/0000) |
| | | 0070/2993 | MONTGOMERY T |
| | | | 018 "DIA CIRC METAL |
| | | 0070/2660 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0070/2225 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0070/1810 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1556 | LEN=0048 INSTALLED 2000 |
| | | | 024 "DIA CIRC METAL |
| | | 0070/1170 | LEN=0036 INSTALLED UNKN |
| | 017488 FT | 017488 FT | 1 0 00571 0 01 0076+59 |
| | | 0070/0000 | LENGTH(AH 2993 BK 2305) |
| | | | 015 "DIA CIRC METAL |
| | | 0060/2261 | LEN=0060 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |

DIR: B TOTAL LEN: 4.103 MI. DIST: 10-4 SR: 1026
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

```
                                                  0060/1988 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0060/1481 LEN=0033 INSTALLED UNKN

                                                            024 "DIA CIRC CONCR
                                                  0060/0815 LEN=0036 INSTALLED UNKN

                        015183 FT                 015183 FT 1 0 00571 0 01 0100+01
                                                            MOYER RD
                                                            (T930)
ARCADIA RD                                                  MFC BEGIN = D
(SR1032 SEG 0080/3552)  0060/0000               S 0060/0000 LENGTH(AH 2305 BK 2216)

                                                            018 "DIA CIRC CONCR
                                                  0050/1348 LEN=0032 INSTALLED 2000



                                                            018 "DIA CIRC CONCR
                                                  0050/0083 LEN=0030 INSTALLED 2000
                        012967 FT                 012967 FT 2 0 32080 0 00 0069+34
                                                S 0050/0000 LENGTH(AH 2216 BK 3488)
                                                            018 "DIA CIRC CONCR
                                                  0040/3233 LEN=0039 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0040/2084 LEN=0032 INSTALLED 2000
                                                            018 "DIA CIR PLASTIC
                                                  0040/1810 LEN=0038 INSTALLED UNKN

                                                            018 "DIA CIR PLASTIC
                                                  0040/0795 LEN=0034 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0040/0472 LEN=0033 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0040/0155 LEN=0032 INSTALLED UNKN
                        009479 FT                 009479 FT 2 0 32080 0 00 0034+46
                                                S 0040/0000 LENGTH(AH 3488 BK 3446)
                                                            018 "DIA CAST IRON
                                                  0030/3101 LEN=0040 INSTALLED 2000
                                                            018 "DIA CIRC CONCR
                                                  0030/2571 LEN=0040 INSTALLED 2000
                                                            015 "DIA CIRC METAL
                                                  0030/2460 LEN=0045 INSTALLED 2000

                                                            015 "DIA CIRC METAL
                                                  0030/1418 LEN=0036 INSTALLED UNKN
```

DIR: B TOTAL LEN: 4.103 MI. DIST: 10-4 SR: 1026
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

```
                                                  018 "DIA CIRC CONCR
                                        0030/0635 LEN=0040 INSTALLED 2000
                    006033 FT           006033 FT 2 0 32080 0 00 0000+00
                                                  018 "DIA CIRC CONCR
                                                  LEN=0040 INSTALLED UNKN
                                                  PIONEER LAKE RD
                                                  (SR1028 SEG 0010/3354)
                                        S 0030/0000 LENGTH(AH 3446 BK 2576)
                                                  018 "DIA CIRC CONCR
                                        0020/2565 LEN=0048 INSTALLED 2000

                                                  018 "DIA CIRC CONCR
                                        0020/1830 LEN=0040 INSTALLED 2000
STIFFLER RD
(SR1028 SEG 0020/0000)  0020/1741

                                                  018 "DIA CIRC CONCR
                                        0020/1430 LEN=0040 INSTALLED 2000
                                                  018 "DIA CIRC CONCR
                                        0020/1072 LEN=0040 INSTALLED 2000
                                                  018 "DIA CIRC CONCR
                                        0020/0528 LEN=0048 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/0118 LEN=0028 INSTALLED UNKN
                    003457 FT           003457 FT 2 0 32079 0 00 0034+48
                                        S 0020/0000 LENGTH(AH 2576 BK 3457)
                                                  018 "DIA CIRC CONCR
                                        0010/3119 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0010/2800 LEN=0042 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0010/2300 LEN=0038 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0010/1643 LEN=0034 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                        0010/0780 LEN=0047 INSTALLED UNKN
                                                  036 "DIA CIRC METAL
                                        0010/0534 LEN=0047 INSTALLED UNKN
                                                  CUSH CREEK
                                                  STRUCTURE LENGTH  16 FT
                                        0010/0243 BMSID 32/1026/0010/0243
                    000000 FT           000000 FT 2 0 32079 0 00 0000+00
                                              NC CHERRY TREE RD
                                                  SR 0286 SH
                                                  (SR0286 SEG 1010/0000)
                                                  MFC BEGIN = E
                                        S 0010/0000 LENGTH(AH 3457 BK 0000)
```

DIR: B TOTAL LEN: .283 MI. DIST: 10-4 SR: 1025
LEFT MUN: MARION CENTER B RIGHT MUN: MARION CENTER B

| | | | |
|---|---|---|---|
| | 001496 FT | | 001496 FT |
| | | | INTER-AHD MAIN ST |
| | | | (SR0403 SEG 0720/0418) |
| MANOR ST | | | MANOR ST |
| (SR0403 SEG 0720/0418) | 0100/1496 | == | 0100/1496 (BORO) |
| | | | BORO AL |
| | | == | 0100/1191 (BORO) |
| CRAIG ST | | | |
| (BORO) | 0100/1047 | == | |
| | | | CRAIG ST |
| | | == | 0100/1018 (BORO) |
| MAPLE ST | | | |
| (BORO) | 0100/0718 | == | |
| | | | MAPLE ST |
| | | == | 0100/0606 (BORO) |
| | | | BORO AL |
| | | == | 0100/0352 (BORO) |
| | | | WALNUT ST |
| | | == | 0100/0107 (BORO) |
| WALNUT ST | | | |
| (BORO) | 0100/0089 | == | |
| | 000000 FT | | 000000 FT 2 0 32089 0 00 0014+73 |
| | | | NC MAIN ST |
| | | | (TBK) RICHMOND RD |
| | | | (TB53) |
| | | | MFC BEGIN = D |
| | | == | 5 0100/0000 LENGTH(AH 1496 BK 1262) |
| | 000000 FT | | 000000 FT |
| | | | 7090/0000 LENGTH(AH 1262 BK 1671) |
| | 000000 FT | | 000000 FT |
| | | | 7080/0000 LENGTH(AH 1671 BK 2340) |
| | 000000 FT | | 000000 FT |
| | | | 7070/0000 LENGTH(AH 2340 BK 2654) |
| | 000000 FT | | 000000 FT |
| | | | 7060/0000 LENGTH(AH 2654 BK 2204) |
| | 000000 FT | | 000000 FT |
| | | | 7050/0000 LENGTH(AH 2204 BK 3005) |
| | 000000 FT | | 000000 FT |
| | | | 7040/0000 LENGTH(AH 3005 BK 2745) |
| | 000000 FT | | 000000 FT |
| | | | 7030/0000 LENGTH(AH 2745 BK 2109) |
| | 000000 FT | | 000000 FT |
| | | | 7020/0000 LENGTH(AH 2109 BK 3145) |
| | 000000 FT | | 000000 FT |
| | | | 7010/0000 LENGTH(AH 3145 BK 0000) |

DIR: B TOTAL LEN: 2.234 MI. DIST: 10-4 SR: 1024
LEFT MUN: GREEN T RIGHT MUN: GREEN T

011797 FT



011797 FT
INTER-AHD HEMLOCK RD
(T928)
PIONEER LAKE RD
0040/3020 (SR1015 SEG 0130/0000)
018 "DIA CIR PLASTIC
0040/2635 LEN=0030 INSTALLED UNKN

018 "DIA CIR PLASTIC
0040/1836 LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 2.234 MI. DIST: 10-4 SR: 1024
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | | |
|---|---|---|---|---|
| | 008777 FT | | 008777 FT | 2 0 32160 0 00 0087+74 |
| | | | | GREEN |
| | | | | MONTGOMERY T |
| | | | 0040/0000 | LENGTH(AH 3020 BK 1949) |
| | | | | 015 "DIA CIRC METAL |
| | | | 0030/0719 | LEN=0026 INSTALLED UNKN |
| | | | | MONTGOMERY |
| | | | 0030/0318 | GREEN T |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0030/0161 | LEN=0045 INSTALLED 2014 |
| 2 0 32160 0 00 0068+27 | 006828 FT | | 006828 FT | |
| CHURCHHILL RD | | | | |
| (T928) | 0030/0000 | | 0030/0000 | LENGTH(AH 1949 BK 3299) |
| | | | | 030 "DIA CIRC METAL |
| | | | 0020/2678 | LEN=0036 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0020/1010 | LEN=0035 INSTALLED UNKN |
| | 003529 FT | | 003529 FT | 2 0 32160 0 00 0035+29 |
| | | | 0020/0000 | LENGTH(AH 3299 BK 3529) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0010/3164 | LEN=0032 INSTALLED 1998 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0010/2422 | LEN=0031 INSTALLED UNKN |
| | | | | FLEMING SUMMIT RD |
| | | | 0010/1771 | (SR1029 SEG 0040/1999) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0010/0292 | LEN=0032 INSTALLED 1998 |
| | | | | NC HEMLOCK RD |
| | | | | SR 0286 SH |
| 2 0 32160 0 00 0000+00 | 000000 FT | | 000000 FT | (SR0286 SEG 0950/0000) |
| SR 0286 SH | | | | MFC BEGIN = E |
| (SR0286 SEG 0950/0000) | 0010/0000 | | 0010/0000 | LENGTH(AH 3529 BK 0000) |

DIR: B TOTAL LEN: .000 MI. DIST: 10-4 SR: 1023
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

| | | |
|---|---|---|
| 000000 FT | | 000000 FT |
| | | 7060/0000 LENGTH(AH 1919 BK 2316) |
| 000000 FT | | 000000 FT |
| | | 7050/0000 LENGTH(AH 2316 BK 2698) |
| 000000 FT | | 000000 FT |
| | | 7040/0000 LENGTH(AH 2698 BK 2253) |
| 000000 FT | | 000000 FT |
| | | 7030/0000 LENGTH(AH 2253 BK 3214) |
| 000000 FT | | 000000 FT |
| | | 7020/0000 LENGTH(AH 3214 BK 2588) |
| 000000 FT | | 000000 FT |
| | | 7010/0000 LENGTH(AH 2588 BK 0000) |

DIR: B TOTAL LEN: 3.321 MI. DIST: 10-4 SR: 1022
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

SR 0286 SH 017533 FT
(SR0286 SEG 0990/0461) 0060/2693



017533 FT SR 0286 SH
0060/2693 (SR0286 SEG 0990/0461)

DIR: B TOTAL LEN: 3.321 MI. DIST: 10-4 SR: 1022
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0460 | LEN=0039 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0270 | LEN=0034 INSTALLED UNKN |
| | 014840 FT | 014840 FT | 2 0 32084 0 01 0234+45 |
| | | | VILLAGE: HILLSDALE |
| | | S 0060/0000 | LENGTH(AH 2693 BK 3522) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/3186 | LEN=0035 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0050/2844 | LEN=0030 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0050/2120 | LEN=0043 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1770 | LEN=0040 INSTALLED UNKN |
| | | | MONTGOMERY |
| | | 0050/0891 | GRANT T |
| | | | 036 "DIA CIRC CONCR |
| | | 0050/0688 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0050/0602 | LEN=0035 INSTALLED UNKN |
| 2 0 32084 0 01 0199+00 | 011318 FT | 011318 FT | |
| MONTGOMERY CHURCH RD | | | |
| (T840) | 0050/0000 | S 0050/0000 | LENGTH(AH 3522 BK 3639) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/3335 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0040/2847 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2570 | LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0040/2194 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1792 | LEN=0029 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0040/0755 | LEN=0030 INSTALLED UNKN |
| | 007679 FT | 007679 FT | 2 0 32084 0 01 0163+10 |
| | | | BURNS RD |
| | | | (T520) |
| | | S 0040/0000 | LENGTH(AH 3639 BK 1684) |

DIR: B TOTAL LEN: 3.321 MI. DIST: 10-4 SR: 1022
LEFT MUN: GRANT T RIGHT MUN: GRANT T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1634 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1211 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0062 | LEN=0050 INSTALLED UNKN |
| 2 0 32084 0 01 0146+40 005995 FT | | 005995 FT | |
| EAST RUN RD | | | |
| (T851) | 0030/0000 | S 0030/0000 | LENGTH(AH 1684 BK 3362) |
| | | | 048 "DIA CIRC CONCR |
| | | 0020/2711 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0020/2630 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2089 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1760 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0020/0357 | LEN=0004 INSTALLED 2002 |
| 2 0 32140 0 00 0027+50 002633 FT | | 002633 FT | |
| MILL RUN RD | | | |
| (T981) | 0020/0000 | S 0020/0000 | LENGTH(AH 3362 BK 2633) |
| | | | 048 "DIA CIRC METAL |
| | | 0010/2500 | LEN=0045 INSTALLED UNKN |
| | | | GRANT |
| | | 0010/1800 | GREEN T |
| | | | 018 "DIA CIRC METAL |
| | | 0010/1595 | LEN=0038 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/1168 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0034 | LEN=0055 INSTALLED 2017 |
| | 000000 FT | 000000 FT | 2 0 32140 0 00 0000+00 |
| | | | VILLAGE: PURCHASE LINE |
| | | NC SEBRING RD | |
| | | | PURCHASE LINE RD |
| | | | (SR1018 SEG 0090/1234) |
| | | INTER-BK | RICE RD |
| | | | (T929) |
| | | | MFC BEGIN = E |
| | | S 0010/0000 | LENGTH(AH 2633 BK 0000) |

DIR: B TOTAL LEN: 4.402 MI. DIST: 10-4 SR: 1021
LEFT MUN: MARION CENTER B RIGHT MUN: MARION CENTER B

MANOR ST 023240 FT
(SR0403 SEG 0710/0208) 0080/3061



023240 FT MANOR ST
0080/3061 (SR0403 SEG 0710/0208)
MARION CENTER
0080/2864 EAST MAHONING T
01B "DIA CIRC CONCR
0080/2700 LEN=0008 INSTALLED 2007

DIR: B TOTAL LEN: 4.402 MI. DIST: 10-4 SR: 1021
LEFT MUN: EAST MAHONING T RIGHT MUN: EAST MAHONING T

| | | | |
|---|---|---|---|
| | | | WETZEL RD |
| | | 0080/2553 | (T626) |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/2415 | LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/2115 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0080/2020 | LEN=0023 INSTALLED UNKN |
| | | | 030"H 36"W CONC STRUCT |
| | | 0080/1710 | LEN=0052 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/1375 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0080/0926 | LEN=0056 INSTALLED 1998 |
| | | | 024 "DIA CIRC CONCR |
| | | 0080/0844 | LEN=0045 INSTALLED 2002 |
| | | | 024 "DIA CIRC CONCR |
| | | 0080/0660 | LEN=0056 INSTALLED 1998 |
| | | | 027 "DIA CIRC CONCR |
| | | 0080/0305 | LEN=0064 INSTALLED 2007 |
| 2 0 32075 0 00 0201+50 | 020179 FT | 020179 FT | 018 "DIA CIRC CONCR |
| LOOKS LIKE A DRIVEWAY | | | LEN=0040 INSTALLED 1998 |
| (T626) | 0080/0000 | S 0080/0000 | LENGTH(AH 3061 BK 1814) |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1380 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1169 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0937 | LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0680 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0327 | LEN=0035 INSTALLED UNKN |
| | 018365 FT | 018365 FT | 2 0 32075 0 00 0182+62 |
| | | | KESLAR RD |
| | | | (T557) |
| | | | EAST MAHONING |
| | | | RAYNE T |
| | | S 0070/0000 | LENGTH(AH 1814 BK 3312) |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/2993 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0060/2402 | LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/2062 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/1554 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/0811 | LEN=0036 INSTALLED UNKN |

DIR: B TOTAL LEN: 4.402 MI. DIST: 10-4 SR: 1021
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0472 | LEN=0032 INSTALLED 1998 |
| | 015053 FT | 015053 FT | 2 0 32075 0 00 0149+87 |
| | | | SKYLINE DR |
| | | | (T863) |
| | | S 0060/0000 | LENGTH(AH 3312 BK 1630) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0784 | LEN=0040 INSTALLED 1998 |
| 2 0 32075 0 00 0133+80 | 013423 FT | 013423 FT | |
| WYNKOOP RD | | | |
| (T611) | 0050/0000 | S 0050/0000 | LENGTH(AH 1630 BK 3319) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2915 | LEN=0031 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/2505 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/2100 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/1830 | LEN=0042 INSTALLED UNKN |
| | | | 024 "DIA CIR PLASTIC |
| | | 0040/1470 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0040/0512 | LEN=0035 INSTALLED UNKN |
| | 010104 FT | 010104 FT | 2 0 32075 0 00 0100+80 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0034 INSTALLED 1998 |
| | | S 0040/0000 | LENGTH(AH 3319 BK 3696) |
| | | | 015 "DIA CIRC METAL |
| | | 0030/3250 | LEN=0036 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0030/2830 | LEN=0036 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0030/2583 | LEN=0036 INSTALLED UNKN |
| | | | 048 "DIA CIRC METAL |
| | | 0030/2306 | LEN=0040 INSTALLED 1998 |
| | | | 015 "DIA CIRC METAL |
| | | 0030/2110 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0030/1928 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1776 | LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0030/1580 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0030/1233 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |

DIR: B TOTAL LEN: 4.402 MI. DIST: 10-4 SR: 1021
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

```
                                          0030/0951 LEN=0041 INSTALLED 2013
                                                    015 "DIA CIRC METAL
                                          0030/0630 LEN=0040 INSTALLED UNKN
                                                    015 "DIA CIRC METAL
                                          0030/0505 LEN=0041 INSTALLED UNKN
                                                    015 "DIA CIRC METAL
                                          0030/0216 LEN=0035 INSTALLED UNKN
                 006408 FT                006408 FT 2 0 32075 0 00 0063+84
                                                    018 "DIA CIRC METAL
                                                    LEN=0034 INSTALLED UNKN
                                        S 0030/0000 LENGTH(AH 3696 BK 3653)
                                                    015 "DIA CIRC METAL
                                          0020/3151 LEN=0034 INSTALLED UNKN

                                                    015 "DIA CIRC METAL
                                          0020/2385 LEN=0035 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0020/2150 LEN=0035 INSTALLED UNKN



                                                    018 "DIA CIR PLASTIC
                                          0020/0512 LEN=0040 INSTALLED 2014
                 002755 FT                002755 FT 2 0 32075 0 00 0027+50
                                                    WASHINGTON RD
                                                    (T493)
                                        S 0020/0000 LENGTH(AH 3653 BK 2755)
                                                    078"H 60"W OTHER STRUC
                                          0010/2690 LEN=0030 INSTALLED UNKN
WASHINGTON RD
(T493)            0010/2006

                                                    036"H 48"W CONC STRUCT
                                          0010/1600 LEN=0038 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/1300 LEN=0032 INSTALLED 1998
                                                    015 "DIA CIRC METAL
                                          0010/1050 LEN=0032 INSTALLED UNKN

                                                    018 "DIA CIRC CONCR
                                          0010/0420 LEN=0032 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0010/0098 LEN=0040 INSTALLED 2014
                 000000 FT                000000 FT 2 0 32075 0 00 0000+00
                                                    TANOMA RD
                                                    (T890)
                                                NC PEARCE HOLLOW RD
TANOMA RD                                           MFC BEGIN = E
(T890)            0010/0000             S 0010/0000 LENGTH(AH 2755 BK 0000)
```

DIR: B TOTAL LEN: 2.622 MI. DIST: 10-4 SR: 1020
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| PURCHASE LINE RD | 013846 FT | 013846 FT | PURCHASE LINE RD |
| (SR1018 SEG 0080/1650) | 0050/3561 | 0050/3561 | (SR1018 SEG 0080/1650) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/2930 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0050/2629 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/2226 | LEN=0004 INSTALLED 2002 |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1689 | LEN=0040 INSTALLED 2002 |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1494 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1130 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0951 | LEN=0032 INSTALLED 2002 |
| | | | 030 "DIA CIRC METAL |
| | | 0050/0476 | LEN=0036 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0050/0309 | LEN=0100 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0099 | LEN=0040 INSTALLED 2002 |
| | 010285 FT | 010285 FT | 2 0 32139 0 00 0103+46 |
| | | | GREEN |
| | | | GRANT T |
| | | S 0050/0000 | LENGTH(AH 3561 BK 2327) |
| | | | 015 "DIA CIRC METAL |
| | | 0040/1975 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1725 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0040/1355 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0040/0400 | LEN=0032 INSTALLED UNKN |
| | 007958 FT | 007958 FT | 2 0 32139 0 00 0080+14 |

DIR: B TOTAL LEN: 2.622 MI. DIST: 10-4 SR: 1020
LEFT MUN: GRANT T RIGHT MUN: GRANT T

```
                                                  015 "DIA CIRC METAL
                                                  LEN=0034 INSTALLED UNKN
                                   S 0040/0000    LENGTH(AH 2327 BK 2773)

                                                  015 "DIA CIRC METAL
                                     0030/1585    LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0030/1260    LEN=0032 INSTALLED UNKN

                                                  018 "DIA CIRC METAL
                                     0030/0592    LEN=0036 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                     0030/0215    LEN=0038 INSTALLED UNKN
005185 FT                            005185 FT    2 0 32139 0 00 0052+36
                                                  SMITH ST
                                                  (TB52)
                                   S 0030/0000    LENGTH(AH 2773 BK 2802)
                                                  018 "DIA CIR PLASTIC
                                     0020/2225    LEN=0038 INSTALLED UNKN
                                                  060 "DIA CIRC METAL
                                     0020/2040    LEN=0060 INSTALLED UNKN

                                                  024 "DIA CIR PLASTIC
                                     0020/1055    LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                     0020/0780    LEN=0040 INSTALLED 2015

002383 FT                            002383 FT    2 0 32139 0 00 0024+09
                                   S 0020/0000    LENGTH(AH 2802 BK 2383)
                                                  015 "DIA CIRC CONCR
                                     0010/2263    LEN=0030 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                     0010/1600    LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0010/1260    LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0010/0885    LEN=0030 INSTALLED UNKN
                                     0010/0375    BMSEN 32/1020/0010/0356
                                                  2 0 32139 0 00 0003+59
                                                  LIT MAHON CR
                                     0010/0356    BMSBG 32/1020/0010/0356
000000 FT                            000000 FT    2 0 32139 0 00 0000+00
                                          NC ABEL RD
                                                  PINEVALE RD
                                                  (TB80)
                                                  MFC BEGIN = D
                                   S 0010/0000    LENGTH(AH 2383 BK 0000)
```

DIR: B TOTAL LEN: 7.435 MI. DIST: 10-4 SR: 1019
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | | |
|---|---|---|---|---|
| COOKPORT UNIONTOWN RD | 039256 FT | | 039256 FT | COOKPORT UNIONTOWN RD |
| (SR0240 SEG 0060/0000) | 0150/2809 | | 0150/2809 | (SR0240 SEG 0060/0000) |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0150/1816 | LEN=0037 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0150/1320 | LEN=0040 INSTALLED UNKN |
| | | | | 012 "DIA CIRC CONCR |
| | | | 0150/0417 | LEN=0037 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0150/0104 | LEN=0030 INSTALLED UNKN |
| | 036447 FT | | 036447 FT | 2 0 32068 0 00 0028+08 |
| | | | 5 0150/0000 | LENGTH(AH 2809 BK 3059) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0140/2841 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0140/2480 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0140/2044 | LEN=0030 INSTALLED 2000 |

DIR: B TOTAL LEN: 7.435 MI. DIST: 10-4 SR: 1019
LEFT MUN: GREEN T RIGHT MUN: GREEN T

UNKNOWN RD
(PRDR) 0140/1830

033388 FT

0140/0470 018 "DIA CIRC METAL
LEN=0033 INSTALLED UNKN
033388 FT 2 0 32068 0 00 0058+42
DOGWOOD RD
(T924)
5 0140/0000 LENGTH(AH 3059 BK 3733)

0130/2735 018 "DIA CIRC CONCR
LEN=0035 INSTALLED UNKN
0130/2238 018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN

029655 FT

0130/0409 018 "DIA CIRC METAL
LEN=0030 INSTALLED UNKN
029655 FT 2 0 32068 0 00 0095+09
S BR TWO LCK
STRUCTURE LENGTH 19 FT
BMSID 32/1019/0130/0000
5 0130/0000 LENGTH(AH 3733 BK 2840)

SYCAMORE RD
(T970) 0120/2343

0120/2105 018 "DIA CIRC METAL
LEN=0030 INSTALLED UNKN
0120/1950 018 "DIA CIRC METAL
LEN=0030 INSTALLED UNKN
0120/1550 018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN

0120/0740 018 "DIA CIRC CONCR
LEN=0020 INSTALLED 2008
0120/0211 018 "DIA CIR PLASTIC
LEN=0048 INSTALLED 2000

026815 FT

026815 FT 2 0 32068 0 00 0124+82
5 0120/0000 LENGTH(AH 2840 BK 3062)
0110/2830 018 "DIA CIR PLASTIC
LEN=0032 INSTALLED UNKN
0110/2470 018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN
0110/2145 018 "DIA CIRC CONCR
LEN=0032 INSTALLED UNKN

DIR: B TOTAL LEN: 7.435 MI. DIST: 10-4 SR: 1019
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | | |
|---|---|---|---|---|
| | | | | 048 "DIA CIRC CONCR |
| | | | 0110/1550 | LEN=0040 INSTALLED 2007 |
| | | | 023753 FT | LLEY RD |
| 2 0 32068 0 00 0156+84 | 023753 FT | | INTER-BK | SR 0580 SH |
| SR 0580 SH | | | | (SR0580 SEG 0090/1244) |
| (SR0580 SEG 0090/1244) | 0110/0000 | | S 0110/0000 | LTH AH 003062 BK 000100 |
| | 023753 FT | | 023753 FT | |
| | | | 7104/0000 | LTH AH 000100 BK 002287 |
| | | | INTER-AHD | SR 0580 SH |
| | | | | (SR0580 SEG 0090/2470) |
| | | | | SR 0580 SH |
| | | | 0100/2287 | (SR0580 SEG 0090/2470) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0100/1802 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0100/1643 | LEN=0031 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0100/0790 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0100/0060 | LEN=0034 INSTALLED UNKN |
| | 021466 FT | | 021466 FT | 2 0 32066 0 00 0029+44 |
| | | | | GREENWICH RD |
| | | | | (SR1016 SEG 0010/0000) |
| | | | S 0100/0000 | LENGTH(AH 2287 BK 2952) |
| | | | | LINDEN RD |
| | | | 0090/0718 | (T573) |
| | 018514 FT | | 018514 FT | 2 0 32066 0 00 0000+00 |
| | | | | SUMAC RD |
| | | | | (T575) |
| | | | S 0090/0000 | LENGTH(AH 2952 BK 2535) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0080/1371 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0080/0651 | LEN=0035 INSTALLED UNKN |

DIR: B TOTAL LEN: 7.435 MI. DIST: 10-4 SR: 1019
LEFT MUN: GREEN T RIGHT MUN: GREEN T

2 0 32057 0 00 0159+82 015979 FT 015979 FT
HARKEL RD
(T649) 0080/0000 0080/0000 LENGTH(AH 2535 BK 2821)
024 "DIA CIRC METAL
0070/2111 LEN=0035 INSTALLED UNKN

013158 FT 013158 FT 2 0 32057 0 00 0131+05
TIPPERARY RD
(SR1013 SEG 0130/2769)
MFC BEGIN = D
0070/0000 LENGTH(AH 2821 BK 2053)
ELM RD
0060/1586 (T579)

018 "DIA CIRC CONCR
0060/0061 LEN=0025 INSTALLED UNKN
011105 FT 011105 FT 2 0 32057 0 00 0110+71
0060/0000 LENGTH(AH 2053 BK 2400)

015 "DIA CIRC CONCR
0050/1260 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0050/0732 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0050/0290 LEN=0035 INSTALLED UNKN
008705 FT 008705 FT 2 0 32057 0 00 0086+89
BIRCH RD
(T643)
0050/0000 LENGTH(AH 2400 BK 2659)
018 "DIA CIRC METAL
0040/2445 LEN=0033 INSTALLED UNKN

018 "DIA CIRC CONCR
0040/1510 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0040/1081 LEN=0040 INSTALLED 2015

018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 7.435 MI. DIST: 10-4 SR: 1019
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | 0040/0425 | LEN=0040 INSTALLED 2015 |
| | 006046 FT | 006046 FT | 2 0 32057 0 00 0060+36 |
| | | S 0040/0000 | LENGTH(AH 2659 BK 1311) |
| | | | 018 "DIA CIRC METAL |
| | | 0030/1052 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0792 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0098 | LEN=0040 INSTALLED 1998 |
| 2 0 32057 0 00 0047+30 | 004735 FT | 004735 FT | GREEN |
| LAUREL RD | | | PINE T |
| (T641) | 0030/0000 | S 0030/0000 | LENGTH(AH 1311 BK 3494) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0020/3467 | LEN=0060 INSTALLED 2015 |
| | | | 024 "DIA CIRC CONCR |
| | | 0020/2824 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0020/1063 | LEN=0040 INSTALLED 2015 |
| | | | 018 "DIA CIRC METAL |
| | | 0020/0914 | LEN=0035 INSTALLED UNKN |
| | | | 024 "DIA CIR PLASTIC |
| | | 0020/0010 | LEN=0040 INSTALLED 2015 |
| | 001241 FT | 001241 FT | 2 0 32057 0 00 0012+07 |
| | | S 0020/0000 | LENGTH(AH 3494 BK 1241) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1165 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0610 | LEN=0030 INSTALLED 2015 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0432 | LEN=0030 INSTALLED 2015 |
| | | 0010/0181 | BMSEN 32/1019/0010/0165 |
| | | | 2 0 32057 0 00 0001+62 |
| | | | YELLOW CREEK |
| | | 0010/0165 | BMSBG 32/1019/0010/0165 |
| | 000000 FT | 000000 FT | 2 0 32057 0 00 0000+00 |
| | | | NC GRISEMORE RD |
| | | | SR 0553 SH |
| | | | (SR0553 SEG 0170/0000) |
| | | INTER-BK | MOUNT ZION RD |
| | | | (T906) |
| | | | MFC BEGIN = E |
| | | S 0010/0000 | LENGTH(AH 1241 BK 0000) |

DIR: B TOTAL LEN: 5.304 MI. DIST: 10-4 SR: 1018
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | | |
|---|---|---|---|---|
| SR 0286 SH<br>(SR0286 SEG 0930/0000) | 028003 FT<br>0090/2694 | | 028003 FT<br>0090/2694 | SR 0286 SH<br>(SR0286 SEG 0930/0000) |
| | | | 0090/2060 | 015 "DIA CIRC CONCR<br>LEN=0028 INSTALLED UNKN |
| | | | 0090/1625 | 018 "DIA CIRC CONCR<br>LEN=0032 INSTALLED UNKN |
| SEBRING RD<br>(SR1022 SEG 0010/0000) | 0090/1234 | | 0090/1234 | RICE RD<br>(T929) |
| | | | 0090/1185 | 015 "DIA CIRC METAL<br>LEN=0052 INSTALLED UNKN |
| | | | 0090/0670 | 018 "DIA CIR PLASTIC<br>LEN=0040 INSTALLED 2017 |
| | | | 0090/0225 | 018 "DIA CIRC CONCR<br>LEN=0036 INSTALLED UNKN |
| | 025309 FT | | 025309 FT | 2 0 32076 0 00 0252+94 |
| HARTMAN RD<br>(T837) | 0090/0000 | | 5 0090/0000 | VILLAGE: PURCHASE LINE<br>LENGTH(AH 2694 BK 3187) |
| | | | 0080/3166 | 018 "DIA CIRC CONCR<br>LEN=0038 INSTALLED UNKN |
| | | | 0080/2992 | 015 "DIA CIRC CONCR<br>LEN=0034 INSTALLED UNKN |
| | | | 0080/2875 | 024 "DIA CIRC CONCR<br>LEN=0032 INSTALLED UNKN |
| | | | 0080/2131 | 015 "DIA CIRC CONCR<br>LEN=0023 INSTALLED UNKN |

DIR: B TOTAL LEN: 5.304 MI. DIST: 10-4 SR: 1018
LEFT MUN: GREEN T RIGHT MUN: GREEN T

```
ABEL RD
(SR1020 SEG 0050/3561)  0080/1650          0080/1650 MFC BEGIN = D

                                                     018 "DIA CIRC METAL
                                           0080/0789 LEN=0031 INSTALLED UNKN

                                                     036 "DIA CIRC CONCR
                                           0080/0061 LEN=0033 INSTALLED UNKN
                        022122 FT          022122 FT 2 0 32076 0 00 0221+06
                                                     VANDERBILT ST
                                                     (T832)
                                       ==  S 0080/0000 LENGTH(AH 3187 BK 2521)
                                                     018 "DIA CIRC CONCR
                                           0070/2184 LEN=0029 INSTALLED UNKN
                                                     015 "DIA CIRC METAL
                                           0070/1900 LEN=0040 INSTALLED UNKN
                                                     015 "DIA CIRC METAL
                                           0070/1474 LEN=0040 INSTALLED UNKN

                                                     018 "DIA CIRC CONCR
                                           0070/0300 LEN=0040 INSTALLED 2007
                        019601 FT          019601 FT 2 0 32076 0 00 0195+75
                                                     SMITH ST
                                                     (T852)
                                       == ==   S 0070/0000 LENGTH(AH 2521 BK 3674)
                                                     036 "DIA CIRC CONCR
                                           0060/3628 LEN=0030 INSTALLED UNKN
                                                     018 "DIA CIRC CONCR
                                           0060/3320 LEN=0025 INSTALLED UNKN
                                                     018 "DIA CIRC CONCR
                                           0060/2872 LEN=0040 INSTALLED 2004
                                                     018 "DIA CIRC METAL
                                           0060/2363 LEN=0027 INSTALLED UNKN
                                                     015 "DIA CIRC METAL
                                           0060/1860 LEN=0032 INSTALLED UNKN

                                                     015 "DIA CIRC CONCR
                                           0060/1105 LEN=0030 INSTALLED UNKN
                                                     018 "DIA CIRC CONCR
                                           0060/0695 LEN=0025 INSTALLED 2002
                                                     015 "DIA CIRC CONCR
                                           0060/0390 LEN=0036 INSTALLED 2006
                        015927 FT          015927 FT 2 0 32076 0 00 0159+01
                                                 S 0060/0000 LENGTH(AH 3674 BK 2967)

                                                     020 "DIA CIRC CONCR
                                           0050/2150 LEN=0024 INSTALLED UNKN
                                                     043 "DIA CIRC CONCR
                                           0050/1889 LEN=0032 INSTALLED 2005
```

DIR: B TOTAL LEN: 5.304 MI. DIST: 10-4 SR: 1018
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | | |
|---|---|---|---|---|
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0050/0576 | LEN=0040 INSTALLED 2016 |
| | | | | 018 "DIA CIRC METAL |
| | | | 0050/0163 | LEN=0028 INSTALLED UNKN |
| | 012960 FT | | 012960 FT | 2 0 32076 0 00 0129+34 |
| | | | S 0050/0000 | LENGTH(AH 2967 BK 2990) |
| | | | | 024 "DIA CIRC METAL |
| | | | 0040/2693 | LEN=0027 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0040/2081 | LEN=0028 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/0995 | LEN=0032 INSTALLED 1998 |
| | | | | 015 "DIA CIRC METAL |
| | | | 0040/0920 | LEN=0025 INSTALLED 2002 |
| | | | | RASPBERRY RD |
| | | | 0040/0901 | (T782) |
| | | | | 015 "DIA CIRC METAL |
| | | | 0040/0892 | LEN=0042 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0040/0720 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/0557 | LEN=0027 INSTALLED UNKN |
| | 009970 FT | | 009970 FT | 2 0 32076 0 00 0099+44 |
| | | | | VILLAGE: PROSPERITY HIL |
| | | | | 043 "DIA CIRC CONCR |
| POPLAR RD (T670) | 0040/0000 | | | LEN=0040 INSTALLED 2005 |
| | | | S 0040/0000 | LENGTH(AH 2990 BK 3304) |
| | | | | 015 "DIA CIRC METAL |
| | | | 0030/2392 | LEN=0029 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0030/2023 | LEN=0040 INSTALLED 2014 |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0030/1094 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0030/0410 | LEN=0035 INSTALLED 2002 |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0030/0259 | LEN=0040 INSTALLED 2014 |
| | 006666 FT | | 006666 FT | 2 0 32076 0 00 0066+33 |
| | | | | VILLAGE: BENCE/PROSPERI |

DIR: B TOTAL LEN: 5.304 MI. DIST: 10-4 SR: 1018
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | | 5 0030/0000 LENGTH(AH 3304 BK 3137) |
| | | | 015 "DIA CIRC METAL |
| | | | 0020/2798 LEN=0025 INSTALLED 2002 |
| | | | 024 "DIA CIR PLASTIC |
| | | | 0020/1507 LEN=0040 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0020/0677 LEN=0032 INSTALLED 2002 |
| | | | 012 "DIA CIRC CONCR |
| | | | 0020/0399 LEN=0033 INSTALLED 2002 |
| | | | 015 "DIA CIRC METAL |
| | | | 0020/0140 LEN=0045 INSTALLED UNKN |
| | | | 0020/0018 BMSEN 32/1018/0020/0000 |
| | 003529 FT | | 003529 FT 2 0 32076 0 00 0034+88 |
| | | | VILLAGE: BENCETOWN |
| | | | TR DIXON RUN |
| | | | BMSBG 32/1018/0020/0000 |
| | | | 5 0020/0000 LENGTH(AH 3137 BK 3529) |
| | | | YEW RD |
| | | | 0010/3283 (T760) |
| WILLOW RD (T679) | 0010/3107 | == | |
| | | | 015 "DIA CIRC CONCR |
| | | | 0010/2195 LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0010/1430 LEN=0200 INSTALLED UNKN |
| BALSA RD (T834) | 0010/1052 | == | |
| | | | 030 "DIA CIRC CONCR |
| | | | 0010/1050 LEN=0100 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0010/0816 LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0010/0493 LEN=0022 INSTALLED UNKN |
| LEROY RD (T678) | 0010/0065 | == | |
| | 000000 FT | | 000000 FT 2 0 32076 0 00 0000+00 |
| | | | ALLISON RD |
| | | | (SR1012 SEG 0050/1342) |
| | | | NC PURCHASE LINE RD |
| | | | INTER-BK ALLISON RD |
| | | | (SR1012 SEG 0050/1342) |
| | | | MFC BEGIN = E |
| | | | 5 0010/0000 LENGTH(AH 3529 BK 0000) |

DIR: B TOTAL LEN: 1.228 MI. DIST: 10-4 SR: 1017
LEFT MUN: GREEN T RIGHT MUN: GREEN T

006485 FT

003462 FT

2 0 32065 0 00 0000+00 000000 FT
WANDIN RD
(SR1014 SEG 0040/0702) 0020/0000
000000 FT



006485 FT COOKPORT RD
0030/3023 (SR1015 SEG 0050/0000)

030 "DIA CIRC CONCR
0030/2084 LEN=0035 INSTALLED UNKN

015 "DIA CIRC METAL
0030/1198 LEN=0042 INSTALLED UNKN

003462 FT 2 0 32065 0 01 0043+62
S 0030/0000 LENGTH(AH 3023 BK 3462)
018 "DIA CIRC CONCR
0020/3391 LEN=0027 INSTALLED UNKN
015 "DIA CIRC METAL
0020/2869 LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/2576 LEN=0040 INSTALLED 1997
018 "DIA CIRC CONCR
0020/2213 LEN=0055 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1975 LEN=0040 INSTALLED 2010
0020/1456 BMSEN 32/1017/0020/1386
2 0 32065 0 00 0013+99
S BR TWO LCK
0020/1386 BMSBG 32/1017/0020/1386
018 "DIA CIRC CONCR
0020/1303 LEN=0048 INSTALLED 1997
024 "DIA CIRC CONCR
0020/1139 LEN=0048 INSTALLED 1997
030 "DIA CIRC CONCR
0020/0847 LEN=0032 INSTALLED 1997
018 "DIA CIRC CONCR
0020/0724 LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/0481 LEN=0029 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/0020 LEN=0080 INSTALLED 2010
NC HILL RD
INTER-BK WANDIN RD
(SR1014 SEG 0040/0702)
000000 FT CLOSED
ROAD CLOSED BACK
S 0020/0000 LTH AH 003462 BK 000100
000000 FT
7014/0000 LTH AH 000100 BK 000000

DIR: B TOTAL LEN: 1.477 MI. DIST: 10-4 SR: 1016
LEFT MUN: GREEN T RIGHT MUN: GREEN T

007796 FT

ASPEN RD
(T574)

0030/1463



007796 FT AH-CAMBRIA (11)
REF-AHD SR 4018 SH
0030/1769 (SR4018 SEG 0010/0000)
048"H 73"W ELLIP METAL
0030/1650 LEN=0055 INSTALLED UNKN

018 "DIA CIRC CONCR
0030/1450 LEN=0040 INSTALLED 2000
018 "DIA CIRC CONCR
0030/1212 LEN=0030 INSTALLED UNKN
018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 1.477 MI. DIST: 10-4 SR: 1016
LEFT MUN: GREEN T RIGHT MUN: GREEN T

```
                                        0030/0740 LEN=0070 INSTALLED 2010
                                                  018 "DIA CIRC CONCR
                                        0030/0382 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0030/0104 LEN=0040 INSTALLED 2010
006027 FT                               006027 FT 2 0 32067 0 00 0061+60
                                      S 0030/0000 LENGTH(AH 1769 BK 2946)
                                                  018 "DIA CIRC CONCR
                                        0020/2675 LEN=0043 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0020/2560 LEN=0041 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0020/1695 LEN=0033 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/1500 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/1225 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/0898 LEN=0040 INSTALLED 2000
                                                  018 "DIA CIR PLASTIC
                                        0020/0750 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/0454 LEN=0035 INSTALLED UNKN
003081 FT                               003081 FT 2 0 32067 0 00 0032+14
                                                  018 "DIA CIRC CONCR
                                                  LEN=0040 INSTALLED UNKN
                                      S 0020/0000 LENGTH(AH 2946 BK 3081)
                                                  018 "DIA CIRC CONCR
                                        0010/2825 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0010/2416 LEN=0040 INSTALLED 2010
                                                  048 "DIA CIRC METAL
                                        0010/2198 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0010/1972 LEN=0026 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0010/1637 LEN=0035 INSTALLED UNKN
                                                  022 "DIA CIRC CONCR
                                        0010/1320 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0010/0970 LEN=0040 INSTALLED 2010
                                                  018 "DIA CIRC CONCR
                                        0010/0505 LEN=0065 INSTALLED UNKN
000000 FT                               000000 FT 2 0 32067 0 00 0000+00
                                              NC GREENWICH RD
                                                  GRISEMORE RD
                                                  (SR1019 SEG 0100/0000)
                                                  MFC BEGIN = D
                                      S 0010/0000 LENGTH(AH 3081 BK 0000)
```

DIR: B TOTAL LEN: 10.620 MI. DIST: 10-4 SR: 1015
LEFT MUN: CHERRY TREE B RIGHT MUN: CHERRY TREE B

| | | | | |
|---|---|---|---|---|
| MAPLE ST | 056073 FT | | 056073 FT | MAHONING ST |
| (SR0580 SEG 0170/0278) | 0200/1512 | | 0200/1512 | (SR0580 SEG 0170/0278) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0200/1370 | LEN=0048 INSTALLED 2002 |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0200/1200 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0200/0860 | LEN=0034 INSTALLED UNKN |
| | | | | 024 "DIA CIRC METAL |
| | | | 0200/0560 | LEN=0042 INSTALLED UNKN |
| HIGH ST | | | | |
| (BORO) | 0200/0181 | | | |
| | 054561 FT | | 054561 FT | 2 0 32079 0 00 0227+50 |
| MAHONING RD | | | | NC MAHONING RD |
| (BORO) | 0200/0000 | | S 0200/0000 | LENGTH(AH 1512 BK 2751) |
| | | | | 030 "DIA CIRC CONCR |
| | | | 0190/2515 | LEN=0048 INSTALLED 2002 |
| | | | | CHERRY TREE |
| | | | 0190/2404 | MONTGOMERY T |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0190/2045 | LEN=0036 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0190/1195 | LEN=0032 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0190/0190 | LEN=0033 INSTALLED UNKN |
| | 051810 FT | | 051810 FT | 2 0 32079 0 00 0200+60 |
| | | | S 0190/0000 | LENGTH(AH 2751 BK 3558) |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0180/2353 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0180/2266 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0180/2165 | LEN=0031 INSTALLED UNKN |

DIR: B TOTAL LEN: 10.620 MI. DIST: 10-4 SR: 1015
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0180/1244 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0180/0880 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0180/0185 | LEN=0040 INSTALLED 2002 |
| | 048252 FT | 048252 FT | 2 0 32079 0 00 0165+02 |
| | | S 0180/0000 | LENGTH(AH 3558 BK 3544) |
| | | | 060 "DIA CIRC METAL |
| | | 0170/3200 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0170/2407 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0170/1844 | LEN=0033 INSTALLED UNKN |
| | | | HAZELET RD |
| | | 0170/1044 | (T677) |
| | | | 018 "DIA CIRC CONCR |
| | | 0170/0997 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0170/0698 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0170/0325 | LEN=0033 INSTALLED UNKN |
| | 044708 FT | 044708 FT | 2 0 32079 0 00 0129+58 |
| | | S 0170/0000 | LENGTH(AH 3544 BK 3670) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0160/3382 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0160/3238 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0160/2730 | LEN=0027 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0160/2143 | LEN=0032 INSTALLED UNKN |
| | | | 024"H 00"W MULT METAL |
| | | 0160/1544 | LEN=0040 INSTALLED UNKN |
| | | | 036"H 00"W MULT METAL |
| | | 0160/0237 | LEN=0040 INSTALLED UNKN |
| 2 0 32079 0 00 0093+49 | 041038 FT | 041038 FT | |
| PIONEER LAKE RD | | | NC HAZELET CHURCH RD |
| (SR1028 SEG 0010/0000) | 0160/0000 | S 0160/0000 | LENGTH(AH 3670 BK 2481) |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/2049 | LEN=0032 INSTALLED 2000 |
| | | 0150/1587 | BMSEN 32/1015/0150/1572 |
| | | | 2 0 32065 0 02 0366+08 |

DIR: B TOTAL LEN: 10.620 MI. DIST: 10-4 SR: 1015
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

| | | | |
|---|---|---|---|
| | | | HAZELET RUN |
| | | 0150/1572 | BMSBG 32/1015/0150/1572 |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0135 | LEN=0032 INSTALLED 2000 |
| | 038557 FT | 038557 FT | 2 0 32065 0 02 0343+37 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0040 INSTALLED UNKN |
| | | 0150/0000 | LENGTH(AH 2481 BK 2719) |
| | | | 018 "DIA CIRC METAL |
| | | 0140/2627 | LEN=0027 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0140/2091 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0140/1603 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/1030 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0140/0821 | LEN=0030 INSTALLED UNKN |
| HILLSDALE RD | | | |
| (SR1033 SEG 0010/0000) | 0140/0312 | | |
| | 035838 FT | 035838 FT | 2 0 32065 0 02 0313+70 |
| | | | MONTGOMERY |
| | | | GREEN T |
| | | 0140/0000 | LENGTH(AH 2719 BK 1836) |
| | | | HAZELET RD |
| | | 0130/1765 | (T677) |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/1208 | LEN=0040 INSTALLED 2000 |
| | | | 096"H 50"W ELLIP METAL |
| | | 0130/0675 | LEN=0040 INSTALLED UNKN |
| | 034002 FT | 034002 FT | 2 0 32065 0 02 0300+25 |
| | | | HEMLOCK RD |
| HEMLOCK RD | | | (T928) |
| (SR1024 SEG 0040/3020) | 0130/0000 | 0130/0000 | LENGTH(AH 1836 BK 2497) |
| | | | 036 "DIA CIRC CONCR |
| | | 0120/1618 | LEN=0033 INSTALLED UNKN |
| | 031505 FT | 031505 FT | 2 0 32065 0 02 0275+26 |
| | | 0120/0000 | LENGTH(AH 2497 BK 3530) |
| | | | 030 "DIA CIRC METAL |
| | | 0110/2985 | LEN=0050 INSTALLED UNKN |

DIR: B TOTAL LEN: 10.620 MI. DIST: 10-4 SR: 1015
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | | 024 "DIA CIRC CONCR |
| | | 0110/0787 | LEN=0032 INSTALLED 2000 |
| | 027975 FT | 027975 FT | 2 0 32065 0 02 0239+96 |
| | | | 072 "DIA CIRC METAL |
| | | | LEN=0032 INSTALLED UNKN |
| | | S 0110/0000 | LENGTH(AH 3530 BK 2115) |
| | | 0100/1999 | (AAR 528065F)#TRKS 01 |
| CEDAR RD (T570) | 0100/1368 | | |
| | | | 024 "DIA CIRC CONCR |
| | | 0100/0531 | LEN=0033 INSTALLED UNKN |
| | 025860 FT | 025860 FT | 2 0 32065 0 01 0216+21 |
| | | S 0100/0000 | LENGTH(AH 2115 BK 3484) |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/2935 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/2105 | LEN=0040 INSTALLED 2000 |
| | | | HAZELNUT RD |
| | | 0090/0238 | (T830) |
| | | | 018 "DIA CIRC METAL |
| | | 0090/0210 | LEN=0045 INSTALLED UNKN |
| 2 0 32065 0 01 0181+35 | 022376 FT | 022376 FT | |
| FLEMING SUMMIT RD (SR1029 SEG 0010/0000) | 0090/0000 | S 0090/0000 | LENGTH(AH 3484 BK 2564) |
| | | 0080/2051 | BMSEN 32/1015/0080/2036 |
| | | | 2 0 32065 0 01 0175+84 |
| | | | S BR TWO LCK |
| | | 0080/2036 | BMSBG 32/1015/0080/2036 |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/0295 | LEN=0033 INSTALLED UNKN |
| | 019812 FT | 019812 FT | 2 0 32065 0 01 0155+51 |
| | | S 0080/0000 | LENGTH(AH 2564 BK 1357) |

DIR: B TOTAL LEN: 10.620 MI. DIST: 10-4 SR: 1015
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | |
|---|---|---|
| | | 018 "DIA CIRC CONCR |
| | 0070/0258 | LEN=0040 INSTALLED UNKN |
| 018455 FT | 018455 FT | 2 0 32065 0 01 0141+94 |
| | | VILLAGE: COOKPORT |
| | | NC PIONEER LAKE RD |
| | | COOKPORT UNIONTOWN RD |
| | | (SR0240 SEG 0050/1238) |
| | S 0070/0000 | LENGTH(AH 1357 BK 3176) |
| | | ALDER RD |
| | 0060/2401 | (T916) |
| | | 018 "DIA CIRC METAL |
| | 0060/2377 | LEN=0033 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0060/2210 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0060/1362 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0060/1088 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0060/0431 | LEN=0032 INSTALLED 2000 |
| 015279 FT | 015279 FT | 2 0 32065 0 01 0110+22 |
| | S 0060/0000 | LENGTH(AH 3176 BK 3570) |
| | | 018 "DIA CIRC CONCR |
| | 0050/2877 | LEN=0032 INSTALLED 2000 |
| | | 018 "DIA CIRC CONCR |
| | 0050/2340 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0050/1219 | LEN=0032 INSTALLED 2000 |
| 011709 FT | 011709 FT | 2 0 32065 0 01 0074+55 |
| | | HILL RD |
| | | (SR1017 SEG 0030/3023) |
| | S 0050/0000 | LENGTH(AH 3570 BK 2273) |
| | | 024 "DIA CIRC METAL |
| | 0040/1318 | LEN=0045 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/0775 | LEN=0030 INSTALLED UNKN |

DIR: B TOTAL LEN: 10.620 MI. DIST: 10-4 SR: 1015
LEFT MUN: GREEN T RIGHT MUN: GREEN T

```
009436 FT                    009436 FT 2 0 32169 0 00 0095+97
                                       CYPRESS RD
                                       (TB58)
                             0040/0000 LENGTH(AH 2273 BK 2464)

                                       018 "DIA CIRC CONCR
                             0030/1454 LEN=0032 INSTALLED 2000

                                       024 "DIA CIRC METAL
                             0030/0563 LEN=0027 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0030/0290 LEN=0033 INSTALLED UNKN
006972 FT                    006972 FT 2 0 32169 0 00 0070+53
                             0030/0000 LENGTH(AH 2464 BK 3470)
                                       018 "DIA CIRC CONCR
                             0020/2875 LEN=0028 INSTALLED UNKN
                                       024 "DIA CIRC CONCR
                             0020/2386 LEN=0035 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0020/1346 LEN=0034 INSTALLED UNKN

003502 FT                    003502 FT 2 0 32169 0 00 0035+83
                             0020/0000 LENGTH(AH 3470 BK 3502)
                                       018 "DIA CIRC CONCR
                             0010/3265 LEN=0030 INSTALLED UNKN

                                       015 "DIA CIRC CONCR
                             0010/2609 LEN=0030 INSTALLED UNKN

                                       015 "DIA CIRC CONCR
                             0010/1939 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0010/1355 LEN=0040 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0010/1141 LEN=0040 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0010/0708 LEN=0037 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0010/0133 LEN=0037 INSTALLED UNKN
000000 FT                    000000 FT 2 0 32169 0 00 0000+00
                                  NC COOKPORT RD
                                       WANDIN RD
                                       (SR1014 SEG 0010/0695)
                                       MFC BEGIN = E
                             0010/0000 LENGTH(AH 3502 BK 0000)
```

DIR: B TOTAL LEN: 4.529 MI. DIST: 10-4 SR: 1014
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| SR 0403 SH | 023911 FT | 023911 FT | SR 0403 SH |
| (SR0403 SEG 0430/0000) | 0090/3713 | 0090/3713 | (SR0403 SEG 0430/0000) |
| ENGLE RD | | | |
| (T641) | 0090/3635 | | |
| | | | 015 "DIA CIRC METAL |
| | | 0090/3027 | LEN=0034 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0090/2500 | LEN=0040 INSTALLED 2000 |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1915 | LEN=0032 INSTALLED 2000 |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1689 | LEN=0032 INSTALLED 2000 |
| | | | 018 "DIA CIRC METAL |
| | | 0090/1175 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/0727 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0090/0185 | LEN=0032 INSTALLED UNKN |
| | 020198 FT | 020198 FT | 1 0 00054 0 04 0945+45 |
| | | | CHERRYHILL |
| | | | GREEN T |
| | | S 0090/0000 | LENGTH(AH 3713 BK 2724) |
| | | | 036 "DIA CIRC CONCR |
| | | 0080/2096 | LEN=0040 INSTALLED 2000 |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/0844 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/0105 | LEN=0027 INSTALLED UNKN |
| | 017474 FT | 017474 FT | 1 0 00054 0 04 0918+21 |
| | | S 0080/0000 | LENGTH(AH 2724 BK 1148) |
| | | | 036 "DIA CIRC METAL |

DIR: B TOTAL LEN: 4.529 MI. DIST: 10-4 SR: 1014
LEFT MUN: GREEN T RIGHT MUN: GREEN T

```
                                        0070/0126 LEN=0036 INSTALLED UNKN
016326 FT                               016326 FT 1 0 00054 0 04 0906+78
                                                  VILLAGE: PINE FLATS
                                            NC PINE FLATS RD
                                                  SR 0580 SH
                                                  (SR0580 SEG 0030/3218)
                                      S 0070/0000 LENGTH(AH 1148 BK 3676)

                                                  015 "DIA CIRC METAL
                                        0060/2983 LEN=0039 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0060/2652 LEN=0037 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0060/2062 LEN=0040 INSTALLED 1999
                                                  030 "DIA CIR PLASTIC
                                        0060/1658 LEN=0050 INSTALLED 2014
                                                  018 "DIA CIRC CONCR
                                        0060/1141 LEN=0040 INSTALLED 1999
                                                  BARR RD
                                        0060/0822 (T644)
                                                  018 "DIA CIRC CONCR
                                        0060/0793 LEN=0040 INSTALLED 1999
                                                  018 "DIA CIRC CONCR
                                        0060/0484 LEN=0032 INSTALLED 1999
                                                  018 "DIA CIRC CONCR
                                        0060/0176 LEN=0032 INSTALLED 1999
012650 FT                               012650 FT 1 0 00054 0 04 0870+17
                                      S 0060/0000 LENGTH(AH 3676 BK 3207)

                                                  018 "DIA CIRC CONCR
                                        0050/2570 LEN=0040 INSTALLED 1999
                                                  036 "DIA CIRC METAL
                                        0050/2426 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/2220 LEN=0040 INSTALLED 1999
                                                  018 "DIA CIRC METAL
                                        0050/1813 LEN=0030 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0050/1527 LEN=0032 INSTALLED 1999
                                                  015 "DIA CIRC METAL
                                        0050/1030 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0050/0884 LEN=0040 INSTALLED 2016
                                                  015 "DIA CIRC METAL
                                        0050/0680 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0050/0237 LEN=0040 INSTALLED 2016
009443 FT                               009443 FT 1 0 00054 0 04 0838+25
                                                  VILLAGE: PINE FLATS
                                      S 0050/0000 LENGTH(AH 3207 BK 1239)
```

DIR: B TOTAL LEN: 4.529 MI. DIST: 10-4 SR: 1014
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/0796 | LEN=0040 INSTALLED 2016 |
| HILL RD (SR1017 SEG 0020/0000) | 0040/0702 | | |
| | | | 018 "DIA CIRC METAL |
| | | 0040/0466 | LEN=0029 INSTALLED UNKN |
| | | 0040/0022 | BMSEN 32/1014/0040/0000 |
| | 008204 FT | 008204 FT | 1 0 00054 0 04 0825+48 |
| | | | WHITAKER RUN |
| | | | BMSBG 32/1014/0040/0000 |
| | | 0040/0000 | LENGTH(AH 1239 BK 2617) |
| | | | 018 "DIA CIRC METAL |
| | | 0030/2403 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0030/2290 | LEN=0040 INSTALLED 2016 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2048 | LEN=0032 INSTALLED 1999 |
| | | | 018 "DIA CIRC METAL |
| | | 0030/1880 | LEN=0031 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0030/1652 | LEN=0031 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0030/0590 | LEN=0030 INSTALLED UNKN |
| | 005587 FT | 005587 FT | 1 0 00054 0 04 0799+00 |
| | | | TWOLICK RD |
| | | | (T865) |
| | | 0030/0000 | LENGTH(AH 2617 BK 1939) |
| | | 0020/1887 | BMSEN 32/1014/0020/1809 |
| | | | 0 0 00000 0 00 0000+00 |
| | | | S BR TWO LCK |
| | | 0020/1809 | BMSBG 32/1014/0020/1809 |
| | | | 015 "DIA CIRC METAL |
| | | 0020/1660 | LEN=0040 INSTALLED UNKN |
| CYPRESS RD (T858) | 0020/1622 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1560 | LEN=0034 INSTALLED UNKN |
| | | | 060 "DIA CIRC METAL |
| | | 0020/1137 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0951 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0401 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0264 | LEN=0033 INSTALLED UNKN |
| | 003648 FT | 003648 FT | 1 0 00054 0 04 0779+94 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0032 INSTALLED UNKN |

DIR: B TOTAL LEN: 4.529 MI. DIST: 10-4 SR: 1014
LEFT MUN: GREEN T RIGHT MUN: GREEN T

```
                                                  S 0020/0000 LENGTH(AH 1939 BK 3648)
                                                            018 "DIA CIRC CONCR
                                                    0010/3541 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0010/3289 LEN=0032 INSTALLED UNKN
                                                            036 "DIA CIRC METAL
                                                    0010/3028 LEN=0041 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0010/2727 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0010/2454 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0010/2343 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0010/1951 LEN=0034 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0010/1830 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0010/1371 LEN=0047 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0010/1240 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0010/1145 LEN=0032 INSTALLED UNKN
                                                            030 "DIA CIRC METAL
                                                    0010/1045 LEN=0031 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0010/0822 LEN=0046 INSTALLED UNKN
COOKPORT RD
(SR1015 SEG 0010/0000)  0010/0695
                                                            BMSEN 32/1014/0010/0555
                                                    0010/0617 BRIDGE POSTED (TONS)
                                                            1 0 00054 0 04 0749+04
                                                            SGL        28 COMB      33
                                                            ABANDONED PROPERTIES RR
                                                    0010/0555 BMSBG 32/1014/0010/0555
                                                            CONSOLIDATED RAIL CORPO
                                                    0010/0175 OVERPASS IS RR X-ING
                                                            018 "DIA CIRC CONCR
                                                    0010/0131 LEN=0030 INSTALLED UNKN
                                                    0010/0106 BMSEN 32/1014/0010/0056
                                                            0 0 00000 0 00 0000+00
                                                            N BR TWO LCK
                                                    0010/0056 BMSBG 32/1014/0010/0056
                000000 FT                           000000 FT 1 0 00054 0 04 0743+78
                                                            VILLAGE: WANDIN
                                                          NC WANDIN RD
                                                            STARFORD RD
                                                            (SR1012 SEG 0150/0000)
                                                            MFC BEGIN = E
                                                  S 0010/0000 LENGTH(AH 3648 BK 0000)
```

DIR: B TOTAL LEN: 6.989 MI. DIST: 10-4 SR: 1013
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | | |
|---|---|---|---|---|
| GRISMORE RD | 036904 FT | | 036904 FT | GRISMORE RD |
| (SR1019 SEG 0070/0000) | 0130/2769 | | 0130/2769 | (SR1019 SEG 0070/0000) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0130/2755 | LEN=0053 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0130/2600 | LEN=0032 INSTALLED 2001 |
| | | | | ELM RD |
| | | | 0130/2296 | (T579) |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0130/1849 | LEN=0040 INSTALLED 2001 |
| | | | | 024"H 00"W MULT CONCR |
| | | | 0130/0914 | LEN=0038 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0130/0121 | LEN=0032 INSTALLED UNKN |
| | 034135 FT | | 034135 FT | 2 0 32135 0 01 0096+64 |
| | | | 5 0130/0000 | LENGTH(AH 2769 BK 3522) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0120/3174 | LEN=0034 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0120/2550 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0120/2199 | LEN=0032 INSTALLED 2001 |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0120/1754 | LEN=0037 INSTALLED UNKN |

DIR: B TOTAL LEN: 6.989 MI. DIST: 10-4 SR: 1013
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | | 024 "DIA CIR PLASTIC |
| | | 0120/1228 | LEN=0031 INSTALLED UNKN |
| 2 0 32135 0 01 0061+42 | 030613 FT | 030613 FT | |
| BIRCH RD | | | |
| (T643) | 0120/0000 | S 0120/0000 | LENGTH(AH 3522 BK 3091) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0110/2814 | LEN=0040 INSTALLED UNKN |
| | | | BUTTERNUT RD |
| | | 0110/2483 | (T647) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0110/2480 | LEN=0055 INSTALLED UNKN |
| | | | 024 "DIA CIR PLASTIC |
| | | 0110/2254 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/1767 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/1658 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/1206 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/1017 | LEN=0041 INSTALLED UNKN |
| | | | GREEN |
| | | 0110/0702 | PINE T |
| | | | 018 "DIA CIR PLASTIC |
| | | 0110/0236 | LEN=0036 INSTALLED UNKN |
| | 027522 FT | 027522 FT | 2 0 32135 0 01 0030+51 |
| | | S 0110/0000 | LENGTH(AH 3091 BK 3102) |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/2263 | LEN=0032 INSTALLED 2006 |
| | | | 015 "DIA CIR PLASTIC |
| | | 0100/1666 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0100/1323 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0100/1016 | LEN=0040 INSTALLED UNKN |
| OAKLAND ST | | | |
| (T608) | 0100/0967 | | |
| PARK AV | | | |
| (T607) | 0100/0708 | | |
| MAPLE ST | | | |
| (T720) | 0100/0687 | | |
| PENN AV | | | |
| (T610) | 0100/0370 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/0219 | LEN=0024 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 6.989 MI. DIST: 10-4 SR: 1013
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | | |
|---|---|---|---|
| | 024420 FT | 0100/0050 | LEN=0060 INSTALLED UNKN |
| | | 024420 FT | 2 0 32135 0 00 0000+00 |
| | | | VILLAGE: ALVERDA |
| | | | SR 0553 SH |
| | | | (SR0553 SEG 0190/0213) |
| | | INTER-BK | SR 0553 SH |
| | | | (SR0553 SEG 0190/0213) |
| | | S 0100/0000 | LTH AH 003102 BK 000100 |
| | 024420 FT | 024420 FT | |
| | | 7094/0000 | LTH AH 000100 BK 002928 |
| SR 0553 SH | | INTER-AHD | SR 0553 SH |
| (SR0553 SEG 0190/0000) | 0090/2928 | 0090/2928 | (SR0553 SEG 0190/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/2634 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIR PLASTIC |
| | | 0090/2093 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/0474 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/0315 | LEN=0032 INSTALLED 2002 |
| | 021492 FT | 021492 FT | 2 0 32045 0 00 0210+67 |
| | | S 0090/0000 | LENGTH(AH 2928 BK 3119) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0080/2584 | LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0080/2449 | LEN=0063 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0080/1126 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0080/0858 | LEN=0063 INSTALLED UNKN |
| 2 0 32045 0 00 0184+53 | 018373 FT | 018373 FT | |
| TOWER HILL RD | | | |
| (T581) | 0080/0000 | S 0080/0000 | LENGTH(AH 3119 BK 3592) |
| | | | 024 "DIA CIR PLASTIC |
| | | 0070/3355 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/2929 | LEN=0033 INSTALLED UNKN |

DIR: B TOTAL LEN: 6.989 MI. DIST: 10-4 SR: 1013
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0580 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0131 | LEN=0033 INSTALLED UNKN |
| | 014781 FT | 014781 FT | 2 0 32045 0 00 0147+50 |
| | | | KINTER STATION RD |
| | | | (T583) |
| | | 0070/0000 | LENGTH(AH 3592 BK 2732) |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/2726 | LEN=0048 INSTALLED 2006 |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/2346 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/0889 | LEN=0039 INSTALLED UNKN |
| | | | 024 "DIA CIR PLASTIC |
| | | 0060/0519 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/0045 | LEN=0035 INSTALLED UNKN |
| | 012049 FT | 012049 FT | 2 0 32045 0 00 0120+04 |
| | | 0060/0000 | LENGTH(AH 2732 BK 3400) |
| | | | 018 "DIA CIRC METAL |
| | | 0050/3220 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/2790 | LEN=0048 INSTALLED 2006 |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1850 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1718 | LEN=0040 INSTALLED 2006 |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1068 | LEN=0048 INSTALLED 2002 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0050/0545 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0056 | LEN=0065 INSTALLED UNKN |
| 2 0 32045 0 00 0085+90 | 008649 FT | 008649 FT | |
| HAMILL RD | | | |
| (T585) | 0050/0000 | 0050/0000 | LENGTH(AH 3400 BK 1619) |
| | | | (APRA) R N S SERVICES I |
| | | | STILES STATION RD |
| | | 0040/1593 | (T584) |
| | | | 024 "DIA CIR PLASTIC |
| | | 0040/1069 | LEN=0037 INSTALLED UNKN |

DIR: B TOTAL LEN: 6.989 MI. DIST: 10-4 SR: 1013
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0149 | LEN=0033 INSTALLED UNKN |
| | 007030 FT | 007030 FT | 2 0 32045 0 00 0070+01 |
| | | S 0040/0000 | LENGTH(AH 1619 BK 2014) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0805 | LEN=0040 INSTALLED 2006 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0554 | LEN=0040 INSTALLED 2006 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0229 | LEN=0041 INSTALLED UNKN |
| | 005016 FT | 005016 FT | 2 0 32045 0 00 0049+87 |
| | | S 0030/0000 | LENGTH(AH 2014 BK 2444) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2298 | LEN=0040 INSTALLED 2002 |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1731 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1282 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1065 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0396 | LEN=0032 INSTALLED UNKN |
| | 002572 FT | 002572 FT | 2 0 32045 0 00 0025+43 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0040 INSTALLED 2006 |
| | | S 0020/0000 | LENGTH(AH 2444 BK 2572) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2166 | LEN=0040 INSTALLED 2006 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1388 | LEN=0040 INSTALLED 2006 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0772 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0010/0494 | LEN=0031 INSTALLED UNKN |
| FOR SR 0403 AND 1013 (CONN) | 0010/0190 | | |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0182 | LEN=0035 INSTALLED UNKN |
| | | | NC TIPPERARY RD |
| | | | SR 0403 SH |
| 2 0 32045 0 00 0000+00 | 000000 FT | 000000 FT | (SR0403 SEG 0310/2673) |
| SR 0403 SH | | | MFC BEGIN = D |
| (SR0403 SEG 0310/2673) | 0010/0000 | S 0010/0000 | LENGTH(AH 2572 BK 0000) |

DIR: B TOTAL LEN: 12.985 MI. DIST: 10-4 SR: 1012
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

SR 0553 SH
(SR0553 SEG 0050/0000)

068562 FT
0230/3496

065066 FT



068562 FT SR 0553 SH
0230/3496 (SR0553 SEG 0050/0000)
018 "DIA CIRC METAL
0230/3310 LEN=0030 INSTALLED UNKN

018 "DIA CIRC CONCR
0230/1620 LEN=0032 INSTALLED 1998
024 "DIA CIRC METAL
0230/1340 LEN=0035 INSTALLED UNKN

030 "DIA CIRC METAL
0230/0725 LEN=0035 INSTALLED UNKN

018 "DIA CIRC CONCR
0230/0035 LEN=0048 INSTALLED 2006
065066 FT 2 0 32052 0 00 0034+93
S 0230/0000 LENGTH(AH 3496 BK 3391)

0220/2221 BMSEN 32/1012/0220/2195
2 0 32052 0 01 0046+56

DIR: B TOTAL LEN: 12.985 MI. DIST: 10-4 SR: 1012
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | | |
|---|---|---|---|---|
| | | | | PENN RUN |
| | | | 0220/2195 | BMSBG 32/1012/0220/2195 |
| | | | | RICH HILL RD |
| | | == | 0220/1954 | (T754) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0220/1298 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0220/0520 | LEN=0035 INSTALLED UNKN |
| | 061675 FT | | 061675 FT | 2 0 32052 0 01 0069+80 |
| WESTON RD | | | | VILLAGE: PENN RUN |
| (T762) | 0220/0000 | | S 0220/0000 | LENGTH(AH 3391 BK 3672) |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0210/3092 | LEN=0032 INSTALLED 1996 |
| | | | | 018 "DIA CIRC METAL |
| | | | 0210/0952 | LEN=0032 INSTALLED UNKN |
| | 058003 FT | | 058003 FT | 2 0 32052 0 01 0106+75 |
| | | | | CLYMER RD |
| | | | | (T868) |
| | | == | S 0210/0000 | LENGTH(AH 3672 BK 2858) |
| | | | | 018 "DIA CIRC METAL |
| | | | 0200/2768 | LEN=0075 INSTALLED UNKN |
| | | | | 036 "DIA CIRC CONCR |
| | | | 0200/1790 | LEN=0048 INSTALLED 2003 |
| LAUREL RUN RD | | | | |
| (SR1009 SEG 0020/3141) | 0200/1480 | | | |
| | | | | 024 "DIA CIRC METAL |
| | | | 0200/0430 | LEN=0060 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0200/0080 | LEN=0033 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0200/0050 | LEN=0048 INSTALLED UNKN |
| | 055145 FT | | 055145 FT | 2 0 32052 0 01 0135+16 |
| | | | | FIRE TOWER RD |
| | | | | (T753) |
| | | == | S 0200/0000 | LENGTH(AH 2858 BK 2707) |
| | | | | 018 "DIA CIR PLASTIC |

DIR: B TOTAL LEN: 12.985 MI. DIST: 10-4 SR: 1012
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

```
                                                  0190/2326 LEN=0040 INSTALLED 2016
                                                            018 "DIA CIRC CONCR
                                                  0190/2222 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0190/1825 LEN=0035 INSTALLED UNKN
                                                            030 "DIA CIRC METAL
                                                  0190/1325 LEN=0040 INSTALLED UNKN

                                                            018 "DIA CIRC METAL
                                                  0190/0460 LEN=0034 INSTALLED UNKN
                     052438 FT                    052438 FT 2 0 32052 0 01 0162+10
                                                            SR 0403 SH
                                                            (SR0403 SEG 0510/0537)
                                                       NC SPAULDING RD
                                                  INTER-BK  SR 0403 SH
                                                            (SR0403 SEG 0510/0537)
                                                  S 0190/0000 LTH AH 002707 BK 000100
                     052438 FT                    052438 FT
                                                  7184/0000 LTH AH 000100 BK 003852
SR 0403 SH                                        INTER-AHD SR 0403 SH
(SR0403 SEG 0510/0000)  0180/3852                 0180/3852 (SR0403 SEG 0510/0000)
                                                            BROWNS RUN
                                                            STRUCTURE LENGTH 12 FT
                                                  0180/3382 BMSID 32/1012/0180/3382
                                                            004 "DIA CIR PLASTIC
                                                  0180/3238 LEN=0060 INSTALLED UNKN

                                                            018 "DIA CIR PLASTIC
                                                  0180/2421 LEN=0040 INSTALLED 2016
                                                            018 "DIA CIRC CONCR
                                                  0180/1828 LEN=0030 INSTALLED 1996

                                                            018 "DIA CIR PLASTIC
                                                  0180/1132 LEN=0040 INSTALLED 2016
                                                            018 "DIA CIR PLASTIC
                                                  0180/0650 LEN=0038 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0180/0323 LEN=0035 INSTALLED UNKN
MITCHELL HILL RD
(T822)                 0180/0128
                                                  0180/0086 BMSEN 32/1012/0180/0000
                     048586 FT                    048586 FT 1 0 00054 0 04 0680+71
                                                            VILLAGE: DIAMONDVILLE
                                                            TWO LICK CR
                                                            BMSBG 32/1012/0180/0000
                                                  S 0180/0000 LENGTH(AH 3852 BK 2163)
                                                            RAILROAD AV
                                                  0170/1878 (T862)
                                                            018 "DIA CIRC METAL
                                                  0170/1850 LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 12.985 MI. DIST: 10-4 SR: 1012
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC METAL |
| | | 0170/1371 | LEN=0070 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0170/0760 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0170/0173 | LEN=0030 INSTALLED UNKN |
| | | 0170/0137 | BMSEN 32/1012/0170/0000 |
| | 046423 FT | 046423 FT | 1 0 00054 0 04 0702+39 |
| | | | DIAMONDVILLE RD |
| | | | (T772) |
| | | | OTHER RR |
| | | | BMSBG 32/1012/0170/0000 |
| | | 5 0170/0000 | LENGTH(AH 2163 BK 1026) |
| | | | 024 "DIA CIRC CONCR |
| | | 0160/0520 | LEN=0030 INSTALLED UNKN |
| | 045397 FT | 045397 FT | 1 0 00054 0 04 0712+45 |
| | | | VILLAGE: DIAMONDVILLE |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0030 INSTALLED UNKN |
| | | 5 0160/0000 | LENGTH(AH 1026 BK 3079) |
| | | | 018 "DIA CIRC METAL |
| | | 0150/2900 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0150/2755 | LEN=0040 INSTALLED 2016 |
| | | | 018 "DIA CIRC METAL |
| | | 0150/2388 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0150/1810 | LEN=0030 INSTALLED 2016 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0150/1623 | LEN=0040 INSTALLED 2016 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0150/1480 | LEN=0030 INSTALLED 2016 |
| | | | 048 "DIA CIRC METAL |
| | | 0150/0598 | LEN=0080 INSTALLED 1996 |
| | | | WANDIN RD |
| | | 0150/0573 | (T651) |
| | | | 018 "DIA CAST IRON |
| | | 0150/0321 | LEN=0022 INSTALLED 2002 |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0035 | LEN=0040 INSTALLED 2000 |
| 1 0 00054 0 04 0742+05 | 042318 FT | 042318 FT | CHERRYHILL |
| WANDIN RD | | | GREEN T |
| (SR1014 SEG 0010/0000) | 0150/0000 | 5 0150/0000 | LENGTH(AH 3079 BK 3451) |
| | | | 018"H 36"W ELLIP CONC |
| | | 0140/3343 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/3200 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 12.985 MI. DIST: 10-4 SR: 1012
LEFT MUN: GREEN T RIGHT MUN: GREEN T

```
                                        0140/3006 LEN=0100 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0140/2730 LEN=0035 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0140/2460 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0140/1980 LEN=0030 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0140/1707 LEN=0030 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0140/1517 LEN=0030 INSTALLED 1996
                                                  024 "DIA CIRC CONCR
                                        0140/1121 LEN=0030 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0140/0870 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0140/0599 LEN=0030 INSTALLED UNKN
                                                  030 "DIA CIRC CONCR
                                        0140/0335 LEN=0030 INSTALLED UNKN
038867 FT                               038867 FT 2 0 32064 0 00 0034+74
                                                  VILLAGE: WANDIN
                                                  024 "DIA CIRC CONCR
                                                  LEN=0030 INSTALLED UNKN
                                      5 0140/0000 LENGTH(AH 3451 BK 3536)
                                                  018 "DIA CIRC CONCR
                                        0130/3247 LEN=0030 INSTALLED UNKN
                                                  036 "DIA CIRC CONCR
                                        0130/2740 LEN=0055 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0130/2560 LEN=0030 INSTALLED UNKN
                                                  030 "DIA CIRC METAL
                                        0130/2082 LEN=0030 INSTALLED 1996
                                                  018 "DIA CIRC METAL
                                        0130/1752 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0130/1580 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0130/1540 LEN=0040 INSTALLED 2016
                                                  024 "DIA CIRC METAL
                                        0130/1403 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0130/0910 LEN=0030 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0130/0700 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0130/0425 LEN=0030 INSTALLED UNKN
035331 FT                               035331 FT 2 0 32064 0 01 0070+24
                                                  VILLAGE: STARFORD
                                                  018 "DIA CIRC CONCR
                                                  LEN=0035 INSTALLED UNKN
```

DIR: B TOTAL LEN: 12.985 MI. DIST: 10-4 SR: 1012
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | | 5 0130/0000 LENGTH(AH 3536 BK 3038) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0120/2558 LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0120/2128 LEN=0040 INSTALLED 1996 |
| | | | 024 "DIA CIRC CONCR |
| CITY ST | | | 0120/1924 LEN=0040 INSTALLED 1996 |
| (T831) | 0120/1829 | | |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0120/1284 LEN=0030 INSTALLED 2016 |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0120/0339 LEN=0040 INSTALLED 2016 |
| 2 0 32064 0 01 0100+67 032293 FT | | | 032293 FT TEAK ST |
| RAILROAD ST | | | (T700) |
| (T563) | 0120/0000 | | 5 0120/0000 LENGTH(AH 3038 BK 3309) |
| | | | 030 "DIA CIR PLASTIC |
| | | | 0110/2994 LEN=0040 INSTALLED 2009 |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0110/2380 LEN=0040 INSTALLED 2016 |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0110/2100 LEN=0040 INSTALLED 2016 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0110/1870 LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0110/1800 LEN=0030 INSTALLED 2000 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0110/1646 LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0110/1408 LEN=0030 INSTALLED UNKN |
| | | | SECOND ST |
| LIGHTHOUSE RD | | | 0110/1176 (TWP ) |
| (T863) | 0110/0804 | | |
| | | | 018 "DIA CIRC CONCR |
| | | | 0110/0438 LEN=0030 INSTALLED UNKN |
| | | | NC STARFORD RD |
| | | | SR 0286 SH |
| 2 0 32064 0 01 0134+50 028984 FT | | | 028984 FT (SR0286 SEG 0870/0000) |
| SR 0286 SH | | | MFC BEGIN = D |
| (SR0286 SEG 0870/0000) | 0110/0000 | | 5 0110/0000 LENGTH(AH 3309 BK 3346) |
| HOLLY RD | | | |
| (T854) | 0100/3285 | | |
| | | | 0100/3169 BMSEN 32/1012/0100/3158 |
| | | | 2 0 32071 0 02 0291+65 |
| | | | TR N BR 2 LK |
| | | | 0100/3158 BMSBG 32/1012/0100/3158 |

DIR: B TOTAL LEN: 12.985 MI. DIST: 10-4 SR: 1012
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIR PLASTIC |
| | | 0100/2561 | LEN=0040 INSTALLED 2016 |
| | | | 018 "DIA CIRC METAL |
| | | 0100/1698 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/1383 | LEN=0036 INSTALLED 1997 |
| | | | 018 "DIA CIRC METAL |
| | | 0100/0865 | LEN=0035 INSTALLED UNKN |
| | 025638 FT | 025638 FT | 2 0 32071 0 02 0260+47 |
| | | | 018 "DIA CIR PLASTIC |
| | | | LEN=0040 INSTALLED 2016 |
| | | S 0100/0000 | LENGTH(AH 3346 BK 1908) |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1217 | LEN=0040 INSTALLED 2006 |
| COTTONWOOD RD (T778) | 0090/1205 | | |
| | | | 030 "DIA CIR PLASTIC |
| | | 0090/0870 | LEN=0040 INSTALLED 2016 |
| RASPBERRY RD (T782) | 0090/0630 | | |
| | | | 018 "DIA CIR PLASTIC |
| | | 0090/0390 | LEN=0032 INSTALLED 2016 |
| | 023730 FT | 023730 FT | 2 0 32071 0 01 0240+39 |
| | | S 0090/0000 | LENGTH(AH 1908 BK 2806) |
| | | | TAYLORSVILLE RD |
| | | 0080/2594 | (SR1027 SEG 0010/2917) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0080/2560 | LEN=0052 INSTALLED 2016 |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/1282 | LEN=0064 INSTALLED 1997 |
| | | | 048 "DIA CIRC METAL |
| | | 0080/0115 | LEN=0030 INSTALLED 1997 |
| | 020924 FT | 020924 FT | 2 0 32071 0 01 0212+50 |
| | | | FIR RD |
| | | | (T776) |
| | | S 0080/0000 | LENGTH(AH 2806 BK 1251) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0070/1047 | LEN=0040 INSTALLED 2016 |
| | | | 024 "DIA CIR PLASTIC |
| | | 0070/0788 | LEN=0040 INSTALLED 2016 |
| | | | 030 "DIA CIR PLASTIC |
| | | 0070/0690 | LEN=0100 INSTALLED 2016 |

DIR: B TOTAL LEN: 12.985 MI. DIST: 10-4 SR: 1012
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | 019673 FT | | 019673 FT 2 0 32071 0 01 0199+64 |
| | | | S 0070/0000 LENGTH(AH 1251 BK 3573) |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0060/3138 LEN=0040 INSTALLED 2016 |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0060/2579 LEN=0040 INSTALLED 2016 |
| ALVIN ZOOK STRUCTURES D (PRDR) | 0060/2078 | POI | 0060/2078 (APRA) ALVIN ZOOK STRUC |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0060/1991 LEN=0040 INSTALLED 2016 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0060/1550 LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0060/1360 LEN=0040 INSTALLED 2016 |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0060/1206 LEN=0045 INSTALLED 2016 |
| | | | SUNSET DR |
| | | == | 0060/0949 (T201) |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0060/0643 LEN=0050 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0060/0250 LEN=0040 INSTALLED 2014 |
| | 016100 FT | | 016100 FT 2 0 32071 0 01 0164+94 |
| | | | VILLAGE: DIXONVILLE |
| | | | S 0060/0000 LENGTH(AH 3573 BK 3405) |
| | | | 050 "DIA CIR PLASTIC |
| | | | 0050/3405 LEN=0050 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0050/3325 LEN=0050 INSTALLED 2014 |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0050/2990 LEN=0050 INSTALLED 2014 |
| | | | 024 "DIA CIR PLASTIC |
| | | | 0050/2827 LEN=0050 INSTALLED 2014 |
| | | | 024 "DIA CIR PLASTIC |
| | | | 0050/2701 LEN=0050 INSTALLED 2014 |
| PURCHASE LINE RD (SR1018 SEG 0010/0000) | 0050/1342 | | 0050/1342 MFC BEGIN = E |
| | | | 030 "DIA CIRC METAL |
| | | | 0050/1236 LEN=0020 INSTALLED UNKN |
| | | | 015 "DIA CIRC OTHER |
| | | | 0050/1037 LEN=0036 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | | 0050/0509 LEN=0047 INSTALLED UNKN |
| | | | QUINCE RD |
| | | | 0050/0306 (T774) |
| | | | 0050/0194 BMSEN 32/1012/0050/0131 |

DIR: B TOTAL LEN: 12.985 MI. DIST: 10-4 SR: 1012
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | |
|---|---|---|
| | | 2 0 32071 0 01 0129+05 |
| | | DIXON RUN |
| | 0050/0131 | BMSBG 32/1012/0050/0131 |
| 012695 FT | 012695 FT | 2 0 32071 0 01 0129+05 |
| | | VILLAGE: BARR/DIXON |
| | | NC ALLISON RD |
| | | SR 0403 SH |
| | | (SR0403 SEG 0620/1140) |
| | S 0050/0000 | LENGTH(AH 3405 BK 2532) |
| | | 015 "DIA CIRC CONCR |
| | 0040/1860 | LEN=0038 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0040/1085 | LEN=0035 INSTALLED UNKN |
| | | 024 "DIA CIRC METAL |
| | 0040/0952 | LEN=0046 INSTALLED UNKN |
| | | WISE LN |
| | 0040/0579 | (T664) |
| | | 024 "DIA CIRC CONCR |
| | 0040/0539 | LEN=0035 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0040/0235 | LEN=0025 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0040/0025 | LEN=0025 INSTALLED UNKN |
| 010163 FT | 010163 FT | 2 0 32071 0 01 0104+21 |
| | | VILLAGE: BARR SLOPE |
| | S 0040/0000 | LENGTH(AH 2532 BK 3272) |
| | | GREEN |
| | 0030/3214 | RAYNE T |
| | | COE AV |
| | 0030/3029 | (T661) |
| | | 024 "DIA CIRC CONCR |
| | 0030/2930 | LEN=0060 INSTALLED 2000 |
| | | 030 "DIA CIRC METAL |
| | 0030/2454 | LEN=0043 INSTALLED UNKN |
| | | 024 "DIA CIRC METAL |
| | 0030/1827 | LEN=0065 INSTALLED UNKN |
| | | KIRKLAND RD |
| | 0030/1791 | (T762) |
| | | 024 "DIA CIRC METAL |
| | 0030/1026 | LEN=0065 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0030/0740 | LEN=0055 INSTALLED UNKN |
| | | 024 "DIA CIRC METAL |
| | 0030/0357 | LEN=0043 INSTALLED UNKN |
| 006891 FT | 006891 FT | 2 0 32071 0 00 0068+99 |
| | S 0030/0000 | LENGTH(AH 3272 BK 3300) |

DIR: B TOTAL LEN: 12.985 MI. DIST: 10-4 SR: 1012
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | | |
|---|---|---|---|
| | | | 024 "DIA CIRC METAL |
| | | 0020/2837 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0020/2405 | LEN=0050 INSTALLED 2000 |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1842 | LEN=0063 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1257 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0750 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0733 | LEN=0032 INSTALLED UNKN |
| BETHEL CHURCH RD (T674) | 0020/0711 | | |
| | | 0020/0017 | BMSEN 32/1012/0020/0000 |
| | 003591 FT | 003591 FT | 2 0 32071 0 00 0036+46 |
| | | | TR CROOKED C |
| | | | BMSBG 32/1012/0020/0000 |
| | | S 0020/0000 | LENGTH(AH 3300 BK 3591) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/3058 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2722 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2240 | LEN=0040 INSTALLED UNKN |
| | | | 048 "DIA CIRC METAL |
| | | 0010/2030 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1330 | LEN=0032 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0010/1206 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0700 | LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0425 | LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0200 | LEN=0043 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0054 | LEN=0043 INSTALLED 2004 |
| | 000000 FT | 000000 FT | 2 0 32071 0 00 0000+00 |
| | | | VILLAGE: TANOMA |
| | | | NC BARR SLOPE RD |
| | | | TANOMA RD |
| | | | (T890) |
| | | INTER-BK | TANOMA RD |
| | | | (T890) |
| | | | MFC BEGIN = D |
| | | S 0010/0000 | LENGTH(AH 3591 BK 0000) |

DIR: B TOTAL LEN: 3.738 MI. DIST: 10-4 SR: 1011
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | | |
|---|---|---|---|
| 019734 FT | | 019734 FT | SR 0403 SH |
| | | 0060/3541 | (SR0403 SEG 0380/0000) |
| | | | 018 "DIA CIRC METAL |
| | | 0060/3090 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIR PLASTIC |
| | | 0060/3023 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0060/2815 | LEN=0028 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0060/2633 | LEN=0043 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0060/2438 | LEN=0040 INSTALLED 2015 |
| | | | 024 "DIA CIRC METAL |
| | | 0060/2216 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0060/1500 | LEN=0037 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0060/0945 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0060/0440 | LEN=0045 INSTALLED UNKN |
| 016193 FT | | 016193 FT | 2 0 32043 0 00 0161+99 |
| | | S 0060/0000 | LENGTH(AH 3541 BK 3150) |
| | | | 024 "DIA CIRC METAL |
| | | 0050/1807 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0050/1169 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0050/0416 | LEN=0030 INSTALLED UNKN |
| 013043 FT | | 013043 FT | 2 0 32043 0 00 0130+49 |
| | | S 0050/0000 | LENGTH(AH 3150 BK 3167) |
| | | | 015 "DIA CIRC METAL |
| | | 0040/0756 | LEN=0036 INSTALLED 2002 |
| | | | 018 "DIA CIRC METAL |
| | | 0040/0058 | LEN=0036 INSTALLED UNKN |
| 2 0 32043 0 00 0098+70 009876 FT | | 009876 FT | |
| SPRINGFIELD RD | | | |

DIR: B TOTAL LEN: 3.738 MI. DIST: 10-4 SR: 1011
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | | |
|---|---|---|---|
| (T631) | 0040/0000 | S 0040/0000 | LENGTH(AH 3167 BK 2843) |
| | | | MALLOY HOLLOW RD |
| | | 0030/2643 | (T631) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2593 | LEN=0040 INSTALLED 1999 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1987 | LEN=0040 INSTALLED UNKN |
| | | | SHORT RD |
| | | 0030/1670 | (T663) |
| | 007033 FT | 007033 FT | 2 0 32043 0 00 0070+25 |
| | | S 0030/0000 | LENGTH(AH 2843 BK 3285) |
| | | | 018 "DIA CIRC METAL |
| | | 0020/1884 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1409 | LEN=0042 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0020/0530 | LEN=0036 INSTALLED UNKN |
| 2 0 32043 0 00 0037+38 | 003748 FT | 003748 FT | |
| LAUREL RUN RD | | | |
| (T868) | 0020/0000 | S 0020/0000 | LENGTH(AH 3285 BK 3748) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/3208 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/2822 | LEN=0040 INSTALLED 2010 |
| | | | 030 "DIA CIR PLASTIC |
| | | 0010/2206 | LEN=0040 INSTALLED 2010 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0043 | LEN=0045 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32043 0 00 0000+00 |
| | | | BENJAMIN FRANKLIN HW |
| | | | (SR0422 SEG 0580/0000) |
| | | NC NOLO RD | |
| BENJAMIN FRANKLIN HW | | | MFC BEGIN = D |
| (SR0422 SEG 0580/0000) | 0010/0000 | S 0010/0000 | LENGTH(AH 3748 BK 0000) |

DIR: B TOTAL LEN: 1.815 MI. DIST: 10-4 SR: 1010
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

009585 FT

| | |
|---|---|
| 009585 FT | SR 0286 SH |
| 0030/2586 | (SR0286 SEG 0650/0706) |
| | 015 "DIA CIRC METAL |
| 0030/2576 | LEN=0039 INSTALLED UNKN |
| | RAYNE |
| 0030/2444 | WHITE T |
| | 015 "DIA CIRC CONCR |
| 0030/2330 | LEN=0030 INSTALLED UNKN |
| | (APRA) C L RUFFNER INCO |
| | C L RUFFNER INCORPORAT |
| 0030/1950 | (PRDR) |
| | 015 "DIA CIRC CONCR |
| 0030/1813 | LEN=0075 INSTALLED UNKN |
| 0030/1130 | BMSEN 32/1010/0030/1113 |
| | 2 0 32131 0 00 0081+74 |
| | CROOKED CR |
| 0030/1113 | BMSBG 32/1010/0030/1113 |
| | 015 "DIA CIRC CONCR |
| 0030/0760 | LEN=0050 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0030/0340 | LEN=0034 INSTALLED UNKN |
| 006999 FT | 2 0 32131 0 00 0071+10 |
| | WHITE |

DIR: B TOTAL LEN: 1.815 MI. DIST: 10-4 SR: 1010
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | |
|---|---|---|
| | | RAYNE T |
| | S 0030/0000 | LENGTH(AH 2586 BK 3454) |
| | | 015 "DIA CIRC CONCR |
| | 0020/3446 | LEN=0030 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0020/3353 | LEN=0034 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0020/3210 | LEN=0038 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0020/3070 | LEN=0044 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0020/2644 | LEN=0038 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0020/2226 | LEN=0042 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0020/1789 | LEN=0034 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0020/1489 | LEN=0038 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0020/0360 | LEN=0041 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0020/0104 | LEN=0041 INSTALLED UNKN |
| 003545 FT | 003545 FT | 2 0 32131 0 00 0036+01 |
| | S 0020/0000 | LENGTH(AH 3454 BK 3545) |
| | | 015 "DIA CIRC CONCR |
| | 0010/3363 | LEN=0045 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/2842 | LEN=0037 INSTALLED UNKN |
| | | 030 "DIA CIR PLASTIC |
| | 0010/2282 | LEN=0037 INSTALLED 2015 |
| HEMLOCK ST (T774) | 0010/2262 | |
| | | 015 "DIA CIRC CONCR |
| | 0010/1656 | LEN=0037 INSTALLED UNKN |
| | 0010/0163 | BMSEN 32/1010/0010/0144 |
| | | 2 0 32131 0 00 0001+46 |
| | | MCKEE RUN |
| | 0010/0144 | BMSBG 32/1010/0010/0144 |
| 000000 FT | 000000 FT | 2 0 32131 0 00 0000+00 |
| | | NC SLEEPY HOLLOW RD |
| | | SR 0119 SH |
| | | (SR0119 SEG 0420/0942) |
| | | MFC BEGIN = E |
| | S 0010/0000 | LENGTH(AH 3545 BK 0000) |

DIR: B TOTAL LEN: 1.239 MI. DIST: 10-4 SR: 1009
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | | |
|---|---|---|---|---|
| SPAULDING RD<br>(SR1012 SEG 0200/1480) | 006540 FT<br>0020/3141 | | 006540 FT<br>0020/3141 | SPAULDING RD<br>(SR1012 SEG 0200/1480) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0020/3120 | LEN=0072 INSTALLED 1998 |
| | | | | 030 "DIA CIRC METAL |
| | | | 0020/1360 | LEN=0034 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0020/0780 | LEN=0035 INSTALLED 2002 |
| | 003399 FT | | 003399 FT | 2 0 32133 0 00 0034+11 |
| | | | | 018 "DIA CIRC METAL |
| | | | | LEN=0032 INSTALLED UNKN |
| | | | S 0020/0000 | LENGTH(AH 3141 BK 3399) |
| | | | | 015 "DIA CIRC METAL |
| | | | 0010/2750 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0010/1145 | LEN=0032 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0010/0705 | LEN=0034 INSTALLED UNKN |
| | | | | MANOR RD |
| | | | 0010/0665 | (T647) |
| MANOR RD<br>(T647) | 0010/0624 | | | |
| | | | | 018 "DIA CIRC METAL |
| | | | 0010/0536 | LEN=0031 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0010/0393 | LEN=0032 INSTALLED 2002 |
| | 000000 FT | | 000000 FT | 2 0 32133 0 00 0000+00 |
| | | | NC | LAUREL RUN RD |
| | | | | SR 0553 SH |
| | | | | (SR0553 SEG 0080/0000) |
| | | | INTER-BK | LAUREL RUN RD |
| | | | | (T752) |
| | | | | MFC BEGIN = E |
| | | | S 0010/0000 | LENGTH(AH 3399 BK 0000) |

DIR: B TOTAL LEN: 2.943 MI. DIST: 10-4 SR: 1008
LEFT MUN: RAYNE T RIGHT MUN: CHERRYHILL T

```
015539 FT                    015539 FT
                             INTER-AHD STABLE RD
                                       (T763)
                                       ALLEN BRIDGE RD
                             0060/2530 (SR1005 SEG 0020/0216)
                             0060/2195 BMSEN 32/1008/0060/2180
                                       2 0 32132 0 00 0261+26
                                       TR CROOKED CREEK
                             0060/2180 BMSBG 32/1008/0060/2180
                                       018 "DIA CIRC CONCR
                             0060/1850 LEN=0048 INSTALLED 2001

                                       024 "DIA CIRC METAL
                             0060/0925 LEN=0032 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0060/0645 LEN=0048 INSTALLED 2001

                                       018 "DIA CIRC CONCR
                             0060/0041 LEN=0048 INSTALLED UNKN
013009 FT                    013009 FT 2 0 32132 0 00 0238+52
                           S 0060/0000 LENGTH(AH 2530 BK 2999)
                                       015 "DIA CIRC METAL
                             0050/2660 LEN=0037 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0050/2250 LEN=0035 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                             0050/2243 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0050/2000 LEN=0048 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0050/0922 LEN=0048 INSTALLED 2001

                                       018 "DIA CIRC CONCR
                             0050/0271 LEN=0032 INSTALLED 2001
010010 FT                    010010 FT 2 0 32132 0 00 0208+53
                           S 0050/0000 LENGTH(AH 2999 BK 2527)
                                       015 "DIA CIRC METAL
                             0040/2505 LEN=0033 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0040/1507 LEN=0032 INSTALLED 2001
                                       015 "DIA CIRC METAL
                             0040/1285 LEN=0034 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0040/0964 LEN=0034 INSTALLED UNKN
```

DIR: B TOTAL LEN: 2.943 MI. DIST: 10-4 SR: 1008
LEFT MUN: RAYNE T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0567 | LEN=0035 INSTALLED UNKN |
| | | | 014 "DIA CIRC METAL |
| | | 0040/0196 | LEN=0035 INSTALLED UNKN |
| | 007483 FT | 007483 FT | 2 0 32132 0 00 0182+20 |
| | | | BYERS RD |
| RAYNE | | | (T761) |
| CHERRYHILL T | 0040/0000 | 0040/0000 | LENGTH(AH 2527 BK 2467) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2218 | LEN=0035 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0030/1801 | LEN=0035 INSTALLED UNKN |
| NIBERT RD | | | |
| (T607) | 0030/1725 | | |
| | | | CHERRYHILL |
| | | 0030/1690 | WHITE T |
| | | | 060 "DIA CIRC METAL |
| | | 0030/1680 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0959 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0565 | LEN=0040 INSTALLED UNKN |
| | 005016 FT | 005016 FT | 2 0 32132 0 00 0158+39 |
| | | 0030/0000 | LENGTH(AH 2467 BK 3079) |
| | | | 015 "DIA CIRC METAL |
| | | 0020/2040 | LEN=0035 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0020/1149 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0747 | LEN=0033 INSTALLED UNKN |
| 2 0 32132 0 00 0128+45 | 001937 FT | 001937 FT | |
| FYOCK RD | | | |
| (T472) | 0020/0000 | 0020/0000 | LENGTH(AH 3079 BK 1937) |
| | | | 015 "DIA CIRC METAL |
| | | 0010/0925 | LEN=0032 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32132 0 00 0109+25 |
| | | | NC HOOD SCHOOL RD |
| | | | AIRPORT RD |
| | | | (SR1006 SEG 0030/0000) |
| | | | MFC BEGIN = E |
| | | 0010/0000 | LENGTH(AH 1937 BK 0000) |

DIR: B TOTAL LEN: 3.936 MI. DIST: 10-4 SR: 1007
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

020781 FT



| | | |
|---|---|---|
| | 020781 FT | TANOMA RD |
| | 0070/3792 | (T890) |
| | 0070/3652 | BMSEN 32/1007/0070/3609 |
| | | 2 0 32062 0 00 0205+88 |
| | | CROOKED CR |
| | 0070/3609 | BMSBG 32/1007/0070/3609 |
| | | 048 "DIA CIRC METAL |
| | 0070/3082 | LEN=0036 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0070/2589 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0070/2130 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0070/0920 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0070/0460 | LEN=0028 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0070/0140 | LEN=0028 INSTALLED UNKN |
| 016989 FT | 016989 FT | 2 0 32062 0 00 0169+79 |
| | 5 0070/0000 | LENGTH(AH 3792 BK 3585) |
| | | 018 "DIA CIRC CONCR |
| | 0060/3323 | LEN=0064 INSTALLED 1999 |
| | | 018 "DIA CIRC CONCR |
| | 0060/3040 | LEN=0032 INSTALLED 1999 |
| | | 030 "DIA CIRC METAL |
| | 0060/2523 | LEN=0036 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0060/1607 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0060/1219 | LEN=0036 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0060/0729 | LEN=0036 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0060/0342 | LEN=0034 INSTALLED UNKN |
| 2 0 32062 0 00 0133+90 013404 FT | 013404 FT | |
| SNYDER DR | | |
| (T982) | | |

DIR: B TOTAL LEN: 3.936 MI. DIST: 10-4 SR: 1007
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | | |
|---|---|---|---|
| DALES RD (T616) | 0060/0000 | 0060/0000 | LENGTH(AH 3585 BK 1991) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1914 | LEN=0032 INSTALLED 1999 |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1551 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0881 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0050/0345 | LEN=0076 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0216 | LEN=0032 INSTALLED 1999 |
| 2 0 32062 0 00 0114+00 011413 FT | | 011413 FT | |
| KINTER RD (T610) | 0050/0000 | 0050/0000 | LENGTH(AH 1991 BK 2383) |
| | | | WADAS RD |
| | | 0040/1736 | (T764) |
| | | | 018 "DIA CIRC METAL |
| | | 0040/1725 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1550 | LEN=0040 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1135 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0730 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0451 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0331 | LEN=0032 INSTALLED UNKN |
| | 009030 FT | 009030 FT | 2 0 32062 0 00 0090+20 |
| | | 0040/0000 | LENGTH(AH 2383 BK 2453) |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/2317 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0030/2075 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1777 | LEN=0040 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/1409 | LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0891 | LEN=0032 INSTALLED 1998 |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0587 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0296 | LEN=0030 INSTALLED 2002 |
| 2 0 32062 0 00 0065+70 006577 FT | | 006577 FT | |
| HOUCK RD (T608) | 0030/0000 | 0030/0000 | LENGTH(AH 2453 BK 3004) |

DIR: B TOTAL LEN: 3.936 MI. DIST: 10-4 SR: 1007
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | |
|---|---|---|
| | | 018 "DIA CIRC METAL |
| | 0020/2988 | LEN=0052 INSTALLED UNKN |
| | | FAIR RD |
| | 0020/2194 | (T769) |
| | | 048"H 72"W CONC STRUCT |
| | 0020/1856 | LEN=0030 INSTALLED UNKN |
| | | FAITH RD |
| | 0020/1561 | (T657) |
| | | 018 "DIA CIRC CONCR |
| | 0020/1507 | LEN=0032 INSTALLED 1998 |
| | | 024 "DIA CIRC CONCR |
| | 0020/1022 | LEN=0040 INSTALLED 1998 |
| | | 018 "DIA CIRC CONCR |
| | 0020/0747 | LEN=0032 INSTALLED 1998 |
| | | PINE ST |
| | 0020/0405 | (T768) |
| | | 018 "DIA CIRC CONCR |
| | 0020/0350 | LEN=0032 INSTALLED 1998 |
| 003573 FT | 003573 FT | 2 0 32062 0 00 0035+70 |
| | S 0020/0000 | LENGTH(AH 3004 BK 3573) |
| | | 016"H 33"W BOX CULVRT* |
| | 0010/3445 | LEN=0036 INSTALLED UNKN |
| | | 012 "DIA CIRC METAL |
| | 0010/2960 | LEN=0033 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/2753 | LEN=0027 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/2594 | LEN=0040 INSTALLED 1998 |
| | | 024 "DIA CIRC METAL |
| | 0010/2250 | LEN=0043 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0010/2130 | LEN=0032 INSTALLED 1998 |
| | | 018 "DIA CIRC CONCR |
| | 0010/1510 | LEN=0032 INSTALLED 1998 |
| | | 024 "DIA CIRC CONCR |
| | 0010/1310 | LEN=0032 INSTALLED 1998 |
| | | 015 "DIA CIRC CONCR |
| | 0010/0935 | LEN=0036 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0010/0021 | LEN=0030 INSTALLED UNKN |
| 000000 FT | 000000 FT | 2 0 32062 0 00 0000+00 |
| | | NC RAYNE CHURCH RD |
| | | SR 0286 SH |
| | | (SR0286 SEG 0670/0703) |
| | | MFC BEGIN = E |
| | S 0010/0000 | LENGTH(AH 3573 BK 0000) |

DIR: B TOTAL LEN: 7.620 MI. DIST: 10-4 SR: 1006
LEFT MUN: CLYMER B RIGHT MUN: CLYMER B

040235 FT

PENN ST
(SR0403 SEG 0570/0000) 0140/2869



040235 FT
INTER-AHD WILSON ST
(BORO)
PENN ST
0140/2869 (SR0403 SEG 0570/0000)
DIXON RD
0140/2617 (BORO)
018 "DIA CIRC CONCR
0140/2594 LEN=0040 INSTALLED UNKN
CLYMER
0140/2457 CHERRYHILL T
015 "DIA CIRC METAL
0140/2227 LEN=0034 INSTALLED UNKN
036 "DIA CIRC CONCR
0140/1655 LEN=0041 INSTALLED UNKN
024 "DIA CIRC CONCR
0140/1313 LEN=0024 INSTALLED 2002

DIR: B TOTAL LEN: 7.620 MI. DIST: 10-4 SR: 1006
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0140/1051 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/0375 | LEN=0034 INSTALLED UNKN |
| 2 0 32180 0 01 0055+21 | 037366 FT | 037366 FT | |
| GRESKO RD | | | |
| (T684) | 0140/0000 | 0140/0000 | LENGTH(AH 2869 BK 2992) |
| | | | 015 "DIA CIRC CONCR |
| | | 0130/2029 | LEN=0019 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0130/1101 | LEN=0035 INSTALLED 1996 |
| | | | 018 "DIA CIRC METAL |
| | | 0130/0587 | LEN=0050 INSTALLED UNKN |
| | 034374 FT | 034374 FT | 2 0 32180 0 01 0025+23 |
| | | 0130/0000 | LENGTH(AH 2992 BK 2527) |
| | | | 015 "DIA CIRC METAL |
| | | 0120/2359 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/1758 | LEN=0047 INSTALLED UNKN |
| | | | 060 "DIA CIRC METAL |
| | | 0120/0939 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0120/0785 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0120/0480 | LEN=0038 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0120/0165 | LEN=0040 INSTALLED UNKN |
| | 031847 FT | 031847 FT | 2 0 32180 0 01 0000+00 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0040 INSTALLED 2002 |
| | | 0120/0000 | LENGTH(AH 2527 BK 0837) |
| | | | 024 "DIA CIRC CONCR |
| | | 0110/0788 | LEN=0040 INSTALLED 2002 |
| | | | DIXON RD |
| | | 0110/0174 | (T685) |
| | 031010 FT | 031010 FT | 2 0 32180 0 00 0000+00 |
| | | | SR 0286 SH |
| | | | (SR0286 SEG 0730/0000) |
| | | NC CEMETERY RD | |
| | | INTER-BK | SR 0286 SH |
| | | | (SR0286 SEG 0730/0000) |
| | | 0110/0000 | LTH AH 000837 BK 000100 |

DIR: B TOTAL LEN: 7.620 MI. DIST: 10-4 SR: 1006
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | | |
|---|---|---|---|---|
| | 031010 FT | | | 031010 FT |
| BRAUGHLER RD | | | | 7104/0000 LTH AH 000100 BK 003748 |
| (T606) | | | | |
| SR 0286 SH | | | | INTER-AHD SR 0286 SH |
| (SR0286 SEG 0720/0000) | 0100/3748 | | | 0100/3748 (SR0286 SEG 0720/0000) |
| | | | | 015 "DIA CIRC CONCR |
| | | | | 0100/3500 LEN=0036 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | | 0100/3240 LEN=0048 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | | 0100/3058 LEN=0035 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | | 0100/2723 LEN=0034 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | | 0100/1869 LEN=0035 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | | 0100/0256 LEN=0034 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | | 0100/0170 LEN=0031 INSTALLED UNKN |
| | 027262 FT | | | 027262 FT 2 0 32054 0 00 0275+25 |
| | | | S | 0100/0000 LENGTH(AH 3748 BK 2990) |
| | | | | 024 "DIA CIRC CONCR |
| | | | | 0090/2284 LEN=0045 INSTALLED UNKN |
| | | | | GRACE CHURCH RD |
| | | == | | 0090/1554 (T758) |
| | | | | 024 "DIA CIRC CONCR |
| | | | | 0090/1250 LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | | 0090/0451 LEN=0035 INSTALLED UNKN |
| | 024272 FT | | | 024272 FT 2 0 32054 0 00 0245+34 |
| | | | | 015 "DIA CIRC CONCR |
| | | | | LEN=0050 INSTALLED UNKN |
| | | | S | 0090/0000 LENGTH(AH 2990 BK 3252) |
| | | | | 015 "DIA CIRC CONCR |
| | | | | 0080/2921 LEN=0033 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | | 0080/2536 LEN=0038 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | | 0080/2100 LEN=0035 INSTALLED UNKN |
| | | | | SIXTH AV |
| | | == | | 0080/1821 (T799) |
| | | | | 018 "DIA CIR PLASTIC |

DIR: B TOTAL LEN: 7.620 MI. DIST: 10-4 SR: 1006
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| | | 0080/1787 | LEN=0033 INSTALLED UNKN |
| | | | FIFTH AV |
| | | 0080/1389 | (T798) |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/1044 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/0834 | LEN=0033 INSTALLED UNKN |
| | | | THIRD AV |
| | | 0080/0747 | (T796) |
| NORTH FIRST AV | | | |
| (T701) | 0080/0264 | | |
| | | | 043"H 68"W ELLIP CONC |
| | | 0080/0054 | LEN=0008 INSTALLED 2005 |
| | 021020 FT | 021020 FT | 2 0 32054 0 00 0212+87 |
| | | | ALLEN BRIDGE RD |
| ALLEN BRIDGE RD | | | (T476) |
| (SR1005 SEG 0010/0000) | 0080/0000 | S 0080/0000 | LENGTH(AH 3252 BK 2516) |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/1639 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/1317 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/1154 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0824 | LEN=0047 INSTALLED UNKN |
| 2 0 32054 0 00 0187+62 | 018504 FT | 018504 FT | |
| BYERS RD | | | |
| (T761) | 0070/0000 | S 0070/0000 | LENGTH(AH 2516 BK 3810) |
| | | | 024 "DIA CIRC CONCR |
| | | 0060/3639 | LEN=0043 INSTALLED UNKN |
| | | | WISSENGER HILL RD |
| | | 0060/2766 | (T760) |
| | | | 030 "DIA CIRC CONCR |
| | | 0060/2463 | LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/1729 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/1508 | LEN=0046 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/1045 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/0732 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/0457 | LEN=0031 INSTALLED UNKN |
| | 014694 FT | 014694 FT | 2 0 32054 0 00 0149+65 |
| | | S 0060/0000 | LENGTH(AH 3810 BK 3108) |

DIR: B TOTAL LEN: 7.620 MI. DIST: 10-4 SR: 1006
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | | |
|---|---|---|---|---|
| | | | 0050/2947 | 015 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN |
| | | | 0050/1725 | 024 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN |
| | | POI | 0050/1467 | (APRA) SADLER SALVAGE C SADLER SALVAGE COMPANY (PRDR) |
| | | | 0050/1245 | 015 "DIA CIRC CONCR LEN=0029 INSTALLED UNKN |
| | | | 0050/0793 | 015 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN |
| | | | 0050/0572 | 018 "DIA CIRC CONCR LEN=0029 INSTALLED UNKN |
| | | | 0050/0470 | 015 "DIA CIRC CONCR LEN=0031 INSTALLED UNKN |
| WINTERFIELD RD (PRDR) | 0050/0192 | POI | 0050/0192 | (APRA) RAY WINTERS AND |
| | | | 0050/0009 | BMSEN 32/1006/0050/0000 |
| | 011586 FT | | 011586 FT | 2 0 32054 0 00 0118+66 |
| | | | | TR TWO LICK |
| | | | | BMSBG 32/1006/0050/0000 |
| | | | S 0050/0000 | LENGTH(AH 3108 BK 2817) |
| | | | 0040/2151 | 015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| | | | 0040/1289 | CHERRYHILL WHITE T |
| | 008769 FT | | 008769 FT | 2 0 32054 0 00 0090+55 |
| | | | S 0040/0000 | LENGTH(AH 2817 BK 3285) |
| | | | 0030/2670 | 018 "DIA CIRC CONCR LEN=0033 INSTALLED UNKN |
| | | | 0030/2417 | 015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| | | | 0030/2005 | 040 "DIA CIRC CONCR LEN=0041 INSTALLED UNKN |
| | | | 0030/1400 | 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | | | 0030/0980 | 015 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN |
| | | | 0030/0933 | MFC BEGIN = E |
| XTO ENERGY | | | | |

DIR: B TOTAL LEN: 7.620 MI. DIST: 10-4 SR: 1006
LEFT MUN: WHITE T RIGHT MUN: WHITE T

(PRDR) 0030/0570
2 0 32054 0 00 0057+79 005484 FT
HOOD SCHOOL RD
(SR1008 SEG 0010/0000) 0030/0000



0030/0570 (APRA) XTO ENERGY
005484 FT
0030/0000 LENGTH(AH 3285 BK 3721)
018 "DIA CIRC METAL
0020/3700 LEN=0038 INSTALLED UNKN
RAYMOND DR
0020/3343 (T740)
015 "DIA CIRC CONCR
0020/3035 LEN=0030 INSTALLED UNKN
024 "DIA CIRC CONCR
0020/2808 LEN=0034 INSTALLED UNKN

018 "DIA CIRC CONCR
0020/1748 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1337 LEN=0034 INSTALLED UNKN
024 "DIA CIRC CONCR
0020/0808 LEN=0018 INSTALLED 2003
018 "DIA CIRC CONCR
0020/0610 LEN=0033 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/0380 LEN=0030 INSTALLED UNKN
001763 FT 001763 FT 2 0 32054 0 00 0017+57
GEESEY RD
(T474)
0020/0000 LENGTH(AH 3721 BK 1763)
0010/1526 BMSEN 32/1006/0010/1290
2 0 32054 0 00 0012+69
SR 0119 SB
0010/1290 BMSBG 32/1006/0010/1290
018 "DIA CIRC METAL
0010/1250 LEN=0041 INSTALLED 2015

018 "DIA CIRC CONCR
0010/0555 LEN=0040 INSTALLED 2004
CAMPBELL LN
0010/0509 (T725)
012"H 00"W MULT CONCR
0010/0156 LEN=0150 INSTALLED UNKN
000000 FT 000000 FT 2 0 32054 0 00 0002+86
NC AIRPORT RD
SR 0286 SH
(SR0286 SEG 0590/0000)

INTER-BK OBER RD
(T958)
MFC BEGIN = D
0010/0000 LENGTH(AH 1763 BK 0000)

DIR: B TOTAL LEN: 1.659 MI. DIST: 10-4 SR: 1005
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T



| | | |
|---|---|---|
| 008757 FT | 008757 FT | |
| | 7154/0000 | LENGTH(AH 1694 BK 0015) |
| | | BMSEN 32/1005/0150/0000 |
| | * REF-AHD | TANOMA RD |
| | 0150/0015 | (TB90) |
| 008742 FT | 008742 FT | 2 0 32063 0 00 0333+49 |
| | * REF-BK | TANOMA RD |
| | | (TB90) |
| | | BRUSH RUN |
| | | BMSBG 32/1005/0150/0000 |
| | S 0150/0000 | LENGTH(AH 0015 BK 1871) |
| 008742 FT | 008742 FT | |
| | 7150/0000 | LENGTH(AH 1871 BK 3566) |
| 008742 FT | 008742 FT | |
| | 7140/0000 | LENGTH(AH 3566 BK 1961) |
| 008742 FT | 008742 FT | |
| | 7130/0000 | LENGTH(AH 1961 BK 3306) |
| 008742 FT | 008742 FT | |
| | 7120/0000 | LENGTH(AH 3306 BK 0220) |
| 008742 FT | 008742 FT | |
| | 7114/0000 | LENGTH(AH 0220 BK 0028) |
| | * REF-AHD | TANOMA RD |
| | 0110/0028 | (TB90) |
| | 0110/0027 | BMSEN 32/1005/0110/0000 |
| 008714 FT | 008714 FT | 2 0 32063 0 00 0224+06 |
| | * REF-BK | TANOMA RD |
| | | (TB90) |
| | | RAYNE RUN |
| | | BMSBG 32/1005/0110/0000 |
| | | MFC BEGIN = D |
| | S 0110/0000 | LENGTH(AH 0028 BK 3428) |
| 008714 FT | 008714 FT | |
| | 7110/0000 | LENGTH(AH 3428 BK 3381) |
| 008714 FT | 008714 FT | |
| | 7100/0000 | LENGTH(AH 3381 BK 0360) |
| 008714 FT | 008714 FT | |
| | 7094/0000 | LENGTH(AH 0360 BK 0019) |
| | | BMSEN 32/1005/0090/0000 |
| | * REF-AHD | TANOMA RD |
| | 0090/0019 | (TB90) |
| 008695 FT | 008695 FT | 2 0 32063 0 00 0152+19 |
| | | VILLAGE: TANOMA |
| | * REF-BK | TANOMA RD |
| | | (TB90) |

DIR: B TOTAL LEN: 1.659 MI. DIST: 10-4 SR: 1005
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T



| | |
|---|---|
| | TR CROOKED C |
| | BMSBG 32/1005/0090/0000 |
| | S 0090/0000 LENGTH(AH 0019 BK 2247) |
| 008695 FT | 008695 FT |
| | 7090/0000 LENGTH(AH 2247 BK 2998) |
| 008695 FT | 008695 FT |
| | 7080/0000 LENGTH(AH 2998 BK 3227) |
| 008695 FT | 008695 FT |
| | 7072/0000 LENGTH(AH 3227 BK 0012) |
| | * REF-AHD TANOMA RD |
| | 0070/0012 (TB90) |
| 008683 FT | 008683 FT 2 0 32063 0 00 0067+59 |
| | * REF-BK TANOMA RD |
| | (TB90) |
| | S 0070/0000 LENGTH(AH 0012 BK 1035) |
| 008683 FT | 008683 FT |
| | 7064/0000 LENGTH(AH 1035 BK 0046) |
| | BMSEN 32/1005/0060/0000 |
| | * REF-AHD TANOMA RD |
| | 0060/0046 (TB90) |
| 008637 FT | 008637 FT 2 0 32063 0 00 0056+53 |
| | NC TANOMA RD |
| | * REF-BK TANOMA RD |
| | (TB90) |
| | CROOKED CREEK |
| | BMSBG 32/1005/0060/0000 |
| | S 0060/0000 LENGTH(AH 0046 BK 0381) |
| 008637 FT | 008637 FT |
| | 7060/0000 LENGTH(AH 0381 BK 2810) |
| 008637 FT | 008637 FT |
| | 7050/0000 LENGTH(AH 2810 BK 2494) |
| 008637 FT | 008637 FT |
| | 7040/0000 LENGTH(AH 2494 BK 1210) |
| | SR 0286 SH |
| | 0034/1210 (SR0286 SEG 0680/0401) |
| | |
| | 018 "DIA CIRC CONCR |
| | 0034/0410 LEN=0060 INSTALLED UNKN |
| 007427 FT | 007427 FT 0 0 00000 0 00 0000+00 |
| | S 0034/0000 LENGTH(AH 1210 BK 1434) |
| | 018 "DIA CIRC METAL |
| | 0030/1351 LEN=0031 INSTALLED UNKN |
| | 030 "DIA CIRC METAL |
| | 0030/1199 LEN=0031 INSTALLED UNKN |
| | 018 "DIA CIRC METAL |
| | 0030/0976 LEN=0033 INSTALLED UNKN |
| | 018 "DIA CIRC METAL |
| | 0030/0492 LEN=0033 INSTALLED 2005 |
| | 018 "DIA CIRC METAL |
| | 0030/0187 LEN=0031 INSTALLED UNKN |

DIR: B TOTAL LEN: 1.659 MI. DIST: 10-4 SR: 1005
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | | |
|---|---|---|---|
| | 005993 FT | 005993 FT | 2 0 32058 0 00 0059+93 |
| | | 0030/0000 | LENGTH(AH 1434 BK 2825) |
| | | | 018 "DIA CAST IRON |
| | | 0020/2713 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0020/2280 | LEN=0031 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0020/1775 | LEN=0031 INSTALLED UNKN |
| | | | 036 "DIA CIRC ALUMIN |
| | | 0020/1345 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0020/1043 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0020/0636 | LEN=0031 INSTALLED UNKN |
| | | | RAYNE |
| | | 0020/0238 | CHERRYHILL T |
| | | | 015 "DIA CIRC METAL |
| | | 0020/0231 | LEN=0072 INSTALLED UNKN |
| HOOD SCHOOL DR | | | STABLE RD |
| (SR1008 SEG 0060/2530) | 0020/0216 | 0020/0216 | (T763) |
| | 003168 FT | 003168 FT | 2 0 32058 0 00 0031+68 |
| | | | 054 "DIA CIRC METAL |
| | | | LEN=0042 INSTALLED UNKN |
| | | 0020/0000 | LENGTH(AH 2825 BK 3168) |
| | | | 030 "DIA CIRC METAL |
| | | 0010/2412 | LEN=0033 INSTALLED UNKN |
| | | | 036 "DIA CIRC METAL |
| | | 0010/2058 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/1396 | LEN=0040 INSTALLED 2013 |
| | | | BEECH ST |
| | | 0010/1193 | (T703) |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/1060 | LEN=0040 INSTALLED 2013 |
| | | | MAPLE AV |
| | | 0010/0932 | (T702) |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0708 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0284 | LEN=0027 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 2 0 32058 0 00 0000+00 |
| | | NC | ALLEN BRIDGE RD |
| | | | AIRPORT RD |
| | | | (SR1006 SEG 0080/0000) |
| | | INTER-BK | ALLEN BRIDGE RD |
| | | | (T476) |
| | | | MFC BEGIN = E |
| | | 0010/0000 | LENGTH(AH 3168 BK 0000) |

DIR: E TOTAL LEN: 1.009 MI. DIST: 10-4 SR: 1004
LEFT MUN: WHITE T RIGHT MUN: WHITE T

DIR: E TOTAL LEN: 1.009 MI. DIST: 10-4 SR: 1004
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| RAMP A RD | REF-AHD | REF-AHD | RAMP B RD |
| (SR8003 SEG 0760/2043) | 0021/1016 | 0020/0993 | (SR8003 SEG 0750/0000) |
| 1 0 01113 7 00 0066+11 | | | 1 0 01113 7 00 0058+92 |
| SR0119 NB | | | SR0119 NB |
| BMSBG 32/1004/0020/0779 | 0021/0760 | 0020/0737 | BMSBG 32/1004/0020/0779 |
| RAMP C RD | | | RAMP D RD |
| (SR8003 SEG 0500/0961) | 0021/0182 | 0020/0115 | (SR8003 SEG 0250/0000) |
| 1 0 01113 7 00 0058+92 | 002886 FT | 004335 FT | 1 0 01113 7 00 0058+92 |
| RAMSEY RUN | | | RAMSEY RUN |
| STRUCTURE LENGTH 19 FT | | | STRUCTURE LENGTH 19 FT |
| BMSID 32/1004/0020/0000 | | | BMSID 32/1004/0020/0000 |
| LENGTH(AH 1016 BK 1629) | 0021/0000 | 0020/0000 | LENGTH(AH 0993 BK 1655) |
| SIGN: 4 CHORD TRUSS | | | SIGN: 4 CHORD TRUSS |
| BMSID 32/1004/0010/0966 | 0011/0949 | 0010/0966 | BMSID 32/1004/0010/0966 |
| RAMP F RD | | | |
| (SR8020 SEG 0500/0000) | 0011/0572 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0250 | LEN=0145 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0045 INSTALLED UNKN | 0011/0232 | | |
| 1 0 01113 7 00 0041+53 | 001257 FT | 002680 FT | 1 0 01113 7 00 0041+53 |
| SR0286 | | | SR0286 |
| OP ID 32/0286/0580/0000 | | | OP ID 32/0286/0580/0000 |
| LENGTH(AH 1629 BK 1257) | 0011/0000 | 0010/0000 | LENGTH(AH 1655 BK 2680) |
| | | | 018 "DIA CIRC CONCR |
| | | 0004/2570 | LEN=0150 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0004/2233 | LEN=0060 INSTALLED UNKN |
| | | | RAMP H RD |
| | | 0004/1945 | (SR8020 SEG 0010/2894) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0150 INSTALLED UNKN | 0005/1035 | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0150 INSTALLED UNKN | 0005/0712 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0004/0641 | LEN=0060 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0045 INSTALLED UNKN | 0005/0103 | | |
| 1 0 01113 7 00 0029+27 | 000000 FT | 000000 FT | 1 0 01113 7 00 0013+67 |
| SR 0286 SH | | | SR 0286 SH |
| (SR0286 SEG 0571/0000) | | | (SR0286 SEG 0570/0000) |
| NC SR 1004 SH | | | NC SR 1004 SH |
| SR 0286 SH | INTER-BK | INTER-BK | SR 0286 SH |
| (SR0286 SEG 0571/0000) | | | (SR0286 SEG 0570/0000) |
| MFC BEGIN = B | | | MFC BEGIN = B |
| LENGTH(AH 1257 BK 0000) | 0005/0000 | 0004/0000 | LENGTH(AH 2680 BK 0000) |



DIR: B TOTAL LEN: 1.285 MI. DIST: 10-4 SR: 1003
LEFT MUN: WHITE T RIGHT MUN: WHITE T

```
                                                  006787 FT OLD ROUTE 119 RD
                                                  0030/2406 (SR0110 SEG 0110/0000)
                                                            018 "DIA CIRC CONCR
                                                  0030/2398 LEN=0067 INSTALLED UNKN

                                                            ELLENBERGER RD
                                                  0030/0972 (T658)

                                                  004381 FT 2 0 32059 0 00 0043+67
                                                  0030/0000 LENGTH(AH 2406 BK 1036)
                                                            036 "DIA CIRC CONCR
                                                  0020/0915 LEN=0096 INSTALLED UNKN
                                                                SR0119 SB
                                                  0020/0705 OP ID 32/0119/0391/0000
                                                                SR0119 NB
                                                  0020/0522 OP ID 32/0119/0390/0000
                                                            024 "DIA CIRC CONCR
                                                  0020/0360 LEN=0104 INSTALLED 2004
                                                            ZEHNER RD
                                                  0020/0320 (T714)
                                                            027 "DIA CIRC CONCR
                                                  0020/0265 LEN=0064 INSTALLED 2004
                                                  003345 FT 2 0 32059 0 00 0033+28
                                                            048"H 72"W CON BOX CUL
                                                            LEN=0024 INSTALLED UNKN
                                                  0020/0000 LENGTH(AH 1036 BK 3345)

                                                            036"H 00"W MULT PLSTIC
                                                  0010/2182 LEN=0100 INSTALLED 2004
                                                            018 "DIA CIRC CONCR
                                                  0010/2035 LEN=0030 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0010/1341 LEN=0032 INSTALLED UNKN
                                                            030 "DIA CIRC METAL
LONGS TRAILER SALES DR                            0010/0795 LEN=0008 INSTALLED 2000
(PRDR)                0010/0794                   0010/0794 (APRA) LONGS TRAILER SA
                                                            018 "DIA CIRC CONCR
                                                  0010/0450 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/0035 LEN=0053 INSTALLED UNKN
                                                        NC LUTZ SCHOOL RD
                                                            SR 0286 SH
2 0 32059 0 00 0000+00 000000 FT                  000000 FT (SR0286 SEG 0620/0000)
SR 0286 SH                                                  MFC BEGIN = D
(SR0286 SEG 0620/0000)  0010/0000                 0010/0000 LENGTH(AH 3345 BK 0000)
```

DIR: B TOTAL LEN: 2.709 MI. DIST: 10-4 SR: 1002
LEFT MUN: WHITE T RIGHT MUN: WHITE T

014306 FT



014306 FT
* REF-AHD TWO LICK RESERVOR PARK
0060/1694 (PRDR)
015 "DIA CIRC CONCR
0060/1578 LEN=0042 INSTALLED UNKN
015 "DIA CIRC CONCR
0060/0952 LEN=0055 INSTALLED UNKN
015 "DIA CIRC CONCR
0060/0759 LEN=0038 INSTALLED UNKN
015 "DIA CIRC CONCR
0060/0530 LEN=0038 INSTALLED UNKN
015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 2.709 MI. DIST: 10-4 SR: 1002
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | 0060/0079 | LEN=0030 INSTALLED UNKN |
| 1 0 00301 0 02 0124+92 012612 FT | | 012612 FT | |
| GEESEY RD | | | |
| (T747) 0060/0000 | 0060/0000 | 0060/0000 | LENGTH(AH 1694 BK 2721) |
| | | | 036 "DIA CIRC CONCR |
| | | 0050/2631 | LEN=0020 INSTALLED UNKN |
| | | | BRADYS DR |
| | | 0050/1335 | (PRDR) |
| | | | 015 "DIA CIRC ALUMIN |
| | | 0050/0751 | LEN=0006 INSTALLED UNKN |
| | | | MCLAIN RD |
| | | 0050/0573 | (T842) |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/0295 | LEN=0006 INSTALLED UNKN |
| 009891 FT | | 009891 FT | 1 0 00301 0 02 0098+00 |
| | | | GREENDALE AV |
| | | | (T435) |
| | | 0050/0000 | LENGTH(AH 2721 BK 3201) |
| | | | MERRICK ST |
| | | 0040/1267 | (T973) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0822 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/0397 | LEN=0392 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/0005 | LEN=0040 INSTALLED UNKN |
| 1 0 00301 0 02 0066+95 006690 FT | | 006690 FT | |
| STORMER RD | | | MFC BEGIN = E |
| (SR1001 SEG 0010/0000) 0040/0000 | | 0040/0000 | LENGTH(AH 3201 BK 2624) |
| | | 0030/1952 | BMSEN 32/1002/0030/1927 |
| | | | 1 0 00301 0 02 0059+44 |
| | | | RAMSEY RUN |
| | | 0030/1927 | BMSBG 32/1002/0030/1927 |
| | | | RAMSEY RUN RD |
| | | 0030/1860 | (T558) |
| | | | SR 0119 NB |
| | | 0030/1687 | OP ID 32/0119/0330/0935 |
| | | | SR 0119 SB |
| | | 0030/1573 | OP ID 32/0119/0331/0885 |
| DEERFIELD LN | | | |
| (T712) 0030/1267 | | | |

DIR: B TOTAL LEN: 2.709 MI. DIST: 10-4 SR: 1002
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | | |
|---|---|---|---|---|
| | | | | 024 "DIA CIRC CONCR |
| | | | 0030/1180 | LEN=0237 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/0888 | LEN=0039 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/0589 | LEN=0042 INSTALLED UNKN |
| | 004066 FT | | 004066 FT | 1 0 00301 0 01 0040+42 |
| | | | S 0030/0000 | LENGTH(AH 2624 BK 3662) |
| A J STAHURA DR (PRDR) | 0020/2809 | | | SHAFFER DR |
| | | | 0020/2809 | (PRDR) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0020/2795 | LEN=0058 INSTALLED UNKN |
| KUNKLE DR (PRDR) | 0020/2654 | | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0020/2270 | LEN=0042 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0020/2006 | LEN=0044 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0020/1401 | LEN=0041 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0020/1330 | LEN=0024 INSTALLED 1996 |
| | | | | TWOLICK DR |
| | | | 0020/1216 | (T556) |
| GORMAN AV (T509) | 0020/1166 | | | |
| | | | | SCENIC AV |
| | | | 0020/0825 | (T637) |
| GATES AV (T625) | 0020/0759 | | | |
| | | | | HOMESTEAD ST |
| | | | 0020/0256 | (T522) |
| | 000404 FT | | 000404 FT | 1 0 00301 0 01 0003+50 |
| | | | S 0020/0000 | LENGTH(AH 3662 BK 0404) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0010/0381 | LEN=0036 INSTALLED UNKN |
| TO 0286/0560 SH (CONN) | 0010/0288 | | | |
| | | | | FROM 0286/0550 SH |
| | | | 0010/0214 | (CONN) |
| | 000000 FT | | 000000 FT | 1 0 00301 0 00 0000+00 |
| | | | NC EAST PK | |
| | | | | PHILADELPHIA ST |
| | | | | (SR0286 SEG 0561/0000) |
| | | | | (SR0286 SEG 0560/0000) |
| | | | | MFC BEGIN = D |
| | | | S 0010/0000 | LENGTH(AH 0404 BK 0000) |

DIR: B TOTAL LEN: 2.089 MI. DIST: 10-4 SR: 1001
LEFT MUN: WHITE T RIGHT MUN: WHITE T

S.W. JACK DRILLING
(PRDR)

011029 FT
0052/1914

009115 FT

011029 FT (APRA) S.W. JACK DRILLI
INTER-AHD JACK DR
0052/1914 (T711)

009115 FT 0 0 00000 0 00 0000+00
036 "DIA CIRC CONCR
LEN=0196 INSTALLED 2006
0052/0000 LENGTH(AH 1914 BK 1733)
018 "DIA CIRC METAL
0042/1537 LEN=0001 INSTALLED 2006

DIR: B TOTAL LEN: 2.089 MI. DIST: 10-4 SR: 1001
LEFT MUN: WHITE T RIGHT MUN: WHITE T

```
007382 FT                  007382 FT 0 0 00000 0 00 0000+00
                                     APACHE DR
                                     (T857)
                        S  0042/0000 LENGTH(AH 1733 BK 2315)
                                     018 "DIA CIRC CONCR
                           0030/2100 LEN=0045 INSTALLED UNKN

                                     018 "DIA CIRC METAL
                           0030/1185 LEN=0030 INSTALLED UNKN
                                     018 "DIA CIRC CONCR
                           0030/0910 LEN=0034 INSTALLED UNKN
                                     018 "DIA CIRC CONCR
                           0030/0405 LEN=0032 INSTALLED UNKN
005067 FT                  005067 FT 2 0 32132 0 00 0050+33
                                NC GEESEY RD
                                     GEESEY RD
                                     (T747)
                        S  0030/0000 LENGTH(AH 2315 BK 2547)
                                     018 "DIA CIRC CONCR
                           0020/2071 LEN=0056 INSTALLED 1999
                                     024 "DIA CIRC CONCR
                           0020/1775 LEN=0031 INSTALLED UNKN

                                     012 "DIA CIRC METAL
                           0020/0056 LEN=0056 INSTALLED UNKN
002520 FT                  002520 FT 2 0 32132 0 00 0025+03
                        S  0020/0000 LENGTH(AH 2547 BK 2520)
                                     015 "DIA CIRC METAL
                           0010/2264 LEN=0030 INSTALLED UNKN
                                     018 "DIA CIRC METAL
                           0010/1996 LEN=0032 INSTALLED UNKN
                                     018 "DIA CIRC CONCR
                           0010/1483 LEN=0170 INSTALLED UNKN
                                     HAWK DR
                           0010/1400 (TWP )

                                     030 "DIA CIRC CONCR
                           0010/0153 LEN=0030 INSTALLED UNKN
000000 FT                  000000 FT 2 0 32132 0 00 0000+00
                                NC STORMER RD
                                     EAST PK
                                     (SR1002 SEG 0040/0000)
                                     MFC BEGIN = D
                        S  0010/0000 LENGTH(AH 2520 BK 0000)
```

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

178032 FT

178032 FT
INTER-AHD SR 0210 SH
(SR0210 SEG 0160/0000)
SR 0210 SH

MILLER RD

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

| | | | |
|---|---|---|---|
| (T830) | 0700/2100 | 0700/2100 | (SR0210 SEG 0160/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0700/2011 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0700/1223 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0700/0831 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0700/0487 | LEN=0037 INSTALLED UNKN |
| | 175932 FT | 175932 FT | 1 0 00540 0 01 0283+38 |
| | | | VILLAGE: TRADE CITY |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0040 INSTALLED UNKN |
| | | | MARTIN RD |
| | | | (T642) |
| | | S 0700/0000 | LENGTH(AH 2100 BK 2739) |
| | | | 018 "DIA CIRC CONCR |
| | | 0690/2738 | LEN=0020 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0690/2534 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0690/1973 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0690/1470 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0690/1145 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0690/0290 | LEN=0047 INSTALLED UNKN |
| | 173193 FT | 173193 FT | 1 0 00540 0 01 0255+83 |
| | | | 015 "DIA CIRC CONCR |
| | | | LEN=0060 INSTALLED UNKN |
| | | S 0690/0000 | LENGTH(AH 2739 BK 2667) |
| | | | 018 "DIA CIRC CONCR |
| | | 0680/1654 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0680/1393 | LEN=0090 INSTALLED UNKN |
| WEASLE SLIDE DR | | | ELKIN RD |
| (SR4026 SEG 0180/1799) | 0680/1333 | 0680/1333 | (T640) |
| | | | 024 "DIA CIRC CONCR |
| | | 0680/0986 | LEN=0060 INSTALLED UNKN |
| | 170526 FT | 170526 FT | 1 0 00540 0 00 0221+34 |
| | | | NORTH MAHONING |
| | | | WEST MAHONING T |
| | | S 0680/0000 | LENGTH(AH 2667 BK 3642) |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WEST MAHONING T RIGHT MUN: WEST MAHONING T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0670/3319 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0670/3134 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0670/2941 | LEN=0070 INSTALLED UNKN |
| | | | 030 "DIA CIRC METAL |
| | | 0670/2582 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0670/2170 | LEN=0049 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0670/1919 | LEN=0045 INSTALLED UNKN |
| | | | ALABRAN RD |
| | | 0670/0751 | (T524) |
| | | | 036 "DIA CIRC METAL |
| | | 0670/0563 | LEN=0051 INSTALLED UNKN |
| KERR RD (T381) | 0670/0487 166884 FT | | |
| | | 166884 FT | 1 0 00540 0 00 0185+11 |
| | | S 0670/0000 | LENGTH(AH 3642 BK 3284) |
| | | | 024 "DIA CIRC CONCR |
| | | 0660/2164 | LEN=0050 INSTALLED UNKN |
| | | | 030 "DIA CIRC CONCR |
| | | 0660/1671 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0660/1042 | LEN=0063 INSTALLED UNKN |
| | | | 048 "DIA CIRC METAL |
| | | 0660/0566 | LEN=0060 INSTALLED UNKN |
| KERR RD (T381) | 0660/0052 163600 FT | | |
| | | 163600 FT | 1 0 00540 0 00 0152+48 |
| | | | WHITE OAK RD |
| | | | (T381) |
| | | S 0660/0000 | LENGTH(AH 3284 BK 2757) |
| | | | 018 "DIA CIRC CONCR |
| | | 0650/2427 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0650/2175 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0650/1823 | LEN=0042 INSTALLED UNKN |
| HEMLOCK ACRES RD (T375) | 0650/1568 | | |
| | | | STEPHENSON RD |
| | | 0650/1364 | (T510) |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WEST MAHONING T RIGHT MUN: WEST MAHONING T

| | | |
|---|---|---|
| | | 015 "DIA CIRC CONCR |
| | 0650/0560 | LEN=0036 INSTALLED UNKN |
| 160843 FT | 160843 FT | 1 0 00540 0 00 0124+91 |
| | 0650/0000 | LENGTH(AH 2757 BK 3430) |
| | | 024 "DIA CIRC CONCR |
| | 0640/1669 | LEN=0065 INSTALLED UNKN |
| | | PRIVATE DR |
| | 0640/1591 | (PRDR) |
| | | 015 "DIA CIRC CONCR |
| | 0640/0681 | LEN=0052 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0640/0035 | LEN=0050 INSTALLED UNKN |
| 157413 FT | 157413 FT | 1 0 00540 0 00 0090+61 |
| | 0640/0000 | LENGTH(AH 3430 BK 3376) |
| | | 054 "DIA CIRC METAL |
| | 0630/2517 | LEN=0085 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0630/1374 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0630/1056 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0630/0735 | LEN=0039 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0630/0469 | LEN=0050 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0630/0236 | LEN=0075 INSTALLED UNKN |
| 154037 FT | 154037 FT | 1 0 00540 0 00 0056+99 |
| | 0630/0000 | LENGTH(AH 3376 BK 2426) |
| | | 015 "DIA CIRC CONCR |
| | 0620/2259 | LEN=0043 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0620/1913 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0620/1639 | LEN=0065 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0620/1371 | LEN=0039 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0620/0650 | LEN=0040 INSTALLED UNKN |
| | | MCCORMICK RD |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WEST MAHONING T RIGHT MUN: WEST MAHONING T

```
                                                 0620/0551 (SR4018 SEG 0010/0000)
                                                           015 "DIA CIRC CONCR
                                                 0620/0330 LEN=0045 INSTALLED UNKN
                                                 0620/0017 BMSEN 32/0954/0620/0000
                     151611 FT                   151611 FT 1 0 00540 0 00 0032+86
                                                           TR LT MAHON
                                                           BMSBG 32/0954/0620/0000
                                                 0620/0000 LENGTH(AH 2426 BK 3276)
                                                           018 "DIA CIRC CONCR
                                                 0610/2818 LEN=0050 INSTALLED UNKN
WINDOWS RD
(T396)               0610/2786

                                                           015 "DIA CIRC CONCR
                                                 0610/2516 LEN=0041 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0610/2090 LEN=0035 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0610/1720 LEN=0040 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0610/1330 LEN=0035 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                                 0610/0475 LEN=0062 INSTALLED UNKN
                                                 0610/0423 BMSEN 32/0954/0610/0250
                                                           1 0 00540 0 00 0000+00
                                                           LITTLE MAHONING CREEK
                                                 0610/0250 BMSBG 32/0954/0610/0250
                     148335 FT                   148335 FT 1 0 00540 0 00 0000+00
                                                           018 "DIA CIRC CONCR
                                                           LEN=0045 INSTALLED UNKN
                                                       NC CHEESE PLANT RD
                                                 0610/0000 LENGTH(AH 3276 BK 1678)
                                                           MILL ST
                                                 0600/1622 (BORO)
                                                           WEST MAHONING
                                                 0600/1619 SMICKSBURG B
WEST MAHONING
SMICKSBURG B         0600/1299

                                                           CLARION ST
                                                 0600/1017 (BORO)
                                                           015 "DIA CIRC CONCR
                                                 0600/0956 LEN=0026 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0600/0561 LEN=0084 INSTALLED UNKN
SMICKSBURG RD
(SR4021 SEG 0070/1231)  0600/0541

                                                       NC KITTANNING ST
                                                           018 "DIA CIRC CONCR
                                                 0600/0484 LEN=0065 INSTALLED UNKN
                     146657 FT                   146657 FT 2 0 32104 0 00 0098+50
```

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: SMICKSBURG B RIGHT MUN: SMICKSBURG B

| | | |
|---|---|---|
| | | NC INDIANA ST |
| | | SMICKSBURG |
| | | WEST MAHONING T |
| | 0600/0000 | LENGTH(AH 1678 BK 1027) |
| | | CHESTNUT ST |
| | 0590/0668 | (BORO) |
| | | 018 "DIA CIRC CONCR |
| | 0590/0574 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0590/0054 | LEN=0041 INSTALLED UNKN |
| 145630 FT | 145630 FT | 1 1 04937 0 00 0000+00 |
| | 0590/0000 | LENGTH(AH 1027 BK 2252) |
| | | 015 "DIA CIRC CONCR |
| | 0580/1853 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0580/1420 | LEN=0036 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0580/0888 | LEN=0037 INSTALLED UNKN |
| 143378 FT | 143378 FT | 2 0 32104 0 00 0075+59 |
| | 0580/0000 | LENGTH(AH 2252 BK 2482) |
| | | 015 "DIA CIRC CONCR |
| | 0570/2279 | LEN=0050 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0570/1919 | LEN=0037 INSTALLED UNKN |
| | | 018 "DIA CIRC OTHER |
| | 0570/1318 | LEN=0036 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0570/0928 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0570/0583 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC OTHER |
| | 0570/0130 | LEN=0024 INSTALLED UNKN |
| 140896 FT | 140896 FT | 2 0 32104 0 00 0050+77 |
| | 0570/0000 | LENGTH(AH 2482 BK 1298) |
| | | 015 "DIA CIRC CONCR |
| | 0560/1115 | LEN=0055 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0560/0808 | LEN=0050 INSTALLED UNKN |
| 139598 FT | 139598 FT | 2 0 32104 0 00 0037+79 |
| | 0560/0000 | LENGTH(AH 1298 BK 1535) |
| RUMMEL RD (T841) | 0550/1253 | |
| | | 018 "DIA CIRC CONCR |
| | 0550/1170 | LEN=0036 INSTALLED UNKN |
| | | GRIFFITH RD |
| | 0550/1157 | (T840) |
| | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WEST MAHONING T RIGHT MUN: WEST MAHONING T

```
                                                  0550/0723 LEN=0036 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0550/0361 LEN=0034 INSTALLED UNKN
                        138063 FT                 138063 FT 2 0 32104 0 00 0023+44
                                                S 0550/0000 LENGTH(AH 1535 BK 2204)
                                                            015 "DIA CIRC CONCR
                                                  0540/2020 LEN=0039 INSTALLED UNKN

                                                            018 "DIA CIR PLASTIC
                                                  0540/1205 LEN=0005 INSTALLED 2006
                                                            018 "DIA CIRC CONCR
                                                  0540/0759 LEN=0027 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0540/0342 LEN=0030 INSTALLED UNKN
                        135859 FT                 135859 FT 2 0 32104 0 00 0000+00
                                                            015 "DIA CIRC CONCR
                                                            LEN=0039 INSTALLED UNKN
                                                       NC SMICKSBURG CEMETERY RD
                                                            WEST MAHONING
                                                            SOUTH MAHONING T
                                                S 0540/0000 LENGTH(AH 2204 BK 2059)


                                                            015 "DIA CIRC CONCR
                                                  0530/0266 LEN=0029 INSTALLED UNKN
1 0 00981 0 00 0164+00  133800 FT                 133800 FT
CLOWSER RD
(T383)                   0530/0000              S 0530/0000 LENGTH(AH 2059 BK 2588)
                                                            018 "DIA CIRC CONCR
                                                  0520/2340 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0520/1973 LEN=0031 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0520/1569 LEN=0031 INSTALLED 1997


                                                            015 "DIA CIRC CONCR
                                                  0520/0505 LEN=0040 INSTALLED UNKN
                                                            048 "DIA CIRC CONCR
                                                  0520/0066 LEN=0045 INSTALLED UNKN
                        131212 FT                 131212 FT 1 0 00981 0 00 0137+78
                                                            VILLAGE: DENTON
                                                            MAHONING RD
MAHONING RD                                                 (T365)
(T365)                   0520/0000              S 0520/0000 LENGTH(AH 2588 BK 3809)
                                                            015 "DIA CIRC CONCR
                                                  0510/3400 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | | |
|---|---|---|---|
| | | 0510/3069 | LEN=0029 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0510/1953 | LEN=0041 INSTALLED UNKN |
| SINKTOWN RD (T850) | 0510/1511 | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0510/1209 | LEN=0027 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0510/0211 | LEN=0035 INSTALLED UNKN |
| | 127403 FT | 127403 FT | 1 0 00981 0 00 0100+05 |
| | | S 0510/0000 | LENGTH(AH 3809 BK 2830) |
| | | | 018 "DIA CIRC CONCR |
| | | 0500/2813 | LEN=0031 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0500/2354 | LEN=0035 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0500/1638 | LEN=0048 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0500/0935 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0500/0634 | LEN=0040 INSTALLED UNKN |
| | | 0500/0011 | BMSEN 32/0954/0500/0000 |
| | 124573 FT | 124573 FT | 1 0 00981 0 00 0072+10 |
| | | | TR COWANSHAN |
| | | | BMSBG 32/0954/0500/0000 |
| | | S 0500/0000 | LENGTH(AH 2830 BK 3697) |
| CROOKS RD (T709) | 0490/3314 | | |
| | | | 024 "DIA CIRC CONCR |
| | | 0490/2961 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0490/2587 | LEN=0025 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0490/1841 | LEN=0024 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0490/1275 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0490/1015 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0490/0736 | LEN=0030 INSTALLED UNKN |
| | | | 036 "DIA CIRC METAL |
| | | 0490/0259 | LEN=0046 INSTALLED UNKN |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

```
                        120876 FT          120876 FT 1 0 00981 0 00 0035+32
                                                 NC SR 0954 SH
                                          S 0490/0000 LENGTH(AH 3697 BK 3522)
                                                     015 "DIA CIRC CONCR
                                            0480/3267 LEN=0031 INSTALLED UNKN
                                                     024 "DIA CIRC CONCR
                                            0480/2854 LEN=0034 INSTALLED UNKN
                                                     018 "DIA CIR PLASTIC
                                            0480/2305 LEN=0008 INSTALLED 2007
                                                     018 "DIA CIRC CONCR
                                            0480/1903 LEN=0050 INSTALLED UNKN

                                                     018 "DIA CIRC CONCR
                                            0480/1117 LEN=0028 INSTALLED UNKN
                                                     SOUTH MAHONING
                                            0480/1098 PLUMVILLE B
                                                     018 "DIA CIRC CONCR
                                            0480/0722 LEN=0008 INSTALLED 1998
                                                     018 "DIA CIRC CONCR
                                            0480/0290 LEN=0030 INSTALLED UNKN
                                                     WASHINGTON AV
                                            0480/0268 (BORO)
                        117354 FT          117354 FT 1 0 00981 0 00 0000+00
                                                     VILLAGE: BEYER
                                                     MAIN ST
                                                     (SR0085 SEG 0060/0645)
                                                 NC SMICKSBURG ST
                                                     INDIANA ST
                                                     (BORO)
                                           INTER-BK  MAIN ST
                                                     (SR0085 SEG 0060/0645)
                                          S 0480/0000 LTH AH 003522 BK 000100
                        117354 FT          117354 FT
                                            7474/0000 LTH AH 000100 BK 002594
                                           INTER-AHD PLUMVILLE RD
PLUMVILLE RD                                         (SR0085 SEG 0030/0000)
(SR0085 SEG 0030/0000)  0470/2594           0470/2594 SOUTH MAHONING T
                                            0470/2385 BMSEN 32/0954/0470/2365
                                                     2 0 32074 0 00 0224+46
                                                     N BR PLUM CR
                                            0470/2365 BMSBG 32/0954/0470/2365


                                                     018 "DIA CIRC CONCR
                                            0470/1160 LEN=0030 INSTALLED UNKN
                                                     024 "DIA CIRC CONCR
                                            0470/0855 LEN=0033 INSTALLED UNKN
                                                     018 "DIA CIRC CONCR
                                            0470/0274 LEN=0030 INSTALLED UNKN
```

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | | |
|---|---|---|---|
| | 114760 FT | 114760 FT | 2 0 32074 0 00 0200+80 |
| | | S 0470/0000 | LENGTH(AH 2594 BK 1784) |
| | | | 018 "DIA CIRC METAL |
| | | 0460/1711 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0460/1420 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0460/0817 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0460/0332 | LEN=0035 INSTALLED UNKN |
| | 112976 FT | 112976 FT | 2 0 32074 0 00 0182+83 |
| | | | 036 "DIA CIRC CONCR |
| | | | LEN=0045 INSTALLED UNKN |
| | | | SOUTH MAHONING |
| | | | WASHINGTON T |
| | | S 0460/0000 | LENGTH(AH 1784 BK 3255) |
| | | | 018 "DIA CIRC CONCR |
| | | 0450/2287 | LEN=0029 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0450/1929 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0450/1293 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0450/1072 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0450/0250 | LEN=0030 INSTALLED UNKN |
| | 109721 FT | 109721 FT | 2 0 32074 0 00 0150+29 |
| | | S 0450/0000 | LENGTH(AH 3255 BK 2511) |
| | | | 015 "DIA CIRC CONCR |
| | | 0440/2473 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0440/1855 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0440/1450 | LEN=0050 INSTALLED UNKN |
| | | | BAKER RD |
| | | 0440/1303 | (T380) |
| | | | 030 "DIA CIRC CONCR |
| | | 0440/1250 | LEN=0032 INSTALLED UNKN |
| | | | 030 "DIA CIRC CONCR |
| | | 0440/0520 | LEN=0033 INSTALLED UNKN |
| 2 0 32074 0 00 0125+18 | 107210 FT | 107210 FT | |
| HARMON RD | | | |
| (T741) | 0440/0000 | S 0440/0000 | LENGTH(AH 2511 BK 2489) |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0430/2260 | LEN=0032 INSTALLED 2005 |
| | | | 018 "DIA CIRC CONCR |
| | | 0430/2050 | LEN=0031 INSTALLED UNKN |
| MATTY RD (T378) | 0430/1445 | | |
| | | | 024 "DIA CIRC CONCR |
| | | 0430/1330 | LEN=0039 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0430/0414 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0430/0292 | LEN=0032 INSTALLED UNKN |
| | 104721 FT | 104721 FT | 2 0 32074 0 00 0100+35 |
| | | S 0430/0000 | LENGTH(AH 2489 BK 2564) |
| | | | 018 "DIA CIRC CONCR |
| | | 0420/2390 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0420/2229 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0420/1682 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0420/1350 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0420/0774 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0420/0566 | LEN=0027 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0420/0010 | LEN=0040 INSTALLED UNKN |
| | 102157 FT | 102157 FT | 2 0 32074 0 00 0074+63 |
| | | | HUDSON RD |
| | | | (SR4033 SEG 0030/2726) |
| | | S 0420/0000 | LENGTH(AH 2564 BK 2455) |
| BAILEY RD (T376) | 0410/2425 | | |
| | | | 036 "DIA CIRC CONCR |
| | | 0410/2385 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0410/2020 | LEN=0033 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0410/1479 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0410/1195 | LEN=0026 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0410/0702 | LEN=0042 INSTALLED UNKN |
| | | | 018"H 68"W ELLIP CONC |
| | | 0410/0560 | LEN=0040 INSTALLED 2005 |
| | | | 015 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | | |
|---|---|---|---|
| | | 0410/0360 | LEN=0039 INSTALLED UNKN |
| | 099702 FT | 099702 FT | 2 0 32074 0 00 0049+94 |
| | | S 0410/0000 | LENGTH(AH 2455 BK 2476) |
| | | | 015 "DIA CIRC METAL |
| | | 0400/2422 | LEN=0028 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0400/1450 | LEN=0040 INSTALLED 2005 |
| | | | 024 "DIA CIRC CONCR |
| | | 0400/0740 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0400/0403 | LEN=0029 INSTALLED UNKN |
| | 097226 FT | 097226 FT | 2 0 32074 0 00 0025+18 |
| | | S 0400/0000 | LENGTH(AH 2476 BK 2497) |
| | | | 018 "DIA CIRC CONCR |
| | | 0390/2386 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0390/2117 | LEN=0075 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0390/1912 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0390/1710 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIR PLASTIC |
| | | 0390/0514 | LEN=0012 INSTALLED 2005 |
| | | | 018 "DIA CIRC METAL |
| | | 0390/0062 | LEN=0052 INSTALLED UNKN |
| ATWOOD RD | 094729 FT | 094729 FT | 2 0 32074 0 00 0000+00 |
| (SR4009 SEG 0060/0000) | | | VILLAGE: FIVE POINTS |
| FIVE POINTS RD | | | NC BEYER RD |
| (SR4009 SEG 0060/0000) | 0390/0000 | S 0390/0000 | LENGTH(AH 2497 BK 2372) |
| | | 0384/1945 | BMSEN 32/0954/0384/1929 |
| | | | 0 0 00000 0 00 0000+00 |
| | | | SUGARCAMP R |
| | | 0384/1929 | BMSBG 32/0954/0384/1929 |
| | | | 024 "DIA CIRC CONCR |
| | | 0384/0252 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0384/0054 | LEN=0050 INSTALLED UNKN |
| | 092357 FT | 092357 FT | 2 0 32072 0 01 0157+16 |
| WATER ST | | | NC WILLET RD |
| (T982) | 0384/0000 | S 0384/0000 | LENGTH(AH 2372 BK 1664) |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

```
                                                 0380/1263 LEN=0035 INSTALLED UNKN
WATER ST
(T982)                0380/1219  ==
                                                           036 "DIA CIRC METAL
                                                 0380/0770 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0380/0740 LEN=0035 INSTALLED UNKN
                                                           HUDSON RD
                                                 0380/0661 (SR4033 SEG 0010/0000)

                                                           018 "DIA CIRC CONCR
                                                 0380/0030 LEN=0050 INSTALLED UNKN
                      090693 FT                  090693 FT 2 0 32072 0 01 0174+94
                                                           VILLAGE: WILLET/5 POINT
                                                       NC FIVE POINTS RD
                                                           FIVE POINTS RD
                                                           (SR4006 SEG 0010/0000)
                                                 S 0380/0000 LENGTH(AH 1664 BK 1630)
                                                           018 "DIA CIRC CONCR
                                                 0370/1465 LEN=0042 INSTALLED UNKN
                                                           048 "DIA CIRC METAL
                                                 0370/1250 LEN=0038 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0370/0803 LEN=0040 INSTALLED 2006
                                                           018 "DIA CIRC CONCR
                                                 0370/0491 LEN=0040 INSTALLED 2006

                                                 RBR
                                                 0370/0055 BMSEN 32/0954/0370/0000
                      089063 FT                  089063 FT 2 0 32069 0 00 0162+36
                                                           P3
                                                           VILLAGE: WILLET
                                                           SOUTH BRANCH PLUM CREEK
                                                 RBR       BMSBG 32/0954/0370/0000
                                                 S 0370/0000 LENGTH(AH 1630 BK 3876)
                                                           024 "DIA CIRC CONCR
                                                 0360/3431 LEN=0037 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                 0360/3175 LEN=0034 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                                 0360/2476 LEN=0048 INSTALLED 2006

                                                           024 "DIA CIRC CONCR
                                                 0360/1694 LEN=0040 INSTALLED 2006

                                                           024 "DIA CIRC CONCR
                                                 0360/0910 LEN=0037 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | | |
|---|---|---|---|
| | | 0360/0499 | LEN=0036 INSTALLED UNKN |
| 2 0 32069 0 00 0123+63 085187 FT | | 085187 FT | HANGING ROCK RD |
| RED LION RD | | | (T401) |
| (T401) | 0360/0000 | 0360/0000 | LENGTH(AH 3876 BK 1825) |
| | | | 018 "DIA CIRC CONCR |
| | | 0350/0679 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0350/0353 | LEN=0032 INSTALLED 1997 |
| | | | 018 "DIA CIRC CONCR |
| | | 0350/0041 | LEN=0040 INSTALLED 2006 |
| | 083362 FT | 083362 FT | 2 0 32069 0 00 0105+38 |
| | | 0350/0000 | LENGTH(AH 1825 BK 3510) |
| | | | 015 "DIA CIRC METAL |
| | | 0340/3277 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0340/2891 | LEN=0040 INSTALLED 2005 |
| | | | 024 "DIA CIRC CONCR |
| | | 0340/2045 | LEN=0048 INSTALLED 2006 |
| KUNKLE RD | | | STUCHELL RD |
| (T426) | 0340/0923 | 0340/0923 | (T413) |
| | | | 024 "DIA CIRC CONCR |
| | | 0340/0854 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0340/0121 | LEN=0032 INSTALLED 2006 |
| | 079852 FT | 079852 FT | 2 0 32069 0 00 0070+33 |
| | | 0340/0000 | LENGTH(AH 3510 BK 3502) |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/3198 | LEN=0032 INSTALLED 2006 |
| | | | 024 "DIA CIRC CONCR |
| | | 0330/2202 | LEN=0024 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/1760 | LEN=0040 INSTALLED 2006 |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/1544 | LEN=0032 INSTALLED 2006 |
| | | | 024 "DIA CIRC CONCR |
| | | 0330/1150 | LEN=0026 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/0968 | LEN=0024 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/0392 | LEN=0020 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/0250 | LEN=0032 INSTALLED 2006 |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

```
076350 FT                076350 FT 2 0 32069 0 00 0035+29
                       S 0330/0000 LENGTH(AH 3502 BK 3511)
                                   01B "DIA CIRC CONCR
                         0320/3334 LEN=0032 INSTALLED 2006
                                   01B "DIA CIRC CONCR
                         0320/2737 LEN=0040 INSTALLED 2006
                                   01B "DIA CIRC CONCR
                         0320/2348 LEN=0032 INSTALLED 2006

                                   01B "DIA CIRC CONCR
                         0320/1440 LEN=0040 INSTALLED UNKN
                                   01B "DIA CIRC CONCR
                         0320/1249 LEN=0032 INSTALLED 2006
                                   01B "DIA CIRC CONCR
                         0320/1014 LEN=0032 INSTALLED UNKN
                                   01B "DIA CIRC CONCR
                         0320/0598 LEN=0034 INSTALLED UNKN
072839 FT                072839 FT 2 0 32069 0 00 0000+00
                                   CHAMBERSVILLE RD
                                   (SR4008 SEG 0010/0000)
                       S 0320/0000 LENGTH(AH 3511 BK 0574)
                         0310/0382 BMSEN 32/0954/0310/0368
                                   1 0 00063 7 01 0289+29
                                   TWOMILE RUN
                         0310/0368 BMSBG 32/0954/0310/0368
                                   01B "DIA CIRC CONCR
                         0310/0206 LEN=0052 INSTALLED 2006
072265 FT                072265 FT 1 0 00063 7 01 0285+61
                                NC SR 0954 SH
                       S 0310/0000 LENGTH(AH 0574 BK 3711)
                                   01B "DIA CIRC CONCR
                         0300/3548 LEN=0052 INSTALLED 2006
                                   015 "DIA CIRC METAL
                         0300/2972 LEN=0035 INSTALLED UNKN

                                   024 "DIA CIRC METAL
                         0300/2328 LEN=0030 INSTALLED UNKN
                                   01B "DIA CIRC CONCR
                         0300/1915 LEN=0040 INSTALLED 2003
                                   036 "DIA CIRC METAL
                         0300/1657 LEN=0030 INSTALLED UNKN

                                   01B "DIA CIRC CONCR
                         0300/0549 LEN=0052 INSTALLED 2006
                                   NIN RIDDLE ST
                         0300/0205 (BORO)
                                   WASHINGTON
                         0300/0152 CREEKSIDE B
```

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | | |
|---|---|---|---|
| | | | 043"H 68"W ELLIP CONC |
| | | 0300/0017 | LEN=0008 INSTALLED 2006 |
| | 068554 FT | 068554 FT | 1 0 00063 7 01 0250+55 |
| | | | NC SHELOCTA ST |
| | | | INDIANA RD |
| INDIANA RD | | | (SR0110 SEG 0010/0000) |
| (BORO) | 0300/0000 | S 0300/0000 | LENGTH(AH 3711 BK 3665) |
| | | | 036 "DIA CIRC METAL |
| | | 0290/3471 | LEN=0070 INSTALLED UNKN |
| | | | TR CROOKED |
| | | | STRUCTURE LENGTH 8 FT |
| | | 0290/3388 | BMSID 32/0954/0290/3388 |
| | | | 015 "DIA CIRC METAL |
| | | 0290/3077 | LEN=0040 INSTALLED 2003 |
| | | | 018 "DIA CIRC METAL |
| | | 0290/2942 | LEN=0055 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0290/2681 | LEN=0055 INSTALLED UNKN |
| | | | CREEKSIDE |
| | | 0290/2633 | WASHINGTON T |
| | | | 018 "DIA CIRC METAL |
| | | 0290/2500 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0290/2331 | LEN=0055 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0290/2240 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0290/1715 | LEN=0055 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0290/1356 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0290/1116 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0290/0771 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0290/0577 | LEN=0045 INSTALLED UNKN |
| | 064889 FT | 064889 FT | 2 0 32061 0 00 0209+89 |
| | | | 018 "DIA CIRC METAL |
| | | | LEN=0035 INSTALLED UNKN |
| | | | NC SR 0954 SH |
| | | S 0290/0000 | LENGTH(AH 3665 BK 3374) |
| | | | 015 "DIA CIRC METAL |
| | | 0280/3157 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0280/2965 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0280/2553 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0280/2436 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

| | | | | |
|---|---|---|---|---|
| | | | 0280/2200 | LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | | 0280/1934 | LEN=0030 INSTALLED UNKN<br>036 "DIA CIRC METAL |
| | | | 0280/1432 | LEN=0035 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | | 0280/0998 | LEN=0031 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | | 0280/0421 | LEN=0036 INSTALLED UNKN |
| PEPLEY RD<br>(T418) | 0280/0081 | POI | 0280/0081 | (APRA) FAIRMAN ROOF TRU |
| | | | 0280/0038 | BMSEN 32/0954/0280/0019<br>0 0 00000 0 00 0000+00<br>TR CROOKED |
| | | | 0280/0019 | BMSBG 32/0954/0280/0019 |
| | 061515 FT | | 061515 FT | 2 0 32061 0 00 0176+10<br>NC CREEKSIDE RD |
| SR 4002 SH<br>(SR4002 SEG 0070/2153) | 0280/0000 | | 5 0280/0000 | LENGTH(AH 3374 BK 1295)<br>024 "DIA CIRC CONCR |
| | | | 0270/1170 | LEN=0040 INSTALLED UNKN<br>WASHINGTON |
| | | | 0270/1143 | WHITE T<br>024 "DIA CIRC METAL |
| | | | 0270/1017 | LEN=0030 INSTALLED UNKN |
| | | | 0270/0968 | (AAR 148795E)#TRKS 01 |
| | | | 0270/0109 | BMSEN 32/0954/0270/0000 |
| | 060220 FT | | 060220 FT | 2 0 32053 0 00 0238+41<br>CROOKED CR |
| | | | | BMSBG 32/0954/0270/0000 |
| | | | 5 0270/0000 | LENGTH(AH 1295 BK 2716) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0260/1602 | LEN=0029 INSTALLED UNKN<br>015 "DIA CIRC METAL |
| | | | 0260/1318 | LEN=0030 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | | 0260/1020 | LEN=0029 INSTALLED UNKN<br>024 "DIA CIRC METAL |
| | | | 0260/0563 | LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | | 0260/0040 | LEN=0030 INSTALLED UNKN |
| | 057504 FT | | 057504 FT | 2 0 32053 0 00 0210+00<br>FULTON LN<br>(T681) |
| | | | 5 0260/0000 | LENGTH(AH 2716 BK 1724)<br>018 "DIA CIRC CONCR |
| | | | 0250/1452 | LEN=0027 INSTALLED UNKN<br>018 "DIA CIRC METAL |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WHITE T RIGHT MUN: WHITE T

```
                                                  0250/1010 LEN=0024 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0250/0441 LEN=0027 INSTALLED UNKN
                        055780 FT                 055780 FT 2 0 32053 0 00 0193+00
                                                            VILLAGE: FULTON RUN
                                                            BASH RD
                                                            (T438)
                                                5 0250/0000 LENGTH(AH 1724 BK 2600)
                                                            018 "DIA CIRC METAL
                                                  0240/2570 LEN=0023 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0240/2300 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0240/2138 LEN=0025 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0240/1860 LEN=0023 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0240/1508 LEN=0024 INSTALLED 2003
                                                            015 "DIA CIRC METAL
                                                  0240/1215 LEN=0023 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0240/0818 LEN=0035 INSTALLED UNKN
KAUFFMAN RD
(T431)                  0240/0545                 ==
                                                            036 "DIA CIRC METAL
                                                  0240/0470 LEN=0024 INSTALLED UNKN
                                                            LC TO/FROM MORETTI RD
                                                  0240/0102 (CONN)
                        053180 FT                 053180 FT 2 0 32053 0 00 0167+25
                                                            MORETTI RD
                                                            (T430)
                                                5 0240/0000 LENGTH(AH 2600 BK 3615)
                                                            018 "DIA CIRC CONCR
                                                  0230/3566 LEN=0030 INSTALLED 2002
                                                            015 "DIA CIRC METAL
                                                  0230/3211 LEN=0029 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0230/2778 LEN=0020 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0230/2500 LEN=0040 INSTALLED 2001
                                                            018 "DIA CIRC CONCR
                                                  0230/1940 LEN=0027 INSTALLED UNKN
                                                            036 "DIA CIRC METAL
                                                  0230/1517 LEN=0028 INSTALLED UNKN

                                                  0230/0604 BMSEN 32/0954/0230/0585
                                                            2 0 32053 0 00 0136+74
                                                            FULTON RUN
                                                  0230/0585 BMSBG 32/0954/0230/0585
```

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | | SAINT CLAIR RD |
| | | == | 0230/0022 (T846) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0230/0020 LEN=0048 INSTALLED 2003 |
| 2 0 32053 0 00 0130+80 049565 FT | | | 049565 FT |
| COLLEGE LODGE RD | | | |
| (SR4003 SEG 0050/2016) 0230/0000 | | | S 0230/0000 LENGTH(AH 3615 BK 3029) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0220/2995 LEN=0022 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0220/2084 LEN=0036 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | | 0220/0579 LEN=0024 INSTALLED UNKN |
| | 046536 FT | | 046536 FT 2 0 32053 0 00 0100+51 |
| | | | S 0220/0000 LENGTH(AH 3029 BK 2002) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0210/1778 LEN=0031 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0210/0947 LEN=0058 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0210/0358 LEN=0035 INSTALLED UNKN |
| | 044534 FT | | 044534 FT 2 0 32053 0 00 0080+36 |
| | | | S 0210/0000 LENGTH(AH 2002 BK 3075) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0200/2808 LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0200/2568 LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0200/2170 LEN=0022 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0200/1544 LEN=0026 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0200/0961 LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0200/0443 LEN=0052 INSTALLED UNKN |
| | 041459 FT | | 041459 FT 2 0 32053 0 00 0049+61 |
| | | | S 0200/0000 LENGTH(AH 3075 BK 3157) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0190/2166 LEN=0043 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | |
|---|---|---|
| | 0190/1690 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0190/0860 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0190/0595 | LEN=0030 INSTALLED UNKN |
| | 0190/0274 | BMSEN 32/0954/0190/0219 |
| | | 2 0 32053 0 00 0020+43 |
| | | CSX RR |
| | 0190/0219 | BMSBG 32/0954/0190/0219 |
| 038302 FT | 038302 FT | 2 0 32053 0 00 0017+91 |
| | | (APRA) TRI COUNTY EXCAV |
| | | MARTIN RD |
| | | (T488) |
| | 0190/0000 | LENGTH(AH 3157 BK 3062) |
| | | 018 "DIA CIRC METAL |
| | 0180/2994 | LEN=0080 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0180/2262 | LEN=0051 INSTALLED UNKN |
| | | NC FULTON RUN RD |
| | | NORTH SIXTH ST |
| | 0180/2239 | (T484) |
| | | 018 "DIA CIRC CONCR |
| | 0180/2204 | LEN=0037 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0180/2086 | LEN=0036 INSTALLED UNKN |
| KATHRYN ST (T681) | 0180/2046 | |
| | | 018 "DIA CIRC CONCR |
| | 0180/1935 | LEN=0037 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0180/1807 | LEN=0035 INSTALLED UNKN |
| | | FAIRMAN AV |
| | 0180/1692 | (T485) |
| | | 024 "DIA CIRC CONCR |
| | 0180/1664 | LEN=0035 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0180/1537 | LEN=0036 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0180/1504 | LEN=0136 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0180/1370 | LEN=0018 INSTALLED 2015 |
| | | 018 "DIA CIRC CONCR |
| | 0180/1203 | LEN=0034 INSTALLED UNKN |
| | | 024 "DIA CIRC METAL |
| | 0180/1079 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0180/0600 | LEN=0031 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | 0180/0210 | LEN=0024 INSTALLED UNKN<br>CROYLAND AV |
| | | 0180/0202 | (BORO)<br>018 "DIA CIRC CONCR |
| | | 0180/0185 | LEN=0020 INSTALLED UNKN |
| | 035240 FT | 035240 FT | 1 1 00527 5 00 0000+00<br>WHITE<br>INDIANA B |
| | | 5 0180/0000 | LENGTH(AH 3062 BK 1846)<br>015 "DIA CIRC CONCR |
| | | 0170/1687 | LEN=0024 INSTALLED UNKN<br>STANNARD AV |
| | | 0170/1686 | (BORO)<br>CHESTNUT ST |
| | | 0170/1450 | (BORO)<br>015 "DIA CIRC CONCR |
| | | 0170/1421 | LEN=0025 INSTALLED UNKN<br>SHRYOCK ST |
| | | 0170/1253 | (BORO) |
| | | 0170/1183 | MFC BEGIN = D<br>OAK ST |
| | | 0170/1057 | (BORO)<br>015 "DIA CIRC CONCR |
| | | 0170/1015 | LEN=0025 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0170/0816 | LEN=0025 INSTALLED UNKN<br>BURNS AV |
| | | 0170/0815 | (BORO)<br>WATER ST<br>(BORO) |
| | | 0170/0558 | 015 "DIA CIRC CONCR |
| | | 0170/0320 | LEN=0028 INSTALLED UNKN |
| NIXON AV<br>(BORO) | 0170/0308 | | |
| | | NC NINTH ST | |
| PHILADELPHIA ST<br>(SR4032 SEG 0040/3399) | 0170/0052<br>033394 FT | 0170/0052<br>033394 FT | MFC BEGIN = C<br>2 0 32053 0 00 0000+00<br>NC PHILADELPHIA ST |
| | | INTER-BK | PHILADELPHIA ST<br>(SR0286 SEG 0510/0000)<br>MFC BEGIN = B |
| OAKLAND AV<br>(SR0286 SEG 0510/0000) | 0170/0000<br>033394 FT | 5 0170/0000<br>033394 FT | LTH AH 001846 BK 000100 |
| | | 7156/0000<br>INTER-AHD | LTH AH 000100 BK 001906<br>PHILADELPHIA ST<br>(SR0286 SEG 0530/0000)<br>SIXTH ST<br>(BORO) |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: INDIANA B RIGHT MUN: INDIANA B

| | | | | |
|---|---|---|---|---|
| | | | | PHILADELPHIA ST |
| | | | 0150/1906 | (SR0286 SEG 0530/0000) |
| | | | | GOMPERS AV |
| | | | 0150/1645 | (BORO) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0150/1612 | LEN=0045 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0150/1423 | LEN=0045 INSTALLED UNKN |
| | | | | CHURCH ST |
| | | | 0150/1405 | (BORO) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0150/1370 | LEN=0023 INSTALLED UNKN |
| | | | | SCHOOL ST |
| WAYNE AV | | | | (BORO) |
| (BORO) | 0150/1054 | | 0150/1054 | |
| | | | | WASHINGTON ST |
| | | | 0150/0697 | (BORO) |
| PARK PL | | | | |
| (BORO) | 0150/0406 | | | |
| | | | | POPLAR AV |
| | | | 0150/0371 | (BORO) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0150/0021 | LEN=0017 INSTALLED UNKN |
| | 031488 FT | | 031488 FT | 2 0 32036 0 01 0311+30 |
| | | | | LOCUST ST |
| | | | | (BORO) |
| | | | 5 0150/0000 | LENGTH(AH 1906 BK 1942) |
| SOUTH AV | | | | |
| (BORO) | 0140/1701 | | | |
| | | | | ELM ST |
| | | | 0140/1595 | (BORO) |
| CLARK AV | | | | |
| (BORO) | 0140/1530 | | | |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0140/1495 | LEN=0026 INSTALLED UNKN |
| | | | | GRANT ST |
| | | | | (BORO) |
| | | | 0140/1244 | |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0140/1236 | LEN=0040 INSTALLED UNKN |
| WILLOW AV | | | | |
| (BORO) | 0140/0978 | | | |
| | | | | GRANDVIEW AV |
| | | | 0140/0879 | (BORO) |
| VIRGINIA AV | | | | |
| (BORO) | 0140/0755 | | | |
| | | | | MAPLE ST |
| | | | 0140/0510 | (BORO) |
| DIAMOND AV | | | | |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: INDIANA B RIGHT MUN: INDIANA B

| | | | |
|---|---|---|---|
| (BORO) | 0140/0274 | | CARTER AV |
| CARTER AV | | | |
| (SR4030 SEG 0020/2205) | 0140/0030 | 0140/0030 | (BORO) |
| | 029546 FT | 029546 FT | 2 0 32036 0 01 0290+66 |
| | | | INDIANA |
| | | | WHITE T |
| | | S 0140/0000 | LENGTH(AH 1942 BK 2271) |
| | | | 024 "DIA CIRC CONCR |
| | | 0130/2271 | LEN=0038 INSTALLED UNKN |
| | | | 018"H 36"W CON BOX CUL |
| | | 0130/1800 | LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0130/1450 | LEN=0010 INSTALLED UNKN |
| HOSPITAL RD | | | |
| (BORO) | 0130/1179 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/0730 | LEN=0050 INSTALLED UNKN |
| IMRC DR | | | |
| (PRDR) | 0130/0334 | 0130/0334 | |
| | 027275 FT | 027275 FT | 1 1 00268 0 00 0065+68 |
| | | S 0130/0000 | LENGTH(AH 2271 BK 2389) |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/1780 | LEN=0050 INSTALLED UNKN |
| | | | 030 "DIA CIRC CONCR |
| | | 0120/1660 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/1440 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0120/1122 | LEN=0053 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/0640 | LEN=0053 INSTALLED UNKN |
| | 024886 FT | 024886 FT | 1 1 00268 0 00 0041+82 |
| INDIAN SPRINGS RD | | | NC SIXTH ST |
| (SR4005 SEG 0010/0000) | 0120/0000 | S 0120/0000 | LENGTH(AH 2389 BK 1889) |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/1764 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/1547 | LEN=0065 INSTALLED UNKN |
| | | | SR0119 SB |
| | | 0110/1334 | OP ID 32/0119/0301/0000 |
| | | | SR0119 NB |
| | | 0110/1152 | OP ID 32/0119/0300/0000 |
| | | | SULLIVAN RD |
| | | 0110/0913 | (T710) |
| | | | 018 "DIA CIRC METAL |
| | | 0110/0910 | LEN=0070 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0693 | LEN=0053 INSTALLED UNKN |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | | |
|---|---|---|---|---|
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/0314 | LEN=0055 INSTALLED UNKN |
| | 022997 FT | | 022997 FT | 1 1 00268 0 00 0022+99 |
| | | | | TR TWO LICK |
| | | | | STRUCTURE LENGTH 12 FT |
| | | | | BMSID 32/0954/0110/0000 |
| | | | S 0110/0000 | LENGTH(AH 1889 BK 2316) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0100/2063 | LEN=0047 INSTALLED 2000 |
| GLENN RD (T424) | 0100/1948 | | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0100/1682 | LEN=0030 INSTALLED 2000 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0100/1384 | LEN=0040 INSTALLED 2000 |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0100/0840 | LEN=0050 INSTALLED 2000 |
| GLENN RD (T424) | 0100/0777 | | 0100/0777 | RURAL GARDENS CT (T810) |
| | | | | LOWER TWOLICK DR |
| | | | 0100/0271 | (T543) |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0100/0190 | LEN=0060 INSTALLED 2000 |
| | | | 0100/0136 | BMSEN 32/0954/0100/0000 |
| | 020681 FT | | 020681 FT | 1 1 00268 0 00 0000+00 |
| | | | | TWO LICK CR |
| | | | | BMSBG 32/0954/0100/0000 |
| | | | S 0100/0000 | LENGTH(AH 2316 BK 2735) |
| | | | | LAWER-HENCK LN |
| | | | 0090/1720 | (T980) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0090/1696 | LEN=0061 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0090/1500 | LEN=0038 INSTALLED 1996 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0090/1252 | LEN=0043 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0090/0995 | LEN=0042 INSTALLED UNKN |
| | | | | RISINGER RD |
| | | | 0090/0803 | (T621) |
| | | | | 018 "DIA CIRC METAL |
| | | | 0090/0155 | LEN=0060 INSTALLED UNKN |
| | 017946 FT | | 017946 FT | 2 0 32036 0 00 0255+97 |
| | | | | RAMP M RD |
| | | | | (SR8012 SEG 0250/0000) |
| | | | | RAMP P RD |
| | | | | (SR8012 SEG 0500/1329) |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | | 0090/0000 LENGTH(AH 2735 BK 3325) |
| TO 8012/0250 SH (CONN) | 0080/3210 | | |
| | | | 018 "DIA CIRC METAL |
| | | | 0080/3204 LEN=0050 INSTALLED 2016 |
| | | | SR 0422 WB |
| | | | 0080/3063 OP ID 32/0422/0331/0000 |
| | | | SR 0422 EB |
| | | | 0080/2993 OP ID 32/0422/0330/0000 |
| FROM 8012/0010 SH (CONN) | 0080/2783 | | |
| | | | RAMP R RD |
| | | | 0080/2764 (SR8012 SEG 0750/0000) |
| RAMP N RD (SR8012 SEG 0010/1415) | 0080/2674 | | |
| | | | 018 "DIA CIRC METAL |
| | | | 0080/2620 LEN=0050 INSTALLED 2016 |
| | | | METZ RD |
| | | | 0080/2289 (T715) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0080/2145 LEN=0045 INSTALLED UNKN |
| | | | WELL TECH INCORPORATED |
| | | | 0080/1203 (PRDR) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0080/1126 LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0080/0604 LEN=0046 INSTALLED UNKN |
| | | | FORD DR |
| | | | 0080/0557 (T211) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0080/0261 LEN=0045 INSTALLED UNKN |
| | 014621 FT | | 014621 FT 2 0 32036 0 00 0222+62 |
| | | | FERGUSON RD |
| | | | (T604) |
| LUCERNE RD (SR2023 SEG 0050/1287) | 0080/0000 | | 0080/0000 LENGTH(AH 3325 BK 3014) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0070/3000 LEN=0054 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | | 0070/2429 LEN=0044 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0070/2176 LEN=0044 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0070/1841 LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0070/1642 LEN=0054 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0070/1613 LEN=0020 INSTALLED UNKN |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | | |
|---|---|---|---|---|
| | | | | 018 "DIA CIRC CONCR |
| | | | 0070/1415 | LEN=0038 INSTALLED UNKN |
| | | | 0070/0107 | BMSEN 32/0954/0070/0000 |
| WHITE | | | | WHITE |
| CENTER T | 0070/0053 | | 0070/0053 | BRUSH VALLEY T |
| | 011607 FT | | 011607 FT | 2 0 32036 0 00 0192+50 |
| | | | | YELLOW CREEK |
| | | | | BMSBG 32/0954/0070/0000 |
| | | | S 0070/0000 | LENGTH(AH 3014 BK 2400) |
| | | | | 030 "DIA CIRC CONCR |
| | | | 0060/2000 | LEN=0045 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0060/1769 | LEN=0049 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0060/1544 | LEN=0044 INSTALLED UNKN |
| | | | | 036 "DIA CIRC CONCR |
| | | | 0060/1349 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0060/1127 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0060/0829 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0060/0529 | LEN=0046 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0060/0182 | LEN=0040 INSTALLED UNKN |
| | 009207 FT | | 009207 FT | 2 0 32036 0 00 0169+17 |
| | | | S 0060/0000 | LENGTH(AH 2400 BK 2617) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/2454 | LEN=0058 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/2107 | LEN=0045 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/1745 | LEN=0056 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/1458 | LEN=0046 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/1152 | LEN=0052 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/0859 | LEN=0046 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/0559 | LEN=0058 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/0363 | LEN=0060 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/0024 | LEN=0070 INSTALLED UNKN |
| | 006590 FT | | 006590 FT | 2 0 32036 0 00 0143+79 |
| | | | | SNYDER RD |

DIR: B TOTAL LEN: 33.718 MI. DIST: 10-4 SR: 954
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| | | | (T760) |
| | | | BRUSH VALLEY |
| | | | CENTER T |
| | | S | 0050/0000 LENGTH(AH 2617 BK 2240) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0040/1400 LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0040/1126 LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0040/0772 LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| 2 0 32036 1 00 0000+00 | 004350 FT | | 0040/0385 LEN=0030 INSTALLED UNKN |
| TIDE RD | | | 004350 FT ONDO RD |
| (T840) | 0040/0000 | | (T724) |
| | | S | 0040/0000 LENGTH(AH 2240 BK 2247) |
| | | | 084"H 84"W CON BOX CUL |
| | | | 0020/2200 LEN=0064 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/1789 LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/1492 LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/1194 LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/0892 LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/0608 LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/0306 LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0020/0005 LEN=0050 INSTALLED UNKN |
| | 002103 FT | | 002103 FT 2 0 32035 0 01 0169+68 |
| | | S | 0020/0000 LENGTH(AH 2247 BK 2103) |
| | | | 024 "DIA CIRC CONCR |
| | | | 0010/1777 LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/1660 LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0010/1133 LEN=0049 INSTALLED UNKN |
| TO 0056/0360 SH | | | FROM 0056/0370 SH |
| (CONN) | 0010/0101 | | 0010/0101 (CONN) |
| | 000000 FT | | 000000 FT 2 0 32035 0 01 0190+58 |
| | | | NC SR 0954 SH |
| | | | SR 0056 SH |
| | | | (SR0056 SEG 0370/0000) |
| | | | MFC BEGIN = C |
| | | S | 0010/0000 LENGTH(AH 2103 BK 0000) |

DIR: B TOTAL LEN: 2.177 MI. DIST: 10-4 SR: 711
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | | | |
|---|---|---|---|---|
| | 011493 FT | | 011493 FT | |
| | | | INTER-AHD | FRONT ST |
| | | | | (T651) |
| CRAMER PK | | | | CRAMER PK |
| (SR0403 SEG 0050/0075) | 0040/3387 | | 0040/3387 | (SR0403 SEG 0050/0075) |
| | | | 0040/3291 | BMSEN 32/0711/0040/3267 |
| | | | | 1 0 00302 0 01 0121+81 |
| | | | | TR CONEMAUGH |
| | | | 0040/3267 | BMSBG 32/0711/0040/3267 |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0040/2822 | LEN=0043 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/2528 | LEN=0044 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/2275 | LEN=0060 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0040/2012 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/1416 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/1110 | LEN=0039 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/0827 | LEN=0037 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/0465 | LEN=0037 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/0100 | LEN=0038 INSTALLED UNKN |
| | 008106 FT | | 008106 FT | 1 0 00302 0 01 0089+00 |
| | | | S 0040/0000 | LENGTH(AH 3387 BK 3084) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/2905 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/2682 | LEN=0036 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/2440 | LEN=0060 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0030/2086 | LEN=0037 INSTALLED UNKN |
| | | | | THIRD AV |
| | | == | 0030/1814 | (T608) |
| | | | | 036 "DIA CIRC CONCR |
| | | | 0030/1535 | LEN=0044 INSTALLED UNKN |
| | | | | (APRA) MILL CREEK PROCE |
| | | | | MILL CREEK PROCESSING D |
| | | POI | 0030/1329 | (PRDR) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/1231 | LEN=0043 INSTALLED UNKN |
| | | | | 042 "DIA CIRC CONCR |
| | | | 0030/0994 | LEN=0042 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/0831 | LEN=0039 INSTALLED UNKN |

DIR: B TOTAL LEN: 2.177 MI. DIST: 10-4 SR: 711
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0480 | LEN=0040 INSTALLED UNKN |
| | | | 048 "DIA CIRC CONCR |
| | | 0030/0180 | LEN=0059 INSTALLED UNKN |
| 1 0 00302 0 01 0058+05 005022 FT | | 005022 FT | |
| HILL RD | | | |
| (T888) | 0030/0000 | S 0030/0000 | LENGTH(AH 3084 BK 3596) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/3500 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/3164 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2870 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2555 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2185 | LEN=0044 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1875 | LEN=0039 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1568 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1264 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0952 | LEN=0039 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0670 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0370 | LEN=0032 INSTALLED UNKN |
| 1 0 00302 0 01 0022+12 001426 FT | | 001426 FT | |
| FALOON HOLLOW RD | | | |
| (T886) | 0020/0000 | S 0020/0000 | LENGTH(AH 3596 BK 1426) |
| | | | TR CONEMAUGH |
| | | | STRUCTURE LENGTH 18 FT |
| | | 0010/1313 | BMSID 32/0711/0010/1313 |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0922 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0275 | LEN=0031 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 1 0 00302 0 01 0006+98 |
| | | NC CHARLES RD | |
| | | | SR 0056 SH |
| | | | (SR0056 SEG 0590/0000) |
| | | INTER-BK | POWER PLANT RD |
| | | | (SR2008 SEG 0210/3230) |
| | | S 0010/0000 | LTH AH 001426 BK 000100 |
| | 000000 FT | 000000 FT | BK-WESTMORELAND (64) |
| | | 7008/0000 | LTH AH 000100 BK 000000 |

DIR: B TOTAL LEN: 10.141 MI. DIST: 10-4 SR: 580
LEFT MUN: CHERRY TREE B RIGHT MUN: CHERRY TREE B

053543 FT

1 0 00571 0 00 0007+77 052868 FT
FRONT ST
(SR1026 SEG 0080/1184)
CLARION RD
(BORO) 0180/0000

PENN ST
(BORO) 0170/1944

MAHONING RD
(SR1015 SEG 0200/1512) 0170/0278

049988 FT



053543 FT
INTER-AHD CHERRY ST
(BORO)
MAIN ST
0180/0675 (SR0219 SEG 0020/1638)
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN
BORO AL
0180/0512 (BORO)
015 "DIA CIRC CONCR
0180/0500 LEN=0030 INSTALLED 2012
0180/0334 BMSEN 32/0580/0180/0233
0 0 00000 0 00 0000+00
W BR SUSQUEH
0180/0233 BMSBG 32/0580/0180/0233
0180/0142 (AAR 529288A)#TRKS 01
052868 FT

NC CHERRY ST
S 0180/0000 LENGTH(AH 0675 BK 2880)
018 "DIA CIRC METAL
0170/2456 LEN=0060 INSTALLED UNKN
NC FRONT ST

015 "DIA CIRC METAL
0170/1629 LEN=0030 INSTALLED UNKN
018 "DIA CIRC METAL
0170/1276 LEN=0030 INSTALLED UNKN

018 "DIA CIRC CONCR
0170/0640 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0170/0300 LEN=0048 INSTALLED 2007

NC MAPLE ST
0170/0141 BMSEN 32/0580/0170/0126
1 0 00571 7 00 0027+58
ABAND MILL RACE
0170/0126 BMSBG 32/0580/0170/0126
049988 FT 1 0 00571 7 00 0031+31
NC BRIDGE ST
CHERRY TREE
GREEN T

DIR: B TOTAL LEN: 10.141 MI. DIST: 10-4 SR: 580
LEFT MUN: CHERRY TREE B RIGHT MUN: CHERRY TREE B

| | | |
|---|---|---|
| | 5 0170/0000 | LENGTH(AH 2880 BK 2888) |
| | 0160/2625 | BMSEN 32/0580/0160/2571 |
| | | 2 0 32066 0 02 0267+65 |
| | | CUSHION CR |
| | 0160/2571 | BMSBG 32/0580/0160/2571 |
| | 0160/2493 | (AAR 528062K)#TRKS 01 |
| | | 024 "DIA CIRC CONCR |
| | 0160/2408 | LEN=0048 INSTALLED 2007 |
| | | 018 "DIA CIRC METAL |
| | 0160/2060 | LEN=0033 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0160/1728 | LEN=0008 INSTALLED 2007 |
| | | 043"H 68"W ELLIP CONC |
| | 0160/1420 | LEN=0048 INSTALLED 2007 |
| | | 018 "DIA CIRC CONCR |
| | 0160/1000 | LEN=0040 INSTALLED 2007 |
| | | 018 "DIA CIRC CONCR |
| | 0160/0725 | LEN=0040 INSTALLED 2007 |
| | | 043"H 68"W ELLIP CONC |
| | 0160/0535 | LEN=0040 INSTALLED 2007 |
| | | 024 "DIA CIRC CONCR |
| | 0160/0007 | LEN=0056 INSTALLED 2007 |
| 047100 FT | 047100 FT | 2 0 32066 0 02 0240+96 |
| | 5 0160/0000 | LENGTH(AH 2888 BK 2440) |
| | | 018 "DIA CIRC CONCR |
| | 0150/1800 | LEN=0040 INSTALLED 2007 |
| | | 018 "DIA CIRC METAL |
| | 0150/1302 | LEN=0026 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0150/0750 | LEN=0040 INSTALLED 2007 |
| 044660 FT | 044660 FT | 2 0 32066 0 02 0216+59 |
| | 5 0150/0000 | LENGTH(AH 2440 BK 3588) |
| | | 018 "DIA CIRC METAL |
| | 0140/2242 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0140/2038 | LEN=0026 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0140/1450 | LEN=0040 INSTALLED 2007 |
| CHERRY RD (T921) 0140/0642 | | |
| | | 018 "DIA CIRC CONCR |
| | 0140/0440 | LEN=0048 INSTALLED 2007 |
| | | 018 "DIA CIRC CONCR |
| | 0140/0160 | LEN=0035 INSTALLED UNKN |

DIR: B TOTAL LEN: 10.141 MI. DIST: 10-4 SR: 580
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | | |
|---|---|---|---|---|
| | 041072 FT | | 041072 FT | 2 0 32066 0 02 0182+23 |
| | | | | COOKPORT UNIONTOWN RD |
| COOKPORT UNIONTOWN RD | | | | (SR0240 SEG 0144/0000) |
| (SR0240 SEG 0144/0000) | 0140/0000 | | 5 0140/0000 | LENGTH(AH 3588 BK 3128) |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0130/2300 | LEN=0064 INSTALLED 2000 |
| | | | | 018 "DIA CIRC METAL |
| | | | 0130/1205 | LEN=0036 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0130/0718 | LEN=0056 INSTALLED 2000 |
| | | | | 018 "DIA CIRC METAL |
| | | | 0130/0363 | LEN=0036 INSTALLED UNKN |
| | 037944 FT | | 037944 FT | 2 0 32066 0 02 0151+10 |
| | | | | VILLAGE: UNIONTOWN |
| | | | 5 0130/0000 | LENGTH(AH 3128 BK 2769) |
| | | | | 018 "DIA CIRC METAL |
| | | | 0120/1352 | LEN=0033 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0120/0867 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC METAL |
| | | | 0120/0114 | LEN=0028 INSTALLED UNKN |
| 2 0 32066 0 02 0123+38 | 035175 FT | | 035175 FT | |
| HAWTHORN RD | | | | |
| (T922) | 0120/0000 | | 5 0120/0000 | LENGTH(AH 2769 BK 3542) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/3464 | LEN=0032 INSTALLED 2007 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/1870 | LEN=0056 INSTALLED 2007 |
| | | | | ZENITH RD |
| | | | 0110/1626 | (T923) |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0110/1270 | LEN=0045 INSTALLED 2010 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/1059 | LEN=0030 INSTALLED UNKN |
| | | | | 024 "DIA CIR PLASTIC |
| | | | 0110/0816 | LEN=0040 INSTALLED 2012 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/0395 | LEN=0040 INSTALLED 2007 |
| | | | | 043"H 68"W ELLIP CONC |

DIR: B TOTAL LEN: 10.141 MI. DIST: 10-4 SR: 580
LEFT MUN: GREEN T RIGHT MUN: GREEN T

```
                                                   0110/0231 LEN=0032 INSTALLED 2004
                                                             015 "DIA CIRC CONCR
                                                   0110/0134 LEN=0027 INSTALLED UNKN
                          031633 FT                031633 FT 2 0 32066 0 01 0084+70
                                                 S 0110/0000 LENGTH(AH 3542 BK 3310)
                                                             018 "DIA CIRC CONCR
                                                   0100/3094 LEN=0032 INSTALLED 2007

                                                             015 "DIA CIRC METAL
                                                   0100/2437 LEN=0030 INSTALLED UNKN
                                                             018 "DIA CIR PLASTIC
                                                   0100/1933 LEN=0040 INSTALLED 2010
                                                             018 "DIA CIRC CONCR
                                                   0100/1615 LEN=0040 INSTALLED 2007


                                                             018 "DIA CIRC METAL
                                                   0100/0553 LEN=0028 INSTALLED UNKN
                                                             018 "DIA CIRC METAL
                                                   0100/0086 LEN=0065 INSTALLED UNKN
2 0 32066 0 01 0051+34 028323 FT                   028323 FT
MULBERRY RD
(T918)                     0100/0000             S 0100/0000 LENGTH(AH 3310 BK 2525)
                                                             GRISEMORE RD
                                                   0090/2470 (SR1019 SEG 0100/2287)
                                                             018 "DIA CIRC CONCR
                                                   0090/2432 LEN=0036 INSTALLED UNKN


VALLEY RD
(SR1019 SEG 0110/0000)     0090/1244
                                                             018 "DIA CIRC CONCR
                                                   0090/1194 LEN=0032 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                                   0090/0954 LEN=0040 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                                   0090/0690 LEN=0035 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                                   0090/0190 LEN=0035 INSTALLED UNKN
                          025798 FT                025798 FT 1 0 00300 0 01 0253+66
                                                             SPRUCE RD
                                                             (T645)
                                                 S 0090/0000 LENGTH(AH 2525 BK 3532)
                                                             018 "DIA CIRC CONCR
                                                   0080/3404 LEN=0032 INSTALLED UNKN

                                                             018 "DIA CIRC CONCR
                                                   0080/2780 LEN=0035 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                                   0080/2430 LEN=0035 INSTALLED UNKN
```

DIR: B TOTAL LEN: 10.141 MI. DIST: 10-4 SR: 580
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0080/1476 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/1140 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/0711 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/0030 | LEN=0045 INSTALLED UNKN |
| 1 0 00300 0 01 0218+40 022266 FT | | | 022266 FT |
| SYCAMORE RD | | | |
| (T970) | 0080/0000 | S 0080/0000 | LENGTH(AH 3532 BK 3396) |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1549 | LEN=0052 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0214 | LEN=0060 INSTALLED UNKN |
| | 018870 FT | | 018870 FT 1 0 00300 0 01 0184+33 |
| | | S 0070/0000 | LENGTH(AH 3396 BK 3230) |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1097 | LEN=0027 INSTALLED UNKN |
| ALDER RD | | | ALDER RD |
| (T916) | 0060/0656 | 0060/0656 | (T916) |
| | | 0060/0491 | BMSEN 32/0580/0060/0462 |
| | | | 1 0 00300 0 01 0156+86 |
| | | | SIDES RUN |
| | | 0060/0462 | BMSBG 32/0580/0060/0462 |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/0007 | LEN=0032 INSTALLED UNKN |
| | 015640 FT | | 015640 FT 1 0 00300 0 01 0152+03 |
| | | S 0060/0000 | LENGTH(AH 3230 BK 3260) |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/2915 | LEN=0010 INSTALLED 1999 |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/2748 | LEN=0028 INSTALLED UNKN |

DIR: B TOTAL LEN: 10.141 MI. DIST: 10-4 SR: 580
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 0050/2463 | LEN=0024 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1773 | LEN=0028 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0050/1011 | LEN=0027 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/0680 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/0430 | LEN=0032 INSTALLED UNKN |
| 012380 FT | | 012380 FT | 1 0 00300 0 01 0119+57 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0014 INSTALLED 1999 |
| | | S 0050/0000 | LENGTH(AH 3260 BK 3674) |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/2899 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/2741 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/2569 | LEN=0028 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0040/2199 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0040/0210 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0040/0087 | LEN=0091 INSTALLED UNKN |
| 008706 FT | | 008706 FT | 1 0 00300 0 01 0082+58 |
| | | | VILLAGE: PINE FLATS |
| | | | EVERGREEN RD |
| | | | (SR1057 SEG 0050/2966) |
| | | S 0040/0000 | LENGTH(AH 3674 BK 3362) |
| WANDIN RD | | | PINE FLATS RD |
| (SR1014 SEG 0070/0000) | 0030/3218 | 0030/3218 | (SR1014 SEG 0070/0000) |
| | | | 036 "DIA CIRC METAL |
| | | 0030/3074 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0030/2205 | LEN=0027 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |

DIR: B TOTAL LEN: 10.141 MI. DIST: 10-4 SR: 580
LEFT MUN: GREEN T RIGHT MUN: GREEN T

```
                                          0030/1003 LEN=0031 INSTALLED UNKN

                                                    018 "DIA CIRC CONCR
                                          0030/0360 LEN=0026 INSTALLED UNKN
                  005344 FT               005344 FT 1 0 00300 0 01 0048+96
                                                    GREEN
                                                    CHERRYHILL T
                                        S 0030/0000 LENGTH(AH 3362 BK 2577)

                                          0020/1777 BMSEN 32/0580/0020/1762
                                                    1 0 00300 0 00 0041+10
                                                    WHITAKER RUN
                                          0020/1762 BMSBG 32/0580/0020/1762
                                                    036 "DIA CIRC CONCR
                                          0020/1575 LEN=0040 INSTALLED 2003
                                                    015"H 15"W BOX CULVRT*
                                          0020/1262 LEN=0032 INSTALLED UNKN


                  002767 FT               002767 FT 1 0 00300 0 01 0023+54
                                                    036 "DIA CIRC CONCR
                                                    LEN=0040 INSTALLED 2003
                                        S 0020/0000 LENGTH(AH 2577 BK 2767)
                                                    024 "DIA CIRC CONCR
                                          0010/2284 LEN=0032 INSTALLED 2003


                                                    018 "DIA CIRC CONCR
                                          0010/1295 LEN=0032 INSTALLED 2003

                                                    018 "DIA CIRC CONCR
                                          0010/0567 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/0440 LEN=0032 INSTALLED UNKN
KENWOOD RD
(T751)            0010/0415               ==
                                                    018 "DIA CIRC CONCR
                                          0010/0100 LEN=0050 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/0061 LEN=0050 INSTALLED UNKN
                  000000 FT               000000 FT 1 0 00300 0 00 0000+00
                                                    VILLAGE: KENWOOD
                                                NC SR 0580 SH
                                                    SR 0403 SH
                                                    (SR0403 SEG 0470/0000)
                                          INTER-BK  MANOR RD
                                                    (T647)
                                                    MFC BEGIN = D
                                        S 0010/0000 LENGTH(AH 2767 BK 0000)
```

DIR: B TOTAL LEN: 9.320 MI. DIST: 10-4 SR: 553
LEFT MUN: PINE T RIGHT MUN: PINE T




| | | | |
|---|---|---|---|
| | 049211 FT | 049211 FT | AH-CAMBRIA (11) |
| | | REF-AHD | ALVERDA RD |
| | | 0200/1256 | (SR0553 SEG 0010/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0200/1246 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0200/0925 | LEN=0045 INSTALLED UNKN |
| | | 0200/0683 | BMSEN 32/0553/0200/0620 |
| | | | 2 0 32055 0 01 0187+21 |
| | | | P3 |
| | | | DUTCH RUN |
| | | 0200/0620 | BMSBG 32/0553/0200/0620 |
| | | | 018 "DIA CIRC CONCR |
| | | 0200/0230 | LEN=0034 INSTALLED UNKN |
| | 047955 FT | 047955 FT | 2 0 32055 0 01 0181+79 |
| | | 0200/0000 | LENGTH(AH 1256 BK 1103) |
| | | | 024 "DIA CIRC CONCR |
| | | 0190/0565 | LEN=0040 INSTALLED UNKN |
| TIPPERARY RD (SR1013 SEG 0100/0000) | 0190/0213 | | |
| | | 0190/0169 | BMSEN 32/0553/0190/0065 |
| | | | 018 "DIA CIRC METAL |
| | | 0190/0110 | LEN=0001 INSTALLED UNKN |
| | | | 0 0 00000 0 00 0000+00 |
| | | | CAMBRIA AND INDIANA RR |
| | | 0190/0065 | BMSBG 32/0553/0190/0065 |
| | 046852 FT | 046852 FT | 2 0 32055 0 00 0167+71 |
| | | | TIPPERARY RD |
| | | | (SR1013 SEG 0090/2928) |
| | | 0190/0000 | LENGTH(AH 1103 BK 2999) |
| | | | 018 "DIA CIRC CONCR |
| | | 0180/2240 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0180/1964 | LEN=0032 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0180/0935 | LEN=0150 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0180/0700 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0180/0069 | LEN=0050 INSTALLED UNKN |
| | 043853 FT | 043853 FT | 2 0 32055 0 00 0137+20 |
| FRONT ST (T910) | | | VILLAGE: ALVERDA |
| | 0180/0000 | 0180/0000 | LENGTH(AH 2999 BK 2672) |

DIR: B TOTAL LEN: 9.320 MI. DIST: 10-4 SR: 553
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | | | |
|---|---|---|---|---|
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/2097 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/1688 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/1571 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/1045 | LEN=0036 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/0881 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/0445 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/0283 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/0221 | LEN=0040 INSTALLED UNKN |
| | 041181 FT | | 041181 FT | 2 0 32055 0 00 0111+01 |
| | | | | MOUNT ZION RD |
| GRISEMORE RD | | | | (T906) |
| (SR1019 SEG 0010/0000) | 0170/0000 | == == | S 0170/0000 | LENGTH(AH 2672 BK 3328) |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0160/3310 | LEN=0145 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0160/2565 | LEN=0039 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0160/2260 | LEN=0038 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0160/1735 | LEN=0051 INSTALLED UNKN |
| MENTCLE DR | | | | |
| (BORO) | 0160/1703 | == | | |
| MENTCLE DR | | | | |
| (BORO) | 0160/1196 | == | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0160/1151 | LEN=0050 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0160/0460 | LEN=0032 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0160/0450 | LEN=0005 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0160/0220 | LEN=0058 INSTALLED UNKN |
| | | | 0160/0022 | BMSEN 32/0553/0160/0000 |
| | 037853 FT | | 037853 FT | 2 0 32055 0 00 0077+70 |
| | | | | VILLAGE: MENTCLE |
| | | | | YELLOW CREEK |
| | | | | BMSBG 32/0553/0160/0000 |
| | | | S 0160/0000 | LENGTH(AH 3328 BK 2498) |
| | | | | 036 "DIA CIRC CONCR |
| | | | 0150/2130 | LEN=0050 INSTALLED UNKN |

DIR: B TOTAL LEN: 9.320 MI. DIST: 10-4 SR: 553
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | | |
|---|---|---|---|
| | | 0150/1456 | 018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN |
| | | 0150/1137 | 018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN |
| | | 0150/0917 | 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN |
| | | 0150/0439 | 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| 2 0 32055 0 00 0053+88 | 035355 FT | 035355 FT | |
| EVERGREEN RD (SR1057 SEG 0010/0000) | 0150/0000 | 5 0150/0000 | LENGTH(AH 2498 BK 2192) |
| | | 0140/2182 | 018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN |
| | | 0140/1480 | 018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN |
| | | 0140/0984 | 040 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | 033163 FT | 033163 FT | 2 0 32055 0 00 0031+91 TOWER HILL RD (T581) |
| | | 5 0140/0000 | LENGTH(AH 2192 BK 3034) |
| | | 0130/2910 | 036 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | | 0130/2051 | 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | | 0130/0260 | 018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN FOR SR 0403 AND 0553 |
| | | 0130/0235 | (CONN) |
| | 030129 FT | 030129 FT | 2 0 32055 0 00 0000+00 SR 0403 SH (SR0403 SEG 0410/0408) |
| | | INTER-BK | SR 0403 SH (SR0403 SEG 0410/0408) |
| | | 5 0130/0000 | LTH AH 003034 BK 000100 |
| | 030129 FT | 030129 FT | |
| | | 7114/0000 | LTH AH 000100 BK 002429 |
| | | INTER-AHD | SR 0403 SH (SR0403 SEG 0460/0000) SCHOOL RD (T864) |
| SR 0403 SH | | | |

DIR: B TOTAL LEN: 9.320 MI. DIST: 10-4 SR: 553
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| (SR0403 SEG 0460/0000) | 0110/2429 | 0110/2429 | CHERRYHILL T |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/1662 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/1358 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0386 | LEN=0022 INSTALLED UNKN |
| | 027700 FT | 027700 FT | 2 0 32051 0 00 0174+47 |
| | | | PINE TREE RD |
| | | | (T635) |
| | | S 0110/0000 | LENGTH(AH 2429 BK 3484) |
| | | | 018 "DIA CAST IRON |
| | | 0100/3477 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/3069 | LEN=0023 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/2670 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/2320 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CAST IRON |
| | | 0100/2285 | LEN=0021 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/1835 | LEN=0022 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/1689 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0100/0813 | LEN=0030 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0100/0493 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/0223 | LEN=0021 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/0010 | LEN=0030 INSTALLED UNKN |
| 2 0 32051 0 00 0139+60 | 024216 FT | 024216 FT | OVERMAN RD |
| BUTERBAUGH RD | | | (T866) |
| (T867) | 0100/0000 | S 0100/0000 | LENGTH(AH 3484 BK 2506) |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1676 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/0968 | LEN=0021 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/0789 | LEN=0032 INSTALLED UNKN |
| | 021710 FT | 021710 FT | 2 0 32051 0 00 0114+83 |

DIR: B TOTAL LEN: 9.320 MI. DIST: 10-4 SR: 553
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| | | | ROSE RUN |
| | | | STRUCTURE LENGTH 13 FT |
| | | | BMSID 32/0553/0090/0000 |
| | | 0090/0000 | LENGTH(AH 2506 BK 2364) |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/0964 | LEN=0040 INSTALLED UNKN |
| | 019346 FT | 019346 FT | 2 0 32051 0 00 0090+90 |
| | | | LAUREL RUN RD |
| LAUREL RUN RD | | | (T752) |
| (SR1009 SEG 0010/0000) | 0080/0000 | 0080/0000 | LENGTH(AH 2364 BK 3387) |
| | | | 048 "DIA CIRC CONCR |
| | | 0070/3061 | LEN=0065 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0070/2542 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/2110 | LEN=0028 INSTALLED UNKN |
| MANOR RD | | | |
| (T647) | 0070/1661 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1028 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0635 | LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0070/0015 | LEN=0035 INSTALLED UNKN |
| 2 0 32051 0 00 0056+94 | 015959 FT | 015959 FT | |
| WESTON RD | | | |
| (T762) | 0070/0000 | 0070/0000 | LENGTH(AH 3387 BK 3000) |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/2720 | LEN=0034 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0060/2038 | LEN=0075 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0060/1884 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/1624 | LEN=0036 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/1325 | LEN=0036 INSTALLED UNKN |
| | | | (APRA) MEARS STRIP MINE |
| | | | MEARS STRIP MINE DR |
| | | 0060/1043 | (PRDR) |
| | | | 030 "DIA CIRC CONCR |
| | | 0060/1010 | LEN=0044 INSTALLED UNKN |

DIR: B TOTAL LEN: 9.320 MI. DIST: 10-4 SR: 553
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | | |
|---|---|---|---|---|
| | | | | 018 "DIA CIRC CONCR |
| | | | 0060/0847 | LEN=0052 INSTALLED UNKN |
| | 012959 FT | | 012959 FT | 2 0 32051 0 00 0027+05 |
| | | | S 0060/0000 | LENGTH(AH 3000 BK 2724) |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0050/2658 | LEN=0044 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0050/2396 | LEN=0036 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0050/2201 | LEN=0036 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0050/1886 | LEN=0060 INSTALLED UNKN |
| | | | 0050/1659 | BMSEN 32/0553/0050/1668 |
| | | | | 2 0 32051 0 00 0000+00 |
| | | | | PENN RUN |
| | | | 0050/1636 | BMSBG 32/0553/0050/1668 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/1404 | LEN=0110 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0050/1062 | LEN=0040 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0050/0165 | LEN=0040 INSTALLED 2002 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0050/0017 | LEN=0045 INSTALLED UNKN |
| 2 0 32051 0 00 0000+00 | 010235 FT | | 010235 FT | |
| SPAULDING RD | | | | |
| (SR1012 SEG 0230/3496) | 0050/0000 | | S 0050/0000 | LENGTH(AH 2724 BK 1604) |
| GRACE CHURCH RD | | | | |
| (T758) | 0040/1337 | | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0040/1225 | LEN=0032 INSTALLED UNKN |
| | | | | 012 "DIA CIRC CONCR |
| | | | 0040/0952 | LEN=0024 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0040/0682 | LEN=0024 INSTALLED UNKN |
| CAMP FAITH RD | | | | |
| (T639) | 0040/0658 | | | |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0040/0500 | LEN=0025 INSTALLED UNKN |
| | 008631 FT | | 008631 FT | 1 1 04597 0 00 0102+50 |
| | | | | VILLAGE: PENN RUN |
| | | | | HARMONY RD |
| | | | | (SR2025 SEG 0060/1949) |
| | | | S 0040/0000 | LENGTH(AH 1604 BK 3776) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0030/3124 | LEN=0075 INSTALLED UNKN |
| | | | | 048 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 9.320 MI. DIST: 10-4 SR: 553
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

```
                                        0030/2720 LEN=0045 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0030/2178 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0030/1969 LEN=0047 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0030/1697 LEN=0032 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0030/1470 LEN=0031 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                        0030/0815 LEN=0031 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0030/0440 LEN=0042 INSTALLED UNKN
004855 FT                               004855 FT 1 1 04597 0 00 0063+75
                                      S 0030/0000 LENGTH(AH 3776 BK 3768)
                                                  015 "DIA CIRC CONCR
                                        0020/3529 LEN=0033 INSTALLED UNKN
                                                  036 "DIA CIRC CONCR
                                        0020/3250 LEN=0060 INSTALLED UNKN


                                                  018 "DIA CIRC CONCR
                                        0020/1970 LEN=0042 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/1630 LEN=0036 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/1135 LEN=0032 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/0750 LEN=0042 INSTALLED UNKN
                                                  036 "DIA CIRC CONCR
                                        0020/0619 LEN=0040 INSTALLED UNKN
001087 FT                               001087 FT 1 1 04597 0 00 0026+03
                                                  030 "DIA CIRC CONCR
                                                  LEN=0040 INSTALLED UNKN
                                      S 0020/0000 LENGTH(AH 3768 BK 1087)
                                                  030 "DIA CIRC METAL
                                        0010/0925 LEN=0090 INSTALLED UNKN
                                                  020 "DIA CIRC METAL
                                        0010/0557 LEN=0040 INSTALLED UNKN
                                                  020 "DIA CIRC METAL
                                        0010/0261 LEN=0120 INSTALLED UNKN
000000 FT                               000000 FT 1 1 04597 0 00 0014+20
                                           NC SR 0553 SH
                                      * REF-BK    RAMP D RD
                                                  (SR8016 SEG 0010/1843)
                                                  MFC BEGIN = D
                                      S 0010/0000 LENGTH(AH 1087 BK 0000)
```

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: PINE T RIGHT MUN: PINE T

144444 FT

144403 FT AH-CAMBRIA (11)
* REF-AHD BENJAMIN FRANKLIN HW
0670/1993 (SR0422 SEG 0010/0000)
015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | |
|---|---|---|
| | 0670/1668 | LEN=0046 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0670/1160 | LEN=0080 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0670/0898 | LEN=0090 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0670/0116 | LEN=0063 INSTALLED UNKN |
| 142451 FT | 142410 FT | 1 0 00054 0 06 1495+14 |
| | S 0670/0000 | LENGTH(AH 1993 BK 1914) |
| | | 024 "DIA CIRC CONCR |
| | 0660/0582 | LEN=0045 INSTALLED UNKN |
| 140537 FT | 140496 FT | 1 0 00054 0 06 1476+00 |
| | | RED MILL RD |
| | | (T902) |
| | S 0660/0000 | LENGTH(AH 1914 BK 1372) |
| | | 015 "DIA CIRC CONCR |
| | 0650/0439 | LEN=0039 INSTALLED UNKN |
| | 0650/0016 | BMSEN 32/0422/0650/0000 |
| 139165 FT | 139124 FT | 1 0 00054 0 06 1462+36 |
| | | BR. CARNEY RUN |
| | | BMSBG 32/0422/0650/0000 |
| | S 0650/0000 | LENGTH(AH 1372 BK 2698) |
| | | 015 "DIA CIRC CONCR |
| | 0640/1672 | LEN=0050 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0640/1332 | LEN=0044 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0640/0529 | LEN=0045 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0640/0082 | LEN=0042 INSTALLED UNKN |
| 136467 FT | 136426 FT | 1 0 00054 0 06 1435+47 |
| | S 0640/0000 | LENGTH(AH 2698 BK 2243) |
| HISTORICAL RD (T587) | 0630/1108 | |
| | | 015 "DIA CIRC CONCR |
| | 0630/0680 | LEN=0045 INSTALLED UNKN |
| | | 012 "DIA CIRC METAL |
| | 0630/0172 | LEN=0040 INSTALLED UNKN |
| 134224 FT | 134183 FT | 1 0 00054 0 06 1412+96 |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | | |
|---|---|---|---|
| | | | VILLAGE: STRONGSTOWN |
| | | | SR 0403 SH |
| | | | (SR0403 SEG 0280/0000) |
| | | S 0630/0000 | LENGTH(AH 2243 BK 2672) |
| | | | 015 "DIA CIRC CONCR |
| | | 0620/2616 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0620/1570 | LEN=0085 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0620/1267 | LEN=0078 INSTALLED UNKN |
| | | | DEER LN |
| | == | 0620/1182 | (PRDR) |
| | | | 018 "DIA CIRC CONCR |
| | | 0620/0995 | LEN=0054 INSTALLED UNKN |
| HEMLOCK LN (T960) | 0620/0909 == | | |
| | | | 030 "DIA CIRC CONCR |
| | | 0620/0350 | LEN=0100 INSTALLED UNKN |
| | 131552 FT | 131511 FT | 1 0 00301 0 03 0684+40 |
| | | S 0620/0000 | LENGTH(AH 2672 BK 2268) |
| | | | 018 "DIA CIRC CONCR |
| | | 0610/2268 | LEN=0070 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0610/2190 | LEN=0075 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0610/1705 | LEN=0065 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0610/1480 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0610/1160 | LEN=0048 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0610/0660 | LEN=0120 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0610/0340 | LEN=0095 INSTALLED UNKN |
| | 129284 FT | 129243 FT | 1 0 00301 0 03 0661+74 |
| | | | BR LT YELLOW CR |
| | | | STRUCTURE LENGTH 9 FT |
| | | | BMSID 32/0422/0610/0000 |
| | | S 0610/0000 | LENGTH(AH 2268 BK 2527) |
| | | | 015 "DIA CIRC CONCR |
| | | 0600/2255 | LEN=0080 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0600/1610 | LEN=0110 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0600/1270 | LEN=0085 INSTALLED UNKN |
| | | | 030 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | | |
|---|---|---|---|
| | | 0600/0810 | LEN=0095 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0600/0735 | LEN=0194 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0600/0683 | LEN=0086 INSTALLED UNKN |
| | | 0600/0103 | BMSEN 32/0422/0600/0000 |
| | 126757 FT | 126716 FT | 1 0 00301 0 03 0637+09 |
| | | | LITTLE YELLOW CREEK |
| | | | BMSBG 32/0422/0600/0000 |
| | | S 0600/0000 | LENGTH(AH 2527 BK 2731) |
| | | | 018 "DIA CIRC CONCR |
| | | 0590/2105 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0590/2095 | LEN=0057 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0590/1835 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0590/1820 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0590/1546 | LEN=0085 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0590/1065 | LEN=0084 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0590/0470 | LEN=0135 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0590/0165 | LEN=0175 INSTALLED UNKN |
| | 124026 FT | 123985 FT | 1 0 00301 0 03 0609+37 |
| | | S 0590/0000 | LENGTH(AH 2731 BK 2786) |
| | | | 024 "DIA CIRC CONCR |
| | | 0580/2477 | LEN=0090 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0580/2115 | LEN=0045 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0580/1720 | LEN=0110 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0580/1127 | LEN=0062 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0580/0898 | LEN=0070 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0580/0464 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0580/0024 | LEN=0150 INSTALLED UNKN |
| | 121240 FT | 121199 FT | 1 0 00301 0 03 0581+55 |
| NOLO RD | | | VILLAGE: NOLO |
| (SR1011 SEG 0010/0000) | 0580/0000 | S 0580/0000 | LENGTH(AH 2786 BK 2648) |
| | | | SIMONS ROCK RD |
| | | 0570/1708 | (SR2027 SEG 0060/3106) |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | |
|---|---|---|
| | | 015 "DIA CIRC CONCR |
| | 0570/1595 | LEN=0085 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0570/1335 | LEN=0063 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0570/1045 | LEN=0069 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0570/0715 | LEN=0093 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0570/0475 | LEN=0102 INSTALLED UNKN |
| 118592 FT | 118551 FT | 1 0 00301 0 03 0555+44 |
| | S 0570/0000 | LENGTH(AH 2648 BK 2567) |
| | | 018 "DIA CIRC CONCR |
| | 0560/1880 | LEN=0066 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0560/1415 | LEN=0075 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0560/1110 | LEN=0055 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0560/0880 | LEN=0055 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0560/0565 | LEN=0058 INSTALLED UNKN |
| 116025 FT | 115984 FT | 1 0 00301 0 03 0529+77 |
| | | VILLAGE: NOLO |
| | S 0560/0000 | LENGTH(AH 2567 BK 3291) |
| | | 048"H 84"W ELLIP CONC |
| | 0550/3274 | LEN=0160 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0550/2999 | LEN=0120 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0550/2542 | LEN=0105 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0550/2228 | LEN=0075 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0550/1940 | LEN=0075 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0550/1879 | LEN=0070 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0550/1487 | LEN=0077 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0550/1327 | LEN=0070 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0550/0774 | LEN=0062 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0550/0458 | LEN=0073 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0550/0105 | LEN=0070 INSTALLED UNKN |
| 112734 FT | 112693 FT | 1 0 00301 0 03 0496+42 |
| | | EWINGS MILL RD |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | | |
|---|---|---|---|
| | | | (T874) |
| | | S 0550/0000 | LENGTH(AH 3291 BK 2921) |
| | | | 036"H 48"W CON BOX CUL |
| | | 0540/2844 | LEN=0059 INSTALLED UNKN |
| | | 0540/2395 | BMSEN 32/0422/0540/2375 |
| | | | 1 0 00301 0 03 0467+18 |
| | | | LAUREL RUN |
| | | 0540/2375 | BMSBG 32/0422/0540/2375 |
| YELLOW CREEK RD | | | OLD MILL RD |
| (T742) | 0540/2331 | 0540/2331 | (T742) |
| | | | PINE |
| | | 0540/2322 | CHERRYHILL T |
| | | | 018 "DIA CIRC CONCR |
| | | 0540/1867 | LEN=0170 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0540/1669 | LEN=0057 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |
| | | 0540/1273 | LEN=0082 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0540/1034 | LEN=0075 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0540/0553 | LEN=0080 INSTALLED 2015 |
| | | | 072"H 72"W CON BOX CUL |
| | | 0540/0346 | LEN=0082 INSTALLED 2015 |
| | | | 018"H 18"W UNKN CONC |
| | | 0540/0073 | LEN=0082 INSTALLED UNKN |
| | 109813 FT | 109772 FT | 1 0 00301 0 03 0467+18 |
| | | | YELLOWCREEK PARK RD |
| | | | (SR0259 SEG 0360/2740) |
| | | S 0540/0000 | LENGTH(AH 2921 BK 1706) |
| | | | 018 "DIA CIRC CONCR |
| | | 0530/1394 | LEN=0082 INSTALLED 2015 |
| | | | 024 "DIA CIRC CONCR |
| | | 0530/1058 | LEN=0084 INSTALLED 2015 |
| | | | 018 "DIA CIRC CONCR |
| | | 0530/0780 | LEN=0074 INSTALLED 2015 |
| | | | 018 "DIA CIRC CONCR |
| | | 0530/0637 | LEN=0080 INSTALLED 2015 |
| | | 0530/0058 | BMSEN 32/0422/0530/0000 |
| | 108107 FT | 108066 FT | 1 0 00301 0 03 0449+49 |
| | | | YELLOW CREEK |
| | | | BMSBG 32/0422/0530/0000 |
| | | S 0530/0000 | LENGTH(AH 1706 BK 3549) |
| | | | 018 "DIA CIRC CONCR |
| | | 0520/2915 | LEN=0070 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0520/2370 | LEN=0075 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0520/1875 | LEN=0072 INSTALLED UNKN |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0520/0970 | LEN=0063 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0520/0495 | LEN=0048 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0520/0060 | LEN=0045 INSTALLED UNKN |
| | 104558 FT | 104517 FT | 1 0 00301 0 03 0413+74 |
| | | 5 0520/0000 | LENGTH(AH 3549 BK 1880) |
| | | | 018 "DIA CIRC CONCR |
| | | 0510/1760 | LEN=0055 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0510/0885 | LEN=0056 INSTALLED 2000 |
| | | | 018 "DIA CIRC CONCR |
| | | 0510/0225 | LEN=0052 INSTALLED UNKN |
| 1 0 00301 0 03 0394+68 | 102678 FT | 102637 FT | |
| DIEHL RD | | | |
| (T634) | 0510/0000 | 5 0510/0000 | LENGTH(AH 1880 BK 1647) |
| | | | 015 "DIA CIRC CONCR |
| | | 0500/1332 | LEN=0047 INSTALLED UNKN |
| HARMONY RD | | | HARMONY RD |
| (SR2025 SEG 0040/0000) | 0500/0979 | 0500/0979 | (SR2025 SEG 0040/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0500/0955 | LEN=0087 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0500/0582 | LEN=0034 INSTALLED UNKN |
| | 101031 FT | 100990 FT | 1 0 00301 0 03 0376+93 |
| | | 5 0500/0000 | LENGTH(AH 1647 BK 0817) |
| | | | 018 "DIA CIRC CONCR |
| | | 0490/0686 | LEN=0060 INSTALLED UNKN |
| | 100214 FT | 100173 FT | 1 0 01112 0 00 0445+19 |
| | | | MFC BEGIN = B |
| | | 5 0490/0000 | LENGTH(AH 0817 BK 1295) |
| | | | 018 "DIA CIRC CONCR |
| | | 0480/0938 | LEN=0075 INSTALLED UNKN |
| | | | CHESTNUT RIDGE RD ET |
| | | | (T840) |
| CHESTNUT RIDGE RD ET | | | CHESTNUT RIDGE RD |
| (T840) | 0481/0475 | 0480/0452 | (T840) |
| 036 "DIA CIRC CONCR | | | |
| LEN=0085 INSTALLED UNKN | 0481/0465 | | |
| | | | 024 "DIA CIRC CONCR |
| | | 0480/0401 | LEN=0100 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0092 INSTALLED UNKN | 0481/0084 | | |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| LEFT | RIGHT |
|---|---|
| | 018 "DIA CIRC CONCR |
| | 0480/0078 LEN=0115 INSTALLED UNKN |
| 1 0 01112 0 00 0432+89 098895 FT | 098878 FT 1 0 01112 0 00 0432+24 |
| LENGTH(AH 1319 BK 1782) 0481/0000 S | S 0480/0000 LENGTH(AH 1295 BK 1719) |
| 018 "DIA CIRC CONCR | |
| LEN=0096 INSTALLED UNKN 0471/1590 | |
| | 018 "DIA CIRC CONCR |
| | 0470/1485 LEN=0105 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0105 INSTALLED UNKN 0471/1224 | |
| | 018 "DIA CIRC CONCR |
| | 0470/1135 LEN=0100 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0105 INSTALLED UNKN 0471/0861 | |
| | 018 "DIA CIRC CONCR |
| | 0470/0795 LEN=0096 INSTALLED UNKN |
| 024 "DIA CIRC CONCR | |
| LEN=0140 INSTALLED UNKN 0471/0501 | |
| | 018 "DIA CIRC CONCR |
| | 0470/0450 LEN=0100 INSTALLED UNKN |
| 024 "DIA CIRC CONCR | 024 "DIA CIRC CONCR |
| LEN=0140 INSTALLED UNKN 0471/0150 | 0470/0150 LEN=0095 INSTALLED UNKN |
| 1 0 01112 0 00 0414+70 097113 FT | 097159 FT 1 0 01112 0 00 0415+05 |
| LENGTH(AH 1782 BK 2505) 0471/0000 S | S 0470/0000 LENGTH(AH 1719 BK 2527) |
| 036 "DIA CIRC CONCR | 018 "DIA CIRC CONCR |
| LEN=0120 INSTALLED UNKN 0461/2337 | 0460/2337 LEN=0095 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0090 INSTALLED UNKN 0461/2045 | |
| | 018 "DIA CIRC CONCR |
| | 0460/2040 LEN=0100 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | 018 "DIA CIRC CONCR |
| LEN=0095 INSTALLED UNKN 0461/1746 | 0460/1746 LEN=0110 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0105 INSTALLED UNKN 0461/1450 | |
| | 018 "DIA CIRC CONCR |
| | 0460/1440 LEN=0090 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0130 INSTALLED UNKN 0461/0698 | |
| 018 "DIA CIRC CONCR | |
| LEN=0150 INSTALLED UNKN 0461/0182 | |
| 1 0 01112 0 00 0389+65 094608 FT | 094632 FT 1 0 01112 0 00 0390+10 |
| LENGTH(AH 2505 BK 2862) 0461/0000 S | S 0460/0000 LENGTH(AH 2527 BK 2841) |
| 018 "DIA CIRC CONCR | |
| LEN=0140 INSTALLED UNKN 0451/2424 | |
| 018 "DIA CIRC CONCR | |
| LEN=0100 INSTALLED UNKN 0451/2000 | |
| | 024 "DIA CIRC CONCR |
| | 0450/1588 LEN=0140 INSTALLED UNKN |
| 024 "DIA CIRC CONCR | |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | |
|---|---|---|
| LEN=0150 INSTALLED UNKN 0451/1480 | | |
| | 0450/1228 | 018 "DIA CIRC CONCR<br>LEN=0100 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0140 INSTALLED UNKN 0451/1180 | | |
| | 0450/0926 | 018 "DIA CIRC CONCR<br>LEN=0110 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0140 INSTALLED UNKN 0451/0841 | | |
| | 0450/0617 | 018 "DIA CIRC CONCR<br>LEN=0115 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0078 INSTALLED UNKN 0451/0475 | | |
| BMSEN 32/0422/0451/0000 0451/0200 | 0450/0201 | BMSEN 32/0422/0450/0000 |
| 1 0 01112 0 00 0364+01 091746 FT | 091791 FT | 1 0 01112 0 00 0361+11 |
| SR8016 | | SR8016 |
| BMSBG 32/0422/0451/0000 | | BMSBG 32/0422/0450/0000 |
| LENGTH(AH 2862 BK 1686) 0451/0000 S | S 0450/0000 | LENGTH(AH 2841 BK 1491) |
| | | 030 "DIA CIRC METAL |
| | 0440/1334 | LEN=0200 INSTALLED UNKN |
| RAMP C RD<br>(SR8016 SEG 0250/1495) 0441/0910 | 0440/0612 | RAMP D RD<br>(SR8016 SEG 0010/0000) |
| 018 "DIA CIRC CONCR<br>LEN=0117 INSTALLED UNKN 0441/0881 | | |
| 018 "DIA CIRC CONCR<br>LEN=0090 INSTALLED UNKN 0441/0587 | | |
| | 0440/0514 | 018 "DIA CIRC CONCR<br>LEN=0146 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0082 INSTALLED UNKN 0441/0279 | | |
| | 0440/0203 | 018 "DIA CIRC CONCR<br>LEN=0115 INSTALLED UNKN |
| 1 0 01112 0 00 0345+42 090060 FT | 090300 FT | 1 0 01112 0 00 0346+30 |
| LENGTH(AH 1686 BK 2548) 0441/0000 S | S 0440/0000 | LENGTH(AH 1491 BK 2625) |
| 018 "DIA CIRC CONCR<br>LEN=0090 INSTALLED UNKN 0431/2525 | | |
| RWIS SITE/RWIS - PENN R 0431/2286 W | | |
| BMSEN 32/0422/0431/1923 0431/2120 | 0430/2324 | BMSEN 32/0422/0430/2128 |
| | W 0430/2295 | RWIS SITE/RWIS - PENN R |
| 1 0 01112 0 00 0339+22 | | 1 0 01112 0 00 0340+94 |
| T-840 CHESTNUT RIDGE RD | | T-840 CHESTNUT RIDGE RD |
| BMSBG 32/0422/0431/1923 0431/1923 | 0430/2128 | BMSBG 32/0422/0430/2128 |
| RAMP A RD<br>(SR8014 SEG 0250/0776) 0431/0969 | 0430/1729 | RAMP B RD<br>(SR8014 SEG 0010/0000) |
| | 0430/1703 | 018 "DIA CIRC CONCR<br>LEN=0200 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| LEFT MUN | RIGHT MUN |
|---|---|
| | 0430/1400 LEN=0150 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| | 0430/1106 LEN=0140 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| | 0430/0800 LEN=0165 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0125 INSTALLED UNKN 0431/0480 | |
| | 018 "DIA CIRC CONCR |
| | 0430/0460 LEN=0093 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0108 INSTALLED UNKN 0431/0190 | |
| | 018 "DIA CIRC CONCR |
| | 0430/0150 LEN=0090 INSTALLED UNKN |
| 1 0 01112 0 00 0319+99 087512 FT | 087675 FT 1 0 01112 0 00 0320+01 |
| LENGTH(AH 2548 BK 2478) 0431/0000 S | S 0430/0000 LENGTH(AH 2625 BK 2528) |
| | 018 "DIA CIRC CONCR |
| | 0420/2375 LEN=0087 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0114 INSTALLED UNKN 0421/2375 | |
| 018 "DIA CIRC CONCR | |
| LEN=0112 INSTALLED UNKN 0421/2085 | |
| | 036 "DIA CIRC CONCR |
| | 0420/2065 LEN=0120 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0112 INSTALLED UNKN 0421/1795 | |
| | 018 "DIA CIRC CONCR |
| | 0420/1765 LEN=0120 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| | 0420/1410 LEN=0110 INSTALLED UNKN |
| | 018 "DIA CIRC METAL |
| | 0420/1060 LEN=0125 INSTALLED UNKN |
| 030 "DIA CIRC CONCR | |
| LEN=0115 INSTALLED UNKN 0421/0855 | |
| | 030 "DIA CIRC CONCR |
| | 0420/0830 LEN=0110 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| | 0420/0710 LEN=0100 INSTALLED UNKN |
| | 018 "DIA CIRC METAL |
| | 0420/0360 LEN=0105 INSTALLED UNKN |
| EMERGENCY CROSSOVER RD | EMERGENCY CROSSOVER RD |
| (CONN) 0421/0336 | 0420/0317 (CONN) |
| 1 0 01112 0 00 0295+20 085034 FT | 085147 FT 1 0 01112 0 00 0294+58 |
| LENGTH(AH 2478 BK 2498) 0421/0000 S | S 0420/0000 LENGTH(AH 2528 BK 2484) |
| | 018 "DIA CIRC CONCR |
| | 0410/2465 LEN=0120 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0108 INSTALLED UNKN 0411/2175 | |
| | 018 "DIA CIRC CONCR |
| | 0410/2125 LEN=0120 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0110 INSTALLED UNKN 0411/1875 | |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| LEFT | | RIGHT |
|---|---|---|
| | | 018 "DIA CIRC CONCR |
| | | 0410/1830 LEN=0085 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | |
| LEN=0110 INSTALLED UNKN 0411/1575 | | |
| | | 018 "DIA CIRC CONCR |
| | | 0410/1525 LEN=0085 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | | 0410/1225 LEN=0105 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | |
| LEN=0120 INSTALLED UNKN 0411/0950 | | |
| | | 018 "DIA CIRC CONCR |
| | | 0410/0925 LEN=0080 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | |
| LEN=0078 INSTALLED UNKN 0411/0655 | | |
| | | 018 "DIA CIRC CONCR |
| | | 0410/0625 LEN=0060 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | | 0410/0531 LEN=0075 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | |
| LEN=0052 INSTALLED UNKN 0411/0345 | | |
| 018 "DIA CIRC CONCR | | |
| LEN=0054 INSTALLED UNKN 0411/0045 | | |
| | | 018 "DIA CIRC CONCR |
| | | 0410/0025 LEN=0072 INSTALLED UNKN |
| 1 0 01112 0 00 0270+15 082536 FT | | 082663 FT 1 0 01112 0 00 0269+99 |
| LENGTH(AH 2498 BK 2518) 0411/0000 S | | S 0410/0000 LENGTH(AH 2484 BK 2508) |
| | | 018 "DIA CIRC CONCR |
| | | 0400/2230 LEN=0105 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | |
| LEN=0090 INSTALLED UNKN 0401/2235 | | |
| 018 "DIA CIRC CONCR | | |
| LEN=0110 INSTALLED UNKN 0401/1870 | | |
| 015 "DIA CIRC METAL | | |
| LEN=0110 INSTALLED UNKN 0401/1515 | | |
| | | 036 "DIA CIRC METAL |
| | | 0400/1268 LEN=0200 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | | 0400/1240 LEN=0130 INSTALLED UNKN |
| BMSEN 32/0422/0401/1034 0401/1213 | | 0400/1121 BMSEN 32/0422/0400/0962 |
| 0 0 00000 0 00 0000+00 | | 1 0 01112 0 00 0254+53 |
| T-604 METZ ROAD | | T-604 METZ ROAD |
| BMSBG 32/0422/0401/1034 0401/1034 | | 0400/0962 BMSBG 32/0422/0400/0962 |
| | | 018 "DIA CIRC CONCR |
| | | 0400/0391 LEN=0107 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | |
| LEN=0108 INSTALLED UNKN 0401/0380 | | |
| | | 018 "DIA CIRC CONCR |
| | | 0400/0110 LEN=0107 INSTALLED UNKN |
| 1 0 01112 0 00 0245+04 080018 FT | | 080155 FT 1 0 01112 0 00 0244+91 |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| LENGTH(AH 2518 BK 2789) 0401/0000 | | 0400/0000 | LENGTH(AH 2508 BK 2755) |
| | | | 018 "DIA CIRC CONCR |
| | | 0390/2612 | LEN=0105 INSTALLED UNKN |
| | | | 030 "DIA CIRC CONCR |
| | | 0390/2324 | LEN=0102 INSTALLED UNKN |
| 030 "DIA CIRC CONCR | | | |
| LEN=0105 INSTALLED UNKN 0391/2320 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0390/2044 | LEN=0100 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0074 INSTALLED UNKN 0391/2029 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0390/1744 | LEN=0105 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0075 INSTALLED UNKN 0391/1729 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0390/1445 | LEN=0105 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0110 INSTALLED UNKN 0391/1426 | | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0100 INSTALLED UNKN 0391/1081 | | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0105 INSTALLED UNKN 0391/0730 | | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0105 INSTALLED UNKN 0391/0384 | | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0115 INSTALLED UNKN 0391/0032 | | | |
| 1 0 01112 0 00 0217+46 077229 FT | | 077400 FT | 1 0 01112 0 00 0217+08 |
| CHERRYHILL | | | CHERRYHILL |
| WHITE T | | | WHITE T |
| LENGTH(AH 2789 BK 2207) 0391/0000 | | 0390/0000 | LENGTH(AH 2755 BK 2259) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0110 INSTALLED UNKN 0381/1895 | | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0120 INSTALLED UNKN 0381/1545 | | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0110 INSTALLED UNKN 0381/1195 | | | |
| EMERGENCY CROSSOVER RD | | | EMERGENCY CROSSOVER RD |
| (CONN) 0381/1087 | | 0380/1147 | (CONN) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0105 INSTALLED UNKN 0381/0825 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0380/0593 | LEN=0064 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0075 INSTALLED UNKN 0381/0526 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0380/0294 | LEN=0069 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0075 INSTALLED UNKN 0381/0225 | | | |
| 1 0 01112 0 00 0195+14 075022 FT | | 075141 FT | 1 0 01112 0 00 0194+83 |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: WHITE T RIGHT MUN: WHITE T

LENGTH(AH 2207 BK 2509) 0381/0000

018 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0371/2421

018 "DIA CIRC CONCR
LEN=0115 INSTALLED UNKN 0371/2121

018 "DIA CIRC METAL
LEN=0095 INSTALLED UNKN 0371/1776

024 "DIA CIRC CONCR
LEN=0150 INSTALLED UNKN 0371/1411

018 "DIA CIRC CONCR
LEN=0067 INSTALLED 2000 0371/1071

018 "DIA CIRC CONCR
LEN=0067 INSTALLED UNKN 0371/0729

018 "DIA CIRC CONCR
LEN=0063 INSTALLED UNKN 0371/0383

018 "DIA CIRC CONCR
LEN=0065 INSTALLED UNKN 0371/0037
1 0 01112 0 00 0170+04 072513 FT
LENGTH(AH 2509 BK 2518) 0371/0000
030 "DIA CIRC CONCR
LEN=0093 INSTALLED UNKN 0361/2205

018 "DIA CIRC METAL
LEN=0130 INSTALLED UNKN 0361/1890
018 "DIA CIRC CONCR
LEN=0115 INSTALLED UNKN 0361/1560
018 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0361/1230
018 "DIA CIRC CONCR
LEN=0150 INSTALLED UNKN 0361/0900
018 "DIA CIRC CONCR
LEN=0150 INSTALLED UNKN 0361/0570
018 "DIA CIRC CONCR

0380/0000 LENGTH(AH 2259 BK 2514)
018 "DIA CIRC CONCR
0370/2496 LEN=0066 INSTALLED UNKN

018 "DIA CIRC CONCR
0370/2186 LEN=0069 INSTALLED UNKN

018 "DIA CIRC CONCR
0370/1835 LEN=0067 INSTALLED UNKN

024 "DIA CIRC CONCR
0370/1486 LEN=0072 INSTALLED UNKN

018 "DIA CIRC CONCR
0370/1123 LEN=0069 INSTALLED UNKN

018 "DIA CIRC CONCR
0370/0773 LEN=0067 INSTALLED UNKN

018 "DIA CIRC CONCR
0370/0422 LEN=0070 INSTALLED UNKN

018 "DIA CIRC CONCR
0370/0071 LEN=0069 INSTALLED UNKN

072627 FT 1 0 01112 0 00 0169+69
0370/0000 LENGTH(AH 2514 BK 2449)

036 "DIA CIRC CONCR
0360/2150 LEN=0140 INSTALLED UNKN

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422

| LEFT MUN: WHITE T | RIGHT MUN: WHITE T |
|---|---|
| LEN=0150 INSTALLED UNKN 0361/0250 | |
| 1 0 01112 0 00 0144+93 069995 FT | 070178 FT 1 0 01112 0 00 0145+20 |
| LENGTH(AH 2518 BK 2478) 0361/0000 S | S 0360/0000 LENGTH(AH 2449 BK 2569) |
| 018 "DIA CIRC CONCR | |
| LEN=0130 INSTALLED UNKN 0351/2420 | |
| 018 "DIA CIRC CONCR | |
| LEN=0120 INSTALLED UNKN 0351/2090 | |
| 018 "DIA CIRC METAL | |
| LEN=0145 INSTALLED UNKN 0351/1760 | |
| | 030 "DIA CIRC CONCR |
| | 0350/1440 LEN=0130 INSTALLED UNKN |
| 030 "DIA CIRC CONCR | |
| LEN=0105 INSTALLED UNKN 0351/1430 | |
| | 018 "DIA CIRC CONCR |
| | 0350/0750 LEN=0070 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0070 INSTALLED UNKN 0351/0735 | |
| | 018 "DIA CIRC CONCR |
| | 0350/0452 LEN=0069 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0068 INSTALLED UNKN 0351/0440 | |
| 018 "DIA CIRC CONCR | |
| LEN=0066 INSTALLED UNKN 0351/0140 | 018 "DIA CIRC CONCR |
| | 0350/0140 LEN=0050 INSTALLED UNKN |
| 1 0 01112 0 00 0120+15 067517 FT | 067609 FT 1 0 01112 0 00 0119+50 |
| LENGTH(AH 2478 BK 2239) 0351/0000 S | S 0350/0000 LENGTH(AH 2569 BK 2141) |
| | 024 "DIA CIRC CONCR |
| | 0340/1998 LEN=0068 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0066 INSTALLED UNKN 0341/2065 | |
| 018 "DIA CIRC CONCR | |
| LEN=0095 INSTALLED UNKN 0341/1756 | |
| 018 "DIA CIRC CONCR | |
| LEN=0110 INSTALLED UNKN 0341/1411 | |
| 018 "DIA CIRC CONCR | |
| LEN=0110 INSTALLED UNKN 0341/1045 | |
| 018 "DIA CIRC CONCR | |
| LEN=0090 INSTALLED UNKN 0341/0685 | |
| EMERGENCY CROSSOVER RD | |
| (CONN) 0341/0663 | EMERGENCY CROSSOVER RD |
| | 0340/0565 (CONN) |
| | 018 "DIA CIRC CONCR |
| | 0340/0292 LEN=0090 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0062 INSTALLED UNKN 0341/0109 | |
| | 018 "DIA CIRC CONCR |
| | 0340/0040 LEN=0065 INSTALLED UNKN |
| 1 0 01112 0 00 0098+69 065278 FT | 065468 FT 1 0 01112 0 00 0098+10 |
| LENGTH(AH 2239 BK 2291) 0341/0000 S | S 0340/0000 LENGTH(AH 2141 BK 2363) |
| | 018 "DIA CIRC CONCR |
| | 0330/2056 LEN=0068 INSTALLED UNKN |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: WHITE T RIGHT MUN: WHITE T

018 "DIA CIRC CONCR
LEN=0296 INSTALLED UNKN 0331/2133
018 "DIA CIRC CONCR
LEN=0065 INSTALLED UNKN 0331/2037

018 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0331/1700

018 "DIA CIRC CONCR
LEN=0110 INSTALLED UNKN 0331/1449
RAMP P RD
(SR8012 SEG 0500/0000) 0331/1335
018 "DIA CIRC CONCR
LEN=0095 INSTALLED UNKN 0331/1111

018 "DIA CIRC CONCR
LEN=0095 INSTALLED UNKN 0331/0802
018 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 0331/0204
BMSEN 32/0422/0331/0000 0331/0118
1 0 01112 0 00 0074+71 062987 FT
SR 0954
BMSBG 32/0422/0331/0000
LENGTH(AH 2291 BK 2117) 0331/0000 S

RAMP M RD
(SR8012 SEG 0250/0846) 0321/1279
018 "DIA CIRC CONCR
LEN=0065 INSTALLED UNKN 0321/0969
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0321/0571

018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0321/0219
1 0 01112 0 00 0053+56 060870 FT
LENGTH(AH 2117 BK 2618) 0321/0000 S
036 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0311/2520

036 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 0311/2172

018 "DIA CIRC CONCR
0330/1710 LEN=0078 INSTALLED UNKN

018 "DIA CIRC CONCR
0330/1372 LEN=0088 INSTALLED UNKN

RAMP R RD
0330/1246 (SR8012 SEG 0750/1175)

018 "DIA CIRC CONCR
0330/1063 LEN=0110 INSTALLED UNKN

0330/0118 BMSEN 32/0422/0330/0000
063105 FT 1 0 01112 0 00 0074+80
SR 0954
BMSBG 32/0422/0330/0000
S 0330/0000 LENGTH(AH 2363 BK 2187)

018 "DIA CIRC CONCR
0320/0953 LEN=0050 INSTALLED UNKN
RAMP N RD
0320/0896 (SR8012 SEG 0010/0000)

018 "DIA CIRC CONCR
0320/0231 LEN=0060 INSTALLED UNKN

060918 FT 1 0 01112 0 00 0053+12
S 0320/0000 LENGTH(AH 2187 BK 2625)

036 "DIA CIRC CONCR
0310/2355 LEN=0085 INSTALLED UNKN

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | 018 "DIA CIRC CONCR | |
| | | 0310/2163 | LEN=0070 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR | |
| | | 0310/1846 | LEN=0080 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0060 INSTALLED UNKN 0311/1815 | | | |
| 024 "DIA CIRC CONCR | | | |
| LEN=0075 INSTALLED UNKN 0311/1540 | | | |
| 024 "DIA CIRC CONCR | | | |
| LEN=0200 INSTALLED UNKN 0311/1369 | | | |
| 024 "DIA CIRC CONCR | | | |
| LEN=0075 INSTALLED UNKN 0311/1160 | | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0110 INSTALLED UNKN 0311/0850 | | | |
| SIGN: 4 CHORD TRUSS | | | |
| BMSID 32/0422/0311/0414 0311/0414 | | | |
| BMSEN 32/0422/0311/0000 0311/0357 | | 0310/0352 | BMSEN 32/0422/0310/0000 |
| 1 0 01112 0 00 0027+35 058252 FT | | 058293 FT | 1 0 01112 0 00 0026+94 |
| TWO LICK CR | | | TWO LICK CR |
| BMSBG 32/0422/0311/0000 | | | BMSBG 32/0422/0310/0000 |
| LENGTH(AH 2618 BK 1164) 0311/0000 | S | 0310/0000 S | LENGTH(AH 2625 BK 1167) |
| | | | 018 "DIA CIRC CONCR |
| | | 0300/1142 | LEN=0125 INSTALLED UNKN |
| RAMP C RD | | | RAMP E RD |
| (SR8007 SEG 0750/0000) 0301/1025 | | 0300/1016 | (SR8007 SEG 0010/1745) |
| 024 "DIA CIRC CONCR | | | |
| LEN=0170 INSTALLED UNKN 0301/0813 | | | |
| RAMP D RD | | | RAMP F RD |
| (SR8007 SEG 0760/1085) 0301/0507 | | 0300/0500 | (SR8007 SEG 0020/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0300/0466 | LEN=0200 INSTALLED UNKN |
| SR0119 SB | | | SR0119 SB |
| OP ID 32/0119/0281/0000 0301/0086 | | 0300/0086 | OP ID 32/0119/0281/0000 |
| 1 0 01112 0 00 0015+79 057088 FT | | 057126 FT | 1 0 01112 0 00 0015+34 |
| SR0119 NB | | | SR0119 NB |
| OP ID 32/0119/0280/0000 | | | OP ID 32/0119/0280/0000 |
| LENGTH(AH 1164 BK 2466) 0301/0000 | S | 0300/0000 S | LENGTH(AH 1167 BK 2407) |
| | | | 018 "DIA CIRC CONCR |
| | | 0234/1883 | LEN=0035 INSTALLED UNKN |
| RAMP B RD | | | RAMP H RD |
| (SR8007 SEG 0510/0000) 0235/1891 | | 0234/1826 | (SR8007 SEG 0260/1236) |
| RAMP A RD | | | RAMP G RD |
| (SR8007 SEG 0500/1719) 0235/1362 | | 0234/1217 | (SR8007 SEG 0250/0000) |
| | | | SIGN: 4 CHORD TRUSS |
| | | 0234/1068 | BMSID 32/0422/0234/1068 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0075 INSTALLED UNKN 0235/1043 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0234/1012 | LEN=0085 INSTALLED UNKN |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: WHITE T RIGHT MUN: WHITE T

```
BMSEN 32/0422/0235/0000 0235/0999

1 0 01112 0 00 0000+01 054622 FT
SR3035
BMSBG 32/0422/0235/0000
LENGTH(AH 2466 BK 2530) 0235/0000 S

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0225/1703

018 "DIA CIRC CONCR
LEN=0065 INSTALLED UNKN 0225/1097
CROSSOVER RD
(CONN)                  0225/1091

018 "DIA CIRC CONCR
LEN=0085 INSTALLED UNKN 0225/0570

0 0 00000 0 00 0000+00 052092 FT
LENGTH(AH 2530 BK 2474) 0225/0000 S

060 "DIA CIRC CONCR
LEN=0250 INSTALLED UNKN 0215/1937

018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0215/0110
BMSEN 32/0422/0215/0000 0215/0077
0 0 00000 0 00 0000+00 049618 FT
SR3033
BMSBG 32/0422/0215/0000
LENGTH(AH 2474 BK 2967) 0215/0000 S
018 "DIA CIRC CONCR
LEN=0084 INSTALLED UNKN 0205/2932
```

```
0234/0986 BMSEN 32/0422/0234/0000

054719 FT 1 0 01112 0 00 0000+00
          SR3035
          BMSBG 32/0422/0234/0000
S 0234/0000 LENGTH(AH 2407 BK 2564)

          018 "DIA CIRC CONCR
0224/1654 LEN=0070 INSTALLED UNKN

          CROSSOVER RD
0224/1103 (CONN)
          018 "DIA CIRC CONCR
0224/1065 LEN=0065 INSTALLED UNKN

          018 "DIA CIRC CONCR
0224/0518 LEN=0136 INSTALLED UNKN
052155 FT 0 0 00000 0 00 0000+00
S 0224/0000 LENGTH(AH 2564 BK 2527)
          018 "DIA CIRC METAL
0214/2240 LEN=0200 INSTALLED UNKN
          060 "DIA CIRC CONCR
0214/2100 LEN=0200 INSTALLED UNKN

          018 "DIA CIRC CONCR
0214/1539 LEN=0068 INSTALLED UNKN

          018 "DIA CIRC CONCR
0214/0901 LEN=0070 INSTALLED UNKN

          018 "DIA CIRC CONCR
0214/0138 LEN=0065 INSTALLED UNKN

0214/0077 BMSEN 32/0422/0214/0000
049628 FT 0 0 00000 0 00 0000+00
          SR3033
          BMSBG 32/0422/0214/0000
S 0214/0000 LENGTH(AH 2527 BK 2958)
```

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| LEFT | | RIGHT | |
|---|---|---|---|
| | | 0204/1551 | 018 "DIA CIRC METAL LEN=0144 INSTALLED UNKN |
| 030 "DIA CIRC CONCR LEN=0292 INSTALLED UNKN | 0205/1320 | | |
| | | 0204/0990 | 030 "DIA CIRC CONCR LEN=0150 INSTALLED UNKN |
| 018 "DIA CIRC METAL LEN=0120 INSTALLED UNKN | 0205/0756 | | |
| | | 0204/0494 | 036 "DIA CIRC CONCR LEN=0218 INSTALLED UNKN |
| 036 "DIA CIRC CONCR LEN=0250 INSTALLED UNKN | 0205/0484 | | |
| 0 0 00000 0 00 0000+00 046651 FT | | 046670 FT | 0 0 00000 0 00 0000+00 |
| LENGTH(AH 2967 BK 2170) | 0205/0000 S | 0204/0000 S | LENGTH(AH 2958 BK 2170) |
| 024 "DIA CIRC CONCR LEN=0125 INSTALLED UNKN | 0195/2124 | | |
| | | 0194/2000 | 024 "DIA CIRC CONCR LEN=0117 INSTALLED UNKN |
| | | 0194/1660 | 018 "DIA CIRC CONCR LEN=0084 INSTALLED UNKN |
| RAMP B RD (SR8009 SEG 0500/0000) | 0195/1078 | 0194/1222 | RAMP C RD (SR8009 SEG 0750/1260) |
| | | 0194/1072 | 018 "DIA CIRC CONCR LEN=0084 INSTALLED UNKN |
| | | 0194/0721 | 030 "DIA CIRC CONCR LEN=0095 INSTALLED UNKN |
| 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN | 0195/0429 | | |
| | | 0194/0425 | 018 "DIA CIRC CONCR LEN=0066 INSTALLED UNKN |
| 018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN | 0195/0129 | | |
| | | 0194/0121 | 018 "DIA CIRC CONCR LEN=0067 INSTALLED UNKN |
| 0 0 00000 0 00 0000+00 044481 FT | | 044500 FT | 0 0 00000 0 00 0000+00 |
| SR0286 | | | SR0286 |
| OP ID 32/0286/0434/0000 | | | OP ID 32/0286/0434/0000 |
| LENGTH(AH 2170 BK 2607) | 0195/0000 S | 0194/0000 S | LENGTH(AH 2170 BK 2618) |
| | | 0184/2456 | 024 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN |
| | | 0184/2445 | 024 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN |
| 024 "DIA CIRC CONCR LEN=0066 INSTALLED UNKN | 0185/2433 | | |
| | | 0184/2155 | 018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN |
| 018 "DIA CIRC CONCR LEN=0067 INSTALLED UNKN | 0185/2133 | | |
| | | 0184/1856 | 018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422

| LEFT MUN: WHITE T | | RIGHT MUN: WHITE T | |
|---|---|---|---|
| 018 "DIA CIRC CONCR<br>LEN=0067 INSTALLED UNKN | 0185/1833 | | |
| | | 018 "DIA CIRC METAL<br>LEN=0055 INSTALLED UNKN | 0184/1528 |
| 018 "DIA CIRC CONCR<br>LEN=0078 INSTALLED UNKN | 0185/1533 | | |
| | | 018 "DIA CIRC CONCR<br>LEN=0045 INSTALLED UNKN | 0184/1360 |
| 018 "DIA CIRC CONCR<br>LEN=0060 INSTALLED UNKN | 0185/1354 | | |
| RAMP A RD<br>(SR8009 SEG 0250/1353) | 0185/1327 | RAMP D RD<br>(SR8009 SEG 0010/0000) | 0184/1299 |
| 060 "DIA CIRC CONCR<br>LEN=0150 INSTALLED UNKN | 0185/0929 | | |
| | | 018 "DIA CIRC METAL<br>LEN=0070 INSTALLED UNKN | 0184/0718 |
| 030 "DIA CIRC CONCR<br>LEN=0080 INSTALLED UNKN | 0185/0116 | | |
| | | 018 "DIA CIRC METAL<br>LEN=0070 INSTALLED UNKN | 0184/0046 |
| 0 0 00000 0 00 0000+00 041874 FT<br>LENGTH(AH 2607 BK 2481) | 0185/0000 S | 041882 FT 0 0 00000 0 00 0000+00<br>LENGTH(AH 2618 BK 2467) | S 0184/0000 |
| 048 "DIA CIRC CONCR<br>LEN=0075 INSTALLED UNKN | 0175/2276 | | |
| | | 048 "DIA CIRC CONCR<br>LEN=0200 INSTALLED UNKN | 0174/2330 |
| 018 "DIA CIRC CONCR<br>LEN=0070 INSTALLED UNKN | 0175/1720 | | |
| | | 018 "DIA CIRC CONCR<br>LEN=0050 INSTALLED UNKN | 0174/1683 |
| 018 "DIA CIRC CONCR<br>LEN=0070 INSTALLED UNKN | 0175/1193 | | |
| | | 024 "DIA CIRC CONCR<br>LEN=0055 INSTALLED UNKN | 0174/1140 |
| 036 "DIA CIRC CONCR<br>LEN=0060 INSTALLED UNKN | 0175/0833 | | |
| | | 036 "DIA CIRC CONCR<br>LEN=0070 INSTALLED UNKN | 0174/0683 |
| TR CHERRY RN<br>STRUCTURE LENGTH 10 FT | | TR CHERRY RN<br>STRUCTURE LENGTH 10 FT | |
| BMSID 32/0422/0174/0250 | 0175/0151 | BMSID 32/0422/0174/0250 | 0174/0250 |
| BMSEN 32/0422/0175/0000 | 0175/0075 | BMSEN 32/0422/0174/0000 | 0174/0075 |
| 018 "DIA CIRC CONCR<br>LEN=0060 INSTALLED UNKN | 0175/0070 | | |
| 0 0 00000 0 00 0000+00 039393 FT | | 039415 FT 0 0 00000 0 00 0000+00 | |
| SR3024<br>BMSBG 32/0422/0175/0000 | | SR3024<br>BMSBG 32/0422/0174/0000 | |
| LENGTH(AH 2481 BK 2832) | 0175/0000 S | LENGTH(AH 2467 BK 2838) | S 0174/0000 |
| | | 024 "DIA CIRC METAL | |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422

| LEFT MUN: WHITE T | | RIGHT MUN: WHITE T |
|---|---|---|
| | | 0164/2780 LEN=0085 INSTALLED UNKN |
| 018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN 0165/2775 | | |
| 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 0165/2383 | | |
| 036 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN 0165/2240 | | |
| | | 036 "DIA CIRC CONCR 0164/2147 LEN=0120 INSTALLED UNKN |
| | | 036 "DIA CIRC CONCR 0164/2092 LEN=0075 INSTALLED UNKN |
| 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 0165/1733 | | |
| 036 "DIA CIRC CONCR LEN=0125 INSTALLED UNKN 0165/1231 | | |
| | | 036 "DIA CIRC CONCR 0164/1128 LEN=0120 INSTALLED UNKN |
| 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 0165/0963 | | |
| 0 0 00000 0 00 0000+00 036561 FT WHITE CENTER T LENGTH(AH 2832 BK 3042) 0165/0000 | | 036577 FT 0 0 00000 0 00 0000+00 WHITE CENTER T 0164/0000 LENGTH(AH 2838 BK 3012) |
| | | 018 "DIA CIRC CONCR 0154/2320 LEN=0070 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR 0154/1850 LEN=0070 INSTALLED UNKN |
| CENTER ARMSTRONG T 0155/1460 | | CENTER 0154/1491 ARMSTRONG T |
| | | 018 "DIA CIRC CONCR 0154/1333 LEN=0070 INSTALLED UNKN |
| 054 "DIA CIRC CONCR LEN=0325 INSTALLED UNKN 0155/1300 | | |
| | | 054 "DIA CIRC CONCR 0154/1115 LEN=0120 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR 0154/0687 LEN=0070 INSTALLED UNKN |
| 018 "DIA CIRC CONCR LEN=0085 INSTALLED UNKN 0155/0680 | | |
| | | 024 "DIA CIRC CONCR 0154/0180 LEN=0070 INSTALLED UNKN |
| 018 "DIA CIRC CONCR LEN=0085 INSTALLED UNKN 0155/0169 | | |
| 0 0 00000 0 00 0000+00 033519 FT RAMP F RD (SR8018 SEG 0750/0000) LENGTH(AH 3042 BK 1869) 0155/0000 | | 033565 FT 0 0 00000 0 00 0000+00 0154/0000 LENGTH(AH 3012 BK 1557) |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | |
|---|---|---|
| | | 018 "DIA CIRC CONCR |
| | | 0144/1232 LEN=0070 INSTALLED UNKN |
| TR CURRY RUN | | |
| STRUCTURE LENGTH 8 FT | | |
| BMSID 32/0422/0145/1090 0145/0857 | | |
| BMSEN 32/0422/0145/0462 0145/0714 | | |
| 018 "DIA CIRC CONCR | | |
| LEN=0070 INSTALLED UNKN 0145/0477 | | |
| 0 0 00000 0 00 0000+00 | | |
| SR4422 | | |
| BMSBG 32/0422/0145/0462 0145/0462 | | |
| | | 084"H 95"W CON BOX CUL |
| | | 0144/0419 LEN=0050 INSTALLED UNKN |
| | | RAMP E RD |
| | | 0144/0274 (SR8018 SEG 0510/0815) |
| | | 024 "DIA CIRC CONCR |
| | | 0144/0192 LEN=0060 INSTALLED UNKN |
| 0 0 00000 0 00 0000+00 031650 FT | | |
| RAMP G RD | | |
| (SR8018 SEG 0500/1094) | | |
| LENGTH(AH 1869 BK 3342) 0145/0000 | | 032008 FT 0 0 00000 0 00 0000+00 |
| | | 0144/0000 LENGTH(AH 1557 BK 3700) |
| | | 036 "DIA CIRC CONCR |
| | | 0134/3652 LEN=0160 INSTALLED UNKN |
| | | WEST PIKE RD |
| | | 0134/3408 (SR4422 SEG 0010/0000) |
| | | SIGN: 4 CHORD TRUSS |
| | | 0134/2707 BMSID 32/0422/0134/2707 |
| | | 018 "DIA CIRC CONCR |
| | | 0134/2612 LEN=0110 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | | 0134/2309 LEN=0110 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | | 0134/2042 LEN=0160 INSTALLED UNKN |
| 024 "DIA CIRC CONCR | | |
| LEN=0070 INSTALLED UNKN 0135/2025 | | |
| | | 036 "DIA CIRC CONCR |
| | | 0134/1713 LEN=0200 INSTALLED UNKN |
| 036 "DIA CIRC CONCR | | |
| LEN=0070 INSTALLED UNKN 0135/1690 | | |
| | | 018 "DIA CIRC CONCR |
| | | 0134/1504 LEN=0200 INSTALLED UNKN |
| 024 "DIA CIRC CONCR | | |
| LEN=0050 INSTALLED UNKN 0135/1493 | | |
| | | 060 "DIA CIRC CONCR |
| | | 0134/0835 LEN=0200 INSTALLED UNKN |
| 060 "DIA CIRC CONCR | | |
| LEN=0095 INSTALLED UNKN 0135/0822 | | |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | | | |
|---|---|---|---|---|
| PARKWOOD RD<br>(SR3022 SEG 0130/1777) | 0135/0608 | | 0134/0604 | PARKWOOD RD<br>(SR3022 SEG 0130/1777) |
| 0 0 00000 0 00 0000+00 | 028308 FT | | 028308 FT | 0 0 00000 0 00 0000+00 |
| MFC BEGIN = B | | | | MFC BEGIN = B |
| LENGTH(AH 3342 BK 0758) | 0135/0000 | S | S 0134/0000 | LENGTH(AH 3700 BK 0758) |
| | | | | 030 "DIA CIRC CONCR |
| | | | 0130/0690 | LEN=0070 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0130/0152 | LEN=0070 INSTALLED UNKN |
| | | | | 027"H 48"W CON BOX CUL |
| | | | 0130/0032 | LEN=0050 INSTALLED UNKN |
| 1 0 00067 0 02 0292+80 | 027550 FT | | 027550 FT | |
| HEALTH CAMP RD<br>(SR4004 SEG 0010/0000) | 0130/0000 | | S 0130/0000 | LENGTH(AH 0758 BK 2511) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0120/2486 | LEN=0090 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0120/1894 | LEN=0060 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0120/1695 | LEN=0050 INSTALLED UNKN |
| BOBS MOBILE HOMES DR<br>(PRDR) | 0120/1313 | POI | 0120/1313 | (APRA) BOBS MOBILE HOME |
| | | | 0120/1295 | BMSEN 32/0422/0120/1278 |
| | | | | 1 0 00067 0 02 0280+38 |
| | | | | CURRY RUN |
| | | | 0120/1278 | BMSBG 32/0422/0120/1278 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0120/0887 | LEN=0050 INSTALLED UNKN |
| POULOS RD<br>(T434) | 0120/0767 | POI | 0120/0767 | (APRA) 422 HOME SALES |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0120/0262 | LEN=0055 INSTALLED UNKN |
| | | | M 0120/0157 | ATR 700 |
| | | | 0120/0025 | BMSEN 32/0422/0120/0000 |
| | 025039 FT | | 025039 FT | 1 0 00067 0 02 0267+71 |
| | | | | TR CURRY RUN |
| | | | | BMSBG 32/0422/0120/0000 |
| | | | S 0120/0000 | LENGTH(AH 2511 BK 2339) |
| | | | 0110/1923 | BMSEN 32/0422/0110/1904 |
| | | | | 1 0 00067 0 02 0263+16 |
| | | | | CURRY RUN |
| | | | 0110/1904 | BMSBG 32/0422/0110/1904 |
| | | | | CUNNINGHAM RD |
| | | == | 0110/1329 | (T407) |
| | 022700 FT | | 022700 FT | 1 0 00067 0 02 0244+28 |
| | | | S 0110/0000 | LENGTH(AH 2339 BK 2345) |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

| | | | | |
|---|---|---|---|---|
| | | | | 060"H 72"W CON BOX CUL |
| | | | 0100/2260 | LEN=0060 INSTALLED UNKN |
| TRIM TREE RD (T433) | 0100/2088 | | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0100/1016 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0100/0648 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0100/0258 | LEN=0055 INSTALLED UNKN |
| | 020355 FT | | 020355 FT | 1 0 00067 0 02 0220+88 |
| | | | S 0100/0000 | LENGTH(AH 2345 BK 3085) |
| | | | | 048"H 48"W CON BOX CUL |
| | | | 0090/3035 | LEN=0065 INSTALLED UNKN |
| | | | | 048 "DIA CIRC CONCR |
| | | | 0090/2150 | LEN=0070 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0090/1848 | LEN=0040 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0090/1067 | LEN=0055 INSTALLED UNKN |
| | 017270 FT | | 017270 FT | 1 0 00067 0 02 0189+91 |
| | | | S 0090/0000 | LENGTH(AH 3085 BK 3021) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0080/3001 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0080/2726 | LEN=0045 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0080/2321 | LEN=0050 INSTALLED UNKN |
| | | | | CHEESE RUN |
| | | | | STRUCTURE LENGTH 21 FT |
| | | | 0080/1037 | BMSID 32/0422/0080/1037 |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0080/0750 | LEN=0070 INSTALLED UNKN |
| CHEESE RUN RD (T408) | 0080/0675 | | 0080/0675 | CURRY RUN RD (T410) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0080/0418 | LEN=0060 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0080/0024 | LEN=0075 INSTALLED UNKN |
| 1 0 00067 0 02 0159+70 | 014249 FT | | 014249 FT | |
| FIVE POINTS RD | | | | |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

(SR4001 SEG 0010/0000) 0080/0000

011103 FT

009165 FT

008299 FT

006808 FT

| | |
|---|---|
| 0080/0000 | LENGTH(AH 3021 BK 3146) |
| | 030 "DIA CIRC CONCR |
| 0070/2768 | LEN=0060 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0070/1948 | LEN=0045 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| 0070/1460 | LEN=0131 INSTALLED UNKN |
| 0070/1008 | BMSEN 32/0422/0070/0975 |
| | 1 0 00067 0 02 0137+95 |
| | CURRY RUN |
| 0070/0975 | BMSBG 32/0422/0070/0975 |
| | 036 "DIA CIRC CONCR |
| 0070/0726 | LEN=0065 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| 0070/0385 | LEN=0060 INSTALLED UNKN |
| 011103 FT | 1 0 00067 0 00 0128+27 |
| | (AAR 148803U)#TRKS 01 |
| 0070/0000 | LENGTH(AH 3146 BK 1938) |
| | 018 "DIA CIRC CONCR |
| 0060/1360 | LEN=0055 INSTALLED UNKN |
| 0060/1190 | BMSEN 32/0422/0060/1157 |
| | 1 0 00067 0 00 0103+00 |
| | ANTHONY RUN |
| 0060/1157 | BMSBG 32/0422/0060/1157 |
| | 024 "DIA CIRC CONCR |
| 0060/0760 | LEN=0075 INSTALLED UNKN |
| | ANTHONY RUN RD |
| 0060/0699 | (SR3039 SEG 0050/2857) |
| 0060/0193 | BMSEN 32/0422/0060/0000 |
| 009165 FT | 1 0 00067 0 00 0091+54 |
| | CROOKED CREEK |
| | BMSBG 32/0422/0060/0000 |
| 0060/0000 | LENGTH(AH 1938 BK 0866) |
| | (APRA) SHARP ROCK MN PA |
| | RIDGE RD |
| 0050/0694 | (T362) |
| 008299 FT | 1 0 00067 0 00 0082+83 |
| | 018 "DIA CIRC CONCR |
| | LEN=0130 INSTALLED UNKN |
| 0050/0000 | LENGTH(AH 0866 BK 1491) |
| | 018 "DIA CIRC CONCR |
| 0040/0979 | LEN=0060 INSTALLED UNKN |
| | ARMSTRONG |
| 0040/0552 | SHELOCTA B |
| 006808 FT | 1 0 00067 0 00 0068+15 |
| 0040/0000 | LENGTH(AH 1491 BK 1784) |
| | 018 "DIA CIRC CONCR |
| 0030/1700 | LEN=0060 INSTALLED 2000 |

DIR: B TOTAL LEN: 27.357 MI. DIST: 10-4 SR: 422
LEFT MUN: SHELOCTA B RIGHT MUN: SHELOCTA B

| | | | |
|---|---|---|---|
| | | | 036 "DIA CIRC CONCR |
| | | 0030/1300 | LEN=0075 INSTALLED UNKN |
| | | | SR 0056 SH |
| | | 0030/0794 | (SR0056 SEG 0042/3770) |
| | | | 030 "DIA CIRC CONCR |
| | | 0030/0650 | LEN=0060 INSTALLED UNKN |
| | | | SHELOCTA |
| | | 0030/0066 | ARMSTRONG T |
| | 005024 FT | 005024 FT | 1 0 00067 0 00 0049+40 |
| | | S 0030/0000 | LENGTH(AH 1784 BK 2354) |
| | | | TR CROOKED |
| | | | STRUCTURE LENGTH 16 FT |
| | | 0020/0804 | BMSID 32/0422/0020/0760 |
| | | | 096"H 95"W CONC STRUCT |
| | | 0020/0710 | LEN=0070 INSTALLED UNKN |
| WOOD RD | | | SYCAMORE RD |
| (T358) | 0020/0681 | 0020/0681 | (T364) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0201 | LEN=0024 INSTALLED 2005 |
| | 002670 FT | 002670 FT | 1 0 00067 0 00 0028+00 |
| | | | SYCAMORE RD |
| | | | (T364) |
| | | S 0020/0000 | LENGTH(AH 2354 BK 2670) |
| | | | 024 "DIA CIRC CONCR |
| | | 0010/2581 | LEN=0040 INSTALLED UNKN |
| LAWTON RD | | | |
| (T363) | 0010/1607 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1600 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1189 | LEN=0075 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0664 | LEN=0090 INSTALLED UNKN |
| MARION CENTER SUPPLY DR | | | |
| (PRDR) | 0010/0550 | 0010/0550 | (APRA) MARION CENTER SU |
| | | | 024 "DIA CIRC METAL |
| | | 0010/0046 | LEN=0110 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 1 0 00067 0 00 0000+00 |
| | | | NC BENJAMIN FRANKLIN HW |
| | | * REF-BK | BENJAMIN FRANKLIN HW |
| | | | (SR0422 SEG 0540/0790) |
| | | | MFC BEGIN = B |
| | | | BK-ARMSTRONG (03) |
| | | S 0010/0000 | LENGTH(AH 2670 BK 0000) |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: EAST MAHONING T RIGHT MUN: EAST MAHONING T

| | | | |
|---|---|---|---|
| | 190989 FT | 190989 FT | SR 0119 SH |
| | | 0730/1020 | (SR0119 SEG 0604/0976) |
| FROM 0119/0604 SH | | | TO 0119/0604 SH |
| (CONN) | 0730/0913 | 0730/0913 | (CONN) |
| | | 0730/0901 | (AAR 148771R)#TRKS 02 |
| | | 0730/0867 | BMSEN 32/0403/0730/0842 |
| | | | 0 0 00000 0 00 0000+00 |
| | | | PINE RUN |
| | | 0730/0842 | BMSBG 32/0403/0730/0842 |
| | | | 018 "DIA CIRC METAL |
| | | 0730/0339 | LEN=0036 INSTALLED UNKN |
| PARK AV | | | |
| (T750) | 0730/0175 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0730/0128 | LEN=0027 INSTALLED UNKN |
| | | | HIGH ST |
| | | 0730/0111 | (T752) |
| | 189969 FT | 189969 FT | 1 0 00063 1 00 0009+76 |
| | | | EAST MAHONING |
| | | | MARION CENTER B |
| | | S 0730/0000 | LENGTH(AH 1020 BK 1490) |
| | | | 018 "DIA CIRC CONCR |
| | | 0720/1310 | LEN=0030 INSTALLED UNKN |
| WATER ST | | | |
| (BORO) | 0720/1056 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0720/1040 | LEN=0030 INSTALLED UNKN |
| RACE ST | | | |
| (BORO) | 0720/0736 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0720/0725 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0720/0440 | LEN=0040 INSTALLED UNKN |
| | | | MANOR ST |
| | | | (BORO) |
| | | | NC MAIN ST |
| | | | MAIN ST |
| | | 0720/0418 | (SR1025 SEG 0100/1496) |
| | | | 018 "DIA CIRC CONCR |
| | | 0720/0240 | LEN=0030 INSTALLED UNKN |
| | | | PARK AV |
| | | 0720/0239 | (BORO) |
| | | 0720/0019 | BMSEN 32/0403/0720/0000 |
| | 188479 FT | 188479 FT | 1 0 00508 0 01 0422+67 |
| | | | TR PINE RUN |
| | | | BMSBG 32/0403/0720/0000 |
| | | S 0720/0000 | LENGTH(AH 1490 BK 2600) |
| NEAL AV | | | |
| (PRDR) | 0710/2470 | | |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: MARION CENTER B RIGHT MUN: MARION CENTER B

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0710/1992 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0710/1640 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0710/1235 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0710/0948 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0710/0576 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0710/0254 | LEN=0040 INSTALLED UNKN |
| PEARCE HOLLOW RD (SR1021 SEG 0080/3061) | 0710/0208 | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0710/0053 | LEN=0032 INSTALLED 2009 |
| | 185879 FT | 185879 FT | 1 0 00508 0 01 0398+51 |
| | | NC MANOR ST | |
| | | | MARION CENTER |
| | | | EAST MAHONING T |
| | | S 0710/0000 | LENGTH(AH 2600 BK 1860) |
| | | | 015 "DIA CIRC CONCR |
| | | 0700/1475 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC OTHER |
| | | 0700/1177 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0700/0801 | LEN=0031 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0700/0420 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0700/0346 | LEN=0028 INSTALLED UNKN |
| | 184019 FT | 184019 FT | 1 0 00508 0 01 0379+52 |
| | | | 015 "DIA CIRC CONCR |
| | | | LEN=0036 INSTALLED UNKN |
| | | S 0700/0000 | LENGTH(AH 1860 BK 2432) |
| | | | 016 "DIA CIRC CONCR |
| | | 0690/2222 | LEN=0031 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0690/2027 | LEN=0032 INSTALLED UNKN |
| | | | 016 "DIA CIRC CONCR |
| | | 0690/1872 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0690/1307 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0690/0864 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0690/0530 | LEN=0040 INSTALLED UNKN |
| | | | LC TO T630 RD |
| | | 0690/0095 | (CONN) |
| | | | 015 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: EAST MAHONING T RIGHT MUN: EAST MAHONING T

| | | | |
|---|---|---|---|
| | | | 0690/0042 LEN=0061 INSTALLED UNKN |
| | 181587 FT | | 181587 FT 1 0 00508 0 01 0354+05 |
| | | | PFIEFFER RD |
| | | | (T630) |
| | | | EAST MAHONING |
| KESLAR RD | | | RAYNE T |
| (T557) | 0690/0000 | | S 0690/0000 LENGTH(AH 2432 BK 2414) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0680/2336 LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0680/0882 LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | | 0680/0681 LEN=0045 INSTALLED UNKN |
| | 179173 FT | | 179173 FT 1 0 00508 0 01 0330+21 |
| | | | 015 "DIA CIRC CONCR |
| | | | LEN=0040 INSTALLED 2001 |
| | | | S 0680/0000 LENGTH(AH 2414 BK 2365) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0670/2310 LEN=0040 INSTALLED 2001 |
| | | | 015 "DIA CIRC CONCR |
| | | | 0670/2200 LEN=0045 INSTALLED 2001 |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0670/2132 LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | | 0670/1690 LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0670/1430 LEN=0040 INSTALLED 2001 |
| | | | 015 "DIA CIRC CONCR |
| | | | 0670/1305 LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0670/0660 LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | | 0670/0169 LEN=0055 INSTALLED UNKN |
| | | | 015"H 24"W CONC STRUCT |
| | | | 0670/0022 LEN=0037 INSTALLED UNKN |
| | 176808 FT | | 176808 FT 1 0 00508 0 01 0306+56 |
| | | | S 0670/0000 LENGTH(AH 2365 BK 2582) |
| | | | 024 "DIA CIRC CONCR |
| | | | 0660/2294 LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0660/2027 LEN=0042 INSTALLED UNKN |
| | | | RAYNE RUN RD |
| | | | 0660/1640 (T559) |
| RAYNE RUN RD | | | |
| (T559) | 0660/1593 | POI | 0660/1593 (APRA) TANOMA COAL COMP |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | | |
|---|---|---|---|
| | | | RAYNE RUN |
| | | | STRUCTURE LENGTH 12 FT |
| | | 0660/1507 | BMSID 32/0403/0660/1507 |
| LEROY RD | | | |
| (T678) | 0660/1286 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0660/0929 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0660/0604 | LEN=0065 INSTALLED UNKN |
| | | | BOOKEMYER RD |
| | | 0660/0549 | (T766) |
| | | | 018 "DIA CIRC CONCR |
| | | 0660/0476 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0660/0126 | LEN=0045 INSTALLED UNKN |
| | 174226 FT | 174226 FT | 1 0 00508 0 01 0280+74 |
| | | S 0660/0000 | LENGTH(AH 2582 BK 3639) |
| | | | 015 "DIA CIRC CONCR |
| | | 0650/3360 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0650/3050 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0650/2777 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0650/2030 | LEN=0065 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0650/1750 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0650/1480 | LEN=0040 INSTALLED UNKN |
| 1 0 00508 0 01 0243+90 | 170587 FT | 170587 FT | |
| BETHEL CHURCH RD | | | |
| (T674) | 0650/0000 | S 0650/0000 | LENGTH(AH 3639 BK 2109) |
| | | | 018 "DIA CIRC CONCR |
| | | 0640/1805 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0640/1722 | LEN=0033 INSTALLED UNKN |
| | | | 051"H 65"W CON BOX CUL |
| | | 0640/1557 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0640/1340 | LEN=0031 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0640/1024 | LEN=0037 INSTALLED UNKN |
| | | | 060"H 84"W CONC STRUCT |
| | | 0640/0690 | LEN=0044 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0640/0564 | LEN=0035 INSTALLED UNKN |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0640/0429 | LEN=0035 INSTALLED UNKN |
| | 168478 FT | 168478 FT | 1 0 00508 0 01 0223+00 |
| | | | VILLAGE: DIXONVILLE |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0037 INSTALLED UNKN |
| | | | RAYNE |
| | | | GREEN T |
| | | S 0640/0000 | LENGTH(AH 2109 BK 3781) |
| | | | 018 "DIA CIRC CONCR |
| | | 0630/3524 | LEN=0044 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0630/3280 | LEN=0052 INSTALLED UNKN |
| | | | 030 "DIA CIRC CONCR |
| | | 0630/2832 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0630/2520 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0630/2129 | LEN=0043 INSTALLED UNKN |
| | | 0630/1811 | BMSEN 32/0403/0630/1796 |
| | | | 1 0 00508 0 01 0203+07 |
| | | | TR DIXON RUN |
| | | 0630/1796 | BMSBG 32/0403/0630/1796 |
| | | | DIXONVILLE RD |
| | | 0630/1613 | (SR1035 SEG 0010/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0630/1549 | LEN=0033 INSTALLED UNKN |
| | | | 015"H 03"W ELLIP CONC |
| | | 0630/1331 | LEN=0031 INSTALLED UNKN |
| | | | BALSA RD |
| | | 0630/0871 | (T834) |
| | | | 015 "DIA CIRC CONCR |
| | | 0630/0823 | LEN=0061 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0630/0299 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0630/0006 | LEN=0033 INSTALLED UNKN |
| 1 0 00508 0 01 0185+27 | 164697 FT | 164697 FT | LOCUST RD |
| LEROY RD | | | (T678) |
| (T678) | 0630/0000 | S 0630/0000 | LENGTH(AH 3781 BK 2487) |
| | | | 015 "DIA CIRC CONCR |
| | | 0620/2248 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0620/1831 | LEN=0112 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0620/1670 | LEN=0043 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |
| | | 0620/1401 | LEN=0104 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0620/1213 | LEN=0044 INSTALLED UNKN |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| BARR SLOPE RD | | | ALLISON RD |
| (SR1012 SEG 0050/0000) | 0620/1140 | 0620/1140 | (SR1012 SEG 0050/0000) |
| | | 0620/0676 | BMSEN 32/0403/0620/0610 |
| | | | 1 0 00508 0 01 0166+22 |
| | | | DIXON RUN |
| | | 0620/0610 | BMSBG 32/0403/0620/0610 |
| | 162210 FT | 162210 FT | 1 0 00508 0 01 0160+26 |
| | | | VILLAGE: DIXONVILLE |
| | | | 024"H 48"W CONC STRUCT |
| | | | LEN=0050 INSTALLED UNKN |
| | | S 0620/0000 | LENGTH(AH 2487 BK 2453) |
| | | | 018 "DIA CIRC CONCR |
| | | 0610/1583 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0610/0619 | LEN=0048 INSTALLED UNKN |
| | | 0610/0405 | BMSEN 32/0403/0610/0369 |
| | | | 1 0 00508 0 01 0139+64 |
| | | | TR DIXON RUN |
| | | 0610/0395 | BMSBG 32/0403/0610/0369 |
| | | | 036"H 72"W CONC STRUCT |
| | | 0610/0365 | LEN=0043 INSTALLED UNKN |
| | | | LARCH RD |
| | | 0610/0209 | (T847) |
| | 159757 FT | 159757 FT | 1 0 00508 0 01 0135+77 |
| | | | 017 "DIA CIRC CONCR |
| | | | LEN=0012 INSTALLED UNKN |
| | | | GREEN |
| | | | CHERRYHILL T |
| | | S 0610/0000 | LENGTH(AH 2453 BK 2483) |
| | | | 018 "DIA CIRC CONCR |
| | | 0600/1800 | LEN=0045 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0600/1336 | LEN=0044 INSTALLED UNKN |
| | | | 042 "DIA CIRC CONCR |
| | | 0600/0689 | LEN=0040 INSTALLED UNKN |
| | | 0600/0053 | BMSEN 32/0403/0600/0000 |
| | 157274 FT | 157274 FT | 1 0 00508 0 01 0110+93 |
| | | | DIXON RUN |
| | | | BMSBG 32/0403/0600/0000 |
| | | S 0600/0000 | LENGTH(AH 2483 BK 3653) |
| | | | 036 "DIA CIRC CONCR |
| | | 0590/3363 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

```
                                                  0590/3128 LEN=0041 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0590/2639 LEN=0047 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0590/2332 LEN=0045 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0590/1951 LEN=0043 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0590/1519 LEN=0044 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0590/1210 LEN=0042 INSTALLED UNKN
                                                            LC TO T653 RD
                                                  0590/1151 (CONN)
                                                            (APRA) MEARS ENTERPRISE
                                                            TREESE RD
                                                  0590/0956 (T653)
                                                            015 "DIA CIRC CONCR
                                                  0590/0440 LEN=0043 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0590/0234 LEN=0045 INSTALLED UNKN
                153621 FT                         153621 FT 1 0 00508 0 01 0074+39
                                                5 0590/0000 LENGTH(AH 3653 BK 2565)
                                                            016 "DIA CIRC CONCR
                                                  0580/2350 LEN=0043 INSTALLED 2001
TWENTY FOUR RD
(T682)          0580/2181
                                                            018 "DIA CIRC CONCR
                                                  0580/2130 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0580/1930 LEN=0045 INSTALLED 2001
                                                  0580/1897 BMSEN 32/0403/0580/1887
                                                            1 0 00508 0 01 0067+78
                                                            TR DIXON RUN
                                                  0580/1887 BMSBG 32/0403/0580/1887
                                                            018 "DIA CIRC CONCR
                                                  0580/1582 LEN=0045 INSTALLED 2001
                                                            018 "DIA CIRC CONCR
                                                  0580/1240 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0580/0904 LEN=0045 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0580/0540 LEN=0042 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0580/0113 LEN=0043 INSTALLED UNKN
                151056 FT                         151056 FT 1 0 00508 0 01 0048+79
                                                        NC SR 0403 SH
                                                5 0580/0000 LENGTH(AH 2565 BK 2444)
                                                            010 "DIA CIRC CONCR
                                                  0570/2167 LEN=0039 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| | | 0570/1909 | LEN=0038 INSTALLED UNKN<br>024 "DIA CIRC CONCR |
| | | 0570/1559 | LEN=0047 INSTALLED UNKN<br>036 "DIA CIRC CONCR |
| | | 0570/1216 | LEN=0047 INSTALLED UNKN<br>CHERRYHILL |
| | | 0570/1196 | CLYMER B |
| DIXON RD<br>(BORO) | 0570/1140 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0570/1100 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0570/0180 | LEN=0040 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0570/0064 | LEN=0040 INSTALLED UNKN |
| | 148612 FT | 148612 FT | 1 0 00508 0 01 0024+35<br>WILSON ST<br>(BORO) |
| CEMETERY RD<br>(SR1006 SEG 0140/2869) | 0570/0000 | 5 0570/0000 | LENGTH(AH 2444 BK 2437)<br>018 "DIA CIRC CONCR |
| | | 0560/2403 | LEN=0040 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0560/1970 | LEN=0050 INSTALLED UNKN<br>NC PENN ST<br>GERRY ST |
| | | 0560/1958 | (BORO)<br>018 "DIA CIRC METAL |
| | | 0560/1417 | LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0560/1263 | LEN=0030 INSTALLED UNKN |
| | | 0560/1227 | BMSEN 32/0403/0560/1185<br>1 0 00508 0 00 0005+32<br>DIXON RUN |
| | | 0560/1185 | BMSBG 32/0403/0560/1185<br>ADAMS ST |
| | | 0560/0821 | (BORO)<br>018 "DIA CIRC METAL |
| | | 0560/0787 | LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0560/0691 | LEN=0030 INSTALLED UNKN |
| | | 0560/0654 | BMSEN 32/0403/0560/0530<br>1 0 00508 0 00 0005+32<br>TWO LICK CREEK |
| | | 0560/0530 | BMSBG 32/0403/0560/0530<br>018 "DIA CIRC METAL |
| | | 0560/0483 | LEN=0030 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0560/0440 | LEN=0030 INSTALLED UNKN |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: CLYMER B RIGHT MUN: CLYMER B

| LEFT | | RIGHT |
|---|---|---|
| | | SHERMAN ST |
| | 0560/0375 | (BORO) |
| | | BEECH AV |
| | 0560/0190 | (BORO) |
| 1 0 00508 0 00 0000+00 146175 FT | | 146175 FT |
| FRANKLIN ST | | NC SIXTH ST |
| (SR0286 SEG 0770/0000) | | INTER-BK FRANKLIN ST |
| SIXTH ST | | (SR0286 SEG 0770/0000) |
| (BORO) 0560/0000 | | S 0560/0000 LTH AH 002437 BK 000100 |
| 146175 FT | | 146175 FT |
| | | 7554/0000 LTH AH 000100 BK 002097 |
| | | INTER-AHD FRANKLIN ST |
| | | (SR0286 SEG 0780/0000) |
| | | FRANKLIN ST |
| | 0550/2097 | (SR0286 SEG 0780/0000) |
| | | OAK AV |
| | 0550/1888 | (BORO) |
| | | MORRIS ST |
| | 0550/1702 | (BORO) |
| | | MAPLE AV |
| | 0550/1519 | (BORO) |
| HANCOCK ST | | |
| (BORO) | | |
| SECOND ST | | |
| (BORO) 0550/1367 | | NC SECOND ST |
| | | 018 "DIA CIRC CONCR |
| | 0550/1350 | LEN=0040 INSTALLED UNKN |
| | | PEACH AV |
| | 0550/1077 | (TWP ) |
| | | NC HANCOCK ST |
| | | HANCOCK ST |
| | 0550/0915 | (BORO) |
| | | 018 "DIA CIRC CONCR |
| | 0550/0735 | LEN=0035 INSTALLED UNKN |
| WALNUT AV | | |
| (BORO) 0550/0719 | | |
| WALCOTT ST | | |
| (BORO) 0550/0535 | | |
| CHESTNUT AV | | |
| (BORO) 0550/0354 | | |
| | | 024 "DIA CIRC CONCR |
| | 0550/0345 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0550/0110 | LEN=0035 INSTALLED 2002 |
| 144078 FT | | 144078 FT 1 0 00054 0 03 0536+55 |
| | | NC FIRST ST |
| | | CLYMER |
| | | CHERRYHILL T |
| | | S 0550/0000 LENGTH(AH 2097 BK 2717) |
| | | 018 "DIA CIRC METAL |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

```
                                        0540/2432 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0540/2117 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0540/1783 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0540/1588 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0540/1130 LEN=0100 INSTALLED 2002
                                                  018 "DIA CIRC CONCR
                                        0540/0980 LEN=0045 INSTALLED 2002

                                                  018 "DIA CIRC CONCR
                                        0540/0230 LEN=0045 INSTALLED 2002
141361 FT                               141361 FT 1 0 00054 0 03 0563+78
                                                  018 "DIA CIRC METAL
                                                  LEN=0050 INSTALLED UNKN
                                      S 0540/0000 LENGTH(AH 2717 BK 3422)
                                                  018 "DIA CIRC METAL
                                        0530/3110 LEN=0050 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0530/2625 LEN=0050 INSTALLED 2002
                                                  024 "DIA CIRC METAL
                                        0530/2400 LEN=0024 INSTALLED 2001
                                                  018 "DIA CIRC METAL
                                        0530/1936 LEN=0060 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0530/1660 LEN=0060 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0530/1367 LEN=0060 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0530/1000 LEN=0060 INSTALLED UNKN

                                                  018 "DIA CIRC METAL
                                        0530/0354 LEN=0050 INSTALLED UNKN
137939 FT                               137939 FT 1 0 00054 0 03 0598+00
                                                  015 "DIA CIRC METAL
                                                  LEN=0060 INSTALLED UNKN
                                      S 0530/0000 LENGTH(AH 3422 BK 3188)
                                                  018 "DIA CIRC METAL
                                        0520/2956 LEN=0075 INSTALLED UNKN
                                                  036 "DIA CIRC METAL
                                        0520/2496 LEN=0100 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0520/2177 LEN=0095 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0520/1857 LEN=0075 INSTALLED 2001
                                                  018 "DIA CIRC METAL
                                        0520/1332 LEN=0090 INSTALLED UNKN
```

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC METAL |
| | | 0520/0729 | LEN=0100 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0520/0372 | LEN=0071 INSTALLED UNKN |
| | 134751 FT | 134751 FT | 1 0 00054 0 03 0629+88 |
| | | S 0520/0000 | LENGTH(AH 3188 BK 0894) |
| | | | TR TWO LICK |
| | | | STRUCTURE LENGTH 10 FT |
| | | 0510/0661 | BMSID 32/0403/0510/0661 |
| | | | 072"H 36"W CON BOX CUL |
| | | 0510/0653 | LEN=0130 INSTALLED UNKN |
| SPAULDING RD | | | |
| (SR1012 SEG 0190/0000) | 0510/0537 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0510/0501 | LEN=0100 INSTALLED UNKN |
| | 133857 FT | 133857 FT | 1 0 00054 0 03 0638+47 |
| | | | STARFORD RD |
| | | | (SR1012 SEG 0180/3852) |
| | | S 0510/0000 | LENGTH(AH 0894 BK 3640) |
| | | | 018 "DIA CIRC METAL |
| | | 0500/3405 | LEN=0082 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0500/3100 | LEN=0112 INSTALLED UNKN |
| | | | 036 "DIA CIRC METAL |
| | | 0500/2404 | LEN=0130 INSTALLED UNKN |
| | | | 036 "DIA CIRC METAL |
| | | 0500/2278 | LEN=0065 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0500/1700 | LEN=0088 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0500/1374 | LEN=0069 INSTALLED UNKN |
| | | | 030 "DIA CIRC METAL |
| | | 0500/1058 | LEN=0080 INSTALLED UNKN |
| | 130217 FT | 130217 FT | 2 0 32056 0 00 0095+98 |
| | | | BROWNS RUN |
| | | | STRUCTURE LENGTH 13 FT |
| | | | BMSID 32/0403/0500/0000 |
| | | S 0500/0000 | LENGTH(AH 3640 BK 1752) |
| | | | 030 "DIA CIRC METAL |
| | | 0490/1244 | LEN=0088 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0490/0829 | LEN=0088 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0490/0444 | LEN=0080 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0490/0204 | LEN=0040 INSTALLED 2001 |
| | 128465 FT | 128465 FT | 2 0 32056 0 00 0078+35 |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| | | | 054 "DIA CIRC METAL |
| | | | LEN=0148 INSTALLED UNKN |
| | | S 0490/0000 | LENGTH(AH 1752 BK 2198) |
| | | | 054 "DIA CIRC METAL |
| | | 0480/2162 | LEN=0148 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0480/0013 | LEN=0147 INSTALLED UNKN |
| | 126267 FT | 126267 FT | 2 0 32056 0 00 0056+44 |
| | | | KENWOOD RD |
| | | | (T751) |
| | | S 0480/0000 | LENGTH(AH 2198 BK 2525) |
| | | | 018 "DIA CIRC METAL |
| | | 0470/2485 | LEN=0040 INSTALLED 2001 |
| | | | 018 "DIA CIRC METAL |
| | | 0470/2235 | LEN=0040 INSTALLED 2001 |
| | | | 018 "DIA CIRC METAL |
| | | 0470/1990 | LEN=0040 INSTALLED 2001 |
| | | | 018 "DIA CIRC METAL |
| | | 0470/1745 | LEN=0040 INSTALLED 2001 |
| | | | 018 "DIA CIRC METAL |
| | | 0470/1510 | LEN=0040 INSTALLED 2001 |
| | | | 018 "DIA CIRC METAL |
| | | 0470/1265 | LEN=0040 INSTALLED 2001 |
| | | | 018 "DIA CIRC METAL |
| | | 0470/1055 | LEN=0030 INSTALLED 2001 |
| | | | 018 "DIA CIRC METAL |
| | | 0470/0374 | LEN=0344 INSTALLED UNKN |
| | 123742 FT | 123742 FT | 2 0 32056 0 00 0031+23 |
| | | | VILLAGE: KENWOOD |
| | | | SR 0580 SH |
| MANOR RD | | | (SR0580 SEG 0010/0000) |
| (T647) | 0470/0000 | S 0470/0000 | LENGTH(AH 2525 BK 3115) |
| | | | 018 "DIA CIRC METAL |
| | | 0460/3035 | LEN=0067 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0460/2890 | LEN=0110 INSTALLED UNKN |
| | | | 060 "DIA CIRC METAL |
| | | 0460/2736 | LEN=0001 INSTALLED 2001 |
| | | | 018 "DIA CIRC METAL |
| | | 0460/2203 | LEN=0067 INSTALLED 2001 |
| | | | 018 "DIA CIRC METAL |
| | | 0460/1591 | LEN=0067 INSTALLED UNKN |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

| | | | |
|---|---|---|---|
| | | 0460/1296 | 018 "DIA CIRC METAL LEN=0067 INSTALLED UNKN |
| | | 0460/0966 | 018 "DIA CIRC METAL LEN=0067 INSTALLED UNKN |
| | | 0460/0694 | 018 "DIA CIRC METAL LEN=0067 INSTALLED UNKN |
| 2 0 32056 0 00 0000+00 120627 FT<br>SR 0553 SH<br>(SR0553 SEG 0110/2429)<br>SCHOOL RD<br>(T864) | 0460/0000 | 120627 FT<br>5 0460/0000 | LENGTH(AH 3115 BK 0992) |
| 2 0 32051 0 00 0208+76 119635 FT<br>SWAMP RD<br>(T637) | 0450/0000 | 119635 FT<br>5 0450/0000 | LENGTH(AH 0992 BK 3181) |
| | | 0440/1701 | 015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | | 0440/1200 | 015 "DIA CIRC CONCR LEN=0041 INSTALLED UNKN |
| | | 0440/0280 | 015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| 2 0 32051 0 00 0240+48 116454 FT<br>SWAMP RD<br>(T637) | 0440/0000 | 116454 FT<br>5 0440/0000 | LENGTH(AH 3181 BK 3079) |
| | | 0430/3057 | 015 "DIA CIRC METAL LEN=0042 INSTALLED UNKN |
| | | 0430/3019 | 015 "DIA CIRC METAL LEN=0041 INSTALLED UNKN |
| | | 0430/2700 | 015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | | 0430/2100 | 015 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN |
| | | 0430/1280 | 024 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN |
| | | 0430/0990 | 015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | | 0430/0200 | 015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | 113375 FT | 113375 FT | 2 0 32051 0 00 0271+96<br>PINE FLATS RD |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

```
                                                  (SR1014 SEG 0090/3713)
                                                  CHERRYHILL
                                                  PINE T
                                   5 0430/0000    LENGTH(AH 3079 BK 1085)

                                                  015 "DIA CIRC CONCR
                                     0420/0430    LEN=0042 INSTALLED UNKN
                                                  036 "DIA CIRC CONCR
                                     0420/0100    LEN=0046 INSTALLED UNKN
112290 FT                            112290 FT    1 0 00054 0 05 1001+07
                                   5 0420/0000    LENGTH(AH 1085 BK 3608)
                                                  015 "DIA CIRC CONCR
                                     0410/3030    LEN=0060 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0410/3000    LEN=0040 INSTALLED UNKN
                                                  030 "DIA CIRC CONCR
                                     0410/2630    LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0410/2300    LEN=0050 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0410/1890    LEN=0060 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0410/1590    LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0410/1100    LEN=0050 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0410/0685    LEN=0056 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0410/0415    LEN=0050 INSTALLED UNKN
                                                  SR 0553 SH
                                     0410/0408    (SR0553 SEG 0130/0000)
108682 FT                            108682 FT    1 0 00054 0 05 1036+90
                                                  FOR SR 0403 AND 553
                                                  (CONN)
                                   5 0410/0000    LENGTH(AH 3608 BK 3266)

                                                  015 "DIA CIRC CONCR
                                     0400/2623    LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0400/2260    LEN=0032 INSTALLED UNKN
                                                  COMET ST
                                     0400/1698    (T730)
                                                  015 "DIA CIRC CONCR
                                     0400/1670    LEN=0032 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0400/1544    LEN=0031 INSTALLED UNKN

                                                  STAFF ST
                                     0400/0672    (T661)
                                                  015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: PINE T RIGHT MUN: PINE T

```
                                                  0400/0625 LEN=0032 INSTALLED UNKN
MAIN ST
(T600)                    0400/0497   ==
SPRUCE ST
(T601)                    0400/0207   ==
                                                            ORCHARD LN
                                              ==  0400/0024 (TWP )
                         105416 FT                105416 FT 1 0 00054 0 05 1070+48
WILLOW ST                                                   VILLAGE: HEILWOOD
(T662)                    0400/0000   ==      S 0400/0000 LENGTH(AH 3266 BK 2401)
                                                            036 "DIA CIRC CONCR
                                                  0390/2070 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0390/1650 LEN=0038 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0390/1315 LEN=0038 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0390/0890 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0390/0480 LEN=0010 INSTALLED 2006
SCHOOL RD
(T633)                    0390/0132   ==
                                                            015 "DIA CIRC CONCR
                                                  0390/0075 LEN=0050 INSTALLED UNKN
                         103015 FT                103015 FT 1 0 00054 0 05 1094+07
                                                S 0390/0000 LENGTH(AH 2401 BK 3021)
                                                  0380/2700 BMSEN 32/0403/0380/2659
                                                            1 0 00054 0 05 1097+25
                                                            YELLOW CREEK
                                                  0380/2659 BMSBG 32/0403/0380/2659
                                                            018 "DIA CIRC METAL
                                                  0380/2120 LEN=0042 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0380/1920 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0380/1400 LEN=0040 INSTALLED 2006

                                                            018 "DIA CIRC CONCR
                                                  0380/0732 LEN=0040 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0380/0040 LEN=0040 INSTALLED 2006
1 0 00054 0 05 1123+86 099994 FT                  099994 FT
NOLO RD
(SR1011 SEG 0060/3541)    0380/0000   ==      S 0380/0000 LENGTH(AH 3021 BK 3024)
                                                            018 "DIA CIRC CONCR
                                                  0370/2840 LEN=0040 INSTALLED 2006
                                                            024 "DIA CIRC CONCR
                                                  0370/2750 LEN=0040 INSTALLED 2006
                                                            018 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: PINE T RIGHT MUN: PINE T

```
                                                 0370/2200 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0370/1950 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0370/1720 LEN=0040 INSTALLED 2006
                                                           015 "DIA CIRC METAL
                                                 0370/1475 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0370/1350 LEN=0040 INSTALLED 2006
                                                           018 "DIA CIRC METAL
                                                 0370/1070 LEN=0040 INSTALLED UNKN

                                                           018 "DIA CIR PLASTIC
                                                 0370/0430 LEN=0012 INSTALLED 2006
CAMERON BOTTOM RD
(T904)                 0370/0130
                                                           018 "DIA CIRC METAL
                                                 0370/0100 LEN=0042 INSTALLED UNKN
                                                 0370/0015 BMSEN 32/0403/0370/0000
                       096970 FT                 096970 FT 1 0 00054 0 05 1155+09
                                                           LEONARD RUN
                                                           BMSBG 32/0403/0370/0000
                                                 S 0370/0000 LENGTH(AH 3024 BK 2655)
                                                           018 "DIA CIRC CONCR
                                                 0360/2270 LEN=0040 INSTALLED 2006
                                                           018 "DIA CIRC CONCR
                                                 0360/2200 LEN=0024 INSTALLED 2005
                                                           018 "DIA CIRC CONCR
                                                 0360/2020 LEN=0040 INSTALLED 2006
                                                           018 "DIA CIRC CONCR
                                                 0360/1840 LEN=0042 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0360/1610 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0360/1436 LEN=0042 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0360/1390 LEN=0040 INSTALLED 2006
                                                           018 "DIA CIRC CONCR
                                                 0360/1010 LEN=0040 INSTALLED 2005
                                                           018 "DIA CIRC CONCR
                                                 0360/0740 LEN=0040 INSTALLED 2006
                                                           018 "DIA CIRC CONCR
                                                 0360/0450 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0360/0300 LEN=0040 INSTALLED 2006
                                                           018 "DIA CIRC METAL
                                                 0360/0170 LEN=0040 INSTALLED UNKN
                       094315 FT                 094315 FT 1 0 00054 0 05 1181+34
                                                 S 0360/0000 LENGTH(AH 2655 BK 2898)
                                                           015 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | | |
|---|---|---|---|
| | | 0350/2770 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC METAL |
| | | 0350/2200 | LEN=0042 INSTALLED UNKN |
| | | | 043"H 68"W ELLIP CONC |
| | | 0350/2040 | LEN=0040 INSTALLED 2006 |
| | | | 018 "DIA CIRC CONCR |
| | | 0350/1991 | LEN=0048 INSTALLED 2005 |
| | | | 018 "DIA CIRC CONCR |
| | | 0350/1910 | LEN=0048 INSTALLED 2005 |
| | | | 043"H 68"W ELLIP CONC |
| | | 0350/1740 | LEN=0040 INSTALLED 2006 |
| | | | 018 "DIA CIRC METAL |
| | | 0350/1650 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0350/1050 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0350/0525 | LEN=0050 INSTALLED UNKN |
| | | | HAMILL RD |
| | | 0350/0043 | (T585) |
| | 091417 FT | 091417 FT | 1 0 00054 0 05 1209+88 |
| | | | 043"H 68"W ELLIP CONC |
| PINETON RD | | | LEN=0040 INSTALLED 2006 |
| (T585) | 0350/0000 | 0350/0000 | LENGTH(AH 2898 BK 2039) |
| | | | 030 "DIA CIRC CONCR |
| | | 0340/0480 | LEN=0040 INSTALLED 2005 |
| | 089378 FT | 089378 FT | 1 0 00054 0 05 1232+26 |
| | | 0340/0000 | LENGTH(AH 2039 BK 2865) |
| | | | 015 "DIA CIRC METAL |
| | | 0330/2040 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/2020 | LEN=0048 INSTALLED 2005 |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/1268 | LEN=0040 INSTALLED 2005 |
| | | | 043"H 68"W ELLIP CONC |
| | | 0330/0790 | LEN=0032 INSTALLED 2005 |
| | | 0330/0019 | BMSEN 32/0403/0330/0000 |
| | 086513 FT | 086513 FT | 1 0 00054 0 05 1262+90 |
| | | | LT YELLOW CR |
| | | | BMSBG 32/0403/0330/0000 |
| | | 0330/0000 | LENGTH(AH 2865 BK 3813) |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/3350 | LEN=0048 INSTALLED 2005 |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: PINE T RIGHT MUN: PINE T

POI

0320/3206 (APRA) VALLEY COAL COMP

018 "DIA CIRC CONCR
0320/2420 LEN=0040 INSTALLED 2005
043"H 68"W ELLIP CONC
0320/2100 LEN=0040 INSTALLED 2005
043"H 68"W ELLIP CONC
0320/1640 LEN=0040 INSTALLED 2005
043"H 68"W ELLIP CONC
0320/1210 LEN=0040 INSTALLED 2005
018 "DIA CIRC CONCR
0320/0660 LEN=0040 INSTALLED 2005

HOMESTEAD DR
(PRDR) 0320/0130
082700 FT

082700 FT 1 0 00054 0 06 1296+79
FOR SR 0403 AND 1013
(CONN)
S 0320/0000 LENGTH(AH 3813 BK 2854)
FOR SR 0403 ABD 1013
0310/2800 (CONN)
TIPPERARY RD
0310/2673 (SR1013 SEG 0010/0000)
018 "DIA CIRC CONCR
0310/2629 LEN=0056 INSTALLED 2005
018 "DIA CIRC METAL
0310/2100 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0310/1700 LEN=0040 INSTALLED 2005

CAMERON BOTTOM RD
(T904) 0310/1667

018 "DIA CIRC METAL
0310/1475 LEN=0040 INSTALLED UNKN

018 "DIA CIRC CONCR
0310/0500 LEN=0040 INSTALLED 2005
079846 FT
079846 FT 1 0 00054 0 06 1329+18
S 0310/0000 LENGTH(AH 2854 BK 3081)

018 "DIA CIRC CONCR
0300/2075 LEN=0048 INSTALLED 2005
018 "DIA CIRC CONCR
0300/1885 LEN=0032 INSTALLED 2005

1 0 00054 0 06 1359+99 076765 FT

076765 FT ANGEL LN

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: PINE T RIGHT MUN: PINE T

| | | | |
|---|---|---|---|
| MALLOY HOLLOW RD (T631) | 0300/0000 | | (PRDR) |
| | | S | 0300/0000 LENGTH(AH 3081 BK 2611) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0290/2230 LEN=0032 INSTALLED 2001 |
| | | | 018 "DIA CIRC METAL |
| | | | 0290/0680 LEN=0030 INSTALLED 2001 |
| PENNDOT STOCKPILE #05 R (GOVT) | 0290/0672 | | |
| | 074154 FT | | 074154 FT 1 0 00054 0 06 1386+10 |
| | | | FREDERICK RD |
| | | | (T664) |
| | | S | 0290/0000 LENGTH(AH 2611 BK 2725) |
| | | | 018 "DIA CIRC METAL |
| | | | 0280/2720 LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | | 0280/1650 LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | | 0280/1050 LEN=0035 INSTALLED UNKN |
| | 071429 FT | | 071429 FT 1 0 00054 0 06 1412+96 |
| | | | VILLAGE: STRONGSTOWN |
| | | | NC SR 0403 SH |
| | | | BENJAMIN FRANKLIN HW |
| | | | (SR0422 SEG 0630/0000) |
| | | S | 0280/0000 LENGTH(AH 2725 BK 2804) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0270/2480 LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0270/2007 LEN=0029 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0270/1453 LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0270/1110 LEN=0038 INSTALLED UNKN |
| | 068625 FT | | 068625 FT 2 0 32021 0 02 0574+20 |
| | | | PINE |
| | | | BUFFINGTON T |
| | | S | 0270/0000 LENGTH(AH 2804 BK 2071) |
| | | | 015 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

```
                                                    0260/2061 LEN=0025 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0260/1585 LEN=0042 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0260/1290 LEN=0038 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0260/1035 LEN=0038 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0260/0500 LEN=0045 INSTALLED UNKN
                                                              024 "DIA CIRC CONCR
                                                    0260/0030 LEN=0030 INSTALLED UNKN
2 0 32021 0 02 0553+43 066554 FT                    066554 FT
SHORTCUT RD
(T876)                 0260/0000                  S 0260/0000 LENGTH(AH 2071 BK 1821)
                                                              015 "DIA CIRC CONCR
                                                    0250/1220 LEN=0031 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0250/0795 LEN=0039 INSTALLED UNKN
                       064733 FT                    064733 FT 2 0 32021 0 02 0535+22
                                                              015 "DIA CIRC CONCR
                                                              LEN=0035 INSTALLED UNKN
                                                    S 0250/0000 LENGTH(AH 1821 BK 3218)
                                                              015 "DIA CIRC CONCR
                                                    0240/2767 LEN=0032 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0240/2195 LEN=0037 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0240/1464 LEN=0075 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0240/1225 LEN=0037 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0240/0675 LEN=0032 INSTALLED UNKN
2 0 32021 0 02 0503+34 061515 FT                    061515 FT SCHULTZ RD
CAMERONS RD                                                   (T589)
(SR2020 SEG 0100/3082)  0240/0000                   S 0240/0000 LENGTH(AH 3218 BK 2318)
                                                              015 "DIA CIRC CONCR
                                                    0230/1896 LEN=0042 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0230/1582 LEN=0043 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0230/1090 LEN=0065 INSTALLED UNKN
                                                              030 "DIA CIRC CONCR
                                                    0230/0540 LEN=0050 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0230/0372 LEN=0030 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | | |
|---|---|---|---|
| | | 0230/0125 | LEN=0042 INSTALLED UNKN |
| | 059197 FT | 059197 FT | 2 0 32021 0 02 0480+34 |
| | | S 0230/0000 | LENGTH(AH 2318 BK 1772) |
| | | | 024 "DIA CIRC CONCR |
| | | 0220/1657 | LEN=0034 INSTALLED UNKN |
| | 057425 FT | 057425 FT | 2 0 32021 0 02 0462+62 |
| | | | HAGENS RD |
| | | | (T898) |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0035 INSTALLED UNKN |
| | | | NC DILLTOWN VINTONDALE RD |
| | | | REXIS RD |
| | | | (SR2013 SEG 0230/3315) |
| | | S 0220/0000 | LENGTH(AH 1772 BK 3810) |
| | | | 015 "DIA CIRC CONCR |
| | | 0210/2914 | LEN=0033 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0210/2146 | LEN=0031 INSTALLED UNKN |
| STEWART HOLLOW RD | | | UPPER LAUREL RD |
| (T720) | 0210/2131 | 0210/2131 | (T721) |
| | | | 024 "DIA CIRC CONCR |
| | | 0210/1484 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0210/1315 | LEN=0038 INSTALLED UNKN |
| | 053615 FT | 053615 FT | 2 0 32027 0 01 0189+62 |
| | | | PYER RD |
| | | | (SR2015 SEG 0070/3730) |
| | | S 0210/0000 | LENGTH(AH 3810 BK 1777) |
| | | | 018 "DIA CIRC CONCR |
| | | 0200/0716 | LEN=0042 INSTALLED UNKN |
| | | | 060 "DIA CIRC CONCR |
| | | 0200/0044 | LEN=0060 INSTALLED 1996 |
| | 051838 FT | 051838 FT | 2 0 32027 0 00 0171+50 |
| | | S 0200/0000 | LENGTH(AH 1777 BK 3113) |
| | | | 018 "DIA CIRC CONCR |
| | | 0190/2300 | LEN=0042 INSTALLED 2001 |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | | | |
|---|---|---|---|---|
| | | | | 024 "DIA CIRC CONCR |
| | | | 0190/1303 | LEN=0048 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0190/0754 | LEN=0042 INSTALLED UNKN |
| | | | | BARKLEY CHURCH RD |
| | | | 0190/0655 | (T740) |
| | 048725 FT | | 048725 FT | 2 0 32027 0 00 0139+82 |
| | | | | 018 "DIA CIRC CONCR |
| | | | | LEN=0042 INSTALLED 2001 |
| | | | S 0190/0000 | LENGTH(AH 3113 BK 3568) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0180/3049 | LEN=0042 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0180/2688 | LEN=0042 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0180/2160 | LEN=0042 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0180/1788 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0180/0649 | LEN=0048 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0180/0332 | LEN=0038 INSTALLED UNKN |
| | 045157 FT | | 045157 FT | 2 0 32027 0 00 0104+75 |
| | | | S 0180/0000 | LENGTH(AH 3568 BK 3405) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/3133 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/2804 | LEN=0038 INSTALLED UNKN |
| MARDIS RD (T738) | 0170/2702 | | | |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0170/2442 | LEN=0038 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0170/2108 | LEN=0042 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/1164 | LEN=0038 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/0523 | LEN=0042 INSTALLED UNKN |
| | 041752 FT | | 041752 FT | 2 0 32027 0 00 0070+70 |
| | | | S 0170/0000 | LENGTH(AH 3405 BK 3492) |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 0160/2108 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0160/1388 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0160/1118 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0160/0870 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0160/0550 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0160/0089 | LEN=0042 INSTALLED UNKN |
| | 038260 FT | 038260 FT | 2 0 32027 0 00 0035+78 |
| | | S 0160/0000 | LENGTH(AH 3492 BK 3583) |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/3382 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/3154 | LEN=0016 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0150/2820 | LEN=0018 INSTALLED 2001 |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/2510 | LEN=0047 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/2130 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0150/1701 | LEN=0180 INSTALLED 2001 |
| | | | MARDIS RUN |
| | | | STRUCTURE LENGTH 28 FT |
| | | 0150/0606 | BMSID 32/0403/0150/0606 |
| TO 2021/0010 SH | | | |
| (CONN) | 0150/0135 | | |
| 2 0 32027 0 00 0000+00 | 034677 FT | 034677 FT | |
| RIDGE RD | | | |
| (SR2021 SEG 0010/0000) | 0150/0000 | S 0150/0000 | LENGTH(AH 3583 BK 0934) |
| | | | 018 "DIA CIRC METAL |
| | | 0140/0395 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0140/0040 | LEN=0040 INSTALLED 2002 |
| | 033743 FT | 033743 FT | 2 0 32020 0 01 0080+80 |
| | | S 0140/0000 | LENGTH(AH 0934 BK 3782) |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/3340 | LEN=0054 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/3000 | LEN=0031 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0130/2750 | LEN=0040 INSTALLED UNKN |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: BUFFINGTON T RIGHT MUN: BUFFINGTON T

| | | | | |
|---|---|---|---|---|
| | | | | 015 "DIA CIRC CONCR |
| | | | 0130/2300 | LEN=0038 INSTALLED UNKN |
| DILLTOWN HEIGHTS RD | | | | RIVER RD |
| (T882) | 0130/2068 | | 0130/2068 | (SR2012 SEG 0010/0000) |
| | | | 0130/1702 | SIGNALIZED MID BLOCK XI |
| RAILROAD ST | | | | |
| (TWP ) | 0130/1669 | | | |
| | | | 0130/1275 | BMSEN 32/0403/0130/1110 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0130/1249 | LEN=0030 INSTALLED UNKN |
| | | | | BUFFINGTON |
| | | | 0130/1200 | EAST WHEATFIELD T |
| | | | | 2 0 32020 0 01 0044+00 |
| | | | | BLACKLICK CREEK |
| | | | 0130/1110 | BMSBG 32/0403/0130/1110 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0130/1048 | LEN=0026 INSTALLED UNKN |
| ARMERFORD RD | | | | |
| (T595) | 0130/0806 | | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0130/0700 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0130/0303 | LEN=0030 INSTALLED UNKN |
| | 029961 FT | | 029961 FT | 2 0 32020 0 01 0044+00 |
| FRANKLIN RD | | | | VILLAGE: DILLTOWN |
| (T645) | 0130/0000 | | S 0130/0000 | LENGTH(AH 3782 BK 3449) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0120/2960 | LEN=0050 INSTALLED UNKN |
| SCOTT GLEN RD | | | | |
| (T644) | 0120/1781 | | | |
| | | | | 030 "DIA CIRC CONCR |
| | | | 0120/1720 | LEN=0048 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0120/1088 | LEN=0029 INSTALLED UNKN |
| SCOTT GLEN RD | | | | |
| (T644) | 0120/1058 | | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0120/0723 | LEN=0029 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0120/0440 | LEN=0044 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0120/0207 | LEN=0056 INSTALLED UNKN |
| 2 0 32020 0 01 0009+00 | 026512 FT | | 026512 FT | |
| TOMB SCHOOL RD | | | | |
| (T643) | 0120/0000 | | S 0120/0000 | LENGTH(AH 3449 BK 1160) |
| KILLEN RD | | | | |
| (T895) | 0110/0657 | | | |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0110/0601 | LEN=0076 INSTALLED UNKN |
| | | | RAMP E RD |
| | | 0110/0408 | (SR8010 SEG 0250/0000) |
| | | | RAMP F RD |
| | | 0110/0383 | (SR8010 SEG 0260/0753) |
| | | 0110/0082 | BMSEN 32/0403/0110/0000 |
| | | | 024 "DIA CIRC CONCR |
| | | 0110/0068 | LEN=0042 INSTALLED UNKN |
| 025352 FT | | 025352 FT | 2 0 32020 0 00 0000+00 |
| | | | NC DILLTOWN RD |
| | | | SR0022 EB |
| | | | BMSBG 32/0403/0110/0000 |
| | | S 0110/0000 | LENGTH(AH 1160 BK 2096) |
| | | | RAMP H RD |
| | | | (SR8010 SEG 0010/0829) |
| | | | RAMP G RD |
| | | 0100/1941 | (SR8010 SEG 0750/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/1635 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/1046 | LEN=0039 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/0581 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/0311 | LEN=0039 INSTALLED UNKN |
| 023256 FT | | 023256 FT | 1 0 00223 0 00 0629+57 |
| | | S 0100/0000 | LENGTH(AH 2096 BK 2503) |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1908 | LEN=0070 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/1549 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0090/0818 | LEN=0050 INSTALLED UNKN |
| 020753 FT | | 020753 FT | 1 0 00223 0 00 0654+60 |
| | | S 0090/0000 | LENGTH(AH 2503 BK 2495) |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/2401 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0080/2226 | LEN=0043 INSTALLED UNKN |
| | | | GEORGE LN |
| | | 0080/1850 | (PRDR) |
| | | | 015 "DIA CIRC METAL |
| | | 0080/1252 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/1045 | LEN=0065 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/0825 | LEN=0016 INSTALLED 2001 |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0080/0513 | LEN=0031 INSTALLED UNKN |
| 018258 FT | | 018258 FT | 1 0 00223 0 00 0679+55 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0051 INSTALLED UNKN |
| | | | BEECHWOOD LN |
| | | | (PRDR) |
| | | 5 0080/0000 | LENGTH(AH 2495 BK 3490) |
| | | | (APRA) ENVIRONMENTAL EN |
| | | | ENVIRONMENTAL ENERGY RD |
| | POI | 0070/3356 | (PRDR) |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/3101 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/2894 | LEN=0048 INSTALLED 2004 |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/2880 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/2689 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/2505 | LEN=0054 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/2101 | LEN=0055 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/1238 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0880 | LEN=0037 INSTALLED UNKN |
| | | | TR CONEMAUGH |
| | | | STRUCTURE LENGTH 12 FT |
| | | 0070/0035 | BMSID 32/0403/0070/0035 |
| 1 0 00223 0 00 0714+48 014768 FT | | 014768 FT | STUTZMAN RD |
| GRANGE HALL RD | | | (SR2013 SEG 0060/0000) |
| (SR2013 SEG 0060/0000) 0070/0000 | | 5 0070/0000 | LENGTH(AH 3490 BK 1924) |
| | | | 024 "DIA CIRC CONCR |
| | | 0060/1865 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1262 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0893 | LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/0536 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0060/0258 | LEN=0058 INSTALLED UNKN |
| 012844 FT | | 012844 FT | 1 0 00223 0 00 0733+77 |
| | | | DEYARMIN RD |
| | | | (T884) |
| | | 5 0060/0000 | LENGTH(AH 1924 BK 2396) |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | | |
|---|---|---|---|
| | | 0050/2385 | BMSEN 32/0403/0050/2363<br>0 0 00000 0 00 0000+00<br>TR CONEMAUGH |
| | | 0050/2363 | BMSBG 32/0403/0050/2363<br>018 "DIA CIRC METAL |
| | | 0050/2141 | LEN=0090 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0050/1802 | LEN=0055 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0050/1460 | LEN=0046 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0050/1143 | LEN=0060 INSTALLED UNKN<br>CHESTNUT ST |
| | | 0050/1104 | (T734)<br>018 "DIA CIRC CONCR |
| | | 0050/0662 | LEN=0050 INSTALLED 2001 |
| | | 0050/0365 | BMSEN 32/0403/0050/0332<br>0 0 00000 0 00 0000+00<br>TR CONEMAUGH |
| | | 0050/0332 | BMSBG 32/0403/0050/0332<br>FRONT ST |
| CHARLES RD<br>(SR0711 SEG 0040/3387) | 0050/0075 | 0050/0075 | (T651) |
| | | 0050/0039 | BMSEN 32/0403/0050/0000 |
| | 010448 FT | 010448 FT | 1 0 00223 0 00 0757+51<br>FINDLEY RUN |
| | | | BMSBG 32/0403/0050/0000 |
| | | S 0050/0000 | LENGTH(AH 2396 BK 2217)<br>LOCUST ST |
| | | 0040/2142 | (T731)<br>018 "DIA CIRC CONCR |
| | | 0040/2094 | LEN=0110 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0040/1842 | LEN=0065 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0040/1534 | LEN=0055 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0040/1278 | LEN=0067 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0040/0889 | LEN=0065 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0040/0351 | LEN=0060 INSTALLED UNKN |
| | 008231 FT | 008231 FT | 1 0 00223 0 00 0779+84<br>VILLAGE: CRAMER |
| | | S 0040/0000 | LENGTH(AH 2217 BK 2562)<br>024 "DIA CIRC METAL |
| | | 0030/2190 | LEN=0057 INSTALLED UNKN<br>024 "DIA CIRC METAL |
| | | 0030/2001 | LEN=0057 INSTALLED UNKN<br>024 "DIA CIRC METAL |
| | | 0030/1745 | LEN=0063 INSTALLED UNKN |

DIR: B TOTAL LEN: 36.172 MI. DIST: 10-4 SR: 403
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

```
                                                  018 "DIA CIRC CONCR
                                  0030/0250 LEN=0060 INSTALLED UNKN
005669 FT                         005669 FT 1 0 00223 0 00 0805+46
                                S 0030/0000 LENGTH(AH 2562 BK 2415)
                                                  018 "DIA CIRC CONCR
                                  0020/2030 LEN=0070 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                  0020/1710 LEN=0060 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0020/1530 LEN=0070 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                  0020/1315 LEN=0072 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0020/0970 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0020/0650 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0020/0255 LEN=0074 INSTALLED UNKN
003254 FT                         003254 FT 1 0 00223 0 00 0829+61
                                S 0020/0000 LENGTH(AH 2415 BK 3254)
                                                  018 "DIA CIRC CONCR
                                  0010/3103 LEN=0065 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/2830 LEN=0062 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                  0010/2525 LEN=0060 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/2105 LEN=0069 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/1840 LEN=0065 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/1560 LEN=0067 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/1225 LEN=0065 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/0910 LEN=0058 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/0505 LEN=0063 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/0300 LEN=0050 INSTALLED UNKN
000000 FT                         000000 FT 1 0 00223 0 00 0862+12
                                        NC CRAMER PK
                                * REF-BK     CRAMER PK
                                             (SR0403 SEG 0290/1283)
                                             MFC BEGIN = D
                                              BK-CAMBRIA          (11)
                                S 0010/0000 LENGTH(AH 3254 BK 0000)
```

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: BANKS T RIGHT MUN: BANKS T

BRINK RD
(T442)

253772 FT

1140/1577

250489 FT



254342 FT AH-CLEARFIELD (17)
REF-AHD DOWLERS RD
1140/3283 (SR0286 SEG 0010/0000)

CARDINAL RD
1140/2422 (PRDR)
060"H 84"W ELLIP METAL
1140/2194 LEN=0060 INSTALLED UNKN
015 "DIA CIRC CONCR
1140/1639 LEN=0060 INSTALLED UNKN

018 "DIA CIRC CONCR
1140/1075 LEN=0060 INSTALLED UNKN
015 "DIA CIRC CONCR
1140/0486 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
1140/0200 LEN=0034 INSTALLED UNKN
251059 FT 1 0 00262 0 02 0904+55
BANKS
GLEN CAMPBELL B
1140/0000 LENGTH(AH 3283 BK 2600)
015 "DIA CIRC CONCR
1130/2491 LEN=0041 INSTALLED UNKN

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: GLEN CAMPBELL B RIGHT MUN: GLEN CAMPBELL B

| | | | | |
|---|---|---|---|---|
| | | | | 015 "DIA CIRC CONCR |
| | | | 1130/2015 | LEN=0037 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 1130/1595 | LEN=0045 INSTALLED UNKN |
| | | | | 042"H 92"W ELLIP CONC |
| | | | 1130/1450 | LEN=0035 INSTALLED UNKN |
| | | | | BRADY RUN |
| | | | | STRUCTURE LENGTH 8 FT |
| | | | 1130/1404 | BMSID 32/0286/1130/1404 |
| BRADY RUN RD | | | | |
| (BORO) | 1130/0987 | | | |
| GLENWOOD AVE | | | | |
| (SR1038 SEG 0260/2714) | 1130/0750 | | | |
| | | | | 015 "DIA CIRC CONCR |
| | | | 1130/0555 | LEN=0032 INSTALLED UNKN |
| 1 0 00262 0 02 0878+60 | 247889 FT | | 248459 FT | ROCKRUN RD |
| SCHRADER ST | | | | (T940) |
| (BORO) | 1130/0000 | | S 1130/0000 | LENGTH(AH 2600 BK 2955) |
| | | | | TR CUSH CR |
| | | | | STRUCTURE LENGTH 8 FT |
| | | | 1120/2867 | BMSID 32/0286/1120/2867 |
| | | | | 015 "DIA CIRC CONCR |
| | | | 1120/2278 | LEN=0034 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 1120/1417 | LEN=0032 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 1120/1227 | LEN=0042 INSTALLED UNKN |
| FIRST AV | | | | |
| (BORO) | 1120/1152 | | | |
| | | | | 015 "DIA CIRC CONCR |
| | | | 1120/1136 | LEN=0039 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 1120/0632 | LEN=0045 INSTALLED UNKN |
| | 244934 FT | | 245504 FT | 1 0 00262 0 02 0848+53 |
| | | | | GLEN CAMPBELL |
| | | | | BANKS T |
| | | | S 1120/0000 | LENGTH(AH 2955 BK 1423) |
| | | | | 024 "DIA CIRC CONCR |
| | | | 1110/1390 | LEN=0038 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 1110/1075 | LEN=0046 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 1110/0890 | LEN=0042 INSTALLED UNKN |
| | | | 1110/0713 | BMSEN 32/0286/1110/0695 |
| | | | | 1 0 00262 0 02 0840+98 |
| | | | | HORTON RUN |
| | | | 1110/0695 | BMSBG 32/0286/1110/0695 |
| | | | | 015 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: BANKS T RIGHT MUN: BANKS T

| | | | |
|---|---|---|---|
| | | 1110/0165 | LEN=0036 INSTALLED UNKN |
| SPOTTS RD (T540) | 1110/0152 243511 FT | 244081 FT | 1 0 00262 0 02 0834+00 BANKS MONTGOMERY T |
| | | S 1110/0000 | LENGTH(AH 1423 BK 3586) 018 "DIA CIRC CONCR |
| | | 1100/3380 | LEN=0033 INSTALLED UNKN BROWN RD |
| | | 1100/3360 | (T436) |
| | | | 024 "DIA CIRC CONCR |
| | | 1100/2135 | LEN=0027 INSTALLED UNKN 015 "DIA CIRC CONCR |
| | | 1100/1723 | LEN=0025 INSTALLED UNKN 015 "DIA CIRC CONCR |
| | | 1100/1540 | LEN=0026 INSTALLED UNKN 018 "DIA CIRC CONCR |
| | | 1100/1260 | LEN=0032 INSTALLED UNKN 015 "DIA CIRC CONCR |
| | | 1100/1085 | LEN=0030 INSTALLED UNKN 015 "DIA CIRC CONCR |
| | | 1100/0884 | LEN=0027 INSTALLED UNKN 015 "DIA CIRC CONCR |
| | | 1100/0701 | LEN=0026 INSTALLED UNKN 015 "DIA CIRC CONCR |
| | | 1100/0506 | LEN=0027 INSTALLED UNKN |
| | | 1100/0009 | BMSEN 32/0286/1100/0000 |
| | 239925 FT | 240495 FT | 1 0 00262 0 02 0798+15 VILLAGE: HOOVERHURST TRIB TO CUSH CREEK BMSBG 32/0286/1100/0000 |
| | | S 1100/0000 | LENGTH(AH 3586 BK 3247) 015 "DIA CIRC CONCR |
| | | 1090/2986 | LEN=0031 INSTALLED UNKN 015 "DIA CIRC CONCR |
| | | 1090/2810 | LEN=0038 INSTALLED UNKN 018 "DIA CIRC CONCR |
| | | 1090/2486 | LEN=0032 INSTALLED UNKN |
| TROJAN RD (SR1056 SEG 0020/3271) | 1090/1797 | 1090/1547 | BMSEN 32/0286/1090/1504 1 0 00262 0 02 0780+38 W BR CUSH CR |
| | | 1090/1504 | BMSBG 32/0286/1090/1504 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

```
                                                   1090/1240 LEN=0045 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                                   1090/0973 LEN=0039 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                                   1090/0390 LEN=0024 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                                   1090/0270 LEN=0037 INSTALLED UNKN
1 0 00262 0 02 0765+18 236678 FT                   237248 FT
BENNETT RD
(T935)                 1090/0000 ==              S 1090/0000 LENGTH(AH 3247 BK 3047)
                                                             042 "DIA CIRC CONCR
                                                   1080/2855 LEN=0047 INSTALLED UNKN
                                                             042 "DIA CIRC CONCR
                                                   1080/2850 LEN=0047 INSTALLED UNKN

                                                             015 "DIA CIRC CONCR
                                                   1080/2148 LEN=0045 INSTALLED UNKN
                                                             015 "DIA CIR PLASTIC
                                                   1080/1941 LEN=0037 INSTALLED UNKN
                                                             015 "DIA CIRC CONCR
                                                   1080/1796 LEN=0035 INSTALLED UNKN
                                                             015 "DIA CIRC CONCR
                                                   1080/1634 LEN=0036 INSTALLED UNKN

                                                             015 "DIA CIRC CONCR
                                                   1080/0748 LEN=0034 INSTALLED UNKN
                                                             024 "DIA CIRC CONCR
                                                   1080/0390 LEN=0045 INSTALLED UNKN
                       233631 FT                   234201 FT 1 0 00262 0 02 0734+76
                                                             VILLAGE: HOOVERHURST
                                                             CUSH CREEK
                                                             STRUCTURE LENGTH 49 FT
                                                             BMSID 32/0286/1080/0000
                                                   S 1080/0000 LENGTH(AH 3047 BK 2779)
                                                             015 "DIA CIRC CONCR
                                                   1070/2484 LEN=0047 INSTALLED UNKN
                                                             036 "DIA CIRC CONCR
                                                   1070/2333 LEN=0038 INSTALLED UNKN

                                                             036 "DIA CIRC CONCR
                                                   1070/1526 LEN=0050 INSTALLED UNKN
                                                             015 "DIA CIRC CONCR
                                                   1070/1002 LEN=0050 INSTALLED UNKN
                                                             048 "DIA CIRC CONCR
                                                   1070/0774 LEN=0058 INSTALLED UNKN

                       230852 FT                   231422 FT 1 0 00262 0 02 0706+10
                                                   S 1070/0000 LENGTH(AH 2779 BK 2465)
                                                             015 "DIA CIRC CONCR
                                                   1060/1960 LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

| | | | |
|---|---|---|---|
| | | 1060/1728 | 015 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN |
| | | 1060/1310 | 015 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN |
| | | 1060/0766 | 015 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN |
| | | 1060/0121 | 018 "DIA CIRC CONCR LEN=0037 INSTALLED UNKN |
| | | 1060/0026 | 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| 228387 FT | | 228957 FT | 1 0 00262 0 02 0681+35 |
| NUMBER ELEVEN RD (T685) | 1060/0000 | S 1060/0000 | VILLAGE: ARCADIA ARCADIA RD (SR1032 SEG 0010/0000) LENGTH(AH 2465 BK 2094) |
| | | 1050/1756 | 024 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN |
| | | 1050/1731 | KERR AV (T937) |
| | | 1050/1570 | 042 "DIA CIRC CONCR LEN=0037 INSTALLED UNKN |
| | | 1050/0402 | 015 "DIA CIRC CONCR LEN=0037 INSTALLED UNKN |
| | | 1050/0180 | 015 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN |
| 226293 FT | | 226863 FT | 1 0 00262 0 02 0660+57 |
| | | S 1050/0000 | LENGTH(AH 2094 BK 2508) |
| | | 1040/2403 | 024 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN |
| | | 1040/1978 | 015 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN |
| | | 1040/1380 | 015 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN |
| | | 1040/1020 | 015 "DIA CIRC CONCR LEN=0031 INSTALLED UNKN |
| 223785 FT | | 224355 FT | 1 0 00262 0 02 0635+43 |
| | | S 1040/0000 | LENGTH(AH 2508 BK 2484) |
| | | 1030/2262 | 015 "DIA CIRC CONCR LEN=0037 INSTALLED UNKN |
| | | 1030/1774 | 024 "DIA CIRC CONCR LEN=0039 INSTALLED UNKN |
| | | 1030/1396 | 015 "DIA CIRC CONCR LEN=0037 INSTALLED UNKN |
| | | 1030/1191 | 015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 1030/0991 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 1030/0430 | LEN=0036 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 1030/0200 | LEN=0035 INSTALLED UNKN |
| | 221301 FT | 221871 FT | 1 0 00262 0 02 0610+85 |
| | | S 1030/0000 | LENGTH(AH 2484 BK 2434) |
| | | | 015 "DIA CIRC CONCR |
| | | 1020/1990 | LEN=0037 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 1020/1510 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 1020/0601 | LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 1020/0471 | LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 1020/0345 | LEN=0041 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 1020/0100 | LEN=0060 INSTALLED UNKN |
| | 218867 FT | 219437 FT | 1 0 00262 0 02 0586+47 |
| | | | CUSH CREEK RD |
| | | | (T938) |
| | | S 1020/0000 | LENGTH(AH 2434 BK 1907) |
| | | | 015 "DIA CIRC CONCR |
| | | 1010/1883 | LEN=0034 INSTALLED UNKN |
| | | 1010/1638 | BMSEN 32/0286/1010/1625 |
| | | | 1 0 00262 0 02 0583+32 |
| | | | CUSH CREEK |
| | | 1010/1625 | BMSBG 32/0286/1010/1625 |
| ROWLEY CEMETERY RD | | | |
| (T548) | 1010/1390 | | |
| | | | 015 "DIA CIRC CONCR |
| | | 1010/1365 | LEN=0037 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 1010/0727 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 1010/0606 | LEN=0036 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 1010/0377 | LEN=0034 INSTALLED UNKN |
| | 216960 FT | 217530 FT | 1 0 00262 0 02 0567+08 |
| | | | VILLAGE: HILLSDALE |
| | | | CHERRY TREE RD |
| | | | (SR1026 SEG 0010/0000) |
| | | S 1010/0000 | LENGTH(AH 1907 BK 2568) |
| | | | 015 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

| | | | |
|---|---|---|---|
| | | 1000/1739 | LEN=0037 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 1000/1330 | LEN=0040 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 1000/1181 | LEN=0037 INSTALLED UNKN<br>024 "DIA CIRC CONCR |
| | | 1000/0887 | LEN=0034 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 1000/0492 | LEN=0056 INSTALLED UNKN |
| | | 1000/0011 | BMSEN 32/0286/1000/0000 |
| | 214392 FT | 214962 FT | 1 0 00262 0 02 0541+42<br>TRIB TO CUSH CREEK<br>BMSBG 32/0286/1000/0000 |
| | | S 1000/0000 | LENGTH(AH 2568 BK 2343)<br>015 "DIA CIRC CONCR |
| | | 0990/1952 | LEN=0040 INSTALLED UNKN<br>HILLSDALE RD |
| WILGUS RD<br>(SR1033 SEG 0040/0000) | 0990/1932 | 0990/1932 | (SR1033 SEG 0040/0000)<br>012 "DIA CAST IRON |
| | | 0990/1910 | LEN=0027 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0990/1556 | LEN=0034 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0990/1276 | LEN=0028 INSTALLED UNKN |
| SEBRING RD<br>(SR1022 SEG 0060/2693) | 0990/0461 | | |
| | | | 036 "DIA CIRC CONCR |
| | | 0990/0420 | LEN=0037 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0990/0189 | LEN=0027 INSTALLED UNKN<br>015 "DIA CIRC METAL |
| | | 0990/0025 | LEN=0035 INSTALLED UNKN |
| | 212049 FT | 212619 FT | 1 0 00262 0 02 0518+00<br>VILLAGE: HILLSDALE<br>CHURCHHILL RD<br>(T928) |
| | | S 0990/0000 | LENGTH(AH 2343 BK 2417)<br>015 "DIA CIRC CONCR |
| | | 0980/1975 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0980/1100 | LEN=0034 INSTALLED UNKN<br>MOUNTAIN VIEW LN |
| | | 0980/0962 | (PRDR)<br>015 "DIA CIRC CONCR |
| | | 0980/0860 | LEN=0036 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0980/0450 | LEN=0030 INSTALLED UNKN |
| | 209632 FT | 210202 FT | 1 0 00262 0 02 0493+87 |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: MONTGOMERY T RIGHT MUN: MONTGOMERY T

| | | | |
|---|---|---|---|
| | | S | 0980/0000 LENGTH(AH 2417 BK 2430) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0970/2232 LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0970/1882 LEN=0037 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0970/1305 LEN=0035 INSTALLED UNKN |
| ORCHARD LN (TWP ) | 0970/1240 | | |
| | | | 015 "DIA CIRC CONCR |
| | | | 0970/1152 LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0970/0124 LEN=0029 INSTALLED UNKN |
| 1 0 00262 0 02 0469+57 | 207202 FT | | 207772 FT |
| BURNS RD (T520) | 0970/0000 | S | 0970/0000 LENGTH(AH 2430 BK 1672) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0960/1463 LEN=0034 INSTALLED UNKN |
| | | | 048 "DIA CIRC CONCR |
| | | | 0960/0576 LEN=0047 INSTALLED UNKN |
| | 205530 FT | | 206100 FT 1 0 00262 0 02 0452+61 |
| | | | MONTGOMERY |
| | | | GRANT T |
| | | S | 0960/0000 LENGTH(AH 1672 BK 2347) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0950/1893 LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0950/1380 LEN=0050 INSTALLED UNKN |
| | | | GRANT |
| | | | 0950/1131 GREEN T |
| | | | 015 "DIA CIRC CONCR |
| | | | 0950/1069 LEN=0037 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0950/0893 LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0950/0328 LEN=0041 INSTALLED UNKN |
| | 203183 FT | | 203753 FT 1 0 00262 0 02 0429+32 |
| | | | HEMLOCK RD |
| | | | (SR1024 SEG 0010/0000) |
| | | S | 0950/0000 LENGTH(AH 2347 BK 2710) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0940/2669 LEN=0041 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0940/1597 LEN=0042 INSTALLED UNKN |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | 0940/0737 | 015 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN |
| | 200473 FT | 0940/0000 | 201043 FT 1 0 00262 0 02 0402+60 LENGTH(AH 2710 BK 2020) |
| | | 0930/1701 | 015 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN |
| | | 0930/0168 | 015 "DIA CIRC CONCR LEN=0039 INSTALLED UNKN |
| 1 0 00262 0 01 0379+22 PURCHASE LINE RD (SR1018 SEG 0090/2694) | 198453 FT 0930/0000 | 0930/0000 | 199023 FT LENGTH(AH 2020 BK 3101) |
| | | 0920/2602 | 018 "DIA CIRC CONCR LEN=0037 INSTALLED UNKN |
| | | 0920/2197 | 018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN |
| | | 0920/1851 | 018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN |
| | | 0920/0944 | 018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN |
| RICE RD (T929) | 0920/0907 | | |
| | | 0920/0674 | 018 "DIA CIRC CONCR LEN=0037 INSTALLED UNKN |
| | | 0920/0452 | 018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN |
| | | 0920/0208 | 018 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN |
| 1 0 00262 0 01 0347+42 VANDERBILT ST ET (T832) | 195352 FT 0920/0000 | 0920/0000 | 195922 FT VANDERBILT ST ET (T832) LENGTH(AH 3101 BK 2045) |
| | | 0910/1845 | N BR. TWO LICK CREEK STRUCTURE LENGTH 9 FT BMSID 32/0286/0910/1845 |
| | | 0910/1330 | 024 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN |
| | | 0910/0898 | 018 "DIA CIRC CONCR LEN=0043 INSTALLED UNKN |
| | | 0910/0686 | 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | | 0910/0291 | 018 "DIA CIRC CONCR LEN=0037 INSTALLED UNKN |
| | 193307 FT | | 193877 FT 1 0 00262 0 01 0326+81 MUSSER ST |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | | (T856) |
| | | | 0910/0000 LENGTH(AH 2045 BK 3315) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0900/2985 LEN=0039 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0900/2614 LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0900/2091 LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0900/1780 LEN=0039 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0900/1554 LEN=0044 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | | 0900/0752 LEN=0048 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0900/0471 LEN=0047 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0900/0310 LEN=0045 INSTALLED UNKN |
| | 189992 FT | | 190562 FT 1 0 00262 0 01 0293+88 |
| | | | 0900/0000 LENGTH(AH 3315 BK 2956) |
| | | | 024 "DIA CIRC CONCR |
| | | | 0890/2683 LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0890/2267 LEN=0048 INSTALLED 2005 |
| | | | 015 "DIA CIRC CONCR |
| | | | 0890/1708 LEN=0040 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |
| | | | 0890/1334 LEN=0044 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0890/1084 LEN=0038 INSTALLED UNKN |
| SMITH ST (T852) | 0890/0490 | | |
| | | | 024 "DIA CIRC CONCR |
| | | | 0890/0468 LEN=0039 INSTALLED UNKN |
| | | | SMITH ST |
| | | | 0890/0437 (T852) |
| | | | 012 "DIA CIRC CONCR |
| | | | 0890/0275 LEN=0040 INSTALLED UNKN |
| | 187036 FT | | 187606 FT 1 0 00262 0 01 0264+32 |
| | | | 015 "DIA CIRC CONCR |
| | | | LEN=0040 INSTALLED UNKN |
| | | | 0890/0000 LENGTH(AH 2956 BK 2114) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0880/1321 LEN=0041 INSTALLED UNKN |
| | | | 054 "DIA CIRC CONCR |
| | | | 0880/0801 LEN=0050 INSTALLED UNKN |
| | | | MUSSER ST |
| | | | 0880/0653 (T856) |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | | FOR SR 240 AND 286 |
| | | 0880/0319 | (CONN) |
| | | | 018 "DIA CIRC CONCR |
| | | 0880/0285 | LEN=0062 INSTALLED UNKN |
| | 184922 FT | 185492 FT | 1 0 00262 0 00 0237+78 |
| | | | VILLAGE: COMMODORE |
| | | | COOKPORT-UNIONTOWN RD |
| LIGHTHOUSE RD | | | (SR0240 SEG 0010/0000) |
| (T863) | 0880/0000 | 5 0880/0000 | LENGTH(AH 2114 BK 2964) |
| | | | 018 "DIA CIRC CONCR |
| | | 0870/2860 | LEN=0060 INSTALLED UNKN |
| | | | 048 "DIA CIRC METAL |
| | | 0870/2150 | LEN=0080 INSTALLED UNKN |
| | | | 030 "DIA CIRC METAL |
| | | 0870/1800 | LEN=0160 INSTALLED UNKN |
| LIGHTHOUSE RD | | | LIGHTHOUSE RD |
| (T863) | 0870/1448 | 0870/1448 | (T863) |
| | | | 018 "DIA CIRC CONCR |
| | | 0870/1116 | LEN=0032 INSTALLED UNKN |
| | | | TR N BR TWO LICK CR |
| | | | STRUCTURE LENGTH 19 FT |
| | | 0870/0454 | BMSID 32/0286/0870/0454 |
| | 181958 FT | 182528 FT | 1 0 00262 0 00 0208+25 |
| | | | STARFORD RD |
| ALLISON RD | | | (SR1012 SEG 0110/0000) |
| (SR1012 SEG 0110/0000) | 0870/0000 | 5 0870/0000 | LENGTH(AH 2964 BK 2368) |
| | | | 018 "DIA CIRC CONCR |
| | | 0860/2145 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0860/1852 | LEN=0044 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0860/1670 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0860/1380 | LEN=0053 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0860/1190 | LEN=0051 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0860/1010 | LEN=0047 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0860/0900 | LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0860/0560 | LEN=0059 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0860/0335 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0860/0127 | LEN=0060 INSTALLED UNKN |
| | 179590 FT | 180160 FT | 1 0 00262 0 00 0184+60 |
| | | | VILLAGE: STARFORD |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: GREEN T RIGHT MUN: GREEN T

```
                                                  S 0860/0000 LENGTH(AH 2368 BK 2047)
                                                            015 "DIA CIRC CONCR
                                                    0850/2047 LEN=0090 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0850/1710 LEN=0048 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0850/1575 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0850/1520 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0850/1153 LEN=0048 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0850/0687 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0850/0558 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0850/0354 LEN=0040 INSTALLED UNKN
                                                            036"H 36"W CON BOX CUL
                                                    0850/0025 LEN=0052 INSTALLED UNKN
                     177543 FT                      178113 FT 1 0 00262 0 00 0164+05
                                                  S 0850/0000 LENGTH(AH 2047 BK 2255)
                                                            018 "DIA CIRC CONCR
                                                    0840/1840 LEN=0038 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0840/1590 LEN=0035 INSTALLED UNKN
                                                            FERRIER LN
                                                    0840/1322 (PRDR)
TAYLORSVILLE RD
(SR1027 SEG 0010/0000)  0840/1293
                                                            018 "DIA CIRC CONCR
                                                    0840/0947 LEN=0041 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0840/0456 LEN=0037 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0840/0060 LEN=0038 INSTALLED UNKN
                     175288 FT                      175858 FT 1 0 00262 0 00 0141+47
                                                            FIR RD
                                                            (T776)
                                                  S 0840/0000 LENGTH(AH 2255 BK 1896)
                                                            LILAC RD
                                                    0830/1406 (T862)
                                                            018 "DIA CIRC CONCR
                                                    0830/1250 LEN=0047 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0830/0910 LEN=0047 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0830/0605 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0830/0429 LEN=0055 INSTALLED UNKN
1 0 00262 0 00 0122+43 173392 FT                    173962 FT
```

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| HICKORY RD (T655) | 0830/0000 | S 0830/0000 | LENGTH(AH 1896 BK 1862) |
| | | | 018 "DIA CIRC CONCR |
| | | 0820/1782 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0820/1500 | LEN=0055 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0820/0820 | LEN=0054 INSTALLED UNKN |
| | | | CARAVAN DR |
| | | 0820/0766 | (PRDR) |
| | | | 024 "DIA CIRC CONCR |
| | | 0820/0540 | LEN=0057 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0820/0298 | LEN=0043 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0820/0173 | LEN=0050 INSTALLED UNKN |
| | | | ELDERBERRY LN |
| | | 0820/0081 | (PRDR) |
| | 171530 FT | 172100 FT | 1 0 00262 0 00 0103+85 |
| | | S 0820/0000 | LENGTH(AH 1862 BK 1699) |
| | | | 048"H 72"W CON BOX CUL |
| | | 0810/1660 | LEN=0060 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0810/1188 | LEN=0048 INSTALLED UNKN |
| LARCH RD (T847) | 0810/1146 | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0810/0366 | LEN=0047 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0810/0020 | LEN=0047 INSTALLED UNKN |
| | 169831 FT | 170401 FT | 1 0 00262 0 00 0086+90 |
| | | | GREEN |
| | | | CHERRYHILL T |
| | | S 0810/0000 | LENGTH(AH 1699 BK 3071) |
| | | | 015 "DIA CIRC CONCR |
| | | 0800/2697 | LEN=0052 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0800/2538 | LEN=0054 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0800/1889 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0800/1320 | LEN=0041 INSTALLED UNKN |
| | | | DIAMONDVILLE RD |
| | | 0800/1294 | (T772) |
| | | | 015 "DIA CIRC CONCR |
| | | 0800/1074 | LEN=0120 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

```
                                        0800/0941 LEN=0046 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0800/0781 LEN=0041 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0800/0365 LEN=0041 INSTALLED UNKN
166760 FT                               167330 FT 1 0 00262 0 00 0056+06
                                                  048"H 48"W CON BOX CUL
                                                  LEN=0045 INSTALLED UNKN
                                      S 0800/0000 LENGTH(AH 3071 BK 3109)
                                                  015 "DIA CIRC CONCR
                                        0790/2595 LEN=0046 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                        0790/1793 LEN=0045 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0790/1102 LEN=0043 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                        0790/0327 LEN=0041 INSTALLED UNKN
163651 FT                               164221 FT 1 0 00262 0 00 0025+16
                                              NC SR 0286 SH
                                      S 0790/0000 LENGTH(AH 3109 BK 2516)
                                                  015 "DIA CIRC CONCR
                                        0780/2516 LEN=0033 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0780/2182 LEN=0034 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0780/1822 LEN=0032 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0780/1652 LEN=0031 INSTALLED UNKN

                                        0780/0818 BMSEN 32/0286/0780/0292
                                                  CHERRYHILL
                                        0780/0463 CLYMER B
                                                  1 0 00262 0 00 0002+84
                                                  TWO LICK CREEK
                                        0780/0292 BMSBG 32/0286/0780/0292
                                                  015 "DIA CIRC CONCR
                                        0780/0033 LEN=0050 INSTALLED UNKN
161135 FT                               161705 FT 1 0 00262 0 00 0000+00
                                                  SECOND ST
                                                  (SR0403 SEG 0550/2097)
                                      S 0780/0000 LENGTH(AH 2516 BK 1936)
                                                  015 "DIA CIRC CONCR
                                        0770/1644 LEN=0290 INSTALLED UNKN
                                                  BIRCH AV
                                        0770/1642 (BORO)
                                                  018 "DIA CIRC CONCR
                                        0770/1475 LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: CLYMER B RIGHT MUN: CLYMER B

| | | | | |
|---|---|---|---|---|
| | | | | THIRD ST |
| | | | 0770/1457 | (BORO) |
| | | | | TULIP AV |
| | | | 0770/1273 | (BORO) |
| | | | | PINE AV |
| | | | 0770/1156 | (BORO) |
| | | | | FOURTH ST |
| | | | 0770/0974 | (BORO) |
| | | | | LOMBARDI AV |
| | | | 0770/0791 | (BORO) |
| | | | | CYPRESS AV |
| | | | 0770/0675 | (BORO) |
| | | | | FIFTH ST |
| | | | 0770/0490 | (BORO) |
| | | | | LARCH AV |
| | | | 0770/0303 | (BORO) |
| | | | | CHERRY AV |
| | | | 0770/0188 | (BORO) |
| | | | | 036 "DIA CIRC CONCR |
| | | | 0770/0185 | LEN=0100 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0770/0037 | LEN=0024 INSTALLED UNKN |
| | 159199 FT | | 159769 FT | 1 0 00054 0 02 0492+95 |
| | | | | SIXTH ST |
| | | | | (BORO) |
| SIXTH ST (SR0403 SEG 0560/0000) | 0770/0000 | | S 0770/0000 | LENGTH(AH 1936 BK 1743) |
| | | | | SPRUCE AV |
| | | | 0760/1563 | (BORO) |
| | | | | POPLAR AV |
| | | | 0760/1444 | (BORO) |
| | | | | SEVENTH ST |
| | | | 0760/1264 | (BORO) |
| | | | | ELM AV |
| | | | 0760/1075 | (BORO) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0760/0812 | LEN=0045 INSTALLED UNKN |
| EIGHTH ST (BORO) | 0760/0781 | | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0760/0646 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0760/0515 | LEN=0040 INSTALLED UNKN |
| | | | 0760/0319 | BMSEN 32/0286/0760/0145 |
| | | | | 1 0 00054 0 02 0476+77 |
| | | | | TWO LICK CR |
| | | | 0760/0145 | BMSBG 32/0286/0760/0145 |
| TENTH ST (BORO) | 0760/0070 | | | |
| | 157456 FT | | 158026 FT | 1 0 00054 0 02 0475+83 |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: CLYMER B RIGHT MUN: CLYMER B

| | | | | |
|---|---|---|---|---|
| | | | 0760/0000 | LENGTH(AH 1743 BK 1486) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0750/1185 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0750/0880 | LEN=0050 INSTALLED UNKN |
| WHIPSTOCK NATURAL GAS D (PRDR) | 0750/0870 | POI | 0750/0870 | (APRA) WHIPSTOCK NATURA |
| | | | | 012 "DIA CIRC CONCR |
| | | | 0750/0550 | LEN=0050 INSTALLED UNKN |
| | | | | CLYMER |
| | | | 0750/0242 | CHERRYHILL T |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0750/0200 | LEN=0050 INSTALLED UNKN |
| | 155970 FT | | 156540 FT | 1 0 00054 0 02 0460+82 |
| | | | | CHERRYHILL |
| | | | | CLYMER B |
| | | | 0750/0000 | LENGTH(AH 1486 BK 2576) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0740/2280 | LEN=0060 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0740/2148 | LEN=0062 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0740/1931 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0740/1652 | LEN=0052 INSTALLED UNKN |
| FIFTHTEENTH ST (BORO) | 0740/1470 | | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0740/1314 | LEN=0047 INSTALLED UNKN |
| HINES ST (BORO) | 0740/1128 | | | |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0740/0883 | LEN=0060 INSTALLED UNKN |
| HINES ST (BORO) | 0740/0554 | | | |
| | | | | 036 "DIA CIRC CONCR |
| | | | 0740/0190 | LEN=0100 INSTALLED UNKN |
| | 153394 FT | | 153964 FT | 1 0 00054 0 02 0434+89 |
| | | | | NC FRANKLIN ST |
| | | | | CLYMER |
| | | | | CHERRYHILL T |
| | | | 0740/0000 | LENGTH(AH 2576 BK 1534) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0730/1290 | LEN=0100 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0730/0650 | LEN=0100 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0730/0200 | LEN=0100 INSTALLED UNKN |
| 1 0 00054 0 02 0419+60 | 151860 FT | | 152430 FT | |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

```
SHORT RD
(SR1006 SEG 0110/0000)   0730/0000          S 0730/0000 LENGTH(AH 1534 BK 1127)
                                                       SAMPLE RUN
                                                       STRUCTURE LENGTH  17 FT
                                               0720/0739 BMSID 32/0286/0720/0739

                         150733 FT             151303 FT 1 0 00054 0 02 0408+35
                                                       AIRPORT RD
BRAUHGLER RD                                           (SR1006 SEG 0100/3748)
(T606)                   0720/0000          S 0720/0000 LENGTH(AH 1127 BK 2690)
                                                       018 "DIA CIRC CONCR
                                               0710/2478 LEN=0080 INSTALLED UNKN
                                                       STABLE RD
                                               0710/1992 (T607)
                                                       018 "DIA CIRC CONCR
                                               0710/1395 LEN=0063 INSTALLED UNKN
                                                       018 "DIA CIRC CONCR
                                               0710/1098 LEN=0057 INSTALLED UNKN
                                                       018 "DIA CIRC CONCR
                                               0710/0802 LEN=0058 INSTALLED UNKN

                                                       018 "DIA CIRC CONCR
                                               0710/0147 LEN=0064 INSTALLED UNKN
CHERRYHILL RD
(PRDR)                   0710/0052
                         148043 FT             148613 FT 1 0 00054 0 02 0381+74
                                            S 0710/0000 LENGTH(AH 2690 BK 1006)
                                                       018 "DIA CIRC CONCR
                                               0700/0924 LEN=0063 INSTALLED UNKN
                                                       018 "DIA CIRC CONCR
                                               0700/0607 LEN=0063 INSTALLED UNKN
                                                       CHERRYHILL
                                               0700/0529 RAYNE T
                                                       018 "DIA CIRC CONCR
                                               0700/0406 LEN=0075 INSTALLED UNKN
                                                       018 "DIA CIRC CONCR
                                               0700/0139 LEN=0065 INSTALLED UNKN
                         147037 FT             147607 FT 1 0 00054 0 02 0371+55
                                            S 0700/0000 LENGTH(AH 1006 BK 1309)
SAMPLE RUN RD
(PRDR)                   0690/1037

                                                       036 "DIA CIRC CONCR
                                               0690/0915 LEN=0075 INSTALLED UNKN
                                                       018 "DIA CIRC CONCR
                                               0690/0621 LEN=0064 INSTALLED UNKN
                                                       018 "DIA CIRC CONCR
                                               0690/0386 LEN=0045 INSTALLED UNKN
                                                       015 "DIA CIRC CONCR
                                               0690/0160 LEN=0062 INSTALLED UNKN
                         145728 FT             146298 FT 1 0 00054 0 02 0358+46
```

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | |
|---|---|---|
| | 0690/0000 | LENGTH(AH 1309 BK 1876) |
| | | 024 "DIA CIRC CONCR |
| | 0680/1471 | LEN=0056 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0680/1100 | LEN=0055 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0680/0931 | LEN=0064 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0680/0661 | LEN=0062 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0680/0460 | LEN=0062 INSTALLED UNKN |
| | | ALLEN BRIDGE RD |
| | 0680/0401 | (SR1005 SEG 0034/1210) |
| | 0680/0195 | BMSEN 32/0286/0680/0162 |
| | | 0 0 00000 0 00 0000+00 |
| | | CROOKED CR |
| | 0680/0162 | BMSBG 32/0286/0680/0162 |
| | | 015 "DIA CIRC METAL |
| | 0680/0019 | LEN=0100 INSTALLED UNKN |
| 1 0 00054 0 02 0339+75 143852 FT | 144422 FT | |
| TANOMA RD | | |
| (T890) 0680/0000 | 0680/0000 | LENGTH(AH 1876 BK 2543) |
| | | 015 "DIA CIRC CONCR |
| | 0670/2300 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0670/1781 | LEN=0039 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0670/0900 | LEN=0040 INSTALLED UNKN |
| | | 027 "DIA CIRC CONCR |
| | 0670/0728 | LEN=0046 INSTALLED UNKN |
| RAYNE CHURCH RD | | |
| (SR1007 SEG 0010/0000) 0670/0703 | | |
| | | 018 "DIA CIRC CONCR |
| | 0670/0328 | LEN=0045 INSTALLED UNKN |
| | 0670/0019 | BMSEN 32/0286/0670/0000 |
| 141309 FT | 141879 FT | 1 0 00054 0 01 0314+16 |
| | | TRIB TO CROOKED CREEK |
| | | BMSBG 32/0286/0670/0000 |
| | 0670/0000 | LENGTH(AH 2543 BK 3362) |
| | | 015 "DIA CIRC CONCR |
| | 0660/2876 | LEN=0046 INSTALLED UNKN |
| | | 036 "DIA CIRC CONCR |
| | 0660/2116 | LEN=0056 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0660/1665 | LEN=0050 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0660/1364 | LEN=0044 INSTALLED UNKN |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 0660/0468 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0660/0239 | LEN=0030 INSTALLED UNKN |
| | | | 036 "DIA CIRC METAL |
| | | 0660/0075 | LEN=0060 INSTALLED UNKN |
| 1 0 00054 0 01 0280+54 | 137947 FT | 138517 FT | |
| HOUCK RD | | | |
| (T608) | 0660/0000 | 0660/0000 | LENGTH(AH 3362 BK 2715) |
| | | | 015 "DIA CIRC CONCR |
| | | 0650/2700 | LEN=0043 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0650/2401 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0650/2070 | LEN=0043 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0650/1723 | LEN=0200 INSTALLED UNKN |
| SLEEPY HOLLOW RD | | | |
| (SR1010 SEG 0030/2586) | 0650/0706 | | |
| | | 0650/0498 | BMSEN 32/0286/0650/0480 |
| | | | 1 0 00054 0 01 0258+35 |
| | | | CROOKED CREEK |
| | | 0650/0480 | BMSBG 32/0286/0650/0480 |
| | 135232 FT | 135802 FT | 1 0 00054 0 01 0253+87 |
| | | | RAYNE |
| | | | WHITE T |
| | | 0650/0000 | LENGTH(AH 2715 BK 2676) |
| ZEHNER RD | | | |
| (T714) | 0640/2628 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0640/2571 | LEN=0041 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0640/1990 | LEN=0043 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0640/1594 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0640/1180 | LEN=0041 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0640/0696 | LEN=0041 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0640/0279 | LEN=0046 INSTALLED UNKN |
| | 132556 FT | 133126 FT | 1 0 00054 0 01 0227+00 |
| | | | HELMAN RD |
| | | | (T657) |
| | | 0640/0000 | LENGTH(AH 2676 BK 1681) |
| | | | 036 "DIA CIRC CONCR |
| | | 0630/1653 | LEN=0043 INSTALLED UNKN |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | | 030 "DIA CIRC CONCR |
| | | 0630/1050 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0630/0590 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0630/0281 | LEN=0044 INSTALLED UNKN |
| 1 0 00054 0 01 0209+50 130875 FT | | 131445 FT | |
| ABBEY RD | | | |
| (T470) | 0630/0000 | 0630/0000 | LENGTH(AH 1681 BK 3018) |
| | | | 018 "DIA CIRC METAL |
| | | 0620/2900 | LEN=0053 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0620/2028 | LEN=0042 INSTALLED UNKN |
| STONEBRAKER RD | | | |
| (T471) | 0620/1530 | | |
| | | | (APRA) SCI PINEGROVE |
| | | | FYOCK RD |
| | | 0620/0549 | (T472) |
| | | | 024 "DIA CIRC CONCR |
| | | 0620/0096 | LEN=0060 INSTALLED UNKN |
| 1 0 00054 0 01 0179+70 127857 FT | | 128427 FT | |
| LUTZ SCHOOL RD | | | |
| (SR1003 SEG 0010/0000) | 0620/0000 | 0620/0000 | LENGTH(AH 3018 BK 3508) |
| | | | 018 "DIA CIRC CONCR |
| | | 0610/3420 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0610/3180 | LEN=0046 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0610/1880 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0610/0740 | LEN=0046 INSTALLED UNKN |
| | 124349 FT | 124919 FT | 1 0 00054 0 01 0144+70 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0047 INSTALLED UNKN |
| | | 0610/0000 | LENGTH(AH 3508 BK 3285) |
| | | | 015 "DIA CIRC CONCR |
| | | 0600/2645 | LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0600/2025 | LEN=0040 INSTALLED UNKN |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | |
|---|---|---|
| | | 018 "DIA CIRC METAL |
| | 0600/1598 | LEN=0072 INSTALLED UNKN |
| | | 036 "DIA CIRC CONCR |
| | 0600/1345 | LEN=0060 INSTALLED UNKN |
| | | SR0119 NB |
| | 0600/1139 | OP ID 32/0119/0370/0000 |
| | | 018 "DIA CIRC CONCR |
| | 0600/1001 | LEN=0030 INSTALLED UNKN |
| | | SR0119 SB |
| | 0600/0966 | OP ID 32/0119/0371/0000 |
| | | 018 "DIA CIRC CONCR |
| | 0600/0882 | LEN=0060 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0600/0031 | LEN=0060 INSTALLED UNKN |
| 1 0 00054 0 01 0111+93 121064 FT | 121634 FT | |
| HAMILL RD | | |
| (T554) 0600/0000 | 5 0600/0000 | LENGTH(AH 3285 BK 1461) |
| | 0590/1104 | BMSEN 32/0286/0590/1090 |
| | | 0 0 00000 0 00 0000+00 |
| | | TRIB TO RAMSEY RUN |
| | 0590/1090 | BMSBG 32/0286/0590/1090 |
| | | 024 "DIA CIRC CONCR |
| | 0590/0941 | LEN=0042 INSTALLED UNKN |
| | | AIRPORT RD |
| | | (SR1006 SEG 0010/0000) |
| 1 0 00054 0 01 0097+38 119603 FT | 120173 FT | |
| OBER RD | | MFC BEGIN = C |
| (T958) 0590/0000 | 5 0590/0000 | LENGTH(AH 1461 BK 2597) |
| RAMSEY RUN | | RAMSEY RUN |
| STRUCTURE LENGTH 21 FT | | STRUCTURE LENGTH 21 FT |
| BMSID 32/0286/0580/2195 0581/1538 | 0580/2240 | BMSID 32/0286/0580/2195 |
| SIGN: 4 CHORD TRUSS | | SIGN: 4 CHORD TRUSS |
| BMSID 32/0286/0581/0617 0581/0617 | 0580/1388 | BMSID 32/0286/0581/0617 |
| | | RAMP F RD |
| | 0580/0643 | (SR8020 SEG 0500/0554) |
| | | 018 "DIA CIRC CONCR |
| | 0580/0232 | LEN=0046 INSTALLED UNKN |
| | 0580/0192 | BMSEN 32/0286/0580/0000 |
| RAMP H RD | | |
| (SR8020 SEG 0010/0000) 0581/0122 | | |
| | 117576 FT | 1 0 00054 0 01 0072+33 |
| | | SR1004 EB |
| 1 0 00054 0 01 0079+05 117773 FT | | BMSBG 32/0286/0580/0000 |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: WHITE T RIGHT MUN: WHITE T

LENGTH(AH 1830 BK 1737) 0581/0000

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0571/1572

024 "DIA CIRC CONCR
LEN=0080 INSTALLED UNKN 0571/1213

030 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0571/0640

1 0 01113 2 22 0029+27 116036 FT
SR 1004 SH
(SR1004 SEG 0005/0000)
NC SR 0286 SH
MFC BEGIN = C
LENGTH(AH 1737 BK 2440) 0571/0000
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0561/2191
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0561/1830
018 "DIA CIRC CONCR
LEN=0070 INSTALLED UNKN 0561/1491
SIGN: 4 CHORD TRUSS
BMSID 32/0286/0570/0224 0561/1142

TR MARSH RUN
STRUCTURE LENGTH 14 FT
BMSID 32/0286/0560/0744 0561/0652

1 0 01113 7 00 0004+50 113596 FT
EAST PK
(SR1002 SEG 0010/0000)

MFC BEGIN = B
WHITE
INDIANA B
LENGTH(AH 2440 BK 0460) 0561/0000

0580/0000 LENGTH(AH 2597 BK 1379)
018 "DIA CIRC CONCR
0574/1358 LEN=0040 INSTALLED UNKN

018 "DIA CIRC CONCR
0574/0760 LEN=0100 INSTALLED UNKN

116197 FT 1 0 01113 2 19 0053+30
0574/0000 LENGTH(AH 1379 BK 1686)

018 "DIA CIRC CONCR
0570/1025 LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR
0570/0727 LEN=0015 INSTALLED UNKN

SIGN: 4 CHORD TRUSS
0570/0224 BMSID 32/0286/0570/0224
0570/0103 MFC BEGIN = C

114511 FT 1 0 01113 2 18 0013+67
SR 1004 SH
(SR1004 SEG 0004/0000)
NC SR 0286 SH
0570/0000 LENGTH(AH 1686 BK 0915)

036"H 00"W MULT CONCR
0560/0820 LEN=0099 INSTALLED UNKN
TR MARSH RUN
STRUCTURE LENGTH 14 FT
0560/0744 BMSID 32/0286/0560/0744
FROM 1002/0010 SH
0560/0154 (CONN)
113596 FT 1 0 01113 7 00 0004+50
EAST PK
(SR1002 SEG 0010/0000)

MFC BEGIN = B
WHITE
INDIANA B
0560/0000 LENGTH(AH 0915 BK 0460)

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: INDIANA B RIGHT MUN: INDIANA B

| | | | |
|---|---|---|---|
| | | | TO 1002/0010 SH |
| | | | (CONN) |
| | | | FIRST ST |
| | | 0550/0148 | (BORO) |
| | 113136 FT | 113136 FT | 1 0 01113 7 00 0000+00 |
| | | S 0550/0000 | LENGTH(AH 0460 BK 2279) |
| | | | 018 "DIA CIRC CONCR |
| | | 0540/2142 | LEN=0041 INSTALLED UNKN |
| | | | SECOND ST |
| WALNUT AV | | 0540/2086 | (BORO) |
| (BORO) | 0540/1739 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0540/1449 | LEN=0080 INSTALLED UNKN |
| | | | THIRD ST |
| | | | (BORO) |
| | | 0540/1400 | |
| | | | 018 "DIA CIRC CONCR |
| | | 0540/1091 | LEN=0207 INSTALLED UNKN |
| | | 0540/1070 | BMSEN 32/0286/0540/1055 |
| | | | 1 0 00054 0 00 0018+68 |
| | | | CHERRY AV |
| | | | (BORO) |
| | | | MARSH RUN |
| | | 0540/1055 | BMSBG 32/0286/0540/1055 |
| | | | 018 "DIA CIRC CONCR |
| | | 0540/0874 | LEN=0205 INSTALLED UNKN |
| FOURTH ST | | | FOURTH ST |
| (SR4005 SEG 0130/0000) | 0540/0709 | 0540/0709 | (BORO) |
| | | | 018 "DIA CIRC CONCR |
| | | 0540/0666 | LEN=0040 INSTALLED UNKN |
| | | | COULTER AV |
| | | 0540/0352 | (BORO) |
| | 110857 FT | 110857 FT | 1 0 00054 0 00 0008+18 |
| | | | FIFTH ST |
| | | | (BORO) |
| FIFTH ST | | | |
| (SR4007 SEG 0010/0000) | 0540/0000 | S 0540/0000 | LENGTH(AH 2279 BK 0724) |
| | | | TAYLOR AV |
| | | 0530/0360 | (BORO) |
| | | | SIXTH ST |
| 1 0 00054 0 00 0000+00 | 110133 FT | 110133 FT | (SR0954 SEG 0150/1906) |
| SIXTH ST | | | |
| (BORO) | 0530/0000 | S 0530/0000 | LENGTH(AH 0724 BK 1077) |
| COURT PL | | | |
| (BORO) | 0520/0903 | | |
| | | | CARPENTER AV |
| | | 0520/0728 | (BORO) |
| | | | SEVENTH ST |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: INDIANA B RIGHT MUN: INDIANA B

| | | | |
|---|---|---|---|
| SEVENTH ST | | | (SR4005 SEG 0090/1917) |
| (BORO) | 0520/0371 | 0520/0371 | |
| | 109056 FT | 109056 FT | 1 0 00067 0 04 0544+59 |
| | | | EIGHTH ST |
| | | | (BORO) |
| | | 0520/0000 | LENGTH(AH 1077 BK 0331) |
| | | | 015 "DIA CIRC CONCR |
| | | 0510/0278 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0510/0157 | LEN=0060 INSTALLED UNKN |
| | 108725 FT | 108725 FT | 1 0 00067 0 04 0541+13 |
| | | | NC PHILADELPHIA ST |
| NINTH ST | | | |
| (SR0954 SEG 0170/0000) | 0510/0000 | 0510/0000 | LENGTH(AH 0331 BK 1752) |
| | | | 012 "DIA CAST IRON |
| | | 0500/1600 | LEN=0024 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0500/1571 | LEN=0028 INSTALLED UNKN |
| GOMPERS AV | | | |
| (BORO) | 0500/1497 | | |
| | | | CHURCH ST |
| | | | (BORO) |
| | | 0500/1262 | |
| KLONDYKE AV | | | |
| (BORO) | 0500/1042 | | |
| SCHOOL ST | | | SCHOOL ST |
| (BORO) | 0500/0751 | 0500/0751 | (BORO) |
| | | | 018 "DIA CIRC CONCR |
| | | 0500/0507 | LEN=0020 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0500/0222 | LEN=0020 INSTALLED UNKN |
| TENTH ST | | | |
| (BORO) | 0500/0187 | 0500/0187 | |
| 1 0 00228 0 04 1084+00 | 106973 FT | 106973 FT | |
| WASHINGTON ST | | | |
| (BORO) | 0500/0000 | 0500/0000 | LENGTH(AH 1752 BK 2366) |
| FOUNDRY AV | | | |
| (BORO) | 0490/2158 | | |
| ELEVENTH ST | | | (TURNBACK) ELEVENTH ST |
| (BORO) | 0490/1791 | 0490/1791 | (PRDR) |
| | | | 018 "DIA CIRC CONCR |
| | | 0490/1751 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0490/1397 | LEN=0010 INSTALLED UNKN |
| | | | PAPERMILL AV |
| | | 0490/1214 | (BORO) |
| | | | 015 "DIA CIRC CONCR |
| | | 0490/1047 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: INDIANA B RIGHT MUN: INDIANA B

| | | | |
|---|---|---|---|
| | | 0490/0806 | LEN=0024 INSTALLED UNKN |
| | | 0490/0762 | (AAR 148850C)#TRKS 01 |
| | | | GRANT ST |
| | | | (BORO) |
| | | 0490/0663 | |
| | | 0490/0647 | BMSEN 32/0286/0490/0630 |
| | | | 0 0 00000 0 00 0000+00 |
| | | | WHITES RUN |
| | | 0490/0630 | BMSBG 32/0286/0490/0630 |
| | | | 018 "DIA CIRC CONCR |
| | | 0490/0465 | LEN=0015 INSTALLED UNKN |
| FISHER AV | | | |
| (BORO) | 0490/0423 | | |
| | | | MAPLE ST |
| 1 0 00228 0 03 1061+84 | 104607 FT | 104607 FT | (BORO) |
| THIRTEENTH ST | | | |
| (BORO) | 0490/0000 | S 0490/0000 | LENGTH(AH 2366 BK 1030) |
| | | | 015 "DIA CIRC CONCR |
| | | 0480/0915 | LEN=0029 INSTALLED UNKN |
| | | 0480/0812 | BMSEN 32/0286/0480/0802 |
| | | | 1 0 00228 0 03 1051+77 |
| | | | TR WHITES RN |
| | | 0480/0802 | BMSBG 32/0286/0480/0802 |
| | | | (APRA) SPECIALTY TIRE |
| SPECIALTY TIRE | | | INDIANA |
| (PRDR) | 0480/0478 | 0480/0478 | WHITE T |
| | | | 018 "DIA CIRC CONCR |
| | | 0480/0030 | LEN=0030 INSTALLED UNKN |
| | 103577 FT | 103577 FT | 1 0 00228 0 03 1051+40 |
| | | S 0480/0000 | LENGTH(AH 1030 BK 1816) |
| | | | 018 "DIA CIRC CONCR |
| | | 0470/1415 | LEN=0060 INSTALLED UNKN |
| TO REGENCY MALL ENT RD | | | |
| (CONN) | 0470/1318 | | |
| REGENCY MALL ENTRANCE R | | | (APRA) REGENCY MALL ENT |
| (PRDR) | 0470/1217 | 0470/1217 | |
| FROM REGENCY MALL ENT R | | | |
| (CONN) | 0470/1113 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0470/0815 | LEN=0070 INSTALLED UNKN |
| NORTH AV | | | |
| (T891) | 0470/0747 | | |
| | | | ROSE ST |
| WARREN RD | | | (SR3043 SEG 0020/2176) |
| (SR3024 SEG 0070/2976) | 0470/0606 | 0470/0606 | |
| | | | 018 "DIA CIRC CONCR |
| | | 0470/0550 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0470/0341 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | 0470/0231 | LEN=0097 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0470/0111 | LEN=0060 INSTALLED UNKN |
| | 101761 FT | 101761 FT | 1 0 00228 0 03 1033+00<br>LAUREL ST<br>(T561) |
| | | S 0470/0000 | LENGTH(AH 1816 BK 2211)<br>015 "DIA CIRC CONCR |
| | | 0460/1950 | LEN=0060 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0460/1661 | LEN=0060 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0460/1510 | LEN=0060 INSTALLED UNKN<br>030 "DIA CIRC CONCR |
| | | 0460/1320 | LEN=0080 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0460/1034 | LEN=0252 INSTALLED UNKN |
| LILAC ST<br>(T663) | 0460/0999 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0460/0406 | LEN=0032 INSTALLED UNKN<br>RUSTIC LODGE RD<br>(T813) |
| | | 0460/0384 | |
| 1 0 00228 0 03 1011+00 | 099550 FT | 099550 FT | |
| MCKNIGHT RD<br>(T482) | 0460/0000 | S 0460/0000 | LENGTH(AH 2211 BK 2184)<br>018 "DIA CIRC CONCR |
| | | 0450/2173 | LEN=0060 INSTALLED UNKN |
| | | 0450/1869 | BMSEN 32/0286/0450/1848<br>1 0 00228 0 03 1007+82<br>MCCARTNEY RUN |
| | | 0450/1848 | BMSBG 32/0286/0450/1848 |
| TO INDIANA MALL RD<br>(CONN) | 0450/1711 | | |
| INDIANA MALL RD<br>(PRDR) | 0450/1610 | 0450/1610 | |
| | | | 018 "DIA CIRC CONCR |
| | | 0450/1454 | LEN=0060 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0450/1215 | LEN=0060 INSTALLED UNKN<br>024 "DIA CIRC CONCR |
| | | 0450/0844 | LEN=0045 INSTALLED UNKN<br>DAY DR |
| | | 0450/0789 | (T418) |
| TO 4422/0080 SH<br>(CONN) | 0450/0158 | | |
| | 097366 FT | 097366 FT | 1 0 00228 0 03 0987+61<br>INDIAN SPRINGS RD |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | | (SR4422 SEG 0090/0000) |
| | | S 0450/0000 | LENGTH(AH 2184 BK 1547) |
| FROM 4422/0080 SH (CONN) | 0440/1377 | 0440/1377 | TO 4422/0090 SH (CONN) |
| | | 0440/1050 | 036 "DIA CIRC CONCR LEN=0150 INSTALLED UNKN |
| FLORENCE AV (T720) | 0440/0894 | | |
| | | 0440/0845 | 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN |
| | | 0440/0470 | 048 "DIA CIRC CONCR LEN=0160 INSTALLED UNKN |
| | | 0440/0370 | 030 "DIA CIRC METAL LEN=0160 INSTALLED UNKN |
| TRADER HORN PLAZA RD (PRDR) | 0440/0285 095819 FT | 0440/0285 095819 FT | 1 0 00228 0 03 0972+14 NC OAKLAND AV |
| | | S 0440/0000 | LENGTH(AH 1547 BK 2927) |
| | | 0434/2870 | 024 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN |
| | | 0434/2723 | LENZ RD (T202) |
| PLAZA RD (T941) | 0434/1984 | 0434/1984 | |
| | | 0434/1925 | 018 "DIA CIRC CONCR LEN=0112 INSTALLED UNKN |
| LC FROM PLAZA RD (CONN) | 0434/1858 | | |
| | | 0434/0837 | FROM 8009/0500 SH (CONN) |
| | | 0434/0700 | 048 "DIA CIRC CONCR LEN=0150 INSTALLED 2016 |
| | | | RAMP A RD (SR8009 SEG 0250/0000) |
| | | | RAMP B RD (SR8009 SEG 0500/1171) |
| | | 0434/0615 | |
| | | 0434/0264 | 018 "DIA CIRC CONCR LEN=0050 INSTALLED 2016 |
| | | 0434/0155 | BMSEN 32/0286/0434/0000 |
| | 092892 FT | 092892 FT | 0 0 00000 0 00 0000+00 SR0422 EB |
| | | | BMSBG 32/0286/0434/0000 MFC BEGIN = B |
| | | S 0434/0000 | LENGTH(AH 2927 BK 2691) |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | | |
|---|---|---|---|---|
| | | | | 018 "DIA CIRC CONCR |
| | | | 0424/2674 | LEN=0052 INSTALLED 2016 |
| | | | | RAMP D RD |
| | | | | (SR8009 SEG 0010/1368) |
| | | | | RAMP C RD |
| | | | | (SR8009 SEG 0750/0000) |
| | | | 0424/2294 | |
| FENTON RD (T475) | 0424/1717 | | | |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0424/1377 | LEN=0100 INSTALLED 2016 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0424/1094 | LEN=0085 INSTALLED 2016 |
| | | | | LC FROM WINDY RIDGE RD |
| | | | 0424/0987 | (CONN) |
| | | | | WINDY RIDGE RD |
| | | | | (T940) |
| | | | 0424/0904 | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0424/0755 | LEN=0084 INSTALLED 2016 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0424/0455 | LEN=0078 INSTALLED 2016 |
| | | | | 036 "DIA CIRC CONCR |
| | | | 0424/0140 | LEN=0082 INSTALLED 2016 |
| | 090201 FT | | 090201 FT | 0 0 00000 0 00 0000+00 |
| | | | S 0424/0000 | LENGTH(AH 2691 BK 1269) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0410/1092 | LEN=0044 INSTALLED UNKN |
| BROWN RD (T473) | 0410/1063 | | | |
| | | | | SEXTON RD |
| | | | 0410/0055 | (T983) |
| | | | 0410/0011 | BMSEN 32/0286/0410/0000 |
| | 088932 FT | | 088932 FT | 1 0 00228 0 03 0902+76 |
| | | | | TR CHERRY RN |
| | | | | BMSBG 32/0286/0410/0000 |
| | | | S 0410/0000 | LENGTH(AH 1269 BK 2105) |
| | | | | HILLTOP RD |
| | | | 0400/1708 | (T362) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0400/1233 | LEN=0042 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0400/0998 | LEN=0150 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0400/0676 | LEN=0012 INSTALLED 2015 |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0400/0366 | LEN=0037 INSTALLED UNKN |
| | 086827 FT | | 086827 FT | 1 0 00228 0 03 0881+25 |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | | WHITE |
| | | | CENTER T |
| | | S 0400/0000 | LENGTH(AH 2105 BK 2151) |
| | | | 015 "DIA CIRC CONCR |
| | | 0390/1596 | LEN=0056 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0390/1133 | LEN=0072 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0390/0606 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0390/0263 | LEN=0036 INSTALLED UNKN |
| | 084676 FT | 084676 FT | 1 0 00228 0 03 0859+96 |
| | | | VILLAGE: EDGEWOOD |
| | | S 0390/0000 | LENGTH(AH 2151 BK 1743) |
| | | | 015 "DIA CIRC CONCR |
| | | 0380/1729 | LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0380/0721 | LEN=0038 INSTALLED UNKN |
| | | 0380/0467 | BMSEN 32/0286/0380/0451 |
| | | | 1 0 00228 0 03 0847+02 |
| | | | CHERRY RUN |
| | | 0380/0451 | BMSBG 32/0286/0380/0451 |
| | | | 018 "DIA CIRC CONCR |
| | | 0380/0203 | LEN=0030 INSTALLED 2006 |
| 1 0 00228 0 03 0842+75 | 082933 FT | 082933 FT | SR 3056 SH |
| SR 3056 SH | | | (SR3056 SEG 0180/0000) |
| (SR3056 SEG 0180/0000) | 0380/0000 | S 0380/0000 | LENGTH(AH 1743 BK 2452) |
| | | | 018 "DIA CIRC CONCR |
| | | 0370/2236 | LEN=0054 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0370/1846 | LEN=0067 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0370/1437 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0370/1148 | LEN=0039 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0370/0826 | LEN=0042 INSTALLED UNKN |
| | 080481 FT | 080481 FT | 1 0 00228 0 03 0817+45 |
| ANTHONY RD | | | VILLAGE: EDGEWOOD |
| (T472) | 0370/0000 | S 0370/0000 | LENGTH(AH 2452 BK 2324) |
| | | | 015 "DIA CIRC CONCR |
| | | 0360/1953 | LEN=0063 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0360/1568 | LEN=0054 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0360/1330 | LEN=0059 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: CENTER T RIGHT MUN: CENTER T

```
                                                 0360/0760 LEN=0055 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0360/0646 LEN=0052 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0360/0240 LEN=0050 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0360/0070 LEN=0045 INSTALLED UNKN
                    078157 FT                    078157 FT 1 0 00228 0 03 0794+37
                                                S 0360/0000 LENGTH(AH 2324 BK 1572)
                                                           015 "DIA CIRC CONCR
                                                 0350/1292 LEN=0047 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0350/1140 LEN=0051 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0350/0907 LEN=0048 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0350/0530 LEN=0046 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0350/0163 LEN=0044 INSTALLED UNKN
                    076585 FT                    076585 FT 1 0 00228 0 03 0778+65
                                                           REAM RD
                                                           (T470)
                                                S 0350/0000 LENGTH(AH 1572 BK 1537)
                                                           036 "DIA CIRC CONCR
                                                 0340/1467 LEN=0056 INSTALLED UNKN

                                                           015 "DIA CIRC CONCR
                                                 0340/0862 LEN=0041 INSTALLED UNKN
YOUNG RD
(T470)              0340/0596

                                                           015 "DIA CIRC CONCR
                                                 0340/0552 LEN=0039 INSTALLED UNKN
KAMERSTONE RD
(PRDR)              0340/0248
                                                 0340/0013 BMSEN 32/0286/0340/0000
                    075048 FT                    075048 FT 1 0 00228 0 03 0763+26
                                                           TR AULTMANS RUN
                                                           BMSBG 32/0286/0340/0000
                                                S 0340/0000 LENGTH(AH 1537 BK 3066)
                                                           018 "DIA CIRC CONCR
                                                 0330/2606 LEN=0043 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0330/2380 LEN=0044 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0330/2088 LEN=0070 INSTALLED UNKN

                                                           015 "DIA CIRC CONCR
                                                 0330/1371 LEN=0052 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0330/1310 LEN=0050 INSTALLED UNKN
```

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 0330/0590 | LEN=0056 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0330/0216 | LEN=0054 INSTALLED UNKN |
| 1 0 00228 0 03 0733+09 071982 FT | | 071982 FT | |
| SIMEONE RD | | | |
| (T468) | 0330/0000 | S 0330/0000 | LENGTH(AH 3066 BK 2353) |
| | | | 036 "DIA CIRC CONCR |
| | | 0320/2246 | LEN=0047 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0320/1433 | LEN=0044 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0320/0992 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CAST IRON |
| | | 0320/0786 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/0428 | LEN=0041 INSTALLED UNKN |
| | 069629 FT | 069629 FT | 1 0 00228 0 02 0708+37 |
| | | | BETHEL CHURCH RD |
| OLD SCHOOL RD | | | (T950) |
| (T444) | 0320/0000 | S 0320/0000 | LENGTH(AH 2353 BK 2746) |
| | | | 018 "DIA CIRC CONCR |
| | | 0310/2316 | LEN=0065 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0310/2097 | LEN=0040 INSTALLED UNKN |
| ENTRY RD | | | |
| (T446) | 0310/2017 | | |
| | | 0310/1497 | BMSEN 32/0286/0310/1486 |
| | | | 1 0 00228 0 02 0695+82 |
| | | | TR AULTMANS |
| | | 0310/1486 | BMSBG 32/0286/0310/1486 |
| | | | 027 "DIA CIRC CONCR |
| | | 0310/1017 | LEN=0100 INSTALLED UNKN |
| | | | 018 "DIA CAST IRON |
| | | 0310/0670 | LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0310/0390 | LEN=0058 INSTALLED UNKN |
| 1 0 00228 0 02 0681+00 066883 FT | | 066883 FT | |
| GRAHAM RD | | | |
| (T429) | 0310/0000 | S 0310/0000 | LENGTH(AH 2746 BK 1741) |
| | | | 036 "DIA CIRC CONCR |
| | | 0300/1652 | LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0300/1380 | LEN=0043 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0300/1045 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0300/0872 | LEN=0041 INSTALLED UNKN |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | | |
|---|---|---|---|---|
| | | | | 018 "DIA CIRC CONCR |
| | | | 0300/0418 | LEN=0062 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0300/0125 | LEN=0044 INSTALLED UNKN |
| | | | | CENTER |
| | | | 0300/0020 | BLACK LICK T |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0300/0005 | LEN=0048 INSTALLED UNKN |
| | 065142 FT | | 065142 FT | 1 0 00228 0 02 0663+59 |
| | | | | SR 0217 SH |
| | | | | (SR0217 SEG 0200/3658) |
| | | | S 0300/0000 | LENGTH(AH 1741 BK 2313) |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0290/1604 | LEN=0046 INSTALLED UNKN |
| JEWEL RD (T465) | 0290/1577 | | | |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0290/1450 | LEN=0044 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0290/0962 | LEN=0050 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0290/0636 | LEN=0047 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0290/0431 | LEN=0049 INSTALLED UNKN |
| 1 0 00228 0 02 0640+26 | 062829 FT | | 062829 FT | |
| JEWEL RD (T465) STUCHELL RD (T464) | 0290/0000 | | S 0290/0000 | LENGTH(AH 2313 BK 2805) |
| | | | | 036 "DIA CIRC CONCR |
| | | | 0280/2756 | LEN=0044 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0280/2316 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0280/1722 | LEN=0041 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0280/1556 | LEN=0031 INSTALLED 2014 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0280/1280 | LEN=0045 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0280/1042 | LEN=0041 INSTALLED UNKN |
| | | | | HUNTER SCHOOL RD |
| | | | 0280/0638 | (T461) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0280/0609 | LEN=0038 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0280/0194 | LEN=0039 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0280/0017 | LEN=0150 INSTALLED UNKN |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

| | | | |
|---|---|---|---|
| | 060024 FT | | 060024 FT 1 0 00228 0 02 0613+19 |
| JACKSON ST | | | NC SR 0286 SH |
| (T401) | 0280/0000 | S | 0280/0000 LENGTH(AH 2805 BK 1368) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0270/0910 LEN=0034 INSTALLED UNKN |
| MILL ST | | | CUNKELMAN RD |
| (T400) | 0270/0899 | | 0270/0899 (SR3031 SEG 0040/3513) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0270/0884 LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0270/0635 LEN=0035 INSTALLED UNKN |
| MCINTYRE RD | | | |
| (SR3031 SEG 0050/0000) | 0270/0429 | | |
| | | | 018 "DIA CIRC CONCR |
| | | | 0270/0321 LEN=0030 INSTALLED UNKN |
| | | | BLACK LICK |
| | | | 0270/0280 YOUNG T |
| | | | 0270/0137 BMSEN 32/0286/0270/0113 |
| | | | 1 0 00228 0 02 0599+74 |
| | | | REEDS RUN |
| | | | 0270/0113 BMSBG 32/0286/0270/0113 |
| | 058656 FT | | 058656 FT 1 0 00228 0 02 0598+50 |
| | | | NC MAIN ST |
| | | | AULTMANS RUN RD |
| | | | (T660) |
| | | S | 0270/0000 LENGTH(AH 1368 BK 1866) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0260/1609 LEN=0048 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0260/1241 LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0260/1026 LEN=0047 INSTALLED UNKN |
| | | | 015 "DIA CIR PLASTIC |
| | | | 0260/0660 LEN=0008 INSTALLED 2015 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0260/0264 LEN=0046 INSTALLED UNKN |
| | 056790 FT | | 056790 FT 1 0 00228 0 02 0579+82 |
| | | S | 0260/0000 LENGTH(AH 1866 BK 2142) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0250/1943 LEN=0047 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | | 0250/1795 LEN=0046 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0250/1500 LEN=0047 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0250/1152 LEN=0049 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0250/0803 LEN=0050 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | | 0250/0444 LEN=0048 INSTALLED UNKN |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0250/0054 | LEN=0054 INSTALLED UNKN |
| | 054648 FT | 054648 FT | 1 0 00228 0 02 0558+45 |
| | | | SALTSBURG RD |
| | | | (SR3002 SEG 0180/3022) |
| | | S 0250/0000 | LENGTH(AH 2142 BK 3304) |
| | | | 015 "DIA CIRC CONCR |
| | | 0240/3090 | LEN=0046 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0240/2517 | LEN=0047 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0240/2290 | LEN=0043 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0240/1688 | LEN=0045 INSTALLED UNKN |
| | | | 048 "DIA CIRC CONCR |
| | | 0240/1212 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0240/0528 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0240/0322 | LEN=0043 INSTALLED UNKN |
| 1 0 00228 0 02 0525+78 | 051344 FT | 051344 FT | |
| GEMMELL RD | | | |
| (T438) | 0240/0000 | S 0240/0000 | LENGTH(AH 3304 BK 2032) |
| | | | 015 "DIA CIRC CONCR |
| | | 0230/1850 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0230/1300 | LEN=0046 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0230/0590 | LEN=0042 INSTALLED UNKN |
| HANCOCK RD | | | |
| (T442) | 0230/0028 | | |
| | 049312 FT | 049312 FT | 1 0 00228 0 02 0505+46 |
| | | | MARYAI LN |
| | | | (PRDR) |
| | | S 0230/0000 | LENGTH(AH 2032 BK 3018) |
| | | | 036 "DIA CIRC CONCR |
| | | 0220/2901 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0220/2307 | LEN=0047 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0220/1504 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0220/1320 | LEN=0050 INSTALLED UNKN |
| MINE RD | | | |
| (T210) | 0220/0930 | | |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

```
                                                 0220/0813 LEN=0035 INSTALLED UNKN

                                                           015 "DIA CIRC CONCR
                                                 0220/0124 LEN=0042 INSTALLED UNKN
                    046294 FT                    046294 FT 1 0 00228 0 02 0475+03
                                                S 0220/0000 LENGTH(AH 3018 BK 2484)
                                                           015 "DIA CIRC CONCR
                                                 0210/2427 LEN=0040 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0210/2251 LEN=0040 INSTALLED UNKN
                                                           036 "DIA CIRC CONCR
                                                 0210/1960 LEN=0070 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0210/1590 LEN=0052 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0210/1371 LEN=0035 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0210/0961 LEN=0045 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0210/0578 LEN=0035 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0210/0198 LEN=0040 INSTALLED UNKN
                    043810 FT                    043810 FT 1 0 00228 0 02 0450+19
                                                S 0210/0000 LENGTH(AH 2484 BK 2611)

                                                           015 "DIA CIRC CONCR
                                                 0200/1995 LEN=0045 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0200/1490 LEN=0062 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0200/0960 LEN=0040 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0200/0860 LEN=0048 INSTALLED UNKN
                                                           027 "DIA CIRC CONCR
                                                 0200/0851 LEN=0048 INSTALLED 2004

                                                           015 "DIA CIRC CONCR
                                                 0200/0085 LEN=0050 INSTALLED UNKN
1 0 00228 0 02 0424+03 041199 FT                 041199 FT
KLIMKOS RD
(T456)                 0200/0000                S 0200/0000 LENGTH(AH 2611 BK 1854)
                                                           027 "DIA CIRC CONCR
                                                 0190/1530 LEN=0045 INSTALLED UNKN

                                                           015 "DIA CIRC CONCR
                                                 0190/0865 LEN=0047 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0190/0575 LEN=0040 INSTALLED UNKN
                    039345 FT                    039345 FT 1 0 00228 0 02 0405+50
                                                           PRYMAK RD
```

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

```
                                                  (T717)
                                  S 0190/0000 LENGTH(AH 1854 BK 2045)
                                                030 "DIA CIRC CONCR
                                    0180/2010 LEN=0035 INSTALLED UNKN
                                                018 "DIA CIRC CONCR
                                    0180/1560 LEN=0038 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                    0180/1337 LEN=0035 INSTALLED UNKN
                                                018 "DIA CIRC CONCR
                                    0180/1151 LEN=0035 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                    0180/0651 LEN=0036 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                    0180/0354 LEN=0035 INSTALLED UNKN
037300 FT                           037300 FT 1 0 00228 0 02 0384+83
                                  S 0180/0000 LENGTH(AH 2045 BK 2522)
                                                018 "DIA CIRC CONCR
                                    0170/2462 LEN=0047 INSTALLED UNKN
                                                024 "DIA CIRC CONCR
                                    0170/2295 LEN=0040 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                    0170/1892 LEN=0060 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                    0170/1713 LEN=0040 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                    0170/1412 LEN=0040 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                    0170/0948 LEN=0075 INSTALLED UNKN
                                                037 "DIA CIRC CONCR
                                    0170/0640 LEN=0040 INSTALLED UNKN

                                                024 "DIA CIRC CONCR
                                    0170/0012 LEN=0048 INSTALLED UNKN
034778 FT                           034778 FT 1 0 00228 0 02 0359+61
                                  S 0170/0000 LENGTH(AH 2522 BK 2018)
                                                015 "DIA CIRC CONCR
                                    0160/1948 LEN=0045 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                    0160/1803 LEN=0060 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
                                    0160/1550 LEN=0040 INSTALLED UNKN
                                                036 "DIA CIRC CONCR
                                    0160/1148 LEN=0040 INSTALLED UNKN
                                                024 "DIA CIRC CONCR
                                    0160/1008 LEN=0040 INSTALLED 2004
                                                024 "DIA CIRC CONCR
                                    0160/0827 LEN=0065 INSTALLED UNKN
                                                030 "DIA CIRC CONCR
                                    0160/0698 LEN=0075 INSTALLED UNKN
                                                015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: YOUNG T RIGHT MUN: YOUNG T

```
                                                  0160/0393 LEN=0045 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0160/0246 LEN=0055 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0160/0091 LEN=0054 INSTALLED UNKN
                        032760 FT                 032760 FT 1 0 00228 0 02 0339+43
                                                S 0160/0000 LENGTH(AH 2018 BK 1900)
                                                            024 "DIA CIRC CONCR
                                                  0150/1535 LEN=0051 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0150/1332 LEN=0044 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0150/1021 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0150/0745 LEN=0050 INSTALLED UNKN
                                                            NORFOLK SOUTHERN
                                                  0150/0727 OVERPASS IS RR X-ING

                                                  0150/0606 BMSEN 32/0286/0150/0520
                                                            1 0 00228 0 02 0325+74
                                                            P3
                                                            BLACKLEGS CREEK
                                                  0150/0520 BMSBG 32/0286/0150/0520
PARK DR
(SR3025 SEG 0010/0000)  0150/0319

                                                  0150/0260 BMSEN 32/0286/0150/0240
                                                            1 0 00228 0 02 0322+82
                                                            HARPERS RUN
                                                  0150/0240 BMSBG 32/0286/0150/0240
                                                            018 "DIA CIRC CONCR
                                                  0150/0104 LEN=0060 INSTALLED UNKN
ISELIN RD
(SR3021 SEG 0010/0000)  0150/0082
                        030860 FT                 030860 FT 1 0 00228 0 02 0320+21
                                                            YOUNG
                                                            CONEMAUGH T
                                                S 0150/0000 LENGTH(AH 1900 BK 1841)

                                                            015 "DIA CIRC CONCR
                                                  0140/1195 LEN=0045 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0140/0850 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0140/0569 LEN=0032 INSTALLED UNKN
CAVALIER DR
(PRDR)                  0140/0547

                                                            015 "DIA CAST IRON
                                                  0140/0040 LEN=0055 INSTALLED UNKN
```

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

| | | | | |
|---|---|---|---|---|
| | 029019 FT | | 029019 FT | 1 0 00228 0 01 0288+41 |
| | | | | VILLAGE: CLARKSBURG |
| | | | | CLARKSBURG RD |
| PHILLIPS RD | | | | (SR3007 SEG 0120/2741) |
| (T320) | 0140/0000 | | 5 0140/0000 | LENGTH(AH 1841 BK 2442) |
| | | | | 036"H 72"W CON BOX CUL |
| | | | 0130/2085 | LEN=0032 INSTALLED UNKN |
| | | | | 018 "DIA CAST IRON |
| | | | 0130/1700 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0130/1321 | LEN=0040 INSTALLED UNKN |
| | | | | 015 "DIA CAST IRON |
| | | | 0130/0965 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0130/0700 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CAST IRON |
| | | | 0130/0561 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CAST IRON |
| | | | 0130/0343 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0130/0077 | LEN=0045 INSTALLED UNKN |
| 1 0 00228 0 01 0264+00 | 026577 FT | | 026577 FT | |
| YOUNG RD | | | | |
| (T653) | 0130/0000 | | 5 0130/0000 | LENGTH(AH 2442 BK 2466) |
| | | | | 015 "DIA CAST IRON |
| | | | 0120/2166 | LEN=0055 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0120/2030 | LEN=0055 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0120/1707 | LEN=0055 INSTALLED UNKN |
| | | | | 016 "DIA CAST IRON |
| | | | 0120/1525 | LEN=0055 INSTALLED UNKN |
| | | | | 040 "DIA CIRC CONCR |
| | | | 0120/1297 | LEN=0050 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0120/1084 | LEN=0050 INSTALLED UNKN |
| | | | | 048 "DIA CIRC CONCR |
| | | | 0120/0040 | LEN=0100 INSTALLED UNKN |
| 1 0 00228 0 01 0238+11 | 024111 FT | | 024111 FT | |
| YOUNG RD | | | | |
| (T653) | 0120/0000 | | 5 0120/0000 | LENGTH(AH 2466 BK 1851) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0110/1520 | LEN=0042 INSTALLED UNKN |
| | | | | 018 "DIA CAST IRON |
| | | | 0110/1186 | LEN=0032 INSTALLED UNKN |
| | | | | 018 "DIA CAST IRON |
| | | | 0110/0780 | LEN=0034 INSTALLED UNKN |
| | | | | 018 "DIA CAST IRON |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

| | | | |
|---|---|---|---|
| | | 0110/0510 | LEN=0032 INSTALLED UNKN<br>018 "DIA CAST IRON |
| | | 0110/0037 | LEN=0045 INSTALLED UNKN |
| 1 0 00228 0 01 0220+64 022260 FT<br>SPORTSMAN RD<br>(T304) | 0110/0000 | 022260 FT | BELL RD<br>(T304) |
| | | S 0110/0000 | LENGTH(AH 1851 BK 1547) |
| | | 0100/1097 | BMSEN 32/0286/0100/1053<br>1 0 00228 0 01 0216+18<br>BIG RUN |
| | | 0100/1053 | BMSBG 32/0286/0100/1053 |
| | | | 036 "DIA CIRC CONCR |
| | | 0100/0110 | LEN=0040 INSTALLED UNKN |
| 1 0 00228 0 01 0205+52 020713 FT<br>ALBIN DR<br>(T652) | 0100/0000 | 020713 FT | |
| | | S 0100/0000 | LENGTH(AH 1547 BK 2318) |
| | | | 018 "DIA CAST IRON |
| | | 0090/2300 | LEN=0045 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0090/1900 | LEN=0032 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0090/1662 | LEN=0031 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0090/1476 | LEN=0040 INSTALLED UNKN<br>048 "DIA CIRC CONCR |
| | | 0090/0994 | LEN=0046 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0090/0807 | LEN=0060 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0090/0595 | LEN=0045 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0090/0024 | LEN=0052 INSTALLED UNKN |
| | 018395 FT | 018395 FT | 1 0 00228 0 01 0182+05<br>CUP DR<br>(T651) |
| | | S 0090/0000 | LENGTH(AH 2318 BK 2367) |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/2122 | LEN=0039 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0080/1439 | LEN=0038 INSTALLED UNKN<br>018 "DIA CIR PLASTIC |
| | | 0080/1105 | LEN=0042 INSTALLED UNKN<br>CUP DR |
| | | 0080/1089 | (T651) |
| ELDERS RIDGE RD<br>(SR3019 SEG 0010/0000) | 0080/0227<br>016028 FT | 016028 FT | 1 0 00228 0 01 0158+55 |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

| | | |
|---|---|---|
| | | TR BLACKLEGS |
| | | STRUCTURE LENGTH 14 FT |
| | | BMSID 32/0286/0080/0000 |
| | 0080/0000 | LENGTH(AH 2367 BK 2402) |
| | | 015 "DIA CIRC CONCR |
| | 0070/2044 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0070/1721 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0070/1435 | LEN=0042 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0070/1197 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0070/0999 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0070/0753 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0070/0354 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0070/0132 | LEN=0060 INSTALLED UNKN |
| 013626 FT | 013626 FT | 1 0 00228 0 01 0140+51 |
| | 0070/0000 | LENGTH(AH 2402 BK 3022) |
| | | 018 "DIA CIRC CONCR |
| | 0060/2853 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0060/2610 | LEN=0045 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0060/2500 | LEN=0060 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0060/2207 | LEN=0043 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0060/1859 | LEN=0044 INSTALLED UNKN |
| | | 048 "DIA CIRC CONCR |
| | 0060/1678 | LEN=0046 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0060/1447 | LEN=0045 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0060/0700 | LEN=0045 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0060/0275 | LEN=0060 INSTALLED UNKN |
| | | 048 "DIA CIRC CONCR |
| | 0060/0053 | LEN=0046 INSTALLED UNKN |
| 1 0 00228 0 01 0109+70 010604 FT | 010604 FT | |
| NOWRYTOWN RD | | |
| (T302) 0060/0000 | 0060/0000 | LENGTH(AH 3022 BK 2541) |
| | | 015 "DIA CIRC CONCR |
| | 0050/2147 | LEN=0050 INSTALLED UNKN |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1090 | LEN=0055 INSTALLED UNKN |
| | | | NORFOLK SOUTHERN |
| | | 0050/0343 | OVERPASS IS RR X-ING |
| | | | 018 "DIA CIRC CONCR |
| | | 0050/0302 | LEN=0042 INSTALLED UNKN |
| 1 0 00228 0 01 0077+25 | 008063 FT | 008063 FT | GABRIELSON DR |
| PRIVATE DR | | | (PRDR) |
| (PRDR) | 0050/0000 | S 0050/0000 | LENGTH(AH 2541 BK 2179) |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/2110 | LEN=0040 INSTALLED UNKN |
| | | | PRIVATE DR |
| | | 0040/1665 | (PRDR) |
| COLEMAN RD | | | |
| (T509) | 0040/1623 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1493 | LEN=0040 INSTALLED UNKN |
| | | 0040/1473 | BMSEN 32/0286/0040/1360 |
| | | | 1 0 00228 0 01 0056+90 |
| | | | BLACKLEGS CREEK |
| | | 0040/1360 | BMSBG 32/0286/0040/1360 |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1000 | LEN=0036 INSTALLED UNKN |
| | | | CLARK ST |
| | | 0040/0684 | (T306) |
| HOPEWELL AV | | | |
| (T508) | 0040/0401 | | |
| | 005884 FT | 005884 FT | 1 0 00228 0 01 0056+90 |
| | | | THIRD ST |
| | | | (T317) |
| | | S 0040/0000 | LENGTH(AH 2179 BK 2139) |
| LEECH AV | | | |
| (T314) | 0030/2115 | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0030/2100 | LEN=0040 INSTALLED UNKN |
| | | | FOURTH ST |
| | | 0030/1598 | (T313) |
| | | | 060 "DIA CIRC CONCR |
| | | 0030/0573 | LEN=0120 INSTALLED UNKN |
| | | | PAULINE DR |
| | | 0030/0323 | (T311) |
| | 003745 FT | 003745 FT | 1 0 00228 0 00 0034+90 |
| | | | NC SR 0286 SH |
| | | | NINTH ST |
| | | | (T301) |
| | | S 0030/0000 | LENGTH(AH 2139 BK 2575) |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 48.171 MI. DIST: 10-4 SR: 286
LEFT MUN: CONEMAUGH T RIGHT MUN: CONEMAUGH T

```
                                                 0020/2269 LEN=0038 INSTALLED UNKN
                                                           TENTH ST
                                                 0020/2252 (T301)
CUNKLEMAN ST
(PRDR)                0020/2091
                                                           018 "DIA CIR UNKNOWN
                                                 0020/1922 LEN=0038 INSTALLED UNKN
                                                           HIGH ST
                                                 0020/1556 (T301)
                                                           024 "DIA CIRC CONCR
                                                 0020/1522 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/1432 LEN=0038 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/1304 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/1030 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/0799 LEN=0042 INSTALLED UNKN
                                                           CONEMAUGH
                                                 0020/0570 SALTSBURG B
                                                           018 "DIA CIRC CONCR
                                                 0020/0560 LEN=0060 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/0160 LEN=0045 INSTALLED UNKN
                                                           060 "DIA CIRC METAL
                                                 0020/0120 LEN=0060 INSTALLED UNKN
                      001170 FT                  001170 FT 1 0 00228 0 00 0010+01
                                                           CHESTNUT WY
                                                           (BORO)
                                                 0020/0000 LENGTH(AH 2575 BK 1170)
                                                      NC SALT ST
                                                           SALT ST
                                                 0010/0931 (SR3002 SEG 0010/0000)
OLD CANAL WY
(BORO)                0010/0769
                                                           WATER ST
                                                 0010/0427 (BORO)
                                                           018 "DIA CIRC CONCR
                                                 0010/0420 LEN=0032 INSTALLED UNKN
                                                 0010/0395 BMSEN 32/0286/0010/0000
                      000000 FT                  000000 FT 1 0 00228 0 00 0000+00
                                                      NC WASHINGTON ST
                                                 * REF-BK  SALTSBURG RD
                                                           (SR0286 SEG 0290/2077)
                                                           KISKI RIVER
                                                           BMSBG 32/0286/0010/0000
                                                           MFC BEGIN = C
                                                            BK-WESTMORELAND    (64)
                                                 0010/0000 LENGTH(AH 1170 BK 0000)
```

DIR: B TOTAL LEN: 17.589 MI. DIST: 10-4 SR: 259
LEFT MUN: CHERRYHILL T RIGHT MUN: CHERRYHILL T

```
092871 FT                092871 FT BENJAMIN FRANKLIN HW
                         0360/2740 (SR0422 SEG 0540/0000)
                                   018 "DIA CIRC METAL
                         0360/2720 LEN=0050 INSTALLED UNKN
                         0360/2245 BMSEN 32/0259/0360/2218
                                   2 0 32019 0 03 0670+25
                                   LAUREL RUN
                         0360/2218 BMSBG 32/0259/0360/2218

                                   036 "DIA CIRC METAL
                         0360/1400 LEN=0080 INSTALLED UNKN
                                   018 "DIA CIRC METAL
                         0360/1062 LEN=0038 INSTALLED UNKN
                                   018 "DIA CIRC METAL
                         0360/0797 LEN=0032 INSTALLED UNKN
                                   018 "DIA CIRC METAL
                         0360/0605 LEN=0040 INSTALLED UNKN
                                   018 "DIA CIRC METAL
                         0360/0485 LEN=0045 INSTALLED 2002
                                   018 "DIA CIRC METAL
                         0360/0235 LEN=0030 INSTALLED UNKN
090131 FT                090131 FT 2 0 32019 0 03 0648+30
                                   CHERRYHILL
                                   BRUSH VALLEY T
                       S 0360/0000 LENGTH(AH 2740 BK 1753)
                                   024 "DIA CIRC METAL
                         0350/1585 LEN=0070 INSTALLED UNKN

                                   018 "DIA CIRC CONCR
                         0350/0800 LEN=0045 INSTALLED 2000
                                   036 "DIA CIRC METAL
                         0350/0447 LEN=0047 INSTALLED UNKN
088378 FT                088378 FT 2 0 32019 0 03 0630+67
                       S 0350/0000 LENGTH(AH 1753 BK 2536)
                                   018 "DIA CIRC METAL
                         0340/2115 LEN=0060 INSTALLED UNKN
                                   018 "DIA CIRC METAL
                         0340/1600 LEN=0055 INSTALLED UNKN
                                   018 "DIA CIRC METAL
                         0340/1307 LEN=0055 INSTALLED UNKN
                                   018 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 17.589 MI. DIST: 10-4 SR: 259
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

| | | | |
|---|---|---|---|
| | | 0340/1023 | LEN=0027 INSTALLED UNKN |
| | | | 036 "DIA CIRC METAL |
| | | 0340/0775 | LEN=0040 INSTALLED UNKN |
| STATE PARK RD (PARK) | 0340/0524 | 0340/0524 | (APRA) YELLOW CREEK STA |
| | | | 015 "DIA CIRC METAL |
| | | 0340/0202 | LEN=0030 INSTALLED UNKN |
| | 085842 FT | 085842 FT | 2 0 32019 0 03 0605+31 |
| | | S 0340/0000 | LENGTH(AH 2536 BK 2645) |
| | | | 024 "DIA CIRC METAL |
| | | 0330/2553 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/1773 | LEN=0032 INSTALLED UNKN |
| | | | BRITTANY LN |
| | | 0330/1463 | (TB40) |
| | | | 018 "DIA CIRC METAL |
| | | 0330/1410 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0330/0958 | LEN=0037 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0330/0814 | LEN=0067 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/0686 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/0374 | LEN=0032 INSTALLED UNKN |
| | | 0330/0043 | BMSEN 32/0259/0330/0000 |
| | 083197 FT | 083197 FT | 2 0 32019 0 03 0579+21 |
| | | | LT YELLOW CR |
| | | | BMSBG 32/0259/0330/0000 |
| | | S 0330/0000 | LENGTH(AH 2645 BK 2969) |
| | | | SIMONS ROCK RD |
| | | 0320/1838 | (SR2027 SEG 0010/0000) |
| | | | 015 "DIA CIRC METAL |
| | | 0320/1800 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0320/1769 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0320/1315 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0320/1048 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/0670 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/0438 | LEN=0040 INSTALLED 2002 |
| | | 0320/0010 | BMSEN 32/0259/0320/0000 |
| | 080228 FT | 080228 FT | 2 0 32019 0 03 0549+59 |
| | | | TR LT YELLOW CR |

DIR: B TOTAL LEN: 17.589 MI. DIST: 10-4 SR: 259
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

| | | |
|---|---|---|
| | | BMSBG 32/0259/0320/0000 |
| | 0320/0000 | LENGTH(AH 2969 BK 2597) |
| | | 015 "DIA CIRC CONCR |
| | 0310/2215 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0310/1918 | LEN=0036 INSTALLED UNKN |
| | | 018 "DIA CIR PLASTIC |
| | 0310/1662 | LEN=0048 INSTALLED 2012 |
| | | 018 "DIA CIRC CONCR |
| | 0310/1282 | LEN=0044 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0310/1058 | LEN=0042 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0310/0724 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0310/0346 | LEN=0038 INSTALLED UNKN |
| 2 0 32019 0 03 0523+57 077631 FT | 077631 FT | CAMPGROUND RD |
| CAMPGROUND RD | | (T735) |
| (T735) 0310/0000 | 0310/0000 | LENGTH(AH 2597 BK 2640) |
| | | 018 "DIA CIRC CONCR |
| | 0300/2448 | LEN=0048 INSTALLED 2002 |
| | | 018 "DIA CIRC CONCR |
| | 0300/1040 | LEN=0030 INSTALLED UNKN |
| | | 024 "DIA CIRC METAL |
| | 0300/0529 | LEN=0030 INSTALLED UNKN |
| 074991 FT | 074991 FT | 2 0 32019 0 03 0496+85 |
| | | CAMERONS RD |
| | | (SR2020 SEG 0010/0000) |
| | 0300/0000 | LENGTH(AH 2640 BK 2690) |
| | | 015 "DIA CIRC METAL |
| | 0290/2230 | LEN=0026 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0290/2065 | LEN=0028 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0290/1933 | LEN=0027 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0290/1751 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0290/1278 | LEN=0032 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0290/0585 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0290/0299 | LEN=0028 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0290/0130 | LEN=0030 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 17.589 MI. DIST: 10-4 SR: 259
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

| | | | |
|---|---|---|---|
| | | 0290/0043 | LEN=0028 INSTALLED UNKN |
| | 072301 FT | 072301 FT | 2 0 32019 0 03 0469+50 |
| | | S 0290/0000 | LENGTH(AH 2690 BK 2171) |
| | | | 018 "DIA CIRC METAL |
| | | 0280/1795 | LEN=0026 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0280/1448 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0280/1304 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0280/0450 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0280/0299 | LEN=0040 INSTALLED UNKN |
| HOFFMAN RD (T762) | 0280/0289 | | |
| | | | 030 "DIA CIR PLASTIC |
| | | 0280/0018 | LEN=0032 INSTALLED UNKN |
| | 070130 FT | 070130 FT | 2 0 32019 0 03 0447+34 |
| | | | SHAFFER RD |
| | | | (T692) |
| | | S 0280/0000 | LENGTH(AH 2171 BK 3460) |
| | | | 015 "DIA CIRC METAL |
| | | 0270/3128 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0270/2806 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0270/2155 | LEN=0032 INSTALLED 2002 |
| | | | 015 "DIA CIRC METAL |
| | | 0270/1973 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0270/1813 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0270/1428 | LEN=0040 INSTALLED 2002 |
| | | | 015 "DIA CIRC CONCR |
| | | 0270/0639 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0270/0304 | LEN=0065 INSTALLED UNKN |
| | | 0270/0028 | BMSEN 32/0259/0270/0000 |
| | 066670 FT | 066670 FT | 2 0 32019 0 02 0413+94 |
| | | | VILLAGE: BRUSH VALLEY |
| | | | TR LT BRUSH CR |
| | | | BMSBG 32/0259/0270/0000 |
| | | S 0270/0000 | LENGTH(AH 3460 BK 2641) |
| | | | 018 "DIA CIRC METAL |
| | | 0260/2146 | LEN=0048 INSTALLED 2002 |
| | | 0260/1766 | BMSEN 32/0259/0260/1712 |
| | | | 2 0 32019 0 02 0404+68 |

DIR: B TOTAL LEN: 17.589 MI. DIST: 10-4 SR: 259
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

| | | | |
|---|---|---|---|
| | | | LT BRUSH CR |
| | | 0260/1712 | BMSBG 32/0259/0260/1712 |
| | | | 024 "DIA CIRC CONCR |
| | | 0260/1128 | LEN=0064 INSTALLED 2002 |
| | | | 018 "DIA CIRC CONCR |
| | | 0260/0577 | LEN=0040 INSTALLED 2002 |
| | | | 015 "DIA CIRC METAL |
| 2 0 32019 0 02 0387+45 | 064029 FT | 0260/0380 | LEN=0036 INSTALLED 2002 |
| SR 0056 SH | | 064029 FT | |
| (SR0056 SEG 0420/0000) | | INTER-BK | SR 0056 SH |
| VALLEY VIEW RD | | | (SR0056 SEG 0420/0000) |
| (T700) | 0260/0000 | S 0260/0000 | LTH AH 002641 BK 000100 |
| | 064029 FT | 064029 FT | |
| | | 7254/0000 | LTH AH 000100 BK 003025 |
| | | INTER-AHD | SR 0056 SH |
| | | | (SR0056 SEG 0420/0293) |
| | | | SR 0056 SH |
| | | 0250/3025 | (SR0056 SEG 0420/0293) |
| KERR AV | | | |
| (T703) | 0250/2804 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0250/2604 | LEN=0034 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0250/2000 | LEN=0036 INSTALLED UNKN |
| | | | VALLEY VIEW RD |
| | | 0250/1988 | (T700) |
| | | | 018 "DIA CIRC CONCR |
| | | 0250/1022 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0250/0460 | LEN=0030 INSTALLED UNKN |
| | 061004 FT | 061004 FT | 2 0 32019 0 02 0356+63 |
| FRY CEMETERY RD | | | VILLAGE: BRUSH VALLEY |
| (T696) | 0250/0000 | S 0250/0000 | LENGTH(AH 3025 BK 2736) |
| | | | 015 "DIA CIRC CONCR |
| | | 0240/2630 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0240/2030 | LEN=0032 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0240/1750 | LEN=0040 INSTALLED 1999 |
| | | | 015 "DIA CIRC CONCR |
| | | 0240/1220 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0240/0954 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 17.589 MI. DIST: 10-4 SR: 259
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

LUCIUSBORO RD
(SR2018 SEG 0060/3845)

058268 FT
0240/0000

055558 FT

052798 FT

050951 FT



0240/0330 LEN=0056 INSTALLED 1999
058268 FT 2 0 32019 0 02 0329+82
HINER RD
(T880)
S 0240/0000 LENGTH(AH 2736 BK 2710)
018 "DIA CIRC CONCR
0230/2690 LEN=0035 INSTALLED UNKN
0230/2137 BMSEN 32/0259/0230/2118
2 0 32019 0 02 0323+90
TR BRUSH CR
0230/2118 BMSBG 32/0259/0230/2118
015 "DIA CIRC CONCR
0230/1936 LEN=0035 INSTALLED UNKN

015 "DIA CIRC CONCR
0230/0697 LEN=0038 INSTALLED UNKN
015 "DIA CIRC CONCR
0230/0140 LEN=0038 INSTALLED UNKN
055558 FT 2 0 32019 0 02 0302+77
S 0230/0000 LENGTH(AH 2710 BK 2760)
018 "DIA CIRC METAL
0220/2374 LEN=0033 INSTALLED UNKN
0220/2196 BMSEN 32/0259/0220/2171
2 0 32019 0 01 0297+16
TR BRUSH CR
0220/2171 BMSBG 32/0259/0220/2171
ROSS RD
0220/2089 (T699)
018 "DIA CIRC CONCR
0220/1689 LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR
0220/1380 LEN=0042 INSTALLED UNKN
TR BRUSH CR
STRUCTURE LENGTH 21 FT
0220/0921 BMSID 32/0259/0220/0921

052798 FT 2 0 32019 0 01 0275+17
S 0220/0000 LENGTH(AH 2760 BK 1847)
015 "DIA CIRC CONCR
0210/1613 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR
0210/1306 LEN=0032 INSTALLED UNKN

050951 FT 2 0 32019 0 01 0256+70
S 0210/0000 LENGTH(AH 1847 BK 1671)

DIR: B TOTAL LEN: 17.589 MI. DIST: 10-4 SR: 259
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

| | | | |
|---|---|---|---|
| | | | 060 "DIA CIRC METAL |
| | | 0200/1061 | LEN=0084 INSTALLED UNKN |
| OLD MISSION RD (T724) | 0200/0650 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0200/0100 | LEN=0035 INSTALLED UNKN |
| | 049280 FT | 049280 FT | 2 0 32019 0 01 0240+00 |
| | | | CLAGHORN RD (T617) |
| | | S 0200/0000 | LENGTH(AH 1671 BK 3052) |
| | | | 015 "DIA CIRC CONCR |
| | | 0190/2106 | LEN=0033 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0190/1642 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0190/1114 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0190/0824 | LEN=0036 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0190/0692 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0190/0481 | LEN=0038 INSTALLED UNKN |
| 2 0 32019 0 01 0208+74 | 046228 FT | 046228 FT | |
| AULDS RUN RD (SR2014 SEG 0050/2548) | 0190/0000 | S 0190/0000 | LENGTH(AH 3052 BK 3377) |
| | | | 018 "DIA CIRC CONCR |
| | | 0180/3375 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0180/2830 | LEN=0039 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0180/2205 | LEN=0057 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0180/1470 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0180/1000 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0180/0710 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0180/0440 | LEN=0037 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0180/0175 | LEN=0048 INSTALLED UNKN |
| | 042851 FT | 042851 FT | 2 0 32019 0 01 0175+38 |
| | | S 0180/0000 | LENGTH(AH 3377 BK 2768) |
| | | | 015 "DIA CIRC CONCR |
| | | 0170/2715 | LEN=0040 INSTALLED UNKN |

DIR: B TOTAL LEN: 17.589 MI. DIST: 10-4 SR: 259
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

| | | | | |
|---|---|---|---|---|
| | | | | 015 "DIA CIRC CONCR |
| | | | 0170/2180 | LEN=0040 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0170/1975 | LEN=0036 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/1377 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/0854 | LEN=0030 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/0570 | LEN=0042 INSTALLED 2002 |
| 2 0 32019 0 01 0148+10 | 040083 FT | | 040083 FT | |
| RHINE RD | | | | |
| (T611) | 0170/0000 | == | S 0170/0000 | LENGTH(AH 2768 BK 2723) |
| | | | | 030"H 42"W CON BOX CUL |
| | | | 0160/2570 | LEN=0045 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0160/2368 | LEN=0050 INSTALLED 2002 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0160/1900 | LEN=0040 INSTALLED UNKN |
| JOSEPH MAINT SERVICES | | | | |
| (PRDR) | 0160/1619 | POI | 0160/1619 | (APRA) JOSEPH MAINT SER |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0160/1452 | LEN=0040 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0160/1125 | LEN=0040 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0160/0460 | LEN=0040 INSTALLED 1999 |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0160/0095 | LEN=0032 INSTALLED 1999 |
| | 037360 FT | | 037360 FT | 2 0 32019 0 00 0121+65 |
| | | | | (APRA) NORTH CAMBRIA FU |
| | | | | VILLAGE: HESHBON |
| | | | | 018 "DIA CIRC CONCR |
| WAGNER RD | | | | LEN=0032 INSTALLED UNKN |
| (T716) | 0160/0000 | POI | S 0160/0000 | LENGTH(AH 2723 BK 2167) |
| | | | | 015 "DIA CIRC METAL |
| | | | 0150/1915 | LEN=0030 INSTALLED UNKN |
| | | | | 015 "DIA CIRC METAL |
| | | | 0150/1603 | LEN=0041 INSTALLED UNKN |
| | | | | WAGNER DR |
| | | == | 0150/1524 | (T716) |
| | | | 0150/1304 | BMSEN 32/0259/0150/1149 |
| | | | | BRUSH VALLEY |
| | | | 0150/1228 | WEST WHEATFIELD T |
| | | | | 2 0 32019 0 00 0111+95 |
| | | | | BLACKLICK CREEK |
| | | | 0150/1149 | BMSBG 32/0259/0150/1149 |

DIR: B TOTAL LEN: 17.589 MI. DIST: 10-4 SR: 259
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

2 0 32019 0 00 0100+40 035193 FT
MT TABOR RD
(T624) 0150/0000

032449 FT

| | |
|---|---|
| | 015 "DIA CIRC METAL |
| 0150/0100 | LEN=0032 INSTALLED UNKN |
| 035193 FT | HESHBON RD |
| | (T725) |
| 5 0150/0000 | LENGTH(AH 2167 BK 2744) |
| | 042 "DIA CIRC METAL |
| 0140/2590 | LEN=0052 INSTALLED UNKN |
| | RAMSEY RUN |
| | STRUCTURE LENGTH 18 FT |
| 0140/2262 | BMSID 32/0259/0140/2262 |
| | 018 "DIA CIRC CONCR |
| 0140/1575 | LEN=0040 INSTALLED 1999 |
| | 018 "DIA CIRC CONCR |
| 0140/1346 | LEN=0040 INSTALLED 1999 |
| | 018 "DIA CIRC CONCR |
| 0140/1130 | LEN=0040 INSTALLED 1999 |
| | 018 "DIA CIRC CONCR |
| 0140/0796 | LEN=0040 INSTALLED 1999 |
| | OFMAN RD |
| 0140/0665 | (T607) |
| | 030 "DIA CIRC METAL |
| 0140/0625 | LEN=0040 INSTALLED UNKN |
| | 048"H 60"W CON BOX CUL |
| 0140/0040 | LEN=0045 INSTALLED UNKN |
| 032449 FT | 2 0 32019 0 00 0073+09 |
| | VILLAGE: HESHBON |
| | NC YELLOW CREEK PARK RD |
| | T711 COAL RD |
| | (T712) |
| 5 0140/0000 | LENGTH(AH 2744 BK 3406) |
| | 036 "DIA CIR PLASTIC |
| 0130/3346 | LEN=0055 INSTALLED UNKN |
| | 060"H 60"W CON BOX CUL |
| 0130/2886 | LEN=0045 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| 0130/2469 | LEN=0040 INSTALLED UNKN |
| | 018 "DIA CIRC METAL |
| 0130/2371 | LEN=0042 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0130/1911 | LEN=0041 INSTALLED UNKN |
| | 015 "DIA CIRC METAL |
| 0130/1654 | LEN=0040 INSTALLED UNKN |
| | 015 "DIA CIRC METAL |
| 0130/1492 | LEN=0045 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| 0130/1089 | LEN=0037 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| 0130/0800 | LEN=0032 INSTALLED 2001 |
| | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 17.589 MI. DIST: 10-4 SR: 259
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

```
                                        0130/0294 LEN=0037 INSTALLED UNKN
                                        0130/0012 BMSEN 32/0259/0130/0000
029043 FT                               029043 FT 2 0 32018 0 00 0052+07
                                                  RAMSEY RUN
                                                  BMSBG 32/0259/0130/0000
                                      S 0130/0000 LENGTH(AH 3406 BK 1886)
                                                  018 "DIA CIRC CONCR
                                        0120/1562 LEN=0075 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0120/1408 LEN=0034 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0120/1171 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0120/0904 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0120/0601 LEN=0043 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0120/0243 LEN=0040 INSTALLED UNKN
027157 FT                               027157 FT 2 0 32018 0 00 0032+67
                                      S 0120/0000 LENGTH(AH 1886 BK 3256)
                                                  018 "DIA CIRC CONCR
                                        0110/2712 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0110/2443 LEN=0037 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0110/2251 LEN=0042 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0110/2115 LEN=0036 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0110/1870 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0110/1506 LEN=0044 INSTALLED UNKN
                                                  048"H 72"W ELLIP METAL
                                        0110/1363 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0110/0837 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0110/0637 LEN=0045 INSTALLED UNKN
                                                  RAMP A RD
                                        0110/0273 (SR8006 SEG 0260/0690)
                                                  RAMP A RD
                                        0110/0259 (SR8006 SEG 0250/0000)
                                                  SR 0022 EB
                                                  OP ID 32/0022/0212/0000
                                                NC HESBON RD
023901 FT                               023901 FT 2 0 32018 0 00 0000+00
                                      S 0110/0000 LENGTH(AH 3256 BK 3354)
                                                  RAMP B RD
                                        0100/3224 (SR8006 SEG 0010/0925)
                                                  RAMP B RD
```

DIR: B TOTAL LEN: 17.589 MI. DIST: 10-4 SR: 259
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

| | | |
|---|---|---|
| | 0100/3210 | (SR8006 SEG 0020/0000) |
| | | 030 "DIA CIRC CONCR |
| | 0100/3053 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0100/2482 | LEN=0032 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0100/2056 | LEN=0041 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0100/1864 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0100/1447 | LEN=0034 INSTALLED UNKN |
| | | 048"H 48"W CONC STRUCT |
| | 0100/1010 | LEN=0039 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0100/0660 | LEN=0034 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0100/0386 | LEN=0034 INSTALLED UNKN |
| | | 015 "DIA CIRC METAL |
| | 0100/0033 | LEN=0045 INSTALLED UNKN |
| 1 0 00901 0 01 0214+16 020547 FT | 020547 FT | GERMANY LUTHERN CEM. RD |
| BOWSER RD | | (T708) |
| (T910) 0100/0000 | 5 0100/0000 | LENGTH(AH 3354 BK 2867) |
| | | 030 "DIA CIRC CONCR |
| | 0090/2540 | LEN=0042 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0090/2320 | LEN=0032 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0090/2191 | LEN=0041 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0090/2019 | LEN=0036 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0090/1653 | LEN=0036 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0090/1177 | LEN=0035 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0090/0869 | LEN=0033 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0090/0322 | LEN=0045 INSTALLED 2015 |
| 017680 FT | 017680 FT | 1 0 00901 0 01 0185+31 |
| | 5 0090/0000 | LENGTH(AH 2867 BK 1708) |
| | | 015 "DIA CIRC CONCR |
| | 0080/1665 | LEN=0032 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0080/1273 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0080/0960 | LEN=0034 INSTALLED 1997 |
| | | 024 "DIA CIRC CONCR |
| | 0080/0146 | LEN=0036 INSTALLED UNKN |
| 1 0 00901 0 01 0168+05 015972 FT | 015972 FT | |

DIR: B TOTAL LEN: 17.589 MI. DIST: 10-4 SR: 259
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

REYNOLDS RD
(T870)

| | | |
|---|---|---|
| 0080/0000 | 0080/0000 | LENGTH(AH 1708 BK 2405) |
| | | 015 "DIA CIRC CONCR |
| | 0070/1855 | LEN=0046 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0070/1575 | LEN=0046 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0070/1384 | LEN=0045 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0070/0975 | LEN=0049 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0070/0596 | LEN=0035 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0070/0305 | LEN=0044 INSTALLED UNKN |
| 013567 FT | 013567 FT | 1 0 00901 0 01 0144+31 |
| | | 015 "DIA CIRC CONCR |
| | | LEN=0035 INSTALLED UNKN |
| | 0070/0000 | LENGTH(AH 2405 BK 2183) |
| | | 015 "DIA CIRC CONCR |
| | 0060/1800 | LEN=0039 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0060/1570 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0060/1356 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0060/0945 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0060/0635 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0060/0283 | LEN=0047 INSTALLED UNKN |
| 011384 FT | 011384 FT | 1 0 00901 0 01 0122+79 |
| | | MULLIGAN HILL RD |
| | | (SR2011 SEG 0060/1976) |
| | 0060/0000 | LENGTH(AH 2183 BK 2382) |
| | | W BR RICHARDS RUN |
| | | STRUCTURE LENGTH 21 FT |
| | 0050/2296 | BMSID 32/0259/0050/2255 |
| | | 018 "DIA CIRC CONCR |
| | 0050/1925 | LEN=0044 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0050/1205 | LEN=0060 INSTALLED UNKN |
| | | FORSYTHE RD |
| | 0050/0872 | (T780) |
| | | 015 "DIA CIRC CONCR |
| | 0050/0780 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0050/0425 | LEN=0040 INSTALLED UNKN |
| 009002 FT | 009002 FT | 1 0 00901 0 01 0097+79 |
| | 0050/0000 | LENGTH(AH 2382 BK 1815) |

DIR: B TOTAL LEN: 17.589 MI. DIST: 10-4 SR: 259
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

```
                                                  015 "DIA CIRC CONCR
                                     0040/1527 LEN=0042 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0040/1180 LEN=0039 INSTALLED UNKN
                                                  048 "DIA CIRC METAL
                                     0040/0705 LEN=0058 INSTALLED UNKN
PENROSE HOLLOW RD
(T760)                0040/0540
                                                  015 "DIA CIRC CONCR
                                     0040/0030 LEN=0040 INSTALLED UNKN
                      007187 FT      007187 FT 1 0 00901 0 01 0079+80
                                           NC SR 0259 SH
                                                  JERICHO RD
                                                  (T605)
                                     0040/0000 LENGTH(AH 1815 BK 3126)
                                                  015 "DIA CIRC CONCR
                                     0030/2780 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0030/2670 LEN=0044 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0030/2387 LEN=0041 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0030/1938 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                     0030/1729 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0030/1589 LEN=0042 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0030/1360 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                     0030/1090 LEN=0040 INSTALLED 2000
                                                  018 "DIA CIRC CONCR
                                     0030/0730 LEN=0040 INSTALLED 2000
                                                  018 "DIA CIRC CONCR
                                     0030/0382 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                     0030/0130 LEN=0038 INSTALLED 2002
                      004061 FT      004061 FT 1 0 00901 0 01 0049+46
                                                  CLIMAX RD
                                                  (SR2008 SEG 0010/0000)
                                           NC ROBINSON RD
                                     0030/0000 LENGTH(AH 3126 BK 1781)
                                                  015 "DIA CIRC CONCR
                                     0022/1761 LEN=0040 INSTALLED 2006

                                                  015 "DIA CIRC CONCR
                                     0022/1111 LEN=0035 INSTALLED UNKN
                                                  HARRISON AV
                                     0022/0696 (T810)
                                                  024 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 17.589 MI. DIST: 10-4 SR: 259
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

```
                                                  0022/0693 LEN=0043 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0022/0406 LEN=0043 INSTALLED UNKN
                                                            MCKINLEY AV
                                                  0022/0405 (T811)
                                                            018 "DIA CIRC CONCR
                                                  0022/0132 LEN=0042 INSTALLED UNKN
                                                  0022/0017 BMSEN 32/0259/0022/0000
                        002280 FT                 002280 FT 0 0 00000 0 00 0000+00
                                                        NC ROBINSON ST
                                                            TR CONEMAUGH
                                                            BMSBG 32/0259/0022/0000
                                                S 0022/0000 LENGTH(AH 1781 BK 2280)
REYNOLDS RD
(T870)                  0012/2194
                                                            024 "DIA CIRC CONCR
                                                  0012/2171 LEN=0075 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0012/2076 LEN=0110 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0012/1816 LEN=0040 INSTALLED UNKN
                                                            MARY ST
                                                  0012/1738 (T812)
                                                            018 "DIA CIRC CONCR
                                                  0012/1615 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0012/1118 LEN=0030 INSTALLED UNKN
SPRING ST
(T806)                  0012/1085
                                                            015 "DIA CIRC CONCR
                                                  0012/0801 LEN=0028 INSTALLED UNKN
CHESTNUT ST
(T807)                  0012/0798
                                                            CAROLINE ST
                                                  0012/0694 (T805)
                                                            018 "DIA CIRC CONCR
                                                  0012/0550 LEN=0070 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
FRONT ST
(TWP )                  0012/0468                 0012/0468 LEN=0078 INSTALLED UNKN
                                                  0012/0432 BMSEN 32/0259/0012/0000
                        000000 FT                 000000 FT 0 0 00000 0 00 0000+00
                                                            VILLAGE: ROBINSON
                                                        NC HIGH ST
                                                * REF-BK    SR 0259 SH
                                                            (SR0259 SEG 0300/1400)
                                                            CONEMAUGH RIVER
                                                            BMSBG 32/0259/0012/0000
                                                            MFC BEGIN = D
                                                             BK-WESTMORELAND    (64)
                                                S 0012/0000 LENGTH(AH 2280 BK 0000)
```

DIR: B TOTAL LEN: 7.489 MI. DIST: 10-4 SR: 240
LEFT MUN: GREEN T RIGHT MUN: GREEN T

039544 FT

037453 FT

039544 FT AH-CAMBRIA (11)
REF-AHD SR 0240 SH
0150/2091 (SR0240 SEG 0010/0000)
015 "DIA CIR PLASTIC
0150/2070 LEN=0050 INSTALLED 2015
015 "DIA CIR PLASTIC
0150/1807 LEN=0050 INSTALLED 2015
015 "DIA CIR PLASTIC
0150/1527 LEN=0050 INSTALLED 2015
015 "DIA CIR PLASTIC
0150/1016 LEN=0050 INSTALLED 2015
015 "DIA CIR PLASTIC
0150/0691 LEN=0040 INSTALLED 2015
015 "DIA CIR PLASTIC
0150/0193 LEN=0045 INSTALLED 2015
015 "DIA CIR PLASTIC
0150/0102 LEN=0045 INSTALLED 2015
037453 FT 2 0 32026 0 00 0020+55
S 0150/0000 LENGTH(AH 2091 BK 2042)
018 "DIA CIR PLASTIC
0144/1894 LEN=0040 INSTALLED 2013
015 "DIA CIR PLASTIC
0144/1521 LEN=0040 INSTALLED 2015
015 "DIA CIR PLASTIC
0144/1411 LEN=0050 INSTALLED 2015
024 "DIA CIR PLASTIC
0144/1297 LEN=0045 INSTALLED 2015

JUNIPER RD

DIR: B TOTAL LEN: 7.489 MI. DIST: 10-4 SR: 240
LEFT MUN: GREEN T RIGHT MUN: GREEN T

```
                                                  0144/0538 (T920)
                                                            015 "DIA CIRC CONCR
                                                  0144/0513 LEN=0055 INSTALLED 2015
                                                            012 "DIA CIRC CONCR
                                                  0144/0353 LEN=0040 INSTALLED 2012
2 0 32026 0 00 0000+00 035411 FT                  035411 FT SR 0580 SH
SR 0580 SH                                                  (SR0580 SEG 0140/0000)
(SR0580 SEG 0140/0000)  0144/0000               S 0144/0000 LENGTH(AH 2042 BK 1965)
                                                            012 "DIA CIRC METAL
                                                  0140/1930 LEN=0040 INSTALLED 2012
                                                            015 "DIA CIR PLASTIC
                                                  0140/1766 LEN=0040 INSTALLED 2015
CHERRY RD
(T921)                  0140/1657
                                                            015 "DIA CIRC CONCR
                                                  0140/1613 LEN=0040 INSTALLED 2012
                                                            012 "DIA CIRC CONCR
                                                  0140/1309 LEN=0040 INSTALLED 2015
                                                            024 "DIA CIR PLASTIC
                                                  0140/0983 LEN=0045 INSTALLED 2015
                                                            024 "DIA CIRC METAL
                                                  0140/0889 LEN=0043 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0140/0450 LEN=0040 INSTALLED 2012
                                                            015 "DIA CIR PLASTIC
                                                  0140/0045 LEN=0045 INSTALLED 2015
HEMLOCK RD
(T928)                  0140/0040
                      033446 FT                   033446 FT 1 0 00631 0 00 0335+52
                                                            VILLAGE: UNIONTOWN
                                                            REDWOOD RD
                                                            (T917)
                                                  0140/0000 LENGTH(AH 1965 BK 2338)
                                                            015 "DIA CIRC METAL
                                                  0130/2282 LEN=0055 INSTALLED 2015
                                                            012 "DIA CIRC CONCR
                                                  0130/2088 LEN=0040 INSTALLED 2012
                                                            018 "DIA CIRC METAL
                                                  0130/1740 LEN=0038 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0130/1333 LEN=0040 INSTALLED 2015
                                                            015 "DIA CIR PLASTIC
                                                  0130/0989 LEN=0040 INSTALLED 2015
                                                            015 "DIA CIRC METAL
                                                  0130/0789 LEN=0037 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0130/0260 LEN=0040 INSTALLED UNKN
                      031108 FT                   031108 FT 1 0 00631 0 00 0312+10
                                                  0130/0000 LENGTH(AH 2338 BK 2400)
                                                            015 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 7.489 MI. DIST: 10-4 SR: 240
LEFT MUN: GREEN T RIGHT MUN: GREEN T

```
                                                 0120/2196 LEN=0045 INSTALLED 2015
                                                           015 "DIA CIRC METAL
                                                 0120/1922 LEN=0040 INSTALLED 2015
                                                           015 "DIA CIRC METAL
                                                 0120/1642 LEN=0100 INSTALLED 2015

                                                           MULBERRY RD
                                                 0120/0851 (T918)
                                                           036 "DIA CIR PLASTIC
                                                 0120/0787 LEN=0050 INSTALLED 2015
                                                           015 "DIA CIRC CONCR
                                                 0120/0627 LEN=0040 INSTALLED 2015
                                                           015 "DIA CIRC CONCR
                                                 0120/0493 LEN=0040 INSTALLED 2015
                028708 FT                        028708 FT 1 0 00631 0 00 0287+46
                                                S 0120/0000 LENGTH(AH 2400 BK 3185)
                                                           015 "DIA CIRC CONCR
                                                 0110/3155 LEN=0030 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0110/2632 LEN=0030 INSTALLED UNKN

                                                           012 "DIA CIR PLASTIC
                                                 0110/1760 LEN=0035 INSTALLED 2015
                                                           015 "DIA CIR PLASTIC
                                                 0110/1309 LEN=0060 INSTALLED 2012
                                                           012 "DIA CIR PLASTIC
                                                 0110/1100 LEN=0050 INSTALLED 2012
                                                           015 "DIA CIRC METAL
                                                 0110/0824 LEN=0040 INSTALLED 2012

                025523 FT                        025523 FT 1 0 00631 0 00 0256+22
                                                           DOGWOOD RD
                                                           (T924)
                                                S 0110/0000 LENGTH(AH 3185 BK 3284)
                                                           018 "DIA CIR PLASTIC
                                                 0100/3083 LEN=0018 INSTALLED 2015
                                                           015 "DIA CIRC CONCR
                                                 0100/2855 LEN=0055 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0100/2400 LEN=0037 INSTALLED UNKN


                                                           030 "DIA CIR PLASTIC
                                                 0100/0950 LEN=0036 INSTALLED 2015
                                                           015 "DIA CIRC CONCR
                                                 0100/0531 LEN=0035 INSTALLED UNKN
1 0 00631 0 00 0223+73 022239 FT                 022239 FT
ACORN RD
(T926)                0100/0000                S 0100/0000 LENGTH(AH 3284 BK 2173)
```

DIR: B TOTAL LEN: 7.489 MI. DIST: 10-4 SR: 240
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 0090/1304 | LEN=0056 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/0380 | LEN=0040 INSTALLED 2015 |
| | 020066 FT | 020066 FT | 1 0 00631 0 00 0201+75 |
| | | 0090/0000 | LENGTH(AH 2173 BK 2495) |
| | | | 018 "DIA CIRC METAL |
| | | 0080/2272 | LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/1910 | LEN=0050 INSTALLED 2012 |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/1044 | LEN=0045 INSTALLED 2012 |
| | | | 024 "DIA CIRC CONCR |
| | | 0080/0431 | LEN=0050 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |
| | | 0080/0049 | LEN=0055 INSTALLED 2015 |
| 1 0 00631 0 00 0176+54 | 017571 FT | 017571 FT | |
| HAZELNUT RD | | | |
| (T830) | 0080/0000 | 0080/0000 | LENGTH(AH 2495 BK 1659) |
| | | | 048"H 72"W CONC STRUCT |
| | | 0070/1371 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/1165 | LEN=0044 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/0912 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0070/0683 | LEN=0036 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/0443 | LEN=0033 INSTALLED UNKN |
| | | 0070/0010 | BMSEN 32/0240/0070/0000 |
| | 015912 FT | 015912 FT | 1 0 00631 0 00 0159+22 |
| | | | S BR TWO LCK |
| | | | BMSBG 32/0240/0070/0000 |
| | | 0070/0000 | LENGTH(AH 1659 BK 2758) |
| | | | 015 "DIA CIRC METAL |
| | | 0060/1986 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0060/1245 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/1142 | LEN=0048 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0060/0687 | LEN=0046 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 7.489 MI. DIST: 10-4 SR: 240
LEFT MUN: GREEN T RIGHT MUN: GREEN T

| | | | |
|---|---|---|---|
| | | | 0060/0477 LEN=0028 INSTALLED UNKN |
| | 013154 FT | | 013154 FT 1 0 00631 0 00 0132+72 |
| | | | VALLEY RD |
| | | | (SR1019 SEG 0150/2809) |
| | | S | 0060/0000 LENGTH(AH 2758 BK 2834) |
| | | | 015 "DIA CIRC METAL |
| | | | 0050/2645 LEN=0055 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0050/2465 LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | | 0050/2100 LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | | 0050/1800 LEN=0042 INSTALLED UNKN |
| PIONEER LAKE RD | | | COOKPORT RD |
| (SR1015 SEG 0070/0000) | 0050/1238 | | 0050/1238 (SR1015 SEG 0070/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0050/1216 LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0050/0905 LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0050/0490 LEN=0054 INSTALLED UNKN |
| | 010320 FT | | 010320 FT 1 0 00631 0 00 0104+33 |
| | | | VILLAGE: COOKPORT |
| | | S | 0050/0000 LENGTH(AH 2834 BK 3076) |
| | | | 048 "DIA CIRC METAL |
| | | | 0040/3076 LEN=0094 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0040/2864 LEN=0045 INSTALLED 2015 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0040/2237 LEN=0035 INSTALLED 2000 |
| | | | 018 "DIA CIRC METAL |
| | | | 0040/1681 LEN=0029 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0040/1357 LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0040/1157 LEN=0031 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0040/0923 LEN=0040 INSTALLED 2015 |
| 1 0 00631 0 00 0073+51 | 007244 FT | | 007244 FT |
| CHESTNUT RD | | | |
| (T850) | 0040/0000 | | S 0040/0000 LENGTH(AH 3076 BK 2346) |
| | | | 015 "DIA CIR PLASTIC |
| | | | 0030/1753 LEN=0045 INSTALLED 2015 |
| | | | 018 "DIA CIR PLASTIC |
| | | | 0030/1300 LEN=0035 INSTALLED 2015 |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 7.489 MI. DIST: 10-4 SR: 240
LEFT MUN: GREEN T RIGHT MUN: GREEN T

```
                                                 0030/0550 LEN=0030 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0030/0230 LEN=0040 INSTALLED 2015
                    004898 FT                    004898 FT 1 0 00631 0 00 0049+97
                                                           LOVEJOY RD
                                                           (T864)
                                                 0030/0000 LENGTH(AH 2346 BK 2968)
                                                           015 "DIA CIRC CONCR
                                                 0020/2698 LEN=0032 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0020/2314 LEN=0036 INSTALLED UNKN
                                                           012 "DIA CIRC CONCR
                                                 0020/2089 LEN=0040 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                                 0020/1302 LEN=0034 INSTALLED UNKN

                                                           018 "DIA CIRC METAL
                                                 0020/0590 LEN=0040 INSTALLED 2000
                                                           015 "DIA CIRC CONCR
                                                 0020/0184 LEN=0034 INSTALLED UNKN
                    001930 FT                    001930 FT 1 0 00631 0 00 0019+70
                                                 0020/0000 LENGTH(AH 2968 BK 1930)
                                                           048 "DIA CIRC CONCR
                                                 0010/1495 LEN=0050 INSTALLED UNKN
                                                           LOVEJOY RD
                                                 0010/1444 (T864)
                                                           012 "DIA CIRC CONCR
                                                 0010/1137 LEN=0050 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                 0010/0808 LEN=0050 INSTALLED UNKN
                                                 0010/0787 (AAR 528072R)#TRKS 01
                                                           018 "DIA CIRC CONCR
                                                 0010/0610 LEN=0045 INSTALLED UNKN
                                                           N BR TWO LCK
                                                           STRUCTURE LENGTH 24 FT
                                                 0010/0384 BMSID 32/0240/0010/0426
                                                           018 "DIA CIRC CONCR
                                                 0010/0321 LEN=0050 INSTALLED UNKN
FOR SR 240 AND 286
(CONN)              0010/0255

                                                           015 "DIA CIRC CONCR
                                                 0010/0171 LEN=0048 INSTALLED 2015
                                                       NC SR 0240 SH
                                                           SR 0286 SH
                                                           (SR0286 SEG 0880/0000)
                                                 INTER-BK  LIGHTHOUSE RD
1 0 00631 0 00 0000+00 000000 FT                 000000 FT (T863)
SR 0286 SH                                                 MFC BEGIN = D
(SR0286 SEG 0880/0000)  0010/0000                0010/0000 LENGTH(AH 1930 BK 0000)
```

DIR: B TOTAL LEN: .801 MI. DIST: 10-4 SR: 219
LEFT MUN: CHERRY TREE B RIGHT MUN: CHERRY TREE B

004229 FT

IDEE DR
(BORO)

0020/2120

004229 FT AH-CLEARFIELD (17)
REF-AHD PATCHIN HW
0020/2248 (SR0219 SEG 0010/0000)
LONG ST
0020/2120 (BORO)
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: .801 MI. DIST: 10-4 SR: 219
LEFT MUN: CHERRY TREE B RIGHT MUN: CHERRY TREE B

| | | | |
|---|---|---|---|
| | | 0020/1967 | LEN=0030 INSTALLED UNKN |
| MAIN ST (BORO) | | | |
| MARKET ST (BORO) | 0020/1955 | | NC MARKET ST |
| | | | 014 "DIA CIRC CONCR |
| | | 0020/1902 | LEN=0035 INSTALLED UNKN |
| CHERRY ST (SR0580 SEG 0180/0675) | 0020/1638 | | CHERRY ST |
| | | 0020/1638 | (BORO) |
| | | | 018 "DIA CIRC METAL |
| | | 0020/1214 | LEN=0037 INSTALLED UNKN |
| | | | FIRST ST |
| | | 0020/1206 | (BORO) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0893 | LEN=0035 INSTALLED UNKN |
| | | | SECOND ST |
| | | 0020/0863 | (BORO) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0700 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/0380 | LEN=0040 INSTALLED UNKN |
| | 001981 FT | 001981 FT | 1 0 00062 0 00 0019+78 |
| | | S 0020/0000 | LENGTH(AH 2248 BK 1981) |
| | | | 048"H 60"W CON BOX CUL |
| | | 0010/1780 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0010/1428 | LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1408 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0010/0998 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIR PLASTIC |
| | | 0010/0921 | LEN=0046 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0010/0906 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0716 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIR PLASTIC |
| | | 0010/0485 | LEN=0230 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0010/0329 | LEN=0150 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 1 0 00062 0 00 0000+00 |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0030 INSTALLED UNKN |
| | | | NC MAIN ST |
| | | INTER-BK | SHAWNA RD |
| | | | (SR0219 SEG 0880/2293) |
| | | | MFC BEGIN = B |
| | | | BK-CAMBRIA (11) |
| | | S 0010/0000 | LENGTH(AH 1981 BK 0000) |

DIR: B TOTAL LEN: 10.687 MI. DIST: 10-4 SR: 217
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

056426 FT

1 0 00902 0 00 0432+46 052768 FT
HUNTER SCHOOL RD
(T461) 0200/0000

056426 FT SR 0286 SH
0200/3658 (SR0286 SEG 0300/0000)
0200/3476 BMSEN 32/0217/0200/3461
0 0 00000 0 00 0000+00
AULTMANS RUN
0200/3461 BMSBG 32/0217/0200/3461
015 "DIA CIRC CONCR
0200/3284 LEN=0039 INSTALLED UNKN
042"H 48"W ELLIP CONC
0200/2831 LEN=0044 INSTALLED UNKN
018 "DIA CIRC METAL
0200/2610 LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR
0200/2488 LEN=0036 INSTALLED UNKN
018 "DIA CIRC METAL
0200/2234 LEN=0050 INSTALLED UNKN
015 "DIA CIRC CONCR
0200/1928 LEN=0042 INSTALLED UNKN
030 "DIA CIRC CONCR
0200/1791 LEN=0050 INSTALLED UNKN
024 "DIA CIRC CONCR
0200/1448 LEN=0058 INSTALLED UNKN
015 "DIA CIRC CONCR
0200/1342 LEN=0045 INSTALLED UNKN
015 "DIA CIRC CONCR
0200/1078 LEN=0033 INSTALLED UNKN
015 "DIA CIRC CONCR
0200/0615 LEN=0042 INSTALLED UNKN
HORSE VIEW RD
0200/0536 (T980)
015 "DIA CIRC CONCR
0200/0434 LEN=0039 INSTALLED UNKN
052768 FT
5 0200/0000 LENGTH(AH 3658 BK 3557)
015 "DIA CIRC CONCR
0190/3557 LEN=0060 INSTALLED UNKN
024 "DIA CIRC CONCR
0190/2842 LEN=0042 INSTALLED UNKN
015 "DIA CIRC CONCR
0190/2612 LEN=0035 INSTALLED UNKN
036 "DIA CIRC CONCR
0190/2180 LEN=0051 INSTALLED UNKN
018 "DIA CIRC METAL
0190/1804 LEN=0058 INSTALLED UNKN
015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 10.687 MI. DIST: 10-4 SR: 217
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

```
                                        0190/1629 LEN=0048 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0190/1412 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0190/1218 LEN=0039 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0190/0878 LEN=0033 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0190/0747 LEN=0035 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0190/0540 LEN=0080 INSTALLED UNKN
                                                  NEHRIG RD
                                        0190/0501 (T470)
                                                  015 "DIA CIRC CONCR
                                        0190/0350 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0190/0035 LEN=0030 INSTALLED 2001
049211 FT                               049211 FT 1 0 00902 0 00 0397+51
                                                  BLACKLICK RD
                                                  (SR3013 SEG 0090/3765)
                                      5 0190/0000 LENGTH(AH 3557 BK 3065)
                                                  030 "DIA CIRC METAL
                                        0180/2860 LEN=0038 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0180/2550 LEN=0045 INSTALLED UNKN

                                                  048 "DIA CIRC CONCR
                                        0180/1875 LEN=0042 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0180/1640 LEN=0036 INSTALLED UNKN

                                                  030 "DIA CIRC CONCR
                                        0180/0915 LEN=0038 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0180/0465 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0180/0165 LEN=0006 INSTALLED 2000
046146 FT                               046146 FT 1 0 00902 0 00 0366+83
                                                  015 "DIA CIRC CONCR
                                                  LEN=0032 INSTALLED UNKN
                                      5 0180/0000 LENGTH(AH 3065 BK 3661)
                                                  024 "DIA CIRC CONCR
                                        0170/3365 LEN=0033 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0170/3025 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0170/2475 LEN=0035 INSTALLED 1998
                                                  015 "DIA CIRC CONCR
                                        0170/2385 LEN=0030 INSTALLED UNKN
```

DIR: B TOTAL LEN: 10.687 MI. DIST: 10-4 SR: 217
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 0170/1660 | LEN=0040 INSTALLED UNKN |
| | | | 030 "DIA CIRC CONCR |
| | | 0170/1015 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0170/0525 | LEN=0033 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0170/0145 | LEN=0028 INSTALLED UNKN |
| | 042485 FT | 042485 FT | 1 0 00902 0 00 0330+34 |
| | | S 0170/0000 | LENGTH(AH 3661 BK 3500) |
| | | | 036 "DIA CIRC CONCR |
| | | 0160/2525 | LEN=0048 INSTALLED 2016 |
| CUNKELMAN RD (SR3031 SEG 0010/0000) | 0160/2495 | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0160/2000 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0160/1655 | LEN=0048 INSTALLED UNKN |
| | | | SMITH RD |
| | | 0160/1619 | (T840) |
| | | | 018 "DIA CIRC CONCR |
| | | 0160/0985 | LEN=0030 INSTALLED UNKN |
| STAHL RD (T457) | 0160/0619 | | |
| | | | 036 "DIA CIRC CONCR |
| | | 0160/0513 | LEN=0030 INSTALLED UNKN |
| | 038985 FT | 038985 FT | 1 0 00902 0 00 0295+34 |
| | | S 0160/0000 | LENGTH(AH 3500 BK 3789) |
| | | | 024 "DIA CIRC CONCR |
| | | 0150/3390 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0150/2900 | LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0150/2420 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/2000 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/1790 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0150/1600 | LEN=0037 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0150/1280 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0450 | LEN=0036 INSTALLED UNKN |
| 1 0 00902 0 00 0257+54 | 035196 FT | 035196 FT | |

DIR: B TOTAL LEN: 10.687 MI. DIST: 10-4 SR: 217
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

| | | | |
|---|---|---|---|
| FERGUSON SCHOOL RD (T466) | 0150/0000 | S 0150/0000 | LENGTH(AH 3789 BK 3705) |
| | | | 054"H 48"W CONCR ARCH |
| | | 0140/3640 | LEN=0065 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/2825 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0140/2345 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/2075 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/1772 | LEN=0039 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/1080 | LEN=0040 INSTALLED UNKN |
| | | | 024 "DIA CIR PLASTIC |
| | | 0140/0348 | LEN=0040 INSTALLED 2016 |
| | 031491 FT | 031491 FT | 1 0 00902 0 00 0220+39 |
| | | S 0140/0000 | LENGTH(AH 3705 BK 3343) |
| | | | 036 "DIA CIRC METAL |
| | | 0130/2883 | LEN=0080 INSTALLED UNKN |
| GRANGE RD (SR3004 SEG 0050/2866) | 0130/2633 | | |
| | | | STEWARTS RUN |
| | | | STRUCTURE LENGTH 55 FT |
| | | 0130/2454 | BMSID 32/0217/0130/2360 |
| | | | 018 "DIA CIRC METAL |
| | | 0130/1590 | LEN=0036 INSTALLED 2017 |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/1136 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0130/0951 | LEN=0039 INSTALLED 2017 |
| | | | 015 "DIA CIRC CONCR |
| | | 0130/0624 | LEN=0039 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0130/0455 | LEN=0044 INSTALLED 2017 |
| | | | 015 "DIA CIRC CONCR |
| | | 0130/0182 | LEN=0031 INSTALLED UNKN |
| | 028148 FT | 028148 FT | 1 0 00902 0 00 0184+77 |
| | | | HILL RD |
| | | | (SR3015 SEG 0010/0000) |
| | | S 0130/0000 | LENGTH(AH 3343 BK 3771) |
| | | | 018 "DIA CIRC METAL |
| | | 0120/3702 | LEN=0052 INSTALLED 2017 |
| | | | 015 "DIA CIRC CONCR |
| | | 0120/3240 | LEN=0036 INSTALLED UNKN |

DIR: B TOTAL LEN: 10.687 MI. DIST: 10-4 SR: 217
LEFT MUN: BLACK LICK T RIGHT MUN: BLACK LICK T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 0120/2597 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0120/2050 | LEN=0027 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0120/1730 | LEN=0025 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/1482 | LEN=0025 INSTALLED UNKN |
| | | | 072 "DIA CIRC CONCR |
| | | 0120/1387 | LEN=0040 INSTALLED UNKN |
| | | | GREYS RUN |
| | | | STRUCTURE LENGTH 13 FT |
| | | 0120/1312 | BMSID 32/0217/0120/1312 |
| | | | 015 "DIA CIRC CONCR |
| | | 0120/0910 | LEN=0034 INSTALLED UNKN |
| | | | THOMPSON RD |
| | | 0120/0684 | (SR3008 SEG 0010/0000) |
| | | | 015 "DIA CIRC CONCR |
| | | 0120/0530 | LEN=0027 INSTALLED UNKN |
| 1 0 00902 0 00 0147+00 | 024377 FT | | 024377 FT |
| MCCORMICKS BRIDGE RD | | | |
| (T449) | 0120/0000 | S 0120/0000 | LENGTH(AH 3771 BK 1377) |
| | | | 024"H 20"W CONCR ARCH |
| | | 0110/0700 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0110/0160 | LEN=0036 INSTALLED UNKN |
| | 023000 FT | 023000 FT | 1 0 00902 0 00 0133+33 |
| | | S 0110/0000 | LENGTH(AH 1377 BK 3725) |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/2830 | LEN=0054 INSTALLED UNKN |
| MCCORMICKS BRIDGE RD | | | WILLIAMS RD |
| (T449) | 0100/2759 | 0100/2759 | (SR3006 SEG 0010/0000) |
| | | 0100/1791 | BMSEN 32/0217/0100/1369 |
| | | | BLACK LICK |
| | | 0100/1590 | BURRELL T |
| | | | 1 0 00902 0 00 0109+76 |
| | | | BLACKLICK CR |
| | | 0100/1381 | BMSBG 32/0217/0100/1369 |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/0645 | LEN=0021 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0100/0244 | LEN=0045 INSTALLED UNKN |
| | 019275 FT | 019275 FT | 1 0 00902 0 00 0096+03 |
| | | S 0100/0000 | LENGTH(AH 3725 BK 3591) |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 10.687 MI. DIST: 10-4 SR: 217
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

```
                                                 0090/3367 LEN=0036 INSTALLED UNKN
DAISY ST
(T871)                0090/3073
                                                           LEAR RD
                                                 0090/2653 (T447)
                                                           018 "DIA CIRC CONCR
                                                 0090/2640 LEN=0042 INSTALLED UNKN
PLEASANT VALLEY RD
(T447)                0090/2410
                                                           018 "DIA CIRC CONCR
                                                 0090/2377 LEN=0032 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0090/2080 LEN=0027 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0090/1720 LEN=0044 INSTALLED UNKN

                                                           015 "DIA CIRC CONCR
                                                 0090/0935 LEN=0045 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0090/0445 LEN=0039 INSTALLED UNKN
                      015684 FT                  015684 FT 1 0 00902 0 00 0060+18
                                                           015 "DIA CIRC CONCR
                                                           LEN=0048 INSTALLED UNKN
                                                       NC SR 217 SH
                                                 S 0090/0000 LENGTH(AH 3591 BK 2969)
                                                           036 "DIA CIRC CONCR
                                                 0080/2542 LEN=0081 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0080/1995 LEN=0042 INSTALLED UNKN
                                                           HIGH RISE DR
                                                 0080/1991 (T444)
                                                           015 "DIA CIRC CONCR
                                                 0080/1660 LEN=0045 INSTALLED UNKN


                                                           015 "DIA CIRC CONCR
                                                 0080/0580 LEN=0039 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                 0080/0025 LEN=0069 INSTALLED UNKN
                      012715 FT                  012715 FT 1 0 00902 0 00 0030+07
NEWPORT RD                                           NC FLENNIKEN BL
(SR3009 SEG 0010/0000)  0080/0000                S 0080/0000 LENGTH(AH 2969 BK 2056)

                                                           018 "DIA CIRC CONCR
                                                 0070/1349 LEN=0036 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0070/1120 LEN=0038 INSTALLED UNKN


                                                           024 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 10.687 MI. DIST: 10-4 SR: 217
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

```
                                        0070/0100 LEN=0040 INSTALLED UNKN
010659 FT                               010659 FT 1 0 00902 0 00 0009+23
                                                  WALNUT HILL ST
                                                  (T581)
                                        0070/0000 LENGTH(AH 2056 BK 0942)
                                                  018 "DIA CIRC CONCR
                                        0060/0649 LEN=0039 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0060/0381 LEN=0063 INSTALLED UNKN
009717 FT                               009717 FT 1 0 00902 0 00 0000+00
                                                  MFC BEGIN = D
                                                  BURRELL
                                                  BLAIRSVILLE B
                                        0060/0000 LENGTH(AH 0942 BK 1883)
                                                  FROM 8002/0500 SH
                                        0050/1773 (CONN)
                                                  RAMP B RD
                                        0050/1712 (SR8002 SEG 0500/0585)
                                                  018 "DIA CIRC METAL
                                        0050/1700 LEN=0050 INSTALLED UNKN
                                                  RAMP A RD
                                        0050/1690 (SR8002 SEG 0510/0000)
                                                  TO 8002/0510 SH
                                        0050/1589 (CONN)
                                                  024 "DIA CIRC CONCR
                                        0050/1583 LEN=0032 INSTALLED UNKN
                                                  SR 0022 EB
                                        0050/1505 OP ID 32/0022/0010/0806
                                                  RANSON AV
                                        0050/1386 (BORO)
                                                  BORO AL
                                        0050/1175 (BORO)
                                                  CHESTNUT ST
                                        0050/0954 (BORO)
                                                  SASSAFRAS AV
                                        0050/0723 (BORO)
                                                  018 "DIA CIRC METAL
                                        0050/0458 LEN=0050 INSTALLED UNKN
                                                  SPRING ST
                                        0050/0406 (BORO)
007834 FT                               007834 FT 2 0 32004 0 00 0023+21
                                                  WALNUT ST
                                                  (SR2003 SEG 0010/0000)
                                              NC BURRELL ST
                                                  BURRELL ST
                                                  (BORO)
                                        0050/0000 LENGTH(AH 1883 BK 2329)
                                                  DIXON ST
                                        0040/2127 (BORO)
                                                  FALLING RUN
```

DIR: B TOTAL LEN: 10.687 MI. DIST: 10-4 SR: 217
LEFT MUN: BLAIRSVILLE B RIGHT MUN: BLAIRSVILLE B

| | | | | |
|---|---|---|---|---|
| | | | | STRUCTURE LENGTH 14 FT |
| | | | 0040/1953 | BMSID 32/0217/0040/1953 |
| | | | | 015 "DIA CIR PLASTIC |
| | | | 0040/1820 | LEN=0030 INSTALLED UNKN |
| | | | | CONNER AL |
| | | == | 0040/1770 | (BORO) |
| | | | | MAPLE AV |
| | | == | 0040/1707 | (BORO) |
| | | | | NORFOLK SOUTHERN |
| | | | 0040/1670 | OVERPASS IS RR X-ING |
| | | | | NORFOLK SOUTHERN |
| | | | 0040/1593 | OVERPASS IS RR X-ING |
| PENN ST | | | | |
| (BORO) | 0040/1519 | POI | 0040/1519 | (APRA) CONVEYOR SERVICE |
| | | | | NORTH AV |
| | | == == | 0040/0561 | (BORO) |
| | | | | CAMPBELL ST |
| | | == == | 0040/0367 | (BORO) |
| | | | | SUGAR AL |
| | | == == | 0040/0185 | (BORO) |
| | | | | 018 "DIA CIRC METAL |
| | | | 0040/0048 | LEN=0022 INSTALLED UNKN |
| | 005505 FT | | 005505 FT | 2 0 32004 0 00 0000+00 |
| | | | | MARKET ST |
| | | | | (SR2002 SEG 0014/0000) |
| | | | S 0040/0000 | LENGTH(AH 2329 BK 1411) |
| | | | | IRON AL |
| | | == == | 0030/1216 | (BORO) |
| | | | | 015 "DIA CIRC METAL |
| | | | 0030/1052 | LEN=0030 INSTALLED UNKN |
| | | | | BROWN ST |
| | | == == | 0030/1034 | (BORO) |
| | | | | SOUTH AL |
| | | == == | 0030/0839 | (BORO) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0030/0813 | LEN=0020 INSTALLED UNKN |
| | | | | SHORT ST |
| | | == | 0030/0593 | (BORO) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0030/0558 | LEN=0010 INSTALLED UNKN |
| 2 0 32005 0 00 0039+05 | 004094 FT | | 004094 FT | |
| OLD MAIN ST | | | | |
| (TBC ) | 0030/0000 | == | S 0030/0000 | LENGTH(AH 1411 BK 2200) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0020/2031 | LEN=0042 INSTALLED UNKN |
| | | | | JOHNSON AV |
| | | == | 0020/2016 | (BORO) |

DIR: B TOTAL LEN: 10.687 MI. DIST: 10-4 SR: 217
LEFT MUN: BLAIRSVILLE B RIGHT MUN: BLAIRSVILLE B

```
ARTLEY AV
(BORO)                    0020/1998     ==
                                                          OAK LN
                                                 ==  0020/1671 (BORO)
                                                          O1B "DIA CIRC CONCR
                                                     0020/1642 LEN=0042 INSTALLED UNKN
SUTTON ST
(BORO)                    0020/1517     ==
                                                          O1B "DIA CIRC CONCR
                                                     0020/1490 LEN=0042 INSTALLED UNKN
                                                          MILLER DR
                                                 ==  0020/1356 (BORO)
                                                          O1B "DIA CIRC CONCR
                                                     0020/1100 LEN=0042 INSTALLED UNKN
FIRST AV
(BORO)                    0020/1075     ==
                                                          MILLER DR
                                                 ==  0020/1016 (BORO)
                                                          O1B "DIA CIRC CONCR
                                                     0020/0811 LEN=0042 INSTALLED UNKN
                                                          SECOND AV
                                              ==  ==  0020/0708 (BORO)
                                                          O1B "DIA CIRC CONCR
                                                     0020/0510 LEN=0036 INSTALLED UNKN
                                                          O1B "DIA CIRC CONCR
                                                     0020/0227 LEN=0030 INSTALLED UNKN
                                                          MAY ST
                                                 ==  0020/0053 (BORO)
BLANK ST
(BORO)                    0020/0044     ==
                         001894 FT                   001894 FT 1 1 00694 0 00 0017+00
                                                        NC WALNUT ST
                                                          BLAIRSVILLE
                                                          BURRELL T
                                                  S  0020/0000 LENGTH(AH 2200 BK 1894)
                                                          O1B "DIA CIRC CONCR
                                                     0010/1870 LEN=0042 INSTALLED UNKN


                                                     0010/0456 BMSEN 32/0217/0010/0000
                         000000 FT                   000000 FT 1 1 00694 0 00 0000+00
                                                        NC SR 0217 SH
                                                  *  REF-BK    BLAIRSVILLE RD
                                                          (SR0217 SEG 0240/2383)
                                                          CONEMAUGH RV
                                                          BMSBG 32/0217/0010/0000
                                                          MFC BEGIN = C
                                                           BK-WESTMORELAND    (64)
                                                  S  0010/0000 LENGTH(AH 1894 BK 0000)
```

DIR: B TOTAL LEN: 13.645 MI. DIST: 10-4 SR: 210
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

| | | | |
|---|---|---|---|
| | 072047 FT | | 072047 FT SR 0119 SH |
| | | | 0240/3744 (SR0119 SEG 0820/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0240/3695 LEN=0360 INSTALLED UNKN |
| HENRY RD (T661) | 0240/3689 | | |
| | | | 024 "DIA CIRC CONCR |
| | | | 0240/3321 LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0240/3070 LEN=0030 INSTALLED UNKN |
| KACHMAR RD (T808) | 0240/2860 | | |
| | | | 015 "DIA CIRC CONCR |
| | | | 0240/2842 LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0240/2314 LEN=0033 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0240/1708 LEN=0031 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0240/1272 LEN=0030 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 13.645 MI. DIST: 10-4 SR: 210
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

```
                                                  0240/0950 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0240/0571 LEN=0035 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0240/0030 LEN=0035 INSTALLED UNKN
                        068303 FT                 068303 FT 1 0 00189 0 02 0835+89
                                                            ELBEL RD
                                                            (T908)
                                                S 0240/0000 LENGTH(AH 3744 BK 1381)
                                                            015 "DIA CIRC CONCR
                                                  0230/1320 LEN=0035 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0230/0971 LEN=0037 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0230/0650 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0230/0300 LEN=0030 INSTALLED UNKN
1 0 00189 0 02 0821+89  066922 FT                 066922 FT
YODER RD
(T806)                   0230/0000              S 0230/0000 LENGTH(AH 1381 BK 3741)
                                                            018 "DIA CIRC CONCR
                                                  0220/3391 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0220/2810 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0220/2500 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0220/2342 LEN=0036 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0220/2130 LEN=0047 INSTALLED UNKN
                                                            027 "DIA CIR PLASTIC
                                                  0220/1848 LEN=0031 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0220/1348 LEN=0036 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0220/1185 LEN=0044 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0220/0735 LEN=0035 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0220/0375 LEN=0030 INSTALLED UNKN
                        063181 FT                 063181 FT 1 0 00189 0 02 0784+58
                                                            DUTCH RUN
                                                            STRUCTURE LENGTH 16 FT
                                                            BMSID 32/0210/0220/0000
VALIER RD
(SR4025 SEG 0010/0000)   0220/0000              S 0220/0000 LENGTH(AH 3741 BK 2955)
FOR SR 0210 AND 4025
(CONN)                   0210/2794
                                                            015 "DIA CIRC CONCR
                                                  0210/2753 LEN=0033 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 13.645 MI. DIST: 10-4 SR: 210
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

```
                                        0210/2414 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0210/1940 LEN=0033 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0210/1702 LEN=0034 INSTALLED UNKN

                                                  015 "DIA CIRC METAL
                                        0210/1078 LEN=0030 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0210/0867 LEN=0036 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0210/0280 LEN=0034 INSTALLED UNKN
060226 FT                               060226 FT 1 0 00189 0 02 0754+14
                                      S 0210/0000 LENGTH(AH 2955 BK 2634)
                                                  015 "DIA CIRC METAL
                                        0200/2117 LEN=0044 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0200/1810 LEN=0034 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0200/1375 LEN=0040 INSTALLED 2001

                                                  018 "DIA CIRC CONCR
                                        0200/0545 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0200/0471 LEN=0040 INSTALLED 2000
                                                  BLOOM RD
                                        0200/0451 (T904)
                                                  024 "DIA CIRC CONCR
                                        0200/0220 LEN=0050 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0200/0092 LEN=0056 INSTALLED 2004
057592 FT                               057592 FT 1 0 00189 0 02 0728+00
                                                  TOWNSHIP 0650 RT
                                                  (T650)
                                      S 0200/0000 LENGTH(AH 2634 BK 2816)
                                                  024 "DIA CIRC CONCR
                                        0190/2470 LEN=0032 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0190/1868 LEN=0037 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0190/1505 LEN=0048 INSTALLED 2004
                                                  018 "DIA CIRC CONCR
                                        0190/0985 LEN=0088 INSTALLED 2001
                                                  SAWMILL RD
                                        0190/0982 (SR1042 SEG 0010/0000)


                                                  015 "DIA CIRC CONCR
                                        0190/0032 LEN=0048 INSTALLED UNKN
```

DIR: B TOTAL LEN: 13.645 MI. DIST: 10-4 SR: 210
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

| | | | | |
|---|---|---|---|---|
| 1 0 00189 0 02 0700+50 054776 FT | | | 054776 FT | |
| WAINWRIGHT RD | | | | |
| (T646) | 0190/0000 | == | S 0190/0000 | LENGTH(AH 2816 BK 3209) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0180/2708 | LEN=0037 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0180/2338 | LEN=0033 INSTALLED UNKN |
| | | | | 015 "DIA CIRC METAL |
| | | | 0180/1868 | LEN=0029 INSTALLED UNKN |
| | | | | 015 "DIA CIRC METAL |
| | | | 0180/1216 | LEN=0032 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0180/0885 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0180/0466 | LEN=0032 INSTALLED UNKN |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0180/0005 | LEN=0030 INSTALLED UNKN |
| 1 0 00189 0 01 0668+44 051567 FT | | | 051567 FT | |
| SMITH RD | | | | |
| (T644) | 0180/0000 | == | S 0180/0000 | LENGTH(AH 3209 BK 2271) |
| | | | | 018 "DIA CIR PLASTIC |
| | | | 0170/2225 | LEN=0042 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0170/1868 | LEN=0035 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0170/1608 | LEN=0035 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0170/0880 | LEN=0026 INSTALLED UNKN |
| | | | | 015 "DIA CIRC METAL |
| | | | 0170/0407 | LEN=0028 INSTALLED UNKN |
| | 049296 FT | | 049296 FT | 1 0 00189 0 01 0644+53 |
| | | | | BEAVER DR |
| | | | | (SR4024 SEG 0010/0000) |
| | | | S 0170/0000 | LENGTH(AH 2271 BK 2621) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0160/2134 | LEN=0026 INSTALLED UNKN |
| | | | | 015 "DIA CIRC METAL |
| | | | 0160/0959 | LEN=0026 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0160/0316 | LEN=0028 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0160/0040 | LEN=0031 INSTALLED UNKN |
| MILLER RD | | | | |
| (T830) | 046675 FT | | 046675 FT | 1 0 00189 0 01 0619+11 |
| SR 0954 SH | | | | VILLAGE: TRADE CITY |

DIR: B TOTAL LEN: 13.645 MI. DIST: 10-4 SR: 210
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

(SR0954 SEG 0700/2100) 0160/0000

042910 FT

| | |
|---|---|
| 0160/0000 | LENGTH(AH 2621 BK 3765) |
| | 015 "DIA CIRC CONCR |
| 0150/3575 | LEN=0027 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0150/2990 | LEN=0031 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| 0150/2668 | LEN=0028 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| 0150/2500 | LEN=0030 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0150/2032 | LEN=0060 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0150/1748 | LEN=0045 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0150/1480 | LEN=0040 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0150/1130 | LEN=0040 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0150/0866 | LEN=0032 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0150/0554 | LEN=0045 INSTALLED UNKN |
| 042910 FT | 1 0 00189 0 01 0581+17 |
| | 048"H 48"W CON BOX CUL |
| | LEN=0045 INSTALLED UNKN |
| 0150/0000 | LENGTH(AH 3765 BK 3802) |
| | 015 "DIA CIRC CONCR |
| 0140/3650 | LEN=0030 INSTALLED UNKN |
| | 030 "DIA CIRC CONCR |
| 0140/3462 | LEN=0039 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| 0140/3258 | LEN=0040 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| 0140/2944 | LEN=0047 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0140/2758 | LEN=0048 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0140/2595 | LEN=0044 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0140/2156 | LEN=0041 INSTALLED UNKN |
| | 024 "DIA CIRC CONCR |
| 0140/1920 | LEN=0042 INSTALLED 1997 |
| | 036 "DIA CIRC CONCR |
| 0140/1659 | LEN=0065 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0140/1365 | LEN=0036 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0140/1040 | LEN=0041 INSTALLED UNKN |
| | 015 "DIA CIRC CONCR |
| 0140/0860 | LEN=0035 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 13.645 MI. DIST: 10-4 SR: 210
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

| | | | |
|---|---|---|---|
| | | 0140/0361 | LEN=0040 INSTALLED UNKN |
| | 039108 FT | 039108 FT | 1 0 00189 0 01 0542+99 |
| | | S 0140/0000 | LENGTH(AH 3802 BK 3961) |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/3836 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0130/3566 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0130/3268 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0130/2950 | LEN=0037 INSTALLED UNKN |
| ALABRAN RD | | | WEST CREEK RD |
| (T524) | 0130/2914 | 0130/2914 | (SR4020 SEG 0010/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0130/1800 | LEN=0025 INSTALLED 2012 |
| | | 0130/1743 | BMSEN 32/0210/0130/1575 |
| | | | 1 0 00189 0 01 0504+68 |
| | | | LITTLE MAHONING |
| | | 0130/1575 | BMSBG 32/0210/0130/1575 |
| | | | 015 "DIA CIRC CONCR |
| | | 0130/1196 | LEN=0045 INSTALLED UNKN |
| GAHAGAN RD | | | |
| (T532) | 0130/1121 | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0130/0586 | LEN=0045 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0130/0445 | LEN=0040 INSTALLED UNKN |
| | 035147 FT | 035147 FT | 1 0 00189 0 01 0504+68 |
| | | | 015 "DIA CIRC CONCR |
| | | | LEN=0044 INSTALLED UNKN |
| | | S 0130/0000 | LENGTH(AH 3961 BK 3139) |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/2702 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/2541 | LEN=0034 INSTALLED UNKN |
| | | | 030 "DIA CIRC CONCR |
| | | 0120/2077 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0120/1809 | LEN=0032 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0120/1477 | LEN=0032 INSTALLED UNKN |
| | | | 030 "DIA CIRC CONCR |
| | | 0120/1026 | LEN=0052 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0120/0768 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/0475 | LEN=0042 INSTALLED 1997 |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 13.645 MI. DIST: 10-4 SR: 210
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

| | | | |
|---|---|---|---|
| | | | 0120/0231 LEN=0046 INSTALLED UNKN |
| | 032008 FT | | 032008 FT 1 0 00189 0 01 0472+13 |
| | | | RUDOLPH RD |
| | | | (T638) |
| | | S | 0120/0000 LENGTH(AH 3139 BK 3780) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0110/3030 LEN=0042 INSTALLED UNKN |
| | | | NORTH MAHONING |
| | | | 0110/2264 EAST MAHONING T |
| | | | 015 "DIA CIRC CONCR |
| | | | 0110/2177 LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0110/1332 LEN=0038 INSTALLED UNKN |
| WHITAKER RD | | | WHITAKER RD |
| (T530) | 0110/0902 | | 0110/0902 (T530) |
| | | | 015 "DIA CIRC CONCR |
| | | | 0110/0594 LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0110/0320 LEN=0041 INSTALLED UNKN |
| | 028228 FT | | 028228 FT 1 0 00189 0 01 0434+60 |
| | | | VILLAGE: GEORGEVILLE |
| | | | POLLOCK RD |
| | | | (T830) |
| | | S | 0110/0000 LENGTH(AH 3780 BK 3467) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0100/3345 LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0100/3281 LEN=0039 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0100/3181 LEN=0041 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0100/2502 LEN=0039 INSTALLED UNKN |
| | | | EAST MAHONING |
| | | | 0100/2216 SOUTH MAHONING T |
| | | | LEWIS RD |
| | | | 0100/1674 (T982) |
| MCCORMICK RD | | | |
| (SR4018 SEG 0080/1111) | 0100/1620 | | |
| | | | 015 "DIA CIRC CONCR |
| | | | 0100/1616 LEN=0070 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0100/1392 LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0100/1040 LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | | 0100/0771 LEN=0036 INSTALLED UNKN |

DIR: B TOTAL LEN: 13.645 MI. DIST: 10-4 SR: 210
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | | |
|---|---|---|---|
| | 024761 FT | 024761 FT | 1 0 00189 0 01 0399+92 |
| | | S 0100/0000 | LENGTH(AH 3467 BK 3085) |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/2795 | LEN=0035 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0090/2092 | LEN=0037 INSTALLED UNKN |
| | | | 015 "DIA CIR PLASTIC |
| | | 0090/1975 | LEN=0043 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/1473 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/1134 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0090/0704 | LEN=0037 INSTALLED UNKN |
| | 021676 FT | 021676 FT | 1 0 00189 0 01 0369+34 |
| | | | JOHNSTON RD |
| | | | (SR4015 SEG 0130/2889) |
| | | | 018 "DIA CIRC CONCR |
| | | | LEN=0043 INSTALLED UNKN |
| | | S 0090/0000 | LENGTH(AH 3085 BK 2597) |
| | | | 015 "DIA CIRC METAL |
| | | 0080/2448 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/2204 | LEN=0028 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/1826 | LEN=0027 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/1601 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0080/1097 | LEN=0034 INSTALLED UNKN |
| | | 0080/0129 | BMSEN 32/0210/0080/0102 |
| | | | 1 0 00189 0 01 0344+56 |
| | | | ROSS RUN |
| | | 0080/0102 | BMSBG 32/0210/0080/0102 |
| | 019079 FT | 019079 FT | 1 0 00189 0 01 0343+44 |
| (TURNBACK) ROSSMOYNE RD | | | VILLAGE: ROSSMOYNE |
| (T900) | 0080/0000 | S 0080/0000 | LENGTH(AH 2597 BK 2563) |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/2236 | LEN=0085 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/2026 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/1384 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 13.645 MI. DIST: 10-4 SR: 210
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | | |
|---|---|---|---|
| | | 0070/1300 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/1030 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/0877 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/0552 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/0325 | LEN=0030 INSTALLED UNKN |
| | | 0070/0016 | BMSEN 32/0210/0070/0000 |
| | 016516 FT | 016516 FT | 1 0 00189 0 01 0317+94 |
| | | | TR ROSS RUN |
| | | | BMSBG 32/0210/0070/0000 |
| | | 0070/0000 | LENGTH(AH 2563 BK 2436) |
| MAHONING RD (T365) | 0060/2305 | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/2077 | LEN=0034 INSTALLED UNKN |
| | | | MAHONING RD |
| | | 0060/1927 | (T365) |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/1900 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/1587 | LEN=0038 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1160 | LEN=0038 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/0681 | LEN=0036 INSTALLED UNKN |
| | | | SMYRNA RD |
| | | 0060/0618 | (T507) |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/0260 | LEN=0050 INSTALLED UNKN |
| | | 0060/0112 | BMSEN 32/0210/0060/0076 |
| | | | 1 0 00189 0 01 0294+79 |
| | | | TR ROSS RUN |
| | | 0060/0097 | BMSBG 32/0210/0060/0076 |
| | 014080 FT | 014080 FT | 1 0 00189 0 01 0293+60 |
| | | | WISE RD |
| | | | (T510) |
| | | 0060/0000 | LENGTH(AH 2436 BK 2522) |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/2522 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/2087 | LEN=0043 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/1841 | LEN=0046 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/1476 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/1312 | LEN=0037 INSTALLED UNKN |

DIR: B TOTAL LEN: 13.645 MI. DIST: 10-4 SR: 210
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | |
|---|---|---|
| | | 015 "DIA CIRC CONCR |
| | 0050/1134 | LEN=0038 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0050/1030 | LEN=0041 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0050/0677 | LEN=0042 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0050/0325 | LEN=0045 INSTALLED UNKN |
| | | 036 "DIA CIRC METAL |
| | 0050/0048 | LEN=0045 INSTALLED UNKN |
| 011558 FT | 011558 FT | 1 0 00189 0 01 0268+46 |
| | | MCMILLEN RD |
| | | (T504) |
| | 0050/0000 | LENGTH(AH 2522 BK 3516) |
| | | 048"H 60"W BOX CULVRT* |
| | 0040/2340 | LEN=0075 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0040/1983 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/1815 | LEN=0049 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/1508 | LEN=0050 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0040/1378 | LEN=0045 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0040/1249 | LEN=0042 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0040/0311 | LEN=0040 INSTALLED UNKN |
| 008042 FT | 008042 FT | 1 0 00189 0 01 0233+39 |
| | 0040/0000 | LENGTH(AH 3516 BK 2340) |
| | | 048"H 60"W ELLIP CONC |
| | 0030/2300 | LEN=0040 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0030/1900 | LEN=0036 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0030/1595 | LEN=0048 INSTALLED UNKN |
| | | FISHER RD |
| | 0030/1466 | (T502) |
| | | 015 "DIA CIRC CONCR |
| | 0030/1295 | LEN=0044 INSTALLED UNKN |
| | | 060"H 95"W CON BOX CUL |
| | 0030/0820 | LEN=0055 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0030/0460 | LEN=0054 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0030/0140 | LEN=0045 INSTALLED UNKN |

DIR: B TOTAL LEN: 13.645 MI. DIST: 10-4 SR: 210
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

```
                                  005702 FT
                                                          005702 FT 1 0 00189 0 01 0210+01
                                                        S 0030/0000 LENGTH(AH 2340 BK 3180)
                                                                    015 "DIA CIRC CONCR
                                                          0020/2990 LEN=0042 INSTALLED UNKN
                                                                    018 "DIA CIRC CONCR
                                                          0020/2760 LEN=0070 INSTALLED UNKN
                                                                    015 "DIA CIRC CONCR
                                                          0020/2335 LEN=0045 INSTALLED UNKN
                                                                    018 "DIA CIRC METAL
                                                          0020/1960 LEN=0065 INSTALLED UNKN
                                                                    018 "DIA CIRC CONCR
                                                          0020/1580 LEN=0042 INSTALLED UNKN
                                                                    048 "DIA CIRC CONCR
                                                          0020/1230 LEN=0048 INSTALLED UNKN
                                                                    015 "DIA CIRC CONCR
                                                          0020/0930 LEN=0039 INSTALLED UNKN

                                                                    015 "DIA CIRC CONCR
                                                          0020/0045 LEN=0080 INSTALLED UNKN
                                  002522 FT               002522 FT 1 0 00189 0 01 0178+45
                                                                    SR 0085 SH
                                                                    (SR0085 SEG 0080/0000)
                                                                NC SR 0210 SH
                                                          INTER-BK  SR 0085 SH
                                                                    (SR0085 SEG 0080/0000)
                                                        S 0020/0000 LTH AH 003180 BK 000100
                                  002522 FT               002522 FT
                                                          7014/0000 LTH AH 000100 BK 002522
SR 0085 SH                                                INTER-AHD SR 0085 SH
(SR0085 SEG 0020/2337)            0010/2522               0010/2522 (SR0085 SEG 0020/2337)
                                                                    036 "DIA CIRC METAL
                                                          0010/2389 LEN=0042 INSTALLED UNKN
TO/FROM 0085/0020 SH
(CONN)                            0010/2288

                                                                    015 "DIA CIRC CONCR
                                                          0010/1620 LEN=0042 INSTALLED UNKN

                                                                    036 "DIA CIRC CONCR
                                                          0010/0646 LEN=0042 INSTALLED UNKN
                                                                    015 "DIA CIRC CONCR
                                                          0010/0161 LEN=0042 INSTALLED UNKN
                                  000000 FT               000000 FT 2 0 32091 0 00 0000+00
                                                                NC SAGAMORE RD
                                                        * REF-BK    POWER PLANT RD
                                                                    (SR0210 SEG 0290/1937)
                                                                    MFC BEGIN = D
                                                                     BK-ARMSTRONG       (03)
                                                        S 0010/0000 LENGTH(AH 2522 BK 0000)
```

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

199366 FT

199427 FT AH-JEFFERSON (33)
* REF-AHD BUFFALO PITTSBURGH HW
0820/2414 (SR0119 SEG 0010/0000)

018 "DIA CIRC CONCR
0820/0335 LEN=0045 INSTALLED UNKN
197013 FT

1 0 00063 0 01 1246+86 196952 FT
SR 0210 SH
(SR0210 SEG 0240/3744) 0820/0000

S 0820/0000 LENGTH(AH 2414 BK 3234)
012 "DIA CIRC CONCR
0810/3169 LEN=0050 INSTALLED UNKN
GOURLEY RD
0810/3035 (T802)
LONGVIEW ELEMENTARY SCH
0810/2470 (GOVT)
018 "DIA CIRC CONCR
0810/2300 LEN=0039 INSTALLED UNKN
LONGVIEW ELEMENTARY SCH
0810/2206 (GOVT)
018 "DIA CIRC CONCR
0810/1658 LEN=0040 INSTALLED UNKN

015 "DIA CIRC CONCR
0810/0273 LEN=0050 INSTALLED UNKN
193779 FT

1 0 00063 0 01 1216+33 193718 FT
BLOOM RD
(T904) 0810/0000

S 0810/0000 LENGTH(AH 3234 BK 1979)

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

| | | | |
|---|---|---|---|
| | | 0800/1546 | 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | | 0800/1076 | 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | | 0800/0175 | 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| 1 0 00063 0 01 1193+17 | 191739 FT | 191800 FT | |
| PARK RD (T517) | 0800/0000 | 5 0800/0000 | LENGTH(AH 1979 BK 3996) |
| | | 0790/3630 | 018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN |
| | | 0790/3112 | 018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN |
| | | 0790/1910 | 012 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN |
| | | 0790/1500 | 018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN |
| | | 0790/0161 | 018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN |
| | 187743 FT | 187804 FT | 1 0 00063 0 01 1154+08 |
| | | | JUNEAU RD (SR1044 SEG 0010/0000) |
| | | 5 0790/0000 | LENGTH(AH 3996 BK 2390) |
| | | 0780/2365 | 015 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN |
| SAWMILL RD (SR1042 SEG 0040/0000) | 0780/1979 | 0780/1979 | LOCUST RD (SR1042 SEG 0040/0000) |
| | | 0780/1890 | 015 "DIA CIRC CONCR LEN=0036 INSTALLED UNKN |
| | | 0780/1440 | 012 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| | | 0780/1095 | 015 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN |
| | | 0780/0500 | 015 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN |
| | 185353 FT | 185414 FT | 1 0 00063 0 01 1130+00 |
| | | | VILLAGE: COVODE |
| | | 5 0780/0000 | LENGTH(AH 2390 BK 2527) |
| | | 0770/1855 | 012 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

| | | | |
|---|---|---|---|
| | | 0770/1765 | LEN=0040 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |
| | | 0770/0120 | LEN=0045 INSTALLED UNKN |
| | 182826 FT | 182887 FT | 1 0 00063 0 01 1104+82 |
| | | S 0770/0000 | LENGTH(AH 2527 BK 2020) |
| | | | 012 "DIA CIRC CONCR |
| | | 0760/1090 | LEN=0040 INSTALLED UNKN |
| | 180806 FT | 180867 FT | 1 0 00063 0 01 1084+53 |
| BEAVER DR | | | VILLAGE: MARCHAND |
| (SR4024 SEG 0070/2975) | 0760/0000 | S 0760/0000 | LENGTH(AH 2020 BK 2820) |
| | | | 008 "DIA CIRC CONCR |
| | | 0750/2511 | LEN=0045 INSTALLED UNKN |
| | | | 010 "DIA CIRC CONCR |
| | | 0750/1956 | LEN=0045 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |
| | | 0750/1378 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0750/0225 | LEN=0045 INSTALLED UNKN |
| | 177986 FT | 178047 FT | 1 0 00063 0 01 1056+22 |
| | | | LEISURE RUN RD |
| | | | (SR1043 SEG 0060/2616) |
| | | S 0750/0000 | LENGTH(AH 2820 BK 2037) |
| | | | 015 "DIA CIRC CONCR |
| | | 0740/1430 | LEN=0048 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0740/0799 | LEN=0044 INSTALLED UNKN |
| | 175949 FT | 176010 FT | 1 0 00063 0 01 1035+03 |
| | | | VILLAGE: MARCHAND |
| | | S 0740/0000 | LENGTH(AH 2037 BK 1859) |
| | | | 015 "DIA CIRC CONCR |
| | | 0730/1700 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0730/0408 | LEN=0048 INSTALLED UNKN |
| BEHM RD | | | |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: NORTH MAHONING T RIGHT MUN: NORTH MAHONING T

(T658)

| | | |
|---|---|---|
| 0730/0051 | | |
| 174090 FT | 174151 FT | 1 0 00063 0 01 1017+49 |
| | | MARSHALL RD |
| | | (T659) |
| | S 0730/0000 | LENGTH(AH 1859 BK 3217) |
| | | 015 "DIA CIRC CONCR |
| | 0720/0610 | LEN=0039 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0720/0151 | LEN=0042 INSTALLED UNKN |
| 170873 FT | 170934 FT | 1 0 00063 0 01 0984+41 |
| | S 0720/0000 | LENGTH(AH 3217 BK 3260) |
| | | 018 "DIA CIRC CONCR |
| | 0710/1910 | LEN=0058 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0710/1630 | LEN=0080 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0710/1460 | LEN=0080 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0710/1005 | LEN=0062 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0710/0785 | LEN=0080 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0710/0460 | LEN=0065 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0710/0115 | LEN=0070 INSTALLED UNKN |
| 167613 FT | 167674 FT | 1 0 00063 0 01 0951+33 |
| | | NORTH MAHONING |
| | | EAST MAHONING T |
| | S 0710/0000 | LENGTH(AH 3260 BK 3224) |
| | | 015 "DIA CIRC CONCR |
| | 0700/3000 | LEN=0080 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0700/2700 | LEN=0080 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0700/2413 | LEN=0120 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0700/2206 | LEN=0090 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0700/2095 | LEN=0060 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: EAST MAHONING T RIGHT MUN: EAST MAHONING T

```
                                                 0700/2030 LEN=0060 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0700/1855 LEN=0060 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0700/1650 LEN=0060 INSTALLED UNKN

                164389 FT                        164450 FT 1 0 00063 0 01 0921+72
                                               5 0700/0000 LENGTH(AH 3224 BK 2436)

WEST CREEK RD
(SR4020 SEG 0070/1020)  0690/0683
                                                           EAST CREEK RD
                                                 0690/0634 (SR1038 SEG 0010/0000)
                161953 FT                        162014 FT 1 0 00063 0 01 0897+36
                                               5 0690/0000 LENGTH(AH 2436 BK 2540)

                                                 0680/1608 BMSEN 32/0119/0680/1508
                                                           1 0 00063 0 01 0885+26
                                                           LIT MAHON CR
                                                 0680/1508 BMSBG 32/0119/0680/1508

                                                           015 "DIA CIRC CONCR
                                                 0680/0227 LEN=0039 INSTALLED UNKN
                159413 FT                        159474 FT 1 0 00063 0 01 0871+96
                                               5 0680/0000 LENGTH(AH 2540 BK 2753)
                                                           018 "DIA CIRC CONCR
                                                 0670/2616 LEN=0060 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0670/2372 LEN=0256 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0670/1867 LEN=0060 INSTALLED UNKN
JOHNSTON RD
(T834)                  0670/1558
                                                 0670/1016 BMSEN 32/0119/0670/0988
                                                           1 0 00063 0 01 0852+48
                                                           TR PICKERING
                                                 0670/0988 BMSBG 32/0119/0670/0988
                                                           024 "DIA CIRC CONCR
                                                 0670/0940 LEN=0050 INSTALLED UNKN
```

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: EAST MAHONING T RIGHT MUN: EAST MAHONING T

```
                                                                  156721 FT 1 0 00063 0 01 0847+05
                          156660 FT                                         OLSON RD
                                                                            (T833)
                                                                 0670/0000 LENGTH(AH 2753 BK 2853)
                                                                            018 "DIA CIRC CONCR
                                                                 0660/2550 LEN=0060 INSTALLED UNKN

                                                                            018 "DIA CIRC CONCR
                                                                 0660/1830 LEN=0070 INSTALLED UNKN

                                                                            036 "DIA CIRC CONCR
                                                                 0660/1161 LEN=0070 INSTALLED UNKN


                                                                            018 "DIA CIRC CONCR
                                                                 0660/0250 LEN=0070 INSTALLED UNKN
GETTY RD
(T636)                     0660/0171
                                                                 0660/0013 BMSEN 32/0119/0660/0000
                          153807 FT                              153868 FT 1 0 00063 0 01 0813+90
                                                                            TR PICKERING
                                                                            BMSBG 32/0119/0660/0000
                                                                 0660/0000 LENGTH(AH 2853 BK 3398)

                                                                            018 "DIA CIRC CONCR
                                                                 0650/2720 LEN=0045 INSTALLED UNKN
                                                                            036 "DIA CIRC CONCR
                                                                 0650/2385 LEN=0060 INSTALLED UNKN


                                                                            020 "DIA CIRC CONCR
                                                                 0650/0919 LEN=0040 INSTALLED UNKN

                          150409 FT                              150470 FT 1 0 00063 0 01 0779+91
                                                                 0650/0000 LENGTH(AH 3398 BK 2707)
                                                                            018 "DIA CIRC CONCR
                                                                 0640/2460 LEN=0048 INSTALLED UNKN
                                                                            024 "DIA CIRC CONCR
                                                                 0640/2050 LEN=0065 INSTALLED UNKN
                                                                            024 "DIA CIRC CONCR
                                                                 0640/1726 LEN=0048 INSTALLED UNKN
                                                                            024 "DIA CIRC CONCR
                                                                 0640/1158 LEN=0045 INSTALLED UNKN


                                                                            018 "DIA CIRC CONCR
                                                                 0640/0198 LEN=0052 INSTALLED UNKN
```

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: EAST MAHONING T RIGHT MUN: EAST MAHONING T

| | | | |
|---|---|---|---|
| 1 0 00063 0 01 0752+84 | 147702 FT | 147763 FT | WILMOTH RD |
| WILLOW RUN RD | | | (T821) |
| (T504) | 0640/0000 | 0640/0000 | LENGTH(AH 2707 BK 1600) |
| | | | 012 "DIA CIRC CONCR |
| | | 0630/1214 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0630/1019 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0630/0540 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0630/0447 | LEN=0054 INSTALLED UNKN |
| | 146102 FT | 146163 FT | 1 0 00063 0 01 0736+86 |
| | | | 036"H 78"W CONC STRUCT |
| | | | LEN=0050 INSTALLED UNKN |
| | | 0630/0000 | LENGTH(AH 1600 BK 3734) |
| | | | 018 "DIA CIRC CONCR |
| | | 0620/3482 | LEN=0045 INSTALLED UNKN |
| PENNDOT STOCKPILE YD | | | |
| (GOVT) | 0620/3177 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0620/3097 | LEN=0056 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0620/2515 | LEN=0042 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0620/1962 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIR PLASTIC |
| | | 0620/1750 | LEN=0045 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0620/1446 | LEN=0054 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0620/1300 | LEN=0054 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0620/1038 | LEN=0052 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0620/0795 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0620/0500 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0620/0025 | LEN=0054 INSTALLED UNKN |
| 1 0 00063 0 01 0699+54 | 142368 FT | 142429 FT | |
| BRADY RD | | | |
| (T832) | 0620/0000 | 0620/0000 | LENGTH(AH 3734 BK 1417) |
| | | 0610/0671 | BMSEN 32/0119/0610/0643 |
| | | | 1 0 00063 0 01 0667+30 |
| | | | PINE RUN |
| | | 0610/0643 | BMSBG 32/0119/0610/0643 |
| | | | 018 "DIA CIRC CONCR |
| | | 0610/0315 | LEN=0048 INSTALLED UNKN |
| LOUGHRY RD | | | |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: EAST MAHONING T RIGHT MUN: EAST MAHONING T

(T501)

0610/0306
140951 FT

141012 FT 1 0 00063 0 01 0686+48
0610/0000 LENGTH(AH 1417 BK 1766)
018 "DIA CIRC CONCR
0604/1357 LEN=0065 INSTALLED UNKN
FROM 0403/0730 SH
0604/1118 (CONN)
018 "DIA CIRC CONCR
0604/1043 LEN=0080 INSTALLED UNKN
SR 0403 SH
0604/0976 (SR0403 SEG 0730/1020)
018 "DIA CIRC CONCR
0604/0890 LEN=0095 INSTALLED UNKN
TO 0403/0730 SH
0604/0825 (CONN)
015 "DIA CIRC CONCR
0604/0267 LEN=0054 INSTALLED UNKN

139185 FT

139246 FT 1 0 00063 0 01 0667+82
0604/0000 LENGTH(AH 1766 BK 1759)
018 "DIA CIRC CONCR
0600/1692 LEN=0045 INSTALLED UNKN
018 "DIA CIRC METAL
0600/1380 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0600/0920 LEN=0050 INSTALLED UNKN
036 "DIA CIRC CONCR
0600/0572 LEN=0037 INSTALLED 2006
018 "DIA CIRC CONCR
0600/0362 LEN=0050 INSTALLED UNKN

137426 FT

137487 FT 1 0 00063 0 01 0650+23
0600/0000 LENGTH(AH 1759 BK 2570)
018 "DIA CIRC CONCR
0590/1965 LEN=0070 INSTALLED UNKN
024 "DIA CIRC CONCR
0590/1651 LEN=0048 INSTALLED UNKN
018 "DIA CIR PLASTIC
0590/1467 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0590/0766 LEN=0036 INSTALLED UNKN
018 "DIA CIRC CONCR
0590/0366 LEN=0036 INSTALLED UNKN

134856 FT

134917 FT 1 0 00063 0 01 0624+63
EAST MAHONING
RAYNE T
0590/0000 LENGTH(AH 2570 BK 1465)
024 "DIA CIRC CONCR
0580/1323 LEN=0096 INSTALLED UNKN
018 "DIA CIRC CONCR

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

```
                                                  0580/1301 LEN=0042 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0580/0810 LEN=0040 INSTALLED UNKN

                                                  0580/0015 BMSEN 32/0119/0580/0000
                         133391 FT                133452 FT 1 0 00063 0 01 0609+59
                                                            TRIB TO PINE RUN
                                                            BMSBG 32/0119/0580/0000
                                                S 0580/0000 LENGTH(AH 1465 BK 1958)
POLLOCK RD
(T830)                    0570/1851

                                                            024 "DIA CIRC CONCR
                                                  0570/0030 LEN=0042 INSTALLED UNKN
                         131433 FT                131494 FT 1 0 00063 0 01 0590+07
                                                            WYNKOOP RD
                                                            (T611)
                                                S 0570/0000 LENGTH(AH 1958 BK 2079)
                                                            018 "DIA CIRC CONCR
                                                  0560/1571 LEN=0038 INSTALLED UNKN

                                                            024 "DIA CIRC CONCR
                                                  0560/0911 LEN=0038 INSTALLED UNKN

                                                            015 "DIA CIRC CONCR
                                                  0560/0311 LEN=0030 INSTALLED UNKN
                         129354 FT                129415 FT 1 0 00063 0 01 0570+01
                                                S 0560/0000 LENGTH(AH 2079 BK 2146)

                                                            036 "DIA CIRC CONCR
                                                  0550/1064 LEN=0048 INSTALLED UNKN

                                                            060"H 36"W CON BOX CUL
                                                  0550/0179 LEN=0054 INSTALLED UNKN
1 0 00063 0 01 0547+81   127208 FT                127269 FT
WRIGDEN RUN RD
(SR4015 SEG 0010/0000)    0550/0000             S 0550/0000 LENGTH(AH 2146 BK 1982)

                                                            018 "DIA CIRC CONCR
                                                  0540/0880 LEN=0040 INSTALLED UNKN
RUTH DR
(T775)                    0540/0859

                                                            015 "DIA CIRC CONCR
                                                  0540/0360 LEN=0060 INSTALLED UNKN
```

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| LEFT | | RIGHT |
|---|---|---|
| 1 0 00063 0 01 0527+76 125226 FT | | 125287 FT |
| GRIFFITH DR | | |
| (T741) 0540/0000 | == | S 0540/0000 LENGTH(AH 1982 BK 2775) |
| | | 036 "DIA CIRC CONCR |
| | ---- | 0530/2270 LEN=0054 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | ---- | 0530/1045 LEN=0030 INSTALLED UNKN |
| | | 0530/0405 BMSEN 32/0119/0530/0390 |
| | | 1 0 00063 0 01 0504+06 |
| | | TRIB TO PINE RUN |
| | | 0530/0390 BMSBG 32/0119/0530/0390 |
| 1 0 00063 0 01 0498+59 122451 FT | | 122512 FT |
| PLUMVILLE RD | | |
| (SR0085 SEG 0160/2241) 0530/0000 | == | S 0530/0000 LENGTH(AH 2775 BK 1510) |
| | | 018 "DIA CIRC CONCR |
| | ---- | 0520/1449 LEN=0100 INSTALLED UNKN |
| WASHINGTON CHURCH RD | | |
| (SR4012 SEG 0050/3498) 0520/1376 | == | |
| | | 018 "DIA CIRC CONCR |
| | ---- | 0520/1349 LEN=0100 INSTALLED UNKN |
| MCELHOES RD | | |
| (T761) 0520/0703 | == | |
| | | 0520/0401 BMSEN 32/0119/0520/0000 |
| 120941 FT | | 121002 FT 1 0 00063 0 01 0489+66 |
| | | VILLAGE: HOME |
| | | PINE RUN |
| | | BMSBG 32/0119/0520/0000 |
| | | S 0520/0000 LENGTH(AH 1510 BK 1998) |
| | | PRIVATE DR |
| | == | 0510/1885 (PRDR) |
| 118943 FT | | 119004 FT 1 0 00063 0 01 0464+75 |
| | | WASHINGTON RD |
| | | (T493) |
| | == | S 0510/0000 LENGTH(AH 1998 BK 3544) |
| | | 024 "DIA CIRC CONCR |
| | ---- | 0500/3470 LEN=0045 INSTALLED UNKN |
| | | 012 "DIA CIRC CONCR |
| | ---- | 0500/3112 LEN=0045 INSTALLED UNKN |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0500/2170 | LEN=0042 INSTALLED UNKN |
| | | | TANOMA RD |
| | | 0500/2068 | (TB90) |
| | | 0500/1150 | BMSEN 32/0119/0500/1099 |
| | | | 1 0 00063 0 01 0440+47 |
| | | | PINE RUN |
| | | 0500/1110 | BMSBG 32/0119/0500/1099 |
| CHAMBERSVILLE RD | | | |
| (SR4008 SEG 0090/2727) | 0500/0906 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0500/0629 | LEN=0042 INSTALLED UNKN |
| | | 0500/0071 | BMSEN 32/0119/0500/0000 |
| | 115399 FT | 115460 FT | 1 0 00063 0 01 0429+31 |
| | | | VILLAGE: GAIBLETON |
| | | | CROOKED CREEK |
| | | | BMSBG 32/0119/0500/0000 |
| | | S 0500/0000 | LENGTH(AH 3544 BK 3334) |
| | | | 015 "DIA CIRC CONCR |
| | | 0490/2681 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0490/2431 | LEN=0055 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0490/1573 | LEN=0070 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0490/1152 | LEN=0050 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0490/0320 | LEN=0045 INSTALLED UNKN |
| | 112065 FT | 112126 FT | 1 0 00063 0 01 0396+96 |
| | | S 0490/0000 | LENGTH(AH 3334 BK 2249) |
| | | | 012 "DIA CIRC CONCR |
| | | 0480/1839 | LEN=0064 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0480/1497 | LEN=0061 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0480/0914 | LEN=0048 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0480/0315 | LEN=0050 INSTALLED UNKN |
| | 109816 FT | 109877 FT | 1 0 00063 0 01 0376+75 |
| | | | CRAIG RD |
| | | | (T491) |
| | | S 0480/0000 | LENGTH(AH 2249 BK 3357) |
| | | | 036"H 00"W MULT CONCR |
| | | 0470/3190 | LEN=0062 INSTALLED UNKN |
| | | | TRIB. TO CROOKED CREEK |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

```
                                                                STRUCTURE LENGTH   12 FT
                                                   0470/3158    BMSID 32/0119/0470/3158
                                                                015 "DIA CIRC CONCR
                                                   0470/2975    LEN=0068 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                   0470/2602    LEN=0055 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                   0470/2272    LEN=0054 INSTALLED UNKN
                                                                012 "DIA CIRC CONCR
                                                   0470/1919    LEN=0050 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                   0470/1660    LEN=0045 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                   0470/1310    LEN=0045 INSTALLED UNKN
                                                                015 "DIA CIRC CONCR
                                                   0470/0817    LEN=0045 INSTALLED UNKN
RAYNE ELEMENTARY SCHOOL
(GOVT)                    0470/0574
                                                                036 "DIA CIRC CONCR
                                                   0470/0516    LEN=0070 INSTALLED UNKN
                                                                015 "DIA CIRC CONCR
                                                   0470/0271    LEN=0066 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                   0470/0106    LEN=0156 INSTALLED UNKN
1 0 00063 0 01 0339+40 106459 FT                   106520 FT
KIMMEL RD
(SR4010 SEG 0040/3221)    0470/0000              S 0470/0000    LENGTH(AH 3357 BK 1976)
                                                                015 "DIA CIRC CONCR
                                                   0460/1510    LEN=0045 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                   0460/1112    LEN=0040 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                   0460/0728    LEN=0040 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                   0460/0348    LEN=0075 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                   0460/0017    LEN=0115 INSTALLED UNKN
1 0 00063 0 01 0314+20 104483 FT                   104544 FT
GROVE CHAPEL RD
(T840)                    0460/0000              S 0460/0000    LENGTH(AH 1976 BK 2177)
                                                                (APRA) MUSSER NURSERY R
                                                                MUSSER RD
                                                   0450/1828    (T612)
                                                                015 "DIA CIRC CONCR
                                                   0450/1810    LEN=0036 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                   0450/1340    LEN=0060 INSTALLED UNKN
                                                                015 "DIA CIRC CONCR
                                                   0450/0855    LEN=0045 INSTALLED UNKN
```

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | | | |
|---|---|---|---|---|
| | 102306 FT | | 102367 FT | 1 0 00063 0 01 0291+00 |
| | | | | PARK RD |
| | | | | (T487) |
| | | | 0450/0000 | LENGTH(AH 2177 BK 2464) |
| | | | | 015 "DIA CIRC METAL |
| | | | 0440/2330 | LEN=0055 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0440/1800 | LEN=0060 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0440/1600 | LEN=0060 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0440/1115 | LEN=0050 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0440/0890 | LEN=0075 INSTALLED UNKN |
| | 099842 FT | | 099903 FT | 1 0 00063 0 01 0268+40 |
| | | | | DEGAETANO RD |
| | | | | (T614) |
| | | | 0440/0000 | LENGTH(AH 2464 BK 2857) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0430/2853 | LEN=0054 INSTALLED UNKN |
| FORCE TRUCKING RD (PRDR) | 0430/2802 | POI | 0430/2802 | (APRA) FORCE TRUCKING R |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0430/2550 | LEN=0045 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0430/2231 | LEN=0042 INSTALLED UNKN |
| | | | | MARCOLINE RD |
| | | | 0430/1418 | (T701) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0430/1391 | LEN=0045 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0430/1175 | LEN=0060 INSTALLED UNKN |
| WOLFE RD (T585) | 0430/1159 | | | |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0430/0935 | LEN=0084 INSTALLED 1997 |
| | | | | 030 "DIA CIRC METAL |
| | | | 0430/0682 | LEN=0075 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0430/0655 | LEN=0055 INSTALLED UNKN |
| | 096985 FT | | 097046 FT | 1 0 00063 0 01 0241+32 |
| | | | 0430/0000 | LENGTH(AH 2857 BK 3242) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0420/2784 | LEN=0035 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0420/2277 | LEN=0030 INSTALLED UNKN |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T



| | | |
|---|---|---|
| | | 018 "DIA CIRC CONCR |
| | 0420/1280 | LEN=0055 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0420/0983 | LEN=0070 INSTALLED UNKN |
| | | SLEEPY HOLLOW RD |
| | 0420/0942 | (SR1010 SEG 0010/0000) |
| | | RAYNE |
| | 0420/0372 | WHITE T |
| | | RAMP J RD |
| | 0420/0283 | (SR8005 SEG 0750/1987) |
| | | 018 "DIA CIRC CONCR |
| | 0420/0206 | LEN=0055 INSTALLED UNKN |
| | | NC SR 0119 SH |
| | | MCKEE RUN |
| | | STRUCTURE LENGTH 21 FT |
| | 0420/0045 | BMSID 32/0119/0420/0045 |
| 093743 FT | 093804 FT | 1 0 00063 0 01 0210+83 |
| | | MFC BEGIN = B |
| | 0420/0000 | LENGTH(AH 3242 BK 2573) |
| | | 018 "DIA CIRC CONCR |
| | 0400/2518 | LEN=0164 INSTALLED UNKN |
| | | 030 "DIA CIRC CONCR |
| | 0400/2500 | LEN=0185 INSTALLED UNKN |
| SIGN: 4 CHORD TRUSS | | |
| BMSID 32/0119/0401/2262 | 0401/2275 | |
| 018 "DIA CIRC CONCR | | |
| LEN=0152 INSTALLED UNKN | 0401/2126 | |
| RAMP K RD | | |
| (SR8005 SEG 0500/0000) | 0401/1923 | |
| 018 "DIA CIRC CONCR | | |
| LEN=0160 INSTALLED UNKN | 0401/1809 | |
| 018 "DIA CIRC CONCR | | |
| LEN=0040 INSTALLED 2016 | 0401/1481 | |
| | | RAMP I RD |
| | 0400/1952 | (SR8005 SEG 0760/0000) |
| | | 018 "DIA CIRC CONCR |
| | 0400/1521 | LEN=0045 INSTALLED UNKN |
| BMSEN 32/0119/0401/1323 | 0401/1424 | 0400/1473 BMSEN 32/0119/0400/1372 |
| 1 0 01113 0 00 1103+30 | | 1 0 01113 0 00 1103+69 |
| SR0110 EB | | SR0110 EB |
| BMSBG 32/0119/0401/1323 | 0401/1323 | 0400/1372 BMSBG 32/0119/0400/1372 |
| | | SIGN: 4 CHORD TRUSS |
| | | 0400/1262 BMSID 32/0119/0400/1262 |
| | | 048 "DIA CIRC METAL |
| | | 0400/1011 LEN=0170 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | | 0400/0969 LEN=0096 INSTALLED 2016 |
| RAMP L RD | | |
| (SR8005 SEG 0250/0695) | 0401/0890 | |
| | | 018 "DIA CIRC METAL |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: WHITE T RIGHT MUN: WHITE T

018 "DIA CIRC CONCR
LEN=0135 INSTALLED UNKN 0401/0264
1 0 01113 0 00 1091+56 091192 FT
LENGTH(AH 2551 BK 2952) 0401/0000

018 "DIA CIRC CONCR
LEN=0112 INSTALLED UNKN 0391/2855

018 "DIA CIRC CONCR
LEN=0096 INSTALLED UNKN 0391/2127

018 "DIA CIRC CONCR
LEN=0096 INSTALLED UNKN 0391/1783

018 "DIA CIRC CONCR
LEN=0096 INSTALLED UNKN 0391/1481

018 "DIA CIRC CONCR
LEN=0096 INSTALLED UNKN 0391/1160

036 "DIA CIRC CONCR
LEN=0140 INSTALLED UNKN 0391/0824

018 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0391/0610

018 "DIA CIRC CONCR
LEN=0068 INSTALLED UNKN 0391/0198
BMSEN 32/0119/0391/0000 0391/0178
1 0 01113 0 00 1060+50 088240 FT
SR1003
BMSBG 32/0119/0391/0000
LENGTH(AH 2952 BK 3533) 0391/0000
018 "DIA CIRC METAL
LEN=0069 INSTALLED UNKN 0381/3373
072"H 72"W CON BOX CUL
LEN=0165 INSTALLED UNKN 0381/3155
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0381/3070

0400/0617 LEN=0096 INSTALLED 2016

091231 FT 1 0 01113 0 00 1091+42
0400/0000 LENGTH(AH 2573 BK 3099)
018 "DIA CIRC CONCR
0390/3005 LEN=0096 INSTALLED UNKN

018 "DIA CIRC CONCR
0390/2301 LEN=0096 INSTALLED UNKN

018 "DIA CIRC CONCR
0390/1953 LEN=0096 INSTALLED UNKN

018 "DIA CIRC CONCR
0390/1649 LEN=0096 INSTALLED UNKN

018 "DIA CIRC CONCR
0390/1327 LEN=0096 INSTALLED UNKN

036 "DIA CIRC CONCR
0390/1090 LEN=0145 INSTALLED UNKN

018 "DIA CIRC CONCR
0390/0804 LEN=0096 INSTALLED UNKN

030 "DIA CIRC CONCR
0390/0281 LEN=0050 INSTALLED UNKN

0390/0208 BMSEN 32/0119/0390/0000
088132 FT 1 0 01113 0 00 1059+04
SR1003
BMSBG 32/0119/0390/0000
0390/0000 LENGTH(AH 3099 BK 3189)

072"H 72"W CON BOX CUL
0380/2955 LEN=0160 INSTALLED UNKN

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: WHITE T RIGHT MUN: WHITE T

```
018 "DIA CIRC CONCR
LEN=0134 INSTALLED UNKN 0381/2746
018 "DIA CIRC CONCR
LEN=0128 INSTALLED UNKN 0381/2433
                                                  018 "DIA CIRC CONCR
                                          0380/2236 LEN=0096 INSTALLED UNKN
030 "DIA CIRC CONCR
LEN=0110 INSTALLED UNKN 0381/1977
                                                  018 "DIA CIRC CONCR
                                          0380/1779 LEN=0096 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0096 INSTALLED UNKN 0381/1589
                                                  018 "DIA CIRC CONCR
                                          0380/1414 LEN=0096 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0096 INSTALLED UNKN 0381/1251
                                                  018 "DIA CIRC CONCR
                                          0380/1078 LEN=0096 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0096 INSTALLED UNKN 0381/0903
                                                  018 "DIA CIRC CONCR
                                          0380/0730 LEN=0096 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0096 INSTALLED UNKN 0381/0555
                                                  024 "DIA CIRC CONCR
                                          0380/0375 LEN=0096 INSTALLED UNKN
1 0 01113 0 00 1025+29 084707 FT          084943 FT 1 0 01113 0 00 1027+16
LENGTH(AH 3533 BK 3062) 0381/0000 S       S 0380/0000 LENGTH(AH 3189 BK 3107)
018 "DIA CIRC CONCR
LEN=0088 INSTALLED UNKN 0371/2482
                                                  042 "DIA CIRC METAL
                                          0370/2224 LEN=0220 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
042 "DIA CIRC METAL                       0370/1990 LEN=0092 INSTALLED UNKN
LEN=0235 INSTALLED UNKN 0371/1963
018 "DIA CIRC CONCR
LEN=0152 INSTALLED UNKN 0371/1780
018 "DIA CIRC CONCR
LEN=0096 INSTALLED UNKN 0371/1447
                                                  018 "DIA CIRC CONCR
                                          0370/1311 LEN=0096 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                          0370/0944 LEN=0116 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                          0370/0593 LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0120 INSTALLED UNKN 0371/0354
BMSEN 32/0119/0371/0000 0371/0232         0370/0258 BMSEN 32/0119/0370/0000
1 0 01113 0 00 0997+10 081645 FT          081836 FT 1 0 01113 0 00 0996+05
```

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| SR0286 | | | SR0286 |
| BMSBG 32/0119/0371/0000 | | | BMSBG 32/0119/0370/0000 |
| LENGTH(AH 3062 BK 1785) 0371/0000 | | 0370/0000 | LENGTH(AH 3107 BK 1874) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0056 INSTALLED UNKN 0361/1762 | | | 018 "DIA CIRC CONCR |
| | | 0360/1849 | LEN=0052 INSTALLED UNKN |
| TR RAMSEY RN | | | TR RAMSEY RN |
| STRUCTURE LENGTH 13 FT | | | STRUCTURE LENGTH 13 FT |
| BMSID 32/0119/0360/1621 0361/1492 | | 0360/1670 | BMSID 32/0119/0360/1621 |
| 024 "DIA CIRC CONCR | | | |
| LEN=0146 INSTALLED UNKN 0361/1471 | | | 024 "DIA CIRC CONCR |
| | | 0360/1393 | LEN=0098 INSTALLED UNKN |
| 030 "DIA CIRC CONCR | | | |
| LEN=0140 INSTALLED UNKN 0361/1347 | | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0094 INSTALLED UNKN 0361/1029 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0360/0979 | LEN=0094 INSTALLED UNKN |
| EMERGENCY CROSSOVER RD | | | EMERGENCY CROSSOVER RD |
| (CONN) 0361/0546 | | 0360/0519 | (CONN) |
| 030 "DIA CIRC CONCR | | | |
| LEN=0110 INSTALLED UNKN 0361/0482 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0360/0443 | LEN=0094 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0096 INSTALLED UNKN 0361/0144 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0360/0105 | LEN=0104 INSTALLED UNKN |
| 1 0 01113 0 00 0976+96 079860 FT | | 079962 FT | 1 0 01113 0 00 0977+37 |
| SR 1006 | | | SR 1006 |
| OP ID 32/1006/0010/1290 | | | OP ID 32/1006/0010/1290 |
| LENGTH(AH 1785 BK 2323) 0361/0000 | | 0360/0000 | LENGTH(AH 1874 BK 2338) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0096 INSTALLED UNKN 0351/2129 | | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0096 INSTALLED UNKN 0351/1794 | | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0096 INSTALLED UNKN 0351/1466 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0350/2139 | LEN=0104 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0164 INSTALLED UNKN 0351/1153 | | | |
| 048 "DIA CIRC METAL | | | |
| LEN=0220 INSTALLED UNKN 0351/0929 | | | |
| RAMP C RD | | | RAMP B RD |
| (SR8003 SEG 0500/0000) 0351/0686 | | 0350/1612 | (SR8003 SEG 0750/2324) |
| | | | RAMP A RD |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | | 0350/0634 | (SR8003 SEG 0760/0000) |
| 1 0 01113 0 00 0953+84 077537 FT | | 077624 FT | 1 0 01113 0 00 0954+12 |
| SR1004 EB | | | SR1004 EB |
| OP ID 32/1004/0020/0779 | | | OP ID 32/1004/0020/0779 |
| LENGTH(AH 2323 BK 1655) | 0351/0000 | 0350/0000 | LENGTH(AH 2338 BK 1822) |
| | | | 018 "DIA CIRC CONCR |
| | | 0340/1766 | LEN=0102 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0340/1363 | LEN=0098 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0094 INSTALLED UNKN | 0341/1209 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0340/1000 | LEN=0075 INSTALLED UNKN |
| RAMP D RD | | | |
| (SR8003 SEG 0250/1065) | 0341/0970 | | |
| 024 "DIA CIRC CONCR | | | |
| LEN=0120 INSTALLED UNKN | 0341/0825 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0340/0645 | LEN=0096 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0104 INSTALLED UNKN | 0341/0470 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0340/0284 | LEN=0096 INSTALLED UNKN |
| | | | RAMSEY RUN |
| | | | STRUCTURE LENGTH 21 FT |
| | | 0340/0040 | BMSID 32/0119/0340/0000 |
| 1 0 01113 0 00 0936+94 075882 FT | | 075802 FT | 1 0 01113 0 00 0935+88 |
| LENGTH(AH 1655 BK 2651) | 0341/0000 | 0340/0000 | LENGTH(AH 1822 BK 2598) |
| RAMSEY RUN | | | |
| STRUCTURE LENGTH 21 FT | | | |
| BMSID 32/0119/0340/0000 | 0331/2553 | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0092 INSTALLED UNKN | 0331/2414 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/2146 | LEN=0098 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0330/1800 | LEN=0048 INSTALLED UNKN |
| 036 "DIA CIRC CONCR | | | |
| LEN=0136 INSTALLED UNKN | 0331/1695 | | |
| | | | 036 "DIA CIRC CONCR |
| | | 0330/1702 | LEN=0124 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/1481 | LEN=0094 INSTALLED UNKN |
| 018 "DIA CIR PLASTIC | | | |
| LEN=0040 INSTALLED UNKN | 0331/1074 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/1085 | LEN=0040 INSTALLED UNKN |
| BMSEN 32/0119/0331/0885 | 0331/0988 | 0330/1058 | BMSEN 32/0119/0330/0935 |
| 1 0 01113 0 00 0919+55 | | | 1 0 01113 0 00 0919+30 |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| SR 1002 | | | SR 1002 |
| BMSBG 32/0119/0331/0885 0331/0885 | | 0330/0935 | BMSBG 32/0119/0330/0935 |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/0878 | LEN=0092 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/0595 | LEN=0095 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0096 INSTALLED UNKN 0331/0529 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0330/0200 | LEN=0075 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0096 INSTALLED UNKN 0331/0151 | | | |
| 1 0 01113 0 00 0910+94 073231 FT | | 073204 FT | 1 0 01113 0 00 0909+71 |
| LENGTH(AH 2651 BK 2848) 0331/0000 S | | S 0330/0000 | LENGTH(AH 2598 BK 2865) |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/2685 | LEN=0075 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0094 INSTALLED UNKN 0321/2627 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/2288 | LEN=0075 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0096 INSTALLED UNKN 0321/2225 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/1820 | LEN=0128 INSTALLED UNKN |
| 048 "DIA CIRC METAL | | | |
| LEN=0210 INSTALLED UNKN 0321/1453 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/1455 | LEN=0097 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/1110 | LEN=0100 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0092 INSTALLED UNKN 0321/0734 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/0760 | LEN=0174 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/0213 | LEN=0098 INSTALLED UNKN |
| DRAINAGE | | | DRAINAGE |
| STRUCTURE LENGTH 26 FT | | | STRUCTURE LENGTH 26 FT |
| BMSID 32/0119/0320/0177 0321/0129 | | 0320/0177 | BMSID 32/0119/0320/0177 |
| 1 0 01113 0 00 0882+46 070383 FT | | 070339 FT | 1 0 01113 0 00 0881+06 |
| LENGTH(AH 2848 BK 3585) 0321/0000 S | | S 0320/0000 | LENGTH(AH 2865 BK 3627) |
| 036 "DIA CIRC METAL | | | |
| LEN=0184 INSTALLED UNKN 0311/3413 | | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0310/3458 | LEN=0075 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0125 INSTALLED UNKN 0311/3043 | | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0096 INSTALLED UNKN 0311/2712 | | | |
| | | | 018 "DIA CIRC CONCR |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: WHITE T RIGHT MUN: WHITE T

018 "DIA CIRC CONCR
LEN=0096 INSTALLED UNKN 0311/2362

024 "DIA CIRC CONCR
LEN=0097 INSTALLED UNKN 0311/2002

018 "DIA CIRC CONCR
LEN=0142 INSTALLED UNKN 0311/1644

EMERGENCY CROSSOVER RD
(CONN) 0311/0844

1 0 01113 0 00 0846+50 066798 FT
TR TWO LICK CR
STRUCTURE LENGTH 11 FT
BMSID 32/0119/0310/0000
LENGTH(AH 3585 BK 3439) 0311/0000

018 "DIA CIRC CONCR
LEN=0092 INSTALLED UNKN 0301/3344

018 "DIA CIRC CONCR
LEN=0098 INSTALLED UNKN 0301/2621

018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0301/2229

018 "DIA CIRC CONCR
LEN=0098 INSTALLED UNKN 0301/1851

018 "DIA CIRC CONCR
LEN=0098 INSTALLED UNKN 0301/1466

018 "DIA CIRC CONCR
LEN=0098 INSTALLED UNKN 0301/1081

0310/2759 LEN=0075 INSTALLED UNKN

018 "DIA CIRC CONCR
0310/2406 LEN=0075 INSTALLED UNKN

018 "DIA CIRC CONCR
0310/2057 LEN=0075 INSTALLED UNKN

018 "DIA CIRC CONCR
0310/1329 LEN=0110 INSTALLED UNKN

018 "DIA CIRC CONCR
0310/0969 LEN=0102 INSTALLED UNKN

EMERGENCY CROSSOVER RD
0310/0913 (CONN)

018 "DIA CIRC CONCR
0310/0617 LEN=0092 INSTALLED UNKN

018 "DIA CIRC CONCR
0310/0272 LEN=0075 INSTALLED UNKN

066712 FT 1 0 01113 0 00 0845+16
TR TWO LICK CR
STRUCTURE LENGTH 11 FT
BMSID 32/0119/0310/0000
0310/0000 LENGTH(AH 3627 BK 3516)

018 "DIA CIRC CONCR
0300/3135 LEN=0136 INSTALLED UNKN

018 "DIA CIRC CONCR
0300/2738 LEN=0075 INSTALLED UNKN

018 "DIA CIRC CONCR
0300/2367 LEN=0075 INSTALLED UNKN

018 "DIA CIRC CONCR
0300/1996 LEN=0075 INSTALLED UNKN

018 "DIA CIRC CONCR
0300/1625 LEN=0075 INSTALLED UNKN

018 "DIA CIRC CONCR
0300/1235 LEN=0060 INSTALLED UNKN

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: WHITE T RIGHT MUN: WHITE T

```
                                                                  030 "DIA CIRC CONCR
                                                 0300/0876 LEN=0060 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                 0300/0325 LEN=0156 INSTALLED UNKN
BMSEN 32/0119/0301/0000 0301/0180                0300/0202 BMSEN 32/0119/0300/0000
1 0 01113 0 00 0812+06 063359 FT                 063196 FT 1 0 01113 0 00 0811+15
SR0954                                                            SR0954
BMSBG 32/0119/0301/0000                                           BMSBG 32/0119/0300/0000
LENGTH(AH 3439 BK 2955) 0301/0000                S 0300/0000 LENGTH(AH 3516 BK 2730)
LEN=0070 INSTALLED UNKN 0291/2955
                                                                  018 "DIA CIRC CONCR
                                                 0290/2715 LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0096 INSTALLED UNKN 0291/2519
                                                                  018 "DIA CIRC CONCR
                                                 0290/2438 LEN=0096 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0098 INSTALLED UNKN 0291/2167
                                                                  018 "DIA CIRC CONCR
                                                 0290/2087 LEN=0060 INSTALLED UNKN
                                                                  024 "DIA CIRC CONCR
                                                 0290/1738 LEN=0060 INSTALLED UNKN
                                                                  018 "DIA CIRC METAL
                                                 0290/1370 LEN=0086 INSTALLED UNKN
030 "DIA CIRC METAL
LEN=0178 INSTALLED UNKN 0291/1361
                                                                  030 "DIA CIRC METAL
                                                 0290/1249 LEN=0170 INSTALLED UNKN
                                                                  018 "DIA CIRC METAL
                                                 0290/0997 LEN=0118 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0076 INSTALLED UNKN 0291/0725
                                                                  018 "DIA CIRC CONCR
                                                 0290/0642 LEN=0084 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0086 INSTALLED UNKN 0291/0371
                                                                  018 "DIA CIRC CONCR
                                                 0290/0298 LEN=0078 INSTALLED UNKN
1 0 01113 0 00 0782+40 060404 FT
018 "DIA CIRC CONCR
LEN=0095 INSTALLED UNKN                          060466 FT 1 0 01113 0 00 0783+51
LENGTH(AH 2955 BK 2618) 0291/0000                S 0290/0000 LENGTH(AH 2730 BK 2642)
                                                                  018 "DIA CIRC CONCR
                                                 0280/2573 LEN=0076 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0076 INSTALLED UNKN 0281/2275
                                                                  018 "DIA CIRC CONCR
                                                 0280/2220 LEN=0082 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0078 INSTALLED UNKN 0281/1930
```

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| LEFT | | RIGHT | |
|---|---|---|---|
| | | 018 "DIA CIRC CONCR | |
| | | 0280/1885 | LEN=0090 INSTALLED UNKN |
| 060 "DIA CIRC METAL | | | |
| LEN=0220 INSTALLED UNKN | 0281/1610 | | |
| SIGN: 4 CHORD TRUSS | | | |
| BMSID 32/0119/0281/1497 | 0281/1487 | | |
| | | 060 "DIA CIRC METAL | |
| | | 0280/1506 | LEN=0190 INSTALLED UNKN |
| RAMP A RD | | RAMP C RD | |
| (SR8007 SEG 0500/0000) | 0281/1236 | 0280/1396 | (SR8007 SEG 0750/1382) |
| | | 018 "DIA CIRC CONCR | |
| | | 0280/1228 | LEN=0200 INSTALLED UNKN |
| | | 006 "DIA CIRC CONCR | |
| | | 0280/0882 | LEN=0050 INSTALLED UNKN |
| 030 "DIA CIRC CONCR | | | |
| LEN=0137 INSTALLED UNKN | 0281/0947 | | |
| RAMP B RD | | RAMP D RD | |
| (SR8007 SEG 0510/1596) | 0281/0732 | 0280/0500 | (SR8007 SEG 0760/0000) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0099 INSTALLED UNKN | 0281/0566 | | |
| BMSEN 32/0119/0281/0000 | 0281/0261 | 0280/0263 | BMSEN 32/0119/0280/0000 |
| 1 0 01113 0 00 0756+46 | 057786 FT | 057824 FT | 1 0 01113 0 00 0756+28 |
| SR0422 EB | | SR0422 EB | |
| BMSBG 32/0119/0281/0000 | | BMSBG 32/0119/0280/0000 | |
| LENGTH(AH 2618 BK 1596) | 0281/0000 S | S 0280/0000 | LENGTH(AH 2642 BK 1435) |
| | | 018 "DIA CIRC CONCR | |
| | | 0270/1396 | LEN=0083 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0050 INSTALLED UNKN | 0271/1545 | | |
| SIGN: 3 CHORD TRUSS | | SIGN: CANTILEVER | |
| BMSID 32/0119/0271/1519 | 0271/1536 | 0270/1371 | BMSID 32/0119/0270/1371 |
| | | 018 "DIA CIRC CONCR | |
| | | 0270/1042 | LEN=0150 INSTALLED UNKN |
| RAMP H RD | | RAMP F RD | |
| (SR8007 SEG 0260/0000) | 0271/1241 | 0270/0844 | (SR8007 SEG 0020/1581) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0096 INSTALLED UNKN | 0271/0865 | | |
| RAMP G RD | | RAMP E RD | |
| (SR8007 SEG 0250/1437) | 0271/0566 | 0270/0331 | (SR8007 SEG 0010/0000) |
| 1 0 01113 0 00 0740+67 | 056190 FT | 056389 FT | 1 0 01113 0 00 0742+11 |
| LENGTH(AH 1596 BK 2053) | 0271/0000 S | S 0270/0000 | LENGTH(AH 1435 BK 2367) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0086 INSTALLED UNKN | 0261/1981 | | |
| SIGN: 3 CHORD TRUSS | | SIGN: 4 CHORD TRUSS | |
| BMSID 32/0119/0261/1742 | 0261/1729 | 0260/2276 | BMSID 32/0119/0260/2276 |
| | | 018 "DIA CIRC CONCR | |
| | | 0260/2101 | LEN=0110 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR | |
| | | 0260/1803 | LEN=0074 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: WHITE T RIGHT MUN: WHITE T

```
LEN=0090 INSTALLED UNKN 0261/1683
RAMP L RD
(SR8001 SEG 0500/0000)  0261/1433
                                                  018 "DIA CIRC CONCR
                                          0260/1455 LEN=0074 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0082 INSTALLED UNKN 0261/1056
                                                  018 "DIA CIRC CONCR
                                          0260/1162 LEN=0092 INSTALLED UNKN
BMSEN 32/0119/0261/0813 0261/0985         0260/1101 BMSEN 32/0119/0260/0928
1 0 01113 0 00 0728+10                              0 0 00000 0 00 0000+00
SR8001                                              SR 8001
BMSBG 32/0119/0261/0813 0261/0813         0260/0928 BMSBG 32/0119/0260/0928
018 "DIA CIRC CONCR
LEN=0193 INSTALLED UNKN 0261/0516
                                                  018 "DIA CIRC CONCR
                                          0260/0357 LEN=0098 INSTALLED UNKN
                                                  RAMP K RD
                                          0260/0259 (SR8001 SEG 0020/2434)
                                          054022 FT 1 0 01113 0 00 0718+55
                                                  018 "DIA CIRC CONCR
                                                  LEN=0034 INSTALLED UNKN
                                              NC INDIANA BP
1 0 01113 0 00 0720+13 054137 FT                  WHITE
     NC INDIANA BP                                CENTER T
LENGTH(AH 2053 BK 1896) 0261/0000         0260/0000 LENGTH(AH 2367 BK 1755)

RAMP TO WAYNE AV                                  RAMP J RD
(SR8001 SEG 0250/1800)  0251/1716         0250/0901 (SR8001 SEG 0010/0000)
018 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 0251/1389
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0251/1000
                                                  018 "DIA CIRC CONCR
                                          0250/0728 LEN=0104 INSTALLED UNKN
                                                   SIGN: 3 CHORD TRUSS
                                          0250/0620 BMSID 32/0119/0250/0620
                                                  018 "DIA CIRC CONCR
                                          0250/0471 LEN=0088 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                          0250/0176 LEN=0078 INSTALLED UNKN
BMSEN 32/0119/0250/0000 0251/0045         0250/0045 BMSEN 32/0119/0250/0000
1 0 01113 0 00 0693+96 052241 FT
STONEY RUN
BMSBG 32/0119/0250/0000                   052267 FT 1 0 01113 0 00 0693+96
WHITE                                               STONEY RUN
CENTER T                                            BMSBG 32/0119/0250/0000
LENGTH(AH 1896 BK 1769) 0251/0000         0250/0000 LENGTH(AH 1755 BK 1770)
                                                  018 "DIA CIRC CONCR
                                          0230/1600 LEN=0085 INSTALLED UNKN
```

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| LEFT | | RIGHT | |
|---|---|---|---|
| | | 0230/1220 | 018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN |
| 018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN | 0231/1140 | | |
| | | 0230/0920 | 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN | 0231/0850 | | |
| 018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN | 0231/0575 | | |
| 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN | 0231/0360 | | |
| 015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN | 0231/0048 | | |
| 1 0 00068 0 02 0683+14 050472 FT | | 050497 FT | 1 0 00068 0 02 0683+14 |
| CSX RAIL TRANSPORTATION | | | CSX RAIL TRANSPORTATION |
| OVERPASS IS RR X-ING | | | OVERPASS IS RR X-ING |
| LENGTH(AH 1769 BK 2349) | 0231/0000 | 0230/0000 | LENGTH(AH 1770 BK 2309) |
| BMSEN 32/0119/0220/1802 | 0221/1968 | 0220/1947 | BMSEN 32/0119/0220/1802 |
| 1 0 00068 0 02 0677+89 | | | 1 0 00068 0 02 0677+89 |
| TWO LICK CREEK | | | TWO LICK CREEK |
| BMSBG 32/0119/0220/1802 | 0221/1823 | 0220/1802 | BMSBG 32/0119/0220/1802 |
| 018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN | 0221/1464 | | |
| | | 0220/1433 | 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN |
| 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN | 0221/1002 | | |
| (APRA) I. A. CONSTRUCTI | | | |
| I. A. CONSTRUCTION DR (PRDR) | 0221/0750 | | |
| 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN | 0221/0594 | | |
| | | 0220/0260 | 024 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN |
| 024 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN | 0221/0240 | | |
| 1 0 00068 0 02 0659+84 048123 FT | | 048188 FT | 1 0 00068 0 02 0660+13 |
| LENGTH(AH 2349 BK 2438) | 0221/0000 | 0220/0000 | LENGTH(AH 2309 BK 2413) |
| 018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN | 0211/2153 | | |
| | | 0210/2126 | 018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN |
| 024 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN | 0211/1799 | | |
| | | 0210/1776 | 018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN |
| | | 0210/1381 | 015 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |

POI

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| | | 0210/1028 | LEN=0070 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0100 INSTALLED UNKN | 0211/0627 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0210/0595 | LEN=0050 INSTALLED UNKN |
| 036 "DIA CIRC METAL<br>LEN=0040 INSTALLED 2016<br>1 0 00068 0 02 0636+58 045685 FT | 0211/0081 | 0210/0081<br>045775 FT | 036 "DIA CIRC METAL<br>LEN=0040 INSTALLED 2016<br>1 0 00068 0 02 0636+54 |
| LUCERNE RD ET<br>(SR2023 SEG 0010/0000)<br>LUCERNE RD<br>(SR2023 SEG 0010/0000) | | | LUCERNE RD ET<br>(SR2023 SEG 0010/0000)<br>LUCERNE RD<br>(SR2023 SEG 0010/0000) |
| LENGTH(AH 2438 BK 1908) | 0211/0000 | 0210/0000 | LENGTH(AH 2413 BK 1941)<br>024"H 72"W CON BOX CUL |
| | | 0200/1940 | LEN=0001 INSTALLED UNKN |
| LOCKARD AV<br>(T432) | 0201/1587 | | |
| | | | 018 "DIA CIRC METAL |
| | | 0200/1554 | LEN=0098 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0035 INSTALLED UNKN | 0201/1481 | | |
| 018 "DIA CIRC CONCR<br>LEN=0045 INSTALLED UNKN | 0201/1224 | | |
| SHORT ST<br>(T980) | 0201/1204 | | |
| 018 "DIA CIRC CONCR<br>LEN=0035 INSTALLED UNKN | 0201/1077 | | |
| GROVER ST<br>(T431) | 0201/1039 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0200/0758 | LEN=0040 INSTALLED UNKN |
| GREENVILLE RD<br>(T841) | 0201/0730 | | |
| 018 "DIA CIRC CONCR<br>LEN=0040 INSTALLED UNKN | 0201/0700 | | |
| 018 "DIA CIRC CONCR<br>LEN=0040 INSTALLED UNKN | 0201/0607 | | |
| 018 "DIA CIRC CONCR<br>LEN=0055 INSTALLED UNKN | 0201/0412 | | |
| 018 "DIA CIRC CONCR<br>LEN=0041 INSTALLED 2018 | 0201/0373 | | |
| BMSEN 32/0119/0200/0000<br>1 0 00068 0 02 0617+19 043777 FT | 0201/0193 | 0200/0193<br>043834 FT | BMSEN 32/0119/0200/0000<br>1 0 00068 0 02 0617+19 |
| YELLOW CREEK<br>BMSBG 32/0119/0200/0000 | | | YELLOW CREEK<br>BMSBG 32/0119/0200/0000 |
| LENGTH(AH 1908 BK 1731) | 0201/0000 | 0200/0000 | LENGTH(AH 1941 BK 1781) |
| 018 "DIA CIRC CONCR<br>LEN=0045 INSTALLED UNKN | 0191/1650 | | |
| 018 "DIA CIRC CONCR | | | |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| LEN=0045 INSTALLED UNKN | 0191/1357 | | |
| | | 0190/1310 | 018 "DIA CIRC CONCR<br>LEN=0116 INSTALLED 2018 |
| | | 0190/1070 | 018 "DIA CIRC CONCR<br>LEN=0105 INSTALLED 2018 |
| | | 0190/0857 | 018 "DIA CIRC CONCR<br>LEN=0050 INSTALLED UNKN |
| 018 "DIA CIRC METAL<br>LEN=0045 INSTALLED UNKN | 0191/0686 | | |
| 018 "DIA CIRC CONCR<br>LEN=0055 INSTALLED 2018 | 0191/0555 | | |
| CENTER<br>HOMER CITY B | 0191/0543 | 0190/0575 | CENTER<br>HOMER CITY B |
| | | 0190/0317 | 018 "DIA CIRC CONCR<br>LEN=0050 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0035 INSTALLED UNKN<br>1 0 00068 0 02 0598+99 042046 FT | 0191/0297 | | |
| CHURCH ST<br>(BORO)<br>HOMER CITY<br>CENTER T | | 042053 FT | 1 0 00068 0 02 0598+14<br>CHURCH ST<br>(BORO) |
| LENGTH(AH 1731 BK 1951) | 0191/0000 | 0190/0000 | LENGTH(AH 1781 BK 1929)<br>HOMER CITY |
| | | 0180/1735 | CENTER T<br>024 "DIA CIRC CONCR |
| | | 0180/1514 | LEN=0050 INSTALLED UNKN |
| CENTER<br>HOMER CITY B | 0181/0261 | 0180/0261 | CENTER<br>HOMER CITY B |
| TO 3056/0300 SH<br>(CONN) | 0181/0178 | | |
| 1 0 00068 0 02 0570+25 040095 FT<br>RIDGE AV<br>(SR3056 SEG 0300/1434) | | 040124 FT | 1 0 00068 0 02 0570+25<br>RIDGE AV<br>(SR3056 SEG 0300/1434) |
| RIDGE AV<br>(SR0056 SEG 0310/0000)<br>LENGTH(AH 1951 BK 2254) | 0181/0000 | 0180/0000 | RIDGE AV<br>(SR0056 SEG 0310/0000)<br>LENGTH(AH 1929 BK 2245) |
| | | 0162/2107 | TO 0056/0310 SH<br>(CONN) |
| 018 "DIA CIRC CONCR<br>LEN=0040 INSTALLED UNKN | 0163/1560 | | |
| 018 "DIA CIRC CONCR<br>LEN=0040 INSTALLED UNKN | 0163/1470 | | |
| | | 0162/1586 | 018 "DIA CIRC CONCR<br>LEN=0040 INSTALLED 2004<br>018 "DIA CIRC CONCR |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: HOMER CITY B RIGHT MUN: HOMER CITY B

| | | | |
|---|---|---|---|
| | | 0162/1449 | LEN=0040 INSTALLED 2004 |
| HOMER CITY | | | HOMER CITY |
| CENTER T | 0163/0815 | 0162/1121 | CENTER T |
| | | | 030 "DIA CIRC CONCR |
| | | 0162/1060 | LEN=0030 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0162/0722 | LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0040 INSTALLED 2004 | 0163/0525 | 0162/0525 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0162/0322 | LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0040 INSTALLED 2004 | 0163/0315 | | |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0040 INSTALLED 2004 | 0163/0131 | 0162/0131 | LEN=0040 INSTALLED 2004 |
| 0 0 00000 0 00 0000+00 | 037841 FT | 037879 FT | 0 0 00000 0 00 0000+00 |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0040 INSTALLED 2004 | | | LEN=0035 INSTALLED 2004 |
| LENGTH(AH 2254 BK 2455) | 0163/0000 S | S 0162/0000 | LENGTH(AH 2245 BK 2474) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0040 INSTALLED 2004 | 0153/2329 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0152/2329 | LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0040 INSTALLED 2004 | 0153/2172 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0152/2194 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0152/2067 | LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0120 INSTALLED UNKN | 0153/1591 | | |
| TEARING RUN | | | TEARING RUN |
| STRUCTURE LENGTH 22 FT | | | STRUCTURE LENGTH 22 FT |
| BMSID 32/0119/0152/1611 | 0153/1571 | 0152/1611 | BMSID 32/0119/0152/1611 |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0040 INSTALLED UNKN | 0153/1214 | 0152/1214 | LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0040 INSTALLED UNKN | 0153/1008 | | |
| | | | JUGHANDLE I RD |
| | | 0152/0240 | (SR9417 SEG 0010/0411) |
| 0 0 00000 0 00 0000+00 | 035386 FT | 035405 FT | 0 0 00000 0 00 0000+00 |
| JUGHANDLE I RD | | | JUGHANDLE I RD |
| (SR9417 SEG 0010/0000) | | | (SR9417 SEG 0010/0000) |
| LENGTH(AH 2455 BK 2334) | 0153/0000 S | S 0152/0000 | LENGTH(AH 2474 BK 2332) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0040 INSTALLED 2004 | 0143/2231 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0142/2205 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| | | 0142/2033 | LEN=0102 INSTALLED UNKN |
| JUGHANDLE H RD (SR9415 SEG 0010/0449) | 0143/2003 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0142/1854 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0142/1533 | LEN=0035 INSTALLED 2004 |
| OLD ROUTE 119 HW (SR3035 SEG 0010/0000) | 0143/1451 | | OLD ROUTE 119 HW |
| | | 0142/1444 | (SR3035 SEG 0010/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0142/1285 | LEN=0090 INSTALLED 2004 |
| 036 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN | 0143/1268 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0142/1165 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0142/1001 | LEN=0040 INSTALLED UNKN |
| 018 "DIA CIR PLASTIC LEN=0060 INSTALLED UNKN | 0143/0876 | | 018 "DIA CIRC CONCR |
| | | 0142/0876 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0142/0674 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0142/0558 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0142/0427 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0142/0290 | LEN=0040 INSTALLED 2004 |
| 036 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN | 0143/0203 | | 048 "DIA CIRC CONCR |
| | | 0142/0203 | LEN=0060 INSTALLED 2004 |
| | | 033073 FT | 0 0 00000 0 00 0000+00 |
| 0 0 00000 0 00 0000+00 033052 FT | | | 018 "DIA CIRC CONCR |
| LENGTH(AH 2334 BK 2365) | 0143/0000 S | S 0142/0000 | LENGTH(AH 2332 BK 2303) |
| 018 "DIA CIRC CONCR LEN=0040 INSTALLED 2004 | 0133/2144 | | |
| | | | 024 "DIA CIRC CONCR |
| | | 0132/2065 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0132/1903 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0132/1794 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0132/1707 | LEN=0040 INSTALLED 2004 |
| LC FOR HOODLEBUG TR (CONN) | 0133/1655 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0132/1510 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0132/1342 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| LEFT | RIGHT |
|---|---|
| | 0132/1149 LEN=0040 INSTALLED 2004 |
| | 018 "DIA CIRC CONCR |
| | 0132/0992 LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | |
| LEN=0040 INSTALLED 2004 0133/0771 | |
| | 018 "DIA CIRC CONCR |
| | 0132/0714 LEN=0040 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| | 0132/0558 LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | |
| LEN=0040 INSTALLED UNKN 0133/0262 | |
| | 018 "DIA CIRC CONCR |
| | 0132/0197 LEN=0040 INSTALLED 2004 |
| 0 0 00000 0 00 0000+00 030687 FT | |
| 018 "DIA CIRC CONCR | |
| LEN=0040 INSTALLED 2004 | 030770 FT 0 0 00000 0 00 0000+00 |
| LENGTH(AH 2365 BK 2907) 0133/0000 S | S 0132/0000 LENGTH(AH 2303 BK 2978) |
| | 018 "DIA CIRC CONCR |
| | 0122/2922 LEN=0040 INSTALLED 2004 |
| | 018 "DIA CIRC CONCR |
| | 0122/2656 LEN=0035 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | |
| LEN=0004 INSTALLED UNKN 0123/2649 | |
| | 018 "DIA CIRC CONCR |
| | 0122/2413 LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | |
| LEN=0040 INSTALLED UNKN 0123/2400 | |
| 018 "DIA CIRC CONCR | |
| LEN=0040 INSTALLED 2004 0123/2157 | |
| 018 "DIA CIRC CONCR | |
| LEN=0040 INSTALLED 2004 0123/2026 | |
| | 018 "DIA CIRC CONCR |
| | 0122/2026 LEN=0060 INSTALLED 2004 |
| | 018 "DIA CIRC CONCR |
| | 0122/1780 LEN=0060 INSTALLED 2004 |
| | 018 "DIA CIRC CONCR |
| | 0122/1668 LEN=0060 INSTALLED 2004 |
| | 018 "DIA CIRC CONCR |
| | 0122/1567 LEN=0040 INSTALLED 2004 |
| | 018 "DIA CIRC CONCR |
| | 0122/1400 LEN=0060 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | |
| LEN=0040 INSTALLED 2004 0123/1370 | |
| 018 "DIA CIRC CONCR | |
| LEN=0004 INSTALLED UNKN 0123/1088 | |
| 018 "DIA CIRC CONCR | |
| LEN=0040 INSTALLED UNKN 0123/0793 | |
| | 018 "DIA CIRC CONCR |
| | 0122/0520 LEN=0060 INSTALLED 2004 |
| | JUGHANDLE G RD |
| | 0122/0250 (SR9413 SEG 0010/0581) |
| 0 0 00000 0 00 0000+00 027780 FT | 027792 FT 0 0 00000 0 00 0000+00 |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| JUGHANDLE F RD | | | JUGHANDLE F RD |
| (SR9411 SEG 0010/0000) | | | (SR9411 SEG 0010/0000) |
| JUGHANDLE G RD | | | JUGHANDLE G RD |
| (SR9413 SEG 0010/0000) | | | (SR9413 SEG 0010/0000) |
| LENGTH(AH 2907 BK 3282) | 0123/0000 | 0122/0000 | LENGTH(AH 2978 BK 3319) |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0040 INSTALLED 2004 | 0113/3217 | 0112/3217 | LEN=0060 INSTALLED 2004 |
| | | | 018 "DIA CIRC METAL |
| | | 0112/3059 | LEN=0060 INSTALLED 2004 |
| | | | 018 "DIA CIRC METAL |
| | | 0112/2950 | LEN=0050 INSTALLED UNKN |
| JUGHANDLE F RD | | | |
| (SR9411 SEG 0010/0569) | 0113/2942 | | |
| | | | 018 "DIA CIRC METAL |
| | | 0112/2797 | LEN=0060 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0112/2597 | LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0040 INSTALLED 2004 | 0113/2206 | 0112/2206 | LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0030 INSTALLED 2004 | 0113/1954 | 0112/1954 | LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0030 INSTALLED 2004 | 0113/1681 | 0112/1681 | LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0040 INSTALLED 2004 | 0113/1485 | 0112/1485 | LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0030 INSTALLED 2004 | 0113/1337 | 0112/1337 | LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0030 INSTALLED 2004 | 0113/1189 | 0112/1189 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0112/1035 | LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0030 INSTALLED 2004 | 0113/1025 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0112/0845 | LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0030 INSTALLED 2004 | 0113/0842 | | |
| 027 "DIA CIRC CONCR | | | |
| LEN=0040 INSTALLED 2004 | 0113/0570 | | |
| | | | 024 "DIA CIRC CONCR |
| | | 0112/0569 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0112/0402 | LEN=0040 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0112/0238 | LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0045 INSTALLED 2004 | 0113/0074 | | |
| 0 0 00000 0 00 0000+00 | 024498 FT | 024473 FT | 0 0 00000 0 00 0000+00 |
| POWER PLANT RD | | | POWER PLANT RD |
| (T680) | | | (T680) |
| LUCIUSBORO RD | | | LUCIUSBORO RD |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| (SR2019 SEG 0010/0000) | | | (SR2019 SEG 0010/0000) |
| LENGTH(AH 3282 BK 1896) | 0113/0000 | 0112/0000 | LENGTH(AH 3319 BK 1893) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0040 INSTALLED 2004 | 0103/1614 | | |
| TR TWO LICK CREEK | | | TR TWO LICK CREEK |
| STRUCTURE LENGTH 12 FT | | | STRUCTURE LENGTH 12 FT |
| BMSID 32/0119/0102/1600 | 0103/1581 | 0102/1600 | BMSID 32/0119/0102/1600 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0040 INSTALLED 2004 | 0103/1247 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0102/1233 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0102/1138 | LEN=0035 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0040 INSTALLED UNKN | 0103/0902 | | |
| CENTER | | | CENTER |
| BURRELL T | 0103/0851 | 0102/0915 | BURRELL T |
| | | | 018 "DIA CIRC CONCR |
| | | 0102/0860 | LEN=0035 INSTALLED 2004 |
| | | | RUGH RD |
| | | 0102/0834 | (T452) |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0040 INSTALLED 2004 | 0103/0682 | 0102/0682 | LEN=0035 INSTALLED 2004 |
| | | | 018 "DIA CIRC CONCR |
| | | 0102/0486 | LEN=0035 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| 0 0 00000 0 00 0000+00 022602 FT | | 0102/0001 | LEN=0040 INSTALLED UNKN |
| 036 "DIA CIRC CONCR | | | |
| LEN=0040 INSTALLED 2004 | | 022580 FT | 0 0 00000 0 00 0000+00 |
| LENGTH(AH 1896 BK 2015) | 0103/0000 | 0102/0000 | LENGTH(AH 1893 BK 2006) |
| | | | 018 "DIA CIRC CONCR |
| | | 0092/1773 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0092/1592 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0092/1412 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| 018 "DIA CIRC CONCR | | 0092/1231 | LEN=0040 INSTALLED UNKN |
| LEN=0040 INSTALLED 2004 | 0093/1230 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0092/1094 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| 018 "DIA CIRC CONCR | | 0092/0877 | LEN=0040 INSTALLED 2004 |
| LEN=0040 INSTALLED 2004 | 0093/0876 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0092/0249 | LEN=0195 INSTALLED 2004 |
| | | | JUGHANDLE E RD |
| | | 0092/0204 | (SR9409 SEG 0010/0486) |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

```
018 "DIA CIRC CONCR
LEN=0040 INSTALLED 2004 0093/0072
0 0 00000 0 00 0000+00 020587 FT                    020574 FT 0 0 00000 0 00 0000+00
JUGHANDLE D RD                                                JUGHANDLE D RD
(SR9407 SEG 0010/0000)                                        (SR9407 SEG 0010/0000)
JUGHANDLE E RD                                                JUGHANDLE E RD
(SR9409 SEG 0010/0000)                                        (SR9409 SEG 0010/0000)
LENGTH(AH 2015 BK 2971) 0093/0000 S                 S 0092/0000 LENGTH(AH 2006 BK 2941)
018 "DIA CIRC CONCR
LEN=0040 INSTALLED 2004 0083/2789
JUGHANDLE D RD
(SR9407 SEG 0010/0497)  0083/2762

018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0083/2070
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0083/1755
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0083/1476
018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0083/1214
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0083/0961
018 "DIA CIRC CONCR
LEN=0080 INSTALLED 2004 0083/0883
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0083/0560
018 "DIA CIRC CONCR
LEN=0040 INSTALLED 2004 0083/0321
                                                              018 "DIA CIRC CONCR
                                                    0082/0340 LEN=0050 INSTALLED 2004
LLOYD ST                                                      BARRONDALE RD
(T453)                  0083/0269                   0082/0296 (T451)
                                                              018 "DIA CIRC CONCR
                                                    0082/0164 LEN=0050 INSTALLED 2004
0 0 00000 0 00 0000+00 017616 FT                    017633 FT 0 0 00000 0 00 0000+00
018 "DIA CIRC CONCR                                           018 "DIA CIRC CONCR
LEN=0040 INSTALLED 2004                                       LEN=0050 INSTALLED 2004
LENGTH(AH 2971 BK 2760) 0083/0000 S                 S 0082/0000 LENGTH(AH 2941 BK 2763)
018 "DIA CIRC CONCR
LEN=0050 INSTALLED 2004 0073/2756
018 "DIA CIRC CONCR
LEN=0050 INSTALLED 2004 0073/2559
                                                              018 "DIA CIRC CONCR
                                                    0072/2559 LEN=0050 INSTALLED 2004
                                                              018 "DIA CIRC CONCR
                                                    0072/2362 LEN=0050 INSTALLED 2004
                                                              018 "DIA CIRC CONCR
                                                    0072/2152 LEN=0050 INSTALLED 2004
018 "DIA CIRC CONCR
```

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

| LEFT | RIGHT |
|---|---|
| LEN=0040 INSTALLED 2004 0073/1952 | |
| | 018 "DIA CIRC CONCR |
| | 0072/1952 LEN=0050 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | |
| LEN=0040 INSTALLED UNKN 0073/1706 | |
| | 018 "DIA CIRC CONCR |
| | 0072/1706 LEN=0050 INSTALLED 2004 |
| | 018 "DIA CIRC CONCR |
| | 0072/1509 LEN=0001 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | |
| LEN=0050 INSTALLED 2004 0073/1332 | |
| | 018 "DIA CIRC CONCR |
| | 0072/1332 LEN=0050 INSTALLED 2004 |
| BMSEN 32/0119/0072/0954 0073/1276 | 0072/1288 BMSEN 32/0119/0072/0954 |
| 018 "DIA CIRC CONCR | |
| LEN=0030 INSTALLED UNKN 0073/0944 | |
| 0 0 00000 0 00 0000+00 | |
| | 0 0 00000 0 00 0000+00 |
| BLACKLICK CR | BLACKLICK CR |
| BMSBG 32/0119/0072/0954 0073/0942 | 0072/0954 BMSBG 32/0119/0072/0954 |
| | 018 "DIA CIRC CONCR |
| | 0072/0926 LEN=0050 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | |
| LEN=0050 INSTALLED UNKN 0073/0722 | |
| 018 "DIA CIRC CONCR | |
| LEN=0050 INSTALLED UNKN 0073/0525 | |
| 018 "DIA CIRC CONCR | |
| LEN=0050 INSTALLED UNKN 0073/0246 | |
| 0 0 00000 0 00 0000+00 014856 FT | 014870 FT 0 0 00000 0 00 0000+00 |
| 018 "DIA CIRC CONCR | 018 "DIA CIRC CONCR |
| LEN=0050 INSTALLED 2004 | LEN=0001 INSTALLED 2004 |
| LENGTH(AH 2760 BK 2731) 0073/0000 5 | 5 0072/0000 LENGTH(AH 2763 BK 2715) |
| 018 "DIA CIRC CONCR | 018 "DIA CIRC CONCR |
| LEN=0050 INSTALLED UNKN 0063/2572 | 0062/2572 LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | |
| LEN=0050 INSTALLED UNKN 0063/2330 | |
| 018 "DIA CIRC CONCR | |
| LEN=0050 INSTALLED UNKN 0063/2133 | |
| 018 "DIA CIRC CONCR | |
| LEN=0050 INSTALLED UNKN 0063/1936 | |
| | 018 "DIA CIRC CONCR |
| | 0062/1805 LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | |
| LEN=0050 INSTALLED UNKN 0063/1739 | |
| 018 "DIA CIRC CONCR | |
| LEN=0050 INSTALLED UNKN 0063/1559 | |
| 018 "DIA CIRC CONCR | |
| LEN=0003 INSTALLED UNKN 0063/1017 | |
| | 018 "DIA CIRC CONCR |
| | 0062/0820 LEN=0050 INSTALLED 2004 |
| | SEYMORE ST |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

| | | | |
|---|---|---|---|
| | | == | 0062/0439 (T798) |
| 024 "DIA CIRC CONCR<br>LEN=0050 INSTALLED 2004 | 0063/0424 | | |
| 018 "DIA CIRC CONCR<br>LEN=0040 INSTALLED 2004 | 0063/0082 | | |
| 0 0 00000 0 00 0000+00 012125 FT<br>CAMPBELLS MILL RD<br>(SR3011 SEG 0100/2173)<br>MAIN ST<br>(SR2017 SEG 0060/1076) | | | 012155 FT 0 0 00000 0 00 0000+00<br>CAMPBELLS MILL RD<br>(SR3011 SEG 0100/2173)<br>MAIN ST<br>(SR2017 SEG 0060/1076) |
| LENGTH(AH 2731 BK 2272) | 0063/0000 | S | S 0062/0000 LENGTH(AH 2715 BK 2292) |
| 018 "DIA CIRC CONCR<br>LEN=0045 INSTALLED 2004 | 0053/2221 | | 0052/2221 018 "DIA CIRC CONCR<br>LEN=0050 INSTALLED 2004 |
| | | | 0052/2014 018 "DIA CIRC CONCR<br>LEN=0050 INSTALLED 2004 |
| 018 "DIA CIRC CONCR<br>LEN=0050 INSTALLED 2004 | 0053/1591 | | |
| | | | 0052/1414 018 "DIA CIRC CONCR<br>LEN=0070 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0040 INSTALLED 2004 | 0053/1391 | | |
| 018 "DIA CIRC CONCR<br>LEN=0050 INSTALLED 2004 | 0053/1320 | | |
| | | | 0052/1207 018 "DIA CIRC CONCR<br>LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR<br>LEN=0040 INSTALLED UNKN | 0053/1160 | | |
| | | | 0052/1020 018 "DIA CIRC CONCR<br>LEN=0001 INSTALLED 2004 |
| 018 "DIA CIRC CONCR<br>LEN=0040 INSTALLED 2004 | 0053/0960 | | |
| | | | 0052/0817 018 "DIA CIRC CONCR<br>LEN=0050 INSTALLED 2004 |
| 018 "DIA CIRC CONCR<br>LEN=0040 INSTALLED 2004 | 0053/0780 | | |
| | | | 0052/0604 018 "DIA CIRC CONCR<br>LEN=0050 INSTALLED 2004 |
| 018 "DIA CIRC CONCR<br>LEN=0040 INSTALLED 2004 | 0053/0550 | | |
| | | | 0052/0317 018 "DIA CIRC CONCR<br>LEN=0050 INSTALLED 2004 |
| 018 "DIA CIRC CONCR<br>LEN=0040 INSTALLED 2004 | 0053/0300 | | |
| CRIBBS ST<br>(T682) | 0053/0282 | == | |
| | | | 009863 FT 0 0 00000 0 00 0000+00<br>CATALPA ST<br>(T682) |
| 0 0 00000 0 00 0000+00 009853 FT<br>LENGTH(AH 2272 BK 2193) | 0053/0000 | S == | S 0052/0000 LENGTH(AH 2292 BK 2192) |

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

018 "DIA CIRC CONCR
LEN=0040 INSTALLED 2004 0043/2193

018 "DIA CIRC CONCR
LEN=0040 INSTALLED 2004 0043/2003
OAK ST
(T753) 0043/1918

018 "DIA CIRC CONCR
LEN=0040 INSTALLED 2004 0043/0497

WEIRS RUN
STRUCTURE LENGTH 10 FT
BMSID 32/0119/0042/0080 0043/0087
0 0 00000 0 00 0000+00 007660 FT
JUGHANDLE B RD
(SR9403 SEG 0010/0000)
JUGHANDLE C RD
(SR9405 SEG 0010/0000)
LENGTH(AH 2193 BK 2527) 0043/0000

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0033/2414
JUGHANDLE B RD
(SR9403 SEG 0010/0514) 0033/2287

CLARE ST
(T840) 0033/1533

018 "DIA CIRC CONCR

018 "DIA CIRC CONCR
0042/2164 LEN=0040 INSTALLED 2004

018 "DIA CIRC CONCR
0042/1759 LEN=0001 INSTALLED 2004

018 "DIA CIRC CONCR
0042/0942 LEN=0040 INSTALLED 2004
018 "DIA CIRC CONCR
0042/0575 LEN=0050 INSTALLED 2004

JUGHANDLE C RD
0042/0254 (SR9405 SEG 0010/0517)
WEIRS RUN
STRUCTURE LENGTH 10 FT
0042/0080 BMSID 32/0119/0042/0080
007671 FT 0 0 00000 0 00 0000+00
JUGHANDLE B RD
(SR9403 SEG 0010/0000)
JUGHANDLE C RD
(SR9405 SEG 0010/0000)
0042/0000 LENGTH(AH 2192 BK 2520)
018 "DIA CIRC CONCR
0032/2394 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0032/2181 LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR
0032/1885 LEN=0050 INSTALLED UNKN

018 "DIA CIRC CONCR
0032/1557 LEN=0050 INSTALLED UNKN

018 "DIA CIRC CONCR
0032/0940 LEN=0050 INSTALLED UNKN
BLAIRE RD
0032/0913 (T515)

018 "DIA CIRC CONCR
0032/0576 LEN=0050 INSTALLED UNKN

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

```
LEN=0050 INSTALLED UNKN 0033/0331
                                                                018 "DIA CIRC CONCR
                                                     0032/0315  LEN=0050 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                     0032/0171  LEN=0050 INSTALLED UNKN
                                                     005151 FT  0 0 00000 0 00 0000+00
                                                                SNYDER LN
0 0 00000 0 00 0000+00 005133 FT                                (T586)
LENGTH(AH 2527 BK 3286) 0033/0000                    0032/0000  LENGTH(AH 2520 BK 3301)
                                                                018 "DIA CIRC CONCR
                                                     0022/3218  LEN=0050 INSTALLED 2002
TR WEIRS RUN                                                    TR WEIRS RUN
STRUCTURE LENGTH  11 FT                                         STRUCTURE LENGTH  11 FT
BMSID 32/0119/0022/2959 0023/2993                    0022/2891  BMSID 32/0119/0022/2959
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0023/2861
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0023/2665
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0023/2552
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0023/2176
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0023/1978
                                                                018 "DIA CIRC CONCR
                                                     0022/1467  LEN=0050 INSTALLED UNKN
 SIGN: 3 CHORD TRUSS                                             SIGN: 3 CHORD TRUSS
BMSID 32/0119/0022/1302 0023/1302                    0022/1302  BMSID 32/0119/0022/1302
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0023/0929
                                                                024 "DIA CIRC CONCR
                                                     0022/0914  LEN=0050 INSTALLED UNKN
                                                                JUGHANDLE RD
                                                     0022/0827  (SR9401 SEG 0010/0575)
JUGHANDLE RD                                                    JUGHANDLE RD
(SR9401 SEG 0010/0000)                                          (SR9401 SEG 0010/0000)
CORNELL RD                                                      CORNELL RD
(T841)                  0023/0457                    0022/0446  (T841)
LC FROM CORNELL RD
(CONN)                  0023/0412
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0023/0401
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0023/0400
                                                                018 "DIA CIRC CONCR
                                                     0022/0364  LEN=0060 INSTALLED UNKN
0 0 00000 0 00 0000+00 001847 FT                     001850 FT  0 0 00000 0 00 0000+00
 SIGN: 3 CHORD TRUSS                                             SIGN: 3 CHORD TRUSS
BMSID 32/0119/0022/0000                                         BMSID 32/0119/0022/0000
     NC PATRICK J. STAPLETON HW                                  NC PATRICK J. STAPLETON HW
```

DIR: N TOTAL LEN: 37.770 MI. DIST: 10-4 SR: 119
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

| | | | |
|---|---|---|---|
| LENGTH(AH 3286 BK 1847) | 0023/0000 | 0022/0000 | LENGTH(AH 3301 BK 1850) |
| | | | 018 "DIA CIRC CONCR |
| | | 0012/1515 | LEN=0050 INSTALLED 2002 |
| RAMP A RD | | | |
| (SR8004 SEG 0250/0000) | 0013/1441 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0012/1319 | LEN=0075 INSTALLED 2002 |
| | | | 030 "DIA CIRC CONCR |
| | | 0012/1116 | LEN=0050 INSTALLED 2002 |
| 030 "DIA CIRC CONCR | | | |
| LEN=0050 INSTALLED UNKN | 0013/1087 | | |
| RAMP B RD | | | RAMP B RD |
| (SR8004 SEG 0500/1254) | | | (SR8004 SEG 0500/1254) |
| TO 8004/0250 SH | | | TO 8004/0250 SH |
| (CONN) | 0013/1050 | 0012/1071 | (CONN) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0050 INSTALLED UNKN | 0013/0923 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0012/0924 | LEN=0040 INSTALLED 2002 |
| SR0022 EB | | | SR0022 EB |
| OP ID 32/0022/0070/0000 | 0013/0788 | 0012/0816 | OP ID 32/0022/0070/0000 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0050 INSTALLED 2002 | 0013/0562 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0012/0562 | LEN=0040 INSTALLED 2002 |
| | | | RAMP D RD |
| | | 0012/0500 | (SR8004 SEG 0760/1352) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0050 INSTALLED 2002 | 0013/0365 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0012/0366 | LEN=0040 INSTALLED UNKN |
| RAMP D RD | | | |
| (SR8004 SEG 0760/1329) | 0013/0311 | | |
| RAMP C RD | | | RAMP C RD |
| (SR8004 SEG 0750/0000) | 0013/0298 | 0012/0310 | (SR8004 SEG 0750/0000) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0050 INSTALLED 2002 | 0013/0168 | | |
| 024 "DIA CIRC CONCR | | | 024 "DIA CIRC CONCR |
| LEN=0050 INSTALLED 2002 | 0013/0070 | 0012/0070 | LEN=0040 INSTALLED UNKN |
| | | 000000 FT | 0 0 00000 0 00 0000+00 |
| 0 0 00000 0 00 0000+00 | 000000 FT | | NC SR 0119 SH |
| NC SR 0119 SH | | | PARK AND RIDE RD |
| PARK AND RIDE RD | | | (SR9429 SEG 0010/0000) |
| (SR9429 SEG 0010/0000) | | | PINE RIDGE RD |
| PINE RIDGE RD | | | (SR2002 SEG 0070/0000) |
| (SR2002 SEG 0070/0000) | | INTER-BK | OLD WILLIAM PENN HW |
| OLD WILLIAM PENN HW | INTER-BK | | (SR2002 SEG 0070/0000) |
| (SR2002 SEG 0070/0000) | | | MFC BEGIN = B |
| MFC BEGIN = B | | | BK-WESTMORELAND (64) |
| LENGTH(AH 1847 BK 0000) | 0013/0000 | 0012/0000 | LENGTH(AH 1850 BK 0000) |

DIR: B TOTAL LEN: 5.720 MI. DIST: 10-4 SR: 110
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | | |
|---|---|---|---|
| | 030199 FT | 030155 FT | |
| RAMP I RD | REF-AHD | REF-AHD | RAMP J RD |
| (SR8005 SEG 0760/1594) | | | (SR8005 SEG 0750/0000) |
| SR0119 NB | | | SR0119 NB |
| OP ID 32/0119/0400/1372 | 0121/1310 | 0120/1266 | OP ID 32/0119/0400/1372 |
| SR0119 SB | | | SR0119 SB |
| OP ID 32/0119/0401/1323 | 0121/1190 | 0120/1168 | OP ID 32/0119/0401/1323 |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/0940 | LEN=0090 INSTALLED UNKN |
| MCKEE RUN | | | MCKEE RUN |
| STRUCTURE LENGTH 22 FT | | | STRUCTURE LENGTH 22 FT |
| BMSID 32/0110/0120/0694 | 0121/0708 | 0120/0662 | BMSID 32/0110/0120/0694 |
| RAMP K RD | | | |
| (SR8005 SEG 0500/0842) | 0121/0671 | | |
| | | | RAMP L RD |
| | | 0120/0487 | (SR8005 SEG 0250/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0120/0314 | LEN=0068 INSTALLED UNKN |
| 1 0 00063 0 00 0187+15 | 028889 FT | 028889 FT | 1 0 00063 0 00 0187+15 |
| MFC BEGIN = C | | | MFC BEGIN = C |
| LENGTH(AH 1310 BK 1791) | 0121/0000 | 0120/0000 | LENGTH(AH 1266 BK 1791) |
| MABON DR | | | |
| (T920) | 0110/1725 | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0110/1707 | LEN=0104 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |



DIR: B TOTAL LEN: 5.720 MI. DIST: 10-4 SR: 110
LEFT MUN: WHITE T RIGHT MUN: WHITE T

| | | |
|---|---|---|
| | 0110/1430 | LEN=0054 INSTALLED UNKN |
| | 0110/1334 | BMSEN 32/0110/0110/1317 |
| | | 1 0 00063 0 00 0181+06 |
| | | MCKEE RUN |
| | 0110/1317 | BMSBG 32/0110/0110/1317 |
| | | 012 "DIA CIRC CONCR |
| | 0110/0686 | LEN=0039 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0110/0407 | LEN=0050 INSTALLED UNKN |
| 027098 FT | 027098 FT | 1 0 00063 0 00 0168+00 |
| | | 015 "DIA CIRC CONCR |
| | | LEN=0050 INSTALLED UNKN |
| | | LUTZ SCHOOL RD |
| | | (SR1003 SEG 0030/2406) |
| | S 0110/0000 | LENGTH(AH 1791 BK 2307) |
| | | 015 "DIA CIRC CONCR |
| | 0100/2185 | LEN=0048 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0100/1970 | LEN=0044 INSTALLED UNKN |
| | | 012 "DIA CIRC CONCR |
| | 0100/1725 | LEN=0050 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0100/1480 | LEN=0044 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0100/1170 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0100/0745 | LEN=0039 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0100/0220 | LEN=0200 INSTALLED UNKN |
| 024791 FT | 024791 FT | 1 0 00063 0 00 0143+51 |
| | | OLD ROUTE 119 RD |
| | | (SR4005 SEG 0170/3266) |
| | | MFC BEGIN = C |
| | S 0100/0000 | LENGTH(AH 2307 BK 1276) |
| | | TO 4005/0170 SH |
| | 0090/1190 | (CONN) |
| | | 015"H 00"W MULT CONCR |
| | 0090/1064 | LEN=0032 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0090/0820 | LEN=0032 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0090/0612 | LEN=0034 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0090/0424 | LEN=0029 INSTALLED UNKN |
| | | MULLER RD |
| | 0090/0161 | (T549) |
| WIDA RD (T548) 0090/0086 | | |
| | 0090/0017 | BMSEN 32/0110/0090/0000 |

DIR: B TOTAL LEN: 5.720 MI. DIST: 10-4 SR: 110
LEFT MUN: WHITE T RIGHT MUN: WHITE T

```
                    023515 FT          023515 FT 1 0 00063 7 00 0013+62
                                                 MCKEE RUN
                                                 BMSBG 32/0110/0090/0000
                                     S 0090/0000 LENGTH(AH 1276 BK 3632)
                                                 015 "DIA CIRC CONCR
                                       0080/3418 LEN=0040 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                       0080/2987 LEN=0038 INSTALLED UNKN

                                                 015 "DIA CIRC CONCR
                                       0080/2040 LEN=0032 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                       0080/1820 LEN=0032 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                       0080/1684 LEN=0040 INSTALLED UNKN
                                                 024 "DIA CIRC METAL
                                       0080/1600 LEN=0040 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                       0080/1310 LEN=0032 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                       0080/1037 LEN=0032 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                       0080/0671 LEN=0032 INSTALLED UNKN

                                       0080/0014 BMSEN 32/0110/0080/0000
                    019883 FT          019883 FT 1 0 00063 7 00 0049+97
                                                 TRIB TO MCKEE RUN
                                                 BMSBG 32/0110/0080/0000
                                                 WHITE
                                                 RAYNE T
                                     S 0080/0000 LENGTH(AH 3632 BK 3495)
GROVE CHAPEL RD
(T840)              0070/3447

                                                 015 "DIA CIRC CONCR
                                       0070/3277 LEN=0030 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                       0070/3029 LEN=0032 INSTALLED UNKN

                                                 024 "DIA CIRC CONCR
                                       0070/2070 LEN=0028 INSTALLED UNKN
                                                 024 "DIA CIRC CONCR
                                       0070/1647 LEN=0032 INSTALLED UNKN
                                                 036 "DIA CIRC CONCR
                                       0070/1160 LEN=0040 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                       0070/1010 LEN=0030 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                       0070/0849 LEN=0032 INSTALLED UNKN
```

DIR: B TOTAL LEN: 5.720 MI. DIST: 10-4 SR: 110
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 0070/0675 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC METAL |
| | | 0070/0558 | LEN=0036 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/0385 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0070/0035 | LEN=0032 INSTALLED UNKN |
| | 016388 FT | 016388 FT | 1 0 00063 7 00 0083+82 |
| | | S 0070/0000 | LENGTH(AH 3495 BK 3391) |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/2960 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/2588 | LEN=0037 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/2140 | LEN=0050 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/2073 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0060/1871 | LEN=0038 INSTALLED UNKN |
| | | | 015"H 00"W MULT CONCR |
| | | 0060/1391 | LEN=0044 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0060/0933 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/0741 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/0360 | LEN=0032 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0060/0231 | LEN=0036 INSTALLED UNKN |
| 1 0 00063 7 00 0117+50 | 012997 FT | 012997 FT | |
| TONKIN RD | | | NC SR 0110 SH |
| (T542) | 0060/0000 | S 0060/0000 | LENGTH(AH 3391 BK 3277) |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/3202 | LEN=0028 INSTALLED UNKN |
| BLUE SPRUCE RD | | | MARTIN RD |
| (T468) | 0050/2793 | 0050/2793 | (T489) |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/2422 | LEN=0034 INSTALLED UNKN |
| | | | RAYNE |
| | | 0050/2391 | ERNEST B |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/2260 | LEN=0034 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0050/1740 | LEN=0028 INSTALLED UNKN |
| | | | 024 "DIA CIRC CONCR |
| | | 0050/1210 | LEN=0035 INSTALLED UNKN |
| THIRD ST | | | |
| (T603) | 0050/1185 | | |
| | | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 5.720 MI. DIST: 10-4 SR: 110
LEFT MUN: ERNEST B RIGHT MUN: ERNEST B

```
                                                  0050/0835 LEN=0039 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0050/0638 LEN=0034 INSTALLED UNKN
                                                            STORE HILL RD
                                                  0050/0608 (T601)
                                                            ALLEY
                                                  0050/0413 (BORO)
                                                            015 "DIA CIR PLASTIC
                                                  0050/0266 LEN=0046 INSTALLED UNKN
                                                            CHURCH RD
                                                  0050/0224 (T604)
                        009720 FT                 009720 FT 1 0 00063 7 00 0153+00
                                                            CHURCH ST
                                                            (BORO)
                                                  0050/0000 LENGTH(AH 3277 BK 2111)
                                                            024 "DIA CIRC CONCR
                                                  0040/2079 LEN=0050 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/1913 LEN=0059 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0040/1680 LEN=0038 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0040/1457 LEN=0025 INSTALLED UNKN

THIRD ST
(T603)                  0040/0462
                                                            015 "DIA CIRC CONCR
                                                  0040/0380 LEN=0030 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0040/0086 LEN=0045 INSTALLED UNKN
                        007609 FT                 007609 FT 1 0 00063 7 00 0174+33
                                                    NC MAIN ST
ERNEST
RAYNE T                 0040/0000                 0040/0000 LENGTH(AH 2111 BK 3186)
                                                            018 "DIA CIRC CONCR
                                                  0030/2878 LEN=0035 INSTALLED UNKN
                                                            ERNEST
                                                  0030/2652 RAYNE T
                                                            024 "DIA CIRC CONCR
                                                  0030/2528 LEN=0038 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0030/2151 LEN=0038 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0030/1865 LEN=0032 INSTALLED UNKN
                                                            (APRA) ERNEST REFUSE RD
                                                            ERNEST REFUSE RD
                                                  0030/1645 (PRDR)
                                                            036 "DIA CIRC METAL
                                                  0030/1290 LEN=0038 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 5.720 MI. DIST: 10-4 SR: 110
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

```
                                                  0030/0835 LEN=0050 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0030/0502 LEN=0040 INSTALLED UNKN
                                                            RAYNE
                                                  0030/0344 WASHINGTON T
                    004423 FT                     004423 FT 1 0 00063 7 00 0205+41
                                                S 0030/0000 LENGTH(AH 3186 BK 2304)
                                                            018 "DIA CIRC CONCR
                                                  0020/2185 LEN=0038 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0020/1682 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0020/1357 LEN=0035 INSTALLED UNKN
                                                  0020/1049 (AAR 148823F)#TRKS 01
                                                            015 "DIA CIRC METAL
                                                  0020/0844 LEN=0044 INSTALLED UNKN
                                                            HART RESOURCE TECH RD
                                                  0020/0836 (PRDR)
                                                            WASHINGTON
                                                  0020/0666 CREEKSIDE B
                                                            015 "DIA CIRC METAL
                                                  0020/0210 LEN=0022 INSTALLED 2004
                                                            CANEVA ST
                                                  0020/0185 (BORO)
                    002119 FT                     002119 FT 1 0 00063 7 00 0228+46
                                                S 0020/0000 LENGTH(AH 2304 BK 2119)
                                                            BORO AL
                                                  0010/1860 (BORO)
                                                            018 "DIA CIRC CONCR
                                                            LEN=0040 INSTALLED 2006
                                                            NORFOLK SOUTHERN
                                                  0010/1816 OVERPASS IS RR X-ING
                                                            015 "DIA CIRC METAL
                                                  0010/1512 LEN=0028 INSTALLED 2004
                                                  0010/1146 BMSEN 32/0110/0010/0981
                                                            1 0 00063 7 00 0239+90
                                                            CROOKED CR
                                                  0010/0981 BMSBG 32/0110/0010/0981
                                                            BRIDGE ST
                                                  0010/0591 (BORO)
NIN RIDDLE ST
(BORO)                0010/0445
                    000000 FT                     000000 FT 1 0 00063 7 01 0250+55
                                                        NC INDIANA RD
                                                            CREEKSIDE RD
                                                            (SR0954 SEG 0300/0000)
                                                  INTER-BK  INDIANA RD
                                                            (BORO)
SHELOCTA ST                                                 MFC BEGIN = D
(SR0954 SEG 0300/0000)  0010/0000               S 0010/0000 LENGTH(AH 2119 BK 0000)
```

DIR: B TOTAL LEN: 8.916 MI. DIST: 10-4 SR: 85
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | | |
|---|---|---|---|
| | 047077 FT | 047077 FT | SR 0119 SH |
| | | 0160/2241 | (SR0119 SEG 0530/0000) |
| | | | 018 "DIA CIRC CONCR |
| | | 0160/2153 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0160/1900 | LEN=0045 INSTALLED UNKN |
| BUSH RD (T790) | 0160/1804 | | |
| | | | 048 "DIA CIRC CONCR |
| | | 0160/1500 | LEN=0075 INSTALLED UNKN |
| | | | DOGWOOD CR |
| | | 0160/0803 | (T860) |
| 1 0 00189 7 00 0268+04 | 044836 FT | 044836 FT | DOGWOOD CR |
| NASTASE ST | | | (T860) |
| (T859) | 0160/0000 | S 0160/0000 | LENGTH(AH 2241 BK 3289) |
| | | | 015 "DIA CIRC CONCR |
| | | 0150/3034 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0150/2448 | LEN=0050 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/2148 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/1763 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/1241 | LEN=0030 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0998 | LEN=0055 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0693 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0422 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0150/0043 | LEN=0030 INSTALLED UNKN |
| | 041547 FT | 041547 FT | 1 0 00189 7 00 0234+52 |
| | | S 0150/0000 | LENGTH(AH 3289 BK 3582) |
| | | | 015 "DIA CIRC CONCR |
| | | 0140/3530 | LEN=0034 INSTALLED UNKN |
| | | | GATSKIE LN |
| | | 0140/3295 | (PRDR) |
| | | | 036 "DIA CIRC CONCR |
| | | 0140/2747 | LEN=0070 INSTALLED UNKN |
| | | | 042 "DIA CIRC CONCR |
| | | 0140/2320 | LEN=0070 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0140/1996 | LEN=0045 INSTALLED UNKN |

DIR: B TOTAL LEN: 8.916 MI. DIST: 10-4 SR: 85
LEFT MUN: RAYNE T RIGHT MUN: RAYNE T

| | | |
|---|---|---|
| | | 018 "DIA CIRC CONCR |
| | 0140/1499 | LEN=0042 INSTALLED UNKN |
| | | 036 "DIA CIRC CONCR |
| | 0140/0817 | LEN=0060 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0140/0130 | LEN=0050 INSTALLED UNKN |
| 037965 FT | 037965 FT | 1 0 00189 7 00 0199+44 |
| | S 0140/0000 | LENGTH(AH 3582 BK 2807) |
| | | 015 "DIA CIRC CONCR |
| | 0130/2493 | LEN=0046 INSTALLED UNKN |
| | | 036 "DIA CIRC CONCR |
| | 0130/2117 | LEN=0070 INSTALLED UNKN |
| | | 036 "DIA CIRC CONCR |
| | 0130/1212 | LEN=0075 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0130/0150 | LEN=0053 INSTALLED UNKN |
| 035158 FT | 035158 FT | 1 0 00189 7 00 0171+46 |
| | | RAYNE |
| | | WASHINGTON T |
| | S 0130/0000 | LENGTH(AH 2807 BK 3530) |
| | | 018 "DIA CIRC CONCR |
| | 0120/3205 | LEN=0057 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0120/3069 | LEN=0038 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0120/2575 | LEN=0048 INSTALLED 2005 |
| | 0120/2186 | BMSEN 32/0085/0120/2124 |
| | | 1 0 00189 7 00 0157+61 |
| | | S BR PLUM CREEK |
| | 0120/2124 | BMSBG 32/0085/0120/2124 |
| | | 015 "DIA CIRC CONCR |
| | 0120/1555 | LEN=0045 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0120/1060 | LEN=0050 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0120/0635 | LEN=0060 INSTALLED UNKN |
| AMBROSE RD (SR4006 SEG 0090/0000) | 0120/0604 | |
| 031628 FT | 031628 FT | 1 0 00189 7 00 0136+29 |
| | | FIVE POINTS RD |
| | | (SR4006 SEG 0080/2472) |
| | S 0120/0000 | LENGTH(AH 3530 BK 3644) |
| | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 8.916 MI. DIST: 10-4 SR: 85
LEFT MUN: WASHINGTON T RIGHT MUN: WASHINGTON T

```
                                        0110/3560 LEN=0090 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0110/3130 LEN=0052 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0110/2895 LEN=0045 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0110/2700 LEN=0038 INSTALLED UNKN


                                                  024 "DIA CIRC CONCR
                                        0110/1450 LEN=0075 INSTALLED UNKN
                                                  WASHINGTON
                                        0110/1383 SOUTH MAHONING T
                                                  015 "DIA CIRC CONCR
                                        0110/1155 LEN=0050 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0110/1001 LEN=0045 INSTALLED UNKN
                                        0110/0679 BMSEN 32/0085/0110/0648
                                                  1 0 00189 7 00 0106+35
                                                  TR S BR PLUM CREEK
                                        0110/0648 BMSBG 32/0085/0110/0648
                                                  015 "DIA CIRC CONCR
                                        0110/0145 LEN=0055 INSTALLED UNKN
027984 FT                               027984 FT 1 0 00189 7 00 0099+87
                                      S 0110/0000 LENGTH(AH 3644 BK 3780)
                                                  018 "DIA CIRC CONCR
                                        0100/3538 LEN=0001 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0100/3330 LEN=0043 INSTALLED UNKN

                                                  030 "DIA CIRC CONCR
                                        0100/2560 LEN=0060 INSTALLED UNKN
                                                  HILLTOP DR
                                        0100/2348 (TWP )
                                                  030 "DIA CIRC CONCR
                                        0100/2150 LEN=0050 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0100/1840 LEN=0053 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0100/1260 LEN=0103 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0100/1080 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0100/0770 LEN=0054 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0100/0470 LEN=0052 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0100/0251 LEN=0045 INSTALLED UNKN
024204 FT                               024204 FT 1 0 00189 7 00 0062+15
```

DIR: B TOTAL LEN: 8.916 MI. DIST: 10-4 SR: 85
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | | | |
|---|---|---|---|---|
| | | | | OX HILL RD |
| OX HILL RD | | | | (T500) |
| (T500) | 0100/0000 | | 0100/0000 | LENGTH(AH 3780 BK 2718) |
| | | | | 072"H 95"W CONC STRUCT |
| | | | 0090/2497 | LEN=0065 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0090/2090 | LEN=0047 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0090/1675 | LEN=0045 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0090/1350 | LEN=0045 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0090/0928 | LEN=0045 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0090/0665 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0090/0300 | LEN=0050 INSTALLED UNKN |
| | 021486 FT | | 021486 FT | 1 0 00189 7 00 0035+03 |
| | | | | WHITESELL RD |
| | | | | (T408) |
| | | | 0090/0000 | LENGTH(AH 2718 BK 3484) |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0080/3480 | LEN=0035 INSTALLED UNKN |
| | | | | 036 "DIA CIRC CONCR |
| | | | 0080/3150 | LEN=0095 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0080/2827 | LEN=0065 INSTALLED UNKN |
| MORROW RD | | | | |
| (T498) | 0080/2283 | | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0080/1860 | LEN=0075 INSTALLED UNKN |
| | | | | 036 "DIA CIRC CONCR |
| | | | 0080/1472 | LEN=0075 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0080/0849 | LEN=0047 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0080/0505 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0080/0120 | LEN=0039 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0080/0010 | LEN=0040 INSTALLED UNKN |
| | 018002 FT | | 018002 FT | 1 0 00189 7 00 0000+00 |
| SR 0210 SH | | | NC | PLUMVILLE RD |
| (SR0210 SEG 0020/0000) | 0080/0000 | | 0080/0000 | LENGTH(AH 3484 BK 3214) |
| | | | | 030 "DIA CIRC CONCR |
| | | | 0070/2698 | LEN=0032 INSTALLED UNKN |
| | | | | SOUTH MAHONING |
| | | | 0070/2616 | PLUMVILLE B |
| | | | | CLEVELAND AV |

DIR: B TOTAL LEN: 8.916 MI. DIST: 10-4 SR: 85
LEFT MUN: PLUMVILLE B RIGHT MUN: PLUMVILLE B

| | | | | |
|---|---|---|---|---|
| | | | | 0070/2597 (BORO) |
| | | | | 015 "DIA CIRC CONCR |
| | | | | 0070/2260 LEN=0140 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | | 0070/1953 LEN=0050 INSTALLED UNKN |
| N HARRISON AV | | | | S HARRISON AV |
| (BORO) | 0070/1431 | | | 0070/1431 (BORO) |
| RUMMEL RD | | | | |
| (BORO) | 0070/1320 | | | |
| | | | | 0070/1176 BMSEN 32/0085/0070/1155 |
| | | | | 1 0 00189 0 00 0159+20 |
| | | | | N BR PLUM CREEK |
| | | | | 0070/1155 BMSBG 32/0085/0070/1155 |
| ROSSMOYNE RD | | | | |
| (T900) | 0070/0952 | | | |
| | | | | 018 "DIA CIRC CONCR |
| | | | | 0070/0947 LEN=0150 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | | 0070/0943 LEN=0064 INSTALLED 2018 |
| | | | | 018 "DIA CIRC CONCR |
| | | | | 0070/0799 LEN=0030 INSTALLED 2018 |
| | | | | 018 "DIA CIRC METAL |
| | | | | 0070/0568 LEN=0023 INSTALLED UNKN |
| WATER ST | | | | |
| (BORO) | 0070/0199 | | | |
| | | | | 036 "DIA CIRC CONCR |
| | | | | 0070/0176 LEN=0035 INSTALLED UNKN |
| 1 0 00189 0 00 0147+52 014788 FT | | | | 014788 FT |
| BLUFF ST | | | | |
| (BORO) | 0070/0000 | | | S 0070/0000 LENGTH(AH 3214 BK 2027) |
| | | | | WATER WELL RD |
| | | | | 0060/1885 (BORO) |
| ELM ST | | | | |
| (BORO) | 0060/1703 | | | |
| | | | | 018 "DIA CIR PLASTIC |
| | | | | 0060/1495 LEN=0020 INSTALLED 2005 |
| | | | | 015 "DIA CIRC CONCR |
| | | | | 0060/1085 LEN=0036 INSTALLED UNKN |
| | | | | 012 "DIA CIRC CONCR |
| | | | | 0060/0675 LEN=0036 INSTALLED UNKN |
| SMICKSBURG ST | | | | INDIANA ST |
| (SR0954 SEG 0480/0000) | 0060/0645 | | | 0060/0645 (BORO) |
| | | | | 048 "DIA CIRC METAL |
| | | | | 0060/0580 LEN=0036 INSTALLED UNKN |
| | 012761 FT | | | 012761 FT 1 0 00189 0 00 0127+52 |
| | | | | S 0060/0000 LENGTH(AH 2027 BK 2029) |
| | | | | 012 "DIA CIRC CONCR |
| | | | | 0050/1986 LEN=0020 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | | 0050/1785 LEN=0038 INSTALLED UNKN |

DIR: B TOTAL LEN: 8.916 MI. DIST: 10-4 SR: 85
LEFT MUN: PLUMVILLE B RIGHT MUN: PLUMVILLE B

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0050/1383 | LEN=0040 INSTALLED UNKN |
| | | | 012 "DIA CIR PLASTIC |
| | | 0050/0791 | LEN=0028 INSTALLED UNKN |
| | | | 018 "DIA CAST IRON |
| | | 0050/0437 | LEN=0055 INSTALLED UNKN |
| 1 0 00189 0 00 0107+05 | 010732 FT | 010732 FT | |
| OAK ST | | | |
| (BORO) | 0050/0000 | 0050/0000 | LENGTH(AH 2029 BK 1688) |
| | | | OAK ST |
| | | 0040/1453 | (BORO) |
| OAK ST | | | |
| (BORO) | 0040/1450 | | |
| | | 0040/1436 | (APRA) STONEY FLATS HOM |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1356 | LEN=0026 INSTALLED UNKN |
| | | | PLUMVILLE |
| | | 0040/1313 | SOUTH MAHONING T |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/1086 | LEN=0026 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0040/0920 | LEN=0035 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0040/0400 | LEN=0026 INSTALLED UNKN |
| | 009044 FT | 009044 FT | 1 0 00189 0 00 0090+15 |
| BAKER TRAIL RD | | | NC MAIN ST |
| (T380) | 0040/0000 | 0040/0000 | LENGTH(AH 1688 BK 2691) |
| | | | 048 "DIA CIRC CONCR |
| | | 0030/2636 | LEN=0030 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0030/2003 | LEN=0032 INSTALLED UNKN |
| RIDGE RD | | | |
| (T381) | 0030/1903 | | |
| | | | 018 "DIA CIR PLASTIC |
| | | 0030/1530 | LEN=0080 INSTALLED 2005 |
| | | | 015 "DIA CAST IRON |
| | | 0030/1155 | LEN=0060 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0030/0420 | LEN=0052 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0030/0031 | LEN=0029 INSTALLED UNKN |
| | 006353 FT | 006353 FT | 1 0 00189 0 00 0063+44 |
| | | | BEYER RD |
| | | | (SR0954 SEG 0470/2594) |
| | | 0030/0000 | LENGTH(AH 2691 BK 3359) |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/3197 | LEN=0030 INSTALLED UNKN |
| RIDGE RD | | | |

DIR: B TOTAL LEN: 8.916 MI. DIST: 10-4 SR: 85
LEFT MUN: SOUTH MAHONING T RIGHT MUN: SOUTH MAHONING T

| | | | |
|---|---|---|---|
| (T381) | 0020/2723 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/2641 | LEN=0032 INSTALLED 1999 |
| | | | 019 "DIA CIRC METAL |
| | | 0020/2390 | LEN=0040 INSTALLED UNKN |
| | | | SAGAMORE RD |
| | | 0020/2337 | (SR0210 SEG 0010/2522) |
| | | | 024 "DIA CIR PLASTIC |
| | | 0020/2270 | LEN=0060 INSTALLED UNKN |
| | | | TO 0210/0010 SH |
| | | 0020/2150 | (CONN) |
| | | | 019 "DIA CIRC CONCR |
| | | 0020/1368 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0020/1174 | LEN=0034 INSTALLED UNKN |
| | | | 019 "DIA CIRC CONCR |
| | | 0020/0638 | LEN=0032 INSTALLED UNKN |
| | 002994 FT | 002994 FT | 1 0 00189 0 00 0029+73 |
| | | | VILLAGE: BEYER |
| | | | 015 "DIA CIRC CONCR |
| | | | LEN=0052 INSTALLED UNKN |
| | | 0020/0000 | LENGTH(AH 3359 BK 2994) |
| | | | 018 "DIA CIRC METAL |
| | | 0010/2558 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/2300 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0010/2047 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1743 | LEN=0049 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/1380 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0010/0625 | LEN=0045 INSTALLED UNKN |
| SINKTOWN RD (T850) | 0010/0538 | | |
| | | | 018 "DIA CIRC METAL |
| | | 0010/0117 | LEN=0054 INSTALLED UNKN |
| | 000000 FT | 000000 FT | 1 0 00189 0 00 0000+00 |
| | | | 036 "DIA CIRC CONCR |
| | | | LEN=0045 INSTALLED UNKN |
| | | | NC PLUMVILLE RD |
| | | REF-BK | PLUMVILLE RD |
| | | | (SR0085 SEG 0300/3346) |
| | | | MFC BEGIN = C |
| | | | BK-ARMSTRONG (03) |
| | | 0010/0000 | LENGTH(AH 2994 BK 0000) |

DIR: B TOTAL LEN: 16.467 MI. DIST: 10-4 SR: 56
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

086944 FT

1 0 00302 0 01 0007+91 085967 FT
CHARLES RD
(SR0711 SEG 0010/0000) 0590/0000

EDGEWOOD LN
(T820) 0580/2900



086944 FT AH-WESTMORELAND (64)
BMSEN 32/0056/0590/0600
REF-AHD SR 0056 SH
0590/0977 (SR0056 SEG 0330/0000)
1 0 00302 0 00 0001+88
CONEMAUGH RIVER
0590/0600 BMSBG 32/0056/0590/0600
024 "DIA CIRC CONCR
0590/0366 LEN=0040 INSTALLED UNKN
NORFOLK SOUTHERN
0590/0313 OVERPASS IS RR X-ING
POWER PLANT RD
085967 FT (SR2008 SEG 0210/3230)
5 0590/0000 LENGTH(AH 0977 BK 3403)
018 "DIA CIRC CONCR
0580/3185 LEN=0001 INSTALLED 2000

015 "DIA CIRC CONCR
0580/2756 LEN=0042 INSTALLED UNKN
008"H 00"W MULT METAL
0580/2640 LEN=0036 INSTALLED UNKN
008"H 00"W MULT METAL
0580/2483 LEN=0036 INSTALLED UNKN
008"H 00"W MULT METAL
0580/2400 LEN=0036 INSTALLED UNKN
015 "DIA CIRC CONCR
0580/2100 LEN=0032 INSTALLED UNKN
015 "DIA CIRC CONCR
0580/1791 LEN=0038 INSTALLED UNKN

DIR: B TOTAL LEN: 16.467 MI. DIST: 10-4 SR: 56
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | |
|---|---|---|
| | | 036 "DIA CIRC CONCR |
| | 0580/1545 | LEN=0032 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0580/1438 | LEN=0033 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0580/1120 | LEN=0045 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0580/0693 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0580/0468 | LEN=0035 INSTALLED 2002 |
| 082564 FT | 082564 FT | 1 0 00525 0 00 0034+50 |
| | | TRINDLE RD |
| | | (T719) |
| | S 0580/0000 | LENGTH(AH 3403 BK 1757) |
| | | 015 "DIA CIRC CONCR |
| | 0570/1737 | LEN=0035 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0570/1579 | LEN=0036 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0570/1160 | LEN=0050 INSTALLED UNKN |
| | | 024 "DIA CIRC CONCR |
| | 0570/0705 | LEN=0034 INSTALLED UNKN |
| | | 024 "DIA CIRC METAL |
| | 0570/0525 | LEN=0030 INSTALLED UNKN |
| 080807 FT | 080807 FT | 1 0 00525 0 00 0051+05 |
| | S 0570/0000 | LENGTH(AH 1757 BK 1945) |
| | | 018 "DIA CIRC CONCR |
| | 0560/1824 | LEN=0036 INSTALLED UNKN |
| | | 018 "DIA CIR UNKNOWN |
| | 0560/1410 | LEN=0035 INSTALLED UNKN |
| | 0560/1323 | BMSEN 32/0056/0560/1313 |
| | | 1 0 00525 0 00 0057+92 |
| | | TR CONEMAUGH |
| | 0560/1313 | BMSBG 32/0056/0560/1313 |
| | | 018 "DIA CIRC METAL |
| | 0560/0931 | LEN=0040 INSTALLED UNKN |
| | | 036 "DIA CIR PLASTIC |
| | 0560/0490 | LEN=0090 INSTALLED 1998 |
| 078862 FT | 078862 FT | 1 0 00525 0 00 0070+50 |
| | | WILLIAM FRY RD |
| | | (T641) |
| | S 0560/0000 | LENGTH(AH 1945 BK 2169) |
| | | 018 "DIA CIRC CONCR |
| | 0550/1935 | LEN=0050 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0550/1577 | LEN=0040 INSTALLED UNKN |
| | | 018 "DIA CIRC METAL |
| | 0550/1318 | LEN=0034 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0550/0985 | LEN=0032 INSTALLED UNKN |

DIR: B TOTAL LEN: 16.467 MI. DIST: 10-4 SR: 56
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0550/0670 | LEN=0036 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0550/0417 | LEN=0039 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0550/0072 | LEN=0036 INSTALLED UNKN |
| | 076693 FT | 076693 FT | 1 0 00525 0 00 0094+55 |
| | | NC SR 0056 SH | |
| | | | MC CORMICK RD |
| | | | (T642) |
| | | S 0550/0000 | LENGTH(AH 2169 BK 2744) |
| | | | 018 "DIA CIRC CONCR |
| | | 0540/2385 | LEN=0045 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0540/1950 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0540/1503 | LEN=0032 INSTALLED UNKN |
| CHURCH ST (T703) | 0540/0884 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0540/0861 | LEN=0040 INSTALLED UNKN |
| MAIN ST (T701) | 0540/0532 | | |
| | | | 015 "DIA CIRC CONCR |
| | | 0540/0520 | LEN=0040 INSTALLED UNKN |
| | | | EAST WHEATFIELD |
| | | 0540/0241 | ARMAGH B |
| | | | 024 "DIA CIRC CONCR |
| | | 0540/0226 | LEN=0043 INSTALLED UNKN |
| | | | TINKCOM ST |
| | | 0540/0205 | (BORO) |
| | 073949 FT | 073949 FT | 1 0 00525 0 00 0120+30 |
| | | NC INDIANA ST | |
| | | | PHILADELPHIA ST |
| | | | (SR2024 SEG 0030/1869) |
| | | S 0540/0000 | LENGTH(AH 2744 BK 3061) |
| CAMPBELL ST (BORO) | 0530/2853 | | |
| | | | ARMAGH |
| | | 0530/2826 | EAST WHEATFIELD T |
| | | | 018 "DIA CIRC CONCR |
| | | 0530/2780 | LEN=0001 INSTALLED UNKN |
| | | | RAMP C RD |
| | | 0530/2652 | (SR8008 SEG 0750/0000) |
| | | 0530/2631 | MFC BEGIN = B |
| | | | RAMP D RD |
| | | 0530/2629 | (SR8008 SEG 0760/0579) |
| | | | SR0022 EB |

DIR: B TOTAL LEN: 16.467 MI. DIST: 10-4 SR: 56
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | | |
|---|---|---|---|
| | | 0530/2279 | OP ID 32/0022/0300/0000<br>TR MARDIS RN<br>STRUCTURE LENGTH 10 FT |
| | | 0530/2000 | BMSID 32/0056/0530/1972<br>RAMP A RD<br>(SR8008 SEG 0500/0000) |
| | | 0530/1972 | RAMP B RD<br>(SR8008 SEG 0510/0845) |
| | | 0530/1951 | 018 "DIA CIRC CONCR |
| | | 0530/1630 | LEN=0041 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0530/1087 | LEN=0032 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0530/0890 | LEN=0050 INSTALLED 2016<br>018 "DIA CIRC METAL |
| | | 0530/0630 | LEN=0045 INSTALLED 2016<br>018 "DIA CIRC METAL |
| GLEN MACK RD<br>(TWP ) | 0530/0122<br>070888 FT | 0530/0258 | LEN=0100 INSTALLED 2016 |
| | | 070888 FT | 1 0 00337 0 00 0030+36<br>MARDIS RUN<br>STRUCTURE LENGTH 14 FT<br>BMSID 32/0056/0530/0000 |
| | | S 0530/0000 | LENGTH(AH 3061 BK 2218)<br>024 "DIA CIRC METAL |
| | | 0524/1915 | LEN=0050 INSTALLED 2016<br>018 "DIA CIRC METAL |
| | | 0524/1752 | LEN=0040 INSTALLED 2016<br>018 "DIA CIRC METAL |
| | | 0524/1358 | LEN=0040 INSTALLED 2016<br>018 "DIA CIRC METAL |
| | | 0524/1058 | LEN=0040 INSTALLED 2016<br>018 "DIA CIRC METAL |
| | | 0524/0860 | LEN=0040 INSTALLED 2016<br>018 "DIA CIRC METAL |
| BALKO CT<br>(T732) | 0524/0274 | 0524/0662 | LEN=0040 INSTALLED 2016 |
| | | | 030 "DIA CIRC METAL |
| | | 0524/0245 | LEN=0100 INSTALLED 2016 |
| | 068670 FT | 068670 FT | 0 0 00000 0 00 0000+00 |
| | | S 0524/0000 | LENGTH(AH 2218 BK 0905) |

DIR: B TOTAL LEN: 16.467 MI. DIST: 10-4 SR: 56
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | | |
|---|---|---|---|
| | | | 024 "DIA CIRC METAL |
| | | 0520/0587 | LEN=0060 INSTALLED 2016 |
| 1 0 00337 0 00 0066+22 067765 FT | | 067765 FT | SHELLBARK RD |
| UNITED ELEMENTARY SCHOO | | | (T840) |
| (GOVT) 0520/0000 | | 5 0520/0000 | LENGTH(AH 0905 BK 1061) |
| | | | 018 "DIA CIRC METAL |
| | | 0514/0984 | LEN=0050 INSTALLED 2016 |
| 066704 FT | | 066704 FT | 0 0 00000 0 00 0000+00 |
| | | 5 0514/0000 | LENGTH(AH 1061 BK 2186) |
| | | | 024 "DIA CIRC METAL |
| | | 0510/2070 | LEN=0060 INSTALLED 2016 |
| | | | 018 "DIA CIRC METAL |
| | | 0510/1721 | LEN=0060 INSTALLED 2016 |
| | | | 018 "DIA CIRC CONCR |
| | | 0510/1306 | LEN=0059 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0510/1065 | LEN=0056 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0510/0782 | LEN=0061 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0510/0771 | LEN=0052 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0510/0330 | LEN=0045 INSTALLED UNKN |
| | | | 024 "DIA CIR PLASTIC |
| | | 0510/0100 | LEN=0050 INSTALLED 2002 |
| 064518 FT | | 064518 FT | 1 0 00337 0 00 0099+09 |
| | | | TR BLACKLICK |
| | | | STRUCTURE LENGTH 8 FT |
| | | | BMSID 32/0056/0510/0000 |
| | | 5 0510/0000 | LENGTH(AH 2186 BK 3126) |
| | | | 018 "DIA CIRC CONCR |
| | | 0500/2613 | LEN=0075 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0500/2270 | LEN=0150 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0500/1274 | LEN=0040 INSTALLED UNKN |
| | | 0500/1238 | BMSEN 32/0056/0500/0830 |
| | | | 1 0 00337 0 00 0121+82 |
| | | | BLACKLICK CR |
| | | 0500/0830 | BMSBG 32/0056/0500/0830 |

DIR: B TOTAL LEN: 16.467 MI. DIST: 10-4 SR: 56
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | | | |
|---|---|---|---|---|
| | | | | EAST WHEATFIELD |
| | | | 0500/0800 | BRUSH VALLEY T |
| | 061392 FT | | 061392 FT | 1 0 00337 0 00 0126+20 |
| | | | | DIAS RD |
| | | | | (T728) |
| | | == | S 0500/0000 | LENGTH(AH 3126 BK 2809) |
| TO DILLTOWN MINE SITE R (CONN) | 0490/2632 | == | | |
| DILLTOWN MINE PREP SITE (PRDR) | 0490/2471 | POI | 0490/2471 | (APRA) ROBINDALE ENERGY |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0490/2244 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0490/2165 | LEN=0054 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0490/1866 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0490/1432 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0490/1015 | LEN=0051 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0490/0686 | LEN=0049 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0490/0326 | LEN=0048 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0490/0045 | LEN=0047 INSTALLED UNKN |
| | 058583 FT | | 058583 FT | 1 0 00337 0 00 0161+66 |
| | | | S 0490/0000 | LENGTH(AH 2809 BK 2977) |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0480/2638 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0480/2354 | LEN=0050 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0480/2028 | LEN=0049 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0480/1553 | LEN=0046 INSTALLED UNKN |
| | | | | 015 "DIA CIRC CONCR |
| | | | 0480/1208 | LEN=0039 INSTALLED UNKN |
| | | | | 018 "DIA CIRC CONCR |
| | | | 0480/0821 | LEN=0039 INSTALLED UNKN |
| | | | | 024 "DIA CIRC CONCR |
| | | | 0480/0318 | LEN=0042 INSTALLED UNKN |
| | 055606 FT | | 055606 FT | 1 0 00337 0 00 0191+05 |
| | | | | CLAGHORN RD |
| LONGS RD (T618) | 0480/0000 | == == | S 0480/0000 | (T617) LENGTH(AH 2977 BK 3244) |

DIR: B TOTAL LEN: 16.467 MI. DIST: 10-4 SR: 56
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

| | | | |
|---|---|---|---|
| | | | 036 "DIA CAST IRON |
| | | 0470/1676 | LEN=0042 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0470/0655 | LEN=0041 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0470/0270 | LEN=0040 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0470/0100 | LEN=0040 INSTALLED UNKN |
| 1 0 00337 0 00 0223+75 | 052362 FT | 052362 FT | |
| ONEIDA MINE RD | | | |
| (SR2016 SEG 0010/0000) | 0470/0000 | S 0470/0000 | LENGTH(AH 3244 BK 2452) |
| | | | 015 "DIA CIRC CONCR |
| | | 0460/2199 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0460/1713 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0460/1300 | LEN=0030 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0460/0114 | LEN=0042 INSTALLED UNKN |
| | 049910 FT | 049910 FT | 1 0 00337 0 00 0248+35 |
| | | S 0460/0000 | LENGTH(AH 2452 BK 3138) |
| | | | 012 "DIA CIRC CONCR |
| | | 0454/3064 | LEN=0046 INSTALLED UNKN |
| | | | 048 "DIA CIRC METAL |
| | | 0454/2664 | LEN=0049 INSTALLED UNKN |
| | | | 018 "DIA CIRC METAL |
| | | 0454/2249 | LEN=0046 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0454/1954 | LEN=0042 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0454/1668 | LEN=0046 INSTALLED UNKN |
| | | | SUNFLOWER LN |
| | | 0454/1394 | (T732) |
| | | | 018 "DIA CIRC CONCR |
| | | 0454/1315 | LEN=0061 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0454/0940 | LEN=0073 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0454/0722 | LEN=0200 INSTALLED UNKN |
| | 046772 FT | 046772 FT | 0 0 00000 0 00 0000+00 |
| | | | BRUSH CREEK |
| | | | STRUCTURE LENGTH 25 FT |
| | | | BMSID 32/0056/0454/0000 |
| | | S 0454/0000 | LENGTH(AH 3138 BK 1158) |

DIR: B TOTAL LEN: 16.467 MI. DIST: 10-4 SR: 56
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

| | | | |
|---|---|---|---|
| | | | 018 "DIA CIRC CONCR |
| | | 0444/0450 | LEN=0070 INSTALLED 2013 |
| | | | 018 "DIA CIRC CONCR |
| | | 0444/0240 | LEN=0054 INSTALLED 2013 |
| | 045614 FT | 045614 FT | 0 0 00000 0 00 0000+00 |
| | | S 0444/0000 | LENGTH(AH 1158 BK 1542) |
| | | | 018 "DIA CIRC METAL |
| | | 0440/0633 | LEN=0046 INSTALLED UNKN |
| SPRUCE HOLLOW RD (T619) | 0440/0390 | | |
| | | 0440/0136 | BMSEN 32/0056/0440/0110 |
| | | | 1 0 00337 0 00 0306+39 |
| | | | LITTLE BRUSH CREEK |
| | | 0440/0110 | BMSBG 32/0056/0440/0110 |
| | 044072 FT | 044072 FT | 1 0 00337 0 00 0307+60 |
| | | | VILLAGE: BRUSH VALLEY |
| | | | HINER RD |
| | | | (T880) |
| | | S 0440/0000 | LENGTH(AH 1542 BK 3832) |
| | | | 030 "DIA CIRC CONCR |
| | | 0420/3564 | LEN=0060 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0420/2914 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0420/2042 | LEN=0035 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0420/1294 | LEN=0175 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0420/1036 | LEN=0035 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |
| | | 0420/0584 | LEN=0035 INSTALLED UNKN |
| | | | SR 0259 SH |
| | | 0420/0293 | (SR0259 SEG 0250/3025) |
| | 040240 FT | 040240 FT | 1 0 00337 0 00 0346+08 |
| | | | VALLEY VIEW RD |
| YELLOW CREEK PARK RD (SR0259 SEG 0260/0000) | 0420/0000 | | (T700) |
| | | S 0420/0000 | LENGTH(AH 3832 BK 1137) |
| | | | 015 "DIA CIRC CONCR |
| | | 0410/1018 | LEN=0035 INSTALLED UNKN |
| | | | VISNESKY WY |
| | | 0410/0594 | (TWP ) |
| | 039103 FT | 039103 FT | 1 0 00337 0 00 0358+05 |
| ROUNDTOP RD (T694) | 0410/0000 | | VILLAGE: BRUSH VALLEY |
| | | S 0410/0000 | LENGTH(AH 1137 BK 3342) |

DIR: B TOTAL LEN: 16.467 MI. DIST: 10-4 SR: 56
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

LC FOR ROUNDTOP RD
(CONN)

| | | |
|---|---|---|
| 0400/3124 | | |
| | | 018 "DIA CIRC CONCR |
| | 0400/2691 | LEN=0056 INSTALLED UNKN |
| | | 036 "DIA CIRC CONCR |
| | 0400/2650 | LEN=0070 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0400/2095 | LEN=0044 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0400/1780 | LEN=0045 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0400/1533 | LEN=0044 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0400/1150 | LEN=0050 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0400/0347 | LEN=0045 INSTALLED UNKN |
| | 0400/0015 | BMSEN 32/0056/0400/0000 |
| 035761 FT | 035761 FT | 1 0 00337 0 00 0391+01 |
| | | TR BRUSH CR |
| | | BMSBG 32/0056/0400/0000 |
| | S 0400/0000 | LENGTH(AH 3342 BK 2651) |
| | | 018 "DIA CIRC CONCR |
| | 0390/2306 | LEN=0052 INSTALLED UNKN |
| | | 015 "DIA CIRC CONCR |
| | 0390/2257 | LEN=0045 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0390/1478 | LEN=0042 INSTALLED UNKN |
| | 0390/1100 | BMSEN 32/0056/0390/1081 |
| | | 1 0 00337 0 00 0406+76 |
| | | TR BRUSH CR |
| | 0390/1081 | BMSBG 32/0056/0390/1081 |
| | | 024 "DIA CIRC METAL |
| | 0390/0119 | LEN=0048 INSTALLED UNKN |
| 033110 FT | 033110 FT | 1 0 00337 0 00 0417+36 |
| | S 0390/0000 | LENGTH(AH 2651 BK 3255) |
| | | 018 "DIA CIRC CONCR |
| | 0380/2867 | LEN=0045 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0380/2542 | LEN=0045 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0380/1409 | LEN=0045 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |
| | 0380/1090 | LEN=0050 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 16.467 MI. DIST: 10-4 SR: 56
LEFT MUN: BRUSH VALLEY T RIGHT MUN: BRUSH VALLEY T

| | | | |
|---|---|---|---|
| | | 0380/0802 | LEN=0050 INSTALLED UNKN<br>036 "DIA CIRC CONCR |
| | | 0380/0510 | LEN=0040 INSTALLED UNKN<br>OLD MISSION RD |
| ONDO RD<br>(T725) | 0380/0374 | 0380/0374 | (T724)<br>018 "DIA CIRC CONCR |
| | | 0380/0360 | LEN=0040 INSTALLED UNKN |
| | 029855 FT | 029855 FT | 1 0 00337 0 00 0449+91<br>BRUSH VALLEY<br>CENTER T |
| | | S 0380/0000 | LENGTH(AH 3255 BK 3908)<br>018 "DIA CIRC CONCR |
| | | 0370/3326 | LEN=0044 INSTALLED UNKN<br>036 "DIA CIRC CONCR |
| | | 0370/3146 | LEN=0052 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0370/3000 | LEN=0046 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0370/2568 | LEN=0058 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0370/1455 | LEN=0060 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0370/1043 | LEN=0052 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0370/0850 | LEN=0048 INSTALLED UNKN<br>018 "DIA CIRC CONCR |
| | | 0370/0564 | LEN=0052 INSTALLED UNKN<br>030 "DIA CIRC CONCR |
| | | 0370/0347 | LEN=0116 INSTALLED UNKN |
| TO 0954/0010 SH<br>(CONN)<br>1 0 00337 0 00 0489+12 | 0370/0132<br>025947 FT | 025947 FT | |
| SR 0954 SH<br>(SR0954 SEG 0010/0000) | 0370/0000 | S 0370/0000 | LENGTH(AH 3908 BK 3249) |
| FROM 0954/0010 SH<br>(CONN) | 0360/3184 | | |
| | | 0360/2810 | 015 "DIA CIRC CONCR<br>LEN=0047 INSTALLED UNKN<br>018 "DIA CIRC METAL |
| | | 0360/2607 | LEN=0005 INSTALLED UNKN<br>012 "DIA CIRC CONCR |
| | | 0360/1880 | LEN=0067 INSTALLED UNKN<br>024 "DIA CIRC CONCR |
| | | 0360/1541 | LEN=0042 INSTALLED UNKN<br>015 "DIA CIRC CONCR |
| | | 0360/1308 | LEN=0046 INSTALLED UNKN<br>015 "DIA CIRC CONCR |

DIR: B TOTAL LEN: 16.467 MI. DIST: 10-4 SR: 56
LEFT MUN: CENTER T RIGHT MUN: CENTER T

```
                                        0360/0970 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0360/0607 LEN=0043 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0360/0228 LEN=0042 INSTALLED UNKN
022698 FT                               022698 FT 1 0 00337 0 00 0520+50
                                      S 0360/0000 LENGTH(AH 3249 BK 2874)
                                                  015 "DIA CIRC CONCR
                                        0350/2746 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0350/2540 LEN=0045 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0350/2343 LEN=0047 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0350/1896 LEN=0037 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0350/1480 LEN=0046 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0350/1142 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0350/0708 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0350/0360 LEN=0034 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0350/0117 LEN=0034 INSTALLED UNKN
019824 FT                               019824 FT 1 0 00337 0 00 0550+50
                                                  VILLAGE: WATERMAN
                                                  WATERMAN RD
                                                  (T619)
                                      S 0350/0000 LENGTH(AH 2874 BK 2477)
                                                  018 "DIA CIRC CONCR
                                        0340/2325 LEN=0001 INSTALLED 2002
                                                  018 "DIA CIRC CONCR
                                        0340/2090 LEN=0034 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0340/1774 LEN=0045 INSTALLED UNKN


                                                  015 "DIA CIRC CONCR
                                        0340/0819 LEN=0048 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0340/0428 LEN=0047 INSTALLED UNKN
                                                  012 "DIA CIRC CONCR
                                        0340/0122 LEN=0045 INSTALLED UNKN
017347 FT                               017347 FT 1 0 00337 0 00 0576+08
                                      S 0340/0000 LENGTH(AH 2477 BK 2429)
                                                  015 "DIA CIRC CONCR
                                        0330/2143 LEN=0046 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0330/1872 LEN=0045 INSTALLED UNKN
```

DIR: B TOTAL LEN: 16.467 MI. DIST: 10-4 SR: 56
LEFT MUN: CENTER T RIGHT MUN: CENTER T

| | | | |
|---|---|---|---|
| | | | 015 "DIA CIRC CONCR |
| | | 0330/1342 | LEN=0046 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0330/0790 | LEN=0051 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0330/0453 | LEN=0044 INSTALLED UNKN |
| | | | 012 "DIA CIRC CONCR |
| | | 0330/0291 | LEN=0044 INSTALLED UNKN |
| | 014918 FT | 014918 FT | 1 0 00337 0 00 0600+37 |
| | | | NC SR 0056 SH |
| | | S 0330/0000 | LENGTH(AH 2429 BK 2645) |
| | | | 015 "DIA CIRC CONCR |
| | | 0320/2505 | LEN=0026 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0320/2150 | LEN=0032 INSTALLED UNKN |
| PENNDOT STOCKPILE #03 R (GOVT) | 0320/1739 | | |
| ELIZABETH WY (T200) | 0320/1569 | | |
| | | | 024 "DIA CIRC CONCR |
| | | 0320/1415 | LEN=0050 INSTALLED 2005 |
| | | | 015 "DIA CIRC CONCR |
| | | 0320/1124 | LEN=0032 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/0880 | LEN=0040 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/0616 | LEN=0004 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/0400 | LEN=0032 INSTALLED UNKN |
| | | | TILLIO LN |
| | | 0320/0385 | (TWP ) |
| RED MAPLE DR (T821) | 0320/0304 | | |
| | | | 018 "DIA CIRC CONCR |
| | | 0320/0150 | LEN=0030 INSTALLED UNKN |
| | 012273 FT | 012273 FT | 1 0 00337 0 00 0626+95 |
| | | | CENTER |
| | | | HOMER CITY B |
| | | S 0320/0000 | LENGTH(AH 2645 BK 1205) |
| | | | 015 "DIA CIRC CONCR |
| | | 0310/1165 | LEN=0031 INSTALLED UNKN |
| SARAH ST (T426) | 0310/1110 | | |
| | | | FIRE ACADEMY RD |
| | | 0310/1073 | (SR2019 SEG 0110/2942) |
| | | | 015 "DIA CIRC CONCR |
| | | 0310/0917 | LEN=0007 INSTALLED UNKN |
| | | | 015 "DIA CIRC CONCR |
| | | 0310/0601 | LEN=0030 INSTALLED UNKN |
| THIRD ST | | | |

DIR: B TOTAL LEN: 16.467 MI. DIST: 10-4 SR: 56
LEFT MUN: HOMER CITY B RIGHT MUN: HOMER CITY B

| | | | |
|---|---|---|---|
| (BORO) | 0310/0463 | | 015 "DIA CIRC CONCR |
| | | 0310/0402 | LEN=0031 INSTALLED UNKN |
| | | | FROM 0119/0162 SH |
| | | 0310/0140 | (CONN) |
| | | | 018 "DIA CIRC CONCR |
| | | 0310/0116 | LEN=0040 INSTALLED UNKN |
| | 011068 FT | 011068 FT | 1 0 00337 0 00 0635+02 |
| | | | SR 0119 SH |
| | | | (SR0119 SEG 0181/0000) |
| | | | (SR0119 SEG 0180/0000) |
| | | | NC RIDGE AV |
| | | | RIDGE AV |
| | | | (SR3056 SEG 0300/1434) |
| | | INTER-BK | SR 0119 SH |
| | | | (SR0119 SEG 0180/0000) |
| | | 0310/0000 | LTH AH 001205 BK 000100 |
| | 011068 FT | 011068 FT | |
| | | 7050/0000 | LTH AH 000100 BK 003770 |
| | | INTER-AHD | BENJAMIN FRANKLIN HW |
| BENJAMIN FRANKLIN HW | | | (SR0422 SEG 0030/0794) |
| (SR0422 SEG 0030/0794) | 0042/3770 | 0042/3770 | SHELOCTA B |
| | | | 015 "DIA CIRC CONCR |
| | | 0042/3618 | LEN=0060 INSTALLED UNKN |
| | | | 030 "DIA CIRC CONCR |
| | | 0042/3579 | LEN=0060 INSTALLED UNKN |
| | | | SUGAR AV |
| | | 0042/3553 | (BORO) |
| | | | 018 "DIA CIRC CONCR |
| | | 0042/3415 | LEN=0075 INSTALLED UNKN |
| | | | MAIN ST |
| | | 0042/3369 | (BORO) |
| | | 0042/3334 | BMSEN 32/0056/0042/3215 |
| | | | SHELOCTA |
| | | 0042/3313 | ARMSTRONG T |
| | | | 0 0 00000 0 00 0000+00 |
| | | | CROOKED CREEK |
| | | 0042/3215 | BMSBG 32/0056/0042/3215 |
| | | 0042/2672 | (AAR 003625*)#TRKS 01 |
| | | | 018 "DIA CIR PLASTIC |
| | | 0042/2655 | LEN=0056 INSTALLED UNKN |
| | | | 036 "DIA CIRC CONCR |
| | | 0042/1945 | LEN=0046 INSTALLED UNKN |

DIR: B TOTAL LEN: 16.467 MI. DIST: 10-4 SR: 56
LEFT MUN: ARMSTRONG T RIGHT MUN: ARMSTRONG T

```
                                                  007298 FT  1  0  00319  0  00  0074+77
                                                S 0042/0000  LENGTH(AH  3770  BK  2077)
                                                             036  "DIA  CIRC  CONCR
                                                  0032/1774  LEN=0057  INSTALLED  UNKN
                                                  0032/1608  BMSEN  32/0056/0032/1782
                                                             1  0  00319  0  00  0051+87
                                                             WALKER  RUN
                                                  0032/1594  BMSBG  32/0056/0032/1782
OVERVIEW DR                                                  SPORTSMAN  CLUB  RD
(T337)                0032/1041                   0032/1041  (SR3037  SEG  0060/3414)
                                                             018  "DIA  CIRC  CONCR
                                                  0032/0461  LEN=0040  INSTALLED  UNKN
                                                             015  "DIA  CIRC  CONCR
                                                  0032/0224  LEN=0050  INSTALLED  UNKN
                      005221 FT                   005221 FT  1  0  00319  0  00  0051+87
                                                S 0032/0000  LENGTH(AH  2077  BK  3062)
                                                             015  "DIA  CIRC  CONCR
                                                  0022/2930  LEN=0040  INSTALLED  UNKN
                                                             015  "DIA  CIRC  CONCR
                                                  0022/2752  LEN=0040  INSTALLED  UNKN
                                                             018  "DIA  CIRC  CONCR
                                                  0022/2250  LEN=0040  INSTALLED  UNKN
                                                             018  "DIA  CIRC  CONCR
                                                  0022/1950  LEN=0065  INSTALLED  UNKN
                                                             018  "DIA  CIRC  CONCR
                                                  0022/1450  LEN=0075  INSTALLED  UNKN

                                                             027  "DIA  CIRC  CONCR
                                                  0022/0775  LEN=0060  INSTALLED  UNKN
                                                             024  "DIA  CIRC  CONCR
                                                  0022/0389  LEN=0050  INSTALLED  UNKN
                      002159 FT                   002159 FT  1  0  00319  0  00  0020+77
                                                             MCCREIGHT  RD
                                                             (T352)
                                                S 0022/0000  LENGTH(AH  3062  BK  2159)
                                                             015  "DIA  CIRC  CONCR
                                                  0012/1890  LEN=0060  INSTALLED  UNKN

                                                             UNION  FLAT  RD
                                                  0012/1196  (T356)

                                                             108"H  72"W  CON  BOX  CUL
                                                  0012/0343  LEN=0060  INSTALLED  UNKN
                      000000 FT                   000000 FT  1  0  00319  0  00  0000+00
                                                        NC  SR  0056  SH
                                                * REF-BK     SR  0056  SH
                                                             (SR0056  SEG  0402/3021)
                                                             MFC  BEGIN  =  C
                                                              BK-ARMSTRONG        (03)
                                                S 0012/0000  LENGTH(AH  2159  BK  0000)
```

DIR: B TOTAL LEN: .570 MI. DIST: 10-4 SR: 36
LEFT MUN: BANKS T RIGHT MUN: BANKS T

003010 FT



000000 FT

```
003010 FT   AH-JEFFERSON          (33)
REF-AHD     COLONEL DRAKE HW
0010/3010   (SR0036 SEG 0010/0000)
            016 "DIA CIRC CONCR
0010/2751   LEN=0042 INSTALLED UNKN
            WEBER RD
0010/2491   (T700)
            016 "DIA CIRC CONCR
0010/2221   LEN=0041 INSTALLED UNKN
            016 "DIA CIRC CONCR
0010/1904   LEN=0039 INSTALLED UNKN
            016 "DIA CIRC CONCR
0010/1603   LEN=0045 INSTALLED UNKN
            016 "DIA CIRC CONCR
0010/1376   LEN=0040 INSTALLED UNKN
            016 "DIA CIRC CONCR
0010/1011   LEN=0042 INSTALLED UNKN
            016 "DIA CIR PLASTIC
0010/0713   LEN=0041 INSTALLED UNKN
            015 "DIA CIRC CONCR
0010/0498   LEN=0039 INSTALLED UNKN
            014 "DIA CIRC CONCR
0010/0232   LEN=0044 INSTALLED UNKN
000000 FT   1 0 00436 0 00 0000+00
      NC COLONEL DRAKE HW
REF-BK      COLONEL DRAKE HW
            (SR0036 SEG 0340/2508)
            MFC BEGIN = C
             BK-CLEARFIELD        (17)
0010/0000   LENGTH(AH 3010 BK 0000)
```

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

AH-CAMBRIA (11)095151 FT
WILLIAM PENN HW REF-AHD
(SR0022 SEG 0013/0000) 0423/0705
018 "DIA CIRC CONCR
LEN=0361 INSTALLED UNKN 0423/0128
COUNTY LINE RD
(TWP ) 0423/0040

0 0 00000 0 00 0000+00 094446 FT
JUGHANDLE RD
(SR9408 SEG 0010/0000)
LENGTH(AH 0705 BK 3282) 0423/0000
024 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0413/3219
COUNTY LINE RD
(TWP ) 0413/3209

095098 FT
REF-AHD WILLIAM PENN HW
0422/0695 (SR0022 SEG 0012/0000)

JUGHANDLE RD
0422/0225 (SR9408 SEG 0010/0422)
024 "DIA CIRC METAL
0422/0003 LEN=0122 INSTALLED 2004
094403 FT 0 0 00000 0 00 0000+00
JUGHANDLE RD
(SR9408 SEG 0010/0000)
0422/0000 LENGTH(AH 0695 BK 3274)

018 "DIA CIRC METAL
0412/3113 LEN=0050 INSTALLED 2004
018 "DIA CIRC METAL
0412/2929 LEN=0001 INSTALLED 2004
018 "DIA CIRC METAL
0412/2558 LEN=0070 INSTALLED 2004

DMS SIGN STRUCTURE

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | |
|---|---|
| | 0412/1537 BMSID 11/0022/0012/0000 |
| 018 "DIA CIRC CONCR<br>LEN=0005 INSTALLED UNKN 0413/1458 | |
| | 018 "DIA CIRC CONCR<br>0412/1440 LEN=0035 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0048 INSTALLED UNKN 0413/1190 | |
| | 018 "DIA CIRC CONCR<br>0412/0834 LEN=0040 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0069 INSTALLED UNKN 0413/0587 | |
| | 018 "DIA CIRC METAL<br>0412/0557 LEN=0035 INSTALLED 2004 |
| | 018 "DIA CIRC CONCR<br>0412/0418 LEN=0050 INSTALLED UNKN |
| | 018 "DIA CIRC METAL<br>0412/0316 LEN=0050 INSTALLED UNKN |
| 0 0 00000 0 00 0000+00 091164 FT<br>LC FOR CLARK LN<br>(CONN) | 091129 FT 0 0 00000 0 00 0000+00<br>LC FOR CLARK LN<br>(CONN) |
| LENGTH(AH 3282 BK 2184) 0413/0000 S | S 0412/0000 LENGTH(AH 3274 BK 2195) |
| | 018 "DIA CIRC METAL<br>0402/1865 LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR<br>LEN=0088 INSTALLED UNKN 0403/1641 | |
| | 018 "DIA CIRC METAL<br>0402/1474 LEN=0040 INSTALLED 2004 |
| | 018 "DIA CIRC METAL<br>0402/0633 LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR<br>LEN=0060 INSTALLED UNKN 0403/0342 | |
| | 018 "DIA CIRC METAL<br>0402/0289 LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR<br>LEN=0055 INSTALLED UNKN 0403/0020<br>0 0 00000 0 00 0000+00 088980 FT | 088934 FT 0 0 00000 0 00 0000+00 |
| LENGTH(AH 2184 BK 2163) 0403/0000 S | S 0402/0000 LENGTH(AH 2195 BK 2178) |
| | 018 "DIA CIRC METAL<br>0392/2123 LEN=0040 INSTALLED 2004 |
| 018 "DIA CIRC CONCR<br>LEN=0072 INSTALLED UNKN 0393/1865 | |
| 018 "DIA CIRC METAL<br>LEN=0064 INSTALLED UNKN 0393/1510 | |
| 018 "DIA CIRC CONCR<br>LEN=0070 INSTALLED UNKN 0393/0977 | |
| 018 "DIA CIRC METAL<br>LEN=0060 INSTALLED UNKN 0393/0566 | |
| | JUGHANDLE RD<br>0392/0313 (SR9406 SEG 0010/0399) |

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| LEFT | | RIGHT | |
|---|---|---|---|
| | | 042 "DIA CIRC METAL | |
| | | 0392/0302 | LEN=0075 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0068 INSTALLED UNKN | 0393/0108 | | |
| | | 086756 FT | 0 0 00000 0 00 0000+00 |
| | | 018 "DIA CIRC METAL | |
| 0 0 00000 0 00 0000+00 086817 FT | | LEN=0040 INSTALLED 2004 | |
| WEHRUM RD | | WEHRUM RD | |
| (SR2013 SEG 0084/0415) | | (SR2013 SEG 0084/0415) | |
| LENGTH(AH 2163 BK 1561) | 0393/0000 S | S 0392/0000 | LENGTH(AH 2178 BK 1561) |
| 024 "DIA CIRC CONCR | | | |
| LEN=0080 INSTALLED UNKN | 0383/1446 | | |
| JUGHANDLE RD | | | |
| (SR9404 SEG 0010/0399) | 0383/1249 | | |
| 024 "DIA CIRC CONCR | | | |
| LEN=0055 INSTALLED UNKN | 0383/1200 | | |
| | | 018 "DIA CIRC METAL | |
| | | 0382/0639 | LEN=0001 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0050 INSTALLED UNKN | 0383/0612 | | |
| | | 018 "DIA CIRC METAL | |
| | | 0382/0344 | LEN=0001 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0060 INSTALLED UNKN | 0383/0123 | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0055 INSTALLED UNKN | 0383/0011 | | |
| 0 0 00000 0 00 0000+00 085256 FT | | 085195 FT | 0 0 00000 0 00 0000+00 |
| LENGTH(AH 1561 BK 2584) | 0383/0000 S | S 0382/0000 | LENGTH(AH 1561 BK 2586) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0050 INSTALLED UNKN | 0375/2520 | | |
| | | 024 "DIA CIRC METAL | |
| | | 0374/1984 | LEN=0001 INSTALLED 2004 |
| | | 024 "DIA CIRC CONCR | |
| 024 "DIA CIRC CONCR | | 0374/1200 | LEN=0035 INSTALLED UNKN |
| LEN=0050 INSTALLED UNKN | 0375/1198 | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0050 INSTALLED UNKN | 0375/0937 | | |
| | | 024 "DIA CIRC CONCR | |
| | | 0374/0930 | LEN=0035 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | |
| LEN=0070 INSTALLED UNKN | 0375/0547 | | |
| | | 018 "DIA CIRC METAL | |
| | | 0374/0461 | LEN=0001 INSTALLED 2004 |
| | | 030 "DIA CIRC METAL | |
| | | 0374/0184 | LEN=0090 INSTALLED 2004 |
| | | 018 "DIA CIRC METAL | |
| | | 0374/0059 | LEN=0001 INSTALLED 2004 |
| | | 082609 FT | 0 0 00000 0 00 0000+00 |
| 0 0 00000 0 00 0000+00 082672 FT | | | VILLAGE: GAS CENTER |

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

GAS CENTER RD
(T910)
LENGTH(AH 2584 BK 2323) 0375/0000 S

024 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0365/2002

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0365/1741
018 "DIA CIRC CONCR
LEN=0059 INSTALLED UNKN 0365/1480

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0365/1250

018 "DIA CIRC CONCR
LEN=0068 INSTALLED UNKN 0365/1058

018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN 0365/0758

018 "DIA CIRC CONCR
LEN=0068 INSTALLED 2004 0365/0523

018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN 0365/0300
024 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 0365/0102
0 0 00000 0 00 0000+00 080349 FT
JUGHANDLE RD
(SR9402 SEG 0010/0000)
LENGTH(AH 2323 BK 2276) 0365/0000 S
JUGHANDLE RD
(SR9402 SEG 0010/0381) 0353/2083
018 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 0353/1914

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0353/0336

S 0374/0000 GAS CENTER RD
(T910)
LENGTH(AH 2586 BK 2325)
018 "DIA CIRC METAL
0364/2043 LEN=0122 INSTALLED 2004

018 "DIA CIRC METAL
0364/1872 LEN=0038 INSTALLED 2004

018 "DIA CIRC METAL
0364/1321 LEN=0075 INSTALLED 2004

018 "DIA CIRC METAL
0364/1114 LEN=0075 INSTALLED 2004

018 "DIA CIRC CONCR
0364/0920 LEN=0075 INSTALLED 2004

018 "DIA CIRC METAL
0364/0753 LEN=0035 INSTALLED 2004

018 "DIA CIRC METAL
0364/0520 LEN=0035 INSTALLED 2004

080284 FT 0 0 00000 0 00 0000+00
JUGHANDLE RD
(SR9402 SEG 0010/0000)
S 0364/0000 LENGTH(AH 2325 BK 2256)

018 "DIA CIRC METAL

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22

| LEFT MUN: EAST WHEATFIELD T | RIGHT MUN: EAST WHEATFIELD T |
|---|---|
| | 0352/0311 LEN=0025 INSTALLED 2004 |
| 0 0 00000 0 00 0000+00 078073 FT | 078028 FT 0 0 00000 0 00 0000+00 |
| LENGTH(AH 2276 BK 1893) 0353/0000 S | S 0352/0000 LENGTH(AH 2256 BK 1914) |
| 018 "DIA CIRC CONCR | |
| LEN=0060 INSTALLED UNKN 0343/1884 | |
| | 018 "DIA CIRC METAL |
| | 0342/1897 LEN=0045 INSTALLED 2004 |
| 018 "DIA CIRC CONCR | |
| LEN=0070 INSTALLED UNKN 0343/1526 | |
| 018 "DIA CIRC CONCR | |
| LEN=0050 INSTALLED 2004 0343/1000 | |
| | 018 "DIA CIRC METAL |
| | 0342/0919 LEN=0025 INSTALLED 2004 |
| 018 "DIA CIRC METAL | |
| LEN=0080 INSTALLED UNKN 0343/0787 | |
| 018 "DIA CIRC CONCR | |
| LEN=0060 INSTALLED 2004 0343/0591 | 018 "DIA CIRC METAL |
| | 0342/0591 LEN=0056 INSTALLED 2004 |
| | RAMP G RD |
| | 0342/0015 (SR8010 SEG 0750/0569) |
| 0 0 00000 0 00 0000+00 076180 FT | 076114 FT 0 0 00000 0 00 0000+00 |
| LENGTH(AH 1893 BK 0657) 0343/0000 S | S 0342/0000 LENGTH(AH 1914 BK 0648) |
| 018 "DIA CIRC CONCR | |
| LEN=0064 INSTALLED UNKN 0331/0649 | |
| | 018 "DIA CIRC CONCR |
| | 0330/0475 LEN=0045 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| | 0330/0153 LEN=0038 INSTALLED UNKN |
| 1 0 00314 0 00 0000+00 075523 FT | 075466 FT 1 0 00314 0 00 0000+00 |
| SR0403 | SR0403 |
| OP ID 32/0403/0110/0000 | OP ID 32/0403/0110/0000 |
| LENGTH(AH 0657 BK 2145) 0331/0000 S | S 0330/0000 LENGTH(AH 0648 BK 2249) |
| | 024 "DIA CIRC CONCR |
| | 0320/1800 LEN=0030 INSTALLED UNKN |
| 024 "DIA CIRC METAL | |
| LEN=0030 INSTALLED UNKN 0321/1815 | |
| RAMP F RD | |
| (SR8010 SEG 0260/0000) 0321/1597 | RAMP H RD |
| | 0320/1499 (SR8010 SEG 0010/0000) |
| | 024 "DIA CIRC METAL |
| | 0320/1066 LEN=0096 INSTALLED UNKN |
| RAMP E RD | |
| (SR8010 SEG 0250/1061) 0321/1026 | |
| 024 "DIA CIRC METAL | |
| LEN=0096 INSTALLED UNKN 0321/1008 | |
| | 024 "DIA CIRC CONCR |
| | 0320/0369 LEN=0060 INSTALLED UNKN |
| 024 "DIA CIRC METAL | |
| LEN=0060 INSTALLED UNKN 0321/0315 | |
| | 018 "DIA CIRC CONCR |
| | 0320/0187 LEN=0037 INSTALLED UNKN |

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| LEFT MUN: EAST WHEATFIELD T | RIGHT MUN: EAST WHEATFIELD T |
|---|---|
| | 073217 FT 1 0 00223 0 00 0586+26 |
| | PHILADELPHIA ST |
| 1 0 00223 0 00 0586+26 073378 FT | (SR2024 SEG 0040/2693) |
| LENGTH(AH 2145 BK 1630) 0321/0000 S | 0320/0000 LENGTH(AH 2249 BK 1500) S |
| | 036 "DIA CIRC CONCR |
| 018 "DIA CIRC CONCR | 0310/1244 LEN=0065 INSTALLED UNKN |
| LEN=0030 INSTALLED UNKN 0311/1120 | |
| | 018 "DIA CIRC CONCR |
| 018 "DIA CIRC CONCR | 0310/0775 LEN=0045 INSTALLED UNKN |
| LEN=0045 INSTALLED UNKN 0311/0471 | |
| | 018 "DIA CIRC CONCR |
| | 0310/0448 LEN=0045 INSTALLED UNKN |
| | 018 "DIA CIRC CONCR |
| | 0310/0184 LEN=0040 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0037 INSTALLED UNKN 0311/0160 | |
| 1 0 00223 0 00 0570+98 071748 FT | 071717 FT 1 0 00223 0 00 0570+87 |
| LENGTH(AH 1630 BK 2639) 0311/0000 S | 0310/0000 LENGTH(AH 1500 BK 2650) S |
| 018 "DIA CIRC CONCR | |
| LEN=0032 INSTALLED UNKN 0301/1579 | |
| | 048 "DIA CIRC CONCR |
| 048 "DIA CIRC CONCR | 0300/1554 LEN=0062 INSTALLED UNKN |
| LEN=0062 INSTALLED UNKN 0301/1538 | |
| 018 "DIA CIRC CONCR | |
| LEN=0048 INSTALLED UNKN 0301/1275 | |
| | 024 "DIA CIRC CONCR |
| | 0300/1176 LEN=0056 INSTALLED UNKN |
| 024 "DIA CIRC CONCR | |
| LEN=0056 INSTALLED UNKN 0301/1156 | |
| 018 "DIA CIRC CONCR | |
| LEN=0056 INSTALLED UNKN 0301/0891 | |
| RAMP B RD | RAMP C RD |
| (SR8008 SEG 0510/0000) 0301/0760 | 0300/0774 (SR8008 SEG 0750/0774) |
| RAMP A RD | RAMP D RD |
| (SR8008 SEG 0500/0683) 0301/0343 | 0300/0330 (SR8008 SEG 0760/0000) |
| BMSEN 32/0022/0300/0000 0301/0112 | 0300/0112 BMSEN 32/0022/0300/0000 |
| 1 0 00223 0 00 0544+55 069109 FT | 069067 FT 1 0 00223 0 00 0544+55 |
| SR0056 | SR0056 |
| BMSBG 32/0022/0300/0000 | BMSBG 32/0022/0300/0000 |
| LENGTH(AH 2639 BK 3318) 0301/0000 S | 0300/0000 LENGTH(AH 2650 BK 3410) S |
| | 018 "DIA CIRC CONCR |
| | 0290/3312 LEN=0050 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | |
| LEN=0040 INSTALLED UNKN 0291/3203 | |
| | 018 "DIA CIRC CONCR |
| | 0290/3004 LEN=0033 INSTALLED UNKN |

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

| | | |
|---|---|---|
| 018 "DIA CIRC CONCR<br>LEN=0033 INSTALLED UNKN 0291/2936 | | |
| | | 018 "DIA CIRC CONCR<br>0290/2665 LEN=0033 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0033 INSTALLED UNKN 0291/2515 | | |
| | | 018 "DIA CIRC CONCR<br>0290/2400 LEN=0033 INSTALLED UNKN |
| 018 "DIA CIRC METAL<br>LEN=0033 INSTALLED UNKN 0291/1929 | | |
| | | 036 "DIA CIRC METAL<br>0290/1838 LEN=0143 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR<br>0290/0646 LEN=0033 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0033 INSTALLED UNKN 0291/0508 | | |
| | | 018 "DIA CIRC CONCR<br>0290/0348 LEN=0031 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0033 INSTALLED UNKN 0291/0228 | | |
| 1 0 00223 0 00 0511+38 065791 FT<br>LENGTH(AH 3318 BK 2002) 0291/0000 | | 065657 FT 1 0 00223 0 00 0510+36<br>0290/0000 LENGTH(AH 3410 BK 2061) |
| | | 030 "DIA CIRC CONCR<br>0280/1553 LEN=0077 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR<br>0280/1219 LEN=0046 INSTALLED UNKN |
| | | 018 "DIA CIRC CONCR<br>0280/0937 LEN=0030 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0030 INSTALLED UNKN 0281/0741 | | |
| | | 018 "DIA CIRC CONCR<br>0280/0638 LEN=0060 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0030 INSTALLED UNKN 0281/0440 | | |
| | | 018 "DIA CIRC CONCR<br>0280/0383 LEN=0120 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0057 INSTALLED UNKN 0281/0272 | | |
| | | 018 "DIA CIRC CONCR<br>0280/0075 LEN=0030 INSTALLED UNKN |
| 1 0 00223 0 00 0491+30 063789 FT<br>LENGTH(AH 2002 BK 2291) 0281/0000 | | 063596 FT 1 0 00223 0 00 0489+51<br>0280/0000 LENGTH(AH 2061 BK 2153) |
| 054 "DIA CIRC CONCR<br>LEN=0127 INSTALLED UNKN 0273/1968 | | |
| 018 "DIA CIRC CONCR<br>LEN=0030 INSTALLED UNKN 0273/1738 | | |
| | | 018 "DIA CIRC CONCR<br>0272/1732 LEN=0030 INSTALLED UNKN |

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: EAST WHEATFIELD T RIGHT MUN: EAST WHEATFIELD T

```
024 "DIA CIRC METAL
LEN=0110 INSTALLED UNKN 0273/0873
018 "DIA CIRC CONCR
LEN=0040 INSTALLED 2010 0273/0860
042 "DIA CIRC METAL
LEN=0126 INSTALLED UNKN 0273/0800
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0273/0253

                                                                018 "DIA CIRC CONCR
                                                     0272/0240  LEN=0030 INSTALLED UNKN
0 0 00000 0 00 0000+00 061498 FT                     061443 FT  0 0 00000 0 00 0000+00
CLYDE RD                                                        SLAUGHTERBECK RD
(T700)                                                          (T896)
PHILADELPHIA ST                                                 PHILADELPHIA ST
(SR2024 SEG 0010/0000)                                          (SR2024 SEG 0010/0000)
EAST WHEATFIELD                                                 EAST WHEATFIELD
WEST WHEATFIELD T                                               WEST WHEATFIELD T
LENGTH(AH 2291 BK 1969) 0273/0000                    0272/0000  LENGTH(AH 2153 BK 1908)
018 "DIA CIRC CONCR
LEN=0050 INSTALLED 2010 0263/1900

018 "DIA CIRC CONCR
LEN=0082 INSTALLED 2010 0263/0758
030 "DIA CIRC CONCR
LEN=0290 INSTALLED 2010 0263/0525
018 "DIA CIRC CONCR
LEN=0040 INSTALLED 2010 0263/0457
036 "DIA CIRC CONCR
LEN=0360 INSTALLED 2010 0263/0186
0 0 00000 0 00 0000+00 059529 FT                     059535 FT  0 0 00000 0 00 0000+00
LENGTH(AH 1969 BK 1107) 0263/0000                    0262/0000  LENGTH(AH 1908 BK 1086)

018 "DIA CIRC CONCR
LEN=0068 INSTALLED 2010 0253/0150
0 0 00000 0 00 0000+00 058422 FT                     058449 FT  0 0 00000 0 00 0000+00
JUGHANDLE RD                                                    JUGHANDLE RD
(SR9424 SEG 0010/0000)                                          (SR9424 SEG 0010/0000)
JUGHANDLE RD                                                    JUGHANDLE RD
(SR9424 SEG 0010/0000)                                          (SR9424 SEG 0010/0000)
LENGTH(AH 1107 BK 3239) 0253/0000                    0252/0000  LENGTH(AH 1086 BK 3276)
018 "DIA CIRC CONCR
LEN=0126 INSTALLED 2010 0243/3175
JUGHANDLE RD
(SR9424 SEG 0010/0532)  0243/2959
018 "DIA CIRC CONCR
LEN=0086 INSTALLED 2010 0243/2862
036 "DIA CIRC CONCR
```

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

| LEFT | | RIGHT | |
|---|---|---|---|
| LEN=0238 INSTALLED 2010 | 0243/2820 | | |
| | | 018 "DIA CIRC CONCR | |
| | | 0242/2615 | LEN=0045 INSTALLED 2010 |
| | | 018 "DIA CIRC CONCR | |
| | | 0242/2230 | LEN=0045 INSTALLED 2010 |
| 036 "DIA CIRC CONCR | | | |
| LEN=0250 INSTALLED 2010 | 0243/2180 | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0050 INSTALLED 2010 | 0243/1858 | | |
| | | 018 "DIA CIRC CONCR | |
| | | 0242/1850 | LEN=0050 INSTALLED 2010 |
| 030 "DIA CIRC CONCR | | | |
| LEN=0220 INSTALLED 2010 | 0243/1380 | | |
| | | M 0242/1330 | CAVC 808 |
| CAVC 808 | 0243/1260M | | |
| | | | BETHEL CEMETERY RD |
| | | == 0242/0915 | (T716) |
| BETHEL CEMETERY ROAD | | | |
| (T716) | 0243/0907 == | | |
| 018 "DIA CIRC CONCR | | | |
| | | | 018 "DIA CIRC CONCR |
| LEN=0043 INSTALLED 2010 | 0243/0400 | 0242/0400 | LEN=0003 INSTALLED 2010 |
| 0 0 00000 0 00 0000+00 055183 FT | | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0043 INSTALLED 2010 | | 055173 FT | 0 0 00000 0 00 0000+00 |
| LENGTH(AH 3239 BK 2624) | 0243/0000 S | S 0242/0000 | LENGTH(AH 3276 BK 2624) |
| | | 018 "DIA CIRC CONCR | |
| | | 0232/2623 | LEN=0043 INSTALLED 2010 |
| | | 018 "DIA CIRC CONCR | |
| | | 0232/2280 | LEN=0088 INSTALLED 2010 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0043 INSTALLED 2010 | 0233/1981 | | |
| | | 018 "DIA CIRC CONCR | |
| | | 0232/1980 | LEN=0043 INSTALLED 2010 |
| | | 018 "DIA CIRC CONCR | |
| | | 0232/1630 | LEN=0118 INSTALLED 2010 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0070 INSTALLED 2010 | 0233/1386 | | |
| | | 018 "DIA CIRC CONCR | |
| | | 0232/1380 | LEN=0070 INSTALLED 2010 |
| | | 018 "DIA CIRC CONCR | |
| | | 0232/1150 | LEN=0118 INSTALLED 2010 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0070 INSTALLED 2010 | 0233/0940 | | |
| | | 018 "DIA CIRC CONCR | |
| | | 0232/0930 | LEN=0070 INSTALLED 2010 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0065 INSTALLED 2010 | 0233/0640 | | |
| | | 018 "DIA CIRC CONCR | |
| | | 0232/0625 | LEN=0065 INSTALLED 2010 |
| 018 "DIA CIRC CONCR | | 018 "DIA CIRC CONCR | |
| LEN=0060 INSTALLED 2010 | 0233/0340 | 0232/0340 | LEN=0060 INSTALLED 2010 |

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

| | | |
|---|---|---|
| | | JUGHANDLE RD |
| | 0232/0296 | (SR9420 SEG 0010/0472) |
| 018 "DIA CIRC CONCR | | |
| LEN=0050 INSTALLED 2010 0233/0150 | | |
| 036 "DIA CIRC CONCR | | |
| LEN=0082 INSTALLED 2010 0233/0062 | | |
| | | 036 "DIA CIRC CONCR |
| | 0232/0060 | LEN=0200 INSTALLED 2010 |
| 0 0 00000 0 00 0000+00 052559 FT | 052549 FT | 0 0 00000 0 00 0000+00 |
| JUGHANDLE RD | | JUGHANDLE RD |
| (SR9422 SEG 0010/0000) | | (SR9422 SEG 0010/0000) |
| JUGHANDLE RD | | JUGHANDLE RD |
| (SR9422 SEG 0010/0000) | | (SR9422 SEG 0010/0000) |
| JUGHANDLE RD | | JUGHANDLE RD |
| (SR9420 SEG 0010/0000) | | (SR9420 SEG 0010/0000) |
| JUGHANDLE RD | | JUGHANDLE RD |
| (SR9420 SEG 0010/0000) | | (SR9420 SEG 0010/0000) |
| LENGTH(AH 2624 BK 2264) 0233/0000 S | S 0232/0000 | LENGTH(AH 2624 BK 2275) |
| 024 "DIA CIRC CONCR | | |
| LEN=0100 INSTALLED 2010 0223/2175 | | |
| JUGHANDLE RD | | |
| (SR9422 SEG 0010/0385) 0223/2067 | | |
| 024 "DIA CIRC CONCR | | |
| LEN=0055 INSTALLED 2010 0223/1320 | | |
| | | 024 "DIA CIRC CONCR |
| | 0222/1300 | LEN=0068 INSTALLED 2010 |
| 018 "DIA CIRC CONCR | | |
| LEN=0044 INSTALLED 2010 0223/0915 | | |
| 018 "DIA CIRC CONCR | | |
| LEN=0044 INSTALLED 2010 0223/0460 | | |
| 0 0 00000 0 00 0000+00 050295 FT | 050274 FT | 0 0 00000 0 00 0000+00 |
| LENGTH(AH 2264 BK 2505) 0223/0000 S | S 0222/0000 | LENGTH(AH 2275 BK 2539) |
| | | 018 "DIA CIRC CONCR |
| | 0212/1700 | LEN=0066 INSTALLED 2010 |
| | | ROUNDTOP DR |
| | 0212/1383 | (T670) |
| | | 018 "DIA CIRC CONCR |
| | 0212/1250 | LEN=0070 INSTALLED 2010 |
| | | 018 "DIA CIRC CONCR |
| | 0212/1000 | LEN=0054 INSTALLED 2010 |
| RAMP A RD | | RAMP B RD |
| (SR8006 SEG 0260/0000) | | (SR8006 SEG 0010/0000) |
| RAMP A RD | | RAMP B RD |
| (SR8006 SEG 0250/0695) 0213/0809 | 0212/0840 | (SR8006 SEG 0020/0950) |
| 018 "DIA CIRC CONCR | | |
| LEN=0050 INSTALLED 2010 0213/0400 | | |
| | | 018 "DIA CIRC CONCR |
| | 0212/0220 | LEN=0048 INSTALLED 2010 |
| 018 "DIA CIRC CONCR | | |

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22

| LEFT MUN: WEST WHEATFIELD T | | RIGHT MUN: WEST WHEATFIELD T | |
|---|---|---|---|
| LEN=0040 INSTALLED 2010 | 0213/0210 | | |
| BMSEN 32/0022/0212/0000 | 0213/0122 | | 0212/0122 |
| 0 0 00000 0 00 0000+00 | 047790 FT | | 047735 FT |
| SR 0259 | | | 0 0 00000 0 00 0000+00 |
| BMSBG 32/0022/0212/0000 | | | SR 0259 |
| LENGTH(AH 2505 BK 1081) | 0213/0000 | | BMSBG 32/0022/0212/0000 |
| 018 "DIA CIRC CONCR | | | 0212/0000 LENGTH(AH 2539 BK 1067) |
| LEN=0062 INSTALLED 2010 | 0203/0990 | | |
| SHADY GROVE RD | | | |
| (T803) | 0203/0737 | | |
| | | | 018 "DIA CIRC CONCR |
| | | | 0202/0700 LEN=0045 INSTALLED 2010 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0065 INSTALLED 2010 | 0203/0670 | | |
| | | | 024 "DIA CIR PLASTIC |
| | | | 0202/0425 LEN=0060 INSTALLED UNKN |
| 024 "DIA CIRC CONCR | | | |
| LEN=0055 INSTALLED 2010 | 0203/0365 | | |
| 0 0 00000 0 00 0000+00 | 046709 FT | | 046668 FT 0 0 00000 0 00 0000+00 |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0050 INSTALLED 2010 | | | LEN=0054 INSTALLED 2010 |
| LENGTH(AH 1081 BK 2384) | 0203/0000 | | 0202/0000 LENGTH(AH 1067 BK 2408) |
| | | | 018 "DIA CIRC CONCR |
| | | | 0192/2050 LEN=0057 INSTALLED 2010 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0057 INSTALLED 2010 | 0193/2040 | | |
| 030 "DIA CIRC CONCR | | | 030 "DIA CIRC CONCR |
| LEN=0120 INSTALLED 2010 | 0193/1200 | | 0192/1200 LEN=0147 INSTALLED 2010 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0060 INSTALLED 2010 | 0193/0640 | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0058 INSTALLED 2010 | 0193/0340 | | |
| 0 0 00000 0 00 0000+00 | 044325 FT | | 044260 FT 0 0 00000 0 00 0000+00 |
| LENGTH(AH 2384 BK 1990) | 0193/0000 | | 0192/0000 LENGTH(AH 2408 BK 1968) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0060 INSTALLED 2010 | 0183/1880 | | |
| 048 "DIA CIRC CONCR | | | |
| LEN=0136 INSTALLED 2010 | 0183/1515 | | |
| | | | 018 "DIA CIRC CONCR |
| | | | 0182/1400 LEN=0035 INSTALLED 2010 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0182/1030 LEN=0064 INSTALLED 2010 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0182/0880 LEN=0066 INSTALLED 2010 |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0045 INSTALLED 2010 | 0183/0690 | | 0182/0690 LEN=0045 INSTALLED 2010 |
| | | | 018 "DIA CIRC CONCR |
| | | | 0182/0330 LEN=0050 INSTALLED 2010 |
| 018 "DIA CIRC CONCR | | | |

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

| LEFT | | RIGHT | |
|---|---|---|---|
| LEN=0090 INSTALLED 2010 | 0183/0306 | | |
| | | JUGHANDLE RD | |
| | | 0182/0253 | (SR9414 SEG 0010/0502) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0110 INSTALLED 2010 | 0183/0085 | | |
| 0 0 00000 0 00 0000+00 042335 FT | | 042292 FT | 0 0 00000 0 00 0000+00 |
| JUGHANDLE RD | | | JUGHANDLE RD |
| (SR9428 SEG 0010/0000) | | | (SR9428 SEG 0010/0000) |
| JUGHANDLE RD | | | JUGHANDLE RD |
| (SR9428 SEG 0010/0000) | | | (SR9428 SEG 0010/0000) |
| JUGHANDLE RD | | | JUGHANDLE RD |
| (SR9414 SEG 0010/0000) | | | (SR9414 SEG 0010/0000) |
| JUGHANDLE RD | | | JUGHANDLE RD |
| (SR9414 SEG 0010/0000) | | | (SR9414 SEG 0010/0000) |
| LENGTH(AH 1990 BK 3396) | 0183/0000 S | S | 0182/0000 LENGTH(AH 1968 BK 3348) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0065 INSTALLED 2010 | 0173/3207 | | |
| JUGHANDLE RD | | | |
| (SR9428 SEG 0010/0560) | 0173/3146 | | |
| 018 "DIA CIRC CONCR | | | |
| LEN=0052 INSTALLED 2010 | 0173/2907 | | |
| | | 018 "DIA CIRC CONCR | |
| | | 0172/2557 | LEN=0040 INSTALLED 2010 |
| | | 042 "DIA CIRC CONCR | |
| | | 0172/2445 | LEN=0128 INSTALLED 2010 |
| | | 018 "DIA CIRC CONCR | |
| | | 0172/2257 | LEN=0040 INSTALLED 2010 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0040 INSTALLED 2010 | 0173/1850 | | |
| | | 036 "DIA CIRC CONCR | |
| | | 0172/1381 | LEN=0164 INSTALLED 2010 |
| | | 018 "DIA CIRC CONCR | |
| | | 0172/1307 | LEN=0075 INSTALLED 2010 |
| | | CLARK RD | |
| | | 0172/1168 | (T801) |
| | | 018 "DIA CIRC CONCR | |
| | | 0172/1082 | LEN=0045 INSTALLED 2010 |
| | | 018 "DIA CIRC CONCR | |
| | | 0172/0807 | LEN=0040 INSTALLED 2010 |
| 018 "DIA CIRC CONCR | | | |
| LEN=0045 INSTALLED 2010 | 0173/0785 | | |
| | | 018 "DIA CIRC CONCR | |
| | | 0172/0457 | LEN=0080 INSTALLED 2010 |
| | | 024 "DIA CIRC CONCR | |
| | | 0172/0123 | LEN=0120 INSTALLED 2010 |
| 0 0 00000 0 00 0000+00 038939 FT | | 038944 FT | 0 0 00000 0 00 0000+00 |
| MT TABOR RD | | | MT TABOR RD |
| (T724) | | | (T724) |
| BOWSER RD | | | BOWSER RD |
| (T910) | | | (T910) |

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: WEST WHEATFIELD T RIGHT MUN: WEST WHEATFIELD T

```
LENGTH(AH 3396 BK 2466) 0173/0000                0172/0000 LENGTH(AH 3348 BK 2447)
018 "DIA CIRC CONCR
LEN=0040 INSTALLED 2010 0163/2095
018 "DIA CIRC CONCR
LEN=0045 INSTALLED 2010 0163/1775
018 "DIA CIRC CONCR
LEN=0040 INSTALLED 2010 0163/1400
018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN 0163/0807
018 "DIA CIRC CONCR
LEN=0052 INSTALLED UNKN 0163/0513
018 "DIA CIRC CONCR
LEN=0051 INSTALLED UNKN 0163/0313
                                                          JUGHANDLE RD
                                                 0162/0226 (SR9412 SEG 0010/0416)
0 0 00000 0 00 0000+00 036473 FT                 036497 FT 0 0 00000 0 00 0000+00
JUGHANDLE RD                                              JUGHANDLE RD
(SR9412 SEG 0010/0000)                                    (SR9412 SEG 0010/0000)
KETTLE HOLLOW RD                                          KETTLE HOLLOW RD
(T723)                                                    (T723)
LENGTH(AH 2466 BK 2926) 0163/0000                0162/0000 LENGTH(AH 2447 BK 2961)
018 "DIA CIRC CONCR                                       018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0153/2747                0152/2747 LEN=0100 INSTALLED UNKN
024 "DIA CIRC CONCR                                       024 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0153/2390                0152/2390 LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN 0153/1912
024 "DIA CIRC CONCR                                       024 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0153/1876                0152/1876 LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN 0153/1387
                                                          018 "DIA CIRC CONCR
                                                 0152/1362 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN 0153/1037
                                                          018 "DIA CIRC CONCR
                                                 0152/1012 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR                                       018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN 0153/0662                0152/0662 LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR                                       018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN 0153/0362                0152/0362 LEN=0055 INSTALLED UNKN
0 0 00000 0 00 0000+00 033547 FT                 033536 FT 0 0 00000 0 00 0000+00
WEST WHEATFIELD                                           WEST WHEATFIELD
BURRELL T                                                 BURRELL T
LENGTH(AH 2926 BK 1642) 0153/0000                0152/0000 LENGTH(AH 2961 BK 1638)
                                                          018 "DIA CIRC CONCR
                                                 0142/1532 LEN=0060 INSTALLED UNKN
JUGHANDLE RD                                              JUGHANDLE RD
(SR9418 SEG 0010/0000)  0143/1477                0142/1473 (SR9418 SEG 0010/0000)
JUGHANDLE RD
```

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

| | | | |
|---|---|---|---|
| (SR9418 SEG 0010/0392) 0143/1263 | | | |
| RWIS SITE/RWIS - PENN V 0143/1088 | | | |
| 030 "DIA CIRC CONCR | | | 030 "DIA CIRC CONCR |
| LEN=0100 INSTALLED UNKN 0143/0738 | | 0142/0738 | LEN=0100 INSTALLED UNKN |
| 0 0 00000 0 00 0000+00 031905 FT | | 031898 FT | 0 0 00000 0 00 0000+00 |
| PALMER RD | | | PALMER RD |
| (T725) | | | (T725) |
| PENN VIEW RD | | | PENN VIEW RD |
| (T208) | | | (T208) |
| LENGTH(AH 1642 BK 2644) 0143/0000 | | 0142/0000 | LENGTH(AH 1638 BK 2705) |
| 018 "DIA CIRC CONCR | | | |
| LEN=0047 INSTALLED UNKN 0133/2385 | | | |
| 030 "DIA CIRC CONCR | | | 030 "DIA CIRC CONCR |
| LEN=0100 INSTALLED UNKN 0133/1947 | | 0132/1947 | LEN=0100 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0055 INSTALLED UNKN 0133/1099 | | 0132/1099 | LEN=0070 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0055 INSTALLED UNKN 0133/0717 | | 0132/0717 | LEN=0055 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0055 INSTALLED UNKN 0133/0435 | | 0132/0435 | LEN=0055 INSTALLED UNKN |
| 0 0 00000 0 00 0000+00 029261 FT | | 029193 FT | 0 0 00000 0 00 0000+00 |
| 027 "DIA CIRC CONCR | | | 024 "DIA CIRC CONCR |
| LEN=0055 INSTALLED UNKN | | | LEN=0055 INSTALLED UNKN |
| LENGTH(AH 2644 BK 2772) 0133/0000 | | 0132/0000 | LENGTH(AH 2705 BK 2783) |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0055 INSTALLED UNKN 0123/2575 | | 0122/2575 | LEN=0055 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0055 INSTALLED UNKN 0123/2220 | | 0122/2220 | LEN=0055 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0055 INSTALLED UNKN 0123/1600 | | 0122/1600 | LEN=0055 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0055 INSTALLED UNKN 0123/1200 | | 0122/1200 | LEN=0055 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0055 INSTALLED UNKN 0123/0800 | | 0122/0800 | LEN=0055 INSTALLED UNKN |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0055 INSTALLED UNKN 0123/0400 | | 0122/0400 | LEN=0055 INSTALLED UNKN |
| 0 0 00000 0 00 0000+00 026489 FT | | 026410 FT | 0 0 00000 0 00 0000+00 |
| 018 "DIA CIRC CONCR | | | 018 "DIA CIRC CONCR |
| LEN=0055 INSTALLED UNKN | | | LEN=0055 INSTALLED UNKN |
| LENGTH(AH 2772 BK 2125) 0123/0000 | | 0122/0000 | LENGTH(AH 2783 BK 2071) |
| | | | 018 "DIA CIRC CONCR |
| | | 0112/1870 | LEN=0055 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0112/1632 | LEN=0100 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |
| | | 0112/1370 | LEN=0055 INSTALLED UNKN |
| | | | 018 "DIA CIRC CONCR |

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

0112/1119 LEN=0055 INSTALLED UNKN
036 "DIA CIRC CONCR
0112/0970 LEN=0200 INSTALLED UNKN
018 "DIA CIRC CONCR
0112/0850 LEN=0054 INSTALLED UNKN
JUGHANDLE RD
0112/0254 (SR9410 SEG 0010/0487)
024339 FT 0 0 00000 0 00 0000+00
JUGHANDLE RD
(SR9410 SEG 0010/0000)
PALMERTON RD
(SR2017 SEG 0010/0000)
S 0112/0000 LENGTH(AH 2071 BK 2252)

0 0 00000 0 00 0000+00 024364 FT
JUGHANDLE RD
(SR9410 SEG 0010/0000)
PALMERTON RD
(SR2017 SEG 0010/0000)
LENGTH(AH 2125 BK 2283) 0113/0000 S
JUGHANDLE RD
(SR9416 SEG 0010/0436) 0103/1976

018 "DIA CIRC CONCR
0102/1300 LEN=0080 INSTALLED UNKN
018 "DIA CIRC CONCR
0102/0986 LEN=0055 INSTALLED UNKN

018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN 0103/0985
018 "DIA CIRC CONCR
LEN=0055 INSTALLED UNKN 0103/0728
018 "DIA CIRC CONCR
LEN=0065 INSTALLED UNKN 0103/0550

018 "DIA CIRC CONCR
0102/0728 LEN=0065 INSTALLED UNKN

018 "DIA CIRC CONCR
0102/0500 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0102/0301 LEN=0055 INSTALLED UNKN
022087 FT 0 0 00000 0 00 0000+00
S 0102/0000 LENGTH(AH 2252 BK 1716)

0 0 00000 0 00 0000+00 022081 FT
LENGTH(AH 2283 BK 1710) 0103/0000 S

018 "DIA CIRC CONCR
0094/1705 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0094/1405 LEN=0073 INSTALLED UNKN
018 "DIA CIRC CONCR
0094/1105 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0094/0835 LEN=0058 INSTALLED UNKN

018 "DIA CIRC CONCR
LEN=0055 INSTALLED 2007 0095/0406
018 "DIA CIRC CONCR
LEN=0055 INSTALLED 2007 0095/0090
0 0 00000 0 00 0000+00 020371 FT
LENGTH(AH 1710 BK 3528) 0095/0000 S

018 "DIA CIRC CONCR
0094/0090 LEN=0150 INSTALLED UNKN
020371 FT 0 0 00000 0 00 0000+00
PINE RIDGE RD
(SR2002 SEG 0080/2338)

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

| | | |
|---|---|---|
| | | 0094/0000 LENGTH(AH 1716 BK 3493) |
| 018 "DIA CIRC CONCR<br>LEN=0075 INSTALLED UNKN 0091/3002 | | |
| | 0090/2400 | 018 "DIA CIRC CONCR<br>LEN=0075 INSTALLED UNKN<br>SNYDER LN<br>(T586)<br>OLD FARM RD |
| SNYDER LN<br>(T586)<br>OLD FARM RD<br>(SR2029 SEG 0010/0924) 0091/2359 | 0090/2359 | (SR2029 SEG 0010/0924) |
| 018 "DIA CIRC CONCR<br>LEN=0055 INSTALLED UNKN 0091/1109<br>SIGN: 3 CHORD TRUSS<br>BMSID 32/0022/0090/1005 0091/1040 | 0090/1005 | SIGN: 3 CHORD TRUSS<br>BMSID 32/0022/0090/1005 |
| 0 0 00000 0 00 0000+00 016843 FT<br>RAMP B RD<br>(SR8004 SEG 0500/0000)<br>LENGTH(AH 3528 BK 1428) 0091/0000 | 0090/0351<br>016878 FT<br>0090/0000 | 024 "DIA CIRC CONCR<br>LEN=0060 INSTALLED UNKN<br>1 0 00223 0 00 0024+76<br>RAMP C RD<br>(SR8004 SEG 0750/1945)<br>LENGTH(AH 3493 BK 1489) |
| 018 "DIA CIRC CONCR<br>LEN=0070 INSTALLED UNKN 0071/0560 | | |
| | 0070/0494<br>0070/0322<br>0070/0239 | 018 "DIA CIRC CONCR<br>LEN=0070 INSTALLED UNKN<br>RAMP D<br>(SR8004 SEG 0760/0000)<br>024 "DIA CIRC CONCR<br>LEN=0046 INSTALLED UNKN |
| BMSEN 32/0022/0070/0000 0071/0142<br>1 0 00223 0 00 0000+00 015415 FT<br>SR0119 NB<br>BMSBG 32/0022/0070/0000<br>LENGTH(AH 1428 BK 1933) 0071/0000 | 0070/0142<br>015389 FT<br>0070/0000 | BMSEN 32/0022/0070/0000<br>1 0 00223 0 00 0000+00<br>SR0119 NB<br>BMSBG 32/0022/0070/0000<br>LENGTH(AH 1489 BK 1915) |
| 018 "DIA CIRC CONCR<br>LEN=0075 INSTALLED UNKN 0061/1882<br>RAMP A RD<br>(SR8004 SEG 0250/1069) 0061/1552<br>018 "DIA CIRC CONCR<br>LEN=0055 INSTALLED UNKN 0061/1409<br>024 "DIA CIRC CONCR | | |

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

LEN=0032 INSTALLED 2002 0061/0951
024 "DIA CIRC CONCR
LEN=1750 INSTALLED UNKN 0061/0655

018 "DIA CIRC METAL
LEN=0040 INSTALLED UNKN 0061/0382
1 0 00068 0 00 0115+15 013482 FT
SIGN: 3 CHORD TRUSS
BMSID 32/0022/0060/0000
LENGTH(AH 1933 BK 3387) 0061/0000

018 "DIA CIRC CONCR
LEN=0063 INSTALLED UNKN 0051/2980
018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0051/2642

CORP CAMPUS DR
(T990)
RESORT DR
(TWP ) 0051/2400

LC TO LINTNER RD
(CONN) 0051/1779
(APRA) LARRY'S HOMES RD
LINTNER RD
(T842)
LINTER RD
(TWP ) 0051/1727
018 "DIA CIRC CONCR
LEN=0039 INSTALLED UNKN 0051/1380
018 "DIA CIRC METAL
LEN=0035 INSTALLED 2002 0051/1088

018 "DIA CIRC CONCR
LEN=0085 INSTALLED UNKN 0051/0650




018 "DIA CIRC CONCR
0060/0644 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/0410 LEN=0032 INSTALLED 2002

013474 FT 1 0 00068 0 00 0115+15
SIGN: 3 CHORD TRUSS
BMSID 32/0022/0060/0000
0060/0000 LENGTH(AH 1915 BK 3388)
CLUB LN
0050/3351 (T230)
CLUB LN
0050/3244 (T230)

LC FROM RESORT DR
0050/2476 (CONN)
CORP CAMPUS DR
(T990)
RESORT DR
(TWP )
0050/2399
LC TO RESORT DR
0050/2316 (CONN)
018 "DIA CIRC CONCR
0050/1969 LEN=0046 INSTALLED UNKN
LC FROM LINTNER RD
0050/1766 (CONN)
LINTNER RD
0050/1724 (T842)

LC TO LINTNER RD
0050/1658 (CONN)

018 "DIA CIRC CONCR
0050/1080 LEN=0039 INSTALLED UNKN

018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

| LEFT | | RIGHT | |
|---|---|---|---|
| | | 0050/0612 | LEN=0189 INSTALLED UNKN<br>SOCIALVILLE LN<br>(T441)<br>VILLA RD<br>(T445) |
| COUNTRY LN<br>(T445)<br>VILLA RD<br>(T445) | 0051/0538 | 0050/0549 | |
| 018 "DIA CIRC CONCR<br>LEN=0095 INSTALLED UNKN | 0051/0130 | | |
| | | 010086 FT | 1 0 00068 0 00 0098+50<br>RIDGE VIEW AV<br>(T300) |
| 1 0 00068 0 00 0098+50 010095 FT<br>LENGTH(AH 3387 BK 2074) | 0051/0000 | 0050/0000 | LENGTH(AH 3388 BK 2137) |
| 018 "DIA CIRC CONCR<br>LEN=0180 INSTALLED UNKN | 0041/1880 | | |
| | | 0040/1669 | 018 "DIA CIRC CONCR<br>LEN=0039 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0038 INSTALLED UNKN | 0041/1625 | | |
| | | 0040/1403 | 018 "DIA CIRC CONCR<br>LEN=0039 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0037 INSTALLED UNKN | 0041/1355 | | |
| | | 0040/1128 | 018 "DIA CIRC CONCR<br>LEN=0038 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0039 INSTALLED UNKN | 0041/1085 | | |
| | | 0040/0858 | 018 "DIA CIRC CONCR<br>LEN=0038 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0053 INSTALLED UNKN | 0041/0815 | | |
| | | 0040/0590 | 018 "DIA CIRC CONCR<br>LEN=0039 INSTALLED UNKN |
| 024 "DIA CIRC CONCR<br>LEN=0057 INSTALLED UNKN | 0041/0505 | | |
| | | 0040/0339 | 018 "DIA CIRC CONCR<br>LEN=0045 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0055 INSTALLED UNKN | 0041/0280 | | |
| 036 "DIA CIRC CONCR<br>LEN=0060 INSTALLED UNKN | 0041/0060 | | |
| 1 0 00068 0 00 0076+67 008021 FT | | 007949 FT | 1 0 00068 0 00 0076+67 |
| CORNELL RD<br>(SR3011 SEG 0030/0000)<br>INDIANA AV<br>(SR3011 SEG 0030/0000)<br>LENGTH(AH 2074 BK 2769) | 0041/0000 | 0040/0000 | CORNELL RD<br>(SR3011 SEG 0030/0000)<br>INDIANA AV<br>(SR3011 SEG 0030/0000)<br>LENGTH(AH 2137 BK 2752) |
| | | 0030/2704 | 018 "DIA CIRC CONCR<br>LEN=0066 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0190 INSTALLED UNKN | 0031/2676 | | |

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22
LEFT MUN: BURRELL T RIGHT MUN: BURRELL T

| LEFT | | RIGHT | |
|---|---|---|---|
| 018 "DIA CIRC CONCR<br>LEN=0050 INSTALLED UNKN | 0031/2425 | | |
| COAL PLANT RD<br>(PRDR) | 0031/2081 | | |
| 018 "DIA CIRC CONCR<br>LEN=0045 INSTALLED UNKN | 0031/1967 | | |
| BMSEN 32/0022/0030/1069<br>1 0 00068 0 00 0060+04 | 0031/1170 | 0030/1153 | BMSEN 32/0022/0030/1069<br>1 0 00068 0 00 0060+04 |
| NORFOLK SOUTHERN RAI RR<br>BMSBG 32/0022/0030/1069 | 0031/1086 | 0030/1069 | NORFOLK SOUTHERN RAI RR<br>BMSBG 32/0022/0030/1069 |
| TR CONEMAUGH<br>STRUCTURE LENGTH 12 FT<br>BMSID 32/0022/0030/0670 | 0031/0557 | 0030/0670 | TR CONEMAUGH<br>STRUCTURE LENGTH 12 FT<br>BMSID 32/0022/0030/0670 |
| 1 0 00068 0 00 0049+18 005252 FT | | 005197 FT | 1 0 00068 0 00 0049+18 |
| BURRELL<br>BLAIRSVILLE B<br>LENGTH(AH 2769 BK 2402) | 0031/0000 | 0030/0000 | BURRELL<br>BLAIRSVILLE B<br>LENGTH(AH 2752 BK 2465) |
| | | 0020/2100 | 024 "DIA CIRC CONCR<br>LEN=0032 INSTALLED UNKN |
| 024 "DIA CIRC CONCR<br>LEN=0042 INSTALLED UNKN | 0021/2010 | | |
| | | 0020/1810 | 018 "DIA CIRC CONCR<br>LEN=0040 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0045 INSTALLED UNKN | 0021/1700 | | |
| | | 0020/1530 | 018 "DIA CIRC CONCR<br>LEN=0036 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0036 INSTALLED UNKN | 0021/1435 | | |
| DIXON ST<br>(BORO) | 0021/1326 | 0020/1408 | DIXON ST<br>(BORO) |
| 018 "DIA CIRC CONCR<br>LEN=0070 INSTALLED UNKN | 0021/1305 | | |
| 018 "DIA CIRC CONCR<br>LEN=0045 INSTALLED UNKN | 0021/1175 | | |
| | | 0020/1210 | 024 "DIA CIRC CONCR<br>LEN=0060 INSTALLED UNKN |
| BMSEN 32/0022/0020/1092 | 0021/1048 | 0020/1126 | BMSEN 32/0022/0020/1092 |
| | | 0020/1102 | BLAIRSVILLE<br>BURRELL T |
| 1 0 00068 0 00 0035+45 | | | 1 0 00068 0 00 0035+45 |
| LEAR RD<br>BMSBG 32/0022/0020/1092 | 0021/1014 | 0020/1092 | LEAR RD<br>BMSBG 32/0022/0020/1092 |
| BLAIRSVILLE<br>BURRELL T | 0021/0989 | | |
| 018 "DIA CIRC CONCR<br>LEN=0070 INSTALLED UNKN | 0021/0850 | | |
| | | | 018 "DIA CIRC CONCR |

DIR: E TOTAL LEN: 18.021 MI. DIST: 10-4 SR: 22

| LEFT MUN: BURRELL T | | RIGHT MUN: BURRELL T | |
|---|---|---|---|
| | | 0020/0920 | LEN=0160 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0045 INSTALLED UNKN | 0021/0626 | | |
| | | 0020/0675 | 018 "DIA CIRC CONCR<br>LEN=0033 INSTALLED UNKN |
| BURRELL<br>BLAIRSVILLE B | 0021/0506 | 0020/0619 | BURRELL<br>BLAIRSVILLE B |
| 018 "DIA CIRC CONCR<br>LEN=0236 INSTALLED UNKN | 0021/0360 | | |
| | | 0020/0425 | 018 "DIA CIRC CONCR<br>LEN=0036 INSTALLED UNKN |
| 018 "DIA CIRC CONCR<br>LEN=0179 INSTALLED UNKN | 0021/0120 | | |
| | | 0020/0179 | RAMP D RD<br>(SR8002 SEG 0760/0770) |
| BLAIRSVILLE<br>BURRELL T | 0021/0019 | 0020/0132 | BLAIRSVILLE<br>BURRELL T |
| | | 0020/0130 | 018 "DIA CIRC CONCR<br>LEN=0055 INSTALLED UNKN |
| 1 0 00068 0 00 0024+31 002850 FT<br>LENGTH(AH 2402 BK 2850) | 0021/0000 S | 002732 FT 1 0 00068 0 00 0024+31<br>S 0020/0000 | LENGTH(AH 2465 BK 2732) |
| HAMMET LN<br>(T581) | 0011/2743 | | |
| 018 "DIA CIRC CONCR<br>LEN=0036 INSTALLED UNKN | 0011/1760 | | |
| 024 "DIA CIRC CONCR<br>LEN=0054 INSTALLED UNKN | 0011/1570 | | |
| RAMP B RD<br>(SR8002 SEG 0500/0000) | 0011/1442 | 0010/1852 | RAMP C RD<br>(SR8002 SEG 0750/0000) |
| BURRELL<br>BLAIRSVILLE B | 0011/1405 | 0010/1421 | BURRELL<br>BLAIRSVILLE B |
| RAMP A RD<br>(SR8002 SEG 0510/0482) | 0011/1299 | | |
| BMSEN 32/0022/0010/0806 | 0011/1128 | 0010/1145 | BMSEN 32/0022/0010/0806 |
| 1 0 00068 0 00 0005+01<br>SR 0217 | | | 1 0 00068 0 00 0005+01<br>SR 0217 |
| BMSBG 32/0022/0010/0806 | 0011/0789 | 0010/0806 | BMSBG 32/0022/0010/0806 |
| BMSEN 32/0022/0010/0000 | 0011/0658 | 0010/0658 | BMSEN 32/0022/0010/0000 |
| | | 000000 FT | 1 0 00068 0 00 0000+00 |
| 1 0 00068 0 00 0000+00 000000 FT<br>NC WILLIAM PENN HW | | | NC WILLIAM PENN HW |
| WILLIAM PENN HW | REF-BK * | * REF-BK | WILLIAM PENN HW |
| (SR0022 SEG 0481/3445)<br>CONEMAUGH RIVER | | | (SR0022 SEG 0480/3435)<br>CONEMAUGH RIVER |
| BMSBG 32/0022/0010/0000 | | | BMSBG 32/0022/0010/0000 |
| MFC BEGIN = B | | | MFC BEGIN = B |
| LENGTH(AH 2850 BK 0000) | 0011/0000 S | S 0010/0000 | BK-WESTMORELAND (64)<br>LENGTH(AH 2732 BK 0000) |