Straight Line Diagram

(Including Drain Pipes)

Cameron
12

January 2020

This document was produced by the Pennsylvania Department of Transportation (PENNDOT) as an internal management tool for State maintained highways and is not to be used for other purposes. The printed information was compiled from the Department's computerized Roadway Management System (RMS) and is subject to change without notice. Use of any or all of the printed information for purposes other than those intended by the Department may not satisfy other accuracy and completeness requirements and the Department does not warrant that such printed information is accurate or complete.

ROADWAY MANAGEMENT SYSTEM

INDEX FOR SR'S LOCATED IN THE COUNTY OF CAMERON

SR	BGN PAGE	END PAGE	SR	BGN PAGE	END PAGE	SR	BGN PAGE	END PAGE
0046	1	8						
0120	9	33						
0155	34	38						
0555	39	45						
0872	46	54						
1001	55	55						
1002	56	56						
2001	57	64						
2002	65	65						
2006	66	67						
3001	68	75						
3002	76	76						
4001	77	78						
4002	79	81						
4003	82	82						
4004	83	87						
9201	88	88						

pennsylvania
DEPARTMENT OF TRANSPORTATION

December 30, 2019

Pennsylvania State Roads - Straight Line Diagrams

Contained within this document are the 2020 Pennsylvania Straight Line Diagram's (SLD's) for State Routes by county within a particular PennDOT district. At the end of each year, PennDOT takes a snapshot of its current SLD database and creates PDF files from the SLD snapshot. The SLD's are a graphical representation of State Routes (SR's) that PennDOT maintains. The information shown on the SLD's is generated from data found in PennDOT's Roadway Management System (RMS) database. The data from RMS is constantly being updated to match actual roadway inventory data found on Pennsylvania's state highways. PennDOT's SR system is explained briefly in this document along with symbol definitions for each type of roadway feature or attribute found on the SLD. This PDF version of the SLD contains an individual county list of all state roads found in that county. The SR's found on the list are linked to the actual pages that show the individual SLD's. To find an SLD for a particular road that you want, simply point to that road on the SR index list and click on it to jump to the beginning page of that SLD.

If you have any questions or comments concerning information found in this document, please contact Janice L. Arellano, P.E., Chief, Roadway Inventory and Testing Unit, Asset Management Division, Bureau of Maintenance and Operations, by calling (717) 787-7294.

Additional information on state owned highways is available from your local PENNDOT Engineering District Office, RMS Unit, RMS Coordinator.

Straight Line Diagram Disclaimer: This document is for informational purposes only and may be viewed by anyone. No part of the information contained in this document may be altered or redistributed without prior written consent of PENNDOT. Straight Line Diagram information is provided "as is" without warranty of any kind, either expressed or implied. This information could include technical inaccuracies or errors of omission. Changes may be made periodically to the information herein.

Copyright © 2019 by the Commonwealth of Pennsylvania. All rights reserved.

pennsylvania
DEPARTMENT OF TRANSPORTATION

Asset Management Division
Mission Statement

To protect and preserve Pennsylvania's infrastructure by providing meaningful, timely, and accurate pavement and roadway management, design, standards, strategies, inventory and condition, as well as fair, consistent and efficient application of Commonwealth laws and regulations.

CUSTOMER SERVICE RATING FORM

Straight Line Diagram (SLD) – Customer Service Rating

As means to improve customer service, we would like you to rate the product/ service you have received, by circling a "grade" from "A" (excellent) to "E" (fail).

A **B** **C** **D** **E**

If your rating is not an "A," please let us know what we could do better.

_____

_____

_____

_____

_____

Name and Organization (optional)

_____

Thank You.

(Fold along line, and tape or staple together before mailing)

(Cut along dashed line

_____

_____

_____

Bureau of Maintenance and Operations
Asset Management Division – BOMO Annex
907 Elmerton Avenue
Harrisburg, PA 17110
ATTN: Janice Arellano

F-CS-02

PENNSYLVANIA DEPARTMENT OF TRANSPORTATION
Bureau of Maintenance and Operations, Asset Management Division

Location Referencing System (LRS) – Definitions, Uses & Testing

The Department's LRS, implemented in 1987, is the mechanism to designate the State highway network, to define roadway lengths, locations, and route connectivity, and to serve as the basis for the collection, storage, and integration of roadway information.

An LRS key is a unique series of numbers that identifies the location of each point or feature along a State route. The fourteen digit number is an integral part of the Roadway Management System (RMS) where roadway data is stored. 07/4016/0100/0857 is an example of an LRS key, which identifies County (CO) = 07, State Route (SR) = 4016, Segment (SEG) = 0100, and Offset = 0857.

County (CO)

Each of Pennsylvania's sixty-seven counties is identified by a number.

Name	#	Name	#	Name	#	Name	#
Adams	1	Clinton	18	Lackawanna	35	Potter	52
Allegheny	2	Columbia	19	Lancaster	36	Schuylkill	53
Armstrong	3	Crawford	20	Lawrence	37	Snyder	54
Beaver	4	Cumberland	21	Lebanon	38	Somerset	55
Bedford	5	Dauphin	22	Lehigh	39	Sullivan	56
Berks	6	Delaware	23	Luzerne	40	Susquehanna	57
Blair	7	Elk	24	Lycoming	41	Tioga	58
Bradford	8	Erie	25	McKean	42	Union	59
Bucks	9	Fayette	26	Mercer	43	Venango	60
Butler	10	Forest	27	Mifflin	44	Warren	61
Cambria	11	Franklin	28	Monroe	45	Washington	62
Cameron	12	Fulton	29	Montgomery	46	Wayne	63
Carbon	13	Greene	30	Montour	47	Westmoreland	64
Centre	14	Huntingdon	31	Northampton	48	Wyoming	65
Chester	15	Indiana	32	Northumberland	49	York	66
Clarion	16	Jefferson	33	Perry	50	Philadelphia	67
Clearfield	17	Juniata	34	Pike	51		

State Route (SR)

State Routes (SR's) are identified by four-digit numbers. SR numbers are assigned as follows:

1. Traffic Routes: Routes designated as Interstates, US or PA Routes 0001-0999
2. Quadrant Routes (Non-Traffic Routes) 1001-4999
3. Relocated Traffic Routes 6000-6999
4. Turned Back, Abandoned, or Null Routes 7000-7999
5. Interchanges 8001-8999
6. WYE's 9101-9199
7. Rest Areas 9201-9299
8. Truck Escape Ramps 9301-9399
9. Others 9401-9499

Even/Odd Convention: Even numbers are typically given to SR's in the East/West direction, and odd numbers to SR's that run North/South. This convention applies to Interstate Routes (except those that are Beltways or Spurs), and Quadrant Routes. This convention may or may not apply to PA or US Traffic Routes.

Hierarchy: If two or more traffic routes occupy the same section of roadway, the SR number is based on the "higher" type route, according to the following hierarchy. If the traffic routes are the same hierarchy class, then the SR number is assigned the lower numbered traffic route (Figure 1).

1. Interstates
2. U.S. Routes
3. PA Routes
4. Quadrant Routes



FIGURE 1

Other Numbering Conventions:

1. The first digit of a quadrant route is based on which quadrant of the county the route is located, as shown in the following diagram (Figure 2).
2. The last three digits of a Relocated Traffic Route are the same as the Traffic Route that was relocated.
3. Interchanges are numbered sequentially. Odd numbers are given to interchanges along SR's in the North/South direction; even numbers are given to interchanges along SR's in the East/West direction (Figure 3).
4. WYE's are given odd numbers if the connecting SR is odd numbered, and even numbers if the connecting SR is even numbered.
5. Rest Areas or Truck Escape Ramps are given odd numbers if they connect to the Southbound or Westbound side of an SR, and even numbers if they connect to the Northbound or Eastbound side.



FIGURE 2



FIGURE 3

Segment (SEG)

State routes are divided into segments, which are approximately one-half mile long, and are identified by a four-digit number. Segment begin and end points are placed at physical features where possible. Segment numbers increase in the North or East direction, and typically by 10's (Figure 4). Segments are even numbered on undivided roadways, and in the Northbound or Eastbound direction of divided roadways. Segments are odd numbered in the Southbound or Westbound direction of divided roadways (Figure 5). Interstate segments are associated with the mile posts (Figure 6).

<u>Undivided Roadways</u>



FIGURE 4

<u>Divided Roadways</u>



FIGURE 5

<u>Interstate Roadways</u>



FIGURE 6

Turned Back, Abandoned, and Null Segments are given numbers in the range of 7000-7999. For two coincident State routes, the route with "lower" hierarchy is "nulled."

Segment numbering restarts on Traffic Routes at County boundaries, except Interstates (Figure 7).



FIGURE 7

Offset

The offset, a subdivision of the segment, is the distance (in feet) from the beginning of the segment, expressed as a four-digit number. Offsets are measured in the increasing segment direction.

Segment Markers

Segment markers, which allow for easy identification of the LRS location on the State highway system, indicate the State route and segment number at the point that each segment is entered. If the beginning of a segment occurs at a physical feature, then the point of reference is at the physical feature and not the sign. At intersections, signs are used to identify beginning or ending State routes or segments.

Users of the LRS

Locations of all intersections, structures, and other points of interest are field verified and inventoried in the RMS. This information can be displayed on Straight Line Diagrams (SLD's) which can be viewed in the RMS, or hardcopy form. SLD books are refreshed and printed annually for distribution to the Department's District and County offices, as well as too many external entities.

A list of those within the Department that use the LRS to identify locations in the RMS and in the field includes personnel from the following organizations: Pavement Testing, County Maintenance, Traffic, Design, Surveys, Construction, Bridge, Permits, Crash Review, Planning and Programming, Posted & Bonded Roads, Tort Liability, and Emergency Management.

Users outside the Department include: County & Municipal governments, County 911, Planning Commissions, Federal Highway Administration, State & Local Police, Local Emergency Management, Delivery Services (UPS, Fed Ex, etc.), Fire Departments, Utility Companies, Contractors, and Consultants.

Without segment markers located in the field, all of these users would have to rely solely on the SLD, which would be extremely cumbersome at best and impossible for some.

Verification, QA & QC

In order to assure that LRS information is indicated properly in the RMS, on SLD's, and in the field, LRS Quality Assurance (QA) and Quality Commitment (QC) programs are performed each year. The Bureau of Maintenance and Operations, Asset Management Division, Roadway Inventory & Testing Unit (RITU) performs all Statewide QC testing. Field verification and QA is also performed by RITS, except in Engineering Districts 2-0, 11-0, and 12-0, where it is done "in-house." Each Engineering District is responsible for its own LRS completeness and maintenance with respect to the RMS.

Twenty percent of each county is field tested annually as part of the QA program, and five percent of each county is tested for the annual QC program. The goal of the QC program is to maintain at least 90% accuracy between the RMS and the actual field locations of highway features. Annual QC ratings are developed and reported to the Engineering Districts.

Field testing is performed by two-person teams (a permanent employee that operates the test, and a temporary employee that drives the device) with the use of vans equipped with an on-board computer and a Data Measurement Subsystem. Testing is typically performed during the months of April through November.

Vehicle location and roadway features are displayed on the van's computer screen in SLD format, and the software accepts operator inputs verifying or modifying roadway feature locations, as well as comments. Though the system can function at greater speed, test speeds are typically less than 25 mph to ensure accuracy.

There are five categories of information that is verified and/or modified:

1. State Route Length
2. Segment Length
3. Roadway Geometry (lane count, pavement & shoulder types & widths)
4. Intersecting Feature Location (intersections & bridges)
5. Segment Marker Location

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY

SEGMENT MARKER	AHEAD LEFT INTER STATE OWNED	RAILROAD CROSSING	INTERSTATE MILEPOST
TURNBACK	AHEAD LEFT INTER NON-STATE	RAILROAD OVER-PASS	MFC BEGIN
NULL	AHEAD RIGHT INTE STATE OWNED	OVER-PASS	MUNICIPAL BOUNDARY
UNDIVIDED HIGHWAY	AHEAD RIGHT INTE NON-STATE	BRIDGE END	VILLAGE BEGIN
PHYSICALLY DIVIDED	BACK LEFT INTER STATE OWNED	BRIDGE BEGIN	AH - LENGTH FORWARD TO NEXT SEGMENT BEGIN BK - LENGTH BACK WARD TO PREVIOUS SEGMENT BEGIN
PAINT DIVIDED	BACK LEFT INTER NON-STATE	TUNNEL	
INTERSECTION AHEAD	BACK RIGHT INTER STATE OWNED	SIGN STRUCTURE	MFC - MAINTENANCE FUNCTIONAL CLASS A = INTERSTATE B = EXPRESSWAY AND/OR PRINCIPLE ARTERIAL C = MINOR ARTERIAL D = COLLECTOR E = LOCAL ACCESS F = INTERCHANGE RAMP
INTERSECTION BACK	BACK RIGHT INTER NON-STATE	RBR P3 BRIDGE	
REFERENCE AHEAD/BACK	T-LEFT INTERSEC STATE OWNED	RETAINING WALL	
DIVIDED CONNECTOR	T-LEFT INTERSEC NON-STATE	BRIDGE/CULVERT UNDER FILL	NULL AND TURNBACK SEGMENTS ARE DISPLAYED IN THE DEPARTMENT"S ROADWAY MANAGEMENT SYSTEM (RMS) AS 100 FEET IN LENGTH. ACTUAL SEGMENT AND SECTION LENGTHS MAY VARY SIGNIFICANTLY
CROSS INTERSEC STATE OWNED	T-RIGHT INTERSEC STATE OWNED	PIPE (STAMPP)	
CROSS INTERSEC NON-STATE	T-RIGHT INTERSEC NON-STATE	ROTARY INTERSEC	

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY

ROAD CLOSED	POI POINT OF INTEREST	BRIDGE CLOSED	P BRIDGE POSTED
M MONITORING SITE	TRAFFIC SIGNAL	W RWIS SITE	NC - STREET NAME CHANGE

DIR: B TOTAL LEN: .050 MI. DIST: 02-4 SR: 9201
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

000264 FT

000000 FT



```
000264 FT
                TRUMAN RD
0010/0264 (SR0120 SEG 0030/2220)
000000 FT 0 0 00000 0 00 0000+00
     NC ROADSIDE REST  PL
                TRUMAN RD
                (SR0120 SEG 0030/2420)
                MFC BEGIN = F
S 0010/0000 LENGTH(AH 0264 BK 0000)
```

DIR: B TOTAL LEN: 5.858 MI. DIST: 02-4 SR: 4004
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

```
030932 FT                    030932 FT NORTH CREEK RD
                             0200/2007 (SR0046 SEG 0050/0139)
                             0200/1893 BMSEN 12/4004/0200/1791
                                       2 0 12003 0 00 0002+16
                                       DRIFTWOOD BR
                             0200/1791 BMSBG 12/4004/0200/1791
                                       018 "DIA CIRC CONCR
                             0200/1445 LEN=0050 INSTALLED 1962
                                       SUNRISE ACRES RD
                             0200/1071 (T360)
                                       018 "DIA CIRC CONCR
                             0200/0722 LEN=0040 INSTALLED 1962
                                       018 "DIA CIRC CONCR
                             0200/0400 LEN=0040 INSTALLED 1962
028925 FT                    028925 FT 2 0 12003 0 00 0020+00
                                       VILLAGE: LOCKWOOD
                           5 0200/0000 LENGTH(AH 2007 BK 2001)

                                       048 "DIA CIRC METAL
                             0190/1358 LEN=0080 INSTALLED 2018
                                       018 "DIA CIRC CONCR
                             0190/0948 LEN=0100 INSTALLED 1973
                                       024 "DIA CIRC CONCR
                             0190/0600 LEN=0075 INSTALLED 1973
                             0190/0523 BMSEN 12/4004/0190/0420
                                       2 0 12003 0 00 0035+76
                                       CLEAR CREEK
                             0190/0420 BMSBG 12/4004/0190/0420
026924 FT                    026924 FT 2 0 12003 0 00 0040+00
                           5 0190/0000 LENGTH(AH 2001 BK 3072)

                                       (TBK) CLEAR CREEK RD
                             0180/2243 (T389)

                                       018 "DIA CIR PLASTIC
                             0180/1449 LEN=0040 INSTALLED 2006
                                       018 "DIA CIRC METAL
                             0180/0999 LEN=0040 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0180/0353 LEN=0050 INSTALLED 1965
                             0180/0108 BMSEN 12/4004/0180/0000
023852 FT                    023852 FT 2 0 12003 0 00 0069+65
                                       DRIFTWOOD BRANCH
                                       BMSBG 12/4004/0180/0000
                           5 0180/0000 LENGTH(AH 3072 BK 1848)
```

DIR: B TOTAL LEN: 5.858 MI. DIST: 02-4 SR: 4004
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

BOMAR DR
(T362)

0170/1561			018 "DIA CIRC CONCR
		0170/1429	LEN=0040 INSTALLED 1965
		0170/0036	BMSEN 12/4004/0170/0000
022004 FT		022004 FT	2 0 12003 0 00 0088+93
			COOKS RUN
			BMSBG 12/4004/0170/0000
		S 0170/0000	LENGTH(AH 1848 BK 2067)
			018 "DIA CIR PLASTIC
		0160/1403	LEN=0040 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0160/1145	LEN=0046 INSTALLED 2014
019937 FT		019937 FT	2 0 12003 0 00 0109+99
			VILLAGE: RICH VALLEY
		S 0160/0000	LENGTH(AH 2067 BK 2157)
			018 "DIA CIRC CONCR
		0150/2051	LEN=0040 INSTALLED 1967
			018 "DIA CIRC CONCR
		0150/1674	LEN=0040 INSTALLED 1967
		0150/1167	BMSEN 12/4004/0150/1031
			2 0 12003 0 00 0121+11
			DRIFTWOOD BRANCH
		0150/1031	BMSBG 12/4004/0150/1031
			018 "DIA CIRC CONCR
		0150/0375	LEN=0040 INSTALLED 1967
017780 FT		017780 FT	2 0 12003 0 00 0131+59
			018 "DIA CIRC CONCR
			LEN=0040 INSTALLED 1967
		S 0150/0000	LENGTH(AH 2157 BK 2825)
			018 "DIA CIR PLASTIC
		0140/2476	LEN=0040 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0140/2309	LEN=0040 INSTALLED 2009
			018 "DIA CIR PLASTIC
		0140/1777	LEN=0036 INSTALLED 1997
			024 "DIA CIR PLASTIC
		0140/1554	LEN=0040 INSTALLED 2009
			018 "DIA CIR PLASTIC
		0140/0790	LEN=0040 INSTALLED 2014
014955 FT		014955 FT	2 0 12003 0 00 0159+70

DIR: B TOTAL LEN: 5.858 MI. DIST: 02-4 SR: 4004
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

	0140/0000	LENGTH(AH 2825 BK 2382)
		01B "DIA CIR PLASTIC
	0130/1526	LEN=0040 INSTALLED 2014
		01B "DIA CIR PLASTIC
	0130/1120	LEN=0034 INSTALLED 2014
		01B "DIA CIR PLASTIC
	0130/0800	LEN=0040 INSTALLED 2014
		01B "DIA CIR PLASTIC
	0130/0741	LEN=0040 INSTALLED 2014
012573 FT	012573 FT	2 0 12003 0 00 0183+52
		VILLAGE: LEWIS RUN
	0130/0000	LENGTH(AH 2382 BK 2191)
	0120/2191	BMSEN 12/4004/0120/2158
		2 0 12003 0 00 0183+85
		BOBBY RUN
	0120/2158	BMSBG 12/4004/0120/2158
		BOBBY RUN RD
	0120/1739	(TWP)
		01B "DIA CIR PLASTIC
	0120/1618	LEN=0040 INSTALLED 2014
		01B "DIA CIR PLASTIC
	0120/1312	LEN=0040 INSTALLED 2009
		01B "DIA CIR PLASTIC
	0120/1032	LEN=0043 INSTALLED 2008
		01B "DIA CIR PLASTIC
	0120/0532	LEN=0040 INSTALLED UNKN
		01B "DIA CIR PLASTIC
	0120/0410	LEN=0043 INSTALLED 2008
010382 FT	010382 FT	2 0 12003 0 00 0205+44
		01B "DIA CIR PLASTIC
		LEN=0040 INSTALLED 2014
	0120/0000	LENGTH(AH 2191 BK 2176)
		01B "DIA CIR PLASTIC
	0110/1976	LEN=0040 INSTALLED 2014
		01B "DIA CIR PLASTIC
	0110/1508	LEN=0030 INSTALLED 2000
		01B "DIA CIR PLASTIC
	0110/1179	LEN=0040 INSTALLED 2014
		01B "DIA CIR PLASTIC
	0110/0275	LEN=0040 INSTALLED 2014
008206 FT	008206 FT	2 0 12003 0 00 0227+20
		01B "DIA CIR PLASTIC
		LEN=0048 INSTALLED 2014
	0110/0000	LENGTH(AH 2176 BK 2150)
		01B "DIA CIRC METAL
	0100/1692	LEN=0045 INSTALLED UNKN

DIR: B TOTAL LEN: 5.858 MI. DIST: 02-4 SR: 4004
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

			018 "DIA CIR PLASTIC
		0100/1478	LEN=0045 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0100/1146	LEN=0031 INSTALLED 2008
			018 "DIA CIR PLASTIC
		0100/0948	LEN=0034 INSTALLED 2008
			018 "DIA CIR PLASTIC
		0100/0701	LEN=0040 INSTALLED 2006
			018 "DIA CIR PLASTIC
		0100/0515	LEN=0032 INSTALLED 2008
			018 "DIA CIR PLASTIC
		0100/0294	LEN=0040 INSTALLED 2008
006056 FT		006056 FT	2 0 12003 0 00 0248+70
			018 "DIA CIR PLASTIC
			LEN=0033 INSTALLED 2008
		S 0100/0000	LENGTH(AH 2150 BK 3113)
			018 "DIA CIR PLASTIC
		0090/2641	LEN=0040 INSTALLED 2008
			018 "DIA CIR PLASTIC
		0090/2410	LEN=0030 INSTALLED 2008
			018 "DIA CIR PLASTIC
		0090/1898	LEN=0043 INSTALLED 2008
			018 "DIA CIR PLASTIC
		0090/1697	LEN=0032 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0090/1540	LEN=0040 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0090/1395	LEN=0040 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0090/1159	LEN=0043 INSTALLED 2008
			018 "DIA CIR PLASTIC
		0090/0940	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0090/0478	LEN=0040 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0090/0290	LEN=0040 INSTALLED 2013
002943 FT		002943 FT	2 0 12003 0 00 0279+88
		S 0090/0000	LENGTH(AH 3113 BK 2865)
			018 "DIA CIR PLASTIC
		0080/2551	LEN=0045 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0080/2253	LEN=0040 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0080/1988	LEN=0040 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0080/1617	LEN=0040 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0080/1448	LEN=0040 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0080/1192	LEN=0040 INSTALLED 2013

DIR: B TOTAL LEN: 5.858 MI. DIST: 02-4 SR: 4004
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

		018 "DIA CIR PLASTIC
	0080/1056	LEN=0045 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0080/0645	LEN=0040 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0080/0208	LEN=0043 INSTALLED 2008
		018 "DIA CIR PLASTIC
	0080/0050	LEN=0040 INSTALLED 2009
000078 FT	000078 FT	2 0 12003 0 00 0308+58
		VILLAGE: ELK RIVER
		NC RICH VALLEY RD
	REF-BK	STRAIGHT CREEK RD (TBK)
		(TBC)
		MFC BEGIN = D
	0080/0000	LENGTH(AH 2865 BK 0132)
000078 FT	000078 FT	
	7068/0000	LENGTH(AH 0132 BK 0051)
		BMSEN 12/4004/0066/0000
	REF-AHD	STRAIGHT CREEK RD
	0066/0051	(TBC)
000027 FT	000027 FT	0 0 00000 0 00 0000+00
	REF-BK	STRAIGHT CREEK RD
		(TBC)
		DRIFTWOOD BR SINNEMAHON
		BMSBG 12/4004/0066/0000
	0066/0000	LENGTH(AH 0051 BK 0765)
000027 FT	000027 FT	
	7064/0000	LENGTH(AH 0765 BK 0027)
		BMSEN 12/4004/0062/0000
	REF-AHD	STRAIGHT CREEK RD
	0062/0027	(TBC)
000000 FT	000000 FT	0 0 00000 0 00 0000+00
		NC STRAIGHT CREEK RD
	REF-BK	STRAIGHT CREEK RD
		(TBC)
		LITTLE ELK FORK
		BMSBG 12/4004/0062/0000
	0062/0000	LENGTH(AH 0027 BK 1405)
000000 FT	000000 FT	
	7060/0000	LENGTH(AH 1405 BK 2601)
000000 FT	000000 FT	
	7050/0000	LENGTH(AH 2601 BK 2280)
000000 FT	000000 FT	
	7040/0000	LENGTH(AH 2280 BK 2569)
000000 FT	000000 FT	
	7030/0000	LENGTH(AH 2569 BK 2655)
000000 FT	000000 FT	
	7020/0000	LENGTH(AH 2655 BK 1413)
000000 FT	000000 FT	
	7010/0000	LENGTH(AH 1413 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 02-4 SR: 4003
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

000000 FT		000000 FT
		7080/0000 LENGTH(AH 2584 BK 2579)
000000 FT		000000 FT
		7070/0000 LENGTH(AH 2579 BK 2352)
000000 FT		000000 FT
		7060/0000 LENGTH(AH 2352 BK 2583)
000000 FT		000000 FT
		7050/0000 LENGTH(AH 2583 BK 0008)
000000 FT		000000 FT
		7044/0000 LENGTH(AH 0008 BK 2389)
000000 FT		000000 FT
		7040/0000 LENGTH(AH 2389 BK 2596)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 2596 BK 2405)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 2405 BK 2156)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 2156 BK 0000)

DIR: B TOTAL LEN: 3.099 MI. DIST: 02-4 SR: 4002
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

TRUMAN RD 016361 FT
(SR0120 SEG 0060/0000) 0060/2456

SPRUCE LN
(TWP) 0060/1830



016361 FT TRUMAN RD
0060/2456 (SR0120 SEG 0060/0000)

015 "DIA CIRC METAL
0060/1470 LEN=0024 INSTALLED UNKN

DIR: B TOTAL LEN: 3.099 MI. DIST: 02-4 SR: 4002
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

			018 "DIA CIRC METAL
		0060/1062	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0060/0797	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC METAL
		0060/0300	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/0015	LEN=0048 INSTALLED 2009
	013905 FT	013905 FT	2 0 12005 0 00 0024+56
		S 0060/0000	LENGTH(AH 2456 BK 2127)
			015 "DIA CIRC METAL
		0050/1782	LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/1650	LEN=0050 INSTALLED 2018
			CARD RD
		0050/1241	(T311)
		0050/1171	BMSEN 12/4002/0050/1110
			2 0 12005 0 00 0034+72
			WEST CREEK
		0050/1110	BMSBG 12/4002/0050/1110
			018 "DIA CIRC CONCR
		0050/0575	LEN=0050 INSTALLED UNKN
MARKERT RD (T313)	0050/0314		
	011778 FT	011778 FT	2 0 12005 0 00 0045+81
		S 0050/0000	LENGTH(AH 2127 BK 2395)
			018 "DIA CIR PLASTIC
		0040/2108	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/0667	LEN=0045 INSTALLED UNKN
	009383 FT	009383 FT	2 0 12005 0 00 0070+00
			VILLAGE: BEECHWOOD
		S 0040/0000	LENGTH(AH 2395 BK 1871)
			036 "DIA CIRC METAL
		0034/1726	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC METAL
		0034/1476	LEN=0022 INSTALLED UNKN
			015 "DIA CIRC METAL
		0034/0692	LEN=0022 INSTALLED UNKN
			015 "DIA CIRC METAL
		0034/0236	LEN=0022 INSTALLED UNKN
	007512 FT	007512 FT	2 0 12005 0 00 0088+68
			015 "DIA CIRC METAL
			LEN=0022 INSTALLED 1992
		S 0034/0000	LENGTH(AH 1871 BK 2135)

DIR: B TOTAL LEN: 3.099 MI. DIST: 02-4 SR: 4002
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

```
                                                  018 "DIA CIRC METAL
                                  0030/1854 LEN=0022 INSTALLED UNKN

                                  0030/0603 BMSEN 12/4002/0030/0536
                                                2 0 12005 0 00 0104+56
                                                WEST CREEK
                                  0030/0536 BMSBG 12/4002/0030/0536
005377 FT                         005377 FT 2 0 12005 0 00 0110+00
                                S 0030/0000 LENGTH(AH 2135 BK 2475)
                                                024 "DIA CIRC CONCR
                                  0020/2400 LEN=0055 INSTALLED 1962
                                                018 "DIA CIR PLASTIC
                                  0020/2123 LEN=0031 INSTALLED 2006
                                                018 "DIA CIR PLASTIC
                                  0020/1843 LEN=0040 INSTALLED 2010
                                                018 "DIA CIR PLASTIC
                                  0020/1550 LEN=0040 INSTALLED 2010
                                                018 "DIA CIR PLASTIC
                                  0020/1383 LEN=0040 INSTALLED 2010
                                                018 "DIA CIRC METAL
                                  0020/1007 LEN=0040 INSTALLED UNKN
                                                024 "DIA CIRC METAL
                                  0020/0715 LEN=0040 INSTALLED UNKN

002902 FT                         002902 FT 2 0 12005 0 00 0134+67
                                S 0020/0000 LENGTH(AH 2475 BK 2902)
                                                024 "DIA CIR PLASTIC
                                  0010/2742 LEN=0050 INSTALLED 2009

                                                021 "DIA CIRC METAL
                                  0010/1753 LEN=0045 INSTALLED UNKN
                                                030 "DIA CIR PLASTIC
                                  0010/1415 LEN=0040 INSTALLED 2009
                                                018 "DIA CIRC METAL
                                  0010/1310 LEN=0045 INSTALLED UNKN
                                                018 "DIA CIR PLASTIC
                                  0010/0785 LEN=0040 INSTALLED 2010
                                                018 "DIA CIRC METAL
                                  0010/0457 LEN=0030 INSTALLED UNKN
000000 FT                         000000 FT 2 0 12005 0 00 0163+77
                                                VILLAGE: TRUMAN
                                        NC BEECHWOOD RD
                                * REF-BK        CREEK RD
                                                (SR1008 SEG 0150/3839)
                                                MFC BEGIN = E
                                                 BK-ELK              (24)
                                S 0010/0000 LENGTH(AH 2902 BK 0000)
```

DIR: B TOTAL LEN: 2.938 MI. DIST: 02-4 SR: 4001
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

BUCKTAIL TRAIL HW	015514 FT		015514 FT	BUCKTAIL TRAIL HW
(SR0120 SEG 0220/0000)	0070/1513		0070/1513	(SR0120 SEG 0220/0000)
				018 "DIA CIRC CONCR
			0070/1450	LEN=0044 INSTALLED 1999
				036 "DIA CIR PLASTIC
			0070/0100	LEN=0030 INSTALLED UNKN
	014001 FT		014001 FT	2 0 12010 0 00 0140+15
			S 0070/0000	LENGTH(AH 1513 BK 2100)
				018 "DIA CIRC CONCR
			0060/1616	LEN=0044 INSTALLED 1999
				015 "DIA CIRC CONCR
			0060/1100	LEN=0035 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0060/0800	LEN=0030 INSTALLED UNKN
	011901 FT		011901 FT	2 0 12010 0 00 0119+11
				060"H 48"W CON BOX CUL
				LEN=0030 INSTALLED UNKN
			S 0060/0000	LENGTH(AH 2100 BK 2626)
				012 "DIA CIRC CONCR
			0050/2223	LEN=0035 INSTALLED UNKN
				012 "DIA CIRC CONCR
			0050/1867	LEN=0035 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0050/1430	LEN=0030 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0050/0717	LEN=0035 INSTALLED UNKN
LYONS RUN RD				
(T367)	0050/0046	==		
	009275 FT		009275 FT	2 0 12010 0 00 0092+80
				072"H 48"W CON BOX CUL
				LEN=0040 INSTALLED UNKN
			S 0050/0000	LENGTH(AH 2626 BK 2552)
				018 "DIA CIRC CONCR
			0040/2303	LEN=0060 INSTALLED 2009
				018 "DIA CIRC CONCR
			0040/1837	LEN=0040 INSTALLED 1999
				018 "DIA CIR PLASTIC
			0040/1264	LEN=0040 INSTALLED 2001
				015 "DIA CIRC CONCR
			0040/0798	LEN=0035 INSTALLED 1999
				018 "DIA CIR PLASTIC
			0040/0506	LEN=0035 INSTALLED 1999
	006723 FT		006723 FT	2 0 12010 0 00 0067+36

DIR: B TOTAL LEN: 2.938 MI. DIST: 02-4 SR: 4001
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

```
                                                  BLACKBURN RD
                                                  (T341)
                                       ==      S 0040/0000 LENGTH(AH 2552 BK 3234)
                                                  KELLY RD
                                       ==        0030/2717 (T338)
                                                 0030/2415 BMSEN 12/4001/0030/2407
                                                           2 0 12010 0 00 0059+12
                                                           TOWNER RUN
                                                 0030/2407 BMSBG 12/4001/0030/2407


                                                           015 "DIA CIRC CONCR
                                                 0030/1094 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0030/0600 LEN=0035 INSTALLED 2018
                                                           018"H 18"W CON BOX CUL
                                                 0030/0524 LEN=0030 INSTALLED 1999
                                                           015 "DIA CIRC CONCR
                                                 0030/0200 LEN=0030 INSTALLED UNKN
                    003489 FT                    003489 FT 2 0 12010 0 00 0035+00
                                               S 0030/0000 LENGTH(AH 3234 BK 1721)
                                                           018 "DIA CIRC CONCR
                                                 0020/1500 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/1115 LEN=0025 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                                 0020/0322 LEN=0030 INSTALLED UNKN
                    001768 FT                    001768 FT 2 0 12010 0 00 0017+76
                                                           048 "DIA CIRC CONCR
                                                           LEN=0065 INSTALLED UNKN
                                               S 0020/0000 LENGTH(AH 1721 BK 1768)
                                                           015 "DIA CIRC CONCR
                                                 0010/1316 LEN=0030 INSTALLED 1999

                                                           018 "DIA CIRC CONCR
                                                 0010/0683 LEN=0030 INSTALLED 1999
                                                 0010/0540 BMSEN 12/4001/0010/0527
                                                           2 0 12010 0 00 0005+34
                                                           GILLIS BLISS
                                                 0010/0527 BMSBG 12/4001/0010/0527
                                                           018 "DIA CIRC CONCR
                                                 0010/0185 LEN=0030 INSTALLED 1999
                    000000 FT                    000000 FT 2 0 12010 0 00 0000+00
                                                           BUCKTAIL TRAIL HW
                                                           (SR0120 SEG 0160/0000)
                                                      NC OLD WEST CREEK RD
BUCKTAIL TRAIL HW                                          MFC BEGIN = D
(SR0120 SEG 0160/0000)  0010/0000              S 0010/0000 LENGTH(AH 1768 BK 0000)
```

DIR: B TOTAL LEN: .067 MI. DIST: 02-4 SR: 3002
LEFT MUN: LUMBER T RIGHT MUN: LUMBER T

000352 FT	000352 FT	BMSEN 12/3002/0052/0000
	REF-AHD	STERLING RUN RD
	0052/0304	(T301)
000048 FT	000048 FT	0 0 00000 0 00 0000+00
	REF-BK	STERLING RUN RD
		(T301)
		DRIFTWOOD BR SINNEMAHON
		BMSBG 12/3002/0052/0000
	0052/0000	LENGTH(AH 0304 BK 0100)
000048 FT	000048 FT	
	7014/0000	LENGTH(AH 0100 BK 0048)
		BMSEN 12/3002/0010/0000
	REF-AHD	STERLING RUN RD
	0010/0048	(T301)
000000 FT	000000 FT	2 0 12015 0 00 0086+06
		VILLAGE: STERLING RUN
		NC STERLING RUN RD
	REF-BK	STERLING RUN RD
		(T301)
		STERLING RUN
		BMSBG 12/3002/0010/0000
		MFC BEGIN = E
	0010/0000	LENGTH(AH 0048 BK 0000)



DIR: B TOTAL LEN: 10.699 MI. DIST: 02-4 SR: 3001
LEFT MUN: EMPORIUM B RIGHT MUN: EMPORIUM B

```
056491 FT                    056491 FT
                             INTER-AHD  BROAD ST
                                        (SR1002 SEG 0010/0000)
                                        FOURTH ST
                                        (SR0120 SEG 0240/0000)
                             0230/0294
                                        THIRD ST
                             0230/0035  (BORO)
056197 FT                    056197 FT  2 0 12007 0 01 0353+99
                             0230/0000  LENGTH(AH 0294 BK 1090)
                                        01B "DIA CIRC CONCR
                             0220/0866  LEN=0060 INSTALLED UNKN
                                        SECOND ST
                             0220/0832  (BORO)
                                        01B "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 10.699 MI. DIST: 02-4 SR: 3001
LEFT MUN: EMPORIUM B RIGHT MUN: EMPORIUM B

		0220/0681	LEN=0050 INSTALLED UNKN 012"H 18"W CON BOX CUL
		0220/0517	LEN=0050 INSTALLED UNKN 018 "DIA CIRC CONCR
		0220/0382	LEN=0054 INSTALLED 1981 018 "DIA CIRC CONCR
		0220/0268	LEN=0040 INSTALLED 1981
		0220/0238	BMSEN 12/3001/0220/0000 EMPORIUM
		0220/0228	SHIPPEN T
	055107 FT	055107 FT	2 0 12007 0 00 0342+02 DRIFTWOOD BR SINNEMAHO BMSBG 12/3001/0220/0000
		S 0220/0000	LENGTH(AH 1090 BK 3196) 018 "DIA CIRC CONCR
		0210/3133	LEN=0035 INSTALLED 1981 018 "DIA CIR PLASTIC
		0210/2594	LEN=0040 INSTALLED 2013 SOUTH MOUNTAIN RD
CARSON ST (BORO)	0210/2337	0210/2337	(T329) 018 "DIA CIR PLASTIC
		0210/2321	LEN=0035 INSTALLED 2005 SHIPPEN
		0210/2271	EMPORIUM B 018 "DIA CIR PLASTIC
(EMPORIUM)BARTON ST (BORO)	0210/1482	0210/1939	LEN=0030 INSTALLED 2013 018 "DIA CIR PLASTIC
		0210/1280	LEN=0030 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0210/0860	LEN=0030 INSTALLED 2013 018 "DIA CIR PLASTIC
		0210/0164	LEN=0030 INSTALLED 2013 EMPORIUM
		0210/0062	SHIPPEN T
	051911 FT	051911 FT	2 0 12007 0 00 0310+00 NC BROAD ST
		S 0210/0000	LENGTH(AH 3196 BK 3586) 018 "DIA CIR PLASTIC
		0200/3355	LEN=0030 INSTALLED 2013 018 "DIA CIR PLASTIC
		0200/2988	LEN=0030 INSTALLED UNKN 024 "DIA CIR PLASTIC
		0200/2046	LEN=0045 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0200/1984	LEN=0040 INSTALLED 2013

DIR: B TOTAL LEN: 10.699 MI. DIST: 02-4 SR: 3001
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

		018 "DIA CIR PLASTIC
	0200/1563	LEN=0030 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0200/1265	LEN=0030 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0200/0896	LEN=0030 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0200/0526	LEN=0040 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0200/0141	LEN=0040 INSTALLED 2013
048325 FT	048325 FT	2 0 12007 0 00 0274+41
	S 0200/0000	LENGTH(AH 3586 BK 2399)
		030 "DIA CIR PLASTIC
	0190/2220	LEN=0045 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0190/2100	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0190/1745	LEN=0030 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0190/1412	LEN=0050 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0190/0970	LEN=0040 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0190/0540	LEN=0040 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0190/0100	LEN=0030 INSTALLED 2013
045926 FT	045926 FT	2 0 12007 0 00 0250+09
	S 0190/0000	LENGTH(AH 2399 BK 3462)
		018 "DIA CIR PLASTIC
	0180/3213	LEN=0030 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0180/2881	LEN=0030 INSTALLED 2007
		018 "DIA CIR PLASTIC
	0180/2433	LEN=0030 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0180/1447	LEN=0030 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0180/1089	LEN=0030 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0180/0751	LEN=0030 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0180/0380	LEN=0030 INSTALLED 2007
		018 "DIA CIR PLASTIC
	0180/0110	LEN=0040 INSTALLED 2007
042464 FT	042464 FT	2 0 12007 0 00 0215+12
	S 0180/0000	LENGTH(AH 3462 BK 3010)
		018 "DIA CIR PLASTIC
	0170/2416	LEN=0040 INSTALLED 2013

DIR: B TOTAL LEN: 10.699 MI. DIST: 02-4 SR: 3001
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

		018 "DIA CIR PLASTIC
	0170/2070	LEN=0040 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0170/1716	LEN=0040 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0170/1242	LEN=0040 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0170/0620	LEN=0040 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0170/0112	LEN=0040 INSTALLED 2012
039454 FT	039454 FT	2 0 12007 0 00 0185+02
	S 0170/0000	LENGTH(AH 3010 BK 2124)
		018 "DIA CIR PLASTIC
	0160/1793	LEN=0040 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0160/1500	LEN=0040 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0160/1350	LEN=0040 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0160/0906	LEN=0040 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0160/0026	LEN=0040 INSTALLED 2012
037330 FT	037330 FT	2 0 12007 0 00 0163+78
		MAY HOLLOW RD
		(T312)
	S 0160/0000	LENGTH(AH 2124 BK 1389)
		018 "DIA CIR PLASTIC
	0150/1236	LEN=0040 INSTALLED 2012
		024 "DIA CIR PLASTIC
	0150/0485	LEN=0040 INSTALLED 2011
		018 "DIA CIR PLASTIC
	0150/0117	LEN=0030 INSTALLED UNKN
035941 FT	035941 FT	2 0 12016 0 00 0150+00
	S 0150/0000	LENGTH(AH 1389 BK 2454)
		018 "DIA CIR PLASTIC
	0140/2132	LEN=0040 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0140/1366	LEN=0040 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0140/0938	LEN=0035 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0140/0511	LEN=0036 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0140/0100	LEN=0040 INSTALLED 2012
033487 FT	033487 FT	2 0 12016 0 00 0125+48
	S 0140/0000	LENGTH(AH 2454 BK 2530)

DIR: B TOTAL LEN: 10.699 MI. DIST: 02-4 SR: 3001
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

		018 "DIA CIR PLASTIC
	0130/1695	LEN=0040 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0130/0944	LEN=0036 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0130/0650	LEN=0040 INSTALLED 2012
		WHITTIMORE TOWER RD
	0130/0441	(FRST)
		SIMONS LN
	0130/0389	(FRST)
		LC FOR SIMONS LN
	0130/0277	(CONN)
030957 FT	030957 FT	2 0 12016 0 00 0099+99
	S 0130/0000	LENGTH(AH 2530 BK 2498)
		018 "DIA CIR PLASTIC
	0120/1190	LEN=0036 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0120/0386	LEN=0040 INSTALLED 2012
028459 FT	028459 FT	2 0 12016 0 00 0075+01
	S 0120/0000	LENGTH(AH 2498 BK 2591)
		018 "DIA CIR PLASTIC
	0110/2189	LEN=0040 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0110/0656	LEN=0040 INSTALLED 2012
025868 FT	025868 FT	2 0 12016 0 00 0049+10
		018 "DIA CIR PLASTIC
		LEN=0035 INSTALLED 2012
	S 0110/0000	LENGTH(AH 2591 BK 2203)
		018 "DIA CIR PLASTIC
	0100/1210	LEN=0040 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0100/0020	LEN=0045 INSTALLED 2012
023665 FT	023665 FT	2 0 12016 0 00 0027+07
	S 0100/0000	LENGTH(AH 2203 BK 2707)
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 10.699 MI. DIST: 02-4 SR: 3001
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

```
                                        0090/2154 LEN=0040 INSTALLED 2012

                                                  018 "DIA CIR PLASTIC
                                        0090/1504 LEN=0040 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                        0090/0960 LEN=0040 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                        0090/0695 LEN=0046 INSTALLED 1997
                                                  018 "DIA CIR PLASTIC
                                        0090/0320 LEN=0040 INSTALLED 2011
020958 FT                               020958 FT 2 0 12016 0 00 0000+00
                                              NC WHITTIMOORE HILL RD
                                      S 0090/0000 LENGTH(AH 2707 BK 3417)
                                                  018 "DIA CIR PLASTIC
                                        0080/3285 LEN=0036 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0080/2972 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0080/2640 LEN=0060 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                        0080/2420 LEN=0040 INSTALLED 2011


                                                  018 "DIA CIR PLASTIC
                                        0080/1025 LEN=0040 INSTALLED 2011

017541 FT                               017541 FT 2 0 12017 0 00 0174+93
                                      S 0080/0000 LENGTH(AH 3417 BK 2522)
                                                  024 "DIA CIR PLASTIC
                                        0070/2425 LEN=0060 INSTALLED 2012

                                                  030 "DIA CIR PLASTIC
                                        0070/1799 LEN=0040 INSTALLED 2012
                                                  018 "DIA CIR PLASTIC
                                        0070/1608 LEN=0040 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                        0070/1219 LEN=0040 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                        0070/0945 LEN=0040 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                        0070/0763 LEN=0040 INSTALLED 2011
                                                  018 "DIA CIR PLASTIC
                                        0070/0418 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                        0070/0088 LEN=0040 INSTALLED 2011
015019 FT                               015019 FT 2 0 12017 0 00 0149+71
                                      S 0070/0000 LENGTH(AH 2522 BK 2473)
                                                  018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 10.699 MI. DIST: 02-4 SR: 3001
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

	0060/2000	LEN=0035 INSTALLED 1998 018 "DIA CIR PLASTIC
	0060/1478	LEN=0040 INSTALLED 1998
		030 "DIA CIR PLASTIC
	0060/0200	LEN=0040 INSTALLED 2011
012546 FT	012546 FT	2 0 12017 0 00 0125+00
	S 0060/0000	LENGTH(AH 2473 BK 2548)
		018 "DIA CIR PLASTIC
	0050/1558	LEN=0040 INSTALLED 2011
		018 "DIA CIR PLASTIC
	0050/1283	LEN=0040 INSTALLED 2011
		018 "DIA CIR PLASTIC
	0050/0764	LEN=0040 INSTALLED 2011
		018 "DIA CIR PLASTIC
	0050/0408	LEN=0035 INSTALLED 2011
		018 "DIA CIR PLASTIC
	0050/0243	LEN=0040 INSTALLED 2011
009998 FT	009998 FT	2 0 12017 0 00 0099+60
	S 0050/0000	LENGTH(AH 2548 BK 2435)
		030 "DIA CIR PLASTIC
	0040/1740	LEN=0040 INSTALLED 2011
		018 "DIA CIR PLASTIC
	0040/0713	LEN=0040 INSTALLED 2011
		036 "DIA CIR PLASTIC
	0040/0089	LEN=0030 INSTALLED 2006
007563 FT	007563 FT	2 0 12017 0 00 0075+25
	S 0040/0000	LENGTH(AH 2435 BK 2554)
		018 "DIA CIR PLASTIC
	0030/2495	LEN=0040 INSTALLED 2011
		018 "DIA CIR PLASTIC
	0030/2290	LEN=0040 INSTALLED 2011
		018 "DIA CIR PLASTIC
	0030/1786	LEN=0040 INSTALLED 2011
GRIMMS RD (T320)	0030/1765	
		018 "DIA CIR PLASTIC
	0030/1520	LEN=0032 INSTALLED 2011
		018 "DIA CIR PLASTIC
	0030/0812	LEN=0040 INSTALLED 2011

DIR: B TOTAL LEN: 10.699 MI. DIST: 02-4 SR: 3001
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

005009 FT



005009 FT 2 0 12017 0 00 0049+67
HICKS RUN RD
(T310)
0030/0000 LENGTH(AH 2554 BK 3683)
018 "DIA CIR PLASTIC
0020/3568 LEN=0040 INSTALLED 2006
018 "DIA CIR PLASTIC
0020/3355 LEN=0050 INSTALLED 2006
018 "DIA CIR PLASTIC
0020/3111 LEN=0040 INSTALLED 2006
018 "DIA CIR PLASTIC
0020/2760 LEN=0050 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/2493 LEN=0050 INSTALLED UNKN
018 "DIA CIR PLASTIC
0020/1979 LEN=0040 INSTALLED 2006
018 "DIA CIR PLASTIC
0020/1620 LEN=0040 INSTALLED 2006
024 "DIA CIR PLASTIC
0020/1286 LEN=0052 INSTALLED 2006
018 "DIA CIR PLASTIC
0020/0993 LEN=0055 INSTALLED 2006
018 "DIA CIR PLASTIC
0020/0866 LEN=0050 INSTALLED 2006
018 "DIA CIR PLASTIC
0020/0702 LEN=0050 INSTALLED 2006
018 "DIA CIR PLASTIC
0020/0324 LEN=0060 INSTALLED 2006
018 "DIA CIR PLASTIC
0020/0090 LEN=0060 INSTALLED 2006

001326 FT

001326 FT 2 0 12017 0 00 0013+24
0020/0000 LENGTH(AH 3683 BK 1326)
018 "DIA CIR PLASTIC
0010/1326 LEN=0040 INSTALLED 2013
018 "DIA CIR PLASTIC
0010/1065 LEN=0045 INSTALLED UNKN
018 "DIA CIR PLASTIC
0010/1037 LEN=0050 INSTALLED 2006
0010/0482 BMSEN 12/3001/0010/0373
2 0 12017 0 00 0003+96
WEST CREEK
0010/0373 BMSBG 12/3001/0010/0373
060 "DIA CIR PLASTIC
0010/0224 LEN=0045 INSTALLED 1997

000000 FT

000000 FT 2 0 12017 0 00 0000+00
NC MOORE HILL RD
BUCKTAIL TRAIL HW
(SR0120 SEG 0120/0000)
MFC BEGIN = D
0010/0000 LENGTH(AH 1326 BK 0000)

DIR: B TOTAL LEN: 2.961 MI. DIST: 02-4 SR: 2006
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

	015636 FT	015636 FT	
WYKOFF RUN RD		INTER-AHD	SR 2001 SH
(SR2001 SEG 0020/0000)	0060/2814	0060/2814	(SR2001 SEG 0020/0000)
			015 "DIA CIRC METAL
		0060/2220	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC METAL
		0060/1780	LEN=0060 INSTALLED UNKN
			015 "DIA CIRC METAL
		0060/0846	LEN=0060 INSTALLED 1999
			015 "DIA CIRC METAL
		0060/0261	LEN=0060 INSTALLED 1999
	012822 FT	012822 FT	0 0 00000 0 00 0000+00
		0060/0000	LENGTH(AH 2814 BK 2609)
			015 "DIA CIRC METAL
		0050/2484	LEN=0060 INSTALLED 1999
			015 "DIA CIRC METAL
		0050/0207	LEN=0100 INSTALLED 1999
			024 "DIA CIRC METAL
		0050/0055	LEN=0060 INSTALLED 1999
	010213 FT	010213 FT	0 0 00000 0 00 0000+00
			LOST RUN ROAD
			(FRST)
		0050/0000	LENGTH(AH 2609 BK 2744)
			015 "DIA CIRC METAL
		0040/2475	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL

DIR: B TOTAL LEN: 2.961 MI. DIST: 02-4 SR: 2006
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

0040/2070 LEN=0060 INSTALLED UNKN
015 "DIA CIRC METAL
0040/1850 LEN=0060 INSTALLED UNKN

007469 FT

007469 FT 0 0 00000 0 00 0000+00
S 0040/0000 LENGTH(AH 2744 BK 1928)
024 "DIA CIRC METAL
0030/1443 LEN=0060 INSTALLED UNKN
015 "DIA CIRC METAL
0030/1184 LEN=0060 INSTALLED 1999
015 "DIA CIRC METAL
0030/1062 LEN=0060 INSTALLED UNKN

005541 FT

005541 FT 0 0 00000 0 00 0000+00
S 0030/0000 LENGTH(AH 1928 BK 3390)
048 "DIA CIRC METAL
0020/3390 LEN=0065 INSTALLED UNKN

002151 FT

002151 FT 0 0 00000 0 00 0000+00
S 0020/0000 LENGTH(AH 3390 BK 2151)

LINCOLN RD
(FRST)

0010/1623

036 "DIA CIRC METAL
0010/1620 LEN=0060 INSTALLED 1999

RED RUN RD
(FRST)

0010/1444

000000 FT

000000 FT 0 0 00000 0 00 0000+00
NC SR 2006 SH
* REF-BK SR 2004 SH
(SR2004 SEG 0250/2603)
MFC BEGIN = D
BK-ELK (24)
S 0010/0000 LENGTH(AH 2151 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 02-4 SR: 2002
LEFT MUN: GROVE T RIGHT MUN: GROVE T

000000 FT
000000 FT

000000 FT
7014/0000 LENGTH(AH 1551 BK 1245)
000000 FT
7010/0000 LENGTH(AH 1245 BK 0000)

DIR: B TOTAL LEN: 10.264 MI. DIST: 02-4 SR: 2001
LEFT MUN: GROVE T RIGHT MUN: GROVE T

```
054196 FT                    054196 FT  BUCKTAIL TRAIL HW
                             0210/2289  (SR0120 SEG 0690/1639)
                             0210/2234  BMSEN 12/2001/0210/1819
                                        2 0 12001 0 00 0537+74
                                        SINNEMAHONING CREEK
                             0210/1819  BMSBG 12/2001/0210/1819

                                        015 "DIA CIRC METAL
                             0210/0435  LEN=0050 INSTALLED UNKN
051907 FT                    051907 FT  2 0 12001 0 00 0519+60
                                        (AAR 527055W)#TRKS 01
                             0210/0000  LENGTH(AH 2289 BK 1955)
                                        JERRY RUN RD
                             0200/1907  (T356)

                                        018 "DIA CIR PLASTIC
                             0200/0785  LEN=0040 INSTALLED 2015
                                        018 "DIA CIR PLASTIC
                             0200/0517  LEN=0040 INSTALLED 2015
```

DIR: B TOTAL LEN: 10.264 MI. DIST: 02-4 SR: 2001
LEFT MUN: GROVE T RIGHT MUN: GROVE T

		018 "DIA CIR PLASTIC
	0200/0220	LEN=0030 INSTALLED UNKN
049952 FT	049952 FT	2 0 12001 0 00 0500+00
	0200/0000	LENGTH(AH 1955 BK 2492)
		018 "DIA CIR PLASTIC
	0190/2470	LEN=0047 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0190/1922	LEN=0030 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0190/1740	LEN=0040 INSTALLED 2015
		015 "DIA CIR PLASTIC
	0190/1122	LEN=0030 INSTALLED 2017
		018 "DIA CIR PLASTIC
	0190/0730	LEN=0040 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0190/0230	LEN=0030 INSTALLED UNKN
047460 FT	047460 FT	2 0 12001 0 00 0475+13
	0190/0000	LENGTH(AH 2492 BK 2512)
		018 "DIA CIR PLASTIC
	0180/2393	LEN=0040 INSTALLED 2004
		018 "DIA CIR PLASTIC
	0180/1980	LEN=0036 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0180/1725	LEN=0040 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0180/1465	LEN=0040 INSTALLED 2015
		GROVE
	0180/1231	GIBSON T
		018 "DIA CIR PLASTIC
	0180/1105	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0180/0841	LEN=0038 INSTALLED 2004
		018 "DIA CIR PLASTIC
	0180/0434	LEN=0035 INSTALLED 2015
044948 FT	044948 FT	2 0 12001 0 00 0450+00
	0180/0000	LENGTH(AH 2512 BK 2470)
		018 "DIA CIR PLASTIC
	0170/2214	LEN=0035 INSTALLED 2015
		015 "DIA CIR PLASTIC
	0170/1936	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0170/1650	LEN=0040 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0170/1290	LEN=0040 INSTALLED 2016
		018 "DIA CIR PLASTIC
	0170/0940	LEN=0034 INSTALLED 2016
		018 "DIA CIR PLASTIC
	0170/0720	LEN=0040 INSTALLED 2016
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 10.264 MI. DIST: 02-4 SR: 2001
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

	0170/0600	LEN=0035 INSTALLED 2016
		018 "DIA CIR PLASTIC
	0170/0300	LEN=0040 INSTALLED 2016
		018 "DIA CIR PLASTIC
	0170/0025	LEN=0040 INSTALLED 2016
042478 FT	042478 FT	2 0 12001 0 00 0425+15
	S 0170/0000	LENGTH(AH 2470 BK 2400)
		018 "DIA CIR PLASTIC
	0160/2330	LEN=0040 INSTALLED 2016
		018 "DIA CIR PLASTIC
	0160/1650	LEN=0040 INSTALLED 2016
		018 "DIA CIR PLASTIC
	0160/1415	LEN=0034 INSTALLED 2016
		015 "DIA CIRC METAL
	0160/0750	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0160/0300	LEN=0035 INSTALLED 2016
040078 FT	040078 FT	2 0 12001 0 00 0401+15
		018 "DIA CIR PLASTIC
		LEN=0035 INSTALLED 2016
	S 0160/0000	LENGTH(AH 2400 BK 2614)
		018 "DIA CIR PLASTIC
	0150/2235	LEN=0040 INSTALLED 2016
		056"H 48"W CON BOX CUL
	0150/1688	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0150/1460	LEN=0040 INSTALLED 2000
	0150/0938	BMSEN 12/2001/0150/0927
		2 0 12001 0 00 0384+28
		TROUT HOLE RUN
	0150/0927	BMSBG 12/2001/0150/0927
		018 "DIA CIR PLASTIC
	0150/0715	LEN=0040 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0150/0300	LEN=0040 INSTALLED 2016
037464 FT	037464 FT	2 0 12001 0 00 0374+91
	S 0150/0000	LENGTH(AH 2614 BK 2512)
		018 "DIA CIR PLASTIC
	0140/2361	LEN=0032 INSTALLED 2004
		018 "DIA CIR PLASTIC
	0140/2000	LEN=0040 INSTALLED 2016
		018 "DIA CIR PLASTIC
	0140/1700	LEN=0035 INSTALLED 2016
		018 "DIA CIR PLASTIC
	0140/1335	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0140/0905	LEN=0040 INSTALLED 2016
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 10.264 MI. DIST: 02-4 SR: 2001
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

	0140/0410	LEN=0040 INSTALLED 2016
		018 "DIA CIR PLASTIC
	0140/0295	LEN=0040 INSTALLED 2016
034952 FT	034952 FT	2 0 12001 0 00 0349+79
		018 "DIA CIR PLASTIC
		LEN=0040 INSTALLED 2016
	S 0140/0000	LENGTH(AH 2512 BK 2858)
		018 "DIA CIR PLASTIC
	0130/2460	LEN=0040 INSTALLED 2000
		018 "DIA CIR PLASTIC
	0130/2305	LEN=0040 INSTALLED 2017
		018 "DIA CIR PLASTIC
	0130/2170	LEN=0036 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0130/1985	LEN=0040 INSTALLED 2017
		015 "DIA CIRC METAL
	0130/1625	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0130/1079	LEN=0036 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0130/0570	LEN=0040 INSTALLED 2017
		018 "DIA CIR PLASTIC
	0130/0365	LEN=0036 INSTALLED 1998
032094 FT	032094 FT	2 0 12001 0 00 0321+36
		018 "DIA CIRC METAL
		LEN=0030 INSTALLED UNKN
	S 0130/0000	LENGTH(AH 2858 BK 2681)
		018 "DIA CIR PLASTIC
	0120/2238	LEN=0040 INSTALLED 2017
	0120/1773	BMSEN 12/2001/0120/1760
		2 0 12001 0 00 0294+42
		WHITE OAK DRAFT
	0120/1760	BMSBG 12/2001/0120/1760
		018 "DIA CIR PLASTIC
	0120/1595	LEN=0040 INSTALLED 2017
		018 "DIA CIRC METAL
	0120/0880	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC METAL
	0120/0295	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC METAL
	0120/0153	LEN=0030 INSTALLED UNKN
029413 FT	029413 FT	2 0 12001 0 00 0294+42
		LAUREL RUN
		STRUCTURE LENGTH 24 FT
		BMSID 12/2001/0120/0000
	S 0120/0000	LENGTH(AH 2681 BK 3570)
		018 "DIA CIRC METAL
	0110/3100	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 10.264 MI. DIST: 02-4 SR: 2001
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

```
                                          0110/2708 LEN=0040 INSTALLED UNKN
                                                    018 "DIA CIRC METAL
                                          0110/2285 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                          0110/2075 LEN=0040 INSTALLED 2017
                                                    018 "DIA CIRC METAL
                                          0110/1785 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                          0110/1255 LEN=0040 INSTALLED 2017
                                                    018 "DIA CIRC METAL
                                          0110/0925 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIRC METAL
                                          0110/0455 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                          0110/0234 LEN=0040 INSTALLED UNKN
025843 FT                                 025843 FT 2 0 12001 0 00 0258+65
                                                    018 "DIA CIRC METAL
                                                    LEN=0030 INSTALLED UNKN
                                        S 0110/0000 LENGTH(AH 3570 BK 2745)
                                                    018 "DIA CIRC METAL
                                          0100/2383 LEN=0030 INSTALLED UNKN
                                                    015 "DIA CIRC METAL
                                          0100/2135 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIRC METAL
                                          0100/1821 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                          0100/1458 LEN=0030 INSTALLED UNKN
                                                    015 "DIA CIRC METAL
                                          0100/1130 LEN=0040 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                          0100/0660 LEN=0040 INSTALLED 1999
                                                    018 "DIA CIR PLASTIC
                                          0100/0391 LEN=0040 INSTALLED 2017
                                          0100/0021 BMSEN 12/2001/0100/0000
023098 FT                                 023098 FT 2 0 12001 0 00 0231+18
                                                    FOLEY DRAFT
                                                    BMSBG 12/2001/0100/0000
                                        S 0100/0000 LENGTH(AH 2745 BK 3209)
                                                    018 "DIA CIR PLASTIC
                                          0090/2630 LEN=0040 INSTALLED 1998
                                                    018 "DIA CIR PLASTIC
                                          0090/2320 LEN=0048 INSTALLED 2017
                                                    018 "DIA CIR PLASTIC
                                          0090/2100 LEN=0046 INSTALLED 2017
                                                    018 "DIA CIRC METAL
                                          0090/1620 LEN=0035 INSTALLED UNKN
                                                    018 "DIA CIRC METAL
                                          0090/1285 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIRC METAL
                                          0090/1025 LEN=0030 INSTALLED UNKN
```

DIR: B TOTAL LEN: 10.264 MI. DIST: 02-4 SR: 2001
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

			018 "DIA CIR PLASTIC
		0090/0515	LEN=0040 INSTALLED 2017
			018 "DIA CIRC METAL
		0090/0220	LEN=0030 INSTALLED UNKN
019889 FT		019889 FT	2 0 12001 0 00 0199+10
			018 "DIA CIR PLASTIC
			LEN=0036 INSTALLED 1997
		S 0090/0000	LENGTH(AH 3209 BK 2783)
			018 "DIA CIR PLASTIC
		0080/2585	LEN=0040 INSTALLED 2017
			018 "DIA CIRC METAL
		0080/2372	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0080/2110	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0080/1715	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0080/1250	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0080/1060	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0080/0565	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/0265	LEN=0040 INSTALLED 2017
017106 FT		017106 FT	2 0 12001 0 00 0171+23
			018 "DIA CIR PLASTIC
			LEN=0036 INSTALLED 1997
		S 0080/0000	LENGTH(AH 2783 BK 2438)
			018 "DIA CIRC METAL
		0070/1900	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0070/1670	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/1215	LEN=0036 INSTALLED 1997
			018 "DIA CIRC METAL
		0070/0970	LEN=0040 INSTALLED UNKN
			015 "DIA CAST IRON
		0070/0460	LEN=0030 INSTALLED UNKN
014668 FT		014668 FT	2 0 12001 0 00 0146+85
			018 "DIA CIR PLASTIC
			LEN=0036 INSTALLED 1998
		S 0070/0000	LENGTH(AH 2438 BK 2346)
			018 "DIA CIRC METAL
		0060/1820	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC METAL
		0060/1600	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0060/1312	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0060/0960	LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 10.264 MI. DIST: 02-4 SR: 2001
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

			018 "DIA CIRC METAL
		0060/0570	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0060/0325	LEN=0040 INSTALLED UNKN
012322 FT		012322 FT	2 0 12001 0 00 0123+39
			018 "DIA CIR PLASTIC
			LEN=0040 INSTALLED 2003
		S 0060/0000	LENGTH(AH 2346 BK 2860)
			018 "DIA CIR PLASTIC
		0050/2450	LEN=0040 INSTALLED 2001
			036"H 48"W CON BOX CUL
		0050/2043	LEN=0040 INSTALLED 1999
			018 "DIA CIRC METAL
		0050/1822	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/1511	LEN=0036 INSTALLED 2001
			018 "DIA CIR PLASTIC
		0050/1203	LEN=0036 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0050/1009	LEN=0040 INSTALLED 2001
			015 "DIA CIR PLASTIC
		0050/0584	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC METAL
		0050/0250	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/0007	LEN=0040 INSTALLED 2000
009462 FT		009462 FT	2 0 12001 0 00 0094+63
		S 0050/0000	LENGTH(AH 2860 BK 2779)
			018 "DIA CIRC METAL
		0040/2410	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0040/1965	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/1570	LEN=0040 INSTALLED 2002
			018 "DIA CIRC METAL
		0040/1280	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0040/0952	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0040/0645	LEN=0040 INSTALLED UNKN
HOOVER RD (FRST)	0040/0620		
LC TO HOOVER RD (CONN)	0040/0468		
			018 "DIA CIRC METAL
		0040/0188	LEN=0040 INSTALLED UNKN
		0040/0010	BMSEN 12/2001/0040/0000
006683 FT		006683 FT	2 0 12001 0 00 0066+87
			B WYKOFF RUN
			BMSBG 12/2001/0040/0000

DIR: B TOTAL LEN: 10.264 MI. DIST: 02-4 SR: 2001
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

```
                                                  S 0040/0000 LENGTH(AH 2779 BK 2246)
                                                              018 "DIA CIRC METAL
                                                    0030/1936 LEN=0040 INSTALLED UNKN
                                                              015 "DIA CIR PLASTIC
                                                    0030/1742 LEN=0030 INSTALLED UNKN
                                                              018 "DIA CIR PLASTIC
                                                    0030/1440 LEN=0040 INSTALLED 2001
                                                              018 "DIA CIRC METAL
                                                    0030/1122 LEN=0030 INSTALLED UNKN
                                                              018 "DIA CIRC METAL
                                                    0030/0782 LEN=0030 INSTALLED UNKN
                                                              018 "DIA CIRC METAL
                                                    0030/0460 LEN=0030 INSTALLED UNKN
                          004437 FT                 004437 FT 2 0 12001 0 00 0044+31
                                                              BRANCH WYKOFF RUN
                                                              STRUCTURE LENGTH  14 FT
                                                              BMSID 12/2001/0030/0000
                                                  S 0030/0000 LENGTH(AH 2246 BK 2634)
                                                              018 "DIA CIR PLASTIC
                                                    0020/2329 LEN=0045 INSTALLED UNKN
                                                              018 "DIA CIRC METAL
                                                    0020/2054 LEN=0025 INSTALLED 1999
                                                              018 "DIA CIR PLASTIC
                                                    0020/1745 LEN=0040 INSTALLED UNKN
                                                              030 "DIA CIR PLASTIC
                                                    0020/1328 LEN=0050 INSTALLED 2004


                                                              018 "DIA CIR PLASTIC
                                                    0020/0369 LEN=0035 INSTALLED UNKN
                                                              018 "DIA CIR PLASTIC
                                                    0020/0138 LEN=0040 INSTALLED 2000
2 0 12001 0 00 0018+05 001803 FT                    001803 FT
QUEHANNA HW                                             NC WYKOFF RUN RD
(SR2006 SEG 0060/2814)  0020/0000                   S 0020/0000 LENGTH(AH 2634 BK 1803)
                                                              015 "DIA CIRC METAL
                                                    0010/1718 LEN=0060 INSTALLED 1999
                                                              015 "DIA CIR PLASTIC
                                                    0010/1205 LEN=0060 INSTALLED 1999


                                                              015 "DIA CIR PLASTIC
                                                    0010/0196 LEN=0060 INSTALLED 1999
                          000000 FT                 000000 FT 2 0 12001 0 00 0000+00
                                                        NC QUEHANNA HW
                                                  * REF-BK    PIPER RD
                                                              (SR1011 SEG 0340/2585)
                                                              MFC BEGIN = D
                                                               BK-CLEARFIELD      (17)
                                                  S 0010/0000 LENGTH(AH 1803 BK 0000)
```

DIR: B TOTAL LEN: .072 MI. DIST: 02-4 SR: 1002
LEFT MUN: EMPORIUM B RIGHT MUN: EMPORIUM B

BROAD ST
(BORO)
FIFTH ST
(BORO)

000381 FT

000381 FT

0010/0381
000000 FT



000381 FT
7030/0000 LENGTH(AH 1824 BK 0417)
000381 FT
7020/0000 LENGTH(AH 0417 BK 0381)

INTER-AHD FIFTH ST
0010/0381 (BORO)
000000 FT 1 0 00099 0 00 0558+42
NC BROAD ST
FOURTH ST
(SR0120 SEG 0240/0000)

INTER-BK BROAD ST
(SR3001 SEG 0230/0294)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 0381 BK 0000)

DIR: B TOTAL LEN: .416 MI. DIST: 02-4 SR: 1001
LEFT MUN: EMPORIUM B RIGHT MUN: EMPORIUM B

	002198 FT	002198 FT	
		7050/0000	LENGTH(AH 2590 BK 2532)
	002198 FT	002198 FT	
		7040/0000	LENGTH(AH 2532 BK 2496)
	002198 FT	002198 FT	
		7030/0000	LENGTH(AH 2496 BK 3004)
	002198 FT	002198 FT	
		7020/0000	LENGTH(AH 3004 BK 0315)
	002198 FT	002198 FT	
		7012/0000	LENGTH(AH 0315 BK 2198)
		REF-AHD	PLANK HOLLOW RD
		0010/2198	(T390)
			OAK ST
		0010/1993	(BORO)
			PLANK HOLLOW
			STRUCTURE LENGTH 18 FT
		0010/1958	BMSID 12/1001/0010/1958
UNKNOWN ST (BORO)	0010/1887		
			018 "DIA CIRC CONCR
		0010/1815	LEN=0017 INSTALLED 1959
SPRING ST (BORO)	0010/1456		
			018 "DIA CIRC CONCR
		0010/1445	LEN=0045 INSTALLED 1959
			PORTAGE ST
			(BORO)
		NC OAK ST	
			018 "DIA CIRC CONCR
		0010/1060	LEN=0030 INSTALLED 1959
			015 "DIA CIRC CONCR
		0010/0635	LEN=0020 INSTALLED 1999
	000000 FT	000000 FT	2 0 12009 0 00 0000+00
		NC PORTAGE ST	
			ALLEGANY AV
			(SR0120 SEG 0260/0000)
			MFC BEGIN = E
		0010/0000	LENGTH(AH 2198 BK 0000)

DIR: B TOTAL LEN: 13.177 MI. DIST: 02-4 SR: 872
LEFT MUN: GROVE T RIGHT MUN: GROVE T

069573 FT		069573 FT	AH-POTTER (52)
		REF-AHD	WHARTON RD
			(SR0872 SEG 0010/0000)
			018 "DIA CIRC CONCR
		0270/2269	LEN=0100 INSTALLED 1953
			018 "DIA CIRC CONCR
		0270/1880	LEN=0070 INSTALLED 1953
			018 "DIA CIRC CONCR
		0270/1575	LEN=0070 INSTALLED 1953
			072"H 60"W CON BOX CUL
		0270/1065	LEN=0075 INSTALLED 1953
			018 "DIA CIRC CONCR
		0270/0325	LEN=0030 INSTALLED 1953
067304 FT		067304 FT	1 0 00597 0 00 0673+59
			UPPER LOGUE
			STRUCTURE LENGTH 10 FT
			BMSID 12/0872/0270/0000
		S 0270/0000	LENGTH(AH 2269 BK 2864)
			018 "DIA CIRC CONCR
		0260/1682	LEN=0030 INSTALLED 1953
			048 "DIA CIRC CONCR
		0260/1290	LEN=0040 INSTALLED 1953
			018 "DIA CIRC CONCR
		0260/0920	LEN=0040 INSTALLED 1953
			018 "DIA CIRC CONCR
		0260/0546	LEN=0035 INSTALLED 1953
			018 "DIA CIRC CONCR
		0260/0237	LEN=0035 INSTALLED 1953
064440 FT		064440 FT	1 0 00597 0 00 0645+00
		S 0260/0000	LENGTH(AH 2864 BK 2660)
			018 "DIA CIRC CONCR
		0250/2603	LEN=0040 INSTALLED 1953
			018 "DIA CIRC CONCR
		0250/2360	LEN=0040 INSTALLED 1953
			LOGUES RUN
			STRUCTURE LENGTH 19 FT
		0250/2013	BMSID 12/0872/0250/2013
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 13.177 MI. DIST: 02-4 SR: 872
LEFT MUN: GROVE T RIGHT MUN: GROVE T

```
                                          0250/0560 LEN=0035 INSTALLED 1953
                                                    024 "DIA CIRC CONCR
                                          0250/0248 LEN=0035 INSTALLED 1953
061780 FT                                 061780 FT 1 0 00597 0 00 0618+16
                                                    CAMPGROUND RD
                                                    (FRST)
                                       ==  S 0250/0000 LENGTH(AH 2660 BK 2299)
                                                    018 "DIA CIRC CONCR
                                          0240/2285 LEN=0040 INSTALLED 1953
                                                    018 "DIA CIRC CONCR
                                          0240/1976 LEN=0040 INSTALLED 1953
                                                    018 "DIA CIRC CONCR
                                          0240/1676 LEN=0040 INSTALLED 1953
                                                    036 "DIA CIRC METAL
                                          0240/1116 LEN=0065 INSTALLED 2000
                                                    018 "DIA CIRC CONCR
                                          0240/0770 LEN=0040 INSTALLED 1953
                                                    018 "DIA CIRC CONCR
                                          0240/0475 LEN=0040 INSTALLED 1953
059481 FT                                 059481 FT 1 0 00597 0 00 0594+92
                                                S 0240/0000 LENGTH(AH 2299 BK 2496)
                                                    018 "DIA CIRC CONCR
                                          0230/2325 LEN=0050 INSTALLED 1953
                                                    NORCROSS RUN
                                                    STRUCTURE LENGTH 18 FT
                                          0230/1909 BMSID 12/0872/0230/1909


                                                    018 "DIA CIRC CONCR
                                          0230/0917 LEN=0030 INSTALLED 1953
                                                    018 "DIA CIRC CONCR
                                          0230/0630 LEN=0030 INSTALLED 1953

056985 FT                                 056985 FT 1 0 00597 0 00 0570+00
                                                S 0230/0000 LENGTH(AH 2496 BK 2667)
                                                    036 "DIA CIRC CONCR
                                          0220/2235 LEN=0100 INSTALLED 1953
                                                    018 "DIA CIRC CONCR
                                          0220/1895 LEN=0060 INSTALLED 1953


                                                    018 "DIA CIRC CONCR
                                          0220/0839 LEN=0040 INSTALLED 1953
                                                    018 "DIA CIRC CONCR
                                          0220/0572 LEN=0040 INSTALLED 1953
054318 FT                                 054318 FT 1 0 00597 0 00 0543+26
                                                    MILL RUN
                                                    STRUCTURE LENGTH 13 FT
                                                    BMSID 12/0872/0220/0000
                                                S 0220/0000 LENGTH(AH 2667 BK 2327)
```

DIR: B TOTAL LEN: 13.177 MI. DIST: 02-4 SR: 872
LEFT MUN: GROVE T RIGHT MUN: GROVE T

```
                                                 GOSS RD
                                  ==     0210/1872 (FRST)

                                                 054 "DIA CIRC METAL
                                         0210/0660 LEN=0100 INSTALLED 2000
                                                 018 "DIA CIRC CONCR
                                         0210/0150 LEN=0050 INSTALLED 1953
051991 FT                                051991 FT 1 0 00597 0 00 0520+00
                                       S 0210/0000 LENGTH(AH 2327 BK 2484)
                                                 024 "DIA CIRC CONCR
                                         0200/2250 LEN=0060 INSTALLED 1953
                                                 018 "DIA CIRC CONCR
                                         0200/1885 LEN=0060 INSTALLED 1953
                                                 018 "DIA CIRC CONCR
                                         0200/1504 LEN=0060 INSTALLED 1953
                                                 018 "DIA CIRC CONCR
                                         0200/1178 LEN=0060 INSTALLED 1953
                                                 018 "DIA CIRC CONCR
                                         0200/0898 LEN=0060 INSTALLED 1953
                                                 072 "DIA CIRC METAL
                                         0200/0608 LEN=0200 INSTALLED 1953

049507 FT                                049507 FT 1 0 00597 0 00 0495+00
                                       S 0200/0000 LENGTH(AH 2484 BK 2310)
                                                 018 "DIA CIRC CONCR
                                         0190/2040 LEN=0050 INSTALLED 1953
                                                 024 "DIA CIRC CONCR
                                         0190/1729 LEN=0050 INSTALLED 1953
                                                 024 "DIA CIRC CONCR
                                         0190/1468 LEN=0050 INSTALLED 1953
                                                 018 "DIA CIRC CONCR
                                         0190/1185 LEN=0050 INSTALLED 1953
                                                 018 "DIA CIRC CONCR
                                         0190/0950 LEN=0050 INSTALLED 1953
                                                 018 "DIA CIRC CONCR
                                         0190/0670 LEN=0050 INSTALLED 1953
                                                 018 "DIA CIRC CONCR
                                         0190/0300 LEN=0050 INSTALLED 1953
                                                 024 "DIA CIRC CONCR
                                         0190/0001 LEN=0050 INSTALLED 1953
047197 FT                                047197 FT 1 0 00597 0 00 0471+76
                                       S 0190/0000 LENGTH(AH 2310 BK 2614)
                                                 018 "DIA CIRC CONCR
                                         0180/2317 LEN=0050 INSTALLED 1953
                                                 018 "DIA CIRC CONCR
                                         0180/2011 LEN=0050 INSTALLED 1953
                                                 018 "DIA CIRC CONCR
                                         0180/1693 LEN=0050 INSTALLED 1953
```

DIR: B TOTAL LEN: 13.177 MI. DIST: 02-4 SR: 872
LEFT MUN: GROVE T RIGHT MUN: GROVE T

			018 "DIA CIRC CONCR
		0180/1384	LEN=0045 INSTALLED 1953
			018 "DIA CIRC CONCR
		0180/1068	LEN=0060 INSTALLED 1953
			018 "DIA CIRC CONCR
		0180/0780	LEN=0050 INSTALLED 1953
	044583 FT	044583 FT	1 0 00597 0 00 0445+84
			BROOKS RUN
			STRUCTURE LENGTH 25 FT
			BMSID 12/0872/0180/0000
		S 0180/0000	LENGTH(AH 2614 BK 1588)
BROOKS RUN RD (FRST)	0170/1005		
			024 "DIA CIRC METAL
		0170/0978	LEN=0104 INSTALLED 1953
			PARK RD
		0170/0726	(FRST)
	042995 FT	042995 FT	1 0 00597 0 00 0430+06
		S 0170/0000	LENGTH(AH 1588 BK 2497)
			018 "DIA CIRC CONCR
		0160/2200	LEN=0100 INSTALLED 1953
			060 "DIA CIRC CONCR
		0160/1910	LEN=0080 INSTALLED 1953
			018 "DIA CIRC CONCR
		0160/1495	LEN=0050 INSTALLED 1953
			018 "DIA CIRC CONCR
		0160/1160	LEN=0050 INSTALLED 1953
			018 "DIA CIRC CONCR
		0160/0570	LEN=0050 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0160/0420	LEN=0045 INSTALLED 1953
	040498 FT	040498 FT	1 0 00597 0 00 0405+00
		S 0160/0000	LENGTH(AH 2497 BK 2571)
			018 "DIA CIRC CONCR
		0150/2327	LEN=0050 INSTALLED 1953
			018 "DIA CIRC CONCR
		0150/2040	LEN=0050 INSTALLED 1953
			024 "DIA CIRC CONCR
		0150/1710	LEN=0050 INSTALLED 1953
			018 "DIA CIRC CONCR
		0150/1330	LEN=0050 INSTALLED 1953
			018 "DIA CIRC CONCR
		0150/0620	LEN=0040 INSTALLED 1953
			018 "DIA CIRC CONCR
		0150/0310	LEN=0045 INSTALLED 1953
	037927 FT	037927 FT	1 0 00597 0 00 0379+31
		S 0150/0000	LENGTH(AH 2571 BK 1946)

DIR: B TOTAL LEN: 13.177 MI. DIST: 02-4 SR: 872
LEFT MUN: GROVE T RIGHT MUN: GROVE T

			024 "DIA CIRC CONCR
		0140/1500	LEN=0075 INSTALLED 1953
			018 "DIA CIRC CONCR
		0140/1095	LEN=0040 INSTALLED 1961
			030 "DIA CIRC CONCR
		0140/0190	LEN=0065 INSTALLED 1953
	035981 FT	035981 FT	1 0 00597 0 00 0360+00
		0140/0000	LENGTH(AH 1946 BK 2985)
			SWANK RD
		0130/2739	(T357)
			036 "DIA CIRC METAL
		0130/2615	LEN=0065 INSTALLED 1961
			054"H 72"W ELLIP METAL
		0130/2080	LEN=0100 INSTALLED 1961
			024 "DIA CIRC CONCR
		0130/1435	LEN=0070 INSTALLED 1961
			024 "DIA CIRC CONCR
		0130/1100	LEN=0060 INSTALLED 1961
			030 "DIA CIRC CONCR
		0130/0540	LEN=0065 INSTALLED 1961
			018 "DIA CIRC CONCR
		0130/0235	LEN=0065 INSTALLED 1961
	032996 FT	032996 FT	1 0 00597 0 00 0330+00
		0130/0000	LENGTH(AH 2985 BK 2622)
			018 "DIA CIRC CONCR
		0120/2486	LEN=0075 INSTALLED 1961
			018 "DIA CIRC CONCR
		0120/1967	LEN=0100 INSTALLED 1961
			018 "DIA CIRC CONCR
		0120/1660	LEN=0050 INSTALLED 1961
			018 "DIA CIRC CONCR
		0120/1366	LEN=0060 INSTALLED 1961
			024 "DIA CIRC CONCR
		0120/1038	LEN=0065 INSTALLED 1961
KEPHART RD (T354)	0120/0841		
			015 "DIA CIRC CONCR
		0120/0710	LEN=0075 INSTALLED 1961
			018 "DIA CIRC CONCR
		0120/0235	LEN=0065 INSTALLED 1961
	030374 FT	030374 FT	1 0 00597 0 00 0303+92
			018 "DIA CIRC CONCR
			LEN=0060 INSTALLED 1961
		0120/0000	LENGTH(AH 2622 BK 2885)
			018 "DIA CIRC CONCR
		0110/2547	LEN=0080 INSTALLED 1961
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 13.177 MI. DIST: 02-4 SR: 872
LEFT MUN: GROVE T RIGHT MUN: GROVE T

```
                                                 0110/2244 LEN=0070 INSTALLED 1961
                                                           024 "DIA CIRC CONCR
                                                 0110/1920 LEN=0080 INSTALLED 1961
                                                           JOE'S RUN
                                                           STRUCTURE LENGTH    9 FT
                                                 0110/1353 BMSID 12/0872/0110/1353

                027489 FT                        027489 FT 1 0 00597 0 00 0275+00
                                                5 0110/0000 LENGTH(AH 2885 BK 2995)
                                                           036 "DIA CIRC CONCR
                                                 0100/2915 LEN=0096 INSTALLED 1961
                                                           030 "DIA CIRC CONCR
                                                 0100/2487 LEN=0065 INSTALLED 1961
                                                           018 "DIA CIRC CONCR
                                                 0100/2150 LEN=0080 INSTALLED 1961
                                                           024 "DIA CIRC CONCR
                                                 0100/1833 LEN=0065 INSTALLED 1961
                                                           024 "DIA CIRC CONCR
                                                 0100/1485 LEN=0065 INSTALLED 1961
                                                           024 "DIA CIRC CONCR
                                                 0100/1235 LEN=0065 INSTALLED 1961
                                                           018 "DIA CIRC CONCR
                                                 0100/0787 LEN=0080 INSTALLED 1961
                                                           018 "DIA CIRC CONCR
                                                 0100/0492 LEN=0060 INSTALLED 1961
                                                           030 "DIA CIRC CONCR
                                                 0100/0181 LEN=0056 INSTALLED 1961
                024494 FT                        024494 FT 1 0 00597 0 00 0245+00
                                                5 0100/0000 LENGTH(AH 2995 BK 3673)
                                                           036 "DIA CIRC CONCR
                                                 0090/3565 LEN=0065 INSTALLED 1961
                                                           018 "DIA CIRC CONCR
                                                 0090/3168 LEN=0065 INSTALLED 1961
                                                           024 "DIA CIRC CONCR
                                                 0090/2900 LEN=0065 INSTALLED 1961
                                                           018 "DIA CIRC CONCR
                                                 0090/2460 LEN=0055 INSTALLED 1961
LICK ISLAND CR
(T353)          0090/2444
                                                           018 "DIA CIRC CONCR
                                                 0090/2043 LEN=0060 INSTALLED 1961
                                                           018 "DIA CIRC CONCR
                                                 0090/1815 LEN=0060 INSTALLED 1961
                                                           018 "DIA CIRC CONCR
                                                 0090/1500 LEN=0060 INSTALLED 1961
                                                           018 "DIA CIRC CONCR
                                                 0090/1260 LEN=0060 INSTALLED 1961
```

DIR: B TOTAL LEN: 13.177 MI. DIST: 02-4 SR: 872
LEFT MUN: GROVE T RIGHT MUN: GROVE T

			LICK ISLAND
			STRUCTURE LENGTH 21 FT
		0090/0305	BMSID 12/0872/0090/0305
			024 "DIA CIRC CONCR
		0090/0068	LEN=0070 INSTALLED 1961
1 0 00597 0 00 0208+32 020821 FT		020821 FT	
LICK ISLAND CR			
(T353)	0090/0000	0090/0000	LENGTH(AH 3673 BK 3743)
			018 "DIA CIRC CONCR
		0080/3244	LEN=0070 INSTALLED 1961
			018 "DIA CIRC CONCR
		0080/2975	LEN=0060 INSTALLED 1961
			018 "DIA CIRC CONCR
		0080/2664	LEN=0060 INSTALLED 2000
			030 "DIA CIRC CONCR
		0080/2388	LEN=0070 INSTALLED 1961
			024 "DIA CIRC CONCR
		0080/2145	LEN=0060 INSTALLED 1961
			024 "DIA CIRC CONCR
		0080/1600	LEN=0060 INSTALLED 1961
			T FIRST FORK
			STRUCTURE LENGTH 7 FT
		0080/1339	BMSID 12/0872/0080/1339
			018 "DIA CIRC CONCR
		0080/0900	LEN=0060 INSTALLED 1961
			018 "DIA CIRC CONCR
		0080/0600	LEN=0065 INSTALLED 1961
			018 "DIA CIRC CONCR
		0080/0318	LEN=0060 INSTALLED 1961
			018 "DIA CIRC CONCR
		0080/0050	LEN=0060 INSTALLED 1961
1 0 00597 0 00 0170+87 017078 FT		017078 FT	
PEPPER HILL RD			
(TWP)	0080/0000	0080/0000	LENGTH(AH 3743 BK 2085)
			024 "DIA CIRC CONCR
		0070/1565	LEN=0080 INSTALLED 1961
			036 "DIA CIRC CONCR
		0070/1185	LEN=0075 INSTALLED 1961
			018 "DIA CIRC CONCR
		0070/0945	LEN=0060 INSTALLED 1961
			024 "DIA CIRC CONCR
		0070/0691	LEN=0060 INSTALLED 1961
	014993 FT	014993 FT	1 0 00597 0 00 0150+00
			024 "DIA CIRC CONCR
			LEN=0055 INSTALLED 1961
		0070/0000	LENGTH(AH 2085 BK 2556)
			024 "DIA CIRC CONCR
		0060/2250	LEN=0055 INSTALLED 1961

DIR: B TOTAL LEN: 13.177 MI. DIST: 02-4 SR: 872
LEFT MUN: GROVE T RIGHT MUN: GROVE T

			PEPPER HILL
			STRUCTURE LENGTH 10 FT
		0060/1657	BMSID 12/0872/0060/1657
			024 "DIA CIRC CONCR
		0060/1205	LEN=0050 INSTALLED 1961
			018 "DIA CIRC CONCR
		0060/0912	LEN=0050 INSTALLED 1961
			018 "DIA CIRC CONCR
		0060/0605	LEN=0060 INSTALLED 1961
			018 "DIA CIRC CONCR
		0060/0295	LEN=0050 INSTALLED 1961
	012437 FT	012437 FT	1 0 00597 0 00 0124+37
			024 "DIA CIRC CONCR
			LEN=0055 INSTALLED 1961
		S 0060/0000	LENGTH(AH 2556 BK 2651)
			024 "DIA CIRC CONCR
		0050/1771	LEN=0065 INSTALLED 1961
			WHITE OAK R
			STRUCTURE LENGTH 7 FT
		0050/1485	BMSID 12/0872/0050/1485
			018 "DIA CIRC CONCR
		0050/1200	LEN=0060 INSTALLED 1961
			018 "DIA CIRC CONCR
		0050/0610	LEN=0060 INSTALLED 1961
			018 "DIA CIRC CONCR
		0050/0305	LEN=0060 INSTALLED 1961
	009786 FT	009786 FT	1 0 00597 0 00 0097+86
			018 "DIA CIRC CONCR
			LEN=0060 INSTALLED 1961
		S 0050/0000	LENGTH(AH 2651 BK 2276)
			024 "DIA CIRC CONCR
		0040/2004	LEN=0055 INSTALLED 1961
			018 "DIA CIRC CONCR
		0040/1675	LEN=0050 INSTALLED 1961
			018 "DIA CIRC CONCR
		0040/1366	LEN=0060 INSTALLED 1961
			048 "DIA CIRC CONCR
		0040/1077	LEN=0055 INSTALLED 1961
			024 "DIA CIRC CONCR
		0040/0379	LEN=0055 INSTALLED 1961
			018 "DIA CIRC CONCR
		0040/0027	LEN=0060 INSTALLED 1961
1 0 00597 0 00 0074+96	007510 FT	007510 FT	
BENSON RD			
(T351)	0040/0000	S 0040/0000	LENGTH(AH 2276 BK 2708)
			018 "DIA CIRC CONCR
		0030/2284	LEN=0050 INSTALLED 1961
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 13.177 MI. DIST: 02-4 SR: 872
LEFT MUN: GROVE T RIGHT MUN: GROVE T

```
                                        0030/1942 LEN=0073 INSTALLED 1961
                                                  018 "DIA CIRC CONCR
                                        0030/1597 LEN=0050 INSTALLED 1961
                                                  018 "DIA CIRC CONCR
                                        0030/1135 LEN=0050 INSTALLED 1961
                                                  084 "DIA CIRC METAL
                                        0030/1000 LEN=0050 INSTALLED 2014
                                                  024 "DIA CIRC CONCR
                                        0030/0762 LEN=0050 INSTALLED 1961
                                                  036 "DIA CIRC CONCR
                                        0030/0435 LEN=0050 INSTALLED 1961
                                                  018 "DIA CIRC CONCR
                                        0030/0225 LEN=0050 INSTALLED 1961
004802 FT                               004802 FT 1 0 00597 0 00 0048+02
                                                  024 "DIA CIRC CONCR
                                                  LEN=0050 INSTALLED 1961
                                      S 0030/0000 LENGTH(AH 2708 BK 2303)
                                                  018 "DIA CIRC CONCR
                                        0020/1904 LEN=0060 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/1600 LEN=0060 INSTALLED 1961

                                                  024 "DIA CIR PLASTIC
                                        0020/1000 LEN=0072 INSTALLED 2014
                                                  018 "DIA CIRC CONCR
                                        0020/0604 LEN=0050 INSTALLED 1961
                                                  018 "DIA CIRC CONCR
                                        0020/0250 LEN=0050 INSTALLED 1961
002499 FT                               002499 FT 1 0 00597 0 00 0025+00
                                      S 0020/0000 LENGTH(AH 2303 BK 2499)
                                                  036 "DIA CIRC CONCR
                                        0010/2423 LEN=0080 INSTALLED 1961
                                                  018 "DIA CIRC CONCR
                                        0010/1998 LEN=0088 INSTALLED 1961
                                                  048 "DIA CIRC CONCR
                                        0010/1708 LEN=0070 INSTALLED 2000
                                                  018 "DIA CIRC CONCR
                                        0010/1445 LEN=0050 INSTALLED 2000
                                                  018 "DIA CIRC CONCR
                                        0010/0920 LEN=0050 INSTALLED 1961
                                                  018 "DIA CIRC CONCR
                                        0010/0600 LEN=0050 INSTALLED 1961

000000 FT                               000000 FT 1 0 00597 0 00 0000+00
                                                  VILLAGE: SINNEMAHONING
                                            NC FIRST FORK RD
                                                  BUCKTAIL TRAIL HW
                                                  (SR0120 SEG 0700/0000)
                                                  MFC BEGIN = D
                                      S 0010/0000 LENGTH(AH 2499 BK 0000)
```

DIR: B TOTAL LEN: 8.384 MI. DIST: 02-4 SR: 555
LEFT MUN: DRIFTWOOD B RIGHT MUN: DRIFTWOOD B

044269 FT



044269 FT
INTER-AHD CHESTNUT ST
(BORO)
THIRD ST
0190/0661 (SR0120 SEG 0620/0000)
024 "DIA CIR PLASTIC
0190/0613 LEN=0045 INSTALLED 2016

DIR: B TOTAL LEN: 8.384 MI. DIST: 02-4 SR: 555
LEFT MUN: DRIFTWOOD B RIGHT MUN: DRIFTWOOD B

SECOND ST
(BORO)

0190/0447

048 "DIA CIRC METAL
0190/0443 LEN=0040 INSTALLED 2015
NC SECOND ST
SECOND ST
0190/0241 (BORO)
048 "DIA CIRC METAL
0190/0200 LEN=0070 INSTALLED 1970
0190/0103 (AAR 527053H)#TRKS 02
043608 FT 043608 FT 1 0 00411 0 00 0438+76
S 0190/0000 LENGTH(AH 0661 BK 0921)
018 "DIA CIRC CONCR
0182/0855 LEN=0030 INSTALLED 2009
NC MAIN ST
DRIFTWOOD AV
0182/0743 (BORO)
018 "DIA CIRC CONCR
0182/0730 LEN=0080 INSTALLED 2009
0182/0688 BMSEN 12/0555/0182/0410
0 0 00411 0 00 0426+92
DRIFTWOOD BRANCH
0182/0410 BMSBG 12/0555/0182/0410
018 "DIA CIRC CONCR
0182/0376 LEN=0030 INSTALLED 2009
042687 FT 042687 FT 0 0 00411 0 00 0426+92
S 0182/0000 LENGTH(AH 0921 BK 1952)
018 "DIA CIRC CONCR
0170/1850 LEN=0035 INSTALLED 2009
024 "DIA CIRC CONCR
0170/1500 LEN=0050 INSTALLED 2009
018 "DIA CIRC CONCR
0170/0915 LEN=0030 INSTALLED 1930
015 "DIA CIRC CONCR
0170/0705 LEN=0035 INSTALLED 1930
024 "DIA CIRC CONCR
0170/0405 LEN=0035 INSTALLED 1930
040735 FT 040735 FT 1 0 00411 0 00 0407+38
018 "DIA CIRC CONCR
LEN=0040 INSTALLED 1930
NC BRIDGE ST
S 0170/0000 LENGTH(AH 1952 BK 2238)
DRIFTWOOD
0160/1923 GIBSON T
060"H 72"W CON BOX CUL
0160/1896 LEN=0070 INSTALLED 1930
CASTLE GARDEN RD
0160/1848 (T304)
018 "DIA CIRC CONCR
0160/1450 LEN=0035 INSTALLED 1930

DIR: B TOTAL LEN: 8.384 MI. DIST: 02-4 SR: 555
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

MASON HILL RD
(T302)

0160/1091		
		036 "DIA CIRC CONCR
	0160/0950	LEN=0060 INSTALLED 1930
		018 "DIA CIRC CONCR
	0160/0535	LEN=0030 INSTALLED 1930
		018 "DIA CIRC CONCR
	0160/0112	LEN=0070 INSTALLED 1930
038497 FT	038497 FT	1 0 00411 0 00 0385+00
		NC CHESTNUT ST
	S 0160/0000	LENGTH(AH 2238 BK 2631)
		015 "DIA CIRC CONCR
	0150/2460	LEN=0030 INSTALLED 1930
		024 "DIA CIRC CONCR
	0150/2140	LEN=0035 INSTALLED 1930
		018 "DIA CIRC CONCR
	0150/1675	LEN=0030 INSTALLED 1930
		015 "DIA CIRC CONCR
	0150/1368	LEN=0040 INSTALLED 1930
		CASTLE GARDEN RD
	0150/1309	(T304)
		015 "DIA CIRC CONCR
	0150/1063	LEN=0035 INSTALLED 1930
		015 "DIA CIRC CONCR
	0150/0560	LEN=0035 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0150/0210	LEN=0030 INSTALLED UNKN
035866 FT	035866 FT	1 0 00411 0 00 0358+58
	S 0150/0000	LENGTH(AH 2631 BK 2371)
		018 "DIA CIR PLASTIC
	0140/1983	LEN=0050 INSTALLED 1932
		018 "DIA CIR PLASTIC
	0140/1525	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0140/1130	LEN=0050 INSTALLED 1932
		015 "DIA CIRC CONCR
	0140/0780	LEN=0050 INSTALLED 1932
		015 "DIA CIRC CONCR
	0140/0355	LEN=0040 INSTALLED 1932
033495 FT	033495 FT	1 0 00411 0 00 0335+00
	S 0140/0000	LENGTH(AH 2371 BK 2500)
		032 "DIA CIRC CONCR
	0130/2220	LEN=0060 INSTALLED 1932
		015 "DIA CIRC CONCR
	0130/1569	LEN=0040 INSTALLED 1932
		024 "DIA CIRC CONCR
	0130/1106	LEN=0098 INSTALLED 1932
		015 "DIA CIRC CONCR
	0130/0838	LEN=0040 INSTALLED 1932

DIR: B TOTAL LEN: 8.384 MI. DIST: 02-4 SR: 555
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

		015 "DIA CIRC CONCR
	0130/0425	LEN=0040 INSTALLED 1932
030995 FT	030995 FT	1 0 00411 0 00 0310+05
		LITTLE DENTS
		STRUCTURE LENGTH 11 FT
		BMSID 12/0555/0130/0000
	S 0130/0000	LENGTH(AH 2500 BK 2455)
		015 "DIA CIRC CONCR
	0120/2020	LEN=0045 INSTALLED 1932
		016 "DIA CAST IRON
	0120/1477	LEN=0050 INSTALLED 1932
		016 "DIA CAST IRON
	0120/1225	LEN=0040 INSTALLED 1932
		016 "DIA CAST IRON
	0120/0825	LEN=0050 INSTALLED 1932
		015 "DIA CIRC CONCR
	0120/0320	LEN=0035 INSTALLED 1932
028540 FT	028540 FT	1 0 00411 0 00 0285+50
		PINE TREE TR
		(T301)
	S 0120/0000	LENGTH(AH 2455 BK 3044)
		015 "DIA CIRC CONCR
	0110/3020	LEN=0060 INSTALLED 1932
		015 "DIA CIRC CONCR
	0110/2530	LEN=0050 INSTALLED 1932
		018 "DIA CIRC CONCR
	0110/2484	LEN=0050 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0110/2220	LEN=0050 INSTALLED 1932
		015 "DIA CIRC CONCR
	0110/1925	LEN=0050 INSTALLED 1932
		015 "DIA CIRC CONCR
	0110/1655	LEN=0035 INSTALLED 1932
		015 "DIA CIRC CONCR
	0110/1328	LEN=0050 INSTALLED 1932
		015 "DIA CIRC CONCR
	0110/1050	LEN=0050 INSTALLED 1932
		015 "DIA CIRC CONCR
	0110/0700	LEN=0030 INSTALLED 1932
		024 "DIA CIRC CONCR
	0110/0225	LEN=0045 INSTALLED 1932
025496 FT	025496 FT	1 0 00411 0 00 0255+00
	S 0110/0000	LENGTH(AH 3044 BK 2381)
		036 "DIA CIRC CONCR
	0100/2025	LEN=0045 INSTALLED 1932
		018 "DIA CIRC CONCR
	0100/1179	LEN=0060 INSTALLED 1932
		015 "DIA CIR PLASTIC
	0100/0995	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 8.384 MI. DIST: 02-4 SR: 555
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

	0100/0920	015 "DIA CIRC METAL LEN=0045 INSTALLED UNKN
	0100/0110	015 "DIA CIRC CONCR LEN=0035 INSTALLED 1932
023115 FT	023115 FT	1 0 00411 0 00 0231+10
	S 0100/0000	060 "DIA CIRC METAL LEN=0150 INSTALLED 1932 LENGTH(AH 2381 BK 2107)
	0090/0869	018 "DIA CIRC CONCR LEN=0045 INSTALLED 1932
021008 FT	021008 FT	1 0 00411 0 00 0210+06
	S 0090/0000	LENGTH(AH 2107 BK 2508)
	0080/2253	015 "DIA CIRC CONCR LEN=0030 INSTALLED 1932
	0080/1056	015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
	0080/0406	015 "DIA CIRC CONCR LEN=0030 INSTALLED 1932
018500 FT	018500 FT	1 0 00411 0 00 0185+00
	S 0080/0000	LENGTH(AH 2508 BK 2500)
	0070/2358	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1932
	0070/2078	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1932
	0070/1852	016 "DIA CAST IRON LEN=0040 INSTALLED 1932
	0070/1506	015 "DIA CIRC CONCR LEN=0045 INSTALLED 1932
	0070/1250	018 "DIA CIRC CONCR LEN=0040 INSTALLED 1932
	0070/0732	015 "DIA CIRC CONCR LEN=0060 INSTALLED 1932
	0070/0540	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1932
	0070/0263	036 "DIA CIRC CONCR LEN=0055 INSTALLED 1932
	0070/0113	015 "DIA CIRC CONCR LEN=0035 INSTALLED 1932
016000 FT	016000 FT	1 0 00411 0 00 0159+96
	S 0070/0000	LENGTH(AH 2500 BK 2647)
	0060/2188	015 "DIA CIRC CONCR LEN=0040 INSTALLED 1932

DIR: B TOTAL LEN: 8.384 MI. DIST: 02-4 SR: 555
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

		015 "DIA CIRC CONCR
	0060/1628	LEN=0045 INSTALLED 1932
		015 "DIA CIRC CONCR
	0060/1379	LEN=0050 INSTALLED 1932
		018 "DIA CIRC CONCR
	0060/1083	LEN=0035 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0060/0821	LEN=0035 INSTALLED 1932
		015 "DIA CIRC CONCR
	0060/0642	LEN=0050 INSTALLED 1932
013353 FT	013353 FT	1 0 00411 0 00 0133+47
		STONE QUARRY RUN
		STRUCTURE LENGTH 8 FT
		BMSID 12/0555/0060/0000
	S 0060/0000	LENGTH(AH 2647 BK 2842)
		015 "DIA CIRC CONCR
	0050/2200	LEN=0050 INSTALLED 1932
		015 "DIA CIRC CONCR
	0050/1873	LEN=0035 INSTALLED 1932
		015 "DIA CIRC CONCR
	0050/1550	LEN=0035 INSTALLED 1932
		015 "DIA CIRC CONCR
	0050/1145	LEN=0035 INSTALLED 1932
		015 "DIA CIRC CONCR
	0050/0870	LEN=0050 INSTALLED 1932
		015 "DIA CIRC CONCR
	0050/0570	LEN=0030 INSTALLED 1932
		015 "DIA CIRC CONCR
	0050/0340	LEN=0035 INSTALLED 1932
010511 FT	010511 FT	1 0 00411 0 00 0105+00
	S 0050/0000	LENGTH(AH 2842 BK 2657)
		015 "DIA CIRC CONCR
	0040/2483	LEN=0040 INSTALLED 1932
		015 "DIA CIRC CONCR
	0040/2268	LEN=0030 INSTALLED 1932
		015 "DIA CIRC CONCR
	0040/2105	LEN=0040 INSTALLED 1932
		015 "DIA CIRC CONCR
	0040/1557	LEN=0050 INSTALLED 1932
		018 "DIA CIRC CONCR
	0040/1026	LEN=0060 INSTALLED 1932
		015 "DIA CIRC CONCR
	0040/0893	LEN=0045 INSTALLED 2000
		015 "DIA CIRC CONCR
	0040/0450	LEN=0050 INSTALLED 1932
007854 FT	007854 FT	1 0 00411 0 00 0078+49
		BARRS RUN
		STRUCTURE LENGTH 8 FT

DIR: B TOTAL LEN: 8.384 MI. DIST: 02-4 SR: 555
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

			BMSID 12/0555/0040/0000
		S 0040/0000	LENGTH(AH 2657 BK 3078)
			015 "DIA CIRC CONCR
		0030/2009	LEN=0060 INSTALLED 1932
			018 "DIA CIRC CONCR
		0030/1700	LEN=0050 INSTALLED 1932
		0030/1145	BMSEN 12/0555/0030/1130
			1 0 00411 0 00 0059+12
			BEAVER DAM RUN
		0030/1130	BMSBG 12/0555/0030/1130
			015 "DIA CIRC CONCR
		0030/0575	LEN=0030 INSTALLED 1932
	004776 FT	004776 FT	1 0 00411 0 00 0047+73
			048 "DIA CIRC CONCR
			LEN=0030 INSTALLED 1932
		S 0030/0000	LENGTH(AH 3078 BK 2278)
HUSTON HILL RD (T300)	0020/1915		
			015 "DIA CIRC CONCR
		0020/1465	LEN=0035 INSTALLED 2000
			015 "DIA CIRC CONCR
		0020/1162	LEN=0030 INSTALLED 1932
	002498 FT	002498 FT	1 0 00411 0 00 0025+00
		S 0020/0000	LENGTH(AH 2278 BK 2498)
			015 "DIA CIRC CONCR
		0010/1818	LEN=0040 INSTALLED 1932
HICKS RUN RD (FRST)	0010/1221		
			024 "DIA CIRC CONCR
		0010/1006	LEN=0065 INSTALLED 1932
		0010/0800	BMSEN 12/0555/0010/0718
			1 0 00411 0 00 0007+17
			HICKS RUN
		0010/0718	BMSBG 12/0555/0010/0718
			015 "DIA CIRC CONCR
		0010/0305	LEN=0025 INSTALLED 1932
	000000 FT	000000 FT	1 0 00411 0 00 0000+00
			015 "DIA CIRC CONCR
			LEN=0040 INSTALLED 1940
			NC LOW GRADE RD
		* REF-BK	SR 0555 SH
			(SR0555 SEG 0380/2565)
			MFC BEGIN = D
			BK-ELK (24)
		S 0010/0000	LENGTH(AH 2498 BK 0000)

DIR: B TOTAL LEN: 6.835 MI. DIST: 02-4 SR: 155
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T

036090 FT



```
036090 FT   AH-POTTER                    (52)
* REF-AHD   KEATING SUMMIT RD
0150/2513  (SR0155 SEG 0010/0000)
           015 "DIA CIRC CONCR
0150/2152  LEN=0050 INSTALLED UNKN
           024 "DIA CIRC CONCR
0150/1945  LEN=0060 INSTALLED UNKN

           030 "DIA CIRC CONCR
0150/1100  LEN=0070 INSTALLED 1941

0150/0203  BMSEN 12/0155/0150/0109
           1 0 00100 0 00 0354+50
           COWLEY RUN
0150/0109  BMSBG 12/0155/0150/0109
```

DIR: B TOTAL LEN: 6.835 MI. DIST: 02-4 SR: 155
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T

	033577 FT	033577 FT	1 0 00100 0 00 0354+50
			PARK RD
			(T332)
		0150/0000	LENGTH(AH 2513 BK 1946)
		0140/1528	BMSEN 12/0155/0140/1511
			1 0 00100 0 00 0350+11
			CROOKED RUN
		0140/1511	BMSBG 12/0155/0140/1511
			036 "DIA CIRC CONCR
		0140/0909	LEN=0050 INSTALLED 1941
			024 "DIA CIRC CONCR
		0140/0412	LEN=0058 INSTALLED 1941
			018 "DIA CIRC CONCR
		0140/0175	LEN=0060 INSTALLED 1941
	031631 FT	031631 FT	1 0 00100 0 00 0334+90
			PARK RD
PARK RD			(T332)
(T332)	0140/0000	0140/0000	LENGTH(AH 1946 BK 2616)
			018 "DIA CIRC CONCR
		0130/2410	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0130/2156	LEN=0045 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0130/1387	LEN=0075 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0130/0850	LEN=0060 INSTALLED UNKN
1 0 00100 0 00 0309+50	029015 FT	029015 FT	
GARDEAU RD			
(T331)	0130/0000	0130/0000	LENGTH(AH 2616 BK 1903)
			024 "DIA CIRC CONCR
		0120/1600	LEN=0056 INSTALLED 1941
			015 "DIA CIRC CONCR
		0120/1450	LEN=0048 INSTALLED 1941
			018 "DIA CIRC CONCR
		0120/1070	LEN=0040 INSTALLED UNKN
	027112 FT	027112 FT	1 0 00100 0 00 0290+23
		0120/0000	LENGTH(AH 1903 BK 2698)
			024 "DIA CIRC CONCR
		0110/1495	LEN=0069 INSTALLED 1941
		0110/1367	BMSEN 12/0155/0110/1253
			1 0 00100 0 00 0275+20
			PORTAGE CR

DIR: B TOTAL LEN: 6.835 MI. DIST: 02-4 SR: 155
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T

```
                                                 0110/1253 BMSBG 12/0155/0110/1253

SIZER RUN RD
(T319)
                    0110/0023
                   024414 FT                     024414 FT 1 0 00100 0 00 0262+62
                                                            OLD PORTAGE RD
                                                            (T320)
                                                  S 0110/0000 LENGTH(AH 2698 BK 3436)

                                                            015 "DIA CIRC CONCR
                                                 0100/2333 LEN=0040 INSTALLED UNKN

                                                            015 "DIA CIRC CONCR
                                                 0100/1533 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                 0100/1032 LEN=0040 INSTALLED UNKN

                   020978 FT                     020978 FT 1 0 00100 0 00 0228+90
                                                            OLD PORTAGE RD
                                                            (T320)
                                                  S 0100/0000 LENGTH(AH 3436 BK 1874)

                                                            024 "DIA CIRC CONCR
                                                 0090/1250 LEN=0060 INSTALLED 1941
                                                            PORTAGE
                                                 0090/1143 SHIPPEN T
VALLEY VIEW RD
(T364)
                    0090/1031
                                                            018 "DIA CIR PLASTIC
                                                 0090/0583 LEN=0063 INSTALLED 2017
                   019104 FT                     019104 FT 1 0 00100 0 00 0210+00
                                                  S 0090/0000 LENGTH(AH 1874 BK 2626)
                                                            018 "DIA CIR PLASTIC
                                                 0080/2593 LEN=0055 INSTALLED 2017
                                                            018 "DIA CIR PLASTIC
                                                 0080/2257 LEN=0063 INSTALLED 2017

                                                            018 "DIA CIR PLASTIC
                                                 0080/0727 LEN=0057 INSTALLED 2017

                                                 0080/0025 BMSEN 12/0155/0080/0000
                   016478 FT                     016478 FT 1 0 00100 0 00 0183+74
                                                            FOURMILE RUN
```

DIR: B TOTAL LEN: 6.835 MI. DIST: 02-4 SR: 155
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

			BMSBG 12/0155/0080/0000
		S 0080/0000	LENGTH(AH 2626 BK 3011)
FOURMILE RD (T317)	0070/2646		
DOWNEY HOLLOW RD (TWP)	0070/0753		
		0070/0134	BMSEN 12/0155/0070/0000
	013467 FT	013467 FT	1 0 00100 0 00 0153+51
			PORTAGE CREEK
			BMSBG 12/0155/0070/0000
		S 0070/0000	LENGTH(AH 3011 BK 2860)
			018 "DIA CIR PLASTIC
		0060/2431	LEN=0047 INSTALLED 2017
			018 "DIA CIR PLASTIC
		0060/1994	LEN=0054 INSTALLED 2017
			015 "DIA CIRC CONCR
		0060/1560	LEN=0051 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/1199	LEN=0047 INSTALLED 2017
			018 "DIA CIR PLASTIC
		0060/0847	LEN=0055 INSTALLED 2017
			015 "DIA CIRC CONCR
		0060/0460	LEN=0045 INSTALLED 1941
	010607 FT	010607 FT	1 0 00100 0 00 0125+00
			NC SIZERVILLE RD
		S 0060/0000	LENGTH(AH 2860 BK 2678)
			024 "DIA CIR PLASTIC
		0050/2462	LEN=0071 INSTALLED 2017
	007929 FT	007929 FT	1 0 00100 0 00 0097+98
			WALKER RD
			(T322)
		S 0050/0000	LENGTH(AH 2678 BK 1919)
			018 "DIA CIR PLASTIC
		0040/1574	LEN=0056 INSTALLED 2017
			018 "DIA CIR PLASTIC
		0040/1285	LEN=0051 INSTALLED 2017
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 6.835 MI. DIST: 02-4 SR: 155
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

```
                                                 0040/0991 LEN=0050 INSTALLED 2017

                                                 0040/0054 BMSEN 12/0155/0040/0000
                 006010 FT                       006010 FT 1 0 00100 0 00 0079+00
                                                           SALT RUN
                                                           BMSBG 12/0155/0040/0000
                                               S 0040/0000 LENGTH(AH 1919 BK 1539)
                                                           LC TO T330 RD
                                             ==  0030/1498 (CONN)


                                                           018 "DIA CIR PLASTIC
                                                 0030/0168 LEN=0075 INSTALLED UNKN
                 004471 FT                       004471 FT 1 0 00100 0 00 0064+00
                                                           NICKLER RD
                                             ==            (T330)
                                               S 0030/0000 LENGTH(AH 1539 BK 2197)

                                                           MIDLAND RD
                                             ==  0020/1278 (T335)
                                                           015 "DIA CIRC METAL
                                                 0020/1182 LEN=0040 INSTALLED UNKN

                                                           018 "DIA CIR PLASTIC
                                                 0020/0033 LEN=0035 INSTALLED 1999
                 002274 FT                       002274 FT 1 0 00100 0 00 0041+61
                                                           MEADOW RD
                                             ==            (T334)
                                               S 0020/0000 LENGTH(AH 2197 BK 2274)

                                                 0010/0868 BMSEN 12/0155/0010/0841
                                                           1 0 00100 0 00 0027+27
                                                           SYCAMORE RUN
                                                 0010/0841 BMSBG 12/0155/0010/0841
TO 0120/0260 SH
(CONN)                0010/0181
                                                           018 "DIA CIRC CONCR
                                                 0010/0010 LEN=0040 INSTALLED UNKN
                                                       NC PROSPECT PARK RD
                                                 INTER-BK  BUCKTAIL TRAIL HW
1 0 00100 0 00 0018+89 000000 FT                 000000 FT (SR0120 SEG 0270/0000)
BUCKTAIL TRAIL HW                                          MFC BEGIN = D
(SR0120 SEG 0270/0000)  0010/0000              S 0010/0000 LENGTH(AH 2274 BK 0000)
```

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: GROVE T RIGHT MUN: GROVE T

186987 FT

PADOT STOCKPILE #05 RD
(GOVT) 0750/3549

186987 FT AH-CLINTON (18)
* REF-AHD BUCKTAIL TRAIL HW
0750/3751 (SR0120 SEG 0010/0000)

0750/3549 (APRA) PADOT STOCKPILE
015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: GROVE T RIGHT MUN: GROVE T

	0750/3200	LEN=0045 INSTALLED 1926
		024 "DIA CIRC CONCR
	0750/2250	LEN=0050 INSTALLED 1975
		027 "DIA CIRC CONCR
	0750/0690	LEN=0072 INSTALLED 1975
183236 FT	183236 FT	1 0 00105 0 00 1274+35
		VILLAGE: GROVE
	S 0750/0000	LENGTH(AH 3751 BK 2432)
		018 "DIA CIRC CONCR
	0740/2250	LEN=0052 INSTALLED 1975
		015 "DIA CIRC CONCR
	0740/1610	LEN=0040 INSTALLED 1926
		024 "DIA CIRC METAL
	0740/1350	LEN=0050 INSTALLED UNKN
		024 "DIA CIRC METAL
	0740/1082	LEN=0060 INSTALLED 2000
		015 "DIA CIRC CONCR
	0740/0200	LEN=0040 INSTALLED 1926
180804 FT	180804 FT	1 0 00105 0 00 1250+00
	S 0740/0000	LENGTH(AH 2432 BK 2502)
		015 "DIA CIRC CONCR
	0730/2445	LEN=0035 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0730/1680	LEN=0030 INSTALLED 1926
		015 "DIA CIRC CONCR
	0730/0630	LEN=0030 INSTALLED 1926
		024 "DIA CIRC CONCR
	0730/0270	LEN=0032 INSTALLED 1926
		024 "DIA CIRC CONCR
	0730/0020	LEN=0035 INSTALLED 1926
178302 FT	178302 FT	1 0 00105 0 00 1225+00
	S 0730/0000	LENGTH(AH 2502 BK 2494)
		015 "DIA CIRC CONCR
	0720/1878	LEN=0030 INSTALLED 1926
		024 "DIA CIR PLASTIC
	0720/1170	LEN=0050 INSTALLED 2017

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: GROVE T RIGHT MUN: GROVE T

			015 "DIA CIRC CONCR
		0720/0640	LEN=0030 INSTALLED 1926
			015 "DIA CIRC CONCR
		0720/0260	LEN=0030 INSTALLED 1926
	175808 FT	175808 FT	1 0 00105 0 00 1200+00
		S 0720/0000	LENGTH(AH 2494 BK 2468)
			030 "DIA CIR PLASTIC
		0710/2100	LEN=0080 INSTALLED 2017
			018 "DIA CIRC METAL
		0710/1650	LEN=0035 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0710/1170	LEN=0028 INSTALLED 2017
			018 "DIA CIRC CONCR
		0710/0590	LEN=0046 INSTALLED 1926
			015 "DIA CIRC METAL
		0710/0300	LEN=0051 INSTALLED 1926
	173340 FT	173340 FT	1 0 00105 0 00 1175+39
		S 0710/0000	LENGTH(AH 2468 BK 2536)
			015 "DIA CIRC CONCR
		0700/2355	LEN=0025 INSTALLED 1926
			015 "DIA CIRC CONCR
		0700/2160	LEN=0045 INSTALLED 1926
			018 "DIA CIRC CONCR
		0700/1855	LEN=0035 INSTALLED 1926
			015 "DIA CIRC CONCR
		0700/1671	LEN=0035 INSTALLED 1926
			015 "DIA CIRC CONCR
		0700/1365	LEN=0025 INSTALLED 1926
JERICHO RD (T344)	0700/1232		
			015 "DIA CIRC CONCR
		0700/1195	LEN=0052 INSTALLED 1929
LC TO JERICHO RD (CONN)	0700/1113		
			024 "DIA CIRC CONCR
		0700/1088	LEN=0040 INSTALLED 1929
		0700/0381	BMSEN 12/0120/0700/0086
			1 0 00105 0 00 1150+75
			FIRST FORK
		0700/0086	BMSBG 12/0120/0700/0086
	170804 FT	170804 FT	1 0 00105 0 00 1149+87
STEVENSON DAM RD (SR0872 SEG 0010/0000)	0700/0000		VILLAGE: LOCK HONING
		S 0700/0000	LENGTH(AH 2536 BK 2213)
			036 "DIA CIRC CONCR
		0690/2164	LEN=0106 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0690/1649	LEN=0035 INSTALLED 1977
			WYKOFF RUN RD
		0690/1639	(SR2001 SEG 0210/2289)

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: GROVE T RIGHT MUN: GROVE T

			030 "DIA CIRC CONCR
		0690/1318	LEN=0035 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0690/0793	LEN=0050 INSTALLED 1929
			018 "DIA CIRC CONCR
		0690/0292	LEN=0035 INSTALLED UNKN
	168591 FT	168591 FT	1 0 00105 0 00 1127+80
			036 "DIA CIRC CONCR
			LEN=0045 INSTALLED 1961
			RAILROAD ST
			(TBC)
		S 0690/0000	LENGTH(AH 2213 BK 1957)
			LC FROM RAILROAD ST
		0680/1757	(CONN)
			058"H 36"W METAL ARCH
		0680/1725	LEN=0050 INSTALLED 2006
CRESTLINE RD			
(T358)	0680/1098		
			GROVE
		0680/0453	GIBSON T
	166634 FT	166634 FT	1 0 00105 0 00 1108+17
			GROVE ST
			(TBC)
		S 0680/0000	LENGTH(AH 1957 BK 3811)
		0670/3496	BMSEN 12/0120/0670/3468
			1 0 00105 0 00 1104+00
			GROVE RUN
		0670/3468	BMSBG 12/0120/0670/3468
			030 "DIA CIRC CONCR
		0670/2970	LEN=0055 INSTALLED 1929
			015 "DIA CIRC CONCR
		0670/2860	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0670/2450	LEN=0040 INSTALLED 1961
			024 "DIA CIRC CONCR
		0670/1717	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0670/1375	LEN=0040 INSTALLED 1929
			015 "DIA CIRC CONCR
		0670/1060	LEN=0040 INSTALLED 1929
			015 "DIA CIRC CONCR
		0670/0900	LEN=0040 INSTALLED 1929
			015 "DIA CIRC CONCR
		0670/0466	LEN=0040 INSTALLED 1929
			015 "DIA CIRC CONCR
		0670/0175	LEN=0040 INSTALLED 1929
	162823 FT	162823 FT	1 0 00105 0 00 1070+00

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

		VILLAGE: SINNEMAHONING
	S 0670/0000	LENGTH(AH 3811 BK 2507)
		015 "DIA CIRC CONCR
	0660/2390	LEN=0040 INSTALLED 1929
		014 "DIA CAST IRON
	0660/1960	LEN=0040 INSTALLED 1929
		024 "DIA CIRC CONCR
	0660/1630	LEN=0040 INSTALLED 1929
		015 "DIA CIRC CONCR
	0660/1260	LEN=0040 INSTALLED 1929
		015 "DIA CIRC CONCR
	0660/1020	LEN=0040 INSTALLED 1924
		015 "DIA CIRC CONCR
	0660/0720	LEN=0040 INSTALLED 1924
		015 "DIA CIRC CONCR
	0660/0270	LEN=0040 INSTALLED 1924
160316 FT	160316 FT	1 0 00105 0 00 1045+00
	S 0660/0000	LENGTH(AH 2507 BK 2500)
		018 "DIA CIR PLASTIC
	0650/2321	LEN=0050 INSTALLED 2005
		015 "DIA CIRC CONCR
	0650/2015	LEN=0050 INSTALLED 1924
		024 "DIA CIRC METAL
	0650/1515	LEN=0055 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0650/0700	LEN=0045 INSTALLED 1924
		015 "DIA CIRC CONCR
	0650/0378	LEN=0045 INSTALLED 1924
		015 "DIA CIRC CONCR
	0650/0060	LEN=0080 INSTALLED 1924
157816 FT	157816 FT	1 0 00105 0 00 1020+00
	S 0650/0000	LENGTH(AH 2500 BK 2500)
		018 "DIA CIRC CONCR
	0640/1780	LEN=0080 INSTALLED 1924
		015 "DIA CIRC CONCR
	0640/1215	LEN=0040 INSTALLED 1924
		015 "DIA CIRC CONCR
	0640/0065	LEN=0055 INSTALLED 1924
155316 FT	155316 FT	1 0 00105 0 00 0995+00
	S 0640/0000	LENGTH(AH 2500 BK 2718)
		015 "DIA CIRC CONCR
	0630/2349	LEN=0045 INSTALLED 1924
		015 "DIA CIRC CONCR
	0630/2094	LEN=0045 INSTALLED 1924
		030 "DIA CIRC METAL

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

			0630/1470	LEN=0090 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0630/0679	LEN=0050 INSTALLED 1924
	152598 FT		152598 FT	1 0 00105 0 00 0967+51
				GIBSON
				DRIFTWOOD B
			S 0630/0000	LENGTH(AH 2718 BK 1639)
				015 "DIA CIRC CONCR
			0620/1639	LEN=0045 INSTALLED 1924
				015 "DIA CIRC CONCR
			0620/0665	LEN=0035 INSTALLED 1924
CHURCH ST (BORO)	0620/0611	==		
				018 "DIA CIR PLASTIC
			0620/0295	LEN=0030 INSTALLED 2016
				036 "DIA CIRC METAL
			0620/0027	LEN=0090 INSTALLED 1970
1 0 00105 0 00 0951+19	150959 FT		150959 FT	CHESTNUT ST
CHESTNUT ST				(SR0555 SEG 0190/0661)
(BORO)	0620/0000	==	S 0620/0000	LENGTH(AH 1639 BK 2625)
				015 "DIA CIRC CONCR
			0610/2015	LEN=0025 INSTALLED 1924
				015 "DIA CIRC CONCR
			0610/1530	LEN=0047 INSTALLED 1924
				015 "DIA CIR PLASTIC
			0610/1107	LEN=0040 INSTALLED 2016
				015 "DIA CIR PLASTIC
			0610/0667	LEN=0040 INSTALLED 2016
				PINE ST
		==	0610/0474	(BORO)
				018 "DIA CIRC CONCR
			0610/0050	LEN=0040 INSTALLED UNKN
	148334 FT		148334 FT	1 0 00105 0 00 0925+00
			S 0610/0000	LENGTH(AH 2625 BK 2498)
				018 "DIA CIRC CONCR
			0600/1900	LEN=0060 INSTALLED 2000
				015 "DIA CIRC CONCR
			0600/1415	LEN=0045 INSTALLED 1924
				015 "DIA CIRC CONCR
			0600/0740	LEN=0034 INSTALLED 1924
	145836 FT		145836 FT	1 0 00105 0 00 0900+00
			S 0600/0000	LENGTH(AH 2498 BK 2381)
				015 "DIA CIRC METAL

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: DRIFTWOOD B RIGHT MUN: DRIFTWOOD B

```
                                        0590/2275 LEN=0045 INSTALLED 1924

                                                  018 "DIA CIRC METAL
                                        0590/1330 LEN=0040 INSTALLED 1993
                                                  018 "DIA CIRC METAL
                                        0590/1200 LEN=0050 INSTALLED 1993

                                                  015 "DIA CIRC CONCR
                                        0590/0500 LEN=0090 INSTALLED 1924
143455 FT                               143455 FT 1 0 00105 0 00 0876+11
                                      S 0590/0000 LENGTH(AH 2381 BK 2746)
                                                  DRIFTWOOD
                                        0580/2634 GIBSON T
                                                  024 "DIA CIRC CONCR
                                        0580/2176 LEN=0045 INSTALLED 1924



                                                  015 "DIA CIRC CONCR
                                        0580/0555 LEN=0045 INSTALLED 1924
                                                  018 "DIA CIRC CONCR
                                        0580/0059 LEN=0080 INSTALLED 2008
140709 FT                               140709 FT 1 0 00105 0 00 0848+65
                                                  JOHNSON RUN
                                                  STRUCTURE LENGTH  15 FT
                                                  BMSID 12/0120/0580/0000
                                      S 0580/0000 LENGTH(AH 2746 BK 3369)
                                                  018 "DIA CIRC CONCR
                                        0570/3200 LEN=0032 INSTALLED 2008
                                                  015 "DIA CIRC CONCR
                                        0570/2720 LEN=0040 INSTALLED 1924
                                                  015 "DIA CIRC CONCR
                                        0570/2512 LEN=0040 INSTALLED 1924
                                                  015 "DIA CIRC CONCR
                                        0570/2175 LEN=0040 INSTALLED 1924
                                                  015 "DIA CIRC CONCR
                                        0570/1930 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0570/1540 LEN=0040 INSTALLED 1924
                                                  015 "DIA CIRC CONCR
                                        0570/1000 LEN=0040 INSTALLED 1924

                                                  015 "DIA CIRC CONCR
                                        0570/0350 LEN=0050 INSTALLED 1924
137340 FT                               137340 FT 1 0 00105 0 00 0815+00
                                                  015 "DIA CIRC CONCR
                                                  LEN=0045 INSTALLED UNKN
                                      S 0570/0000 LENGTH(AH 3369 BK 2488)
```

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

			015 "DIA CIRC CONCR
		0560/2290	LEN=0045 INSTALLED 1924
			015 "DIA CIRC CONCR
		0560/1780	LEN=0045 INSTALLED 1924
			015 "DIA CIRC CONCR
		0560/1324	LEN=0040 INSTALLED 1924
			015 "DIA CIRC CONCR
		0560/1015	LEN=0045 INSTALLED 1924
			015 "DIA CIRC CONCR
		0560/0692	LEN=0040 INSTALLED 1924
	134852 FT	134852 FT	1 0 00105 0 00 0790+00
		S 0560/0000	LENGTH(AH 2488 BK 2503)
			015 "DIA CIRC CONCR
		0550/2436	LEN=0040 INSTALLED 1924
			024 "DIA CIRC CONCR
		0550/2189	LEN=0040 INSTALLED 1924
			015 "DIA CIRC CONCR
		0550/1843	LEN=0045 INSTALLED 1924
			015 "DIA CIRC CONCR
		0550/1243	LEN=0045 INSTALLED 1924
			015 "DIA CIRC CONCR
		0550/0660	LEN=0050 INSTALLED 1924
	132349 FT	132349 FT	1 0 00105 0 00 0765+00
			015 "DIA CIRC CONCR
			LEN=0060 INSTALLED 1924
		S 0550/0000	LENGTH(AH 2503 BK 2541)
			015 "DIA CIRC CONCR
		0540/2115	LEN=0060 INSTALLED 1924
			015 "DIA CIRC CONCR
		0540/1755	LEN=0060 INSTALLED 1924
			TANGLE FOOT
			STRUCTURE LENGTH 11 FT
		0540/0987	BMSID 12/0120/0540/0987
			018 "DIA CIRC CONCR
		0540/0458	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0540/0084	LEN=0040 INSTALLED 1924
1 0 00105 0 00 0739+51	129808 FT	129808 FT	
GROVE HILL RD			
(T324)	0540/0000	S 0540/0000	LENGTH(AH 2541 BK 2517)
			DRY RUN
			STRUCTURE LENGTH 10 FT
		0530/2421	BMSID 12/0120/0530/2421
			015 "DIA CIRC CONCR
		0530/1975	LEN=0045 INSTALLED 1924
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

	0530/1522	LEN=0045 INSTALLED 1924 015 "DIA CIRC CONCR
	0530/0985	LEN=0045 INSTALLED 1924 015 "DIA CIRC CONCR
	0530/0316	LEN=0086 INSTALLED 1939
127291 FT	127291 FT	1 0 00105 0 00 0714+28 BIG RUN STRUCTURE LENGTH 13 FT BMSID 12/0120/0530/0000
	S 0530/0000	LENGTH(AH 2517 BK 2415) 015 "DIA CIRC CONCR
	0520/1900	LEN=0045 INSTALLED 1925 015 "DIA CIRC CONCR
	0520/1359	LEN=0065 INSTALLED 1925 015 "DIA CIRC CONCR
	0520/0730	LEN=0060 INSTALLED 1925 018 "DIA CIRC CONCR
	0520/0320	LEN=0060 INSTALLED 1925
124876 FT	124876 FT	1 0 00105 0 00 0690+00
	S 0520/0000	LENGTH(AH 2415 BK 2489) 015 "DIA CIRC CONCR
	0510/2163	LEN=0060 INSTALLED 2000 024 "DIA CIRC CONCR
	0510/1480	LEN=0080 INSTALLED 1925 015 "DIA CIRC CONCR
	0510/0845	LEN=0050 INSTALLED 1925
122387 FT	122387 FT	1 0 00105 0 00 0664+51 048"H 48"W CON BOX CUL LEN=0150 INSTALLED 1925
	S 0510/0000	LENGTH(AH 2489 BK 3000) 015 "DIA CIRC CONCR
	0500/2365	LEN=0050 INSTALLED 1925 015 "DIA CIRC CONCR
	0500/1938	LEN=0045 INSTALLED 1925 015 "DIA CIRC CONCR
	0500/1441	LEN=0045 INSTALLED 1925 015 "DIA CIR PLASTIC
	0500/1050	LEN=0070 INSTALLED UNKN
119387 FT	119387 FT	1 0 00105 0 00 0635+00
	S 0500/0000	LENGTH(AH 3000 BK 2756) 015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: GIBSON T RIGHT MUN: GIBSON T

	0490/2058	LEN=0040 INSTALLED 1925
		015 "DIA CIRC CONCR
	0490/1214	LEN=0030 INSTALLED 1925
		015 "DIA CIRC CONCR
	0490/0782	LEN=0030 INSTALLED 1925
		030 "DIA CIRC CONCR
	0490/0297	LEN=0050 INSTALLED 2017
	0490/0012	BMSEN 12/0120/0490/0000
116631 FT	116631 FT	1 0 00105 0 00 0607+51
		JOHN MASON RUN
		BMSBG 12/0120/0490/0000
	S 0490/0000	LENGTH(AH 2756 BK 3251)
		036 "DIA CIR PLASTIC
	0480/2981	LEN=0040 INSTALLED 2017
		015 "DIA CIRC CONCR
	0480/2125	LEN=0040 INSTALLED 1925
		018 "DIA CIRC CONCR
	0480/1580	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0480/1180	LEN=0040 INSTALLED 1925
		015 "DIA CIRC CONCR
	0480/0275	LEN=0040 INSTALLED 1925
113380 FT	113380 FT	1 0 00105 0 00 0575+00
	S 0480/0000	LENGTH(AH 3251 BK 2294)
		042 "DIA CIRC CONCR
	0470/1525	LEN=0045 INSTALLED 1925
		036 "DIA CIR PLASTIC
	0470/1398	LEN=0050 INSTALLED 2006
111086 FT	111086 FT	1 0 00105 0 00 0552+02
		GIBSON
		LUMBER T
	S 0470/0000	LENGTH(AH 2294 BK 2842)
		015 "DIA CIRC CONCR
	0460/2810	LEN=0035 INSTALLED 1925
		015 "DIA CIRC CONCR
	0460/2137	LEN=0040 INSTALLED 1925
		018 "DIA CIRC CONCR
	0460/1740	LEN=0035 INSTALLED 1925

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: LUMBER T RIGHT MUN: LUMBER T

	108244 FT	108244 FT	1 0 00105 0 00 0523+63
			STERLING RUN RD
ANDERSON RD			(T301)
(T342)	0460/0000	S 0460/0000	LENGTH(AH 2842 BK 2360)
			024 "DIA CIR PLASTIC
		0450/2343	LEN=0060 INSTALLED 2011
			015 "DIA CIRC CONCR
		0450/2137	LEN=0040 INSTALLED 1925
			015 "DIA CIRC CONCR
		0450/1650	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0450/1356	LEN=0060 INSTALLED 1925
			024 "DIA CIR PLASTIC
		0450/1222	LEN=0040 INSTALLED 2016
			015 "DIA CIRC CONCR
		0450/0532	LEN=0040 INSTALLED UNKN
	105884 FT	105884 FT	1 0 00105 0 00 0500+00
			VILLAGE: STERLING RUN
		S 0450/0000	LENGTH(AH 2360 BK 2057)
			024 "DIA CIR PLASTIC
		0440/1860	LEN=0050 INSTALLED 2004
			024 "DIA CIR PLASTIC
		0440/1785	LEN=0050 INSTALLED 2004
			015 "DIA CIRC CONCR
		0440/1550	LEN=0050 INSTALLED 1925
			018 "DIA CIRC CONCR
		0440/1025	LEN=0055 INSTALLED 1925
			015 "DIA CIRC CONCR
		0440/0428	LEN=0035 INSTALLED 1925
	103827 FT	103827 FT	1 0 00105 0 00 0479+42
			VILLAGE: MOATEVILLE
			024 "DIA CIRC CONCR
			LEN=0055 INSTALLED UNKN
		S 0440/0000	LENGTH(AH 2057 BK 3328)
			015 "DIA CIRC CONCR
		0430/2530	LEN=0045 INSTALLED 1925
			015 "DIA CIRC CONCR
		0430/2240	LEN=0040 INSTALLED 1925
			015 "DIA CIRC CONCR
		0430/2004	LEN=0050 INSTALLED 1925
			018 "DIA CIRC CONCR
		0430/1721	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0430/1434	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0430/0874	LEN=0083 INSTALLED 1925

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: LUMBER T RIGHT MUN: LUMBER T

		0430/0039	BMSEN 12/0120/0430/0000
	100499 FT	100499 FT	1 0 00105 0 00 0446+10
			SQUARE TIMBER RUN
			BMSBG 12/0120/0430/0000
		S 0430/0000	LENGTH(AH 3328 BK 1686)
			015 "DIA CIRC CONCR
		0420/1400	LEN=0045 INSTALLED 1925
			015 "DIA CIRC CONCR
		0420/1113	LEN=0055 INSTALLED 1925
			015 "DIA CIRC CONCR
		0420/0923	LEN=0035 INSTALLED 1925
			015 "DIA CIRC CONCR
		0420/0390	LEN=0035 INSTALLED UNKN
	098813 FT	098813 FT	1 0 00105 0 00 0429+23
			036"H 72"W CONC STRUCT
			LEN=0040 INSTALLED UNKN
		S 0420/0000	LENGTH(AH 1686 BK 2410)
STILLHOUSE RD (FRST)	0410/2370		
			018 "DIA CIR PLASTIC
		0410/2285	LEN=0050 INSTALLED 2005
			015 "DIA CIRC CONCR
		0410/1281	LEN=0100 INSTALLED 1925
			015 "DIA CIRC CONCR
		0410/0475	LEN=0040 INSTALLED 1925
			024 "DIA CIRC CONCR
		0410/0120	LEN=0070 INSTALLED 1925
	096403 FT	096403 FT	1 0 00105 0 00 0405+00
		S 0410/0000	LENGTH(AH 2410 BK 1526)
	094877 FT	094877 FT	1 0 00105 0 00 0389+74
		S 0406/0000	LENGTH(AH 1526 BK 1389)
			018 "DIA CIRC CONCR
		0402/0487	LEN=0058 INSTALLED 1996
		0402/0431	BMSEN 12/0120/0402/0000
	093488 FT	093488 FT	0 0 00000 0 00 0000+00
			DRIFTWOOD BRANCH SNNMHN
			BMSBG 12/0120/0402/0000
		S 0402/0000	LENGTH(AH 1389 BK 0874)
			018 "DIA CIRC CONCR
		0394/0207	LEN=0060 INSTALLED 1996

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: LUMBER T RIGHT MUN: LUMBER T

	092614 FT	092614 FT	0 0 00000 0 00 0000+00
		S 0394/0000	LENGTH(AH 0874 BK 1365)
			015 "DIA CIRC CONCR
		0390/1210	LEN=0050 INSTALLED 1993
	091249 FT	091249 FT	1 0 00105 0 00 0354+38
			CAMERON RD
			(T303)
		S 0390/0000	LENGTH(AH 1365 BK 1356)
PADOT MAINT OFFICE 2-4 (GOVT)	0384/0560	0384/0560	(APRA) PADOT MAINT OFFI
			018 "DIA CIRC CONCR
		0384/0467	LEN=0035 INSTALLED UNKN
PADOT MAINT OFFICE 2-4 (GOVT)	0384/0328	0384/0328	(APRA) PADOT MAINT OFFI
	089893 FT	089893 FT	1 0 00105 0 00 0340+82
		S 0384/0000	LENGTH(AH 1356 BK 1885)
			027 "DIA CIRC CONCR
		0382/1227	LEN=0087 INSTALLED 2001
			018 "DIA CIRC CONCR
		0382/1159	LEN=0033 INSTALLED 2001
		0382/1123	BMSEN 12/0120/0382/0802
			0 0 00000 0 00 0000+00
			DRIFTWOOD BRANCH
		0382/0802	BMSBG 12/0120/0382/0802
0 0 00000 0 00 0000+00 HUNTS RUN RD (T306)	088008 FT	088008 FT	
	0382/0000	S 0382/0000	LENGTH(AH 1885 BK 2806)
			015 "DIA CIRC CONCR
		0370/2210	LEN=0040 INSTALLED 1925
			015 "DIA CIRC CONCR
		0370/1719	LEN=0040 INSTALLED 1925
			015 "DIA CIRC CONCR
		0370/1040	LEN=0055 INSTALLED 1925
			015 "DIA CIRC CONCR
		0370/0540	LEN=0064 INSTALLED 1925
	085202 FT	085202 FT	1 0 00105 0 00 0293+76
			VILLAGE: CAMERON
			015 "DIA CIRC CONCR
			LEN=0045 INSTALLED 1925
		S 0370/0000	LENGTH(AH 2806 BK 2372)
			024 "DIA CIRC CONCR

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: LUMBER T RIGHT MUN: LUMBER T

```
                                        0360/1380 LEN=0120 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0360/0970 LEN=0060 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0360/0500 LEN=0055 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0360/0150 LEN=0055 INSTALLED 1925
082830 FT                               082830 FT 1 0 00105 0 00 0270+00
                                      S 0360/0000 LENGTH(AH 2372 BK 2432)
                                                  015 "DIA CIRC CONCR
                                        0350/1998 LEN=0060 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0350/1415 LEN=0060 INSTALLED 1925

                                                  015 "DIA CIRC CONCR
                                        0350/0530 LEN=0054 INSTALLED 1925
080398 FT                               080398 FT 1 0 00105 0 00 0245+72
                                                  015 "DIA CIRC CONCR
                                                  LEN=0036 INSTALLED 1925
                                      S 0350/0000 LENGTH(AH 2432 BK 2517)
                                                  018 "DIA CIRC CONCR
                                        0340/2200 LEN=0065 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0340/2169 LEN=0065 INSTALLED 2000


                                                  015 "DIA CIRC CONCR
                                        0340/1190 LEN=0044 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0340/0750 LEN=0050 INSTALLED 1925

077881 FT                               077881 FT 1 0 00105 0 00 0220+55
                                                  015 "DIA CIRC METAL
                                                  LEN=0055 INSTALLED UNKN
                                      S 0340/0000 LENGTH(AH 2517 BK 2852)
                                                  015 "DIA CIRC CONCR
                                        0330/2460 LEN=0050 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0330/2270 LEN=0054 INSTALLED 1925
                                                  018 "DIA CIRC CONCR
                                        0330/2163 LEN=0046 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0330/1667 LEN=0056 INSTALLED 1925

                                                  015 "DIA CIRC CONCR
                                        0330/0794 LEN=0060 INSTALLED 2000
                                                  024 "DIA CIRC CONCR
                                        0330/0580 LEN=0050 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0330/0175 LEN=0040 INSTALLED 1925
```

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: LUMBER T RIGHT MUN: LUMBER T

```
075029 FT                    075029 FT 1 0 00105 0 00 0192+03
                                       015 "DIA CIRC CONCR
                                       LEN=0040 INSTALLED 1925
                             S 0330/0000 LENGTH(AH 2852 BK 2143)
                                       018 "DIA CIRC CONCR
                             0320/1878 LEN=0054 INSTALLED 1955
                                       012 "DIA CIRC CONCR
                             0320/1631 LEN=0065 INSTALLED 1921
                                       018 "DIA CIRC CONCR
                             0320/1069 LEN=0050 INSTALLED 1921
                                       018 "DIA CIRC CONCR
                             0320/0730 LEN=0052 INSTALLED 1955
                                       015 "DIA CIRC CONCR
                             0320/0446 LEN=0050 INSTALLED 1921
072886 FT                    072886 FT 1 0 00105 0 00 0170+54
                                       018 "DIA CIRC CONCR
                                       LEN=0048 INSTALLED 1955
                                       LUMBER
                                       PORTAGE T
                             S 0320/0000 LENGTH(AH 2143 BK 2479)
                                       024 "DIA CIRC CONCR
                             0310/2355 LEN=0046 INSTALLED 1921
                                       015 "DIA CIRC CONCR
                             0310/2034 LEN=0050 INSTALLED 1921
                                       018 "DIA CIRC CONCR
                             0310/1777 LEN=0043 INSTALLED 1955
                                       012 "DIA CIRC CONCR
                             0310/1358 LEN=0035 INSTALLED 1921
                                       018 "DIA CIRC CONCR
                             0310/1215 LEN=0050 INSTALLED 1921
                                       018 "DIA CIRC CONCR
                             0310/0830 LEN=0045 INSTALLED 1921

070407 FT                    070407 FT 1 0 00105 0 00 0146+00
                                       015 "DIA CIRC CONCR
                                       LEN=0040 INSTALLED 1921
                             S 0310/0000 LENGTH(AH 2479 BK 2543)
                                       015 "DIA CIRC CONCR
                             0300/2330 LEN=0040 INSTALLED 1921
                                       018 "DIA CIRC CONCR
                             0300/2103 LEN=0045 INSTALLED 1955
                                       015 "DIA CIRC CONCR
                             0300/1760 LEN=0040 INSTALLED 1921
                                       015 "DIA CIRC CONCR
                             0300/1681 LEN=0040 INSTALLED 1921
                                       015 "DIA CIRC CONCR
                             0300/1185 LEN=0035 INSTALLED 1921
                                       015 "DIA CIRC CONCR
                             0300/0730 LEN=0045 INSTALLED 1921
                                       018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: PORTAGE T RIGHT MUN: PORTAGE T

```
                                                 0300/0350 LEN=0040 INSTALLED 1955
                                                           015 "DIA CIRC CONCR
                                                 0300/0080 LEN=0053 INSTALLED 1921
1 0 00105 0 00 0120+30 067864 FT                 067864 FT 015 "DIA CIRC CONCR
BRITTON HILL RD                                            LEN=0050 INSTALLED 1921
(T306)                 0300/0000                       S 0300/0000 LENGTH(AH 2543 BK 1911)
                                                           024 "DIA CIRC CONCR
                                                 0290/1700 LEN=0068 INSTALLED 1955
                                                           030 "DIA CIRC CONCR
                                                 0290/1576 LEN=0096 INSTALLED 1921
                                                           018 "DIA CIRC CONCR
                                                 0290/1318 LEN=0060 INSTALLED 1955
                                                           018 "DIA CIRC CONCR
                                                 0290/0880 LEN=0060 INSTALLED 2000
                                                           PORTAGE
                                                 0290/0696 SHIPPEN T
                                                           018 "DIA CIRC CONCR
                                                 0290/0295 LEN=0076 INSTALLED 1955
                       065953 FT                 065953 FT 1 0 00105 0 00 0101+92
                                                           048 "DIA CIRC CONCR
                                                           LEN=0044 INSTALLED 1921
                                                       S 0290/0000 LENGTH(AH 1911 BK 2594)
                                                           015 "DIA CIRC CONCR
                                                 0280/2230 LEN=0040 INSTALLED 1921

                                                           015 "DIA CIRC CONCR
                                                 0280/1480 LEN=0060 INSTALLED 1921
                                                           015 "DIA CIRC CONCR
                                                 0280/1121 LEN=0040 INSTALLED 1921
                                                           015 "DIA CIRC CONCR
                                                 0280/0750 LEN=0040 INSTALLED 1921
                                                           024 "DIA CIRC CONCR
                                                 0280/0410 LEN=0040 INSTALLED 1921
ALPINE WY
(T391)                 0280/0331

                                                           018 "DIA CIRC CONCR
                                                 0280/0020 LEN=0040 INSTALLED 1955
                       063359 FT                 063359 FT 1 0 00105 0 00 0075+00
                                                       S 0280/0000 LENGTH(AH 2594 BK 2213)
                                                           015 "DIA CIRC CONCR
                                                 0270/1779 LEN=0040 INSTALLED 1921


                                                           018 "DIA CIRC CONCR
                                                 0270/0812 LEN=0060 INSTALLED 1993
                                                           018 "DIA CIRC CONCR
                                                 0270/0294 LEN=0040 INSTALLED 1955
PINE TREE RD
(T336)                 0270/0222
                       061146 FT                 061146 FT 1 0 00105 0 00 0052+80
```

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

LEFT		RIGHT
PROSPECT PARK RD		NC BUCKTAIL TRAIL HW
(SR0155 SEG 0010/0000)	0270/0000	5 0270/0000 LENGTH(AH 2213 BK 1050)
		018 "DIA CIRC CONCR
		0260/0870 LEN=0040 INSTALLED 1956
TO 0155/0010 SH		
(CONN)	0260/0856	
		0260/0658 BMSEN 12/0120/0260/0542
		1 0 00105 0 00 0047+62
		PORTAGE CR
		BMSBG 12/0120/0260/0542
		SHIPPEN
		0260/0542 EMPORIUM B
		015 "DIA CIRC CONCR
		0260/0355 LEN=0035 INSTALLED UNKN
		0260/0159 (AAR 527049T)#TRKS 02
		SECOND ST
		0260/0095 (BORO)
1 0 00105 0 00 0042+30 060096 FT		060096 FT
PORTAGE ST		
(SR1001 SEG 0010/0000)	0260/0000	5 0260/0000 LENGTH(AH 1050 BK 2098)
		012 "DIA CIRC CONCR
		0250/1997 LEN=0035 INSTALLED UNKN
SPRING ST		
(BORO)	0250/1783	
		015 "DIA CIRC CONCR
		0250/1477 LEN=0040 INSTALLED UNKN
		DEXTER ST
		0250/1368 (BORO)
		THIRD ST
		0250/1282 (BORO)
		LOCUST ST
		0250/1081 (BORO)
NEW ST		
(BORO)	0250/1051	
		015 "DIA CIRC CONCR
		0250/1041 LEN=0070 INSTALLED UNKN
HICKORY ST		
(BORO)	0250/0845	
		PINE ST
		0250/0484 (BORO)
		012 "DIA CIRC OTHER
		0250/0456 LEN=0030 INSTALLED UNKN
	057998 FT	057998 FT 1 0 00105 0 00 0021+70
ALLEGHANY AV		NC ALLEGANY AV
(BORO)	0250/0000	5 0250/0000 LENGTH(AH 2098 BK 2140)
		SPRUCE ST
		0240/1704 (BORO)
		012 "DIA CIRC CONCR
		0240/1692 LEN=0050 INSTALLED UNKN
		012 "DIA CIRC CONCR

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: EMPORIUM B RIGHT MUN: EMPORIUM B

	0240/1163	LEN=0030 INSTALLED UNKN
		WALNUT ST
	0240/1140	(BORO)
		CHESTNUT ST
	0240/0579	(BORO)
		021 "DIA CIRC CONCR
	0240/0567	LEN=0050 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0240/0256	LEN=0050 INSTALLED UNKN
		CHERRY ST
	0240/0249	(BORO)
		024 "DIA CIRC OTHER
	0240/0035	LEN=0050 INSTALLED UNKN
		BROAD ST
1 0 00105 0 00 0000+00 055858 FT	055858 FT	(SR3001 SEG 0230/0294)
BROAD ST		
(SR1002 SEG 0010/0000) 0240/0000	S 0240/0000	LENGTH(AH 2140 BK 2341)
		018 "DIA CIRC CONCR
	0230/2330	LEN=0020 INSTALLED UNKN
		WOOD ST
	0230/2097	(BORO)
		015 "DIA CIRC CONCR
	0230/2090	LEN=0025 INSTALLED UNKN
		MAPLE ST
	0230/1759	(BORO)
		018 "DIA CIRC CONCR
	0230/1733	LEN=0068 INSTALLED 1967
		018 "DIA CIRC CONCR
	0230/1415	LEN=0036 INSTALLED 1967
		POPLAR ST
	0230/1201	(BORO)
		024 "DIA CIRC CONCR
	0230/1180	LEN=0022 INSTALLED 1967
		018 "DIA CIRC CONCR
	0230/0880	LEN=0040 INSTALLED 1967
		VINE ST
	0230/0643	(BORO)
		018 "DIA CIRC CONCR
	0230/0605	LEN=0022 INSTALLED 1967
		018 "DIA CIRC CONCR
	0230/0275	LEN=0020 INSTALLED 1967
		HOWARD CR
	0230/0202	(BORO)
053517 FT	053517 FT	1 0 00099 0 00 0534+96
		015 "DIA CIRC CONCR
		LEN=0053 INSTALLED 1930
WOODLAND AV	NC FOURTH ST	
(SR0046 SEG 0010/0000) 0230/0000	S 0230/0000	LENGTH(AH 2341 BK 1099)
		EMPORIUM
	0220/0933	SHIPPEN T

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: EMPORIUM B RIGHT MUN: EMPORIUM B

			0220/0880	BMSEN 12/0120/0220/0742 1 0 00099 0 00 0531+34 DRIFTWOOD BRANCH
			0220/0742	BMSBG 12/0120/0220/0742 AIRPORT RD
		== ==	0220/0714	(T328)
1 0 00099 0 00 0523+75 OLD WEST CREEK RD (SR4001 SEG 0070/1513)	052418 FT 0220/0000		052418 FT S 0220/0000	LENGTH(AH 1099 BK 0895) INDUSTRIAL RD
		==	0210/0692	(TWP) 072 "DIA CIRC METAL
			0210/0680	LEN=0078 INSTALLED 1946 024 "DIA CIRC METAL
			0210/0310	LEN=0070 INSTALLED 1946
	051523 FT		051523 FT S 0210/0000	1 0 00099 0 00 0515+00 LENGTH(AH 0895 BK 3002)
				024 "DIA CIRC CONCR
			0200/0166	LEN=0100 INSTALLED 1946
	048521 FT		048521 FT S 0200/0000	1 0 00099 0 00 0485+00 LENGTH(AH 3002 BK 2688)
				018 "DIA CIRC CONCR
			0190/2267	LEN=0070 INSTALLED 1946
PA STATE POLICE RD (GOVT)	0190/1802	==		
PA STATE POLICE RD (GOVT)	0190/1665	==		
				018 "DIA CIRC CONCR
			0190/1635	LEN=0070 INSTALLED 1946
	045833 FT		045833 FT	1 0 00099 0 00 0458+12
				072 "DIA CIRC METAL LEN=0072 INSTALLED 1946
			S 0190/0000	LENGTH(AH 2688 BK 2187)
PINE GLEN RD (T352)	0180/1039	==		

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

1 0 00099 0 00 0435+78 043646 FT		043646 FT	
CLOSE RD			
(T346)	0180/0000	0180/0000	LENGTH(AH 2187 BK 2990)
			018 "DIA CIRC CONCR
		0170/2903	LEN=0058 INSTALLED 1946
			HERCULES RD
		0170/2790	(T345)
			TOWNER RUN
			STRUCTURE LENGTH 8 FT
		0170/1941	BMSID 12/0120/0170/1941
			018 "DIA CIRC CONCR
		0170/1743	LEN=0050 INSTALLED UNKN
	040656 FT	040656 FT	1 0 00099 0 00 0406+35
		0170/0000	LENGTH(AH 2990 BK 3776)
			024 "DIA CIRC CONCR
		0160/2940	LEN=0060 INSTALLED 1946
			018 "DIA CIRC CONCR
		0160/2565	LEN=0068 INSTALLED 1946
			060 "DIA CIRC CONCR
		0160/2391	LEN=0062 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0160/2131	LEN=0060 INSTALLED 1946
			060 "DIA CIRC CONCR
		0160/1385	LEN=0062 INSTALLED 1946
			072 "DIA CIRC CONCR
		0160/0255	LEN=0068 INSTALLED 1946
1 0 00099 0 00 0368+78 036880 FT		036880 FT	
OLD WEST CREEK RD			
(SR4001 SEG 0010/0000)	0160/0000	0160/0000	LENGTH(AH 3776 BK 2370)
			018 "DIA CIRC CONCR
		0150/2334	LEN=0054 INSTALLED 1946
			018 "DIA CIRC CONCR
		0150/1239	LEN=0072 INSTALLED 1946
			024 "DIA CIRC CONCR
		0150/0839	LEN=0072 INSTALLED 1946
			024 "DIA CIRC CONCR
		0150/0439	LEN=0070 INSTALLED 1946

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

		024 "DIA CIRC CONCR
	0150/0135	LEN=0062 INSTALLED 1946
034510 FT	034510 FT	1 0 00099 0 00 0345+11
	S 0150/0000	LENGTH(AH 2370 BK 1465)
		018 "DIA CIRC CONCR
	0140/1252	LEN=0070 INSTALLED 1946
		018 "DIA CIRC CONCR
	0140/0935	LEN=0058 INSTALLED 1946
		018 "DIA CIRC CONCR
	0140/0294	LEN=0060 INSTALLED UNKN
033045 FT	033045 FT	1 0 00099 0 00 0330+42
		048 "DIA CIRC CONCR
		LEN=0074 INSTALLED 1993
	S 0140/0000	LENGTH(AH 1465 BK 2050)
		018 "DIA CIRC CONCR
	0130/0847	LEN=0052 INSTALLED 1946
		018 "DIA CIRC CONCR
	0130/0440	LEN=0072 INSTALLED 1946
		060 "DIA CIRC CONCR
	0130/0050	LEN=0130 INSTALLED 1946
030995 FT	030995 FT	1 0 00099 0 00 0310+00
	S 0130/0000	LENGTH(AH 2050 BK 2521)
		018 "DIA CIRC CONCR
	0120/2280	LEN=0074 INSTALLED 1946
		018 "DIA CIRC CONCR
	0120/1192	LEN=0080 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0120/0872	LEN=0088 INSTALLED UNKN
028474 FT	028474 FT	1 0 00099 0 00 0285+18
		MOORE HILL RD
		(SR3001 SEG 0010/0000)
	S 0120/0000	LENGTH(AH 2521 BK 2618)
		060 "DIA CIRC CONCR
	0110/2613	LEN=0130 INSTALLED 1993
		018 "DIA CIRC CONCR
	0110/2250	LEN=0074 INSTALLED 1946
		024 "DIA CIRC CONCR
	0110/1885	LEN=0074 INSTALLED 1946
		018 "DIA CIRC CONCR
	0110/1320	LEN=0074 INSTALLED 1946
		024 "DIA CIRC CONCR
	0110/0875	LEN=0058 INSTALLED 1946
		018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

```
                                        0110/0425 LEN=0055 INSTALLED 1946
                                                  018 "DIA CIRC CONCR
                                        0110/0080 LEN=0058 INSTALLED 1946
025856 FT                               025856 FT 1 0 00099 0 00 0259+00
                                      S 0110/0000 LENGTH(AH 2618 BK 1868)
                                                  018 "DIA CIRC CONCR
                                        0100/1670 LEN=0058 INSTALLED 1946
                                                  018 "DIA CIRC CONCR
                                        0100/1240 LEN=0058 INSTALLED 1946
                                                  018 "DIA CIRC CONCR
                                        0100/0944 LEN=0056 INSTALLED 1946

                                                  018 "DIA CIRC CONCR
                                        0100/0114 LEN=0106 INSTALLED 1946
023988 FT                               023988 FT 1 0 00099 0 00 0240+00
                                      S 0100/0000 LENGTH(AH 1868 BK 2507)
                                                  018 "DIA CIRC CONCR
                                        0090/2006 LEN=0092 INSTALLED 1946
                                                  018 "DIA CIRC CONCR
                                        0090/1650 LEN=0064 INSTALLED 1946
                                                  018 "DIA CIRC CONCR
                                        0090/1244 LEN=0050 INSTALLED 1946
                                                  018 "DIA CIRC CONCR
                                        0090/0950 LEN=0060 INSTALLED 1946
                                                  018 "DIA CIRC CONCR
                                        0090/0415 LEN=0056 INSTALLED 1946
021481 FT                               021481 FT 1 0 00099 0 00 0215+00
                                      S 0090/0000 LENGTH(AH 2507 BK 2535)
                                                  018 "DIA CAST IRON
                                        0080/1941 LEN=0104 INSTALLED 1946
                                                  060 "DIA CIRC CONCR
                                        0080/1497 LEN=0064 INSTALLED 1956
                                                  015 "DIA CIRC CONCR
                                        0080/1165 LEN=0068 INSTALLED 1946
                                                  015 "DIA CIRC CONCR
                                        0080/0837 LEN=0072 INSTALLED 1950
                                                  015 "DIA CIRC CONCR
                                        0080/0475 LEN=0068 INSTALLED 1950
                                                  015 "DIA CIRC CONCR
                                        0080/0220 LEN=0044 INSTALLED 1950
018946 FT                               018946 FT 1 0 00099 0 00 0189+65
                                                  VILLAGE: HOWARD SIDING
                                            NC BUCKTAIL TRAIL HW
                                      S 0080/0000 LENGTH(AH 2535 BK 2465)
                                                  015 "DIA CIRC CONCR
                                        0070/2390 LEN=0044 INSTALLED 1950
                                                  024 "DIA CIRC CONCR
                                        0070/2085 LEN=0072 INSTALLED 1950
                                                  036 "DIA CIRC CONCR
                                        0070/1580 LEN=0080 INSTALLED 1950
```

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

```
                                                  0070/1229 BMSEN 12/0120/0070/1120
                                                            1 0 00099 0 00 0176+15
                                                            WEST CREEK
                                                  0070/1120 BMSBG 12/0120/0070/1120
                                                            024 "DIA CIRC CONCR
                                                  0070/0700 LEN=0065 INSTALLED 2000
                                                            018 "DIA CIRC CONCR
                                                  0070/0367 LEN=0045 INSTALLED 1993
                        016481 FT                 016481 FT 1 0 00099 0 00 0165+00
                                                S 0070/0000 LENGTH(AH 2465 BK 1785)
                                                            015 "DIA CIRC CONCR
                                                  0060/1470 LEN=0052 INSTALLED 1950


                                                            015 "DIA CIRC CONCR
                                                  0060/0390 LEN=0060 INSTALLED 1950
                                                            018 "DIA CIRC CONCR
                                                  0060/0126 LEN=0068 INSTALLED 1990
                                                  0060/0056 BMSEN 12/0120/0060/0031
                                                            1 0 00099 0 00 0147+49
                                                            BIG RUN
                                                  0060/0031 BMSBG 12/0120/0060/0031
1 0 00099 0 00 0147+20  014696 FT                 014696 FT
BEECHWOOD RD
(SR4002 SEG 0060/2456)   0060/0000              S 0060/0000 LENGTH(AH 1785 BK 3704)
                                                            015 "DIA CIRC CONCR
                                                  0050/3436 LEN=0076 INSTALLED 1950
                                                            015 "DIA CIRC CONCR
                                                  0050/3064 LEN=0048 INSTALLED 1925
                                                            015 "DIA CIRC CONCR
                                                  0050/2490 LEN=0048 INSTALLED 1925
                                                            015 "DIA CIRC CONCR
                                                  0050/2084 LEN=0052 INSTALLED 1925
                                                            015 "DIA CIRC CONCR
                                                  0050/1657 LEN=0052 INSTALLED 1925
                                                            015 "DIA CIRC CONCR
                                                  0050/1245 LEN=0045 INSTALLED 2000
                                                            015 "DIA CIRC CONCR
                                                  0050/0940 LEN=0056 INSTALLED 1950
                                                            015 "DIA CIRC CONCR
                                                  0050/0675 LEN=0052 INSTALLED 1925
                                                            015 "DIA CIRC CONCR
                                                  0050/0390 LEN=0056 INSTALLED 1950
                                                            015 "DIA CIRC CONCR
                                                  0050/0136 LEN=0044 INSTALLED 1925
                        010992 FT                 010992 FT 1 0 00099 0 00 0110+00
                                                S 0050/0000 LENGTH(AH 3704 BK 2801)
                                                            015 "DIA CIRC CONCR
                                                  0040/2583 LEN=0056 INSTALLED 1950
                                                            015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

```
                                        0040/2270 LEN=0048 INSTALLED 1925
                                                  024 "DIA CIRC CONCR
                                        0040/1864 LEN=0056 INSTALLED 1950
                                                  015 "DIA CIRC CONCR
                                        0040/1460 LEN=0056 INSTALLED 1950
                                                  015 "DIA CIRC CONCR
                                        0040/1148 LEN=0052 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0040/0831 LEN=0048 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0040/0565 LEN=0056 INSTALLED 1950
                                                  015 "DIA CIRC CONCR
                                        0040/0233 LEN=0060 INSTALLED 2000

                                        0040/0021 BMSEN 12/0120/0040/0001
008191 FT                               008191 FT 1 0 00099 0 00 0081+99
                                                  P3
                                                  VILLAGE: TRUMAN
                                                  BIG RUN
                                                  BMSBG 12/0120/0040/0001
                                      S 0040/0000 LENGTH(AH 2801 BK 3199)
                                                  024 "DIA CIRC CONCR
                                        0030/2770 LEN=0054 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0030/2458 LEN=0056 INSTALLED 1950
                                                  ROADSIDE REST
                                        0030/2420 (SR9201 SEG 0010/0000)
                                                  ROADSIDE REST
                                        0030/2220 (SR9201 SEG 0010/0264)
                                                  015 "DIA CIRC CONCR
                                        0030/2068 LEN=0052 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0030/1690 LEN=0056 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0030/1421 LEN=0056 INSTALLED 1950
                                                  015 "DIA CIRC CONCR
                                        0030/1060 LEN=0056 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0030/0908 LEN=0052 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0030/0725 LEN=0082 INSTALLED 1925
                                                  015 "DIA CIRC CONCR
                                        0030/0486 LEN=0076 INSTALLED 1950
                                                  015 "DIA CIRC CONCR
                                        0030/0235 LEN=0052 INSTALLED 1925
004992 FT                               004992 FT 1 0 00099 0 00 0050+00
                                                  015 "DIA CIRC CONCR
                                                  LEN=0056 INSTALLED 1950
```

DIR: B TOTAL LEN: 35.414 MI. DIST: 02-4 SR: 120
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

	0030/0000	LENGTH(AH 3199 BK 1623)
		015 "DIA CIRC CONCR
	0020/1432	LEN=0048 INSTALLED 1925
		030 "DIA CIRC CONCR
	0020/1231	LEN=0048 INSTALLED 1925
		015 "DIA CIRC CONCR
	0020/1096	LEN=0052 INSTALLED 1925
		015 "DIA CIRC CONCR
	0020/0544	LEN=0048 INSTALLED 1925
		015 "DIA CIRC CONCR
	0020/0309	LEN=0052 INSTALLED 1925
	0020/0011	BMSEN 12/0120/0020/0000
003369 FT	003369 FT	1 0 00099 0 00 0033+91
		BIG RUN
		BMSBG 12/0120/0020/0000
	0020/0000	LENGTH(AH 1623 BK 3369)
		015 "DIA CIRC CONCR
	0010/2940	LEN=0064 INSTALLED 1925
		024 "DIA CIRC CONCR
	0010/2852	LEN=0052 INSTALLED 1925
		024 "DIA CIRC CONCR
	0010/2120	LEN=0064 INSTALLED 1925
		015 "DIA CIRC CONCR
	0010/1830	LEN=0056 INSTALLED 1950
		015 "DIA CIRC CONCR
	0010/1540	LEN=0052 INSTALLED 1925
		015 "DIA CIRC CONCR
	0010/1275	LEN=0048 INSTALLED 1925
		015 "DIA CIRC CONCR
	0010/1000	LEN=0060 INSTALLED 1950
		015 "DIA CIRC CONCR
	0010/0880	LEN=0056 INSTALLED 1925
		018 "DIA CIRC CONCR
	0010/0810	LEN=0054 INSTALLED 1925
		015 "DIA CIRC CONCR
	0010/0650	LEN=0048 INSTALLED 1925
	0010/0467	BMSEN 12/0120/0010/0456
		1 0 00099 0 00 0004+59
		BIG RUN
	0010/0456	BMSBG 12/0120/0010/0456
		015 "DIA CIRC CONCR
	0010/0125	LEN=0048 INSTALLED 1925
000000 FT	000000 FT	1 0 00099 0 00 0000+00
		NC TRUMAN RD
	REF-BK	BUCKTAIL TRAIL HW
		(SR0120 SEG 0420/3134)
		MFC BEGIN = C
		BK-ELK (24)
	0010/0000	LENGTH(AH 3369 BK 0000)

DIR: B TOTAL LEN: 9.277 MI. DIST: 02-4 SR: 46
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

048983 FT

047498 FT



048983 FT	AH-MCKEAN (42)
* REF-AHD	SR 0046 SH
0200/1485	(SR0046 SEG 0010/0000)
	015 "DIA CIRC CONCR
0200/1367	LEN=0040 INSTALLED 1931
	015 "DIA CIRC CONCR
0200/0990	LEN=0040 INSTALLED 1931
	015 "DIA CIRC CONCR
0200/0640	LEN=0040 INSTALLED 1931
	015 "DIA CIRC CONCR
0200/0181	LEN=0040 INSTALLED 1931
047498 FT	1 0 00277 0 00 0475+00
S 0200/0000	LENGTH(AH 1485 BK 2497)
	015 "DIA CIRC CONCR
0190/2300	LEN=0060 INSTALLED 1931
	015 "DIA CIRC CONCR
0190/1900	LEN=0040 INSTALLED 1931
0190/1301	BMSEN 12/0046/0190/1284

DIR: B TOTAL LEN: 9.277 MI. DIST: 02-4 SR: 46
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

```
                                                  1 0 00277 0 00 0462+83
                                                  NORTH CREEK
                                     0190/1284    BMSBG 12/0046/0190/1284

                                                  015 "DIA CIRC CONCR
                                     0190/0355    LEN=0045 INSTALLED 1931
045001 FT                            045001 FT    1 0 00277 0 00 0450+00
                                   5 0190/0000    LENGTH(AH 2497 BK 2496)
                                                  036 "DIA CIRC CONCR
                                     0180/2449    LEN=0060 INSTALLED 2014
                                                  015 "DIA CIRC CONCR
                                     0180/1982    LEN=0060 INSTALLED 1931
                                                  015 "DIA CIRC CONCR
                                     0180/1450    LEN=0040 INSTALLED 1931
                                                  015 "DIA CIRC CONCR
                                     0180/1050    LEN=0060 INSTALLED 1931
                                                  015 "DIA CIRC CONCR
                                     0180/0750    LEN=0060 INSTALLED 1931
                                                  015 "DIA CIRC CONCR
                                     0180/0450    LEN=0060 INSTALLED 1931
                                                  015 "DIA CIRC CONCR
                                     0180/0100    LEN=0060 INSTALLED 1931
042505 FT                            042505 FT    1 0 00277 0 00 0425+00
                                   5 0180/0000    LENGTH(AH 2496 BK 2507)
                                                  015 "DIA CIRC CONCR
                                     0170/2314    LEN=0040 INSTALLED 1931
                                                  015 "DIA CIRC CONCR
                                     0170/2086    LEN=0060 INSTALLED 1931
                                                  024 "DIA CIRC CONCR
                                     0170/1864    LEN=0060 INSTALLED 1931

                                                  015 "DIA CIRC CONCR
                                     0170/1260    LEN=0060 INSTALLED 1931
                                                  015 "DIA CIRC CONCR
                                     0170/1000    LEN=0060 INSTALLED 1931
                                                  FORESTRY RD
                                       ==         (FRST)
                                     0170/0785
                                                  036 "DIA CIRC CONCR
                                     0170/0386    LEN=0046 INSTALLED 1931
                                                  036 "DIA CIRC METAL
                                     0170/0209    LEN=0050 INSTALLED UNKN
039998 FT                            039998 FT    1 0 00277 0 00 0400+00
                                   5 0170/0000    LENGTH(AH 2507 BK 2500)
                                                  018 "DIA CIRC CONCR
                                     0160/2414    LEN=0060 INSTALLED 1931
                                                  015 "DIA CIRC CONCR
                                     0160/2160    LEN=0060 INSTALLED 1931
                                                  015 "DIA CIRC CONCR
                                     0160/1564    LEN=0060 INSTALLED 1931
```

DIR: B TOTAL LEN: 9.277 MI. DIST: 02-4 SR: 46
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

		015 "DIA CIRC CONCR
	0160/1262	LEN=0060 INSTALLED 1931
		015 "DIA CIRC CONCR
	0160/0957	LEN=0060 INSTALLED 1931
		015 "DIA CAST IRON
	0160/0650	LEN=0060 INSTALLED 1931
		036 "DIA CIRC CONCR
	0160/0400	LEN=0040 INSTALLED 1931
037498 FT	037498 FT	1 0 00277 0 00 0375+00
	S 0160/0000	LENGTH(AH 2500 BK 2382)
		015 "DIA CIRC CONCR
	0150/2196	LEN=0040 INSTALLED 1931
		015 "DIA CIRC CONCR
	0150/1941	LEN=0040 INSTALLED 1931
		018 "DIA CIR PLASTIC
	0150/1690	LEN=0050 INSTALLED 2005
		036 "DIA CIRC CONCR
	0150/0968	LEN=0070 INSTALLED 2004
		FOUR MILE HOLLOW
		STRUCTURE LENGTH 14 FT
	0150/0565	BMSID 12/0046/0150/0565
		015 "DIA CIRC CONCR
	0150/0150	LEN=0040 INSTALLED 1931
035116 FT	035116 FT	1 0 00277 0 00 0351+20
		OLD NORTH CREEK RD
		(T318)
	S 0150/0000	LENGTH(AH 2382 BK 2622)
		024 "DIA CIRC CONCR
	0140/1936	LEN=0040 INSTALLED 1931
		015 "DIA CIRC CONCR
	0140/1313	LEN=0040 INSTALLED 1931
		036 "DIA CIRC CONCR
	0140/0965	LEN=0040 INSTALLED 1931
		015 "DIA CIRC CONCR
	0140/0263	LEN=0040 INSTALLED 1931
032494 FT	032494 FT	1 0 00277 0 00 0325+00
	S 0140/0000	LENGTH(AH 2622 BK 2498)
		036 "DIA CIRC CONCR
	0130/2482	LEN=0040 INSTALLED 1931
		024 "DIA CIRC CONCR
	0130/1900	LEN=0055 INSTALLED 1931
		015 "DIA CIRC CONCR
	0130/1563	LEN=0060 INSTALLED 1931
		015 "DIA CIRC CONCR
	0130/1316	LEN=0060 INSTALLED 1931
		015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 9.277 MI. DIST: 02-4 SR: 46
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

```
                                        0130/1061 LEN=0060 INSTALLED 1931
                                                  018 "DIA CIRC CONCR
                                        0130/0725 LEN=0060 INSTALLED 1931
                                                  015 "DIA CIRC CONCR
                                        0130/0360 LEN=0060 INSTALLED 1931
                                                  036 "DIA CIRC CONCR
                                        0130/0168 LEN=0060 INSTALLED 1931
029996 FT                               029996 FT 1 0 00277 0 00 0300+00
                                      S 0130/0000 LENGTH(AH 2498 BK 2522)
                                                  018 "DIA CIRC CONCR
                                        0120/1961 LEN=0060 INSTALLED 1931
                                                  018 "DIA CIRC CONCR
                                        0120/1740 LEN=0060 INSTALLED 1931
                                                  018 "DIA CIRC CONCR
                                        0120/1502 LEN=0060 INSTALLED 1931
                                                  018 "DIA CAST IRON
                                        0120/1308 LEN=0060 INSTALLED 1931
                                                  015 "DIA CIRC CONCR
                                        0120/0991 LEN=0070 INSTALLED 1931
                                                  015 "DIA CIRC CONCR
                                        0120/0690 LEN=0060 INSTALLED 1931
                                                  015 "DIA CAST IRON
                                        0120/0378 LEN=0040 INSTALLED 1931
                                                  036 "DIA CIRC CONCR
                                        0120/0122 LEN=0045 INSTALLED 1931
027474 FT                               027474 FT 1 0 00277 0 00 0275+00
                                                  OLD NORTH CREEK RD
                                                  (T318)
                                      S 0120/0000 LENGTH(AH 2522 BK 1981)
                                                  024 "DIA CIRC CONCR
                                        0110/1610 LEN=0040 INSTALLED 1930
                                                  015 "DIA CIRC CONCR
                                        0110/1380 LEN=0040 INSTALLED 1930
                                                  018 "DIA CIRC METAL
                                        0110/1270 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0110/1155 LEN=0040 INSTALLED 1930
                                                  018 "DIA CIR PLASTIC
                                        0110/0820 LEN=0050 INSTALLED 2015
                                                  015 "DIA CIRC CONCR
                                        0110/0473 LEN=0040 INSTALLED 1930
                                                  015 "DIA CIRC CONCR
                                        0110/0070 LEN=0040 INSTALLED 1930
025493 FT                               025493 FT 1 0 00277 0 00 0255+00
                                      S 0110/0000 LENGTH(AH 1981 BK 2502)
                                                  015 "DIA CIRC CONCR
                                        0100/2200 LEN=0045 INSTALLED 1930
                                                  015 "DIA CIRC CONCR
                                        0100/1813 LEN=0040 INSTALLED 1930
                                                  015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 9.277 MI. DIST: 02-4 SR: 46
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

	0100/1569	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
	0100/1335	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
	0100/0850	LEN=0045 INSTALLED 1930 015 "DIA CIRC CONCR
	0100/0550	LEN=0040 INSTALLED 1930 048 "DIA CIRC CONCR
	0100/0289	LEN=0060 INSTALLED 1930 015 "DIA CIRC CONCR
	0100/0089	LEN=0040 INSTALLED 1930
022991 FT	022991 FT	1 0 00277 0 00 0230+00
	S 0100/0000	LENGTH(AH 2502 BK 2495) 015 "DIA CIRC CONCR
	0090/2243	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
	0090/1665	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
	0090/1314	LEN=0060 INSTALLED 1930 018 "DIA CIRC CONCR
	0090/1025	LEN=0060 INSTALLED 1930 048 "DIA CIRC CONCR
	0090/0866	LEN=0030 INSTALLED 1930 018 "DIA CIRC CONCR
	0090/0650	LEN=0060 INSTALLED 1930 015 "DIA CIRC CONCR
	0090/0351	LEN=0050 INSTALLED 1930
020496 FT	020496 FT	1 0 00277 0 00 0205+00 015 "DIA CIRC CONCR LEN=0040 INSTALLED 1930
	S 0090/0000	LENGTH(AH 2495 BK 2498) 018 "DIA CIRC CONCR
	0080/2132	LEN=0065 INSTALLED 1930 015 "DIA CIRC CONCR
	0080/1764	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
	0080/1558	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
	0080/1257	LEN=0060 INSTALLED 1930 018 "DIA CIRC CONCR
	0080/1124	LEN=0060 INSTALLED 1930 015 "DIA CIRC CONCR
	0080/0767	LEN=0060 INSTALLED 1930 015 "DIA CIRC CONCR
	0080/0540	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
	0080/0250	LEN=0060 INSTALLED 1930
017998 FT	017998 FT	1 0 00277 0 00 0180+00
	S 0080/0000	LENGTH(AH 2498 BK 2500) 015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 9.277 MI. DIST: 02-4 SR: 46
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

		0070/2478	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
		0070/2324	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
		0070/1811	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
		0070/1558	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
		0070/1404	LEN=0040 INSTALLED 1930 018 "DIA CIRC CONCR
		0070/0965	LEN=0055 INSTALLED 1930 015 "DIA CIRC CONCR
		0070/0630	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
		0070/0407	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
		0070/0211	LEN=0045 INSTALLED 1930 015 "DIA CIRC CONCR
		0070/0029	LEN=0040 INSTALLED 1930
015498 FT		015498 FT	1 0 00277 0 00 0155+00
		S 0070/0000	LENGTH(AH 2500 BK 2492) 015 "DIA CIRC CONCR
		0060/2179	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
		0060/1937	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
		0060/1400	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
		0060/1113	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
		0060/0464	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
		0060/0170	LEN=0040 INSTALLED 1930
013006 FT		013006 FT	1 0 00277 0 00 0130+00
		S 0060/0000	LENGTH(AH 2492 BK 2386) 015 "DIA CIRC CONCR
		0050/2225	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
		0050/1882	LEN=0050 INSTALLED 1930 015 "DIA CIRC CONCR
		0050/1623	LEN=0045 INSTALLED 1930 018 "DIA CIRC CONCR
		0050/1151	LEN=0040 INSTALLED 1930 018 "DIA CIRC METAL
		0050/0651	LEN=0040 INSTALLED 1930 015 "DIA CIRC CONCR
		0050/0280	LEN=0050 INSTALLED 1930
LOCKWOOD RD (T350)	0050/0216		

DIR: B TOTAL LEN: 9.277 MI. DIST: 02-4 SR: 46
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

RICH VALLEY RD
(SR4004 SEG 0200/2007) 0050/0139

010620 FT

007010 FT

004677 FT



```
                0050/0070 BMSEN 12/0046/0050/0000
                010620 FT 1 0 00277 0 00 0106+14
                          VILLAGE: LOCKPORT
                          NORTH CREEK
                          BMSBG 12/0046/0050/0000
              S 0050/0000 LENGTH(AH 2386 BK 3610)

                          015 "DIA CIRC CONCR
                0040/2960 LEN=0045 INSTALLED 1930

                          018 "DIA CIRC CONCR
                0040/2175 LEN=0040 INSTALLED 1930
                0040/1697 BMSEN 12/0046/0040/1685
                          1 0 00277 0 00 0086+89
                          DODGE HOLLOW
                0040/1685 BMSBG 12/0046/0040/1685
                          015 "DIA CIRC CONCR
                0040/1390 LEN=0050 INSTALLED 1930
                          015 "DIA CIRC CONCR
                0040/1018 LEN=0044 INSTALLED 1930
                          015 "DIA CIRC CONCR
                0040/0760 LEN=0045 INSTALLED 1930
                          015 "DIA CIRC CONCR
                0040/0408 LEN=0040 INSTALLED 1930
                007010 FT 1 0 00277 0 00 0070+00
              S 0040/0000 LENGTH(AH 3610 BK 2333)
                          015 "DIA CIRC CONCR
                0030/2214 LEN=0040 INSTALLED 1928
                          015 "DIA CIRC CONCR
                0030/1920 LEN=0035 INSTALLED 1928
                          036 "DIA CIRC CONCR
                0030/1730 LEN=0045 INSTALLED 1928
                          018 "DIA CIR PLASTIC
                0030/1412 LEN=0055 INSTALLED 1996
                          015 "DIA CIRC CONCR
                0030/1223 LEN=0050 INSTALLED 1928

                          018 "DIA CIRC CONCR
                0030/0576 LEN=0040 INSTALLED 1928
                          018 "DIA CIRC CONCR
                0030/0210 LEN=0051 INSTALLED 1928
                004677 FT 1 0 00277 0 00 0046+77
                          EDDIES RUN RD
                          (T326)
              S 0030/0000 LENGTH(AH 2333 BK 2793)
                0020/2709 BMSEN 12/0046/0020/2697
                          1 0 00277 0 00 0045+78
                          EDDY RUN
```

DIR: B TOTAL LEN: 9.277 MI. DIST: 02-4 SR: 46
LEFT MUN: SHIPPEN T RIGHT MUN: SHIPPEN T

```
                                          0020/2697 BMSBG 12/0046/0020/2697
                                                    024 "DIA CIRC CONCR
                                          0020/2436 LEN=0030 INSTALLED 1956
                                                    018 "DIA CIRC CONCR
                                          0020/1970 LEN=0050 INSTALLED 1928
                                                    018 "DIA CIRC CONCR
                                          0020/1750 LEN=0060 INSTALLED 1956
                                                    018 "DIA CIRC CONCR
                                          0020/1349 LEN=0028 INSTALLED 1928
                                                    018 "DIA CIRC CONCR
                                          0020/1222 LEN=0051 INSTALLED 1928
                                                    018 "DIA CIRC CONCR
                                          0020/0967 LEN=0045 INSTALLED 1928
                                                    WHEATON HOLLOW RD
                                          0020/0741 (T353)
                                                    065"H 92"W ELLIP METAL
                                          0020/0632 LEN=0060 INSTALLED 1956
                                                    018 "DIA CIRC CONCR
                                          0020/0329 LEN=0028 INSTALLED 1928
001884 FT                                 001884 FT 1 0 00277 0 00 0018+94
                                                NC NORTH CREEK RD
                                                    SHIPPEN
                                                    EMPORIUM B
                                        S 0020/0000 LENGTH(AH 2793 BK 1884)
                                                    018 "DIA CIRC CONCR
                                          0010/1583 LEN=0028 INSTALLED 1956
                                                    018 "DIA CIRC CONCR
                                          0010/1238 LEN=0032 INSTALLED 2015
                                                NC ALLEGHENY AV
                                                    ALLEGHENY AV
                                          0010/1204 (BORO)
                                                    018 "DIA CIRC CONCR
                                          0010/0822 LEN=0039 INSTALLED 1956
                                                    SIXTH ST
                                          0010/0765 (BORO)
                                                    GARDEN ST
                                          0010/0584 (BORO)
                                                    024 "DIA CIRC CONCR
                                          0010/0440 LEN=0047 INSTALLED 1956
                                                    FIFTH ST
                                          0010/0401 (BORO)
                                                    015 "DIA CIRC CONCR
                                          0010/0048 LEN=0031 INSTALLED 1956
000000 FT                                 000000 FT 1 0 00277 0 00 0000+00
                                                NC WOODLAND AV
                                                    FOURTH ST
                                                    (SR0120 SEG 0230/0000)

                                                    MFC BEGIN = C
                                        S 0010/0000 LENGTH(AH 1884 BK 0000)
```