Straight Line Diagram

(Including Drain Pipes)

Columbia
19

January 2020

This document was produced by the Pennsylvania Department of Transportation (PENNDOT) as an internal management tool for State maintained highways and is not to be used for other purposes. The printed information was compiled from the Department's computerized Roadway Management System (RMS) and is subject to change without notice. Use of any or all of the printed information for purposes other than those intended by the Department may not satisfy other accuracy and completeness requirements and the Department does not warrant that such printed information is accurate or complete.

ROADWAY MANAGEMENT SYSTEM
INDEX FOR SR'S LOCATED IN THE COUNTY OF COLUMBIA

SR	BGN PAGE	END PAGE
0011	1	20
0042	21	52
0044	53	61
0054	62	62
0061	63	67
0080	68	87
0093	88	97
0118	98	102
0239	103	112
0254	113	125
0339	126	139
0442	140	142
0487	143	170
0642	171	171
1001	172	173
1002	174	174
1003	175	176
1004	177	182
1005	183	184
1006	185	186
1007	187	188
1008	189	192
1010	193	194
1012	195	200
1013	201	203
1014	204	205
1015	206	207
1016	208	208
1017	209	210
1018	211	212
1019	213	215
1020	216	219
1021	220	220
1022	221	226
1023	227	228
1024	229	229
1025	230	240
1026	241	241
1027	242	242
1029	243	243
1031	244	245
1033	246	246
1035	247	250
1037	251	251
1051	252	252
2001	253	256
2002	257	257
2003	258	265
2004	266	267
2005	268	269
2006	270	271
2007	272	272
2008	273	274
2009	275	278
2010	279	281
2011	282	282
2012	283	285
2013	286	286
2014	287	288
2016	289	289
2017	290	291
2018	292	295
2019	296	297
2020	298	300
2021	301	301
2022	302	307
2024	308	312
2026	313	314
2028	315	319
2030	320	320
3001	321	323
3003	324	328
3004	329	330
3006	331	333
3008	334	337
3010	338	341
3012	342	344
3014	345	346
3016	347	348
4001	349	349
4002	350	353
4003	354	354
4004	355	356
4005	357	357
4006	358	360
4007	361	362
4008	363	365
4009	366	368
4010	369	369
4011	370	375
4012	376	377
4013	378	379
4014	380	380
4015	381	381
4016	382	383
4017	384	384
4018	385	386
4019	387	387
4020	388	391
4021	392	393
4022	394	396
4023	397	400
4024	401	401
4025	402	405
4027	406	407
4028	408	408
4029	409	409
4030	410	411
4031	412	413
4032	414	415
4033	416	417
4034	418	419
4035	420	420
4036	421	421
4037	422	428
4038	429	429
4039	430	433
4040	434	434
4041	435	437
4043	438	438
4045	439	440
4047	441	441
4049	442	447
4051	448	448
4053	449	449
8002	450	451
8003	452	453
8004	454	455
8005	456	456
8006	457	458
8008	459	459
9201	460	460
9202	461	461
9402	462	462

pennsylvania
DEPARTMENT OF TRANSPORTATION

December 30, 2019

Pennsylvania State Roads - Straight Line Diagrams

Contained within this document are the 2020 Pennsylvania Straight Line Diagram's (SLD's) for State Routes by county within a particular PennDOT district. At the end of each year, PennDOT takes a snapshot of its current SLD database and creates PDF files from the SLD snapshot. The SLD's are a graphical representation of State Routes (SR's) that PennDOT maintains. The information shown on the SLD's is generated from data found in PennDOT's Roadway Management System (RMS) database. The data from RMS is constantly being updated to match actual roadway inventory data found on Pennsylvania's state highways. PennDOT's SR system is explained briefly in this document along with symbol definitions for each type of roadway feature or attribute found on the SLD. This PDF version of the SLD contains an individual county list of all state roads found in that county. The SR's found on the list are linked to the actual pages that show the individual SLD's. To find an SLD for a particular road that you want, simply point to that road on the SR index list and click on it to jump to the beginning page of that SLD.

If you have any questions or comments concerning information found in this document, please contact Janice L. Arellano, P.E., Chief, Roadway Inventory and Testing Unit, Asset Management Division, Bureau of Maintenance and Operations, by calling (717) 787-7294.

Additional information on state owned highways is available from your local PENNDOT Engineering District Office, RMS Unit, RMS Coordinator.

Straight Line Diagram Disclaimer: This document is for informational purposes only and may be viewed by anyone. No part of the information contained in this document may be altered or redistributed without prior written consent of PENNDOT. Straight Line Diagram information is provided "as is" without warranty of any kind, either expressed or implied. This information could include technical inaccuracies or errors of omission. Changes may be made periodically to the information herein.

Copyright © 2019 by the Commonwealth of Pennsylvania. All rights reserved.

pennsylvania
DEPARTMENT OF TRANSPORTATION

Asset Management Division
Mission Statement

To protect and preserve Pennsylvania's infrastructure by providing meaningful, timely, and accurate pavement and roadway management, design, standards, strategies, inventory and condition, as well as fair, consistent and efficient application of Commonwealth laws and regulations.

CUSTOMER SERVICE RATING FORM

Straight Line Diagram (SLD) – Customer Service Rating

As means to improve customer service, we would like you to rate the product/ service you have received, by circling a "grade" from "A" (excellent) to "E" (fail).

A **B** **C** **D** **E**

If your rating is not an "A," please let us know what we could do better.

_____

_____

_____

_____

_____

Name and Organization (optional)

_____

Thank You.

(Fold along line, and tape or staple together before mailing)

(Cut along dashed line

_____

_____

_____

Bureau of Maintenance and Operations
Asset Management Division – BOMO Annex
907 Elmerton Avenue
Harrisburg, PA 17110
ATTN: Janice Arellano

F-CS-02

PENNSYLVANIA DEPARTMENT OF TRANSPORTATION
Bureau of Maintenance and Operations, Asset Management Division

Location Referencing System (LRS) – Definitions, Uses & Testing

The Department's LRS, implemented in 1987, is the mechanism to designate the State highway network, to define roadway lengths, locations, and route connectivity, and to serve as the basis for the collection, storage, and integration of roadway information.

An LRS key is a unique series of numbers that identifies the location of each point or feature along a State route. The fourteen digit number is an integral part of the Roadway Management System (RMS) where roadway data is stored. 07/4016/0100/0857 is an example of an LRS key, which identifies County (CO) = 07, State Route (SR) = 4016, Segment (SEG) = 0100, and Offset = 0857.

County (CO)

Each of Pennsylvania's sixty-seven counties is identified by a number.

Name	#	Name	#	Name	#	Name	#
Adams	1	Clinton	18	Lackawanna	35	Potter	52
Allegheny	2	Columbia	19	Lancaster	36	Schuylkill	53
Armstrong	3	Crawford	20	Lawrence	37	Snyder	54
Beaver	4	Cumberland	21	Lebanon	38	Somerset	55
Bedford	5	Dauphin	22	Lehigh	39	Sullivan	56
Berks	6	Delaware	23	Luzerne	40	Susquehanna	57
Blair	7	Elk	24	Lycoming	41	Tioga	58
Bradford	8	Erie	25	McKean	42	Union	59
Bucks	9	Fayette	26	Mercer	43	Venango	60
Butler	10	Forest	27	Mifflin	44	Warren	61
Cambria	11	Franklin	28	Monroe	45	Washington	62
Cameron	12	Fulton	29	Montgomery	46	Wayne	63
Carbon	13	Greene	30	Montour	47	Westmoreland	64
Centre	14	Huntingdon	31	Northampton	48	Wyoming	65
Chester	15	Indiana	32	Northumberland	49	York	66
Clarion	16	Jefferson	33	Perry	50	Philadelphia	67
Clearfield	17	Juniata	34	Pike	51		

State Route (SR)

State Routes (SR's) are identified by four-digit numbers. SR numbers are assigned as follows:

1. Traffic Routes: Routes designated as Interstates, US or PA Routes 0001-0999
2. Quadrant Routes (Non-Traffic Routes) 1001-4999
3. Relocated Traffic Routes 6000-6999
4. Turned Back, Abandoned, or Null Routes 7000-7999
5. Interchanges 8001-8999
6. WYE's 9101-9199
7. Rest Areas 9201-9299
8. Truck Escape Ramps 9301-9399
9. Others 9401-9499

Even/Odd Convention: Even numbers are typically given to SR's in the East/West direction, and odd numbers to SR's that run North/South. This convention applies to Interstate Routes (except those that are Beltways or Spurs), and Quadrant Routes. This convention may or may not apply to PA or US Traffic Routes.

Hierarchy: If two or more traffic routes occupy the same section of roadway, the SR number is based on the "higher" type route, according to the following hierarchy. If the traffic routes are the same hierarchy class, then the SR number is assigned the lower numbered traffic route (Figure 1).

1. Interstates
2. U.S. Routes
3. PA Routes
4. Quadrant Routes



FIGURE 1

Other Numbering Conventions:

1. The first digit of a quadrant route is based on which quadrant of the county the route is located, as shown in the following diagram (Figure 2).
2. The last three digits of a Relocated Traffic Route are the same as the Traffic Route that was relocated.
3. Interchanges are numbered sequentially. Odd numbers are given to interchanges along SR's in the North/South direction; even numbers are given to interchanges along SR's in the East/West direction (Figure 3).
4. WYE's are given odd numbers if the connecting SR is odd numbered, and even numbers if the connecting SR is even numbered.
5. Rest Areas or Truck Escape Ramps are given odd numbers if they connect to the Southbound or Westbound side of an SR, and even numbers if they connect to the Northbound or Eastbound side.



FIGURE 2



FIGURE 3

Segment (SEG)

State routes are divided into segments, which are approximately one-half mile long, and are identified by a four-digit number. Segment begin and end points are placed at physical features where possible. Segment numbers increase in the North or East direction, and typically by 10's (Figure 4). Segments are even numbered on undivided roadways, and in the Northbound or Eastbound direction of divided roadways. Segments are odd numbered in the Southbound or Westbound direction of divided roadways (Figure 5). Interstate segments are associated with the mile posts (Figure 6).

<u>Undivided Roadways</u>



FIGURE 4

<u>Divided Roadways</u>



FIGURE 5

<u>Interstate Roadways</u>



FIGURE 6

Turned Back, Abandoned, and Null Segments are given numbers in the range of 7000-7999. For two coincident State routes, the route with "lower" hierarchy is "nulled."

Segment numbering restarts on Traffic Routes at County boundaries, except Interstates (Figure 7).



FIGURE 7

Offset

The offset, a subdivision of the segment, is the distance (in feet) from the beginning of the segment, expressed as a four-digit number. Offsets are measured in the increasing segment direction.

Segment Markers

Segment markers, which allow for easy identification of the LRS location on the State highway system, indicate the State route and segment number at the point that each segment is entered. If the beginning of a segment occurs at a physical feature, then the point of reference is at the physical feature and not the sign. At intersections, signs are used to identify beginning or ending State routes or segments.

Users of the LRS

Locations of all intersections, structures, and other points of interest are field verified and inventoried in the RMS. This information can be displayed on Straight Line Diagrams (SLD's) which can be viewed in the RMS, or hardcopy form. SLD books are refreshed and printed annually for distribution to the Department's District and County offices, as well as too many external entities.

A list of those within the Department that use the LRS to identify locations in the RMS and in the field includes personnel from the following organizations: Pavement Testing, County Maintenance, Traffic, Design, Surveys, Construction, Bridge, Permits, Crash Review, Planning and Programming, Posted & Bonded Roads, Tort Liability, and Emergency Management.

Users outside the Department include: County & Municipal governments, County 911, Planning Commissions, Federal Highway Administration, State & Local Police, Local Emergency Management, Delivery Services (UPS, Fed Ex, etc.), Fire Departments, Utility Companies, Contractors, and Consultants.

Without segment markers located in the field, all of these users would have to rely solely on the SLD, which would be extremely cumbersome at best and impossible for some.

Verification, QA & QC

In order to assure that LRS information is indicated properly in the RMS, on SLD's, and in the field, LRS Quality Assurance (QA) and Quality Commitment (QC) programs are performed each year. The Bureau of Maintenance and Operations, Asset Management Division, Roadway Inventory & Testing Unit (RITU) performs all Statewide QC testing. Field verification and QA is also performed by RITS, except in Engineering Districts 2-0, 11-0, and 12-0, where it is done "in-house." Each Engineering District is responsible for its own LRS completeness and maintenance with respect to the RMS.

Twenty percent of each county is field tested annually as part of the QA program, and five percent of each county is tested for the annual QC program. The goal of the QC program is to maintain at least 90% accuracy between the RMS and the actual field locations of highway features. Annual QC ratings are developed and reported to the Engineering Districts.

Field testing is performed by two-person teams (a permanent employee that operates the test, and a temporary employee that drives the device) with the use of vans equipped with an on-board computer and a Data Measurement Subsystem. Testing is typically performed during the months of April through November.

Vehicle location and roadway features are displayed on the van's computer screen in SLD format, and the software accepts operator inputs verifying or modifying roadway feature locations, as well as comments. Though the system can function at greater speed, test speeds are typically less than 25 mph to ensure accuracy.

There are five categories of information that is verified and/or modified:

1. State Route Length
2. Segment Length
3. Roadway Geometry (lane count, pavement & shoulder types & widths)
4. Intersecting Feature Location (intersections & bridges)
5. Segment Marker Location

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY

SEGMENT MARKER	AHEAD LEFT INTER STATE OWNED	RAILROAD CROSSING	INTERSTATE MILEPOST
TURNBACK	AHEAD LEFT INTER NON-STATE	RAILROAD OVER-PASS	MFC BEGIN
NULL	AHEAD RIGHT INTE STATE OWNED	OVER-PASS	MUNICIPAL BOUNDARY
UNDIVIDED HIGHWAY	AHEAD RIGHT INTE NON-STATE	BRIDGE END	VILLAGE BEGIN
PHYSICALLY DIVIDED	BACK LEFT INTER STATE OWNED	BRIDGE BEGIN	AH - LENGTH FORWARD TO NEXT SEGMENT BEGIN BK - LENGTH BACK WARD TO PREVIOUS SEGMENT BEGIN
PAINT DIVIDED	BACK LEFT INTER NON-STATE	TUNNEL	
INTERSECTION AHEAD	BACK RIGHT INTER STATE OWNED	SIGN STRUCTURE	MFC - MAINTENANCE FUNCTIONAL CLASS A = INTERSTATE B = EXPRESSWAY AND/OR PRINCIPLE ARTERIAL C = MINOR ARTERIAL D = COLLECTOR E = LOCAL ACCESS F = INTERCHANGE RAMP
INTERSECTION BACK	BACK RIGHT INTER NON-STATE	RBR P3 BRIDGE	
REFERENCE AHEAD/BACK	T-LEFT INTERSEC STATE OWNED	RETAINING WALL	
DIVIDED CONNECTOR	T-LEFT INTERSEC NON-STATE	BRIDGE/CULVERT UNDER FILL	NULL AND TURNBACK SEGMENTS ARE DISPLAYED IN THE DEPARTMENT"S ROADWAY MANAGEMENT SYSTEM (RMS) AS 100 FEET IN LENGTH. ACTUAL SEGMENT AND SECTION LENGTHS MAY VARY SIGNIFICANTLY
CROSS INTERSEC STATE OWNED	T-RIGHT INTERSEC STATE OWNED	PIPE (STAMPP)	
CROSS INTERSEC NON-STATE	T-RIGHT INTERSEC NON-STATE	ROTARY INTERSEC	

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY

ROAD CLOSED	POI POINT OF INTEREST	BRIDGE CLOSED	P BRIDGE POSTED
M MONITORING SITE	TRAFFIC SIGNAL	W RWIS SITE	NC - STREET NAME CHANGE

DIR: B TOTAL LEN: .078 MI. DIST: 03-1 SR: 9402
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

000410 FT

000000 FT



000410 FT
FIFTH ST
(SR0061 SEG 0003/0042)
0500/0410 (SR0061 SEG 0002/0042)
000000 FT 1 0 00161 2 00 0000+00
NC RAMP B RD
INTER-BK SR 0061 SH
(SR0061 SEG 0112/2379)
MFC BEGIN = F
S 0500/0000 LENGTH(AH 0410 BK 0000)

DIR: B TOTAL LEN: .805 MI. DIST: 03-1 SR: 9202
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

004250 FT

002519 FT

FROM TRUCK PARKING AREA
(CONN)

0010/1908

000000 FT



004250 FT
INTER-AHD ROADSIDE REST RD
0020/1731 (SR9202 SEG 0010/2025)

002519 FT 0 0 00000 0 00 0000+00
INTER-BK ROADSIDE REST RD
(SR9202 SEG 0010/0447)
0020/0000 LENGTH(AH 1731 BK 2519)

INTER-AHD Z H CONFAIR MEMORIAL HW
0010/2519 (SR0080 SEG 2460/0016)
ROADSIDE REST RD
0010/2025 (SR9202 SEG 0020/1731)

ROADSIDE REST RD
0010/0447 (SR9202 SEG 0020/0000)
000000 FT 0 0 00000 0 00 0000+00
NC ROADSIDE REST RD
INTER-BK Z H CONFAIR MEMORIAL HW
(SR0080 SEG 2454/0148)
MFC BEGIN = F
0010/0000 LENGTH(AH 2519 BK 0000)

DIR: B TOTAL LEN: .908 MI. DIST: 03-1 SR: 9201
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

```
004796 FT                    004796 FT
                             INTER-AHD  ROADSIDE REST RD
                             0020/1770  (SR9201 SEG 0010/2558)

003026 FT                    003026 FT  0 0 00000 0 00 0000+00
                             INTER-BK   ROADSIDE REST RD
                                        (SR9201 SEG 0010/0965)
                           S 0020/0000  LENGTH(AH 1770 BK 3026)

                             INTER-AHD  Z H CONFAIR MEMORIAL HW
                             0010/3026  (SR0080 SEG 2455/0891)
                                        ROADSIDE REST RD
                             0010/2558  (SR9201 SEG 0020/1770)

                                        ROADSIDE REST RD
                             0010/0965  (SR9201 SEG 0020/0000)

000000 FT                    000000 FT  0 0 00000 0 00 0000+00
                                   NC  ROADSIDE REST RD
                             INTER-BK   Z H CONFAIR MEMORIAL HW
                                        (SR0080 SEG 2461/1327)
                                        MFC BEGIN = F
                           S 0010/0000  LENGTH(AH 3026 BK 0000)
```

DIR: S TOTAL LEN: .572 MI. DIST: 03-1 SR: 8008
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

```
003004 FT                    003004 FT
                             INTER-AHD Z H CONFAIR MEMORIAL HW
                             0750/0786 (SR0080 SEG 2420/0000)

                                       FROM 0339/0340 SH
                             0750/0112 (CONN)
002218 FT                    002218 FT 1 0 01009 2 16 0000+00
                                  NC RAMP C RD
                                       SR 0339 0340:0130
                                       (SR0339 SEG 0340/0123)
                           S 0750/0000 LENGTH(AH 0802 BK 0751)

                                       SR 0339 0340:0736
                             0500/0751 (SR0339 SEG 0340/0718)
                                       TO 0339/0340 SH
                             0500/0677 (CONN)

001467 FT                    001467 FT 1 0 01009 2 15 0000+00
                                  NC RAMP B RD
                             INTER-BK  Z H CONFAIR MEMORIAL HW
                                       (SR0080 SEG 2415/1862)
                           S 0500/0000 LENGTH(AH 0751 BK 0704)

                             INTER-AHD Z H CONFAIR MEMORIAL HW
                             0250/0704 (SR0080 SEG 2415/0589)

                                       FROM 0339/0340 SH
                             0250/0087 (CONN)
000763 FT                    000763 FT 1 0 01009 2 14 0000+00
                                  NC RAMP A RD
                                       SR 0339 0340:0736
                                       (SR0339 SEG 0340/0705)
                           S 0250/0000 LENGTH(AH 0704 BK 0763)

                                       SR 0339 0340:0139
                             0010/0763 (SR0339 SEG 0340/0145)
                                       TO 0339/0340 SH
                             0010/0685 (CONN)

000000 FT                    000000 FT 1 0 01009 2 17 0000+00
                                  NC RAMP D RD
                             INTER-BK  Z H CONFAIR MEMORIAL HW
                                       (SR0080 SEG 2414/0680)
                                       MFC BEGIN = F
                           S 0010/0000 LENGTH(AH 0763 BK 0000)
```

DIR: S TOTAL LEN: 1.285 MI. DIST: 03-1 SR: 8006
LEFT MUN: SOUTH CENTRE T RIGHT MUN: SOUTH CENTRE T

```
006783 FT                    006783 FT
                             INTER-AHD  COLUMBIA BLVD
                             0282/0892  (SR0011 SEG 0290/1564)
                                        T.SUSQ.RIVER
                                        STRUCTURE LENGTH  20 FT
                             0282/0724  BMSID 19/8006/0282/0724

005891 FT                    005891 FT  1 0 01009 2 07 0000+00
                                   NC RAMP Z RD
                             INTER-BK   RAMP Y RD
                                        (SR8006 SEG 0272/0217)
                           S 0282/0000  LENGTH(AH 0892 BK 0761)

                             INTER-AHD  COLUMBIA BLVD
                             0272/0761  (SR0011 SEG 0291/2248)
                                        RAMP Z RD
                             0272/0217  (SR8006 SEG 0282/0000)
                                         SIGN: 3 CHORD TRUSS
                             0272/0072  BMSID 19/8006/0272/0072
005130 FT                    005130 FT  1 0 01009 2 06 0000+00
                                   NC RAMP Y RD
                             INTER-BK   Z H CONFAIR MEMORIAL HW
                                        (SR0080 SEG 2405/0991)
                           S 0272/0000  LENGTH(AH 0761 BK 0984)

                             INTER-AHD  Z H CONFAIR MEMORIAL HW
                             0262/0984  (SR0080 SEG 2401/2401)

004146 FT                    004146 FT  1 0 01009 2 01 0000+00
                                        022 "DIA CIRC CONCR
                                        LEN=0394 INSTALLED UNKN
                                   NC RAMP T RD
                             INTER-BK   COLUMBIA BLVD
                                        (SR0011 SEG 0291/2464)
                           S 0262/0000  LENGTH(AH 0984 BK 0158)

                             INTER-AHD  COLUMBIA BLVD
                             0252/0158  (SR0011 SEG 0301/0405)
003988 FT                    003988 FT  1 0 01009 2 00 0000+00
                                   NC RAMP S RD
                             INTER-BK   COLUMBIA BLVD
                                        (SR0011 SEG 0290/2013)
                           S 0252/0000  LENGTH(AH 0158 BK 0885)

                             INTER-AHD  COLUMBIA BLVD
```

DIR: S TOTAL LEN: 1.285 MI. DIST: 03-1 SR: 8006
LEFT MUN: SOUTH CENTRE T RIGHT MUN: SOUTH CENTRE T

```
                                                 0040/0885 (SR0011 SEG 0290/0623)
                                                           SR 8006 RAMP W
                                                 0040/0585 OP ID 19/8006/0020/0923
                    003103 FT                    003103 FT 1 0 01009 2 05 0000+00
                                                       NC RAMP X RD
                                                 INTER-BK  Z H CONFAIR MEMORIAL HW
                                                           (SR0080 SEG 2404/0129)
                                                 S 0040/0000 LENGTH(AH 0885 BK 0764)

                                                 INTER-AHD RAMP W RD
                                                 0030/0764 (SR8006 SEG 0020/0469)

                    002339 FT                    002339 FT 1 0 01009 2 03 0000+00
                                                       NC RAMP V RD
                                                 INTER-BK  COLUMBIA BLVD
                                                           (SR0011 SEG 0291/1213)
                                                 S 0030/0000 LENGTH(AH 0764 BK 1323)

                                                 INTER-AHD Z H CONFAIR MEMORIAL HW
                                                 0020/1323 (SR0080 SEG 2404/0868)
                                                 0020/0985 BMSEN 19/8006/0020/0923
                                                           1 0 01009 2 04 0011+29
                                                           SR 11 RAMP X
                                                 0020/0923 BMSBG 19/8006/0020/0923
RAMP V RD
(SR8006 SEG 0030/0764)  0020/0469

                                                           018 "DIA CIRC CONCR
                                                 0020/0093 LEN=0022 INSTALLED UNKN
                    001016 FT                    001016 FT 1 0 01009 2 04 0000+00
                                                       NC RAMP W RD
                                                 INTER-BK  COLUMBIA BLVD
                                                           (SR0011 SEG 0280/1360)
                                                 S 0020/0000 LENGTH(AH 1323 BK 1016)

                                                 INTER-AHD COLUMBIA BLVD
                                                 0010/1016 (SR0011 SEG 0291/0956)

                                                           018 "DIA CIRC CONCR
                                                 0010/0318 LEN=0219 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0010/0099 LEN=1111 INSTALLED UNKN
                    000000 FT                    000000 FT 1 0 01009 2 02 0000+00
                                                       NC RAMP U RD
                                                 INTER-BK  Z H CONFAIR MEMORIAL HW
                                                           (SR0080 SEG 2400/1811)
                                                           MFC BEGIN = F
                                                 S 0010/0000 LENGTH(AH 1016 BK 0000)
```

DIR: N TOTAL LEN: .715 MI. DIST: 03-1 SR: 8005
LEFT MUN: BLOOMSBURG TO RIGHT MUN: BLOOMSBURG TO

```
003773 FT                    003773 FT
                             INTER-AHD  INTERCHANGE  RD
                             0500/0350  (SR0042  SEG  0440/0294)
003423 FT                    003423 FT  1  0  01115  2  02  0000+00
                                   NC  RAMP  G  RD
                             INTER-BK   MAIN  ST
                                        (SR0011  SEG  0100/0009)
                           S 0500/0000  LENGTH(AH  0350  BK  0541)

                             INTER-AHD  MONTOUR  BL
                             0250/0541  (SR0011  SEG  0081/0888)
                                        018  "DIA  CIRC  CONCR
                             0250/0422  LEN=0055  INSTALLED  UNKN
002882 FT                    002882 FT  1  0  01115  2  03  0000+00
                                   NC  RAMP  H  RD
                             INTER-BK   INTERCHANGE  RD
                                        (SR0042  SEG  0441/0278)
                           S 0250/0000  LENGTH(AH  0541  BK  1395)

                             INTER-AHD  MONTOUR  BL
                             0020/1395  (SR0011  SEG  0080/1161)

001487 FT                    001487 FT  1  0  01115  2  01  0000+00
                                   NC  RAMP  F  RD
                             INTER-BK   INTERCHANGE  RD
                                        (SR0042  SEG  0441/0000)
                           S 0020/0000  LENGTH(AH  1395  BK  1487)

                             INTER-AHD  INTERCHANGE  RD
                             0010/1487  (SR0042  SEG  0440/0000)
                                        015  "DIA  CIRC  METAL
                             0010/1133  LEN=0045  INSTALLED  UNKN
                                        015  "DIA  CIRC  METAL
                             0010/0863  LEN=0050  INSTALLED  UNKN
                                        018  "DIA  CIRC  CONCR
                             0010/0593  LEN=0045  INSTALLED  UNKN
000000 FT                    000000 FT  1  0  01115  2  00  0000+00
                                        018  "DIA  CIRC  CONCR
                                        LEN=0089  INSTALLED  UNKN
                                   NC  RAMP  E  RD
                             INTER-BK   MONTOUR  BL
                                        (SR0011  SEG  0080/0529)
                                        MFC  BEGIN  =  F
                           S 0010/0000  LENGTH(AH  1487  BK  0000)
```

DIR: W TOTAL LEN: 1.090 MI. DIST: 03-1 SR: 8004
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

```
005757 FT                    005757 FT
                             INTER-AHD  Z H CONFAIR MEMORIAL HW
                             0760/1427  (SR0080 SEG 2354/2363)

                                        018 "DIA CIRC CONCR
                             0760/0752  LEN=0030 INSTALLED UNKN
                                        FROM 0487/0320 SH
                             0760/0233  (CONN)
                                        018 "DIA CIRC CONCR
                             0760/0187  LEN=0036 INSTALLED UNKN
                                        018 "DIA CIRC CONCR
                             0760/0151  LEN=0151 INSTALLED UNKN
004330 FT                    004330 FT  1 0 01009 2 12 0000+00
                                  NC RAMP E RD
                                        LIGHTSTREET RD
                                        (SR0487 SEG 0321/0482)
                                        (SR0487 SEG 0320/0470)

                           S 0760/0000  LENGTH(AH 1427 BK 1105)

                                        LIGHTSTREET RD
                                        (SR0487 SEG 0321/0501)
                                        (SR0487 SEG 0320/0488)
                             0750/1105
                                        TO 0487/0320 SH
                             0750/1064  (CONN)
                                        024 "DIA CIRC CONCR
                             0750/0850  LEN=0242 INSTALLED UNKN
                                        018 "DIA CIRC CONCR
                             0750/0608  LEN=0030 INSTALLED UNKN
                                        018 "DIA CIRC CONCR
                             0750/0418  LEN=0035 INSTALLED UNKN
                                        018 "DIA CIRC CONCR
                             0750/0015  LEN=0022 INSTALLED UNKN
003225 FT                    003225 FT  1 0 01009 2 11 0000+00
                                  NC RAMP D RD
                             INTER-BK   Z H CONFAIR MEMORIAL HW
                                        (SR0080 SEG 2354/1691)
                           S 0750/0000  LENGTH(AH 1105 BK 0409)

                             INTER-AHD  LIGHTSTREET RD
                             0500/0409  (SR0487 SEG 0320/1358)
```

DIR: W TOTAL LEN: 1.090 MI. DIST: 03-1 SR: 8004
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

```
002816 FT                    002816 FT 1 0 01009 2 10 0000+00
                                   NC RAMP C RD
                             INTER-BK  Z H CONFAIR MEMORIAL HW
                                       (SR0080 SEG 2355/1949)
                             S 0500/0000 LENGTH(AH 0409 BK 1152)

                             INTER-AHD LIGHTSTREET RD
                             0270/1152 (SR0487 SEG 0321/1189)
                                       018 "DIA CIRC CONCR
                             0270/0975 LEN=0317 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0270/0629 LEN=0225 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0270/0387 LEN=0156 INSTALLED UNKN
001664 FT                    001664 FT 1 0 01009 2 08 0000+00
                                       018 "DIA CIRC CONCR
                                       LEN=0094 INSTALLED UNKN
                                   NC RAMP A RD
                             INTER-BK  Z H CONFAIR MEMORIAL HW
                                       (SR0080 SEG 2355/1143)
                             S 0270/0000 LENGTH(AH 1152 BK 1428)

                             INTER-AHD Z H CONFAIR MEMORIAL HW
                             0260/1428 (SR0080 SEG 2355/0431)

                                       018 "DIA CIRC CONCR
                             0260/0509 LEN=0044 INSTALLED UNKN
                                       RAMP B SP RD
                             0260/0219 (SR8004 SEG 0250/0236)
000236 FT                    000236 FT 1 0 01009 2 09 0000+00
                                   NC RAMP B RD
                                       LIGHTSTREET RD
                                       (SR0487 SEG 0320/1314)
                                       (SR0487 SEG 0321/1330)
                             S 0260/0000 LENGTH(AH 1428 BK 0236)

                             INTER-AHD RAMP B RD
                             0250/0236 (SR8004 SEG 0260/0219)
                                       018 "DIA CIRC CONCR
                             0250/0081 LEN=0000 INSTALLED UNKN
000000 FT                    000000 FT 1 0 01009 2 00 0000+00
                                   NC RAMP B SP RD
                             INTER-BK  LIGHTSTREET RD
                                       (SR0487 SEG 0321/1469)
                                       MFC BEGIN = F
                             S 0250/0000 LENGTH(AH 0236 BK 0000)
```

DIR: S TOTAL LEN: .753 MI. DIST: 03-1 SR: 8003
LEFT MUN: MONTOUR T RIGHT MUN: MONTOUR T

003977 FT

003498 FT



003977 FT
INTER-AHD MONTOUR BL
0750/0479 (SR0011 SEG 0070/1463)
018 "DIA CIRC CONCR
0750/0332 LEN=0000 INSTALLED UNKN
003498 FT 1 0 00183 2 00 0000+00

DIR: S TOTAL LEN: .753 MI. DIST: 03-1 SR: 8003
LEFT MUN: MONTOUR T RIGHT MUN: MONTOUR T

NC RAMP A RD
INTER-BK RUPERT DR
(SR0042 SEG 0430/1540)
0750/0000 LENGTH(AH 0479 BK 1428)

INTER-AHD RUPERT DR
0260/1428 (SR0042 SEG 0430/1990)

015 "DIA CIRC CONCR
0260/0550 LEN=0050 INSTALLED UNKN
002070 FT 002070 FT 1 0 00183 2 03 0000+00
NC RAMP D RD
INTER-BK MONTOUR BL
(SR0011 SEG 0071/0991)
0260/0000 LENGTH(AH 1428 BK 1647)

INTER-AHD MONTOUR BL
0250/1647 (SR0011 SEG 0071/0265)
018 "DIA CIRC CONCR
0250/1509 LEN=0111 INSTALLED UNKN
015 "DIA CIRC CONCR
0250/1447 LEN=0292 INSTALLED UNKN

015 "DIA CIRC METAL
0250/0231 LEN=0045 INSTALLED UNKN
015 "DIA CIRC METAL
0250/0035 LEN=0215 INSTALLED UNKN
000423 FT 000423 FT 1 0 00183 2 02 0000+00
NC RAMP C RD
INTER-BK RUPERT DR
(SR0042 SEG 0430/1990)
0250/0000 LENGTH(AH 1647 BK 0423)

INTER-AHD RUPERT DR
0010/0423 (SR0042 SEG 0430/1540)
015 "DIA CIRC CONCR
0010/0414 LEN=0215 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0215 LEN=0215 INSTALLED UNKN
000000 FT 000000 FT 1 0 00183 2 01 0000+00
NC RAMP B RD
INTER-BK MONTOUR BL
(SR0011 SEG 0070/0776)
MFC BEGIN = F
0010/0000 LENGTH(AH 0423 BK 0000)

DIR: S TOTAL LEN: 1.251 MI. DIST: 03-1 SR: 8002
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

006604 FT

005559 FT

004565 FT

TO 0042/0521 SH
(CONN)

0500/1132



006604 FT
INTER-AHD Z H CONFAIR MEMORIAL HW
0750/1045 (SR0080 SEG 2320/1784)

005559 FT 1 0 01009 2 21 0000+00
NC RAMP E RD
INTER-BK INTERCHANGE RD
(SR0042 SEG 0510/0270)
S 0750/0000 LENGTH(AH 1045 BK 0994)

INTER-AHD Z H CONFAIR MEMORIAL HW
0510/0994 (SR0080 SEG 2321/1325)

004565 FT 1 0 01009 2 20 0000+00
NC RAMP D RD
INTER-BK TO SR 0042/0520 SH
(SR0042 SEG 0510/1179)
S 0510/0000 LENGTH(AH 0994 BK 1365)

INTER-AHD INTERCHANGE RD
0500/1365 (SR0042 SEG 0520/0150)

029"H 45"W ELLIP CONC
0500/0512 LEN=0070 INSTALLED UNKN

DIR: S TOTAL LEN: 1.251 MI. DIST: 03-1 SR: 8002
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

003200 FT



018 "DIA CIRC CONCR
0500/0227 LEN=0069 INSTALLED UNKN
003200 FT 1 0 01009 2 19 0000+00
NC RAMP C RD
INTER-BK Z H CONFAIR MEMORIAL HW
(SR0080 SEG 2321/2056)
S 0500/0000 LENGTH(AH 1365 BK 0755)

INTER-AHD Z H CONFAIR MEMORIAL HW
0250/0755 (SR0080 SEG 2321/0241)
018 "DIA CIRC CONCR
0250/0636 LEN=0058 INSTALLED UNKN

002445 FT



024 "DIA CIRC METAL
0250/0030 LEN=0057 INSTALLED UNKN
002445 FT 1 0 01009 2 18 0000+00
NC RAMP A RD
INTER-BK INTERCHANGE RD
(SR0042 SEG 0511/1268)
S 0250/0000 LENGTH(AH 0755 BK 0988)

INTER-AHD Z H CONFAIR MEMORIAL HW
0020/0988 (SR0080 SEG 2320/0484)

001457 FT



001457 FT 1 0 01009 2 23 0000+00
NC RAMP H RD
INTER-BK INTERCHANGE RD
(SR0042 SEG 0511/0450)
S 0020/0000 LENGTH(AH 0988 BK 1457)

INTER-AHD TO 0042/0511 SH
0010/1457 (SR0042 SEG 0501/0884)

TO 0042/0510 SH
(CONN)

0010/1237



018 "DIA CIRC CONCR
0010/0932 LEN=0083 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0720 LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR
0010/0150 LEN=0024 INSTALLED UNKN
000000 FT 1 0 01009 2 22 0000+00
NC RAMP G RD
INTER-BK Z H CONFAIR MEMORIAL HW
(SR0080 SEG 2314/2267)
MFC BEGIN = F
S 0010/0000 LENGTH(AH 1457 BK 0000)

DIR: B TOTAL LEN: .047 MI. DIST: 03-1 SR: 4053
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

000248 FT

000000 FT



000248 FT BMSEN 19/4053/0010/0000
REF-AHD COUNTY LINE RD
0010/0248 (T412)
000000 FT 0 0 00000 0 00 0000+00
NC COUNTY LINE RD
REF-BK COUNTY LINE RD
(T412)
SR 0080
BMSBG 19/4053/0010/0000
MFC BEGIN = E
0010/0000 LENGTH(AH 0248 BK 0000)

DIR: B TOTAL LEN: .284 MI. DIST: 03-1 SR: 4051
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

	001501 FT		001501 FT
			* REF-AHD LUNGER DR
			0012/1501 (T477)
PENNDOT STOCKPILE 01 (GOVT)	0012/1289		
PENNDOT STOCKPILE 01 (GOVT)	0012/0910		0012/0910 (APRA) PENNDOT STOCKPIL
			018 "DIA CIR PLASTIC
			0012/0448 LEN=0060 INSTALLED UNKN
			FROM 0042/0500 SH
			0012/0134 (CONN)
			018 "DIA CIRC CONCR
			0012/0080 LEN=0058 INSTALLED UNKN
	000000 FT		000000 FT 0 0 00000 0 00 0000+00
			NC LUNGER DR
			MALL BLVD
			(SR0042 SEG 0511/0000)
			(SR0042 SEG 0510/0000)
			INTER-BK FROM 8002/0010 SH
			(CONN)
			MFC BEGIN = E
			S 0012/0000 LENGTH(AH 1501 BK 0000)



DIR: B TOTAL LEN: 7.020 MI. DIST: 03-1 SR: 4049
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

037066 FT



```
037066 FT
* REF-AHD    TOWNSHIP 0816 RT
  0140/3151  (TB16)
             018 "DIA CIR PLASTIC
  0140/2691  LEN=0045 INSTALLED UNKN
             018 "DIA CIR PLASTIC
  0140/2650  LEN=0036 INSTALLED UNKN
  0140/2424  BMSEN 19/4049/0140/2381
             0 0 00000 0 00 0000+00
```

DIR: B TOTAL LEN: 7.020 MI. DIST: 03-1 SR: 4049
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

			ELK CREEK
		0140/2381	BMSBG 19/4049/0140/2381
			018 "DIA CIRC METAL
		0140/0493	LEN=0043 INSTALLED UNKN
			018 "DIA CIRC METAL
		0140/0370	LEN=0033 INSTALLED 2005
		0140/0091	BMSEN 19/4049/0140/0000
033915 FT		033915 FT	1 0 00016 0 09 1434+06
			FISHING CREEK
			BMSBG 19/4049/0140/0000
	S	0140/0000	LENGTH(AH 3151 BK 3400)
			028"H 20"W METAL ARCH
		0130/3104	LEN=0036 INSTALLED 2006
			018 "DIA CIR PLASTIC
		0130/1914	LEN=0036 INSTALLED UNKN
			030 "DIA CIRC METAL
		0130/1154	LEN=0042 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0130/0366	LEN=0040 INSTALLED UNKN
030515 FT		030515 FT	1 0 00016 0 09 1400+06
			VILLAGE: ELK GROVE
	S	0130/0000	LENGTH(AH 3400 BK 2392)
			018 "DIA CIR PLASTIC
		0120/1684	LEN=0041 INSTALLED 2012
			036 "DIA CIRC METAL
		0120/0971	LEN=0040 INSTALLED UNKN
			036 "DIA CIRC METAL
		0120/0897	LEN=0045 INSTALLED UNKN
			036 "DIA CIRC METAL
		0120/0877	LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0120/0674	LEN=0035 INSTALLED UNKN
028123 FT		028123 FT	1 0 00016 0 08 1376+13
	S	0120/0000	LENGTH(AH 2392 BK 2185)
		0110/1907	BMSEN 19/4049/0110/1685
			1 0 00016 0 08 1370+17
			WEST BRANCH FISHING CRK
		0110/1685	BMSBG 19/4049/0110/1685

DIR: B TOTAL LEN: 7.020 MI. DIST: 03-1 SR: 4049
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

				SPRING LN
		==	0110/0833	(T726)
				018 "DIA CIRC METAL
			0110/0222	LEN=0030 INSTALLED UNKN
	025938 FT		025938 FT	1 0 00016 0 08 1353+35
				NC ELK GROVE RD
				JAMISON RD
				(T725)
		==	S 0110/0000	LENGTH(AH 2185 BK 2173)
				KINGSBURY DR
		==	0100/1662	(T759)
				018 "DIA CIR PLASTIC
			0100/1410	LEN=0036 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0100/0502	LEN=0040 INSTALLED 2002
				STEVENS HILL RD
		==	0100/0212	(T757)
			0100/0162	BMSEN 19/4049/0100/0000
	023765 FT		023765 FT	1 0 00016 0 08 1331+71
				VILLAGE: CENTRAL
				WEST BRANCH FISHING CRK
				BMSBG 19/4049/0100/0000
			S 0100/0000	LENGTH(AH 2173 BK 2125)
				018 "DIA CIR PLASTIC
			0090/1438	LEN=0040 INSTALLED 2012
SADDLE ROCK RD (T755)	0090/1270	==		
				015"H 21"W ELLIP METAL
			0090/0866	LEN=0048 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0090/0147	LEN=0035 INSTALLED 2012
	021640 FT		021640 FT	1 0 00016 0 08 1310+74
			S 0090/0000	LENGTH(AH 2125 BK 2730)
				018 "DIA CIR PLASTIC
			0080/2505	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0080/2236	LEN=0035 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0080/1995	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0080/1590	LEN=0041 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0080/1300	LEN=0034 INSTALLED UNKN

DIR: B TOTAL LEN: 7.020 MI. DIST: 03-1 SR: 4049
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

			018 "DIA CIR PLASTIC
		0080/0695	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/0210	LEN=0038 INSTALLED 2012
	018910 FT	018910 FT	1 0 00016 0 08 1283+80
			SCHOOL HOUSE DR
			(T714)
		S 0080/0000	LENGTH(AH 2730 BK 2484)
			036 "DIA CIR PLASTIC
		0070/2040	LEN=0067 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/1689	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0070/1001	LEN=0048 INSTALLED UNKN
			048 "DIA CIR PLASTIC
		0070/0829	LEN=0050 INSTALLED 2006
PETERMAN RD (T712)	0070/0705		
			015"H 21"W ELLIP METAL
		0070/0352	LEN=0045 INSTALLED UNKN
	016426 FT	016426 FT	1 0 00016 0 08 1258+50
			SR 0118 SH
			(SR0118 SEG 0070/0000)
SR 0118 SH (SR0118 SEG 0070/0000)	0070/0000	NC CENTRAL RD	
		S 0070/0000	LENGTH(AH 2484 BK 3619)
			015 "DIA CIRC CONCR
		0060/3555	LEN=0050 INSTALLED UNKN
			038"H 60"W ELLIP METAL
		0060/3300	LEN=0033 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/3030	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/2722	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/2526	LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/2218	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/1928	LEN=0040 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0060/1627	LEN=0036 INSTALLED 2006
			015 "DIA CIRC METAL
		0060/1448	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/1317	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/1203	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/1055	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 7.020 MI. DIST: 03-1 SR: 4049
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

			018 "DIA CIR PLASTIC
		0060/0658	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/0519	LEN=0045 INSTALLED UNKN
			048 "DIA CIRC CONCR
		0060/0260	LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/0040	LEN=0041 INSTALLED UNKN
1 0 00016 0 08 1223+95	012807 FT		012807 FT
LEDGE RD			
(T743)	0060/0000	5 0060/0000	LENGTH(AH 3619 BK 2841)
			018 "DIA CIR PLASTIC
		0050/2801	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0050/2280	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/2113	LEN=0045 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0050/1825	LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/1566	LEN=0033 INSTALLED UNKN
KLINGER HILL RD			
(T811)	0050/0835		
			015"H 21"W ELLIP METAL
		0050/0760	LEN=0090 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0050/0456	LEN=0046 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0050/0266	LEN=0045 INSTALLED 2002
	009966 FT	009966 FT	1 0 00016 0 08 1193+98
		5 0050/0000	LENGTH(AH 2841 BK 1192)
			015"H 21"W ELLIP METAL
		0040/1185	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/0225	LEN=0050 INSTALLED UNKN
	008774 FT	008774 FT	1 0 00016 0 07 1179+44
		5 0040/0000	LENGTH(AH 1192 BK 2995)
			032"H 49"W ELLIP METAL
		0030/2937	LEN=0045 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0030/2711	LEN=0036 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0030/2237	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/1855	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/1447	LEN=0042 INSTALLED UNKN

DIR: B TOTAL LEN: 7.020 MI. DIST: 03-1 SR: 4049
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

		018 "DIA CIR PLASTIC
	0030/1234	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/1017	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/0907	LEN=0045 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/0359	LEN=0040 INSTALLED UNKN
005779 FT	005779 FT	1 0 00016 0 07 1149+46
	S 0030/0000	LENGTH(AH 2995 BK 2973)
		018 "DIA CIRC METAL
	0020/2691	LEN=0036 INSTALLED UNKN
	0020/1580	BMSEN 19/4049/0020/1442
		1 0 00016 0 07 1134+14
		FISHING CREEK
	0020/1442	BMSBG 19/4049/0020/1442
		018 "DIA CIRC METAL
	0020/1147	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC METAL
	0020/0692	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0020/0213	LEN=0040 INSTALLED UNKN
002806 FT	002806 FT	1 0 00016 0 07 1119+73
	S 0020/0000	LENGTH(AH 2973 BK 2806)
		018 "DIA CIR PLASTIC
	0010/2713	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0010/2182	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/1652	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0010/1441	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC METAL
	0010/0872	LEN=0033 INSTALLED UNKN
		018 "DIA CIRC METAL
	0010/0615	LEN=0035 INSTALLED UNKN
		KEARKUFF RD
	0010/0184	(T808)
	0010/0131	BMSEN 19/4049/0010/0048
		1 0 00016 0 07 1092+16
		COLES CREEK
	0010/0048	BMSBG 19/4049/0010/0048
000000 FT	000000 FT	1 0 00016 0 07 1092+00
		NC CAMP LAVIGNE RD
		RED ROCK RD
		(SR0487 SEG 0710/0000)
		MFC BEGIN = D
	S 0010/0000	LENGTH(AH 2806 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 03-1 SR: 4047
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

000000 FT		000000 FT
		7060/0000 LENGTH(AH 1077 BK 2853)
000000 FT		000000 FT
		7050/0000 LENGTH(AH 2853 BK 1646)
000000 FT		000000 FT
		7040/0000 LENGTH(AH 1646 BK 2355)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 2355 BK 2241)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 2241 BK 2995)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 2995 BK 0000)

DIR: B TOTAL LEN: 2.042 MI. DIST: 03-1 SR: 4045
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

	010784 FT		010784 FT BMSEN 19/4045/0060/0000
			* REF-AHD GREEN CREEK RD
			0060/0023 (T715)
	010761 FT		010761 FT 2 0 19060 0 00 0234+26
			* REF-BK GREEN CREEK RD
			(T715)
			GREEN CREEK
			BMSBG 19/4045/0060/0000
			S 0060/0000 LENGTH(AH 0023 BK 0100)
	010761 FT		010761 FT
			7052/0000 LENGTH(AH 0100 BK 2093)
			INTER-AHD GREEN CREEK RD
			(T715)
DERRS RD			DISTILLERY HILL RD
(SR4030 SEG 0040/3607)	0050/2093		0050/2093 (T716)
			018 "DIA CIRC METAL
			0050/2043 LEN=0048 INSTALLED UNKN
			018 "DIA CIRC METAL
			0050/1790 LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0050/1311 LEN=0035 INSTALLED UNKN
			030 "DIA CIR PLASTIC
			0050/0714 LEN=0065 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0050/0237 LEN=0040 INSTALLED UNKN
	008668 FT		008668 FT 2 0 19060 0 00 0086+72
			S 0050/0000 LENGTH(AH 2093 BK 3361)
			JACKSON
			0040/3053 GREENWOOD T
			018 "DIA CIR PLASTIC
			0040/2365 LEN=0034 INSTALLED UNKN

DIR: B TOTAL LEN: 2.042 MI. DIST: 03-1 SR: 4045
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

			018 "DIA CIR PLASTIC
		0040/1737	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0040/0961	LEN=0044 INSTALLED UNKN
		0040/0085	BMSEN 19/4045/0040/0066
			2 0 19060 0 00 0053+79
			T GREEN CK
2 0 19060 0 00 0053+16	005307 FT	0040/0066	BMSBG 19/4045/0040/0066
			005307 FT
CAMPBELL RD			
(T586)	0040/0000	S 0040/0000	LENGTH(AH 3361 BK 2442)
LAUBACH RD			
(T457)	0030/2208		
		0030/1856	BMSEN 19/4045/0030/1814
			2 0 19060 0 00 0046+86
			GREEN CREEK
		0030/1814	BMSBG 19/4045/0030/1814
			015"H 21"W ELLIP METAL
		0030/1285	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/0587	LEN=0039 INSTALLED UNKN
	002865 FT	002865 FT	2 0 19060 0 00 0028+67
		S 0030/0000	LENGTH(AH 2442 BK 2003)
			030 "DIA CIRC METAL
		0020/2003	LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1743	LEN=0060 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0020/1258	LEN=0036 INSTALLED UNKN
			015"H 21"W ELLIP METAL
		0020/0323	LEN=0040 INSTALLED UNKN
			TRIBUTARY GREEN CREEK
			STRUCTURE LENGTH 16 FT
		0020/0203	BMSID 19/4045/0020/0203
	000862 FT	000862 FT	2 0 19060 0 00 0008+62
		S 0020/0000	LENGTH(AH 2003 BK 0862)
			024 "DIA CIR PLASTIC
		0010/0348	LEN=0040 INSTALLED UNKN
	000000 FT	000000 FT	2 0 19060 1 00 0000+00
			SR 0254 SH
			(SR0254 SEG 0330/0000)
		NC	GREEN CREEK RD
			MFC BEGIN = E
SR 0254 SH			
(SR0254 SEG 0330/0000)	0010/0000	S 0010/0000	LENGTH(AH 0862 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 03-1 SR: 4043
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

000000 FT		000000 FT
		7060/0000 LENGTH(AH 3435 BK 3402)
000000 FT		000000 FT
		7050/0000 LENGTH(AH 3402 BK 2311)
000000 FT		000000 FT
		7040/0000 LENGTH(AH 2311 BK 2880)
000000 FT		000000 FT
		7032/0000 LENGTH(AH 2880 BK 0235)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 0235 BK 2717)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 2717 BK 1622)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 1622 BK 0000)

DIR: B TOTAL LEN: 3.443 MI. DIST: 03-1 SR: 4041
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

	018178 FT	018178 FT	
		INTER-AHD	SR 0254 SH
			(SR0254 SEG 0300/0000)
SR 0254 SH			ZANERS RD
(SR0254 SEG 0300/0000)	0100/0845	0100/0845	(SR1022 SEG 0010/0000)
	017333 FT	017333 FT	2 0 19067 0 02 0143+00
		0100/0000	LENGTH(AH 0845 BK 1560)
		0090/1292	BMSEN 19/4041/0090/1263
			2 0 19067 0 02 0139+58
			T.GREEN CK.
		0090/1263	BMSBG 19/4041/0090/1263
			018 "DIA CIRC CONCR
		0090/1002	LEN=0037 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/0274	LEN=0040 INSTALLED UNKN
	015773 FT	015773 FT	2 0 19067 0 02 0126+59
			VILLAGE: RHORSBURG
		0090/0000	LENGTH(AH 1560 BK 2045)
			024 "DIA CIR PLASTIC
		0080/1839	LEN=0050 INSTALLED UNKN
			SHULTZ RD
		0080/1820	(T595)



DIR: B TOTAL LEN: 3.443 MI. DIST: 03-1 SR: 4041
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

			UTT RD ET
		0080/1679	(T456)
			018 "DIA CIR UNKNOWN
		0080/0980	LEN=0040 INSTALLED UNKN
			UTT RD ET
		0080/0869	(T456)
			036 "DIA CIRC CONCR
		0080/0760	LEN=0064 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/0371	LEN=0040 INSTALLED UNKN
	013728 FT	013728 FT	2 0 19067 0 01 0105+11
			VILLAGE: ROHRSBURG
		0080/0000	LENGTH(AH 2045 BK 3073)
			GREENWOOD
		0070/1679	ORANGE T
			018 "DIA CIRC METAL
		0070/1622	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC METAL
		0070/1283	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0920	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0070/0416	LEN=0033 INSTALLED UNKN
			048 "DIA CIRC METAL
		0070/0021	LEN=0050 INSTALLED UNKN
	010655 FT	010655 FT	2 0 19067 0 00 0074+54
			BELLES RD
			(T666)
		0070/0000	LENGTH(AH 3073 BK 3395)
			018 "DIA CIRC METAL
		0060/2659	LEN=0060 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0060/2220	LEN=0060 INSTALLED UNKN
			MARTENAS RD
		0060/1680	(T576)
			018 "DIA CIR UNKNOWN
		0060/1662	LEN=0040 INSTALLED UNKN
HARTMAN HOLLOW RD (T577)	0060/1572		
			072 "DIA CIRC CONCR
		0060/1476	LEN=0064 INSTALLED 2001
			018 "DIA CIR PLASTIC
		0060/1240	LEN=0052 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/0676	LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 3.443 MI. DIST: 03-1 SR: 4041
LEFT MUN: ORANGE T RIGHT MUN: ORANGE T

	007260 FT		007260 FT 2 0 19067 0 00 0040+38
			S 0060/0000 LENGTH(AH 3395 BK 1994)
			018 "DIA CIR PLASTIC
			0050/1690 LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0050/0624 LEN=0045 INSTALLED UNKN
	005266 FT		005266 FT 2 0 19067 0 00 0020+32
			S 0050/0000 LENGTH(AH 1994 BK 2019)
			018 "DIA CIRC METAL
			0040/1940 LEN=0040 INSTALLED UNKN
			SPORTSMAN CLUB RD
		==	0040/1578 (T569)
			048 "DIA CIR PLASTIC
			0040/1444 LEN=0042 INSTALLED 2008
			015"H 21"W ELLIP OTHER
			0040/0324 LEN=0036 INSTALLED UNKN
	003247 FT		003247 FT 2 0 19067 0 00 0000+00
			NEYHART RD
			(T830)
		==	S 0040/0000 LENGTH(AH 2019 BK 0929)
			018 "DIA CIR PLASTIC
			0030/0686 LEN=0038 INSTALLED UNKN
			018 "DIA CIRC METAL
			0030/0140 LEN=0036 INSTALLED UNKN
2 0 19030 0 02 0229+27	002318 FT		002318 FT
E J HALL RD			
(T557)	0030/0000	==	S 0030/0000 LENGTH(AH 0929 BK 1027)
GREEN CREEK RD			
(SR4020 SEG 0110/1669)	0020/0494	==	
			038"H 60"W ELLIP CONC
			0020/0406 LEN=0056 INSTALLED 2018
	001291 FT		001291 FT 2 0 19032 0 00 0013+01
			S 0020/0000 LENGTH(AH 1027 BK 1291)
EVANS LN			NOR POLE RD
(T572)	0010/0433	== ==	0010/0433 (T572)
			024 "DIA CIRC METAL
			0010/0042 LEN=0120 INSTALLED UNKN
	000000 FT		000000 FT 2 0 19032 0 00 0000+00
			NC ROHRSBURG RD
			SR 0487 SH
			(SR0487 SEG 0450/1345)
			MFC BEGIN = D
		== ==	S 0010/0000 LENGTH(AH 1291 BK 0000)

DIR: B TOTAL LEN: .239 MI. DIST: 03-1 SR: 4040
LEFT MUN: PINE T RIGHT MUN: PINE T

```
001262 FT                    001262 FT
                             INTER-AHD  TALMAR RD
                                        (SR4032 SEG 0010/0000)
                                        SAWMILL RD
                             0010/1262  (TWP )
                                        LC TO SAWMILL RD
                             0010/1117  (CONN)

                                        018 "DIA CIRC CONCR
                             0010/0380  LEN=0030 INSTALLED UNKN
000000 FT                    000000 FT  2 0 41076 6 00 0000+00
                                   NC TALMAR RD
                           * REF-BK     TALMAR RD
                                        (SR2019 SEG 0230/2313)
                                        MFC BEGIN = D
                                         BK-LYCOMING        (41)
                           S 0010/0000  LENGTH(AH 1262 BK 0000)
```

DIR: B TOTAL LEN: 5.265 MI. DIST: 03-1 SR: 4039
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

027801 FT
SERENO RD
(TWP) 0100/2810

2 0 19062 0 00 0250+20 024991 FT
ARDENS HILL RD
(T685) 0100/0000



027801 FT
INTER-AHD CREASYVILLE HOLLOW RD
0100/2810 (T710)
018 "DIA CIR PLASTIC
0100/2440 LEN=0060 INSTALLED UNKN
018 "DIA CIR PLASTIC
0100/2285 LEN=0060 INSTALLED UNKN
036 "DIA CIRC METAL
0100/2050 LEN=0057 INSTALLED UNKN
018 "DIA CIR PLASTIC
0100/1875 LEN=0052 INSTALLED UNKN
018 "DIA CIR PLASTIC
0100/1310 LEN=0055 INSTALLED UNKN
018 "DIA CIRC METAL
0100/0961 LEN=0048 INSTALLED UNKN

018 "DIA CIR PLASTIC
0100/0005 LEN=0054 INSTALLED UNKN
024991 FT
S 0100/0000 LENGTH(AH 2810 BK 2219)

DIR: B TOTAL LEN: 5.265 MI. DIST: 03-1 SR: 4039
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

			0090/2012	018 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN ARDENS HILL RD (T685)
			0090/1880	018 "DIA CIR PLASTIC LEN=0054 INSTALLED UNKN
			0090/0815	015 "DIA CIRC METAL LEN=0050 INSTALLED UNKN
	022772 FT		022772 FT	2 0 19062 0 00 0228+10 DERR'S RD (SR4030 SEG 0010/0000) MFC BEGIN = E
EAGLE RD (SR4037 SEG 0170/1526)	0090/0000		S 0090/0000	LENGTH(AH 2219 BK 1903)
			0080/1857	024 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN
			0080/1563	JACKSON GREENWOOD T
			0080/1390	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2005
STARR RD (T500)	0080/1221			
			0080/0825	072 "DIA CIRC METAL LEN=0050 INSTALLED 2000
			0080/0054	018 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN
	020869 FT		020869 FT	2 0 19062 0 00 0209+15 VILLAGE: DERRS MCHENRY RD (T659)
			S 0080/0000	LENGTH(AH 1903 BK 3164)
			0070/2723	015 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
			0070/2175	015 "DIA CIRC METAL LEN=0045 INSTALLED UNKN
KEELER RD (T657)	0070/1492			
			0070/1436	042 "DIA CIR PLASTIC LEN=0044 INSTALLED 2007
			0070/0750	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
			0070/0090	036 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
	017705 FT		017705 FT	2 0 19062 0 00 0177+45

DIR: B TOTAL LEN: 5.265 MI. DIST: 03-1 SR: 4039
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

		0070/0000	LENGTH(AH 3164 BK 3101)
			018 "DIA CIRC CONCR
		0060/3033	LEN=0036 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0060/2554	LEN=0033 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/2410	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/1888	LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/1476	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/0985	LEN=0040 INSTALLED UNKN
			036 "DIA CIRC METAL
		0060/0774	LEN=0050 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0060/0213	LEN=0050 INSTALLED UNKN
	014604 FT	014604 FT	2 0 19062 0 00 0146+44
			LAUBACH HILL RD
			(T457)
		0060/0000	LENGTH(AH 3101 BK 2733)
			048 "DIA CIRC METAL
		0050/2700	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/1810	LEN=0036 INSTALLED UNKN
MILROY RD (T649)	0050/1550		
			030 "DIA CIRC CONCR
		0050/1131	LEN=0045 INSTALLED UNKN
	011871 FT	011871 FT	2 0 19062 0 00 0119+09
		0050/0000	LENGTH(AH 2733 BK 2988)
			030 "DIA CIRC CONCR
		0040/2751	LEN=0070 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0040/1068	LEN=0045 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0040/0040	LEN=0036 INSTALLED UNKN
	008883 FT	008883 FT	2 0 19062 0 00 0089+19
		0040/0000	LENGTH(AH 2988 BK 2810)
			024 "DIA CIRC CONCR
		0030/2680	LEN=0045 INSTALLED UNKN

DIR: B TOTAL LEN: 5.265 MI. DIST: 03-1 SR: 4039
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

			018 "DIA CIRC CONCR
		0030/2441	LEN=0041 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/1135	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0030/0332	LEN=0040 INSTALLED 2006
			024 "DIA CIR PLASTIC
		0030/0021	LEN=0050 INSTALLED UNKN
2 0 19062 0 00 0061+07	006073 FT	006073 FT	WINTERS RD
OWL RD			(T459)
(T599)	0030/0000	0030/0000	LENGTH(AH 2810 BK 3490)
			018 "DIA CIR PLASTIC
		0020/2921	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/2363	LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1393	LEN=0048 INSTALLED UNKN
			CARDINAL RD
		0020/1083	(T455)
			018 "DIA CIRC METAL
		0020/0636	LEN=0042 INSTALLED UNKN
2 0 19062 0 00 0026+15	002583 FT	002583 FT	
FAUSEY RD			
(T580)	0020/0000	0020/0000	LENGTH(AH 3490 BK 2583)
			018 "DIA CIR PLASTIC
		0010/2313	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/1602	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1279	LEN=0034 INSTALLED UNKN
			PHILLIPS RD
		0010/0953	(T582)
			018 "DIA CIRC CONCR
		0010/0052	LEN=0054 INSTALLED UNKN
	000000 FT	000000 FT	2 0 19062 0 00 0000+00
			NC AUSTIN TRAIL RD
			SR 0254 SH
			(SR0254 SEG 0290/0000)
			MFC BEGIN = D
		0010/0000	LENGTH(AH 2583 BK 0000)

DIR: B TOTAL LEN: .408 MI. DIST: 03-1 SR: 4038
LEFT MUN: MADISON T RIGHT MUN: MADISON T

WHITE HALL RD
(SR0044 SEG 0260/0000)

002152 FT
0010/2152



002152 FT WHITE HALL RD
0010/2152 (SR0044 SEG 0260/0000)
01B "DIA CIR PLASTIC
0010/2100 LEN=0070 INSTALLED 2002

000000 FT

000000 FT 2 0 47031 6 00 0036+53
NC STRAWBERRY RIDGE RD
REF-BK STRAWBERRY RIDGE RD
(SR1002 SEG 0090/3272)
MFC BEGIN = D
BK-MONTOUR (47)
0010/0000 LENGTH(AH 2152 BK 0000)

DIR: B TOTAL LEN: 8.918 MI. DIST: 03-1 SR: 4037
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

	047087 FT		047087 FT
			INTER-AHD DERR'S RD
			(SR4030 SEG 0010/0000)
AUSTIN TRAIL RD			AUSTIN TRAIL RD
(SR4039 SEG 0090/0000)	0170/1526		0170/1526 (SR4039 SEG 0090/0000)
			JACKSON
			0170/1120 GREENWOOD T
			036 "DIA CIRC CONCR
			0170/1055 LEN=0036 INSTALLED UNKN
			018 "DIA CIRC METAL
			0170/0550 LEN=0038 INSTALLED UNKN
			018 "DIA CIRC METAL
			0170/0361 LEN=0044 INSTALLED UNKN
2 0 19063 0 03 0453+95	045561 FT		045561 FT
PARKER RD			
(T458)	0170/0000		0170/0000 LENGTH(AH 1526 BK 2319)

DIR: B TOTAL LEN: 8.918 MI. DIST: 03-1 SR: 4037
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

		0160/0963	018 "DIA CIR PLASTIC LEN=0026 INSTALLED UNKN
		0160/0912	KEELER RD (T657)
		0160/0636	060 "DIA CIR METAL LEN=0052 INSTALLED 1997
		0160/0459	018 "DIA CIR PLASTIC LEN=0048 INSTALLED UNKN
2 0 19063 0 03 0430+77	043242 FT		043242 FT
STOUT RD (T653)	0160/0000	S 0160/0000	LENGTH(AH 2319 BK 3236)
		0150/1612	JOHNSON RD (T655)
		0150/0825	018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
		0150/0064	HOLLOW RD (T648)
	040006 FT	040006 FT	2 0 19063 0 03 0398+41
		S 0150/0000	LENGTH(AH 3236 BK 2537)
		0140/2508	LC FOR HOLLOW RD (CONN)
		0140/2504	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
		0140/2375	036 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN
LC FOR BALD HILL RD (CONN)	0140/1889		
BALD HILL RD (T647)	0140/1788		
		0140/1603	018 "DIA CIRC CONCR LEN=0046 INSTALLED UNKN
		0140/0250	018 "DIA CIRC METAL LEN=0036 INSTALLED UNKN
		0140/0196	MILROY RD (T649)
	037469 FT	037469 FT	2 0 19063 0 03 0373+04
			CANARY RD (T584)
		S 0140/0000	LENGTH(AH 2537 BK 3460)

DIR: B TOTAL LEN: 8.918 MI. DIST: 03-1 SR: 4037
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

WHITE HORSE PK
(T661)

		018 "DIA CIR PLASTIC
	0130/2440	LEN=0032 INSTALLED UNKN
0130/2254		
		024 "DIA CIR PLASTIC
	0130/2234	LEN=0046 INSTALLED UNKN
		024 "DIA CIRC METAL
	0130/1825	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0130/1497	LEN=0036 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0130/0971	LEN=0054 INSTALLED UNKN
		036"H 60"W ELLIP METAL
	0130/0322	LEN=0052 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0130/0075	LEN=0042 INSTALLED UNKN
034009 FT	034009 FT	2 0 19063 0 02 0349+55
	S 0130/0000	LENGTH(AH 3460 BK 3031)
		018 "DIA CIRC METAL
	0120/2755	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC METAL
	0120/2493	LEN=0038 INSTALLED UNKN
		018 "DIA CIRC METAL
	0120/1776	LEN=0040 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0120/0816	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC METAL
	0120/0432	LEN=0044 INSTALLED UNKN
		042 "DIA CIR PLASTIC
	0120/0047	LEN=0042 INSTALLED UNKN
030978 FT	030978 FT	2 0 19063 0 02 0319+22
	S 0120/0000	LENGTH(AH 3031 BK 2859)
		LC FOR CANARY RD
	0110/2800	(CONN)
		CANARY RD
	0110/2272	(T584)
		018 "DIA CIR PLASTIC
	0110/2075	LEN=0035 INSTALLED UNKN
		048 "DIA CIR PLASTIC
	0110/1328	LEN=0040 INSTALLED UNKN
		LC FOR TRIVELPIECE RD
	0110/0815	(CONN)
		TRIVELPIECE RD
	0110/0718	(T576)

DIR: B TOTAL LEN: 8.918 MI. DIST: 03-1 SR: 4037
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

	028119 FT		028119 FT 2 0 19063 0 02 0290+62
		S	0110/0000 LENGTH(AH 2859 BK 2587)
			036 "DIA CIR PLASTIC
			0100/2454 LEN=0045 INSTALLED 2004
			018 "DIA CIR PLASTIC
			0100/2051 LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0100/1127 LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0100/1005 LEN=0035 INSTALLED UNKN
			030 "DIA CIR PLASTIC
			0100/0010 LEN=0045 INSTALLED 2006
	025532 FT		025532 FT 2 0 19063 0 02 0264+73
			OLD GREENWOOD RD
			(T597)
		S	0100/0000 LENGTH(AH 2587 BK 2173)
			024 "DIA CIRC METAL
			0090/2152 LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0090/1556 LEN=0035 INSTALLED UNKN
			0090/0754 BMSEN 19/4037/0090/0732
			2 0 19063 0 01 0249+89
			MUD RUN
			0090/0732 BMSBG 19/4037/0090/0732
			018 "DIA CIR PLASTIC
			0090/0447 LEN=0040 INSTALLED UNKN
	023359 FT		023359 FT 2 0 19063 0 01 0242+57
			NC EAGLE RD
			SR 0254 SH
			(SR0254 SEG 0250/0000)
		S	0090/0000 LENGTH(AH 2173 BK 3193)
			030 "DIA CIR PLASTIC
			0080/3123 LEN=0046 INSTALLED UNKN
OLD STATE RD (T591)	0080/3035		
			018 "DIA CIRC METAL
			0080/1647 LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0080/1142 LEN=0080 INSTALLED UNKN
2 0 19063 0 00 0201+37	020166 FT		020166 FT

DIR: B TOTAL LEN: 8.918 MI. DIST: 03-1 SR: 4037
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

BOTTOM RD (T583)	0080/0000	0080/0000	LENGTH(AH 3193 BK 3504)
			024 "DIA CIRC METAL
		0070/3472	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/3252	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC METAL
		0070/2868	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0070/2720	LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/2334	LEN=0050 INSTALLED UNKN
			UTT RD
		0070/2210	(T456)
			018 "DIA CIR PLASTIC
		0070/1666	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0070/1388	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0070/1225	LEN=0035 INSTALLED UNKN
		0070/0327	BMSEN 19/4037/0070/0259
			0 0 00000 0 00 0000+00
			MUD RUN
		0070/0259	BMSBG 19/4037/0070/0259
	016662 FT	016662 FT	2 0 19063 0 00 0166+45
		0070/0000	LENGTH(AH 3504 BK 3194)
PATS LOWER RD (T585)	0060/3101		
			024 "DIA CIR PLASTIC
		0060/2665	LEN=0054 INSTALLED UNKN
PATS UPPER RD (T593)	0060/2081		
			018 "DIA CIRC METAL
		0060/1704	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC METAL
		0060/1207	LEN=0046 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/0888	LEN=0051 INSTALLED UNKN
			GREENWOOD
		0060/0596	ORANGE T
			018 "DIA CIRC METAL
		0060/0540	LEN=0051 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/0222	LEN=0055 INSTALLED UNKN
BLACK RD (TWP)	0060/0218		
			LC FOR TURKEYPATH RD
		0060/0100	(CONN)
	013468 FT	013468 FT	2 0 19063 0 00 0134+52

DIR: B TOTAL LEN: 8.918 MI. DIST: 03-1 SR: 4037
LEFT MUN: ORANGE T RIGHT MUN: ORANGE T

```
                                                    TURKEYPATH RD
                                                    (T572)
                                                    HARTMAN HOLLOW RD
                                                    (T577)
                                                 S  0060/0000 LENGTH(AH 3194 BK 2692)

                                                    MONTAGUE HOLLOW RD
                                                    0050/1627 (T558)
                                                    036 "DIA CIR PLASTIC
                                                    0050/1613 LEN=0050 INSTALLED 2005
                                                    018 "DIA CIRC METAL
                                                    0050/1496 LEN=0030 INSTALLED UNKN
                                                    036 "DIA CIRC METAL
                                                    0050/0938 LEN=0060 INSTALLED 1998
                                                    018 "DIA CIRC METAL
                                                    0050/0741 LEN=0045 INSTALLED UNKN
                                                    018 "DIA CIRC METAL
                                                    0050/0578 LEN=0036 INSTALLED UNKN
2 0 19063 0 00 0107+65 010776 FT                    010776 FT
WELLIVERVILLE RD
(T559)                 0050/0000                 S  0050/0000 LENGTH(AH 2692 BK 2708)
LC FOR WELLIVERVILLE RD
(CONN)                 0040/2562

                                                    018 "DIA CIR PLASTIC
                                                    0040/2115 LEN=0038 INSTALLED UNKN

                                                    015"H 18"W ELLIP METAL
                                                    0040/1421 LEN=0032 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                                    0040/1186 LEN=0030 INSTALLED UNKN

                                                    024 "DIA CIR PLASTIC
                                                    0040/0446 LEN=0055 INSTALLED UNKN
                                                    KLINE RD
                                                    0040/0208 (T570)
2 0 19063 0 00 0080+62 008068 FT                    008068 FT
FESTER RD
(T551)                 0040/0000                 S  0040/0000 LENGTH(AH 2708 BK 3040)

                                                    018"H 30"W ELLIP METAL
                                                    0030/1890 LEN=0035 INSTALLED UNKN
                                                    015"H 21"W ELLIP METAL
                                                    0030/1721 LEN=0032 INSTALLED UNKN
                                                    018 "DIA CIRC METAL
                                                    0030/1202 LEN=0036 INSTALLED UNKN
                                                    LC FOR MCHENRY HILL RD
                                                    0030/0802 (CONN)
                                                    MCHENRY HILL RD
```

DIR: B TOTAL LEN: 8.918 MI. DIST: 03-1 SR: 4037
LEFT MUN: ORANGE T RIGHT MUN: ORANGE T

```
                                                 0030/0645 (T561)
                                                           018 "DIA CIRC METAL
                                                 0030/0551 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0030/0192 LEN=0047 INSTALLED UNKN
2 0 19063 0 00 0050+30 005028 FT                 005028 FT
HACKS RD
(T516)                 0030/0000                S 0030/0000 LENGTH(AH 3040 BK 3020)
                                                           018 "DIA CIRC METAL
                                                 0020/2469 LEN=0038 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/2135 LEN=0042 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/1807 LEN=0042 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/1520 LEN=0048 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/1256 LEN=0062 INSTALLED UNKN
                                                           036 "DIA CIR PLASTIC
                                                 0020/1000 LEN=0050 INSTALLED 2004
                                                           018 "DIA CIRC METAL
                                                 0020/0874 LEN=0050 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/0570 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/0243 LEN=0044 INSTALLED UNKN
                       002008 FT                 002008 FT 2 0 19063 0 00 0020+00
                                                           OMAN RD
                                                           (T568)
                                                 S 0020/0000 LENGTH(AH 3020 BK 2008)
                                                           030 "DIA CIRC METAL
                                                 0010/2000 LEN=0054 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0010/1830 LEN=0041 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0010/1557 LEN=0036 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0010/1209 LEN=0045 INSTALLED UNKN
                                                           036 "DIA CIR PLASTIC
                                                 0010/0892 LEN=0065 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0010/0604 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0010/0257 LEN=0040 INSTALLED UNKN
                       000000 FT                 000000 FT 2 0 19063 0 00 0000+00
                                                      NC BOWMANS MILL RD
                                                           GREEN CREEK RD
                                                           (SR4020 SEG 0090/0000)
                                                           MFC BEGIN = E
                                                 S 0010/0000 LENGTH(AH 2008 BK 0000)
```

DIR: B TOTAL LEN: .020 MI. DIST: 03-1 SR: 4036
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

000105 FT

000000 FT

000000 FT



000105 FT RED MILL RD
0012/0105 (TWP)
BMSEN 19/4036/0012/0000
0012/0048 BRIDGE POSTED (TONS)
HEMLOCK
0012/0025 MONTOUR T
000000 FT 2 0 19100 0 00 0027+36
NC PERRY AV
* REF-BK PERRY AV
(TB00)
SGL 32 COMB 40
HEMLOCK CREEK
BMSBG 19/4036/0012/0000
S 0012/0000 LENGTH(AH 0105 BK 2398)
000000 FT
7010/0000 LENGTH(AH 2398 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 03-1 SR: 4035
LEFT MUN: ORANGEVILLE B RIGHT MUN: ORANGEVILLE B

000000 FT		000000 FT
		7060/0000 LENGTH(AH 2288 BK 1988)
000000 FT		000000 FT
		7050/0000 LENGTH(AH 1988 BK 2989)
000000 FT		000000 FT
		7040/0000 LENGTH(AH 2989 BK 2528)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 2528 BK 3512)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 3512 BK 2962)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 2962 BK 0000)

DIR: B TOTAL LEN: 1.345 MI. DIST: 03-1 SR: 4034
LEFT MUN: ORANGEVILLE B RIGHT MUN: ORANGEVILLE B

BORO AL
(BORO)

007100 FT

0030/2197



007100 FT MAIN ST
0030/2336 (SR0487 SEG 0430/1380)

MILL ST
0030/2057 (BORO)

DIR: B TOTAL LEN: 1.345 MI. DIST: 03-1 SR: 4034
LEFT MUN: ORANGEVILLE B RIGHT MUN: ORANGEVILLE B

			018 "DIA CIRC METAL
		0030/2021	LEN=0036 INSTALLED UNKN
			B FISHING CR
			STRUCTURE LENGTH 12 FT
			BMSID 19/4034/0030/1505
			ORANGEVILLE
		0030/1505	ORANGE T
			018 "DIA CIR PLASTIC
		0030/1237	LEN=0045 INSTALLED 1999
CONNER LN			
(PRDR)	0030/0167		
	004764 FT	004764 FT	2 0 19031 0 01 0050+82
			KNOB MT TERRACE RD
			(T667)
		S 0030/0000	LENGTH(AH 2336 BK 2037)
			018 "DIA CIRC METAL
		0020/1215	LEN=0045 INSTALLED UNKN
			VANTAGE DR
		0020/1113	(PRDR)
			036 "DIA CIRC CONCR
		0020/0913	LEN=0090 INSTALLED UNKN
SANDY STONE DR			
(PRDR)	0020/0608		
			042 "DIA CIRC METAL
		0020/0057	LEN=0057 INSTALLED UNKN
	002727 FT	002727 FT	2 0 19031 0 01 0029+53
			NC MT PLEASANT RD
MT PLEASANT RD			MFC BEGIN = D
(CNTY)	0020/0000	S 0020/0000	LENGTH(AH 2037 BK 2727)
			018 "DIA CIRC CONCR
		0010/2196	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/1810	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1510	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0403	LEN=0040 INSTALLED UNKN
			030 "DIA CIRC METAL
		0010/0055	LEN=0040 INSTALLED UNKN
	000000 FT	000000 FT	2 0 19031 0 00 0000+00
			NC CHARMUND RD
			SR 0487 SH
			(SR0487 SEG 0410/0000)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 2727 BK 0000)

DIR: B TOTAL LEN: .019 MI. DIST: 03-1 SR: 4033
LEFT MUN: PINE T RIGHT MUN: PINE T

000101 FT		000101 FT
		7110/0000 LENGTH(AH 3194 BK 2691)
000101 FT		000101 FT
		7100/0000 LTH AH 002691 BK 000404
000101 FT		000101 FT
		7094/0000 LTH AH 000404 BK 003068
000101 FT		000101 FT
		7090/0000 LENGTH(AH 3068 BK 3026)
000101 FT		000101 FT
		7080/0000 LENGTH(AH 3026 BK 3011)
000101 FT		000101 FT

DIR: B TOTAL LEN: .019 MI. DIST: 03-1 SR: 4033
LEFT MUN: PINE T RIGHT MUN: PINE T

```
                                          7070/0000 LENGTH(AH 3011 BK 2992)
000101 FT                                 000101 FT
                                          7060/0000 LENGTH(AH 2992 BK 3004)
000101 FT                                 000101 FT
                                          7050/0000 LENGTH(AH 3004 BK 2778)
000101 FT                                 000101 FT
                                          7040/0000 LENGTH(AH 2778 BK 0048)
000101 FT                                 000101 FT
                                          7034/0000 LENGTH(AH 0048 BK 0021)
                                                    BMSEN 19/4033/0032/0000
                                       * REF-AHD    WOLF HOUSE RD
                                          0032/0021 (T865)
000080 FT                                 000080 FT 2 0 19065 0 00 0089+27
                                       * REF-BK     WOLF HOUSE RD
                                                    (T865)
                                                    WOLFHOUSE R.
                                                    BMSBG 19/4033/0032/0000
                                       S  0032/0000 LENGTH(AH 0021 BK 2729)
000080 FT                                 000080 FT
                                          7030/0000 LENGTH(AH 2729 BK 1052)
000080 FT                                 000080 FT
                                          7024/0000 LENGTH(AH 1052 BK 0021)
                                                    BMSEN 19/4033/0022/0000
                                       * REF-AHD    WOLF HOUSE HOLLOW RD
                                          0022/0021 (T865)
000059 FT                                 000059 FT 2 0 19065 0 00 0051+30
                                       * REF-BK     WOLF HOUSE HOLLOW RD
                                                    (T865)
                                                    WOLFHOUSE RUN
                                                    BMSBG 19/4033/0022/0000
                                       S  0022/0000 LENGTH(AH 0021 BK 2138)
000059 FT                                 000059 FT
                                          7020/0000 LENGTH(AH 2138 BK 2609)
000059 FT                                 000059 FT
                                          7014/0000 LENGTH(AH 2609 BK 0059)
                                                    BMSEN 19/4033/0012/0000
                                       * REF-AHD    WOLF HOUSE HOLLOW RD
                                          0012/0059 (T865)
                                                    PINE
                                          0012/0029 GREENWOOD T
000000 FT                                 000000 FT 2 0 19065 0 00 0002+86
                                                NC WOLF HOUSE RD
                                       * REF-BK     WOLF HOUSE HOLLOW RD
                                                    (T865)
                                                    LITTLE FISHING CREEK
                                                    BMSBG 19/4033/0012/0000
                                                    MFC BEGIN = E
                                       S  0012/0000 LENGTH(AH 0059 BK 0306)
000000 FT                                 000000 FT
                                          7010/0000 LENGTH(AH 0306 BK 0000)
```

DIR: B TOTAL LEN: 2.525 MI. DIST: 03-1 SR: 4032
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
                                                   013332 FT  BMSEN 19/4032/0060/0743
                                                   REF-AHD    MENDENHALL HILL RD
                                                 * 0060/0770  (T725)
                                                              JACKSON
                                                   0060/0753  PINE T
                                                              2 0 19061 0 03 0381+01
                                                              LITTLE FISHING CREEK
                                                   0060/0743  BMSBG 19/4032/0060/0743

                                                              018 "DIA CIRC CONCR
                                                   0060/0070  LEN=0047 INSTALLED UNKN
                                                   012562 FT  2 0 19061 0 03 0373+68
                                                              CREASEYVILLE HOLLOW RD
                                                              (T710)
                                                 5 0060/0000  LENGTH(AH 0770 BK 2554)

                                                              018 "DIA CIRC CONCR
                                                   0050/1948  LEN=0048 INSTALLED UNKN
                                                              HICKORYNUT HILL RD
                                                   0050/1882  (T304)


                                                              018 "DIA CIRC CONCR
                                                   0050/0800  LEN=0040 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                   0050/0578  LEN=0036 INSTALLED UNKN
                                                   010008 FT  2 0 19065 0 02 0444+50
                                                 5 0050/0000  LENGTH(AH 2554 BK 1550)
                                                   0040/1396  BMSEN 19/4032/0040/1367
                                                              2 0 19065 0 01 0440+12
                                                              LITTLE BRIER RUN
                                                   0040/1367  BMSBG 19/4032/0040/1367
                                                              018 "DIA CIR PLASTIC
                                                   0040/0777  LEN=0037 INSTALLED 2016

                                                              018 "DIA CIRC CONCR
                                                   0040/0098  LEN=0035 INSTALLED UNKN
2 0 19065 0 01 0426+15 008458 FT                   008458 FT
KESSLER HOLLOW RD
(T533)                 0040/0000                 5 0040/0000  LENGTH(AH 1550 BK 2659)
                                                              018 "DIA CIRC CONCR
                                                   0030/2325  LEN=0040 INSTALLED UNKN
                                                              018 "DIA CIRC METAL
                                                   0030/2012  LEN=0050 INSTALLED UNKN
```

DIR: B TOTAL LEN: 2.525 MI. DIST: 03-1 SR: 4032
LEFT MUN: PINE T RIGHT MUN: PINE T

			018 "DIA CIRC CONCR
		0030/1231	LEN=0040 INSTALLED UNKN
			CHARLES LN
		0030/0995	(T710)
			018 "DIA CIRC CONCR
		0030/0945	LEN=0045 INSTALLED UNKN
	005799 FT	005799 FT	2 0 19065 0 01 0399+57
		0030/0000	LENGTH(AH 2659 BK 2734)
			015 "DIA CIRC CONCR
		0020/2250	LEN=0042 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0020/1027	LEN=0020 INSTALLED 2000
			HEMLOCK HOLLOW RD
		0020/0970	(T602)
			015 "DIA CIRC METAL
		0020/0186	LEN=0054 INSTALLED UNKN
2 0 19065 0 01 0372+20	003065 FT	003065 FT	BEECH GLEN RD
WOODS RD			(T810)
(T748)	0020/0000	0020/0000	LENGTH(AH 2734 BK 3065)
			018 "DIA CIR PLASTIC
		0010/2494	LEN=0033 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0010/2146	LEN=0033 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1268	LEN=0036 INSTALLED UNKN
HALL RD			
(T744)	0010/0254		
			048"H 60"W ELLIP CONC
		0010/0177	LEN=0045 INSTALLED UNKN
			048 "DIA CIRC METAL
		0010/0094	LEN=0041 INSTALLED UNKN
	000000 FT	000000 FT	2 0 19065 0 01 0340+19
			VILLAGE: TALMER
		NC	TALMER RD
			SAWMILL RD
			(TWP)
		INTER-BK	TALMER RD
			(SR4040 SEG 0010/1262)
			MFC BEGIN = D
		0010/0000	LENGTH(AH 3065 BK 0000)

DIR: B TOTAL LEN: .040 MI. DIST: 03-1 SR: 4031
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
000211 FT                    000211 FT  BMSEN 19/4031/0122/0000
                           * REF-AHD    CREASYVILLE HOLLOW RD
                             0122/0022  (T710)
000189 FT                    000189 FT  2 0 19061 0 00 0372+22
                                  NC CREASYVILLE HOLLOW RD
                           * REF-BK     CREASYVILLE HOLLOW RD
                                        (T710)
                                        LITTLE FISHING CREEK
                                        BMSBG 19/4031/0122/0000
                           S 0122/0000  LENGTH(AH 0022 BK 0047)
000189 FT                    000189 FT
                             7120/0000  LENGTH(AH 0047 BK 3361)
000189 FT                    000189 FT
                             7118/0000  LENGTH(AH 3361 BK 3360)
000189 FT                    000189 FT
                             7116/0000  LENGTH(AH 3360 BK 1346)
000189 FT                    000189 FT
                             7114/0000  LENGTH(AH 1346 BK 0051)

                                        BMSEN 19/4031/0112/0000
                           * REF-AHD    SERENO RD
                             0112/0051  (T761)
                                        JACKSON
                             0112/0021  PINE T
000138 FT                    000138 FT  2 0 19061 0 00 0252+79
                                        P3
                           * REF-BK     SERENO RD
                                        (T761)
                                        LITTLE FISHING CREEK
                                        BMSBG 19/4031/0112/0000
                           S 0112/0000  LENGTH(AH 0051 BK 2082)
000138 FT                    000138 FT
                             7110/0000  LENGTH(AH 2082 BK 2423)
000138 FT                    000138 FT
                             7100/0000  LENGTH(AH 2423 BK 0957)
```

DIR: B TOTAL LEN: .040 MI. DIST: 03-1 SR: 4031
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

000138 FT		000138 FT
		7098/0000 LENGTH(AH 0957 BK 0046)
000138 FT		000138 FT
		7094/0000 LENGTH(AH 0046 BK 0057)
		BMSEN 19/4031/0092/0000
		* REF-AHD SERENO RD
		(T761)
		0092/0057 JACKSON T
000081 FT		000081 FT 2 0 19061 0 00 0191+19
		* REF-BK SERENO RD
		(T761)
		LITTLE FISHING CREEK
		BMSBG 19/4031/0092/0000
		5 0092/0000 LENGTH(AH 0057 BK 0304)
000081 FT		000081 FT
		7090/0000 LENGTH(AH 0304 BK 2013)
000081 FT		000081 FT
		7080/0000 LENGTH(AH 2013 BK 2168)
000081 FT		000081 FT
		7070/0000 LENGTH(AH 2168 BK 2657)
000081 FT		000081 FT
		7060/0000 LENGTH(AH 2657 BK 3384)
000081 FT		000081 FT
		7050/0000 LENGTH(AH 3384 BK 1610)
000081 FT		000081 FT
		7042/0000 LENGTH(AH 1610 BK 1046)
000081 FT		000081 FT
		7040/0000 LENGTH(AH 1046 BK 0137)
000081 FT		000081 FT
		7034/0000 LENGTH(AH 0137 BK 0081)
		BMSEN 19/4031/0032/0000
		* REF-AHD SERENO RD
		(T761)
		0032/0081 GREENWOOD T
		GREENWOOD
		0032/0039 PINE T
000000 FT		000000 FT 2 0 19061 0 00 0051+05
		NC SERENO RD
		* REF-BK SERENO RD
		(T761)
		LITTLE FISHING CREEK
		BMSBG 19/4031/0032/0000
		MFC BEGIN = E
		5 0032/0000 LENGTH(AH 0081 BK 2282)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 2282 BK 2835)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 2835 BK 0036)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 0036 BK 0000)

DIR: B TOTAL LEN: 2.367 MI. DIST: 03-1 SR: 4030
LEFT MUN: BENTON B RIGHT MUN: BENTON B



012499 FT	012499 FT	
	7060/0000	LENGTH(AH 1067 BK 1046)
012499 FT	012499 FT	
	7052/0000	LENGTH(AH 1046 BK 0081)
		BMSEN 19/4030/0050/0000
	REF-AHD	MARKET ST
	0050/0081	(BORO)
		BENTON
	0050/0040	BENTON T
012418 FT	012418 FT	2 0 19076 0 00 0162+61
		NC DISTILLERY HILL RD
	REF-BK	DISTILLERY HILL RD
		(T716)
		WEST CREEK
		BMSBG 19/4030/0050/0000
	0050/0000	LTH AH 000081 BK 016262
012418 FT	012418 FT	
	7044/0000	LTH AH 016262 BK 003607
	INTER-AHD	DISTILLERY HILL RD
		(T716)
		GREEN CREEK RD
GREEN CREEK RD		(SR4045 SEG 0050/2093)
(T715) 0040/3607	0040/3607	JACKSON T
		018 "DIA CIR PLASTIC
	0040/3291	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/2903	LEN=0038 INSTALLED UNKN
		MCHENRY RD
	0040/2414	(T659)
		018 "DIA CIRC METAL
	0040/2236	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC METAL
	0040/1925	LEN=0041 INSTALLED UNKN
		036 "DIA CIR PLASTIC
	0040/0160	LEN=0042 INSTALLED 2004
008811 FT	008811 FT	2 0 19063 0 03 0557+50
	0040/0000	LENGTH(AH 3607 BK 2712)
		036 "DIA CIR PLASTIC
	0030/2658	LEN=0035 INSTALLED 2003

DIR: B TOTAL LEN: 2.367 MI. DIST: 03-1 SR: 4030
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

			024 "DIA CIRC METAL
		0030/1064	LEN=0040 INSTALLED UNKN
			CAMPBELL RD
		0030/0899	(T586)
			042 "DIA CIR PLASTIC
		0030/0125	LEN=0045 INSTALLED UNKN
	006099 FT	006099 FT	2 0 19063 0 03 0530+32
		S 0030/0000	LENGTH(AH 2712 BK 3519)
			018 "DIA CIRC METAL
		0020/3354	LEN=0034 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0020/1472	LEN=0040 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0020/1073	LEN=0050 INSTALLED 2015
KNOUSE RD (T691)	0020/1068		
PIPER RD (T697)			
ARDEN'S HILL RD (T685)	0020/0447		
	002580 FT	002580 FT	2 0 19063 0 03 0495+05
		S 0020/0000	LENGTH(AH 3519 BK 2580)
			036 "DIA CIRC CONCR
		0010/0561	LEN=0042 INSTALLED UNKN
			015 "DIA CIRC METAL
		0010/0141	LEN=0038 INSTALLED UNKN
			015"H 21"W ELLIP METAL
		0010/0090	LEN=0040 INSTALLED 2002
	000000 FT	000000 FT	2 0 19063 0 03 0469+20
			VILLAGE: DERRS
		NC DERR'S RD	
			AUSTIN TR
			(SR4039 SEG 0090/0000)
		INTER-BK	EAGLE RD
			(SR4037 SEG 0170/1526)
			MFC BEGIN = D
AUSTIN TR (SR4039 SEG 0090/0000)	0010/0000	S 0010/0000	LENGTH(AH 2580 BK 0000)

DIR: B TOTAL LEN: .764 MI. DIST: 03-1 SR: 4029
LEFT MUN: PINE T RIGHT MUN: PINE T

004034 FT

2 0 19056 0 00 0021+35 002154 FT
CHURCH RD
(T716) 0020/0000

SULKY RD
(T463) 0010/1360

2 0 19056 0 00 0000+00 000000 FT
SR 0442 SH
(SR0442 SEG 0020/0000) 0010/0000



004034 FT AH-LYCOMING (41)
REF-AHD PINE SUMMIT RD
0020/1880 (SR2017 SEG 0010/0000)

018 "DIA CIRC CONCR
0020/1209 LEN=0030 INSTALLED UNKN
018 "DIA CIRC METAL
0020/1103 LEN=0037 INSTALLED UNKN
024 "DIA CIRC CONCR
0020/0900 LEN=0038 INSTALLED UNKN

018 "DIA CIRC CONCR
0020/0160 LEN=0032 INSTALLED UNKN
002154 FT

0020/0000 LENGTH(AH 1880 BK 2154)
018 "DIA CIRC CONCR
0010/1643 LEN=0033 INSTALLED UNKN

018 "DIA CIR PLASTIC
0010/0786 LEN=0040 INSTALLED UNKN

NC PINE SUMMIT RD
SR 0442 SH
(SR0442 SEG 0020/0000)
INTER-BK BRANCH RD
000000 FT (T635)
MFC BEGIN = E
0010/0000 LENGTH(AH 2154 BK 0000)

DIR: B TOTAL LEN: .012 MI. DIST: 03-1 SR: 4028
LEFT MUN: PINE T RIGHT MUN: PINE T

```
000061 FT                    000061 FT
                             7044/0000  LENGTH(AH 0100 BK 0021)
                                        BMSEN 19/4028/0030/0000
                           * REF-AHD    WINTERSTEEN SCHOOL RD
                             0030/0021  (T750)
000040 FT                    000040 FT  2 0 19057 0 01 0139+99
                           * REF-BK     WINTERSTEEN SCHOOL RD
                                        (T750)
                                        LICK RUN
                                        BMSBG 19/4028/0030/0000
                           S 0030/0000  LENGTH(AH 0021 BK 0100)
000040 FT                    000040 FT
                             7024/0000  LENGTH(AH 0100 BK 0013)
                           * REF-AHD    WINTERSTEEN SCHOOL RD
                             0020/0013  (T750)
000027 FT                    000027 FT  2 0 19057 0 01 0050+19
                                        SHINGLE RUN
                                        STRUCTURE LENGTH  13 FT
                                        BMSID 19/4028/0020/0000
                           * REF-BK     WINTERSTEEN SCHOOL RD
                                        (T750)
                           S 0020/0000  LENGTH(AH 0013 BK 0100)
000027 FT                    000027 FT
                             7014/0000  LENGTH(AH 0100 BK 0027)
                                        BMSEN 19/4028/0010/0000
                           * REF-AHD    WINTERSTEEN SCHOOL RD
                             0010/0027  (T750)
000000 FT                    000000 FT  2 0 19057 1 00 0011+23
                                  NC WINTERSTEEN SCHOOL RD
                           * REF-BK     WINTERSTEEN SCHOOL RD
                                        (T750)
                                        WEST BRANCH SHINGLE RUN
                                        BMSBG 19/4028/0010/0000
                           S 0010/0000  LENGTH(AH 0027 BK 0100)
000000 FT                    000000 FT
                             7004/0000  LENGTH(AH 0100 BK 0000)
```

DIR: B TOTAL LEN: 2.141 MI. DIST: 03-1 SR: 4027
LEFT MUN: PINE T RIGHT MUN: PINE T

011302 FT		011302 FT
		7064/0000 LENGTH(AH 0530 BK 2721)
011302 FT		011302 FT
		7060/0000 LENGTH(AH 2721 BK 2370)
011302 FT		011302 FT
		7050/0000 LENGTH(AH 2370 BK 3310)
		INTER-AHD MAPLE RIDGE RD
		(T619)
		RIDGE RD
	0040/3310	(SR4024 SEG 0010/0000)
		018 "DIA CIR PLASTIC
	0040/3307	LEN=0050 INSTALLED 1998
CONFER HOLLOW RD (T605) 0040/2635		
		036"H 58"W ELLIP METAL
	0040/2470	LEN=0040 INSTALLED UNKN
		024 "DIA CIRC METAL
	0040/2173	LEN=0045 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0040/1448	LEN=0045 INSTALLED UNKN
007992 FT		007992 FT 2 0 19053 0 00 0080+13

DIR: B TOTAL LEN: 2.141 MI. DIST: 03-1 SR: 4027
LEFT MUN: PINE T RIGHT MUN: PINE T

	0040/0000	LENGTH(AH 3310 BK 3761)
		036 "DIA CIR PLASTIC
	0030/3692	LEN=0040 INSTALLED 2005
		018 "DIA CIRC METAL
	0030/2510	LEN=0050 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/2029	LEN=0035 INSTALLED UNKN
		PINE
	0030/1586	MADISON T
		015 "DIA CIR PLASTIC
	0030/1574	LEN=0040 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0030/0653	LEN=0031 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0030/0012	LEN=0044 INSTALLED UNKN
004231 FT	004231 FT	2 0 19053 0 00 0042+39
		ROD & GUN CLUB RD
ROD & GUN CLUB RD		(T444)
(T444) 0030/0000	0030/0000	LENGTH(AH 3761 BK 2241)
		018 "DIA CIRC METAL
	0020/2212	LEN=0040 INSTALLED UNKN
		072 "DIA CIRC METAL
	0020/0560	LEN=0044 INSTALLED 2006
001990 FT	001990 FT	2 0 19053 0 00 0019+94
	0020/0000	LENGTH(AH 2241 BK 1990)
		015 "DIA CIR PLASTIC
	0010/1554	LEN=0030 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0010/0025	LEN=0054 INSTALLED UNKN
000000 FT	000000 FT	2 0 19053 0 00 0000+00
		NC LEGION RD
		SPRUCE RUN RD
		(SR4023 SEG 0030/0148)
	INTER-BK	SPRUCE RUN RD
		(SR4023 SEG 0030/0148)
		MFC BEGIN = E
	0010/0000	LENGTH(AH 1990 BK 0000)

DIR: B TOTAL LEN: 4.813 MI. DIST: 03-1 SR: 4025
LEFT MUN: MADISON T RIGHT MUN: MADISON T

025415 FT

025415 FT
REF-AHD LIUZZA RD

DIR: B TOTAL LEN: 4.813 MI. DIST: 03-1 SR: 4025
LEFT MUN: MADISON T RIGHT MUN: MADISON T

		0100/2500	(T651)
			024 "DIA CIRC CONCR
		0100/2380	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0100/1713	LEN=0037 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0100/0941	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0100/0404	LEN=0038 INSTALLED UNKN
	022915 FT	022915 FT	2 0 19049 0 00 0230+15
		S 0100/0000	LENGTH(AH 2500 BK 2513)
			024 "DIA CIR PLASTIC
		0090/1907	LEN=0037 INSTALLED 2003
			040 "DIA CIRC CONCR
		0090/1639	LEN=0056 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/1327	LEN=0041 INSTALLED 2003
			024 "DIA CIRC CONCR
		0090/0883	LEN=0041 INSTALLED 2003
			018 "DIA CIRC OTHER
		0090/0370	LEN=0060 INSTALLED UNKN
WOLF HOLLOW RD (T611)	0090/0124		
	020402 FT	020402 FT	2 0 19049 0 00 0204+41
			SPRUCE RUN RD
			(SR4023 SEG 0100/3171)
		S 0090/0000	LENGTH(AH 2513 BK 2761)
			018 "DIA CIRC CONCR
		0080/2208	LEN=0046 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0080/1737	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0080/1175	LEN=0042 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0080/0767	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0080/0552	LEN=0055 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0080/0073	LEN=0040 INSTALLED UNKN
	017641 FT	017641 FT	2 0 19049 0 00 0176+68
		S 0080/0000	LENGTH(AH 2761 BK 2323)
			057"H 38"W ELLIP METAL
		0070/2027	LEN=0050 INSTALLED 1996
			015 "DIA CIRC CONCR
		0070/1552	LEN=0038 INSTALLED UNKN

DIR: B TOTAL LEN: 4.813 MI. DIST: 03-1 SR: 4025
LEFT MUN: MADISON T RIGHT MUN: MADISON T

		018 "DIA CIRC CONCR
	0070/0537	LEN=0033 INSTALLED UNKN
		072 "DIA CIRC METAL
	0070/0223	LEN=0040 INSTALLED 1996
		015 "DIA CIRC CONCR
	0070/0085	LEN=0038 INSTALLED UNKN
015318 FT	015318 FT	2 0 19049 0 00 0153+34
		GREY HOLLOW RD
		(T402)
	S 0070/0000	LENGTH(AH 2323 BK 2384)
		018 "DIA CIR PLASTIC
	0060/2377	LEN=0040 INSTALLED 2003
		018 "DIA CIRC CONCR
	0060/2057	LEN=0038 INSTALLED 2003
		018 "DIA CIRC CONCR
	0060/1471	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/1020	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/0237	LEN=0040 INSTALLED UNKN
012934 FT	012934 FT	2 0 19049 0 00 0129+52
	S 0060/0000	LENGTH(AH 2384 BK 2656)
		018 "DIA CIRC CONCR
	0050/2605	LEN=0038 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0050/1542	LEN=0064 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/0984	LEN=0030 INSTALLED UNKN
		024 "DIA CIRC METAL
	0050/0492	LEN=0032 INSTALLED UNKN
010278 FT	010278 FT	2 0 19049 0 00 0103+00
	S 0050/0000	LENGTH(AH 2656 BK 1402)
		015 "DIA CIRC METAL
	0040/1198	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0040/0301	LEN=0036 INSTALLED UNKN
		038"H 60"W ELLIP METAL
	0040/0055	LEN=0048 INSTALLED 2008
008876 FT	008876 FT	2 0 19049 0 00 0088+97
		SHULTZ RD
		(T587)
	S 0040/0000	LENGTH(AH 1402 BK 3866)
		015"H 18"W ELLIP METAL
	0030/3847	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 4.813 MI. DIST: 03-1 SR: 4025
LEFT MUN: MADISON T RIGHT MUN: MADISON T

			036 "DIA CIRC METAL
		0030/2731	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/1615	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/1180	LEN=0030 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0030/1027	LEN=0040 INSTALLED 2015
			018 "DIA CIRC CONCR
		0030/0575	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/0141	LEN=0040 INSTALLED UNKN
2 0 19049 0 00 0050+50	005010 FT	005010 FT	WHITE HALL RD
WHITE HALL RD			(SR0044 SEG 0250/0000)
(SR0044 SEG 0250/0000)	0030/0000	S 0030/0000	LENGTH(AH 3866 BK 2009)
			015 "DIA CIRC METAL
		0020/1940	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1366	LEN=0033 INSTALLED UNKN
		0020/0655	BMSEN 19/4025/0020/0621
			2 0 19049 0 00 0036+43
			TRIB CHILLISQUAQUE CREE
		0020/0621	BMSBG 19/4025/0020/0621
			RIDER RD
		0020/0308	(T579)
		0020/0033	BMSEN 19/4025/0020/0000
	003001 FT	003001 FT	2 0 19049 0 00 0030+09
			E BR CHILLISQUAQUE CREE
			BMSBG 19/4025/0020/0000
		S 0020/0000	LENGTH(AH 2009 BK 3001)
			018 "DIA CIRC CONCR
		0010/2531	LEN=0030 INSTALLED UNKN
			048 "DIA CIRC METAL
		0010/1274	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0400	LEN=0024 INSTALLED UNKN
	000000 FT	000000 FT	2 0 19049 0 00 0000+00
			NC ANTS HILL RD
		* REF-BK	ANTS HILL RD
			(SR1006 SEG 0080/3357)
			MFC BEGIN = E
			BK-MONTOUR (47)
		S 0010/0000	LENGTH(AH 3001 BK 0000)

DIR: B TOTAL LEN: .176 MI. DIST: 03-1 SR: 4024
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

000928 FT

000000 FT

MAPLE RIDGE RD
(T619)

0010/0000



000928 FT SR 0042 SH
0010/0928 (SR0042 SEG 0760/0000)
0010/0506 BMSEN 19/4024/0010/0407
GREENWOOD
0010/0456 PINE T
2 0 19054 0 00 0004+20
L. FISHING CREEK
0010/0407 BMSBG 19/4024/0010/0407
000000 FT 2 0 19054 0 00 0000+00
VILLAGE: IOLA
NC LEGION RD
LEGION RD
(SR4027 SEG 0040/3310)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 0928 BK 0000)

DIR: B TOTAL LEN: 5.057 MI. DIST: 03-1 SR: 4023
LEFT MUN: MADISON T RIGHT MUN: MADISON T

026701 FT
ANTS HILL RD
(SR4025 SEG 0090/0000) 0100/3171



026701 FT
INTER-AHD ANTS HILL RD
0100/3171 (SR4025 SEG 0090/0000)

018 "DIA CIR PLASTIC
0100/0645 LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 5.057 MI. DIST: 03-1 SR: 4023
LEFT MUN: MADISON T RIGHT MUN: MADISON T

2 0 19050 0 02 0355+71	023530 FT			023530 FT
GREY HOLLOW RD (T402)	0100/0000		S	0100/0000 LENGTH(AH 3171 BK 0943)
				RIDGE RD
				0096/0290 (T617)
				LC FOR RIDGE RD
				0096/0223 (CONN)
	022587 FT			022587 FT 2 0 19050 0 02 0345+91
			S	0096/0000 LENGTH(AH 0943 BK 3654)
DODSON HILL RD (T395)	0090/3586			
				036 "DIA CIRC CONCR
				0090/1842 LEN=0042 INSTALLED UNKN
				036 "DIA CIR PLASTIC
				0090/1170 LEN=0040 INSTALLED 2018
				018 "DIA CIRC METAL
				0090/0253 LEN=0036 INSTALLED UNKN
	018933 FT			018933 FT 2 0 19050 0 02 0309+60
			S	0090/0000 LENGTH(AH 3654 BK 2988)
				018 "DIA CIRC METAL
				0080/2797 LEN=0033 INSTALLED UNKN
				036 "DIA CIRC METAL
				0080/1800 LEN=0047 INSTALLED UNKN
				018 "DIA CIRC METAL
				0080/0855 LEN=0042 INSTALLED UNKN
	015945 FT			015945 FT 2 0 19050 0 02 0279+35
				018 "DIA CIRC METAL
				LEN=0033 INSTALLED UNKN
			S	0080/0000 LENGTH(AH 2988 BK 2347)
				018 "DIA CIRC METAL
				0070/1716 LEN=0030 INSTALLED UNKN
				048 "DIA CIR PLASTIC
				0070/0687 LEN=0040 INSTALLED 2013

DIR: B TOTAL LEN: 5.057 MI. DIST: 03-1 SR: 4023
LEFT MUN: MADISON T RIGHT MUN: MADISON T

		048 "DIA CIR PLASTIC
	0070/0619	LEN=0040 INSTALLED 2013
		048 "DIA CIR PLASTIC
	0070/0592	LEN=0040 INSTALLED 2013
013598 FT	013598 FT	2 0 19050 0 02 0255+59
		GILLASPY RD
		(T408)
	S 0070/0000	LENGTH(AH 2347 BK 1984)
		018 "DIA CIR PLASTIC
	0060/1908	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0060/1084	LEN=0040 INSTALLED UNKN
		038"H 60"W ELLIP METAL
	0060/0010	LEN=0036 INSTALLED UNKN
011614 FT	011614 FT	2 0 19050 0 02 0236+14
	S 0060/0000	LENGTH(AH 1984 BK 2810)
		015"H 21"W ELLIP METAL
	0050/2509	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0050/2115	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC METAL
	0050/0532	LEN=0040 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0050/0187	LEN=0031 INSTALLED UNKN
008804 FT	008804 FT	2 0 19050 0 02 0208+60
	S 0050/0000	LENGTH(AH 2810 BK 1987)
		038"H 57"W ELLIP METAL
	0040/1727	LEN=0033 INSTALLED 1998
		018 "DIA CIR PLASTIC
	0040/1017	LEN=0040 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0040/0581	LEN=0040 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0040/0408	LEN=0040 INSTALLED UNKN
		024"H 00"W MULT METAL
	0040/0090	LEN=0040 INSTALLED UNKN
006817 FT	006817 FT	2 0 19050 0 02 0189+12
	S 0040/0000	LENGTH(AH 1987 BK 2487)
		018 "DIA CIRC CONCR
	0030/2254	LEN=0044 INSTALLED UNKN
		018 "DIA CIRC METAL
	0030/1780	LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 5.057 MI. DIST: 03-1 SR: 4023
LEFT MUN: MADISON T RIGHT MUN: MADISON T

SLATE RD
(T406)

0030/0603

004330 FT

000399 FT

000000 FT

	018 "DIA CIRC METAL
0030/1630	LEN=0050 INSTALLED UNKN
	015 "DIA CIRC METAL
0030/0914	LEN=0034 INSTALLED UNKN
	024 "DIA CIR PLASTIC
0030/0620	LEN=0050 INSTALLED UNKN
	018 "DIA CIR PLASTIC
0030/0579	LEN=0050 INSTALLED UNKN
	LEGION RD
0030/0148	(SR4027 SEG 0010/0000)
004330 FT	2 0 19050 0 02 0164+74
S 0030/0000	LENGTH(AH 2487 BK 3931)
	024 "DIA CIR PLASTIC
0020/2776	LEN=0040 INSTALLED UNKN
	024 "DIA CIR PLASTIC
0020/2190	LEN=0040 INSTALLED UNKN
	018 "DIA CIRC METAL
0020/1560	LEN=0040 INSTALLED UNKN
	018 "DIA CIR PLASTIC
0020/1076	LEN=0048 INSTALLED UNKN
	043"H 68"W ELLIP METAL
0020/1054	LEN=0030 INSTALLED UNKN
	018 "DIA CIRC METAL
0020/0953	LEN=0034 INSTALLED UNKN
000399 FT	2 0 19050 0 02 0126+21
S 0020/0000	LENGTH(AH 3931 BK 0399)
	044"H 72"W ELLIP METAL
0010/0337	LEN=0060 INSTALLED UNKN
	015"H 21"W ELLIP METAL
0010/0210	LEN=0066 INSTALLED UNKN
	FOR SR 0254 AND 4023
0010/0188	(CONN)
	018 "DIA CIRC CONCR
0010/0128	LEN=0080 INSTALLED UNKN
000000 FT	2 0 19050 0 01 0121+66
	NC SPRUCE RUN RD
	JERSEYTOWN RD
	(SR0254 SEG 0130/0000)
INTER-BK	CREEK RD
	(SR4021 SEG 0060/2214)
	MFC BEGIN = E
S 0010/0000	LENGTH(AH 0399 BK 0000)

DIR: B TOTAL LEN: 3.419 MI. DIST: 03-1 SR: 4022
LEFT MUN: MT PLEASANT T RIGHT MUN: MT PLEASANT T

018051 FT



018051 FT
INTER-AHD WELLIVERSVILLE RD
(T559)
MILLERSTOWN RD
0060/3274 (SR4011 SEG 0100/0926)
024 "DIA CIR PLASTIC
0060/3260 LEN=0045 INSTALLED 2003

018 "DIA CIR PLASTIC
0060/2185 LEN=0044 INSTALLED UNKN
024 "DIA CIRC CONCR
0060/1960 LEN=0042 INSTALLED UNKN

DIR: B TOTAL LEN: 3.419 MI. DIST: 03-1 SR: 4022
LEFT MUN: MT PLEASANT T RIGHT MUN: MT PLEASANT T

		0060/1341	018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
		0060/0905	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
	014777 FT	014777 FT	2 0 19059 0 01 0150+17
		S 0060/0000	LENGTH(AH 3274 BK 3623)
		0050/2136	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0050/1735	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
HEMSARTH RD (T526)	0050/1215		
		0050/0022	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 1999
	011154 FT	011154 FT	2 0 19059 0 01 0113+86
			ROTE HOLLOW RD (T432)
		S 0050/0000	LENGTH(AH 3623 BK 3543)
		0040/2928	018 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN
		0040/1558	HOGS BACK RD (T434)
		0040/1382	IKELER HILL RD (T438)
		0040/1300	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2002
		0040/1114	MT PLEASANT GREENWOOD T
		0040/1017	036 "DIA CIRC CONCR LEN=0044 INSTALLED UNKN
		0040/0610	018 "DIA CIRC CONCR LEN=0046 INSTALLED UNKN
		0040/0100	018 "DIA CIR PLASTIC LEN=0050 INSTALLED 2015
	007611 FT	007611 FT	2 0 19059 0 00 0076+36
		S 0040/0000	LENGTH(AH 3543 BK 3296)
		0030/2725	018 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.419 MI. DIST: 03-1 SR: 4022
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

```
                                                 0030/2401 LEN=0041 INSTALLED UNKN
                                                           024 "DIA CIR PLASTIC
                                                 0030/1840 LEN=0041 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0030/1360 LEN=0036 INSTALLED UNKN
                                                           054 "DIA CIRC CONCR
                                                 0030/1046 LEN=0054 INSTALLED 2002
                                                           018 "DIA CIR PLASTIC
                                                 0030/0690 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0030/0545 LEN=0040 INSTALLED UNKN
                                                           048 "DIA CIR PLASTIC
                                                 0030/0115 LEN=0042 INSTALLED UNKN
                     004315 FT                   004315 FT 2 0 19059 0 00 0043+10
                                                           SMITH RD
                                                           (T429)
                                                 0030/0000 LENGTH(AH 3296 BK 3433)

                                                           018 "DIA CIR PLASTIC
                                                 0020/2760 LEN=0036 INSTALLED UNKN


                                                           018 "DIA CIRC CONCR
                                                 0020/1856 LEN=0040 INSTALLED 1999

                                                           BOTTOM RD
                                                 0020/1112 (T583)
                                                 0020/0778 BMSEN 19/4022/0020/0760
                                                           0 0 00000 0 00 0000+00
                                                           TRIB LITTLE FISHING CRK
                                                 0020/0760 BMSBG 19/4022/0020/0760
                                                           018 "DIA CIRC METAL
                                                 0020/0632 LEN=0045 INSTALLED UNKN
GOOSE RD
(T442)                 0020/0332
                     000882 FT                   000882 FT 2 0 19059 0 00 0008+82
                                                 0020/0000 LENGTH(AH 3433 BK 0882)
                                                           018 "DIA CIRC CONCR
                                                 0010/0774 LEN=0032 INSTALLED UNKN
                                                           GREENWOOD
                                                 0010/0737 MILLVILLE B

                                                           012 "DIA CIRC METAL
                                                 0010/0108 LEN=0036 INSTALLED UNKN
                     000000 FT                   000000 FT 2 0 19059 0 00 0000+00
                                                           STATE ST
                                                           (SR0042 SEG 0710/0000)
                                                       NC HILL RD
STATE ST                                                   MFC BEGIN = E
(SR0042 SEG 0710/0000)  0010/0000                0010/0000 LENGTH(AH 0882 BK 0000)
```

DIR: B TOTAL LEN: 2.302 MI. DIST: 03-1 SR: 4021
LEFT MUN: MADISON T RIGHT MUN: MADISON T

012155 FT

FROM 0254/0120 SH
(CONN) 0060/2014

009941 FT

FOR SR 4018 AND 4021
(CONN) 0050/0208
2 0 19050 0 01 0074+00 007376 FT



012155 FT
INTER-AHD SPRUCE RUN RD
(SR4023 SEG 0010/0000)
JERSEYTOWN RD
0060/2214 (SR0254 SEG 0130/0000)

018 "DIA CIRC CONCR
0060/1992 LEN=0135 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/1765 LEN=0084 INSTALLED UNKN
024 "DIA CIRC CONCR
0060/1427 LEN=0135 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/0930 LEN=0060 INSTALLED UNKN
018 "DIA CIR PLASTIC
0060/0510 LEN=0035 INSTALLED UNKN
009941 FT 2 0 19050 0 01 0099+58
5 0060/0000 LENGTH(AH 2214 BK 2565)
018 "DIA CIR PLASTIC
0050/2528 LEN=0040 INSTALLED 2002
030 "DIA CIR PLASTIC
0050/2316 LEN=0045 INSTALLED UNKN

030 "DIA CIR PLASTIC
0050/1539 LEN=0045 INSTALLED UNKN
030 "DIA CIR PLASTIC
0050/0943 LEN=0051 INSTALLED 2002

018 "DIA CIRC METAL
0050/0333 LEN=0050 INSTALLED UNKN
007376 FT
NC CREEK RD

DIR: B TOTAL LEN: 2.302 MI. DIST: 03-1 SR: 4021
LEFT MUN: MADISON T RIGHT MUN: MADISON T

```
SR 4018 SH                                                  MFC BEGIN = E
(SR4018 SEG 0040/2474)  0050/0000                     S 0050/0000 LENGTH(AH 2565 BK 1181)
                                                            01B "DIA CIR PLASTIC
                                                        0040/1077 LEN=0040 INSTALLED UNKN
                                                            030 "DIA CIRC METAL
                                                        0040/0766 LEN=0100 INSTALLED UNKN

                        006195 FT                       006195 FT 2 0 19050 0 01 0062+54
                                                            BOYER BOTTOM RD
                                                            (T557)
                                                      S 0040/0000 LENGTH(AH 1181 BK 2249)

                                                            01B "DIA CIRC METAL
                                                        0030/0265 LEN=0033 INSTALLED UNKN
                        003946 FT                       003946 FT 2 0 19050 0 01 0040+10
                                                      S 0030/0000 LENGTH(AH 2249 BK 2317)

                                                            024 "DIA CIRC METAL
                                                        0020/0873 LEN=0032 INSTALLED UNKN

                                                            024 "DIA CIR PLASTIC
                                                        0020/0200 LEN=0090 INSTALLED 2002
                        001629 FT                       001629 FT 2 0 19050 0 01 0017+00
                                                      S 0020/0000 LENGTH(AH 2317 BK 1629)

                                                            MADISON
                                                        0010/0952 GREENWOOD T
                                                        0010/0836 BMSEN 19/4021/0010/0718
                                                            2 0 19050 0 00 0007+16
                                                            LITTLE FISHING CRK
                                                        0010/0718 BMSBG 19/4021/0010/0718
                                                            TOWNSHIP AL
                                                        0010/0171 (TWP )
                                                            01B "DIA CIRC METAL
                                                        0010/0021 LEN=0042 INSTALLED UNKN
                        000000 FT                       000000 FT 2 0 19050 0 00 0000+00
                                                            VILLAGE: EYERS GROVE
                                                      NC EYERSGROVE RD
                                                            MILLVILLE RD
                                                            (SR0042 SEG 0670/0000)
                                                        INTER-BK MILL RD
                                                            (T428)
                                                            MFC BEGIN = D
                                                      S 0010/0000 LENGTH(AH 1629 BK 0000)
```

DIR: B TOTAL LEN: 4.250 MI. DIST: 03-1 SR: 4020
LEFT MUN: ORANGE T RIGHT MUN: ORANGE T

022438 FT

022438 FT



022438 FT
7120/0000 LTH AH 002491 BK 001486
022438 FT
7114/0000 LTH AH 001486 BK 001669
INTER-AHD ROHRSBURG RD
(SR4041 SEG 0020/0494)
NC NEYHART RD
ROHRSBURG RD
0110/1669 (SR4041 SEG 0020/0494)

0110/0934 BMSEN 19/4020/0110/0848
2 0 19030 0 01 0217+57
GREEN CK
0110/0848 BMSBG 19/4020/0110/0848

KLINE RD

DIR: B TOTAL LEN: 4.250 MI. DIST: 03-1 SR: 4020
LEFT MUN: ORANGE T RIGHT MUN: ORANGE T

(T570)	0110/0597		018 "DIA CIRC CONCR
		0110/0037	LEN=0045 INSTALLED UNKN
	020769 FT	020769 FT	2 0 19030 0 01 0209+14
		S 0110/0000	LENGTH(AH 1669 BK 2838)
			018 "DIA CIR PLASTIC
		0100/1990	LEN=0036 INSTALLED 2002
			018 "DIA CIRC METAL
		0100/1684	LEN=0040 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0100/0479	LEN=0073 INSTALLED 2003
			018 "DIA CIR PLASTIC
		0100/0406	LEN=0035 INSTALLED 2002
			018 "DIA CIRC METAL
		0100/0091	LEN=0040 INSTALLED UNKN
	017931 FT	017931 FT	2 0 19030 0 01 0180+46
		S 0100/0000	LENGTH(AH 2838 BK 2199)
			018 "DIA CIRC METAL
		0090/1787	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/1360	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/1017	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/0494	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0090/0190	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0090/0054	LEN=0035 INSTALLED UNKN
2 0 19030 0 01 0158+60	015732 FT	015732 FT	
BOWMAN'S MILL RD			
(SR4037 SEG 0010/0000)	0090/0000	S 0090/0000	LENGTH(AH 2199 BK 1690)
		0080/1636	BMSEN 19/4020/0080/1624
			2 0 19030 0 01 0158+00
			TRIB TO FISHING CREEK
		0080/1624	BMSBG 19/4020/0080/1624
			015 "DIA CIRC METAL
		0080/1382	LEN=0075 INSTALLED UNKN
			015 "DIA CIRC METAL
		0080/0920	LEN=0040 INSTALLED UNKN
			016 "DIA CIRC METAL
		0080/0046	LEN=0035 INSTALLED UNKN
	014042 FT	014042 FT	2 0 19030 0 01 0141+76
			NC GREEN CREEK RD
			MT PLEASANT RD

DIR: B TOTAL LEN: 4.250 MI. DIST: 03-1 SR: 4020
LEFT MUN: ORANGE T RIGHT MUN: ORANGE T

			(CNTY)
			MFC BEGIN = E
		S 0080/0000	LENGTH(AH 1690 BK 1711)
			024 "DIA CIRC CONCR
		0070/1690	LEN=0068 INSTALLED UNKN
			018 "DIA CIRC METAL
		0070/1128	LEN=0031 INSTALLED UNKN
			015 "DIA CIRC METAL
		0070/0958	LEN=0064 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0070/0133	LEN=0050 INSTALLED 2002
2 0 19030 0 01 0124+55 012331 FT		012331 FT	
DEIHLS RD			
(T514) 0070/0000		S 0070/0000	LENGTH(AH 1711 BK 2491)
			ORANGE
		0060/2298	MT PLEASANT T
			018 "DIA CIRC METAL
		0060/1671	LEN=0045 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0060/1239	LEN=0035 INSTALLED 2002
			030 "DIA CIR PLASTIC
		0060/0461	LEN=0060 INSTALLED 2006
009840 FT		009840 FT	2 0 19030 0 01 0098+86
			WHITES CHURCH RD
			(SR4013 SEG 0050/3340)
		S 0060/0000	LENGTH(AH 2491 BK 1069)
			018 "DIA CIRC CONCR
		0050/0862	LEN=0072 INSTALLED UNKN
LICK RUN RD			
(T506) 0050/0809			
		0050/0697	BMSEN 19/4020/0050/0671
			2 0 19030 0 00 0094+69
			DEER LICK RUN
		0050/0671	BMSBG 19/4020/0050/0671
			018 "DIA CIRC METAL
		0050/0077	LEN=0030 INSTALLED UNKN
008771 FT		008771 FT	2 0 19030 0 00 0088+00
			MCWILLIAMS RD
			(T519)
		S 0050/0000	LENGTH(AH 1069 BK 1836)
			018 "DIA CIRC METAL
		0040/1045	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC METAL
		0040/0420	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 4.250 MI. DIST: 03-1 SR: 4020
LEFT MUN: MT PLEASANT T RIGHT MUN: MT PLEASANT T

		0040/0192	LEN=0040 INSTALLED UNKN
	006935 FT	006935 FT	2 0 19030 0 00 0069+63
		S 0040/0000	LENGTH(AH 1836 BK 2186)
			024 "DIA CIRC METAL
		0030/1851	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0030/1313	LEN=0026 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/1173	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0030/1116	LEN=0033 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/0688	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/0411	LEN=0040 INSTALLED UNKN
	004749 FT	004749 FT	2 0 19030 0 00 0047+75
			SHANER RD
			(T540)
		S 0030/0000	LENGTH(AH 2186 BK 2361)
			030 "DIA CIR PLASTIC
		0020/2035	LEN=0035 INSTALLED UNKN
SCHATZ RD (ROAD CLOSED) (T510)	0020/2000		
			018 "DIA CIR PLASTIC
		0020/1561	LEN=0045 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0020/1429	LEN=0040 INSTALLED 2003
			036 "DIA CIR PLASTIC
		0020/0965	LEN=0040 INSTALLED 2003
			018 "DIA CIR PLASTIC
		0020/0380	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/0061	LEN=0040 INSTALLED UNKN
	002388 FT	002388 FT	2 0 19030 0 00 0024+01
		S 0020/0000	LENGTH(AH 2361 BK 2388)
			018 "DIA CIRC METAL
		0010/1548	LEN=0040 INSTALLED UNKN
			060 "DIA CIR PLASTIC
		0010/1150	LEN=0070 INSTALLED 2008
			018 "DIA CIRC METAL
		0010/0016	LEN=0049 INSTALLED UNKN
	000000 FT	000000 FT	2 0 19030 0 00 0000+00
			NC MT PLEASANT RD
			MILLERTOWN RD
			(SR4011 SEG 0070/3498)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 2388 BK 0000)

DIR: B TOTAL LEN: .941 MI. DIST: 03-1 SR: 4019
LEFT MUN: MADISON T RIGHT MUN: MADISON T

	004967 FT		004967 FT BUCKHORN RD
			0020/2453 (SR0044 SEG 0140/0000)
			060 "DIA CIRC METAL
			0020/1483 LEN=0042 INSTALLED UNKN
			018 "DIA CIRC METAL
			0020/0320 LEN=0034 INSTALLED UNKN
			013"H 22"W ELLIP METAL
			0020/0018 LEN=0062 INSTALLED UNKN
	002514 FT		002514 FT 2 0 19047 0 00 0025+20
		S	0020/0000 LENGTH(AH 2453 BK 2514)
			018 "DIA CIRC METAL
			0010/1582 LEN=0040 INSTALLED UNKN
NICHOLS RD			COLUMBIA HILL RD
(T386)	0010/1244		0010/1244 (SR4017 SEG 0020/2735)
			015 "DIA CIRC CONCR
			0010/1227 LEN=0052 INSTALLED UNKN
	000000 FT		000000 FT 2 0 19047 0 00 0000+00
			NC DERR'S RD
		*	REF-BK SHULTZ RD
			(SR2016 SEG 0030/3309)
			MFC BEGIN = E
			BK-MONTOUR (47)
		S	0010/0000 LENGTH(AH 2514 BK 0000)

DIR: B TOTAL LEN: 2.160 MI. DIST: 03-1 SR: 4018
LEFT MUN: MADISON T RIGHT MUN: MADISON T

CREEK RD 011406 FT
(SR4021 SEG 0050/0000) 0040/2474
FOR SR 4018 AND 4021
(CONN) 0040/2284

MORDANS RD
(T555) 0040/1884



011406 FT CREEK RD
0040/2474 (SR4021 SEG 0050/0000)

0040/1967 BMSEN 19/4018/0040/1931
0 0 00000 0 00 0000+00
SPRUCE RUN
0040/1931 BMSBG 19/4018/0040/1931

018 "DIA CIR PLASTIC
0040/0822 LEN=0040 INSTALLED 2005
018 "DIA CIR PLASTIC
0040/0243 LEN=0040 INSTALLED 2005

DIR: B TOTAL LEN: 2.160 MI. DIST: 03-1 SR: 4018
LEFT MUN: MADISON T RIGHT MUN: MADISON T

	008932 FT		008932 FT 2 0 19052 0 01 0090+00
		S	0040/0000 LENGTH(AH 2474 BK 2608)
			018 "DIA CIRC METAL
			0030/2232 LEN=0036 INSTALLED UNKN
			018 "DIA CIRC METAL
			0030/1641 LEN=0040 INSTALLED UNKN
			036 "DIA CIRC METAL
			0030/1467 LEN=0100 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0030/0594 LEN=0034 INSTALLED 2005
			018 "DIA CIRC METAL
			0030/0345 LEN=0050 INSTALLED UNKN
	006324 FT		006324 FT 2 0 19052 0 00 0063+32
			TUNNEL RD
BENNETT RD			(T382)
(T383)	0030/0000	S	0030/0000 LENGTH(AH 2608 BK 3324)
			036 "DIA CIRC METAL
			0020/2367 LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0020/1906 LEN=0040 INSTALLED 2005
			036 "DIA CIRC METAL
			0020/1314 LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0020/0640 LEN=0040 INSTALLED 2005
			018 "DIA CIRC METAL
			0020/0043 LEN=0042 INSTALLED UNKN
	003000 FT		003000 FT 2 0 19052 0 00 0030+04
		S	0020/0000 LENGTH(AH 3324 BK 3000)
			036 "DIA CIRC METAL
			0010/2230 LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0010/1448 LEN=0036 INSTALLED UNKN
			018"H 22"W ELLIP METAL
			0010/1113 LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0010/0033 LEN=0090 INSTALLED UNKN
	000000 FT		000000 FT 2 0 19052 0 00 0000+00
			NC EYERSGROVE RD
			DANVILLE RD
			(SR0044 SEG 0190/1772)
			MFC BEGIN = D
		S	0010/0000 LENGTH(AH 3000 BK 0000)

DIR: B TOTAL LEN: 1.087 MI. DIST: 03-1 SR: 4017
LEFT MUN: MADISON T RIGHT MUN: MADISON T

```
005737 FT                    005737 FT
                             INTER-AHD NICHOLS RD
                                       (T386)
                                       DERR'S RD
                             0020/2735 (SR4019 SEG 0010/1244)

                                       015 "DIA CIRC CONCR
                             0020/2113 LEN=0040 INSTALLED UNKN


                                       018 "DIA CIRC METAL
                             0020/0883 LEN=0035 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0020/0393 LEN=0034 INSTALLED UNKN
003002 FT                    003002 FT 2 0 19048 0 00 0030+06
                                       RISHEL RD
                                       (T517)
                          ==   S 0020/0000 LENGTH(AH 2735 BK 3002)
                                       018 "DIA CIRC METAL
                             0010/2965 LEN=0043 INSTALLED 2002


                                       018 "DIA CIR PLASTIC
                             0010/1099 LEN=0050 INSTALLED 2002
                                       PEPPERMILL RD
                             0010/1045 (SR4012 SEG 0010/0000)

                                       013"H 22"W ELLIP METAL
                             0010/0280 LEN=0025 INSTALLED UNKN
000000 FT                    000000 FT 2 0 19048 0 00 0000+00
                                  NC COLUMBIA HILL RD
                             * REF-BK  COLUMBIA HILL RD
                                       (SR2007 SEG 0100/2941)
                                       MFC BEGIN = E
                                        BK-MONTOUR        (47)
                             S 0010/0000 LENGTH(AH 3002 BK 0000)
```

DIR: B TOTAL LEN: 2.627 MI. DIST: 03-1 SR: 4016
LEFT MUN: MADISON T RIGHT MUN: MADISON T

	013871 FT	013871 FT	MILLVILLE RD
		0060/1612	(SR0042 SEG 0640/2396)
			018 "DIA CIR PLASTIC
		0060/1595	LEN=0060 INSTALLED 2004
		0060/0727	BMSEN 19/4016/0060/0703
			2 0 19051 0 00 0129+67
			BLACK RUN
		0060/0703	BMSBG 19/4016/0060/0703
			018 "DIA CIR PLASTIC
		0060/0189	LEN=0040 INSTALLED 2013
2 0 19051 0 00 0122+55	012259 FT	012259 FT	
KLINES RD			
(T378)	0060/0000	S 0060/0000	LENGTH(AH 1612 BK 2201)
			CHRYSTY HILL RD
		0050/2180	(T378)
			018 "DIA CIR PLASTIC
		0050/2100	LEN=0035 INSTALLED 2003
			018 "DIA CIR PLASTIC
		0050/1988	LEN=0035 INSTALLED 2003
			018 "DIA CIR PLASTIC
		0050/1579	LEN=0036 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0050/1296	LEN=0040 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0050/0869	LEN=0040 INSTALLED 2003
			030 "DIA CIR PLASTIC
		0050/0336	LEN=0039 INSTALLED 2013
	010058 FT	010058 FT	2 0 19051 0 00 0100+52
		S 0050/0000	LENGTH(AH 2201 BK 2463)
			024 "DIA CIR PLASTIC
		0040/2166	LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/1993	LEN=0042 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0040/1510	LEN=0038 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0040/0938	LEN=0030 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0040/0550	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0040/0312	LEN=0036 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0040/0001	LEN=0044 INSTALLED 2012

DIR: B TOTAL LEN: 2.627 MI. DIST: 03-1 SR: 4016
LEFT MUN: MADISON T RIGHT MUN: MADISON T

	007595 FT	007595 FT	2 0 19051 0 00 0075+87
			LYONS RD
			(T380)
		0040/0000	LENGTH(AH 2463 BK 2571)
			018 "DIA CIR PLASTIC
		0030/2286	LEN=0040 INSTALLED 2004
			036 "DIA CIR PLASTIC
		0030/1952	LEN=0040 INSTALLED UNKN
TUNNEL RD			
(T382)	0030/1878		
			018 "DIA CIRC METAL
		0030/1314	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/1003	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/0700	LEN=0042 INSTALLED 2014
			030 "DIA CIR PLASTIC
		0030/0526	LEN=0040 INSTALLED 2003
	005024 FT	005024 FT	2 0 19051 0 00 0050+18
		0030/0000	LENGTH(AH 2571 BK 2477)
			018 "DIA CIR PLASTIC
		0020/2339	LEN=0035 INSTALLED 2003
			018 "DIA CIR PLASTIC
		0020/2001	LEN=0040 INSTALLED 1997
			048"H 40"W ELLIP METAL
		0020/0910	LEN=0065 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0020/0452	LEN=0035 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0020/0018	LEN=0034 INSTALLED 2003
	002547 FT	002547 FT	2 0 19051 0 00 0025+44
		0020/0000	LENGTH(AH 2477 BK 2547)
			018 "DIA CIR PLASTIC
		0010/1911	LEN=0050 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0010/1264	LEN=0040 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0010/0423	LEN=0045 INSTALLED 2013
		NC BLACK RUN RD	
			DUTCH HILL RD
			(SR4007 SEG 0090/2548)
		INTER-BK	BUCKHORN RD
2 0 19051 0 00 0000+00	000000 FT	000000 FT	(SR0044 SEG 0120/0944)
BUCKHORN RD			MFC BEGIN = E
(SR0044 SEG 0120/0944)	0010/0000	0010/0000	LENGTH(AH 2547 BK 0000)

DIR: B TOTAL LEN: .037 MI. DIST: 03-1 SR: 4015
LEFT MUN: MT PLEASANT T RIGHT MUN: MT PLEASANT T

000196 FT

000000 FT



```
000196 FT
7024/0000 LENGTH(AH 0100 BK 0196)
          BMSEN 19/4015/0020/0072
* REF-AHD  ROBBINS RD
0020/0196 (T600)
          MT PLEASANT
0020/0089 MADISON T
          0 0 00000 0 00 0000+00
          LITTLE FISHING CREEK
0020/0072 BMSBG 19/4015/0020/0072
000000 FT 2 0 19058 0 00 0000+00
          VILLAGE: MORDANSVILLE
     NC T600 ROBBINS RD
          SR 0042 SH
          (SR0042 SEG 0620/1459)
          MFC BEGIN = E
S 0020/0000 LENGTH(AH 0196 BK 0000)
```

DIR: B TOTAL LEN: .987 MI. DIST: 03-1 SR: 4014
LEFT MUN: MADISON T RIGHT MUN: MADISON T

	005212 FT		005212 FT
			7050/0000 LENGTH(AH 3358 BK 3185)
	005212 FT		005212 FT
			7040/0000 LENGTH(AH 3185 BK 1906)
	005212 FT		005212 FT
			7030/0000 LENGTH(AH 1906 BK 2685)
		*	REF-AHD FAIRVIEW DR
			0020/2685 (TWP)
			024 "DIA CIR PLASTIC
			0020/2348 LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0020/2163 LEN=0041 INSTALLED UNKN
			024 "DIA CIRC CONCR
			0020/2002 LEN=0044 INSTALLED UNKN
EBNER DR (T519)	0020/1881		
			018 "DIA CIRC CONCR
			0020/1635 LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0020/1045 LEN=0044 INSTALLED 2001
			018 "DIA CIRC CONCR
			0020/0567 LEN=0040 INSTALLED UNKN
2 0 19107 0 00 0026+29 HARTZELL RD (T376)	002527 FT		002527 FT
	0020/0000	5	0020/0000 LENGTH(AH 2685 BK 2527)
			018 "DIA CIRC CONCR
			0010/1805 LEN=0039 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0010/0610 LEN=0040 INSTALLED UNKN
	000000 FT		000000 FT 2 0 19107 0 00 0000+00
			DUTCH HILL RD
			(SR4007 SEG 0070/0000)
			NC FAIRVIEW DR
			INTER-BK LONG'S RD
			(T519)
DUTCH HILL RD (SR4007 SEG 0070/0000)	0010/0000		MFC BEGIN = E
		5	0010/0000 LENGTH(AH 2527 BK 0000)

DIR: B TOTAL LEN: 2.717 MI. DIST: 03-1 SR: 4013
LEFT MUN: MT PLEASANT T RIGHT MUN: MT PLEASANT T

	014346 FT	014346 FT	MT PLEASANT RD
		0050/3340	(SR4020 SEG 0060/0000)
		0050/3305	BMSEN 19/4013/0050/3277
			2 0 19105 0 00 0143+34
			DEER LICK RUN
		0050/3277	BMSBG 19/4013/0050/3277
			018 "DIA CIRC METAL
		0050/2132	LEN=0035 INSTALLED UNKN
		0050/1406	BMSEN 19/4013/0050/1391
			2 0 19105 0 00 0124+52
			TRIB TO DEER LICK RUN
		0050/1391	BMSBG 19/4013/0050/1391
			042 "DIA CIR PLASTIC
		0050/0167	LEN=0030 INSTALLED UNKN
2 0 19105 0 00 0110+57	011006 FT	011006 FT	
EVERT RD			
(T521)	0050/0000	0050/0000	LENGTH(AH 3340 BK 2110)
			024 "DIA CIRC METAL
		0040/1205	LEN=0045 INSTALLED UNKN
			015"H 21"W ELLIP METAL
		0040/0841	LEN=0035 INSTALLED UNKN
	008896 FT	008896 FT	2 0 19105 0 00 0089+21
			OMAN RD
			(T504)
		0040/0000	LENGTH(AH 2110 BK 2822)
			036 "DIA CIR PLASTIC
		0030/1867	LEN=0055 INSTALLED 2017
			048"H 76"W METAL ARCH
		0030/1278	LEN=0025 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/0949	LEN=0030 INSTALLED 2001

DIR: B TOTAL LEN: 2.717 MI. DIST: 03-1 SR: 4013
LEFT MUN: MT PLEASANT T RIGHT MUN: MT PLEASANT T

			018 "DIA CIRC METAL
		0030/0355	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/0145	LEN=0060 INSTALLED UNKN
2 0 19105 0 00 0061+03	006074 FT	006074 FT	
PEACOCK CORNERS RD			
(T502)	0030/0000	S 0030/0000	LENGTH(AH 2822 BK 2894)
			058"H 91"W ELLIP CONC
		0020/2722	LEN=0048 INSTALLED 2002
			018 "DIA CIR PLASTIC
		0020/2287	LEN=0030 INSTALLED 2017
			018 "DIA CIRC METAL
		0020/1724	LEN=0030 INSTALLED 2002
			018 "DIA CIR PLASTIC
		0020/1399	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0953	LEN=0040 INSTALLED 2001
			048 "DIA CIR PLASTIC
		0020/0593	LEN=0066 INSTALLED UNKN
ENGLISH HILL RD			
(T495)	0020/0538		
			018 "DIA CIR PLASTIC
		0020/0257	LEN=0031 INSTALLED UNKN
	003180 FT	003180 FT	2 0 19105 0 00 0031+95
		S 0020/0000	LENGTH(AH 2894 BK 3180)
			018 "DIA CIR PLASTIC
		0010/3031	LEN=0032 INSTALLED 2002
			018 "DIA CIR PLASTIC
		0010/2716	LEN=0030 INSTALLED 2017
			018 "DIA CIRC METAL
		0010/2281	LEN=0030 INSTALLED UNKN
			048 "DIA CIR PLASTIC
		0010/1839	LEN=0040 INSTALLED UNKN
FOX HOLLOW RD			
(T497)	0010/1770		
			018 "DIA CIR PLASTIC
		0010/1626	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/0980	LEN=0040 INSTALLED 2017
			018 "DIA CIR PLASTIC
		0010/0038	LEN=0055 INSTALLED 1997
	000000 FT	000000 FT	2 0 19105 0 00 0000+00
			NC WHITES CHURCH RD
			BACK-BRANCH RD
			(SR4008 SEG 0070/0000)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 3180 BK 0000)

DIR: B TOTAL LEN: 2.340 MI. DIST: 03-1 SR: 4012
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

BUCKHORN RD	012357 FT	012357 FT	BUCKHORN RD
(SR0044 SEG 0080/0985)	0050/1831	0050/1831	(SR0044 SEG 0080/0985)
			018 "DIA CIRC METAL
		0050/1780	LEN=0031 INSTALLED UNKN
			015 "DIA CIRC METAL
		0050/1731	LEN=0050 INSTALLED UNKN
FOR SR 0044 AND 4012			
(CONN)	0050/1680		
			HEMLOCK CREEK
			STRUCTURE LENGTH 22 FT
		0050/1617	BMSID 19/4012/0050/1617
			015 "DIA CIRC METAL
		0050/1202	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC METAL
		0050/0833	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0050/0101	LEN=0040 INSTALLED UNKN
2 0 19095 0 00 0105+55	010526 FT	010526 FT	
HEMLOCK			
MADISON T	0050/0000	S 0050/0000	LENGTH(AH 1831 BK 3799)
			015 "DIA CIRC METAL
		0040/3303	LEN=0048 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/2892	LEN=0035 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0040/2696	LEN=0037 INSTALLED 2013
			015 "DIA CIRC METAL
		0040/2317	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/1637	LEN=0038 INSTALLED 2013
RISHEL RD			
(T370)	0040/1105		
			018 "DIA CIR PLASTIC
		0040/1079	LEN=0036 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0040/0421	LEN=0040 INSTALLED 2014
			018 "DIA CIRC CONCR
		0040/0061	LEN=0048 INSTALLED UNKN

DIR: B TOTAL LEN: 2.340 MI. DIST: 03-1 SR: 4012
LEFT MUN: MADISON T RIGHT MUN: MADISON T

		048 "DIA CIR PLASTIC
	0040/0020	LEN=0065 INSTALLED 2012
006727 FT	006727 FT	2 0 19095 0 00 0067+38
	S 0040/0000	LENGTH(AH 3799 BK 2287)
		015 "DIA CIRC METAL
	0030/1786	LEN=0030 INSTALLED 2013
		018 "DIA CIR PLASTIC
	0030/1662	LEN=0030 INSTALLED 2012
		015 "DIA CIR PLASTIC
	0030/1504	LEN=0030 INSTALLED 2011
		024 "DIA CIRC METAL
	0030/0999	LEN=0040 INSTALLED UNKN
		SNYDER'S DR
	0030/0754	(T335)
		018 "DIA CIR PLASTIC
	0030/0550	LEN=0030 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0030/0309	LEN=0030 INSTALLED 2012
004440 FT	004440 FT	2 0 19095 0 00 0044+40
		HEMLOCK
		MADISON T
	S 0030/0000	LENGTH(AH 2287 BK 1930)
		015 "DIA CIR PLASTIC
	0020/1914	LEN=0035 INSTALLED 2011
		024 "DIA CIR PLASTIC
	0020/1481	LEN=0040 INSTALLED 2004
		018 "DIA CIRC METAL
	0020/0953	LEN=0045 INSTALLED UNKN
002510 FT	002510 FT	2 0 19095 0 00 0025+10
	S 0020/0000	LENGTH(AH 1930 BK 2510)
		018 "DIA CIR PLASTIC
	0010/2323	LEN=0031 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0010/2291	LEN=0050 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0010/1385	LEN=0040 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0010/0467	LEN=0040 INSTALLED 2001
000000 FT	000000 FT	2 0 19095 0 00 0000+00
		NC PEPPERMILL RD
		COLUMBIA HILL RD
		(SR4017 SEG 0010/1045)
		MFC BEGIN = E
	S 0010/0000	LENGTH(AH 2510 BK 0000)

DIR: B TOTAL LEN: 7.743 MI. DIST: 03-1 SR: 4011
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

040884 FT



040884 FT
INTER-AHD BLACK LN
(T530)
SR 0254 SH
0150/2157 (SR0254 SEG 0230/0000)
024 "DIA CIRC METAL
0150/1827 LEN=0070 INSTALLED UNKN

DIR: B TOTAL LEN: 7.743 MI. DIST: 03-1 SR: 4011
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

		018 "DIA CIRC METAL
	0150/0218	LEN=0035 INSTALLED UNKN
038727 FT	038727 FT	2 0 19029 0 00 0388+26
		OLD STATE RD
		(T591)
	S 0150/0000	LENGTH(AH 2157 BK 2146)
		018 "DIA CIR PLASTIC
	0140/1218	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0140/0838	LEN=0035 INSTALLED UNKN
	0140/0024	BMSEN 19/4011/0140/0000
036581 FT	036581 FT	2 0 19029 0 00 0366+56
		MUD RUN
		BMSBG 19/4011/0140/0000
	S 0140/0000	LENGTH(AH 2146 BK 1938)
		018 "DIA CIRC METAL
	0130/1698	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0130/1177	LEN=0035 INSTALLED UNKN
034643 FT	034643 FT	2 0 19029 0 00 0347+38
		BOTTOM RD
		(T583)
	S 0130/0000	LENGTH(AH 1938 BK 2781)
		018 "DIA CIR PLASTIC
	0120/1993	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0120/1603	LEN=0040 INSTALLED 2015
		042 "DIA CIR PLASTIC
	0120/1037	LEN=0055 INSTALLED 2005
		018 "DIA CIR PLASTIC
	0120/0954	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0120/0508	LEN=0055 INSTALLED UNKN
		024 "DIA CIRC METAL
	0120/0104	LEN=0040 INSTALLED UNKN
		GREENWOOD
	0120/0055	MT PLEASANT T
031862 FT	031862 FT	2 0 19029 0 00 0319+49
	S 0120/0000	LENGTH(AH 2781 BK 1959)
		018 "DIA CIRC METAL
	0110/1544	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL

DIR: B TOTAL LEN: 7.743 MI. DIST: 03-1 SR: 4011
LEFT MUN: MT PLEASANT T RIGHT MUN: MT PLEASANT T

			0110/1129	LEN=0035 INSTALLED UNKN 018 "DIA CIRC METAL
			0110/0846	LEN=0035 INSTALLED UNKN 018 "DIA CIR PLASTIC
			0110/0591	LEN=0040 INSTALLED 2015 018 "DIA CIR PLASTIC
			0110/0449	LEN=0040 INSTALLED 2015 018 "DIA CIR PLASTIC
			0110/0269	LEN=0040 INSTALLED 2015 NORTH END LN
		==	0110/0040	(TWP)
	029903 FT		029903 FT	2 0 19029 0 00 0299+84
			S 0110/0000	LENGTH(AH 1959 BK 2979)
			0100/2800	018 "DIA CIRC METAL LEN=0030 INSTALLED UNKN 018 "DIA CIR PLASTIC
			0100/2238	LEN=0040 INSTALLED 2015
			0100/1250	018 "DIA CIRC METAL LEN=0035 INSTALLED UNKN WELLIVERSVILLE RD
HILL RD (SR4022 SEG 0060/3274)	0100/0926	==	0100/0926	(T559)
			0100/0189	048 "DIA CIR PLASTIC LEN=0062 INSTALLED UNKN
	026924 FT		026924 FT	2 0 19029 0 00 0269+96
			S 0100/0000	LENGTH(AH 2979 BK 2926)
			0090/2800	018 "DIA CIRC METAL LEN=0030 INSTALLED UNKN
			0090/0890	018 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
ROBBINS RD (T600)	0090/0876	==		
			0090/0595	024"H 00"W MULT PLSTIC LEN=0035 INSTALLED UNKN
			0090/0593	024"H 00"W MULT PLSTIC LEN=0035 INSTALLED UNKN
			0090/0026	018 "DIA CIRC METAL LEN=0045 INSTALLED UNKN
	023998 FT		023998 FT	2 0 19029 0 00 0240+61
				LAMOREAUX RD (T551)
		==	S 0090/0000	LENGTH(AH 2926 BK 2225)

DIR: B TOTAL LEN: 7.743 MI. DIST: 03-1 SR: 4011
LEFT MUN: MT PLEASANT T RIGHT MUN: MT PLEASANT T

			024 "DIA CIRC CONCR
		0080/1007	LEN=0042 INSTALLED UNKN
KINDT RD			
(T545)	0080/0512		
2 0 19029 0 00 0215+00	021773 FT	021773 FT	
MORDANVILLE RD			
(T541)	0080/0000	5 0080/0000	LENGTH(AH 2225 BK 3955)
			018 "DIA CIRC METAL
		0070/3808	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/3542	LEN=0035 INSTALLED UNKN
			MT PLEASANT RD
		0070/3498	(SR4020 SEG 0010/0000)
			018 "DIA CIRC METAL
		0070/3476	LEN=0058 INSTALLED 2003
			015"H 22"W ELLIP METAL
		0070/2598	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0070/2222	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0070/1320	LEN=0040 INSTALLED UNKN
CRAWFORD RD			
(T539)	0070/0866		
			015"H 22"W ELLIP METAL
		0070/0288	LEN=0035 INSTALLED UNKN
	017818 FT	017818 FT	2 0 19029 0 00 0178+41
			SHANER RD
			(T540)
		5 0070/0000	LENGTH(AH 3955 BK 3353)
			018 "DIA CIRC METAL
		0060/2044	LEN=0035 INSTALLED UNKN
MELICK HOLLOW RD			
(T519)	0060/0039		
			018 "DIA CIRC METAL
		0060/0035	LEN=0045 INSTALLED 2002
	014465 FT	014465 FT	2 0 19029 0 00 0145+00
			PEACOCK CORNERS RD

DIR: B TOTAL LEN: 7.743 MI. DIST: 03-1 SR: 4011
LEFT MUN: MT PLEASANT T RIGHT MUN: MT PLEASANT T

				(T502)
		==	5 0060/0000	LENGTH(AH 3353 BK 2440)
				018 "DIA CIRC METAL
			0050/2410	LEN=0035 INSTALLED UNKN
				012 "DIA CIRC METAL
			0050/1788	LEN=0030 INSTALLED UNKN
COLEMAN HOLLOW RD (T426)	0050/1116	==		
				015"H 22"W ELLIP METAL
			0050/1094	LEN=0032 INSTALLED UNKN
				015"H 20"W ELLIP METAL
			0050/0765	LEN=0035 INSTALLED UNKN
	012025 FT		012025 FT	2 0 19029 0 00 0120+49
				VILLAGE: MILLERTOWN
			5 0050/0000	LENGTH(AH 2440 BK 3549)
				018 "DIA CIRC METAL
			0040/3388	LEN=0040 INSTALLED 2001
				018 "DIA CIR PLASTIC
			0040/2246	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0040/1397	LEN=0037 INSTALLED UNKN
				018 "DIA CIRC METAL
			0040/0050	LEN=0038 INSTALLED UNKN
2 0 19029 0 00 0084+85	008476 FT		008476 FT	
THOMAS RD (T427)	0040/0000	==	5 0040/0000	LENGTH(AH 3549 BK 3334)
				ENGLISH HILL RD
		==	0030/2725	(T495)
				018 "DIA CIRC METAL
			0030/2484	LEN=0036 INSTALLED UNKN
				018 "DIA CIRC METAL
			0030/2293	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0030/2017	LEN=0040 INSTALLED 2001
				018 "DIA CIR PLASTIC
			0030/1358	LEN=0056 INSTALLED UNKN
MORRISON RD (T493)	0030/1329	==		
				018 "DIA CIRC METAL

DIR: B TOTAL LEN: 7.743 MI. DIST: 03-1 SR: 4011
LEFT MUN: MT PLEASANT T RIGHT MUN: MT PLEASANT T

```
                                                  0030/1262 LEN=0051 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0030/0835 LEN=0042 INSTALLED UNKN
TURNER HIGHVIEW RD
(T577)                0030/0684   ==
                                                            015 "DIA CIRC METAL
                                                  0030/0339 LEN=0040 INSTALLED UNKN
                      005142 FT                   005142 FT 2 0 19029 0 00 0051+50
                                                S 0030/0000 LENGTH(AH 3334 BK 3189)
                                                            018 "DIA CIRC METAL
                                                  0020/3152 LEN=0040 INSTALLED UNKN
                                                            024 "DIA CIR PLASTIC
                                                  0020/2666 LEN=0040 INSTALLED 2001
                                                            018 "DIA CIRC METAL
                                                  0020/2225 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0020/1730 LEN=0048 INSTALLED UNKN
ROLLING HILLS DR
(TWP )                0020/1088   ==
                                                            018 "DIA CIRC METAL
                                                  0020/1057 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0020/0526 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0020/0052 LEN=0050 INSTALLED 2002
                      001953 FT                   001953 FT 2 0 19029 0 00 0019+60
                                                            ELLIS TURNER RD
                                                            (T499)
                                                S 0020/0000 LENGTH(AH 3189 BK 1953)
                                                            024 "DIA CIR PLASTIC
                                                  0010/1483 LEN=0035 INSTALLED 2013
ROLLING HILLS DR
(TWP )                0010/1426   ==

                                                            018 "DIA CIRC METAL
                                                  0010/0470 LEN=0050 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0010/0283 LEN=0054 INSTALLED 2002
                                                            018 "DIA CIR PLASTIC
                                                  0010/0091 LEN=0050 INSTALLED 2001
                      000000 FT                   000000 FT 2 0 19029 0 00 0000+00
                                                        NC MILLERTOWN RD
                                                            BACK-BRANCH RD
                                                            (SR4008 SEG 0010/2586)
                                                  INTER-BK  MILLERTOWN RD
                                                            (SR4008 SEG 0010/2586)
                                                            MFC BEGIN = D
                                                S 0010/0000 LENGTH(AH 1953 BK 0000)
```

DIR: B TOTAL LEN: .008 MI. DIST: 03-1 SR: 4010
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

```
000043 FT                    000043 FT
                             7074/0000 LENGTH(AH 0380 BK 0043)
                                       BMSEN 19/4010/0072/0000
                           * REF-AHD   DAHL RD
                             0072/0043 (TB28)
000000 FT                    000000 FT 2 0 19028 0 00 0174+75
                                NC DAHL RD
                           * REF-BK    DAHL RD
                                       (TB28)
                                       HEMLOCK CK
                                       BMSBG 19/4010/0072/0000
                                       MFC BEGIN = E
                           S 0072/0000 LENGTH(AH 0043 BK 2444)
000000 FT                    000000 FT
                             7070/0000 LENGTH(AH 2444 BK 2503)
000000 FT                    000000 FT
                             7060/0000 LENGTH(AH 2503 BK 2402)
000000 FT                    000000 FT
                             7050/0000 LENGTH(AH 2402 BK 2599)
000000 FT                    000000 FT
                             7040/0000 LENGTH(AH 2599 BK 2706)
000000 FT                    000000 FT
                             7030/0000 LENGTH(AH 2706 BK 2134)
000000 FT                    000000 FT
                             7020/0000 LENGTH(AH 2134 BK 2578)
000000 FT                    000000 FT
                             7010/0000 LENGTH(AH 2578 BK 0000)
```

DIR: B TOTAL LEN: 2.156 MI. DIST: 03-1 SR: 4009
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

011385 FT

MALL BL
(SR0042 SEG 0560/0000) 0070/0238

011147 FT



011385 FT
INTER-AHD MILLVILLE RD
(SR0042 SEG 0560/0000)
0070/0238
0070/0085 BMSEN 19/4009/0070/0000
HEMLOCK
0070/0050 MT PLEASANT T
011147 FT 1 0 00239 0 01 0111+40
LITTLE FISHING CREEK
BMSBG 19/4009/0070/0000
5 0070/0000 LENGTH(AH 0238 BK 2410)
060"H 60"W CON BOX CUL
0060/2199 LEN=0120 INSTALLED UNKN

018 "DIA CIRC METAL
0060/1225 LEN=0060 INSTALLED UNKN

DIR: B TOTAL LEN: 2.156 MI. DIST: 03-1 SR: 4009
LEFT MUN: MT PLEASANT T RIGHT MUN: MT PLEASANT T

			MILLERTOWN RD
		0060/1183	(SR4008 SEG 0010/0000)
		0060/0159	BMSEN 19/4009/0060/0000
			MT PLEASANT
		0060/0079	BLOOMSBURG TO
	008737 FT	008737 FT	1 0 00239 0 01 0087+12
			FISHING CREEK
			BMSBG 19/4009/0060/0000
		0060/0000	LENGTH(AH 2410 BK 1976)
			SR 0080 WBL
		0050/1088	OP ID 19/0080/2331/1728
			SR 0080 EB
		0050/1001	OP ID 19/0080/2330/1721
			024 "DIA CIRC METAL
		0050/0924	LEN=0050 INSTALLED UNKN
			(APRA) JTM ENTERPRISES
			INTERN'L HOUSEWARES INC
		0050/0545	(PRDR)
	006761 FT	006761 FT	1 0 00239 0 01 0067+57
			048 "DIA CIRC CONCR
			LEN=0096 INSTALLED UNKN
			HEMLOCK LN
			(TOWN)
		0050/0000	LENGTH(AH 1976 BK 0645)
	006116 FT	006116 FT	1 0 00239 0 01 0060+95
		0040/0000	LENGTH(AH 0645 BK 1697)
SUNSET DR			
(TOWN)	0030/1370		
			036 "DIA CIRC CONCR
		0030/1000	LEN=0120 INSTALLED UNKN
			ARBUTUS PARK RD
		0030/0900	(TOWN)
			SUMMIT AV
		0030/0856	(TOWN)
			018 "DIA CIRC CONCR
		0030/0847	LEN=0060 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0030/0528	LEN=0048 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0030/0007	LEN=0044 INSTALLED UNKN
1 0 00239 0 01 0045+10	004419 FT	004419 FT	
KRESSLER AV			
(TOWN)	0030/0000	0030/0000	LENGTH(AH 1697 BK 2165)
			018 "DIA CIRC CONCR
		0020/1485	LEN=0048 INSTALLED UNKN

DIR: B TOTAL LEN: 2.156 MI. DIST: 03-1 SR: 4009
LEFT MUN: BLOOMSBURG TO RIGHT MUN: BLOOMSBURG TO

IRONDALE RD
(TOWN)

0020/1455

018 "DIA CIRC CONCR
0020/1371 LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR
0020/1000 LEN=0048 INSTALLED UNKN
TOWN AL
0020/0860 (TOWN)

036 "DIA CIRC CONCR
0020/0017 LEN=0070 INSTALLED UNKN
002254 FT 002254 FT 1 0 00239 0 01 0022+29
S 0020/0000 LENGTH(AH 2165 BK 2254)

IRONDALE RD
(TOWN)

0010/1964

SUMMIT AV
0010/1928 (TOWN)
018 "DIA CIRC CONCR
0010/1858 LEN=0070 INSTALLED UNKN
EYER AV
0010/1564 (TOWN)
GLENN AV
0010/1325 (TOWN)
018 "DIA CIRC METAL
0010/1181 LEN=0029 INSTALLED UNKN
018 "DIA CIRC METAL
0010/1003 LEN=0090 INSTALLED UNKN
IRON ST
(TOWN)
NC MILLVILLE RD
018 "DIA CIRC CONCR
0010/0535 LEN=0060 INSTALLED UNKN
FIRST ST
0010/0506 (TOWN)
RIDGE AV
0010/0320 (TOWN)

RIDGE AV
(TOWN)

0010/0266

018 "DIA CIRC METAL
0010/0245 LEN=0030 INSTALLED UNKN
000000 FT 000000 FT 1 0 00239 0 00 0000+00
NC IRON ST
MAIN ST
(SR0011 SEG 0141/0000)
(SR0011 SEG 0140/0000)

INTER-BK IRON ST
(TOWN)
MFC BEGIN = C
S 0010/0000 LENGTH(AH 2254 BK 0000)

DIR: B TOTAL LEN: 3.681 MI. DIST: 03-1 SR: 4008
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

019436 FT

EASY ST
(SR1008 SEG 0010/0000) 0080/1300

MAIN ST
(T514) 0080/1083

018136 FT



019436 FT
INTER-AHD MAIN ST
(T514)
EASY ST
0080/1300 (TWP)
0080/1124 BMSEN 19/4008/0080/1112
2 0 19026 0 02 0489+89
T FISHG CK
0080/1112 BMSBG 19/4008/0080/1112

NC MAIN ST
018 "DIA CIRC CONCR
0080/0901 LEN=0050 INSTALLED UNKN

0080/0290 BMSEN 19/4008/0080/0057
SCOTT
0080/0174 MT PLEASANT T
2 0 19026 0 02 0478+19
FISHING CREEK
0080/0057 BMSBG 19/4008/0080/0057
018136 FT 2 0 19026 0 02 0477+64
VILLAGE: LIGHT STREET
S 0080/0000 LENGTH(AH 1300 BK 2848)

018 "DIA CIRC METAL
0070/1608 LEN=0048 INSTALLED UNKN

018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.681 MI. DIST: 03-1 SR: 4008
LEFT MUN: MT PLEASANT T RIGHT MUN: MT PLEASANT T

		0070/0849	LEN=0040 INSTALLED 1999
			018 "DIA CIRC CONCR
		0070/0593	LEN=0056 INSTALLED UNKN
OMAN RD			
(T504)	0070/0270		
			TRIB TO FISHING CREEK
			STRUCTURE LENGTH 19 FT
		0070/0032	BMSID 19/4008/0070/0032
2 0 19026 0 02 0448+82	015288 FT	015288 FT	
WHITES CHURCH RD			
(SR4013 SEG 0010/0000)	0070/0000	S 0070/0000	LENGTH(AH 2848 BK 1350)
	013938 FT	013938 FT	2 0 19026 0 02 0435+18
		S 0060/0000	LENGTH(AH 1350 BK 2411)
			018 "DIA CIRC METAL
		0050/2240	LEN=0060 INSTALLED UNKN
			015 "DIA CIRC METAL
		0050/1559	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC METAL
		0050/1063	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/0781	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/0404	LEN=0035 INSTALLED 1999
	011527 FT	011527 FT	2 0 19026 0 02 0410+82
		S 0050/0000	LENGTH(AH 2411 BK 3143)
			018 "DIA CIRC METAL
		0040/2925	LEN=0040 INSTALLED UNKN
			013"H 22"W ELLIP METAL
		0040/2355	LEN=0030 INSTALLED UNKN
			024 "DIA CIRC METAL
		0040/2015	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC METAL
		0040/1753	LEN=0042 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0040/1280	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0040/0895	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0040/0475	LEN=0035 INSTALLED UNKN
	008384 FT	008384 FT	2 0 19026 0 02 0379+06
		S 0040/0000	LENGTH(AH 3143 BK 2870)
			018 "DIA CIR PLASTIC
		0030/2098	LEN=0048 INSTALLED UNKN
			024 "DIA CIRC METAL
		0030/1543	LEN=0046 INSTALLED UNKN

DIR: B TOTAL LEN: 3.681 MI. DIST: 03-1 SR: 4008
LEFT MUN: MT PLEASANT T RIGHT MUN: MT PLEASANT T

			024 "DIA CIR PLASTIC
		0030/0960	LEN=0052 INSTALLED UNKN
			016"H 20"W ELLIP METAL
		0030/0778	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/0272	LEN=0047 INSTALLED 1998
	005514 FT	005514 FT	2 0 19026 0 02 0350+06
		S 0030/0000	LENGTH(AH 2870 BK 2828)
			018 "DIA CIRC METAL
		0020/2670	LEN=0032 INSTALLED UNKN
			030 "DIA CIRC METAL
		0020/1505	LEN=0070 INSTALLED UNKN
COUNTY HOME RD (T500)	0020/1431		
			024 "DIA CIRC METAL
		0020/1430	LEN=0065 INSTALLED UNKN
	002686 FT	002686 FT	2 0 19026 0 02 0321+49
			TRIBUTARY FISHING CRK
			STRUCTURE LENGTH 13 FT
			BMSID 19/4008/0020/0000
			MFC BEGIN = E
		S 0020/0000	LENGTH(AH 2828 BK 2686)
			NC BACK BRANCH RD
MILLERTOWN RD (SR4011 SEG 0010/0000)	0010/2586		
			018 "DIA CIR PLASTIC
		0010/2071	LEN=0048 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/1673	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/1276	LEN=0033 INSTALLED UNKN
THOMAS RD (T427)	0010/1081		
			018 "DIA CIRC METAL
		0010/0984	LEN=0032 INSTALLED UNKN
LC FOR THOMAS RD (CONN)	0010/0959		
	000000 FT	000000 FT	2 0 19026 0 02 0294+75
			SR 4009 SH
			(SR4009 SEG 0060/1183)
			NC MILLERTOWN RD
SR 4009 SH (SR4009 SEG 0060/1183)	0010/0000		MFC BEGIN = D
		S 0010/0000	LENGTH(AH 2686 BK 0000)

DIR: B TOTAL LEN: 1.833 MI. DIST: 03-1 SR: 4007
LEFT MUN: MADISON T RIGHT MUN: MADISON T

009680 FT

BUCKHORN RD
(SR0044 SEG 0120/0944) 0090/2548



009680 FT BUCKHORN RD
(SR0044 SEG 0120/0944)
BLACK RUN RD
0090/2548 (SR4016 SEG 0010/0000)
013"H 22"W ELLIP METAL
0090/2500 LEN=0077 INSTALLED UNKN
013"H 22"W ELLIP METAL
0090/2430 LEN=0070 INSTALLED UNKN

DIR: B TOTAL LEN: 1.833 MI. DIST: 03-1 SR: 4007
LEFT MUN: MADISON T RIGHT MUN: MADISON T

	007132 FT	007132 FT	2 0 19106 0 00 0199+23
		0090/0000	LENGTH(AH 2548 BK 1553)
			015 "DIA CIRC CONCR
		0080/1164	LEN=0036 INSTALLED UNKN
			013"H 22"W ELLIP METAL
		0080/0062	LEN=0031 INSTALLED UNKN
	005579 FT	005579 FT	2 0 19106 0 00 0183+74
		0080/0000	LENGTH(AH 1553 BK 2303)
			015 "DIA CIR PLASTIC
		0070/1715	LEN=0035 INSTALLED UNKN
			CHRISTY HILL RD
		0070/1111	(T378)
			013"H 22"W ELLIP METAL
		0070/0080	LEN=0035 INSTALLED UNKN
2 0 19106 0 00 0160+77	003276 FT	003276 FT	FAIRVIEW DR
LONGS RD			(SR4014 SEG 0010/0000)
(T519)	0070/0000	0070/0000	LENGTH(AH 2303 BK 3276)
			030 "DIA CIRC METAL
		0062/1126	LEN=0040 INSTALLED UNKN
	000000 FT	000000 FT	2 0 19106 0 00 0128+02
			NC DUTCH HILL RD
		REF-BK	DUTCH HILL RD
			(T806)
		0062/0000	LENGTH(AH 3276 BK 0032)
	000000 FT	000000 FT	
		7060/0000	LENGTH(AH 0032 BK 2805)
	000000 FT	000000 FT	
		7050/0000	LENGTH(AH 2805 BK 1948)
	000000 FT	000000 FT	
		7040/0000	LENGTH(AH 1948 BK 2506)
	000000 FT	000000 FT	
		7030/0000	LENGTH(AH 2506 BK 2170)
	000000 FT	000000 FT	
		7020/0000	LENGTH(AH 2170 BK 3245)
	000000 FT	000000 FT	
		7010/0000	LENGTH(AH 3245 BK 0000)

DIR: B TOTAL LEN: 3.224 MI. DIST: 03-1 SR: 4006
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

```
017022 FT                    017022 FT
                             7090/0000  LENGTH(AH 2812 BK 3711)
017022 FT                    017022 FT
                             7084/0000  LENGTH(AH 3711 BK 0057)
                                        BMSEN 19/4006/0082/0000
                           * REF-AHD    SCHOOL HOUSE RD
                             0082/0057  (T475)
016965 FT                    016965 FT  2 0 19026 0 00 0204+56
                           * REF-BK     SCHOOL HOUSE RD
                                        (T475)
                                        HEMLOCK CREEK
                                        BMSBG 19/4006/0082/0000
                           S 0082/0000  LENGTH(AH 0057 BK 0159)
016965 FT                    016965 FT
                             7080/0000  LENGTH(AH 0159 BK 2203)
016965 FT                    016965 FT
                             7078/0000  LENGTH(AH 2203 BK 0036)
                                        BMSEN 19/4006/0076/0000
                           * REF-AHD    SCHOOL HOUSE RD
                             0076/0036  (T475)
016929 FT                    016929 FT  2 0 19026 0 00 0177+94
                           * REF-BK     SCHOOL HOUSE RD
                                        (T475)
                                        T.L.FISHG.C.
                                        BMSBG 19/4006/0076/0000
                           S 0076/0000  LENGTH(AH 0036 BK 0806)
016929 FT                    016929 FT
                             7074/0000  LENGTH(AH 0806 BK 0201)
                                        BMSEN 19/4006/0072/0000
                           * REF-AHD    SCHOOL HOUSE RD
                             0072/0201  (T475)
016728 FT                    016728 FT  2 0 19026 0 00 0169+83
                                  NC SCHOOL HOUSE RD
                           * REF-BK     SCHOOL HOUSE RD
                                        (T475)
                                        I-80
                                        BMSBG 19/4006/0072/0000
                           S 0072/0000  LENGTH(AH 0201 BK 0251)
016728 FT                    016728 FT
                             7070/0000  LENGTH(AH 0251 BK 2539)
                             INTER-AHD  SCHOOL HOUSE RD
                                        (T475)
                                        FROSTY VALLEY RD
                             0060/2539  (SR4003 SEG 0060/1451)
                                        018 "DIA CIRC CONCR
                             0060/2504  LEN=0035 INSTALLED UNKN
```

DIR: B TOTAL LEN: 3.224 MI. DIST: 03-1 SR: 4006
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

		060 "DIA CIRC METAL
	0060/2040	LEN=0075 INSTALLED UNKN
		QUARRY DR
	0060/1562	(T346)
		036 "DIA CIRC METAL
	0060/0116	LEN=0036 INSTALLED UNKN
014189 FT	014189 FT	2 0 19026 0 00 0142+00
	S 0060/0000	LENGTH(AH 2539 BK 3488)
		014"H 23"W ELLIP METAL
	0050/2800	LEN=0036 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0050/2025	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC METAL
	0050/0025	LEN=0040 INSTALLED UNKN
010701 FT	010701 FT	2 0 19026 0 00 0107+09
		MOUREY DR
		(T441)
	S 0050/0000	LENGTH(AH 3488 BK 1710)
		036 "DIA CIRC METAL
	0040/1465	LEN=0045 INSTALLED UNKN
		030 "DIA CIRC METAL
	0040/0338	LEN=0045 INSTALLED UNKN
008991 FT	008991 FT	2 0 19026 0 00 0089+98
	S 0040/0000	LENGTH(AH 1710 BK 2550)
		018 "DIA CIR PLASTIC
	0030/2239	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/2107	LEN=0034 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0030/1985	LEN=0048 INSTALLED UNKN
		018 "DIA CIRC METAL
	0030/1934	LEN=0045 INSTALLED UNKN
		038"H 60"W ELLIP METAL
	0030/1860	LEN=0040 INSTALLED 1998

DIR: B TOTAL LEN: 3.224 MI. DIST: 03-1 SR: 4006
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

```
                                                                  006441 FT 2 0 19026 0 00 0064+47
                          006441 FT                                         BROBST DR
                                                                            (T332)
                                                                 0030/0000 LENGTH(AH 2550 BK 2733)
                                                                            018 "DIA CIRC METAL
                                                                 0020/2720 LEN=0036 INSTALLED UNKN

                                                                            018 "DIA CIRC METAL
                                                                 0020/1868 LEN=0036 INSTALLED UNKN
                                                                            018 "DIA CIR PLASTIC
                                                                 0020/1383 LEN=0036 INSTALLED UNKN
BROBST DR
(T332)                     0020/1361

                                                                            018 "DIA CIRC METAL
                                                                 0020/0804 LEN=0034 INSTALLED UNKN
                                                                            018 "DIA CIR PLASTIC
                                                                 0020/0554 LEN=0035 INSTALLED UNKN
                                                                            018 "DIA CIRC METAL
                                                                 0020/0254 LEN=0030 INSTALLED UNKN
                          003708 FT                              003708 FT 2 0 19026 0 00 0037+08
                                                                            SUSIE'S LN
                                                                            (T330)
                                                                 0020/0000 LENGTH(AH 2733 BK 3708)


                                                                            048"H 72"W ELLIP METAL
                                                                 0010/2476 LEN=0055 INSTALLED UNKN
                                                                            018 "DIA CIRC METAL
                                                                 0010/2344 LEN=0035 INSTALLED UNKN



                                                                            046 "DIA CIRC METAL
                                                                 0010/0719 LEN=0056 INSTALLED UNKN
                                                                            018 "DIA CIRC METAL
                                                                 0010/0636 LEN=0040 INSTALLED 2000

                                                                            024 "DIA CIRC METAL
                                                                 0010/0016 LEN=0048 INSTALLED UNKN
                          000000 FT                              000000 FT 2 0 19026 0 00 0000+00
                                                                       NC FROSTY VALLEY RD
                                                                            COUNTY LINE RD
                                                                            (T412)
                                                                 INTER-BK   FROSTY VALLEY RD
                                                                            (SR2012 SEG 0030/3870)
                                                                            MFC BEGIN = E
                                                                 0010/0000 LENGTH(AH 3708 BK 0000)
```

DIR: B TOTAL LEN: .000 MI. DIST: 03-1 SR: 4005
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

000000 FT
000000 FT

000000 FT
7020/0000 LENGTH(AH 0639 BK 2086)
000000 FT
7010/0000 LENGTH(AH 2086 BK 0000)

DIR: B TOTAL LEN: 2.747 MI. DIST: 03-1 SR: 4004
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

```
014506 FT                    014506 FT
                             7082/0000 LENGTH(AH 0352 BK 1125)
                             INTER-AHD RIDGE RD
                                       (TWP )
                                       INTERCHANGE RD
                             0080/1125 (SR0042 SEG 0470/0510)
                                       018 "DIA CIRC METAL
                             0080/0842 LEN=0062 INSTALLED UNKN
                                       030 "DIA CAST IRON
                             0080/0840 LEN=0060 INSTALLED UNKN

                             0080/0060 BMSEN 19/4004/0080/0000
                                       HEMLOCK
                             0080/0030 MONTOUR T
013381 FT                    013381 FT 2 0 19119 0 01 0130+89
                                       HEMLOCK CK
                                       BMSBG 19/4004/0080/0000
                           S 0080/0000 LENGTH(AH 1125 BK 3202)
                                       048 "DIA CIR PLASTIC
                             0070/2731 LEN=0064 INSTALLED 2008

                                       018 "DIA CIR PLASTIC
                             0070/1886 LEN=0040 INSTALLED UNKN
                                       024 "DIA CIR PLASTIC
                             0070/1408 LEN=0055 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0070/1184 LEN=0035 INSTALLED UNKN
                                       030 "DIA CIR PLASTIC
                             0070/0710 LEN=0040 INSTALLED UNKN

010179 FT                    010179 FT 2 0 19119 0 01 0098+42
                           S 0070/0000 LENGTH(AH 3202 BK 2412)
                                       024 "DIA CIR PLASTIC
                             0060/2319 LEN=0055 INSTALLED UNKN
                                       WELLIVER DR
                             0060/2289 (T358)


                                       018 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 2.747 MI. DIST: 03-1 SR: 4004
LEFT MUN: MONTOUR T RIGHT MUN: MONTOUR T

		0060/0817	LEN=0032 INSTALLED UNKN
	007767 FT	007767 FT	2 0 19119 0 01 0074+30
		0060/0000	LENGTH(AH 2412 BK 1651)
			030 "DIA CIR PLASTIC
		0050/1235	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC METAL
		0050/0585	LEN=0035 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0050/0290	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/0115	LEN=0040 INSTALLED 1997
	006116 FT	006116 FT	2 0 19119 0 01 0057+79
		0050/0000	LENGTH(AH 1651 BK 0352)
	005764 FT	005764 FT	2 0 19119 0 01 0054+44
		0040/0000	LENGTH(AH 0352 BK 1081)
			036 "DIA CIR PLASTIC
		0030/0101	LEN=0044 INSTALLED 2005
2 0 19119 0 01 0043+46	004683 FT	004683 FT	
QUARRY DR			NC RIDGE RD
(T346)	0030/0000	0030/0000	LENGTH(AH 1081 BK 3933)
			036 "DIA CIRC METAL
		0020/3475	LEN=0040 INSTALLED UNKN
			036 "DIA CIRC METAL
		0020/3110	LEN=0090 INSTALLED UNKN
			036 "DIA CIRC METAL
		0020/1453	LEN=0030 INSTALLED UNKN
			036 "DIA CAST IRON
		0020/1250	LEN=0043 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0164	LEN=0035 INSTALLED UNKN
	000750 FT	000750 FT	2 0 19119 0 01 0004+10
		0020/0000	LENGTH(AH 3933 BK 0750)
			VALLEY RD
		0010/0350	(T416)
	000000 FT	000000 FT	2 0 19119 0 00 0000+00
			NC QUARRY DR
			MONTOUR BL
			(SR0011 SEG 0030/0000)
			MFC BEGIN = E
		0010/0000	LENGTH(AH 0750 BK 0000)

DIR: B TOTAL LEN: .988 MI. DIST: 03-1 SR: 4003
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

	005219 FT		005219 FT	
			INTER-AHD	FROSTY VALLEY RD (SR4006 SEG 0060/2539) SCHOOL HOUSE RD
			0060/1451	(T475)
			0060/0765	018 "DIA CIRC METAL LEN=0050 INSTALLED UNKN
			0060/0061	036 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
2 0 19027 0 01 0014+25 MAGGIE SPRINGS LN (T358)	003768 FT		003768 FT	
	0060/0000		5 0060/0000	LENGTH(AH 1451 BK 2719)
			0050/1959	018 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
			0050/1747	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2018
			0050/1235	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
			0050/0846	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
			0050/0422	BMSEN 19/4003/0050/0359 0 0 00000 0 00 0000+00 HEMLOCK CRK
			0050/0359	BMSBG 19/4003/0050/0359 036"H 72"W ELLIP CONC
			0050/0051	LEN=0055 INSTALLED UNKN
	001049 FT		001049 FT	2 0 19027 0 01 0041+50
			5 0050/0000	LENGTH(AH 2719 BK 1049)
			0042/0648	018 "DIA CIRC CONCR LEN=0039 INSTALLED UNKN
			0042/0250	018 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
	000000 FT		000000 FT	2 0 19027 0 01 0052+24
			NC	FROSTY VALLEY RD MALL BL (SR0042 SEG 0480/0000)
			* REF-BK	FROSTY VALLEY RD (TWP)
			5 0042/0000	LENGTH(AH 1049 BK 0845)
	000000 FT		000000 FT	
			7040/0000	LENGTH(AH 0845 BK 2466)
	000000 FT		000000 FT	
			7030/0000	LENGTH(AH 2466 BK 1662)
	000000 FT		000000 FT	
			7020/0000	LENGTH(AH 1662 BK 0605)
	000000 FT		000000 FT	
			7012/0000	LENGTH(AH 0605 BK 0000)

DIR: B TOTAL LEN: 6.180 MI. DIST: 03-1 SR: 4002
LEFT MUN: COOPER T RIGHT MUN: MONTOUR T

	032630 FT		032630 FT
			INTER-AHD GROVANIA DR (T413)
MONTOUR BL (SR0011 SEG 0160/3328)	0130/2746		MONTOUR BL
			0130/2746 (SR0011 SEG 0010/0000)
			018 "DIA CIR PLASTIC
			0130/2628 LEN=0050 INSTALLED 2006
			042 "DIA CIR PLASTIC
			0130/2341 LEN=0031 INSTALLED 2005
			024 "DIA CIR PLASTIC
			0130/2281 LEN=0040 INSTALLED 2005
			024 "DIA CIR PLASTIC
			0130/1372 LEN=0040 INSTALLED UNKN
			036 "DIA CIRC CONCR
			0130/1100 LEN=0035 INSTALLED UNKN
COOPER MONTOUR T	0130/0961		
MONTOUR COOPER T	0130/0670		
2 0 19025 0 01 0032+80	029884 FT		029884 FT
COUNTY LINE DR (SR2017 SEG 0020/3211)			
COOPER MONTOUR T	0130/0000		S 0130/0000 LENGTH(AH 2746 BK 1742)
FOR SR 2017 AND 4002 (CONN)	0120/1659		
			021"H 15"W METAL ARCH
			0120/1616 LEN=0040 INSTALLED 2006
			015"H 21"W ELLIP METAL
			0120/1144 LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0120/0713 LEN=0050 INSTALLED 2003
	028142 FT		028142 FT 2 0 19025 0 01 0050+22
			S 0120/0000 LENGTH(AH 1742 BK 2504)
			018 "DIA CIR PLASTIC
			0110/2271 LEN=0040 INSTALLED 2006
			018 "DIA CIR PLASTIC
			0110/1290 LEN=0040 INSTALLED 2003
			024 "DIA CIRC METAL
			0110/0424 LEN=0044 INSTALLED UNKN
	025638 FT		025638 FT 2 0 19025 0 01 0074+41
			S 0110/0000 LENGTH(AH 2504 BK 2427)

DIR: B TOTAL LEN: 6.180 MI. DIST: 03-1 SR: 4002
LEFT MUN: MONTOUR T RIGHT MUN: MONTOUR T

		018 "DIA CIR PLASTIC
	0100/1654	LEN=0031 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0100/0541	LEN=0031 INSTALLED 2006
023211 FT	023211 FT	2 0 19025 0 02 0100+28
	S 0100/0000	LENGTH(AH 2427 BK 2987)
		015"H 21"W ELLIP METAL
	0090/2944	LEN=0030 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0090/1787	LEN=0040 INSTALLED UNKN
020224 FT	020224 FT	2 0 19025 0 03 0130+53
		DEUSSEN DR
		(T351)
	S 0090/0000	LENGTH(AH 2987 BK 2276)
		018 "DIA CIRC METAL
	0080/2241	LEN=0038 INSTALLED 2006
		024 "DIA CIR PLASTIC
	0080/0519	LEN=0045 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0080/0364	LEN=0040 INSTALLED 2003
017948 FT	017948 FT	2 0 19025 0 03 0153+29
		HOLLOW RD
		(T435)
	S 0080/0000	LENGTH(AH 2276 BK 2177)
		018 "DIA CIR PLASTIC
	0070/0692	LEN=0080 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0070/0279	LEN=0040 INSTALLED 2006
015771 FT	015771 FT	2 0 19025 0 03 0174+52
	S 0070/0000	LENGTH(AH 2177 BK 2940)
		018 "DIA CIRC METAL
	0060/2754	LEN=0075 INSTALLED 2006
		018 "DIA CIRC METAL
	0060/2606	LEN=0035 INSTALLED UNKN
		015"H 21"W ELLIP METAL

DIR: B TOTAL LEN: 6.180 MI. DIST: 03-1 SR: 4002
LEFT MUN: MONTOUR T RIGHT MUN: MONTOUR T

```
                                                 0060/2220 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0060/1858 LEN=0040 INSTALLED 2006

                                                           030 "DIA CIR PLASTIC
                                                 0060/1102 LEN=0040 INSTALLED 2003
                                                           TERRACE DR
                                                 0060/0901 (T414)
                                                           036 "DIA CIR PLASTIC
                                                 0060/0312 LEN=0065 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0060/0161 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0060/0061 LEN=0035 INSTALLED UNKN
                012831 FT                        012831 FT 2 0 19025 0 03 0205+55
                                                           FROM SR 0042/0390 SH
                                                           (SR0042 SEG 0390/0564)
                                                     NC GROVANIA DR
                                                 INTER-BK  FROM SR 0042/0390 SH
                                                           (SR0042 SEG 0390/0564)
                                                           MFC BEGIN = E
                                                 S 0060/0000 LTH AH 002940 BK 000116
                012831 FT                        012831 FT
                                                 7052/0000 LTH AH 000116 BK 002434
                                                 INTER-AHD RUPERT DR
                                                           (SR0042 SEG 0390/0433)
                                                           RUPERT DR
                                                 0050/2434 (SR0042 SEG 0390/0433)
                                                           030 "DIA CIRC CONCR
                                                 0050/2355 LEN=0100 INSTALLED UNKN
FROM 0042/0390 SH                                          TO 0042/0390 SH
(CONN)                0050/2323                  0050/2323 (CONN)

                                                           021"H 15"W ELLIP METAL
                                                 0050/1230 LEN=0040 INSTALLED 1999

                                                           030 "DIA CIRC METAL
                                                 0050/0186 LEN=0045 INSTALLED UNKN
                012397 FT                        010397 FT 2 0 19025 0 04 0229+14
                                                 S 0050/0000 LENGTH(AH 2434 BK 2541)
                                                           018 "DIA CIR PLASTIC
                                                 0040/2073 LEN=0040 INSTALLED UNKN

                                                           060 "DIA CIR PLASTIC
                                                 0040/1300 LEN=0040 INSTALLED 2014
                                                           018 "DIA CIRC METAL
                                                 0040/0762 LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 6.180 MI. DIST: 03-1 SR: 4002
LEFT MUN: MONTOUR T RIGHT MUN: MONTOUR T

			030 "DIA CIRC METAL
		0040/0071	LEN=0040 INSTALLED UNKN
	007856 FT	007856 FT	2 0 19025 0 04 0254+57
		0040/0000	LENGTH(AH 2541 BK 2499)
			015 "DIA CIRC METAL
		0030/2102	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/1872	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC METAL
		0030/0951	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/0783	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/0449	LEN=0040 INSTALLED 2000
			030 "DIA CIR PLASTIC
		0030/0276	LEN=0035 INSTALLED 2000
	005357 FT	005357 FT	2 0 19025 0 04 0279+58
		0030/0000	LENGTH(AH 2499 BK 2498)
			018 "DIA CIRC METAL
		0020/1850	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/1420	LEN=0037 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/0583	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/0168	LEN=0033 INSTALLED UNKN
	002859 FT	002859 FT	2 0 19025 0 04 0304+58
		0020/0000	LENGTH(AH 2498 BK 2859)
			018 "DIA CIRC METAL
		0010/2627	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/2087	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC METAL
		0010/1910	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/1396	LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/1174	LEN=0033 INSTALLED 2000
	000000 FT	000000 FT	2 0 19025 0 04 0333+19
			NC LEGION RD
		INTER-BK	RIVER DR
			(SR2006 SEG 0150/0000)
			MFC BEGIN = D
COUNTY LINE DR (SR2006 SEG 0150/0000)	0010/0000	0010/0000	LENGTH(AH 2859 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 03-1 SR: 4001
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

000000 FT	000000 FT	
	7020/0000	LENGTH(AH 1611 BK 1707)
000000 FT	000000 FT	
	7014/0000	LENGTH(AH 1707 BK 0329)
000000 FT	000000 FT	
	7010/0000	LENGTH(AH 0329 BK 0000)

DIR: B TOTAL LEN: 2.940 MI. DIST: 03-1 SR: 3016
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

RIVER HILL DR (SR0487 SEG 0200/1997)	015523 FT 0100/1743		015523 FT 0100/1743	RIVER HILL DR (SR0487 SEG 0200/1997)
				018 "DIA CIRC CONCR
			0100/1715	LEN=0064 INSTALLED UNKN
BREE-ZEE KNOLLS DR (T430)	0100/1380			
	013780 FT		013780 FT	2 0 19089 0 00 0155+27
			S 0100/0000	LENGTH(AH 1743 BK 2488)
				018 "DIA CIR PLASTIC
			0090/2424	LEN=0042 INSTALLED 2002
				042 "DIA CIR PLASTIC
			0090/1672	LEN=0042 INSTALLED 2008
				018 "DIA CIRC METAL
			0090/1409	LEN=0034 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0090/0971	LEN=0040 INSTALLED 2015
	011292 FT		011292 FT	2 0 19089 0 00 0130+33
			S 0090/0000	LENGTH(AH 2488 BK 2517)
				048 "DIA CIRC CONCR
			0080/2237	LEN=0032 INSTALLED UNKN
				013"H 22"W ELLIP METAL
			0080/1586	LEN=0040 INSTALLED UNKN
				018 "DIA CIRC METAL
			0080/1313	LEN=0032 INSTALLED UNKN
	008775 FT		008775 FT	2 0 19089 0 00 0105+10
			S 0080/0000	LENGTH(AH 2517 BK 2470)
				018 "DIA CIR PLASTIC
			0070/2382	LEN=0040 INSTALLED 2003
				034"H 54"W ELLIP METAL
			0070/0745	LEN=0039 INSTALLED 2014
				018 "DIA CIR PLASTIC
			0070/0328	LEN=0031 INSTALLED 2015

DIR: B TOTAL LEN: 2.940 MI. DIST: 03-1 SR: 3016
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

	006305 FT	006305 FT	2 0 19089 0 00 0080+34
		0070/0000	LENGTH(AH 2470 BK 2538)
			018 "DIA CIRC CONCR
		0060/2329	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/1438	LEN=0035 INSTALLED UNKN
			015"H 21"W ELLIP METAL
		0060/0620	LEN=0035 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0060/0133	LEN=0045 INSTALLED 2015
	003767 FT	003767 FT	2 0 19089 0 00 0054+90
		0060/0000	LENGTH(AH 2538 BK 2255)
			030 "DIA CIR PLASTIC
		0050/1695	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0050/1448	LEN=0040 INSTALLED 2015
			018 "DIA CIRC METAL
		0050/0099	LEN=0040 INSTALLED UNKN
	001512 FT	001512 FT	2 0 19089 0 00 0032+28
			CATAWISSA
			CATAWISSA B
		0050/0000	LENGTH(AH 2255 BK 1281)
			013 "DIA CIRC METAL
		0040/1259	LEN=0055 INSTALLED UNKN
	000231 FT	000231 FT	2 0 19089 0 00 0019+31
		0040/0000	LENGTH(AH 1281 BK 0231)
OLD FERRY RD (BORO)	0032/0067		
		0032/0022	BMSEN 19/3016/0032/0000
	000000 FT	000000 FT	2 0 19089 0 00 0016+97
			NC HOLLOW RD
		REF-BK	HOLLOW RD
			(BORO)
			T SUSQ RIVER
			BMSBG 19/3016/0032/0000
		0032/0000	LENGTH(AH 0231 BK 0704)
	000000 FT	000000 FT	
		7030/0000	LENGTH(AH 0704 BK 0217)
	000000 FT	000000 FT	
		7020/0000	LENGTH(AH 0217 BK 0796)
	000000 FT	000000 FT	
		7010/0000	LENGTH(AH 0796 BK 0000)

DIR: B TOTAL LEN: 1.509 MI. DIST: 03-1 SR: 3014
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

007965 FT		007965 FT
		7090/0000 LENGTH(AH 0252 BK 0250)
007965 FT		007965 FT
		7080/0000 LENGTH(AH 0250 BK 0815)
007965 FT		007965 FT

DIR: B TOTAL LEN: 1.509 MI. DIST: 03-1 SR: 3014
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

```
                                        7070/0000 LENGTH(AH 0815 BK 2948)
                                                  ROAD CLOSED AHEAD
                                        0030/2948   ROAD CLOSED AHEAD

                                                  036 "DIA CIRC CONCR
                                        0030/1184 LEN=0031 INSTALLED UNKN
                                                  012 "DIA CAST IRON
                                        0030/0808 LEN=0032 INSTALLED UNKN

005017 FT                               005017 FT 2 0 19011 0 01 0079+54
                                      5 0030/0000 LENGTH(AH 2948 BK 2995)
                                                  015"H 21"W ELLIP METAL
                                        0020/2658 LEN=0050 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                        0020/1682 LEN=0028 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0020/1475 LEN=0065 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0020/1300 LEN=0033 INSTALLED UNKN
                                                  012 "DIA CAST IRON
                                        0020/1005 LEN=0030 INSTALLED UNKN
                                                  012 "DIA CAST IRON
                                        0020/0893 LEN=0024 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0020/0693 LEN=0024 INSTALLED UNKN
                                                  015 "DIA CAST IRON
                                        0020/0318 LEN=0028 INSTALLED UNKN
002022 FT                               002022 FT 2 0 19011 0 01 0049+77
                                      5 0020/0000 LENGTH(AH 2995 BK 2022)
                                                  015 "DIA CAST IRON
                                        0010/1786 LEN=0030 INSTALLED UNKN
                                                  013"H 22"W ELLIP METAL
                                        0010/1571 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0010/1000 LEN=0040 INSTALLED UNKN

                                                  T.SUSQ.RIVER
                                                  STRUCTURE LENGTH    8 FT
                                        0010/0345 BMSID 19/3014/0010/0345
000000 FT                               000000 FT 2 0 19011 0 01 0029+85
                                              NC SUSQUE VIEW RD
                                                  MT ZION RD
                                                  (SR3012 SEG 0030/0000)
                                                  MFC BEGIN = E
                                      5 0010/0000 LENGTH(AH 2022 BK 0000)
```

DIR: B TOTAL LEN: 4.147 MI. DIST: 03-1 SR: 3012
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

	021895 FT	021895 FT	SOUTHERN DR
		0090/3196	(SR0042 SEG 0350/0000)
			018 "DIA CIR UNKNOWN
		0090/3130	LEN=0045 INSTALLED UNKN
			CATAWISSA
		0090/2978	FRANKLIN T
			018 "DIA CIRC METAL
		0090/2886	LEN=0048 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/2634	LEN=0056 INSTALLED UNKN
			018 "DIA CIRC METAL
		0090/2069	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0090/1775	LEN=0044 INSTALLED UNKN
			015 "DIA CIRC METAL
		0090/1523	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC METAL
		0090/1060	LEN=0041 INSTALLED UNKN
			013"H 22"W ELLIP METAL
		0090/0755	LEN=0041 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/0434	LEN=0050 INSTALLED UNKN
VILLAGESIDE DR (TWP)	0090/0369		
	018699 FT	018699 FT	2 0 19013 0 00 0100+13
		S 0090/0000	LENGTH(AH 3196 BK 2552)
			036 "DIA CIRC METAL
		0080/0761	LEN=0050 INSTALLED UNKN
	016147 FT	016147 FT	2 0 19013 0 00 0074+52
		S 0080/0000	LENGTH(AH 2552 BK 2443)
			018 "DIA CIRC METAL
		0070/2217	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC METAL
		0070/1757	LEN=0040 INSTALLED UNKN
			021"H 15"W ELLIP METAL
		0070/1579	LEN=0040 INSTALLED UNKN
			021"H 15"W ELLIP METAL
		0070/1009	LEN=0037 INSTALLED 2002
			018 "DIA CIR PLASTIC
		0070/0093	LEN=0045 INSTALLED 2006
	013704 FT	013704 FT	2 0 19013 0 00 0050+00

DIR: B TOTAL LEN: 4.147 MI. DIST: 03-1 SR: 3012
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

```
                                                  S 0070/0000 LENGTH(AH 2443 BK 2587)
                                                            018 "DIA CIR PLASTIC
                                                    0060/2454 LEN=0052 INSTALLED UNKN
                                                            036 "DIA CIRC METAL
                                                    0060/2071 LEN=0036 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                    0060/1760 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                    0060/1515 LEN=0040 INSTALLED UNKN

                                                            015 "DIA CIRC METAL
                                                    0060/0835 LEN=0042 INSTALLED UNKN
                                                            ADAMS DR
                                                    0060/0738 (TWP )
                                                            036"H 48"W ELLIP METAL
                                                    0060/0707 LEN=0040 INSTALLED 2001
                                                            018 "DIA CIRC CONCR
                                                    0060/0186 LEN=0038 INSTALLED UNKN
                011117 FT                           011117 FT 2 0 19013 0 00 0024+04
                                                  S 0060/0000 LENGTH(AH 2587 BK 2395)
                                                            018 "DIA CIR PLASTIC
                                                    0050/2310 LEN=0038 INSTALLED UNKN
BROOKSIDE DR
(TWP )           0050/1772
                                                            015 "DIA CIRC CONCR
                                                    0050/1573 LEN=0044 INSTALLED UNKN
                                                            036 "DIA CIR PLASTIC
                                                    0050/0974 LEN=0050 INSTALLED UNKN
                                                            036 "DIA CIRC METAL
                                                    0050/0413 LEN=0048 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                    0050/0241 LEN=0116 INSTALLED UNKN
                008722 FT                           008722 FT 2 0 19013 0 00 0000+00
                                                            ORCHARD DR
                                                            (SR3003 SEG 0140/1933)
                                                  S 0050/0000 LENGTH(AH 2395 BK 3152)
                                                            018 "DIA CIRC METAL
                                                    0040/3121 LEN=0038 INSTALLED UNKN

                                                            024 "DIA CIRC METAL
                                                    0040/2329 LEN=0036 INSTALLED UNKN



                                                            018 "DIA CIR PLASTIC
                                                    0040/0792 LEN=0047 INSTALLED UNKN

                005570 FT                           005570 FT 2 0 19012 0 01 0175+56
                                                  S 0040/0000 LENGTH(AH 3152 BK 2747)
```

DIR: B TOTAL LEN: 4.147 MI. DIST: 03-1 SR: 3012
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

```
                                                   024 "DIA CIRC METAL
                                     0030/2732 LEN=0037 INSTALLED UNKN
                                                   030 "DIA CIRC METAL
                                     0030/2591 LEN=0042 INSTALLED UNKN
                                                   018 "DIA CIRC METAL
                                     0030/2396 LEN=0045 INSTALLED UNKN
                                                   018 "DIA CIRC METAL
                                     0030/2145 LEN=0046 INSTALLED UNKN
                                                   018 "DIA CIRC METAL
                                     0030/1865 LEN=0042 INSTALLED UNKN
                                                   018 "DIA CIRC METAL
                                     0030/1542 LEN=0046 INSTALLED UNKN
                                                   018 "DIA CIRC METAL
                                     0030/1249 LEN=0050 INSTALLED UNKN

                                                   018 "DIA CIRC METAL
                                     0030/0625 LEN=0042 INSTALLED UNKN
                                                   018 "DIA CIRC METAL
                                     0030/0577 LEN=0045 INSTALLED UNKN
                                                   036 "DIA CIR PLASTIC
                                     0030/0492 LEN=0042 INSTALLED UNKN
                                                   018 "DIA CIRC METAL
                                     0030/0113 LEN=0042 INSTALLED UNKN
2 0 19012 0 01 0202+84 002823 FT     002823 FT
SUSQUE VIEW RD
(SR3014 SEG 0010/0000)  0030/0000  S 0030/0000 LENGTH(AH 2747 BK 2050)
                                                   018 "DIA CIRC METAL
                                     0020/1760 LEN=0036 INSTALLED UNKN
                                                   018 "DIA CIRC METAL
                                     0020/1395 LEN=0038 INSTALLED UNKN
                                                   018 "DIA CIRC METAL
                                     0020/1102 LEN=0030 INSTALLED UNKN
                                                   024 "DIA CIRC METAL
                                     0020/0621 LEN=0036 INSTALLED UNKN
                                                   018 "DIA CIR PLASTIC
                                     0020/0205 LEN=0036 INSTALLED UNKN
                        000773 FT    000773 FT 2 0 19011 0 01 0009+25
                                   S 0020/0000 LENGTH(AH 2050 BK 0773)
                                                   024 "DIA CIRC CONCR
                                     0010/0434 LEN=0045 INSTALLED UNKN
                                     0010/0064 BMSEN 19/3012/0010/0000
                        000000 FT    000000 FT 2 0 19011 0 00 0000+00
                                           NC MT ZION RD
                                   * REF-BK    SUSQUEHANNA RD
                                               (SR2102 SEG 0050/0215)
                                               ROARING CK
                                               BMSBG 19/3012/0010/0000
                                               MFC BEGIN = D
                                                BK-MONTOUR          (47)
                                   S 0010/0000 LENGTH(AH 0773 BK 0000)
```

DIR: B TOTAL LEN: 5.636 MI. DIST: 03-1 SR: 3010
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

NUMIDIA DR (SR0042 SEG 0180/0732)	029757 FT 0110/1235		029757 FT NUMIDIA DR 0110/1235 (SR0042 SEG 0180/0732)
			060 "DIA CIRC METAL
			0110/0007 LEN=0033 INSTALLED UNKN
	028522 FT		028522 FT 2 0 19002 0 01 0344+40
		5	0110/0000 LENGTH(AH 1235 BK 2769)
			018 "DIA CIR PLASTIC
			0100/0956 LEN=0040 INSTALLED 2018
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.636 MI. DIST: 03-1 SR: 3010
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

		0100/0621	LEN=0040 INSTALLED 2018
			015 "DIA CIRC METAL
		0100/0276	LEN=0045 INSTALLED UNKN
	025753 FT	025753 FT	2 0 19002 0 01 0316+71
		5 0100/0000	LENGTH(AH 2769 BK 2024)
			LOCUST
		0090/1945	CLEVELAND T
			018 "DIA CIRC METAL
		0090/0740	LEN=0030 INSTALLED UNKN
ASHTON HOLLOW RD (SR3003 SEG 0010/0000)	0090/0122		
			018 "DIA CIRC CONCR
		0090/0067	LEN=0060 INSTALLED UNKN
	023729 FT	023729 FT	2 0 19002 0 00 0290+09
			GARFIELD RD
			(T350)
		5 0090/0000	LENGTH(AH 2024 BK 2914)
			018 "DIA CIRC METAL
		0080/2021	LEN=0030 INSTALLED UNKN
2 0 19002 0 00 0260+93	020815 FT	020815 FT	
TYSON SCHOOL RD (SR3001 SEG 0040/0000)	0080/0000	5 0080/0000	LENGTH(AH 2914 BK 3454)
CENTER SCHOOL RD (T319)	0070/2561		
			018 "DIA CIR PLASTIC
		0070/2427	LEN=0047 INSTALLED 2005
			FISHERDALE RD
		0070/2422	(SR3001 SEG 0030/2987)
			015 "DIA CIRC METAL
		0070/1458	LEN=0040 INSTALLED UNKN
	017361 FT	017361 FT	2 0 19002 0 00 0225+91
		5 0070/0000	LENGTH(AH 3454 BK 2898)
			018 "DIA CIRC METAL
		0060/2534	LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 5.636 MI. DIST: 03-1 SR: 3010
LEFT MUN: CLEVELAND T RIGHT MUN: CLEVELAND T

				018 "DIA CIR PLASTIC
			0060/2272	LEN=0031 INSTALLED 2005
				015"H 21"W ELLIP METAL
			0060/1730	LEN=0025 INSTALLED UNKN
	014463 FT		014463 FT	2 0 19002 0 00 0196+53
				CENTER SCHOOL RD
				(T319)
			S 0060/0000	LENGTH(AH 2898 BK 3606)
				018 "DIA CIR PLASTIC
			0050/3563	LEN=0040 INSTALLED 2018
				018 "DIA CIR PLASTIC
			0050/1645	LEN=0035 INSTALLED UNKN
				018 "DIA CIRC METAL
			0050/1077	LEN=0035 INSTALLED UNKN
LC TO PINE SWAMP RD (CONN)	0050/0758			
				018 "DIA CIRC METAL
			0050/0722	LEN=0070 INSTALLED UNKN
PINE SWAMP RD (T337)	0050/0654			
				018 "DIA CIRC METAL
			0050/0218	LEN=0040 INSTALLED UNKN
				JEFFERSON RD
			0050/0124	(T315)
			0050/0027	BMSEN 19/3010/0050/0000
	010857 FT		010857 FT	2 0 19002 0 00 0161+71
				MUGSER RUN
				BMSBG 19/3010/0050/0000
			S 0050/0000	LENGTH(AH 3606 BK 2725)
				JACKSON RD
			0040/2663	(T375)
				018 "DIA CIR PLASTIC
			0040/2208	LEN=0040 INSTALLED 2005
				024 "DIA CIR PLASTIC
			0040/1910	LEN=0050 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0040/1485	LEN=0051 INSTALLED UNKN
				POWER LINE RD
			0040/0364	(T324)

DIR: B TOTAL LEN: 5.636 MI. DIST: 03-1 SR: 3010
LEFT MUN: CLEVELAND T RIGHT MUN: CLEVELAND T

```
2 0 19002 0 00 0134+50 008132 FT                  008132 FT
COOLIDGE RD
(T321)                  0040/0000          ==   S 0040/0000 LENGTH(AH 2725 BK 2952)
                                                          018 "DIA CIR PLASTIC
                                                  0030/2487 LEN=0030 INSTALLED UNKN

                                                          018 "DIA CIR PLASTIC
                                                  0030/1185 LEN=0040 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                  0030/0797 LEN=0036 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                  0030/0348 LEN=0045 INSTALLED UNKN
                                                          060 "DIA CIRC CONCR
                                                  0030/0025 LEN=0070 INSTALLED UNKN
                        005180 FT                 005180 FT 2 0 19002 0 00 0104+78
                                                  S 0030/0000 LENGTH(AH 2952 BK 1836)
WILSON RD
(T322)                  0020/1635          ==
                                                          018 "DIA CIRC METAL
                                                  0020/1232 LEN=0036 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                  0020/0988 LEN=0040 INSTALLED 2018
                                                          018 "DIA CIR PLASTIC
                                                  0020/0415 LEN=0060 INSTALLED 2018
2 0 19002 0 00 0086+30 003344 FT                  003344 FT
WYNN SCHOOL RD
(T311)                  0020/0000          ==   S 0020/0000 LENGTH(AH 1836 BK 3344)
                                                          018 "DIA CIR PLASTIC
                                                  0010/3297 LEN=0062 INSTALLED 2005

POLK LN
(T379)                  0010/1290          ==
                                                          024 "DIA CIRC METAL
                                                  0010/0952 LEN=0040 INSTALLED UNKN
                                                          024 "DIA CIRC METAL
                                                  0010/0700 LEN=0035 INSTALLED UNKN
                                                          024 "DIA CIRC METAL
                                                  0010/0297 LEN=0045 INSTALLED UNKN
                        000000 FT                 000000 FT 2 0 19002 0 00 0053+12
                                                       NC MIDDLE RD
                                                          BEAR GAP RD
                                                          (SR3008 SEG 0030/0235)
                                                          MFC BEGIN = D
                                                  S 0010/0000 LENGTH(AH 3344 BK 0000)
```

DIR: B TOTAL LEN: 5.980 MI. DIST: 03-1 SR: 3008
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

	031574 FT	031574 FT	NUMIDIA DR
		0120/2801	(SR0042 SEG 0150/0750)
			015 "DIA CIRC CONCR
		0120/2787	LEN=0047 INSTALLED UNKN
			015"H 23"W ELLIP METAL
		0120/0038	LEN=0065 INSTALLED UNKN
2 0 19073 0 00 0060+00	028773 FT	028773 FT	
RHODESTOWN RD			
(T321)	0120/0000	5 0120/0000	LENGTH(AH 2801 BK 3282)
			015"H 23"W ELLIP METAL
		0110/2024	LEN=0034 INSTALLED UNKN
			014"H 23"W ELLIP METAL
		0110/1685	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0110/1641	LEN=0030 INSTALLED UNKN
			LOCUST
		0110/1403	CLEVELAND T
			018 "DIA CIR PLASTIC
		0110/1038	LEN=0035 INSTALLED UNKN
	025491 FT	025491 FT	2 0 19073 0 00 0030+03
		5 0110/0000	LENGTH(AH 3282 BK 3003)
			018 "DIA CIR PLASTIC
		0100/2619	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0100/2235	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.980 MI. DIST: 03-1 SR: 3008
LEFT MUN: CLEVELAND T RIGHT MUN: CLEVELAND T

		0100/1732	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0100/1009	LEN=0032 INSTALLED UNKN
			MUGSER RUN
			STRUCTURE LENGTH 22 FT
		0100/0039	BMSID 19/3008/0100/0039
2 0 19073 0 00 0000+00 022488 FT		022488 FT	
WHITE CHURCH RD			
(T323) 0100/0000	==	S 0100/0000	LENGTH(AH 3003 BK 2558)
			015"H 23"W ELLIP METAL
		0090/1946	LEN=0040 INSTALLED UNKN
			015"H 23"W ELLIP METAL
		0090/1767	LEN=0035 INSTALLED UNKN
			015"H 21"W ELLIP METAL
		0090/0830	LEN=0040 INSTALLED 2012
			015"H 21"W ELLIP METAL
		0090/0474	LEN=0040 INSTALLED 2012
019930 FT		019930 FT	2 0 19003 0 00 0147+46
			MUGSER RUN
			STRUCTURE LENGTH 36 FT
			BMSID 19/3008/0090/0000
		S 0090/0000	LENGTH(AH 2558 BK 2268)
			015"H 21"W ELLIP METAL
		0080/2008	LEN=0031 INSTALLED UNKN
			018 "DIA CIRC METAL
		0080/1530	LEN=0040 INSTALLED UNKN
FISHERDALE RD			
(SR3001 SEG 0010/0000) 0080/0902	==		
			024 "DIA CIR PLASTIC
		0080/0751	LEN=0040 INSTALLED UNKN
017662 FT		017662 FT	2 0 19003 0 00 0124+68
		S 0080/0000	LENGTH(AH 2268 BK 2495)
			024 "DIA CIRC METAL
		0070/1974	LEN=0040 INSTALLED UNKN
			WILLIAM PENN LN
	==	0070/1379	(T307)
			015"H 21"W METAL ARCH
		0070/1371	LEN=0050 INSTALLED 2001
			018 "DIA CIRC METAL
		0070/0352	LEN=0035 INSTALLED UNKN

DIR: B TOTAL LEN: 5.980 MI. DIST: 03-1 SR: 3008
LEFT MUN: CLEVELAND T RIGHT MUN: CLEVELAND T

	015167 FT		015167 FT 2 0 19003 0 00 0099+06
		S	0070/0000 LENGTH(AH 2495 BK 2506)
			030 "DIA CIR PLASTIC
			0060/1962 LEN=0040 INSTALLED UNKN
			042 "DIA CIR PLASTIC
			0060/1931 LEN=0050 INSTALLED 2012
			018 "DIA CIRC METAL
			0060/1660 LEN=0035 INSTALLED UNKN
			015 "DIA CIRC METAL
			0060/1030 LEN=0095 INSTALLED UNKN
			018 "DIA CIRC METAL
			0060/0694 LEN=0035 INSTALLED UNKN
			024 "DIA CIRC METAL
			0060/0351 LEN=0035 INSTALLED UNKN
	012661 FT		012661 FT 2 0 19003 0 00 0074+47
		S	0060/0000 LENGTH(AH 2506 BK 2390)
			018 "DIA CIRC METAL
			0050/0660 LEN=0036 INSTALLED UNKN
POWER LINE RD (T324)	0050/0634		
	010271 FT		010271 FT 2 0 19003 0 00 0050+47
		S	0050/0000 LENGTH(AH 2390 BK 2427)
			014"H 23"W ELLIP METAL
			0040/2050 LEN=0030 INSTALLED UNKN
			015"H 23"W ELLIP METAL
			0040/1775 LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0040/1260 LEN=0035 INSTALLED UNKN
			024 "DIA CIRC METAL
			0040/1057 LEN=0036 INSTALLED UNKN
			015 "DIA CIRC METAL
			0040/0130 LEN=0035 INSTALLED UNKN
	007844 FT		007844 FT 2 0 19003 0 00 0026+10
		S	0040/0000 LENGTH(AH 2427 BK 2545)
			015 "DIA CIRC METAL
			0030/2466 LEN=0045 INSTALLED UNKN
			014"H 23"W ELLIP METAL
			0030/2010 LEN=0035 INSTALLED UNKN
			015 "DIA CIRC METAL
			0030/1602 LEN=0045 INSTALLED UNKN
			015 "DIA CIRC METAL
			0030/1405 LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 5.980 MI. DIST: 03-1 SR: 3008
LEFT MUN: CLEVELAND T RIGHT MUN: CLEVELAND T

			015 "DIA CIRC METAL
		0030/1150	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0030/0984	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0030/0674	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/0448	LEN=0040 INSTALLED 1999
MIDDLE RD			
(SR3010 SEG 0010/0000)	0030/0235		
			018 "DIA CIR PLASTIC
		0030/0233	LEN=0055 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/0014	LEN=0044 INSTALLED UNKN
	005299 FT	005299 FT	2 0 19003 0 00 0000+00
			MFC BEGIN = E
		S 0030/0000	LENGTH(AH 2545 BK 2874)
			018 "DIA CIR PLASTIC
		0020/2437	LEN=0038 INSTALLED UNKN
			015"H 23"W ELLIP METAL
		0020/2050	LEN=0030 INSTALLED UNKN
			015"H 23"W ELLIP METAL
		0020/1772	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/1501	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0550	LEN=0030 INSTALLED UNKN
	002425 FT	002425 FT	2 0 19002 0 00 0024+48
		S 0020/0000	LENGTH(AH 2874 BK 2425)
			018 "DIA CIRC METAL
		0010/2291	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/2000	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/1016	LEN=0047 INSTALLED UNKN
			015"H 21"W ELLIP METAL
		0010/0600	LEN=0050 INSTALLED 2005
			024 "DIA CIRC METAL
		0010/0431	LEN=0040 INSTALLED UNKN
	000000 FT	000000 FT	2 0 19002 0 00 0000+20
			NC BEAR GAP RD
		* REF-BK	BEAR GAP RD
			(SR2024 SEG 0010/0784)
			MFC BEGIN = D
			BK-NORTHUMBERLAND (49)
		S 0010/0000	LENGTH(AH 2425 BK 0000)

DIR: B TOTAL LEN: 3.199 MI. DIST: 03-1 SR: 3006
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

016890 FT

MAIN ST
(T313)

0060/3641



016890 FT SR 0042 SH
0060/3706 (SR0042 SEG 0050/0730)
FOR SR 0042 AND 3006
0060/3641 (CONN)
018 "DIA CIRC METAL

DIR: B TOTAL LEN: 3.199 MI. DIST: 03-1 SR: 3006
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

		0060/3623	LEN=0047 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/3593	LEN=0037 INSTALLED UNKN
			BORO ALLEY
		0060/3450	(BORO)
			COLUMBIA AV
		0060/3274	(T607)
			036 "DIA CIRC CONCR
		0060/2596	LEN=0140 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/0546	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/0235	LEN=0060 INSTALLED UNKN
	013184 FT	013184 FT	2 0 19055 0 01 0131+01
BREAKER RD			VILLAGE: ARISTES
(T313)	0060/0000	S 0060/0000	LENGTH(AH 3706 BK 2849)
			024 "DIA CIR PLASTIC
		0050/1755	LEN=0090 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/1220	LEN=0068 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/0896	LEN=0070 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/0340	LEN=0083 INSTALLED UNKN
2 0 19055 0 01 0102+53	010335 FT	010335 FT	
MAIN ST			
(T315)	0050/0000	S 0050/0000	LENGTH(AH 2849 BK 1506)
LC FOR T315 RD			
(CONN)	0040/1416		
			018 "DIA CIRC CONCR
		0040/1245	LEN=0056 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/0227	LEN=0060 INSTALLED UNKN
2 0 19055 0 01 0087+32	008829 FT	008829 FT	
MAIN ST			
(T315)	0040/0000	S 0040/0000	LENGTH(AH 1506 BK 2417)
			018 "DIA CIRC CONCR
		0030/2109	LEN=0055 INSTALLED UNKN

DIR: B TOTAL LEN: 3.199 MI. DIST: 03-1 SR: 3006
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

			018 "DIA CIR PLASTIC
		0030/0650	LEN=0080 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0030/0300	LEN=0070 INSTALLED UNKN
	006412 FT	006412 FT	2 0 19055 0 01 0063+16
		S 0030/0000	LENGTH(AH 2417 BK 2594)
			018 "DIA CIRC CONCR
		0020/2536	LEN=0080 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0989	LEN=0053 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0700	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0027	LEN=0068 INSTALLED UNKN
	003818 FT	003818 FT	2 0 19055 0 00 0037+22
		S 0020/0000	LENGTH(AH 2594 BK 3818)
THIRD ST (T205)	0010/3126		
			018 "DIA CIRC CONCR
		0010/3078	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/2863	LEN=0100 INSTALLED UNKN
SMITH ST (TWP)	0010/2424		
			TOWNSHIP RD
		0010/2152	(TWP)
			018 "DIA CIRC CONCR
		0010/2052	LEN=0058 INSTALLED UNKN
			SHERWOOD ST
		0010/1603	(TWP)
JAYCEE RD (T424)	0010/0737		
			018 "DIA CIRC CONCR
		0010/0313	LEN=0053 INSTALLED UNKN
	000000 FT	000000 FT	2 0 19055 0 00 0000+00
			VILLAGE: WILBURTON
			NC MIDVALLEY RD
		* REF-BK	WILBURTON RD
			(SR2032 SEG 0030/2016)
			MFC BEGIN = D
			BK-NORTHUMBERLAND (49)
		S 0010/0000	LENGTH(AH 3818 BK 0000)

DIR: B TOTAL LEN: 2.034 MI. DIST: 03-1 SR: 3004
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

```
010742 FT                    010742 FT SR 0061 SH
                                       (SR0061 SEG 0012/0576)
                             0040/2536 (SR0061 SEG 0013/0591)
                                       018 "DIA CIRC METAL
                             0040/2400 LEN=0054 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                             0040/2118 LEN=0045 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0040/1709 LEN=0055 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0040/1276 LEN=0061 INSTALLED UNKN
                                       036 "DIA CIRC METAL
                             0040/0743 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0040/0155 LEN=0045 INSTALLED UNKN
008206 FT                    008206 FT 2 0 19018 0 00 0082+25
                           S 0040/0000 LENGTH(AH 2536 BK 2420)
```

DIR: B TOTAL LEN: 2.034 MI. DIST: 03-1 SR: 3004
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

```
                                                  018 "DIA CIRC METAL
                                  0030/2042 LEN=0040 INSTALLED 2015
                                                  018 "DIA CIRC METAL
                                  0030/1578 LEN=0053 INSTALLED 2001

                                                  018 "DIA CIR PLASTIC
                                  0030/0679 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                  0030/0438 LEN=0050 INSTALLED UNKN
005786 FT                         005786 FT 2 0 19018 0 00 0057+99
                                  0030/0000 LENGTH(AH 2420 BK 2784)
                                                  024 "DIA CAST IRON
                                  0020/2389 LEN=0033 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                  0020/1880 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                  0020/1577 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                  0020/1342 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                  0020/1005 LEN=0040 INSTALLED 2001
                                                  018 "DIA CIR PLASTIC
                                  0020/0574 LEN=0036 INSTALLED 2001
                                                  018 "DIA CIRC METAL
                                  0020/0289 LEN=0035 INSTALLED UNKN
003002 FT                         003002 FT 2 0 19018 0 00 0030+09
                                  0020/0000 LENGTH(AH 2784 BK 3002)
                                                  018 "DIA CIRC METAL
                                  0010/2982 LEN=0037 INSTALLED 2001
                                                  018 "DIA CIR PLASTIC
                                  0010/2576 LEN=0040 INSTALLED 2001



                                                  018 "DIA CIRC METAL
                                  0010/1075 LEN=0036 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0010/0696 LEN=0040 INSTALLED 2001
                                                  018 "DIA CIRC METAL
                                  0010/0232 LEN=0038 INSTALLED UNKN
                                                  014"H 23"W ELLIP METAL
                                  0010/0018 LEN=0050 INSTALLED UNKN
000000 FT                         000000 FT 2 0 19018 0 00 0000+00
                                        NC SR 3004 SH
                                  REF-BK      ASHLAND RD
                                                (SR2040 SEG 0050/1517)
                                                MFC BEGIN = D
                                                 BK-NORTHUMBERLAND (49)
                                  0010/0000 LENGTH(AH 3002 BK 0000)
```

DIR: B TOTAL LEN: 6.963 MI. DIST: 03-1 SR: 3003
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

MT ZION RD	036762 FT	036762 FT	MT ZION RD
(SR3012 SEG 0050/0000)	0140/1933	0140/1933	(SR3012 SEG 0050/0000)
			018 "DIA CIR PLASTIC
		0140/1758	LEN=0055 INSTALLED 2018
			018 "DIA CIRC METAL
		0140/0829	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0140/0581	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0140/0123	LEN=0035 INSTALLED UNKN
2 0 19012 0 01 0124+35	034829 FT	034829 FT	
PINNACLE DR			
(T312)	0140/0000	0140/0000	LENGTH(AH 1933 BK 2060)
			018 "DIA CIR PLASTIC
		0130/0922	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0130/0634	LEN=0030 INSTALLED UNKN
2 0 19012 0 01 0103+80	032769 FT	032769 FT	
SCENIC DR			
(T320)	0130/0000	0130/0000	LENGTH(AH 2060 BK 2178)
			013"H 21"W ELLIP METAL
		0120/1734	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0120/0938	LEN=0040 INSTALLED UNKN
			LONG WOODS RD
		0120/0070	(T395)
			015"H 21"W ELLIP METAL
		0120/0061	LEN=0040 INSTALLED 2006
	030591 FT	030591 FT	2 0 19012 0 01 0082+00
		0120/0000	LENGTH(AH 2178 BK 3213)
			LC FOR LONG WOODS RD
		0110/3186	(CONN)
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 6.963 MI. DIST: 03-1 SR: 3003
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

				0110/3163 LEN=0042 INSTALLED UNKN
				013"H 21"W ELLIP METAL
				0110/1376 LEN=0030 INSTALLED UNKN
				015 "DIA CIR PLASTIC
				0110/0536 LEN=0030 INSTALLED UNKN
	027378 FT			027378 FT 2 0 19012 0 01 0049+75
				S 0110/0000 LENGTH(AH 3213 BK 1641)
				013"H 21"W ELLIP METAL
				0100/0990 LEN=0035 INSTALLED UNKN
2 0 19012 0 01 0033+30	025737 FT			025737 FT
SHADY CREEK DR (T320)	0100/0000	==		S 0100/0000 LENGTH(AH 1641 BK 3290)
				015"H 21"W ELLIP METAL
				0090/2975 LEN=0035 INSTALLED UNKN
				018 "DIA CIR PLASTIC
				0090/1833 LEN=0040 INSTALLED 2018
				018 "DIA CIRC METAL
				0090/1468 LEN=0035 INSTALLED UNKN
				018 "DIA CIRC METAL
				0090/1114 LEN=0035 INSTALLED UNKN
				024 "DIA CIR PLASTIC
				0090/0594 LEN=0040 INSTALLED 2018
				018 "DIA CIRC CONCR
				0090/0256 LEN=0032 INSTALLED UNKN
				018 "DIA CIRC CONCR
				0090/0066 LEN=0052 INSTALLED UNKN
	022447 FT			022447 FT 2 0 19012 0 00 0000+00
				NC ORCHARD DR
				SOUTHERN DR
				(SR0487 SEG 0090/0000)
				MFC BEGIN = E
				S 0090/0000 LENGTH(AH 3290 BK 2204)
				024 "DIA CIRC CONCR
				0080/1806 LEN=0100 INSTALLED UNKN
RAUP DR (T322)	0080/1721	==		
				T.ROARING CK
				STRUCTURE LENGTH 14 FT
				0080/1672 BMSID 19/3003/0080/1672
				018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 6.963 MI. DIST: 03-1 SR: 3003
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

			0080/1490	LEN=0048 INSTALLED UNKN
				RAUP DR
		==	0080/1458	(T366)
				018 "DIA CIRC CONCR
			0080/1285	LEN=0040 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0080/0843	LEN=0036 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0080/0677	LEN=0032 INSTALLED UNKN
PARRS MILL RD				
(T340)	0080/0551	==		
				ESTHER FURNACE RD
		==	0080/0532	(T344)
				036 "DIA CIRC METAL
			0080/0480	LEN=0040 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0080/0143	LEN=0040 INSTALLED UNKN
	020243 FT		020243 FT	2 0 19004 0 00 0201+05
				FRANKLIN
				CLEVELAND T
			5 0080/0000	LENGTH(AH 2204 BK 2549)
				018 "DIA CIRC CONCR
			0070/2192	LEN=0076 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0070/2024	LEN=0076 INSTALLED UNKN
				024 "DIA CIRC CONCR
			0070/1532	LEN=0076 INSTALLED UNKN
			0070/1230	BMSEN 19/3003/0070/1144
				2 0 19004 0 00 0186+76
				ROARING CREEK
			0070/1144	BMSBG 19/3003/0070/1144
				018 "DIA CIRC CONCR
			0070/0263	LEN=0032 INSTALLED UNKN
2 0 19004 0 00 0176+98	017694 FT		017694 FT	
BIRCH LN				
(T371)	0070/0000	==	5 0070/0000	LENGTH(AH 2549 BK 2066)
				018 "DIA CIRC CONCR
			0060/1996	LEN=0040 INSTALLED UNKN
				HEMLOCK DR
		==	0060/1723	(T372)
				018 "DIA CIRC CONCR
			0060/1699	LEN=0040 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0060/1498	LEN=0044 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0060/1028	LEN=0040 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0060/0377	LEN=0032 INSTALLED UNKN

DIR: B TOTAL LEN: 6.963 MI. DIST: 03-1 SR: 3003
LEFT MUN: CLEVELAND T RIGHT MUN: CLEVELAND T

```
                                                                  018 "DIA CIRC CONCR
                                                   0060/0109 LEN=0044 INSTALLED UNKN
2 0 19004 0 00 0156+23 015628 FT                   015628 FT
LINCOLN RD
(T351)                 0060/0000                 5 0060/0000 LENGTH(AH 2066 BK 3369)
                                                                  036 "DIA CIRC CONCR
                                                   0050/3333 LEN=0044 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                   0050/3133 LEN=0048 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                   0050/2898 LEN=0036 INSTALLED UNKN
                                                                  024 "DIA CIRC CONCR
                                                   0050/2394 LEN=0036 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                   0050/1988 LEN=0040 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                   0050/1513 LEN=0040 INSTALLED UNKN
                                                                  024 "DIA CIRC CONCR
                                                   0050/1271 LEN=0040 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                   0050/0974 LEN=0042 INSTALLED UNKN
                                                                  030 "DIA CIRC CONCR
                                                   0050/0553 LEN=0045 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                   0050/0012 LEN=0040 INSTALLED UNKN
2 0 19004 0 00 0122+65 012259 FT                   012259 FT
TYLER AV
(T336)                 0050/0000                 5 0050/0000 LENGTH(AH 3369 BK 2006)

                                                                  018 "DIA CIRC CONCR
                                                   0040/1325 LEN=0040 INSTALLED UNKN
                                                                  036 "DIA CIRC CONCR
                                                   0040/0815 LEN=0045 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                   0040/0367 LEN=0044 INSTALLED UNKN
                                                                  024 "DIA CIRC CONCR
                                                   0040/0033 LEN=0044 INSTALLED UNKN
                       010253 FT                   010253 FT 2 0 19004 0 00 0100+80
                                                                  TRUMAN AV
                                                                  (T355)
                                                 5 0040/0000 LENGTH(AH 2006 BK 2644)
                                                                  018 "DIA CIRC CONCR
                                                   0030/2234 LEN=0040 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                   0030/1811 LEN=0048 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                   0030/1288 LEN=0035 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                   0030/0703 LEN=0036 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 6.963 MI. DIST: 03-1 SR: 3003
LEFT MUN: CLEVELAND T RIGHT MUN: CLEVELAND T

```
                                                 0030/0484 LEN=0040 INSTALLED UNKN
                                                           036 "DIA CIRC CONCR
                                                 0030/0029 LEN=0040 INSTALLED UNKN
                    007609 FT                    007609 FT 2 0 19004 0 00 0074+96
                                               5 0030/0000 LENGTH(AH 2644 BK 2373)
                                                           018 "DIA CIRC CONCR
                                                 0024/2185 LEN=0044 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0024/1760 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0024/1382 LEN=0036 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0024/0966 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0024/0563 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0024/0165 LEN=0035 INSTALLED UNKN
                    005236 FT                    005236 FT 2 0 19004 0 00 0051+78
                                               5 0024/0000 LENGTH(AH 2373 BK 2373)
                                                           018 "DIA CIRC CONCR
                                                 0020/2192 LEN=0038 INSTALLED UNKN
                                                           036 "DIA CIRC CONCR
                                                 0020/1792 LEN=0040 INSTALLED UNKN
                                                           048 "DIA CIRC METAL
                                                 0020/1313 LEN=0093 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                                 0020/0598 LEN=0036 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/0204 LEN=0044 INSTALLED UNKN
                    002863 FT                    002863 FT 2 0 19004 0 00 0028+60
                                                           TYSON SCHOOL RD
                                                           (SR3001 SEG 0060/0000)
                                               5 0020/0000 LENGTH(AH 2373 BK 2863)



                                                           018 "DIA CIRC CONCR
                                                 0010/1329 LEN=0075 INSTALLED UNKN
                                                           GAS WELL RD
                                                 0010/1297 (T339)

                                                           024 "DIA CIRC CONCR
                                                 0010/0528 LEN=0042 INSTALLED UNKN
                                                       NC ASHTON HOLLOW RD
                                                           MIDDLE RD
2 0 19004 0 00 0000+00 000000 FT                 000000 FT (SR3010 SEG 0090/0122)
MIDDLE RD                                                  MFC BEGIN = D
(SR3010 SEG 0090/0122)  0010/0000              5 0010/0000 LENGTH(AH 2863 BK 0000)
```

DIR: B TOTAL LEN: 4.143 MI. DIST: 03-1 SR: 3001
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

021876 FT

019120 FT

CEMETERY HILL RD
(T352)

0080/0106
016897 FT

ROOSEVELT RD
(T357)

0070/1900



021876 FT NUMIDIA DR
0090/2756 (SR0042 SEG 0210/0923)
0090/2267 BMSEN 19/3001/0090/2242
2 0 19114 0 01 0090+93
TR. ROARING CREEK
0090/2242 BMSBG 19/3001/0090/2242
018 "DIA CIR PLASTIC
0090/1958 LEN=0036 INSTALLED 2013

018 "DIA CIRC CONCR
0090/1309 LEN=0036 INSTALLED UNKN
0090/0812 BMSEN 19/3001/0090/0799
2 0 19114 0 01 0076+40
TR. TO ROARING CREEK
0090/0799 BMSBG 19/3001/0090/0799
048 "DIA CIR PLASTIC
0090/0300 LEN=0040 INSTALLED 2001
019120 FT 2 0 19114 0 01 0068+20
S 0090/0000 LENGTH(AH 2756 BK 2223)
018 "DIA CIRC METAL
0080/1785 LEN=0035 INSTALLED UNKN
036 "DIA CIRC CONCR
0080/1630 LEN=0052 INSTALLED UNKN
013"H 22"W ELLIP METAL
0080/1468 LEN=0042 INSTALLED UNKN
LOCUST
0080/0953 CLEVELAND T

018 "DIA CIRC METAL
0080/0113 LEN=0055 INSTALLED UNKN

016897 FT 2 0 19114 0 00 0045+71
S 0080/0000 LENGTH(AH 2223 BK 2087)

DIR: B TOTAL LEN: 4.143 MI. DIST: 03-1 SR: 3001
LEFT MUN: CLEVELAND T RIGHT MUN: CLEVELAND T

			015 "DIA CIRC CONCR
		0070/0169	LEN=0036 INSTALLED UNKN
	014810 FT	014810 FT	2 0 19114 0 00 0025+24
		S 0070/0000	LENGTH(AH 2087 BK 2549)
			018 "DIA CIRC METAL
		0060/1798	LEN=0030 INSTALLED UNKN
JOHNSON SCHOOL RD (T340)	0060/1252		
			015 "DIA CIRC CONCR
		0060/1185	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/0350	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0060/0262	LEN=0030 INSTALLED UNKN
	012261 FT	012261 FT	2 0 19114 0 00 0000+00
			ASHTON HOLLOW RD
			(SR3003 SEG 0020/0000)
		S 0060/0000	LENGTH(AH 2549 BK 1057)
			018 "DIA CIR PLASTIC
		0050/1055	LEN=0045 INSTALLED 2014
2 0 19084 0 00 0026+80	011204 FT	011204 FT	
RIDGE RD (T349)	0050/0000	S 0050/0000	LENGTH(AH 1057 BK 2679)
			024 "DIA CIRC CONCR
		0040/1516	LEN=0032 INSTALLED UNKN
			015"H 21"W ELLIP METAL
		0040/0578	LEN=0032 INSTALLED 2005
	008525 FT	008525 FT	2 0 19084 0 00 0000+00
			MIDDLE RD
			(SR3010 SEG 0080/0000)
			NC TYSON SCHOOL RD
		INTER-BK	MIDDLE RD
			(SR3010 SEG 0080/0000)
		S 0040/0000	LTH AH 002679 BK 001032
	008525 FT	008525 FT	
		7034/0000	LTH AH 001032 BK 002987
MIDDLE RD		INTER-AHD	MIDDLE RD
(SR3010 SEG 0070/2422)	0030/2987	0030/2987	(SR3010 SEG 0070/2422)
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 4.143 MI. DIST: 03-1 SR: 3001
LEFT MUN: CLEVELAND T RIGHT MUN: CLEVELAND T

		0030/2505	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/1264	LEN=0010 INSTALLED 2007
			015 "DIA CIRC CONCR
		0030/0766	LEN=0048 INSTALLED UNKN
	005538 FT	005538 FT	2 0 19115 0 00 0055+69
		S 0030/0000	LENGTH(AH 2987 BK 3222)
			018 "DIA CIR PLASTIC
		0020/2929	LEN=0030 INSTALLED 2014
			015 "DIA CIRC CONCR
		0020/2596	LEN=0032 INSTALLED UNKN
			027"H 43"W ELLIP METAL
		0020/1830	LEN=0034 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0951	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/0094	LEN=0048 INSTALLED UNKN
2 0 19115 0 00 0023+32	002316 FT	002316 FT	
JEFFERSON RD			
(T315)	0020/0000	S 0020/0000	LENGTH(AH 3222 BK 2316)
			048 "DIA CIRC CONCR
		0010/2298	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/2175	LEN=0028 INSTALLED UNKN
		0010/1885	BMSEN 19/3001/0010/1871
			2 0 19115 0 00 0018+81
			MUGSER RUN
		0010/1871	BMSBG 19/3001/0010/1871
			018 "DIA CIR PLASTIC
		0010/1383	LEN=0040 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0010/1317	LEN=0032 INSTALLED 2014
			013"H 22"W ELLIPTICAL*
		0010/1177	LEN=0035 INSTALLED 2001
			048 "DIA CIRC METAL
		0010/0505	LEN=0040 INSTALLED 2014
	000000 FT	000000 FT	2 0 19115 0 00 0000+00
			NC FISHERDALE RD
			BEAR GAP RD
			(SR3008 SEG 0080/0902)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 2316 BK 0000)

DIR: B TOTAL LEN: .028 MI. DIST: 03-1 SR: 2030
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

```
000148 FT                 000148 FT STATE RD
                          0010/0148 (SR0339 SEG 0010/0018)
                                    018 "DIA CIRC METAL
                          0010/0084 LEN=0047 INSTALLED UNKN
000000 FT                 000000 FT 2 0 53109 6 00 0001+75
                               NC BUCKS MOUNTAIN RD
                        * REF-BK    BUCKS MTN RD
                                    (SR4038 SEG 0010/0000)
                                    MFC BEGIN = E
                                     BK-SCHUYLKILL      (53)
                        S 0010/0000 LENGTH(AH 0148 BK 0000)
```

DIR: B TOTAL LEN: 6.564 MI. DIST: 03-1 SR: 2028
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

```
                                                034660 FT
                                                REF-AHD    ZENITH RD
                                              * 0140/1534  (T459)
                                                           024 "DIA CIRC METAL
                                                0140/1112  LEN=0036 INSTALLED UNKN

                                                           018 "DIA CIRC METAL
                                                0140/0478  LEN=0041 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                0140/0238  LEN=0031 INSTALLED UNKN
                034660 FT                       033126 FT  2 0 19023 0 03 0307+44
                033126 FT                     S 0140/0000  LENGTH(AH 1534 BK 2590)
                                                           015 "DIA CIRC METAL
                                                0130/2468  LEN=0046 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                0130/2067  LEN=0042 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                0130/1773  LEN=0040 INSTALLED 2015
                                                           024 "DIA CIRC METAL
                                                0130/1521  LEN=0044 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                0130/1172  LEN=0034 INSTALLED UNKN
KIRKENDALL RD
(T722)          0130/0749   ==
                                                           018 "DIA CIRC METAL
                                                0130/0182  LEN=0036 INSTALLED UNKN
                030536 FT                       030536 FT  2 0 19023 0 02 0280+32
                                                           MOUNTAIN RD
                                                           (T722)
                                              == S 0130/0000  LENGTH(AH 2590 BK 3006)

                                                           015"H 21"W ELLIP METAL
                                                0120/2180  LEN=0041 INSTALLED UNKN
                                                           015"H 21"W ELLIP METAL
                                                0120/1747  LEN=0036 INSTALLED UNKN
                                                           015"H 18"W ELLIP METAL
                                                0120/1415  LEN=0040 INSTALLED 2016
                                                           015"H 21"W ELLIP METAL
                                                0120/1133  LEN=0038 INSTALLED UNKN
                                                           015"H 21"W ELLIP METAL
                                                0120/1004  LEN=0041 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                0120/0954  LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 6.564 MI. DIST: 03-1 SR: 2028
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

		0120/0625	LEN=0030 INSTALLED UNKN 018 "DIA CIRC METAL
		0120/0457	LEN=0035 INSTALLED UNKN 015"H 21"W ELLIPTICAL*
		0120/0108	LEN=0038 INSTALLED 2003
	027530 FT	027530 FT	2 0 19023 0 02 0250+13
		S 0120/0000	LENGTH(AH 3006 BK 1507) 018 "DIA CIR PLASTIC
		0110/1390	LEN=0037 INSTALLED UNKN
			TRIB TO NESCOPECK CREEK STRUCTURE LENGTH 16 FT
		0110/0189	BMSID 19/2028/0110/0189
2 0 19023 0 01 0235+20	026023 FT	026023 FT	
HETLERVILLE RD		NC ZENITH RD	
(SR2019 SEG 0010/0000)	0110/0000	S 0110/0000	LENGTH(AH 1507 BK 2419) 018 "DIA CIR PLASTIC
		0100/2206	LEN=0040 INSTALLED 2011 015 "DIA CIRC METAL
		0100/1854	LEN=0033 INSTALLED UNKN
			018 "DIA CIRC METAL
		0100/0985	LEN=0032 INSTALLED UNKN
			030 "DIA CIRC METAL
		0100/0015	LEN=0060 INSTALLED 2003
2 0 19023 0 01 0211+11	023604 FT	023604 FT	
SMITH HOLLOW RD			
(SR2017 SEG 0010/0000)	0100/0000	S 0100/0000	LENGTH(AH 2419 BK 2553) 030 "DIA CIR PLASTIC
		0090/2295	LEN=0033 INSTALLED 2016
			018 "DIA CIRC METAL
		0090/0050	LEN=0033 INSTALLED UNKN
	021051 FT	021051 FT	2 0 19023 0 01 0185+58 VILLAGE: HETLERVILLE
		S 0090/0000	LENGTH(AH 2553 BK 3810)
SNYDER SCHOOL RD (T640)	0080/2811		
			I - 80 WBL

DIR: B TOTAL LEN: 6.564 MI. DIST: 03-1 SR: 2028
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

	0080/2594	OP ID 19/0080/2445/0000
		I - 80 EBL
	0080/2411	OP ID 19/0080/2444/0000
		WILKES POOL RD
	0080/2307	(T403)
		048 "DIA CIRC CONCR
	0080/2260	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/1303	LEN=0026 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/0399	LEN=0070 INSTALLED UNKN
017241 FT	017241 FT	2 0 19023 0 00 0150+00
		018 "DIA CIRC METAL
		LEN=0035 INSTALLED UNKN
	S 0080/0000	LENGTH(AH 3810 BK 1963)
		018 "DIA CIR PLASTIC
	0070/1607	LEN=0040 INSTALLED 2016
		024 "DIA CIR PLASTIC
	0070/1425	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0070/0989	LEN=0041 INSTALLED UNKN
		018 "DIA CIRC METAL
	0070/0579	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0070/0365	LEN=0041 INSTALLED UNKN
015278 FT	015278 FT	2 0 19023 0 00 0130+32
		030 "DIA CIR PLASTIC
		LEN=0040 INSTALLED UNKN
	S 0070/0000	LENGTH(AH 1963 BK 3024)
		018 "DIA CIRC METAL
	0060/2909	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0060/2512	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0060/2161	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0060/1860	LEN=0036 INSTALLED UNKN
		036 "DIA CIR PLASTIC
	0060/1649	LEN=0040 INSTALLED 2008
		018 "DIA CIR PLASTIC
	0060/1295	LEN=0037 INSTALLED UNKN
		030 "DIA CIRC METAL
	0060/0987	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0060/0792	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 6.564 MI. DIST: 03-1 SR: 2028
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

			0060/0476	LEN=0040 INSTALLED UNKN 018 "DIA CIRC METAL
			0060/0071	LEN=0034 INSTALLED UNKN
	012254 FT		012254 FT	2 0 19023 0 00 0100+08
			S 0060/0000	LENGTH(AH 3024 BK 2166) 024 "DIA CIRC CONCR
			0050/1804	LEN=0047 INSTALLED UNKN HOFNAGLE SCHOOL RD
		==	0050/1291	(T628) T.TEN MILE R STRUCTURE LENGTH 11 FT
			0050/1083	BMSID 19/2028/0050/1083
				SR 0080 EBL
			0050/0152	OP ID 19/0080/2424/1911
	010088 FT		010088 FT	2 0 19023 0 00 0078+55
				SR 0080 WBL OP ID 19/0080/2425/1816
			S 0050/0000	LENGTH(AH 2166 BK 2476) 018 "DIA CIRC CONCR
			0040/2146	LEN=0045 INSTALLED UNKN 018 "DIA CIRC CONCR
			0040/1741	LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR
			0040/1097	LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR
			0040/0793	LEN=0040 INSTALLED UNKN 030 "DIA CIR PLASTIC
			0040/0502	LEN=0036 INSTALLED UNKN 036 "DIA CIR PLASTIC
			0040/0292	LEN=0043 INSTALLED UNKN
2 0 19023 0 00 0053+01	007612 FT		007612 FT	
SNYDER SCHOOL RD (T640)	0040/0000	==	NC HETLERVILLE RD S 0040/0000	LENGTH(AH 2476 BK 3757) 018 "DIA CIRC METAL
			0030/3213	LEN=0052 INSTALLED UNKN 018 "DIA CIR PLASTIC
			0030/2746	LEN=0074 INSTALLED UNKN KLINE RD
		== ==	0030/2702	(T425)
CENTER DR (T399)	0030/1817	==		
PLATEAU DR (T401)	0030/1564	==		
VALLEY VIEW DR (T443)	0030/1279	==		
				SEVENTH ST

DIR: B TOTAL LEN: 6.564 MI. DIST: 03-1 SR: 2028
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

				0030/0924 (T421)
	003855 FT			003855 FT 2 0 19023 0 00 0016+10
				FIFTH ST
				(T427)
			S	0030/0000 LENGTH(AH 3757 BK 0637)
				FOURTH ST
				0024/0344 (T429)
				054 "DIA CIR PLASTIC
				0024/0100 LEN=0068 INSTALLED UNKN
				036 "DIA CIRC METAL
				0024/0055 LEN=0042 INSTALLED UNKN
	003218 FT			003218 FT 2 0 19023 0 00 0009+67
				THIRD ST
				(SR0339 SEG 0380/0000)
				MFC BEGIN = E
			S	0024/0000 LENGTH(AH 0637 BK 0623)
				018 "DIA CIRC CONCR
				0022/0553 LEN=0085 INSTALLED UNKN
				SECOND ST
				0022/0300 (T431)
				018 "DIA CIRC CONCR
				0022/0256 LEN=0036 INSTALLED UNKN
				018 "DIA CIRC CONCR
				0022/0070 LEN=0082 INSTALLED UNKN
	002595 FT			002595 FT 2 0 19023 0 00 0003+00
				VILLAGE: MIFFLINVILLE
FIRST ST				NC MARKET ST
(T433)	0022/0000		S	0022/0000 LENGTH(AH 0623 BK 2160)
				0012/2009 BMSEN 19/2028/0012/0367
				MIFFLIN
				0012/1275 SOUTH CENTRE T
				0 0 00000 0 00 0000+00
				N.BR.SUSQ.R.
				0012/0367 BMSBG 19/2028/0012/0367
0 0 00000 0 00 0000+00	000435 FT			000435 FT FORT JENKINS RD
OLD BERWICK RD				(SR1004 SEG 0162/0265)
(T803)	0012/0000		S	0012/0000 LENGTH(AH 2160 BK 0435)
				0004/0108 (AAR 266005V)#TRKS 01
	000000 FT			000000 FT 0 0 00000 0 00 0000+00
				NC SR 2028 SH
				COLUMBIA BLVD
				(SR0011 SEG 0320/0653)
				MFC BEGIN = C
			S	0004/0000 LENGTH(AH 0435 BK 0000)

DIR: B TOTAL LEN: 2.905 MI. DIST: 03-1 SR: 2026
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

```
BEAVER VALLEY RD          015338 FT
(SR2024 SEG 0100/0000)     0044/3139

                                                  015338 FT  BEAVER VALLEY RD
                                                  0044/3139  (SR2024 SEG 0100/0000)
                                                  0044/2560  BMSEN 19/2026/0044/2539
                                                             2 0 19017 0 00 0147+03
                                                             BEAVER RUN
                                                  0044/2539  BMSBG 19/2026/0044/2539
                                                             018 "DIA CIRC CONCR
                                                  0044/2159  LEN=0065 INSTALLED UNKN
                                                             018 "DIA CIRC METAL
                                                  0044/2105  LEN=0040 INSTALLED UNKN
                                                             018 "DIA CIRC METAL
                                                  0044/1778  LEN=0030 INSTALLED UNKN
                                                             015 "DIA CIRC METAL
                                                  0044/1613  LEN=0030 INSTALLED UNKN
                                                             015 "DIA CIRC METAL
                                                  0044/1417  LEN=0030 INSTALLED UNKN
                                                             018 "DIA CIRC METAL
                                                  0044/0991  LEN=0030 INSTALLED UNKN
                                                             018 "DIA CIRC METAL
                                                  0044/0840  LEN=0030 INSTALLED UNKN
                                                             030 "DIA CIR PLASTIC
                                                  0044/0710  LEN=0035 INSTALLED 2006
                                                             018 "DIA CIR PLASTIC
                                                  0044/0165  LEN=0060 INSTALLED UNKN
                          012199 FT               012199 FT  2 0 19017 0 00 0121+70
                                                S 0044/0000  LENGTH(AH 3139 BK 3140)
                                                             018 "DIA CIRC METAL
                                                  0040/2671  LEN=0035 INSTALLED UNKN
                                                             018 "DIA CIRC METAL
                                                  0040/2220  LEN=0030 INSTALLED UNKN

                                                             018 "DIA CIRC METAL
                                                  0040/1593  LEN=0030 INSTALLED UNKN

                                                             018 "DIA CIRC METAL
                                                  0040/0790  LEN=0040 INSTALLED UNKN
                                                             018 "DIA CIRC METAL
                                                  0040/0355  LEN=0035 INSTALLED UNKN
                                                             018 "DIA CIRC METAL
                                                  0040/0155  LEN=0035 INSTALLED UNKN
                          009059 FT               009059 FT  2 0 19017 0 00 0090+37
                                                S 0040/0000  LENGTH(AH 3140 BK 3018)
                                                             048 "DIA CIR PLASTIC
                                                  0030/2628  LEN=0047 INSTALLED 2006
                                                             018 "DIA CIRC METAL
                                                  0030/2308  LEN=0030 INSTALLED UNKN
                                                             018 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 2.905 MI. DIST: 03-1 SR: 2026
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

```
                                  0030/1989 LEN=0035 INSTALLED UNKN
                                            018 "DIA CIRC METAL
                                  0030/1394 LEN=0040 INSTALLED UNKN

                                            024 "DIA CIRC METAL
                                  0030/0496 LEN=0040 INSTALLED UNKN
                                            018 "DIA CIRC METAL
                                  0030/0321 LEN=0035 INSTALLED UNKN
                                            015 "DIA CIRC METAL
                                  0030/0058 LEN=0030 INSTALLED UNKN
006041 FT                         006041 FT 2 0 19017 0 00 0060+26
                                S 0030/0000 LENGTH(AH 3018 BK 2867)
                                            036 "DIA CIRC METAL
                                  0020/2486 LEN=0035 INSTALLED UNKN
                                            030 "DIA CIRC METAL
                                  0020/2109 LEN=0030 INSTALLED UNKN
                                            024 "DIA CIRC METAL
                                  0020/1537 LEN=0040 INSTALLED UNKN
                                            018 "DIA CIRC METAL
                                  0020/1257 LEN=0030 INSTALLED UNKN

                                            018 "DIA CIR PLASTIC
                                  0020/0641 LEN=0035 INSTALLED 2014
                                            018 "DIA CIRC METAL
                                  0020/0325 LEN=0030 INSTALLED UNKN
003174 FT                         003174 FT 2 0 19017 0 00 0031+66
                                S 0020/0000 LENGTH(AH 2867 BK 3174)
                                            018 "DIA CIRC METAL
                                  0010/3171 LEN=0017 INSTALLED UNKN



                                            018 "DIA CIRC METAL
                                  0010/1790 LEN=0030 INSTALLED UNKN

                                            018 "DIA CIRC METAL
                                  0010/1014 LEN=0035 INSTALLED UNKN
                                            018 "DIA CIRC METAL
                                  0010/0730 LEN=0035 INSTALLED UNKN

                                            018 "DIA CIRC METAL
                                  0010/0083 LEN=0070 INSTALLED UNKN
                                            024 "DIA CIR PLASTIC
                                  0010/0019 LEN=0055 INSTALLED 2005
000000 FT                         000000 FT 2 0 19017 0 00 0000+00
                                        NC MOUNTAIN SHADOW LN
                                            STATE RD
                                            (SR0339 SEG 0080/0000)
                                            MFC BEGIN = E
                                S 0010/0000 LENGTH(AH 3174 BK 0000)
```

DIR: B TOTAL LEN: 6.435 MI. DIST: 03-1 SR: 2024
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

033976 FT

033976 FT AH-LUZERNE (40)
REF-AHD ROCK GLEN RD

DIR: B TOTAL LEN: 6.435 MI. DIST: 03-1 SR: 2024
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

	* 0130/2053	(SR3018 SEG 0010/0000)
		024 "DIA CIR PLASTIC
	0130/0887	LEN=0040 INSTALLED 2016
		024 "DIA CIR PLASTIC
	0130/0265	LEN=0035 INSTALLED UNKN
031923 FT	031923 FT	2 0 19016 0 01 0319+43
	S 0130/0000	LENGTH(AH 2053 BK 2620)
		018 "DIA CIRC METAL
	0120/2416	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0120/1377	LEN=0035 INSTALLED 2017
		018 "DIA CIR PLASTIC
	0120/0886	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC METAL
	0120/0653	LEN=0035 INSTALLED UNKN
029303 FT	029303 FT	2 0 19016 0 01 0293+52
		MOUNTAIN RD
		(T389)
	S 0120/0000	LENGTH(AH 2620 BK 2412)
		018 "DIA CIR PLASTIC
	0110/2299	LEN=0035 INSTALLED 1998
		015"H 23"W ELLIP METAL
	0110/2043	LEN=0040 INSTALLED UNKN
		024"H 00"W MULT PLSTIC
	0110/0815	LEN=0040 INSTALLED 2012
026891 FT	026891 FT	2 0 19016 0 01 0269+39
	S 0110/0000	LENGTH(AH 2412 BK 3238)
		018 "DIA CIRC METAL
	0100/1674	LEN=0025 INSTALLED UNKN
		015 "DIA CIRC METAL
	0100/1321	LEN=0025 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0100/0018	LEN=0045 INSTALLED 1998

DIR: B TOTAL LEN: 6.435 MI. DIST: 03-1 SR: 2024
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

	023653 FT	023653 FT	2 0 19016 0 01 0237+00
			MOUNTAIN SHADOW LN
			(SR2026 SEG 0044/3139)
		S 0100/0000	LENGTH(AH 3238 BK 2811)
			018 "DIA CIR PLASTIC
		0090/2400	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0090/1287	LEN=0035 INSTALLED UNKN
POPS LN (T387)	0090/1272		
			060 "DIA CIR PLASTIC
		0090/1197	LEN=0040 INSTALLED 2006
	020842 FT	020842 FT	2 0 19016 0 01 0209+13
		S 0090/0000	LENGTH(AH 2811 BK 2652)
			018 "DIA CIR PLASTIC
		0080/1873	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0080/1651	LEN=0040 INSTALLED 2017
			018 "DIA CIR PLASTIC
		0080/0299	LEN=0040 INSTALLED 1997
			030 "DIA CIR PLASTIC
		0080/0119	LEN=0040 INSTALLED 2016
2 0 19016 0 01 0182+20	018190 FT	018190 FT	
POPS LN (T387)	0080/0000	S 0080/0000	LENGTH(AH 2652 BK 2443)
			015"H 22"W ELLIP METAL
		0070/2353	LEN=0030 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0070/1182	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0070/0729	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0070/0233	LEN=0040 INSTALLED 1997
	015747 FT	015747 FT	2 0 19016 0 01 0158+23
		S 0070/0000	LENGTH(AH 2443 BK 2797)
			036 "DIA CIR PLASTIC
		0060/2586	LEN=0050 INSTALLED 2016
			018 "DIA CIRC METAL
		0060/2339	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 6.435 MI. DIST: 03-1 SR: 2024
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

	0060/1936	LEN=0040 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0060/1757	LEN=0040 INSTALLED 2006
		018 "DIA CIRC METAL
	0060/0780	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC METAL
	0060/0396	LEN=0040 INSTALLED UNKN
012950 FT	012950 FT	2 0 19016 0 00 0129+47
		018 "DIA CIR PLASTIC
		LEN=0040 INSTALLED UNKN
	S 0060/0000	LENGTH(AH 2797 BK 1798)
		018 "DIA CIR PLASTIC
	0050/1476	LEN=0037 INSTALLED 2017
		018 "DIA CIR PLASTIC
	0050/1245	LEN=0035 INSTALLED 2011
		018 "DIA CIRC METAL
	0050/0882	LEN=0080 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0050/0691	LEN=0075 INSTALLED 2017
		018 "DIA CIRC METAL
	0050/0594	LEN=0035 INSTALLED 1998
011152 FT	011152 FT	2 0 19016 0 00 0111+45
		DOG TOWN RD
		(T630)
	S 0050/0000	LENGTH(AH 1798 BK 3173)
		018 "DIA CIRC CONCR
	0040/3137	LEN=0050 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/2788	LEN=0040 INSTALLED 2018
		024 "DIA CIRC METAL
	0040/2595	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC METAL
	0040/2389	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0040/1717	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0040/1536	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC METAL
	0040/1289	LEN=0100 INSTALLED UNKN
		018 "DIA CIRC METAL
	0040/1060	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/0747	LEN=0030 INSTALLED 2016
		015 "DIA CIRC METAL
	0040/0283	LEN=0035 INSTALLED UNKN
007979 FT	007979 FT	2 0 19016 0 00 0079+81
	S 0040/0000	LENGTH(AH 3173 BK 2909)

DIR: B TOTAL LEN: 6.435 MI. DIST: 03-1 SR: 2024
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

			018 "DIA CIRC METAL
		0030/2379	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/1691	LEN=0055 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0030/1271	LEN=0040 INSTALLED 2017
			018 "DIA CIR PLASTIC
		0030/0876	LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0030/0315	LEN=0040 INSTALLED 2016
			LC FOR SCHOOL HOUSE LN
		0030/0280	(CONN)
			018 "DIA CIR PLASTIC
		0030/0093	LEN=0039 INSTALLED 1998
005070 FT		005070 FT	2 0 19016 0 00 0050+80
			SCHOOL HOUSE LN
			(T626)
		S 0030/0000	LENGTH(AH 2909 BK 1379)
			036 "DIA CIR PLASTIC
		0020/0922	LEN=0040 INSTALLED 2015
			018 "DIA CIRC METAL
		0020/0378	LEN=0042 INSTALLED UNKN
2 0 19016 0 00 0036+10 003691 FT		003691 FT	
CHAPEL HILL RD			
(T629) 0020/0000		S 0020/0000	LENGTH(AH 1379 BK 3691)
			024 "DIA CIR PLASTIC
		0010/2728	LEN=0048 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0010/2416	LEN=0040 INSTALLED 2017
			018 "DIA CIRC METAL
		0010/2114	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/1845	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/1477	LEN=0035 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0010/0976	LEN=0035 INSTALLED UNKN
			CREEK SIDE LN
		0010/0956	(T624)
			018 "DIA CIRC METAL
		0010/0324	LEN=0030 INSTALLED 1998
		NC	BEAVER VALLEY RD
			SCOTCH VALLEY DR
2 0 19016 0 00 0000+00 000000 FT		000000 FT	(SR2022 SEG 0040/0000)
SCOTCH VALLEY DR			MFC BEGIN = E
(SR2022 SEG 0040/0000) 0010/0000		S 0010/0000	LENGTH(AH 3691 BK 0000)

DIR: B TOTAL LEN: 7.741 MI. DIST: 03-1 SR: 2022
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

040872 FT

040872 FT
* REF-AHD TOWNSHIP 0339 RT
0150/2809 (T339)
018 "DIA CIRC METAL

DIR: B TOTAL LEN: 7.741 MI. DIST: 03-1 SR: 2022
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

		0150/2444	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0150/2290	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0150/1945	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0150/1572	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0150/1146	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0150/0675	LEN=0065 INSTALLED UNKN
			018 "DIA CIRC METAL
		0150/0386	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0150/0100	LEN=0040 INSTALLED UNKN
	038063 FT	038063 FT	2 0 19015 0 01 0380+14
		S 0150/0000	LENGTH(AH 2809 BK 3115)
			018 "DIA CIRC METAL
		0140/2481	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0140/1722	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0140/1297	LEN=0035 INSTALLED UNKN
SQUIRREL HILL RD (PRDR)	0140/0542		
			018 "DIA CIRC METAL
		0140/0457	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0140/0061	LEN=0040 INSTALLED UNKN
	034948 FT	034948 FT	2 0 19015 0 01 0348+97
		S 0140/0000	LENGTH(AH 3115 BK 1919)
			018 "DIA CIRC METAL
		0130/1725	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0130/1437	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0130/1169	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0130/0794	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0130/0573	LEN=0040 INSTALLED UNKN
	033029 FT	033029 FT	2 0 19015 0 01 0329+77
		S 0130/0000	LENGTH(AH 1919 BK 3119)
			018 "DIA CIRC METAL
		0120/2395	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 7.741 MI. DIST: 03-1 SR: 2022
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

```
                                        0120/1849 LEN=0037 INSTALLED 2016
                                                  018 "DIA CIRC METAL
                                        0120/1615 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0120/1068 LEN=0034 INSTALLED 2016

029910 FT                               029910 FT 2 0 19015 0 01 0298+56
                                      S 0120/0000 LENGTH(AH 3119 BK 2966)
                                                  018 "DIA CIR PLASTIC
                                        0110/2724 LEN=0036 INSTALLED 2016
                                                  018 "DIA CIRC METAL
                                        0110/2443 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0110/1862 LEN=0035 INSTALLED 2016
                                                  018 "DIA CIRC METAL
                                        0110/1608 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0110/1385 LEN=0030 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0110/1071 LEN=0041 INSTALLED 2016
                                                  018 "DIA CIR PLASTIC
                                        0110/0767 LEN=0055 INSTALLED 2016
                                                  018 "DIA CIRC METAL
                                        0110/0543 LEN=0037 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0110/0126 LEN=0035 INSTALLED UNKN
026944 FT                               026944 FT 2 0 19015 0 01 0268+88
                                      S 0110/0000 LENGTH(AH 2966 BK 3012)
                                                  024 "DIA CIRC METAL
                                        0100/2846 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0100/2733 LEN=0045 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0100/2538 LEN=0045 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0100/2321 LEN=0040 INSTALLED 2015
                                                  018 "DIA CIRC METAL
                                        0100/1844 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0100/1256 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0100/0735 LEN=0040 INSTALLED UNKN

                                                  018 "DIA CIRC METAL
                                        0100/0071 LEN=0045 INSTALLED UNKN
023932 FT                               023932 FT 2 0 19015 0 01 0238+74
                                      S 0100/0000 LENGTH(AH 3012 BK 2998)
                                                  018 "DIA CIRC METAL
                                        0090/2480 LEN=0042 INSTALLED UNKN
```

DIR: B TOTAL LEN: 7.741 MI. DIST: 03-1 SR: 2022
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

		018 "DIA CIR PLASTIC
	0090/2131	LEN=0035 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0090/1978	LEN=0042 INSTALLED 2014
		024 "DIA CIRC METAL
	0090/1773	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0090/1606	LEN=0040 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0090/1496	LEN=0038 INSTALLED 2016
		018 "DIA CIRC METAL
	0090/1190	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC METAL
	0090/0739	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC METAL
	0090/0066	LEN=0035 INSTALLED UNKN
020934 FT	020934 FT	2 0 19015 0 01 0208+74
	S 0090/0000	LENGTH(AH 2998 BK 1981)
		018 "DIA CIRC METAL
	0080/1604	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC METAL
	0080/1045	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC METAL
	0080/0695	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0080/0342	LEN=0040 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0080/0137	LEN=0040 INSTALLED 2015
018953 FT	018953 FT	2 0 19015 0 01 0188+92
	S 0080/0000	LENGTH(AH 1981 BK 1988)
		018 "DIA CIR PLASTIC
	0070/1215	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC METAL
	0070/0067	LEN=0030 INSTALLED UNKN
016965 FT	016965 FT	2 0 19015 0 01 0169+03
	S 0070/0000	LENGTH(AH 1988 BK 3037)
		018 "DIA CIRC METAL
	0060/2352	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC METAL
	0060/2088	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0060/1721	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0060/1398	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 7.741 MI. DIST: 03-1 SR: 2022
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

		0060/1051	LEN=0036 INSTALLED UNKN 018 "DIA CIRC METAL
		0060/0701	LEN=0040 INSTALLED UNKN 018 "DIA CIRC METAL
		0060/0285	LEN=0030 INSTALLED UNKN
	013928 FT	013928 FT	2 0 19015 0 01 0138+64 VILLAGE: MILFFLIN X RDS
RAILROAD LN (T399)	0060/0000	S 0060/0000	LENGTH(AH 3037 BK 2107) 018 "DIA CIR PLASTIC
		0050/2070	LEN=0040 INSTALLED 2016 018 "DIA CIRC METAL
		0050/1630	LEN=0030 INSTALLED UNKN 024 "DIA CIR PLASTIC
		0050/1180	LEN=0040 INSTALLED 2006 024 "DIA CIRC METAL
		0050/0809	LEN=0075 INSTALLED UNKN
MIFFLIN CROSS RD (T628)	0050/0795		
			018 "DIA CIRC METAL
		0050/0010	LEN=0040 INSTALLED UNKN
	011821 FT	011821 FT	2 0 19015 0 01 0117+62 VILLAGE: MIFFLIN X RDS CHAPEL HILL RD (T628)
		S 0050/0000	LENGTH(AH 2107 BK 3802) 018 "DIA CIR PLASTIC
		0040/3750	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0040/3022	LEN=0030 INSTALLED UNKN 024 "DIA CIR PLASTIC
		0040/2676	LEN=0040 INSTALLED UNKN 018 "DIA CIRC METAL
		0040/2576	LEN=0050 INSTALLED UNKN 018 "DIA CIRC METAL
		0040/2150	LEN=0035 INSTALLED UNKN 018 "DIA CIRC METAL
		0040/1952	LEN=0045 INSTALLED UNKN 018 "DIA CIRC METAL
		0040/1570	LEN=0030 INSTALLED UNKN 018 "DIA CIRC METAL
		0040/1205	LEN=0040 INSTALLED UNKN 018 "DIA CIRC METAL
		0040/0706	LEN=0030 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0040/0545	LEN=0030 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0040/0330	LEN=0035 INSTALLED UNKN
	008019 FT	008019 FT	2 0 19015 0 01 0079+53

DIR: B TOTAL LEN: 7.741 MI. DIST: 03-1 SR: 2022
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

		BEAVER VALLEY RD
		(SR2024 SEG 0010/0000)
	S 0040/0000	LENGTH(AH 3802 BK 2995)
		018 "DIA CIRC METAL
	0030/2217	LEN=0035 INSTALLED 1997
		015"H 22"W ELLIP METAL
	0030/2031	LEN=0030 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0030/0402	LEN=0040 INSTALLED 1997
005024 FT	005024 FT	2 0 19015 0 01 0049+67
	S 0030/0000	LENGTH(AH 2995 BK 2285)
		018 "DIA CIR PLASTIC
	0020/1931	LEN=0035 INSTALLED 2016
		015 "DIA CIRC METAL
	0020/1504	LEN=0025 INSTALLED UNKN
002739 FT	002739 FT	2 0 19015 0 01 0026+89
	S 0020/0000	LENGTH(AH 2285 BK 2739)
		018 "DIA CIRC METAL
	0010/2105	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0010/1947	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0010/1535	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC METAL
	0010/1360	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0010/1288	LEN=0040 INSTALLED UNKN
	NC	SCOTCH VALLEY DR
		BEAVER
	0010/1275	MAIN T
		018 "DIA CIRC METAL
	0010/0824	LEN=0040 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0010/0436	LEN=0040 INSTALLED UNKN
000000 FT	000000 FT	2 0 19015 0 00 0000+00
		MAINVILLE DR
		(SR0339 SEG 0170/0463)
	NC	FULL-MILL HILL RD
MAIN MIFFLIN DR		MFC BEGIN = E
(SR0339 SEG 0170/0463) 0010/0000	S 0010/0000	LENGTH(AH 2739 BK 0000)

DIR: B TOTAL LEN: .042 MI. DIST: 03-1 SR: 2021
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

000223 FT

000000 FT



000223 FT BMSEN 19/2021/0010/0000
REF-AHD MOUNTAIN RD
0010/0223 (T722)
000000 FT 0 0 00000 0 00 0000+00
NC MOUNTAIN RD
REF-BK MOUNTAIN RD
(T722)
I - 80 EB & WB
BMSBG 19/2021/0010/0000
MFC BEGIN = E
0010/0000 LENGTH(AH 0223 BK 0000)

DIR: B TOTAL LEN: 3.632 MI. DIST: 03-1 SR: 2020
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

MAIN MIFFLIN DR	019178 FT		019178 FT	MAIN MIFFLIN DR
(SR0339 SEG 0330/0000)	0130/2171		0130/2171	(SR0339 SEG 0330/0000)
				TEN MILE RUN
				STRUCTURE LENGTH 30 FT
			0130/1970	BMSID 19/2020/0130/1970
				018 "DIA CIRC CONCR
			0130/1475	LEN=0036 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0130/0918	LEN=0035 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0130/0482	LEN=0035 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0130/0087	LEN=0030 INSTALLED UNKN
	017007 FT		017007 FT	2 0 19020 0 00 0330+84
			5 0130/0000	LENGTH(AH 2171 BK 3003)
				018 "DIA CIR PLASTIC
			0120/2721	LEN=0030 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0120/2318	LEN=0034 INSTALLED UNKN

DIR: B TOTAL LEN: 3.632 MI. DIST: 03-1 SR: 2020
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

```
014004 FT                    014004 FT 2 0 19020 0 00 0300+73
                           S 0120/0000 LENGTH(AH 3003 BK 2967)
                                       024 "DIA CIRC CONCR
                             0110/2691 LEN=0030 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0110/2389 LEN=0030 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0110/2295 LEN=0030 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0110/1137 LEN=0030 INSTALLED UNKN

011037 FT                    011037 FT 2 0 19020 0 00 0270+98
                           S 0110/0000 LENGTH(AH 2967 BK 2853)

                                       018 "DIA CIRC CONCR
                             0100/1664 LEN=0036 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0100/1376 LEN=0032 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0100/0575 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0100/0381 LEN=0040 INSTALLED UNKN
008184 FT                    008184 FT 2 0 19020 0 00 0242+38
                                       HOUCK HOLLOW RD
                                       (T820)
                                 NC PEEWEE HILL RD
                             INTER-BK  HILLCREST DR
                                       (TWP )
                                       MFC BEGIN = D
                           S 0100/0000 LENGTH(AH 2853 BK 0885)
008184 FT                    008184 FT
                             7092/0000 LENGTH(AH 0885 BK 1862)
008184 FT                    008184 FT
                             7090/0000 LENGTH(AH 1862 BK 2513)
008184 FT                    008184 FT
                             7080/0000 LENGTH(AH 2513 BK 2011)
008184 FT                    008184 FT
                             7070/0000 LENGTH(AH 2011 BK 3133)
008184 FT                    008184 FT
                             7060/0000 LENGTH(AH 3133 BK 2867)
008184 FT                    008184 FT
                             7050/0000 LENGTH(AH 2867 BK 2843)
008184 FT                    008184 FT
```

DIR: B TOTAL LEN: 3.632 MI. DIST: 03-1 SR: 2020
LEFT MUN: MAIN T RIGHT MUN: MAIN T

			7040/0000 LTH AH 002843 BK 000824
	008184 FT		008184 FT
			7034/0000 LTH AH 000824 BK 002968
			MAINVILLE DR
MAINVILLE DR			(SR2009 SEG 0050/1787)
(SR2009 SEG 0050/1787)	0030/2968		0030/2968 MAIN T
			036 "DIA CIRC METAL
			0030/2867 LEN=0045 INSTALLED UNKN
			018 "DIA CIRC METAL
			0030/2622 LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
			0030/2021 LEN=0045 INSTALLED UNKN
			024 "DIA CIRC METAL
			0030/1586 LEN=0035 INSTALLED UNKN
			MAPLE DR
			0030/1407 (T478)
2 0 19020 0 00 0052+15	005216 FT		005216 FT
LOOKOUT DR			
(T411)	0030/0000		S 0030/0000 LENGTH(AH 2968 BK 2240)
			036 "DIA CIRC METAL
			0020/2130 LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
			0020/0242 LEN=0038 INSTALLED UNKN
	002976 FT		002976 FT 2 0 19020 0 00 0029+75
			S 0020/0000 LENGTH(AH 2240 BK 2976)
			036 "DIA CIRC METAL
			0010/2252 LEN=0035 INSTALLED UNKN
			MAIN
			0010/1840 CATAWISSA T
			018 "DIA CIRC METAL
			0010/1547 LEN=0037 INSTALLED UNKN
			018 "DIA CIRC METAL
			0010/0783 LEN=0035 INSTALLED UNKN
			NC HILLCREST DR
			RIVER HILL DR
2 0 19020 0 00 0000+00	000000 FT		000000 FT (SR0487 SEG 0210/1068)
RIVER HILL DR			MFC BEGIN = E
(SR0487 SEG 0210/1068)	0010/0000		S 0010/0000 LENGTH(AH 2976 BK 0000)

DIR: B TOTAL LEN: 2.025 MI. DIST: 03-1 SR: 2019
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

010693 FT

010693 FT AH-LUZERNE (40)
* REF-AHD DUMP HILL RD
0040/1767 (SR3014 SEG 0010/0000)
060 "DIA CIRC METAL
0040/1600 LEN=0050 INSTALLED 2013
018 "DIA CIRC METAL
0040/1500 LEN=0035 INSTALLED 2013
018 "DIA CIRC METAL
0040/1356 LEN=0039 INSTALLED UNKN

015 "DIA CIRC CONCR
0040/0346 LEN=0027 INSTALLED UNKN
008926 FT

2 0 19094 0 00 0089+75 008926 FT
SHAFFER RD

DIR: B TOTAL LEN: 2.025 MI. DIST: 03-1 SR: 2019
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

(T726)	0040/0000		0040/0000 LENGTH(AH 1767 BK 3285)
			012"H 22"W ELLIP METAL
			0030/2765 LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0030/2265 LEN=0028 INSTALLED UNKN
			018 "DIA CIRC METAL
			0030/1409 LEN=0030 INSTALLED UNKN
	005641 FT		005641 FT 2 0 19094 0 00 0057+00
			KIRKENDALL RD
			(T724)
			0030/0000 LENGTH(AH 3285 BK 2626)
			036 "DIA CIRC CONCR
			0020/2599 LEN=0105 INSTALLED UNKN
			012"H 22"W ELLIP METAL
			0020/1758 LEN=0033 INSTALLED UNKN
SHAFFER RD (T726)	0020/1730		
			018 "DIA CIRC METAL
			0020/1570 LEN=0035 INSTALLED UNKN
	003015 FT		003015 FT 2 0 19094 0 00 0030+47
			0020/0000 LENGTH(AH 2626 BK 3015)
			018"H 30"W ELLIP CONC
			0010/1463 LEN=0034 INSTALLED 2000
WOLFE RD (PRDR)	0010/1386		
			018 "DIA CIRC CONCR
			0010/0298 LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0010/0040 LEN=0055 INSTALLED 2013
	000000 FT		000000 FT 2 0 19094 0 00 0000+00
			ZENITH RD
			(SR2028 SEG 0110/0000)
			NC HETLERVILLE RD
HETLERVILLE RD (SR2028 SEG 0110/0000)	0010/0000		MFC BEGIN = E
			0010/0000 LENGTH(AH 3015 BK 0000)

DIR: B TOTAL LEN: 4.530 MI. DIST: 03-1 SR: 2018
LEFT MUN: MAIN T RIGHT MUN: MAIN T

MAPLE DR
(T478)

023919 FT

0100/2741

021014 FT



023919 FT	MAINVILLE DR
0100/2905	(SR2009 SEG 0040/0000)
	TRIB TO CATAWISSA CREEK
	STRUCTURE LENGTH 21 FT
0100/2758	BMSID 19/2018/0100/2758
	018 "DIA CIRC METAL
0100/2446	LEN=0030 INSTALLED UNKN
	036 "DIA CIR PLASTIC
0100/1684	LEN=0040 INSTALLED 2002
	024 "DIA CIRC METAL
0100/0824	LEN=0045 INSTALLED UNKN
	024 "DIA CIRC METAL
0100/0598	LEN=0040 INSTALLED UNKN
	018 "DIA CIR PLASTIC
0100/0378	LEN=0040 INSTALLED UNKN
	024 "DIA CIR PLASTIC
0100/0252	LEN=0040 INSTALLED 2006
021014 FT	2 0 19014 0 00 0210+60
0100/0000	LENGTH(AH 2905 BK 3737)
	018 "DIA CIRC METAL
0090/3426	LEN=0045 INSTALLED UNKN

DIR: B TOTAL LEN: 4.530 MI. DIST: 03-1 SR: 2018
LEFT MUN: MAIN T RIGHT MUN: MAIN T

				024 "DIA CIRC METAL
			0090/2963	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC METAL
			0090/1582	LEN=0045 INSTALLED UNKN
				036 "DIA CIR PLASTIC
			0090/1154	LEN=0050 INSTALLED 2002
				018 "DIA CIR PLASTIC
			0090/0959	LEN=0035 INSTALLED 2004
				018 "DIA CIR PLASTIC
			0090/0392	LEN=0035 INSTALLED 2004
			0090/0019	BMSEN 19/2018/0090/0000
	017277 FT		017277 FT	2 0 19014 0 00 0173+22
				T.CATAWISSA
				BMSBG 19/2018/0090/0000
			S 0090/0000	LENGTH(AH 3737 BK 1357)
				018 "DIA CIR PLASTIC
			0080/0855	LEN=0035 INSTALLED UNKN
				072 "DIA CIRC METAL
			0080/0048	LEN=0055 INSTALLED UNKN
2 0 19014 0 00 0159+53	015920 FT		015920 FT	
DEER RD				
(T407)	0080/0000	==	S 0080/0000	LENGTH(AH 1357 BK 2943)
				018 "DIA CIRC METAL
			0070/2563	LEN=0030 INSTALLED UNKN
				018 "DIA CIRC METAL
			0070/2081	LEN=0035 INSTALLED 2004
				MAIN
			0070/1729	CATAWISSA T
				018 "DIA CIRC METAL
			0070/1540	LEN=0048 INSTALLED UNKN
				018 "DIA CIRC METAL
			0070/1075	LEN=0036 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0070/0823	LEN=0040 INSTALLED 2002
				018 "DIA CIR PLASTIC
			0070/0367	LEN=0035 INSTALLED UNKN
				018 "DIA CIRC METAL
			0070/0005	LEN=0030 INSTALLED UNKN
	012977 FT		012977 FT	2 0 19014 0 00 0130+27
			S 0070/0000	LENGTH(AH 2943 BK 2010)
				030 "DIA CIRC METAL
			0060/1746	LEN=0045 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0060/0923	LEN=0036 INSTALLED 2013
				024 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 4.530 MI. DIST: 03-1 SR: 2018
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

	0060/0764	LEN=0037 INSTALLED 2006
		018 "DIA CIRC METAL
	0060/0344	LEN=0028 INSTALLED UNKN
010967 FT	010967 FT	2 0 19014 0 00 0110+28
	S 0060/0000	LENGTH(AH 2010 BK 3092)
		018 "DIA CIRC METAL
	0050/2808	LEN=0028 INSTALLED UNKN
		018 "DIA CIRC METAL
	0050/2202	LEN=0035 INSTALLED 2004
		018 "DIA CIRC METAL
	0050/1323	LEN=0033 INSTALLED UNKN
		018 "DIA CIRC METAL
	0050/1005	LEN=0004 INSTALLED 2004
		042 "DIA CIR PLASTIC
	0050/0191	LEN=0040 INSTALLED 2013
007875 FT	007875 FT	2 0 19014 0 00 0079+53
	S 0050/0000	LENGTH(AH 3092 BK 2970)
		018 "DIA CIRC METAL
	0040/2776	LEN=0004 INSTALLED 2004
		018 "DIA CIRC METAL
	0040/2479	LEN=0050 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0040/2242	LEN=0030 INSTALLED 2004
		018 "DIA CIR PLASTIC
	0040/1980	LEN=0040 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0040/1820	LEN=0032 INSTALLED 2006
		018 "DIA CIRC METAL
	0040/1336	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0040/0827	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC METAL
	0040/0337	LEN=0046 INSTALLED UNKN
004905 FT	004905 FT	2 0 19014 0 00 0050+00
		OLD READING RD
		(T422)
	S 0040/0000	LENGTH(AH 2970 BK 3104)
		018 "DIA CIR PLASTIC
	0030/3076	LEN=0045 INSTALLED 2004
		018 "DIA CIR PLASTIC
	0030/2523	LEN=0045 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0030/1996	LEN=0040 INSTALLED 2015
		018 "DIA CIRC METAL
	0030/1620	LEN=0042 INSTALLED UNKN
		015"H 21"W METAL ARCH
	0030/1323	LEN=0038 INSTALLED 1999

DIR: B TOTAL LEN: 4.530 MI. DIST: 03-1 SR: 2018
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

			018 "DIA CIRC METAL
		0030/0630	LEN=0035 INSTALLED 2004
			BALSHI AV
		0030/0368	(TWP)
	001801 FT	001801 FT	2 0 19014 0 00 0018+10
			NC SYCAMORE RD
			CATAWISSA
			CATAWISSA B
		0030/0000	LENGTH(AH 3104 BK 0807)
			ACHY ST
		0020/0684	(BORO)
PINE ST (BORO)	0020/0651		
FISHER AV (BORO)	0020/0416		
			FISHER AV
		0020/0369	(BORO)
BALSHI AV (BORO)	0020/0194		
			BALSHI AV
		0020/0102	(BORO)
	000994 FT	000994 FT	2 0 19014 0 00 0010+68
			NC CHURCH ST
			CHURCH ST
			(SR2016 SEG 0010/0705)
		0020/0000	LENGTH(AH 0807 BK 0994)
FIFTH ST (BORO)	0010/0724		
ERVIN AL (BORO)	0010/0488		
UNKNOWN AL (BORO)	0010/0404		
			UXBRIDGE AV
		0010/0374	(BORO)
LEVAN AL (BORO)	0010/0253		
			018 "DIA CIRC OTHER
		0010/0014	LEN=0016 INSTALLED UNKN
	000000 FT	000000 FT	2 0 19014 0 00 0000+00
			MILL ST
			(SR0042 SEG 0370/0000)
			NC MAIN ST
			FOURTH ST
			(BORO)
		INTER-BK	MAIN ST
			(SR0042 SEG 0370/0000)
			MFC BEGIN = D
FOURTH ST (SR0487 SEG 0150/0000)	0010/0000	0010/0000	LENGTH(AH 0994 BK 0000)

DIR: B TOTAL LEN: 1.928 MI. DIST: 03-1 SR: 2017
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

010182 FT



```
010182 FT  SR 0339 SH
0050/3186  (SR0339 SEG 0430/0000)
0050/3163  (AAR 517842E)#TRKS 01

           018 "DIA CIRC METAL
0050/2490  LEN=0060 INSTALLED UNKN

           015 "DIA CIR PLASTIC
0050/1700  LEN=0040 INSTALLED 2012
           018 "DIA CIR PLASTIC
0050/1433  LEN=0040 INSTALLED 2012
0050/1230  BMSEN 19/2017/0050/1211
           2 0 19024 0 00 0082+24
           T.SUSQ.RIVER
0050/1211  BMSBG 19/2017/0050/1211
           018 "DIA CIR PLASTIC
0050/0830  LEN=0040 INSTALLED 2012
           BULL FARM RD
0050/0383  (T423)
           048 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 1.928 MI. DIST: 03-1 SR: 2017
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

```
                                                 0050/0338 LEN=0050 INSTALLED 1996
                                                 0050/0015 BMSEN 19/2017/0050/0000
                    006996 FT                    006996 FT 2 0 19024 0 00 0070+26
                                                           T.SUSQ.RIVER
                                                           BMSBG 19/2017/0050/0000
                                                 S 0050/0000 LENGTH(AH 3186 BK 1849)
                                                           018 "DIA CIR PLASTIC
                                                 0040/1632 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0040/1171 LEN=0040 INSTALLED UNKN
                                                           024 "DIA CIR PLASTIC
                                                 0040/0783 LEN=0042 INSTALLED UNKN
                                                           030 "DIA CIR PLASTIC
                                                 0040/0421 LEN=0042 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0040/0107 LEN=0048 INSTALLED UNKN
                    005147 FT                    005147 FT 2 0 19024 0 00 0051+61
                                                 S 0040/0000 LENGTH(AH 1849 BK 1501)
                                                           030 "DIA CIR PLASTIC
                                                 0030/1261 LEN=0048 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0030/0815 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0030/0334 LEN=0040 INSTALLED UNKN
2 0 19024 0 00 0036+47 003646 FT                 003646 FT
KELCHNER RD
(T419)                0030/0000                  S 0030/0000 LENGTH(AH 1501 BK 1618)
                                                           024 "DIA CIR PLASTIC
                                                 0020/1582 LEN=0063 INSTALLED UNKN


                                                           018 "DIA CIR PLASTIC
                                                 0020/0028 LEN=0035 INSTALLED 2012
                    002028 FT                    002028 FT 2 0 19024 0 00 0020+29
                                                 S 0020/0000 LENGTH(AH 1618 BK 2028)


                                                           018 "DIA CIR PLASTIC
                                                 0010/0604 LEN=0035 INSTALLED UNKN

                    000000 FT                    000000 FT 2 0 19024 0 00 0000+00
                                                           VILLAGE: HETLERVILLE
                                                       NC SMITH HOLLOW RD
                                                           HETLERVILLE RD
                                                           (SR2028 SEG 0100/0000)
                                                           MFC BEGIN = E
                                                 S 0010/0000 LENGTH(AH 2028 BK 0000)
```

DIR: B TOTAL LEN: .134 MI. DIST: 03-1 SR: 2016
LEFT MUN: CATAWISSA B RIGHT MUN: CATAWISSA B

```
                                000705 FT                    000705 FT
MAIN ST                                                      INTER-AHD  CHURCH ST
(SR2018 SEG 0020/0000)          0010/0705                    0010/0705  (SR2018 SEG 0020/0000)
                                                                        SANDT ST
                                                        ==   0010/0571  (BORO)
                                                                        ZARR ST
                                                        ==   0010/0364  (BORO)
                                                                        BAKER AV
                                                        ==   0010/0176  (BORO)
                                000000 FT                    000000 FT  2 0 19014 1 00 0000+00
                                                                  NC CHURCH ST
                                                                        MILL ST
                                                                        (SR0042 SEG 0360/0786)

                                                             INTER-BK   CHURCH ST
                                                                        (BORO)
                                                                        MFC BEGIN = E
                                                             0010/0000  LENGTH(AH 0705 BK 0000)
```

DIR: B TOTAL LEN: 1.332 MI. DIST: 03-1 SR: 2014
LEFT MUN: ROARING CREEK T RIGHT MUN: ROARING CREEK T

007035 FT



007035 FT
INTER-AHD MENSCH RD
(T472)
OLD READING RD
0040/2225 (SR2003 SEG 0180/0000)
018 "DIA CIRC METAL
0040/1824 LEN=0004 INSTALLED 2007
030"H 60"W ELLIP CONC
0040/1553 LEN=0040 INSTALLED 2008
018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 1.332 MI. DIST: 03-1 SR: 2014
LEFT MUN: ROARING CREEK T RIGHT MUN: ROARING CREEK T

```
                                                  0040/1341 LEN=0004 INSTALLED 2007
                                                            018 "DIA CIR PLASTIC
                                                  0040/1237 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0040/0907 LEN=0035 INSTALLED 2015
                                                            018 "DIA CIR PLASTIC
                                                  0040/0315 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0040/0135 LEN=0036 INSTALLED UNKN
                     004810 FT                    004810 FT 2 0 19005 0 01 0086+89
                                                            ROARING CREEK
                                                            LOCUST T
                                                S 0040/0000 LENGTH(AH 2225 BK 1584)
                                                            018 "DIA CIR PLASTIC
                                                  0030/1540 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0030/1317 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0030/1010 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0030/0756 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0030/0306 LEN=0035 INSTALLED UNKN
                     003226 FT                    003226 FT 2 0 19005 0 01 0071+46
                                                S 0030/0000 LENGTH(AH 1584 BK 1394)
                                                            018 "DIA CIR PLASTIC
                                                  0020/0848 LEN=0035 INSTALLED UNKN
                                                  0020/0464 BMSEN 19/2014/0020/0436
                                                            2 0 19005 0 01 0062+28
                                                            T.ROARING CK
                                                  0020/0436 BMSBG 19/2014/0020/0436
2 0 19005 0 01 0057+88 001832 FT                  001832 FT
MARTIN DR
(T381)                0020/0000                 S 0020/0000 LENGTH(AH 1394 BK 1832)
                                                            018 "DIA CIRC METAL
                                                  0010/1472 LEN=0034 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0010/1284 LEN=0031 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0010/0836 LEN=0048 INSTALLED 2007
                                                  0010/0487 BMSEN 19/2014/0010/0423
                                                            2 0 19005 0 00 0043+51
                                                            ROARING CK
                                                  0010/0423 BMSBG 19/2014/0010/0423
                     000000 FT                    000000 FT 2 0 19005 0 00 0039+26
                                                        NC CREEK RD
                                                            MILL RD
                                                            (SR2001 SEG 0090/0000)
                                                            MFC BEGIN = E
                                                S 0010/0000 LENGTH(AH 1832 BK 0000)
```

DIR: B TOTAL LEN: .002 MI. DIST: 03-1 SR: 2013
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

```
000010 FT                    000010 FT
                             7030/0000 LENGTH(AH 4056 BK 2889)
000010 FT                    000010 FT
                             7020/0000 LENGTH(AH 2889 BK 2225)
000010 FT                    000010 FT
                             7014/0000 LENGTH(AH 2225 BK 0010)
                                       BMSEN 19/2013/0010/0000
                           * REF-AHD   HOUCK HOLLOW RD
                             0010/0010 (T820)
000000 FT                    000000 FT 2 0 19022 0 00 0008+90
                                  NC HOUCK HOLLOW RD
                           * REF-BK    HOUCK HOLLOW RD
                                       (T820)
                                       TENMILE RUN
                                       BMSBG 19/2013/0010/0000
                           S 0010/0000 LENGTH(AH 0010 BK 0889)
000000 FT                    000000 FT
                             7010/0000 LENGTH(AH 0889 BK 0000)
```

DIR: B TOTAL LEN: 3.965 MI. DIST: 03-1 SR: 2012
LEFT MUN: ROARING CREEK T RIGHT MUN: ROARING CREEK T

```
020934 FT                    020934 FT OLD READING RD
                             0090/3041 (SR2003 SEG 0120/1188)
                                       016 "DIA CIRC CONCR
                             0090/2887 LEN=0035 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0090/2606 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0090/2241 LEN=0030 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0090/1580 LEN=0033 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0090/0721 LEN=0030 INSTALLED UNKN
017893 FT                    017893 FT 2 0 19008 0 01 0179+12
                                       036 "DIA CIRC CONCR
                                       LEN=0035 INSTALLED UNKN
                           S 0090/0000 LENGTH(AH 3041 BK 2469)

                                       INDEPENDENT ST
                             0080/1301 (T474)
                                       018 "DIA CIRC CONCR
                             0080/1272 LEN=0034 INSTALLED UNKN
                                       021 "DIA CIRC METAL
                             0080/0837 LEN=0040 INSTALLED 2005
                                       018 "DIA CIRC CONCR
                             0080/0350 LEN=0035 INSTALLED UNKN
015424 FT                    015424 FT 2 0 19008 0 01 0154+48
                           S 0080/0000 LENGTH(AH 2469 BK 2619)
```

DIR: B TOTAL LEN: 3.965 MI. DIST: 03-1 SR: 2012
LEFT MUN: ROARING CREEK T RIGHT MUN: ROARING CREEK T

		018 "DIA CIRC CONCR
	0070/1135	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/0479	LEN=0037 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/0023	LEN=0054 INSTALLED UNKN
012805 FT	012805 FT	2 0 19008 0 01 0128+35
		DEER MOUNTAIN RD
		(T476)
	0070/0000	LENGTH(AH 2619 BK 2340)
		018 "DIA CIRC CONCR
	0060/1525	LEN=0037 INSTALLED UNKN
010465 FT	010465 FT	2 0 19008 0 01 0105+05
		ROARING CREEK
		STRUCTURE LENGTH 18 FT
		BMSID 19/2012/0060/0000
	0060/0000	LENGTH(AH 2340 BK 1848)
		018 "DIA CIRC CONCR
	0050/1134	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC METAL
	0050/0447	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/0017	LEN=0042 INSTALLED UNKN
008617 FT	008617 FT	2 0 19008 0 01 0086+64
		OLD READING RD
		(SR2003 SEG 0100/0000)
	0050/0000	LENGTH(AH 1848 BK 2203)
	0040/1988	BMSEN 19/2012/0040/1960
		2 0 19008 0 01 0084+35
		ROARING CREK
	0040/1960	BMSBG 19/2012/0040/1960
006414 FT	006414 FT	2 0 19008 0 01 0064+73
		018 "DIA CIRC METAL
		LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 3.965 MI. DIST: 03-1 SR: 2012
LEFT MUN: ROARING CREEK T RIGHT MUN: ROARING CREEK T

		0040/0000	LENGTH(AH 2203 BK 2504)
			018 "DIA CIR PLASTIC
		0030/1280	LEN=0040 INSTALLED 2018
		0030/0631	MFC BEGIN = E
MILL RD (SR2001 SEG 0010/0000)	0030/0605		
			018 "DIA CIR PLASTIC
		0030/0590	LEN=0040 INSTALLED 2012
			ROARING CREEK
		0030/0352	LOCUST T
	003910 FT	003910 FT	2 0 19008 0 01 0039+67
			PENSION ST
			(T464)
			BEAVER MEADOW RD
			(T466)
		0030/0000	LENGTH(AH 2504 BK 1357)
		0020/1002	BMSEN 19/2012/0020/0985
			2 0 19008 0 00 0035+08
			T.ROARING CK
		0020/0985	BMSBG 19/2012/0020/0985
			018 "DIA CIR PLASTIC
		0020/0264	LEN=0050 INSTALLED 2011
	002553 FT	002553 FT	2 0 19008 0 00 0025+31
			VILLAGE: MILL GROVE
			024 "DIA CIR PLASTIC
			LEN=0040 INSTALLED 2018
		0020/0000	LENGTH(AH 1357 BK 2553)
MAPLE TREE RD (T467)	0010/1420		
			018 "DIA CIR PLASTIC
		0010/0906	LEN=0035 INSTALLED 2012
			018 "DIA CIRC METAL
		0010/0405	LEN=0036 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0010/0043	LEN=0040 INSTALLED 2012
	000000 FT	000000 FT	2 0 19008 0 00 0000+00
			RINGTOWN MT RD
			(SR2010 SEG 0060/0000)
		NC	MILL GROVE RD
		INTER-BK	RINGTOWN MT RD
			(SR2010 SEG 0060/0000)
			MFC BEGIN = D
		0010/0000	LENGTH(AH 2553 BK 0000)

DIR: B TOTAL LEN: .002 MI. DIST: 03-1 SR: 2011
LEFT MUN: MAIN T RIGHT MUN: MAIN T

000013 FT

000000 FT



000013 FT BMSEN 19/2011/0010/0000
* REF-AHD CHURCH DR
0010/0013 (T500)
000000 FT 2 0 19090 0 00 0009+17
NC CHURCH DR
* REF-BK CHURCH DR
(T500)
T CATAWISSA
BMSBG 19/2011/0010/0000
MFC BEGIN = E
S 0010/0000 LENGTH(AH 0013 BK 0000)

DIR: B TOTAL LEN: 4.322 MI. DIST: 03-1 SR: 2010
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

022819 FT

022819 FT OLD READING RD
0100/3299 (SR2003 SEG 0060/0000)

0100/2586 BMSEN 19/2010/0100/2571
2 0 19006 0 00 0220+69
T.ROARING CK

0100/2571 BMSBG 19/2010/0100/2571

018 "DIA CIRC CONCR
0100/1926 LEN=0036 INSTALLED UNKN

019520 FT

019520 FT 2 0 19006 0 00 0194+51
S 0100/0000 LENGTH(AH 3299 BK 2051)
036 "DIA CIR PLASTIC
0090/1821 LEN=0040 INSTALLED 2007
LITTLE MOUNTAIN RD
0090/1795 (T327)

018 "DIA CIRC CONCR
0090/1114 LEN=0037 INSTALLED UNKN

015 "DIA CIRC CONCR
0090/0318 LEN=0044 INSTALLED UNKN

2 0 19006 0 00 0173+78 017469 FT
PENSION ST
(T464)

017469 FT
0090/0000
S 0090/0000 LENGTH(AH 2051 BK 2294)

024 "DIA CIRC CONCR
0080/0659 LEN=0045 INSTALLED UNKN

015175 FT

015175 FT 2 0 19006 0 00 0150+85
STONEHOUSE RD
(T462)
S 0080/0000 LENGTH(AH 2294 BK 2189)

DIR: B TOTAL LEN: 4.322 MI. DIST: 03-1 SR: 2010
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

			0070/1828	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN T ROARING CR STRUCTURE LENGTH 9 FT
			0070/1631	BMSID 19/2010/0070/1631 MOUNTAIN RD
BEAVER MEADOW RD (T466)	0070/1425		0070/1425	(SR2008 SEG 0060/2312)
			0070/0508	024 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
			0070/0203	018 "DIA CIRC CONCR LEN=0048 INSTALLED UNKN
	012986 FT		012986 FT S 0070/0000	2 0 19006 0 00 0129+37 LENGTH(AH 2189 BK 2302)
			0060/0507	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
			0060/0172	030 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
2 0 19006 0 00 0106+78	010684 FT		010684 FT	
MILL GROVE RD (SR2012 SEG 0010/0000)	0060/0000		S 0060/0000	MFC BEGIN = E LENGTH(AH 2302 BK 2503)
			0050/1799	018 "DIA CIRC METAL LEN=0034 INSTALLED UNKN
			0050/1432	018 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
			0050/1327	LICK RUN RD (T329)
			0050/1056	018 "DIA CIRC METAL LEN=0033 INSTALLED UNKN
			0050/0872	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2007
			0050/0431	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2011
			0050/0005	048 "DIA CIR PLASTIC LEN=0045 INSTALLED 2008
	008181 FT		008181 FT S 0050/0000	2 0 19006 0 00 0081+68 LENGTH(AH 2503 BK 2643)
			0040/1591	018 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
			0040/0890	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2011

DIR: B TOTAL LEN: 4.322 MI. DIST: 03-1 SR: 2010
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

		0040/0512	BMSEN 19/2010/0040/0485 2 0 19006 0 00 0060+02 LICK RUN
		0040/0485	BMSBG 19/2010/0040/0485 042 "DIA CIR PLASTIC
		0040/0350	LEN=0040 INSTALLED 2007
GOBSTER POND RD (T341)	0040/0292		
2 0 19006 0 00 0055+18 005538 FT		005538 FT	
QUAKER MEETING HOUSE RD (T417)	0040/0000	5 0040/0000	LENGTH(AH 2643 BK 2606) POORHOUSE RD
		0030/2533	(T418) 018 "DIA CIR PLASTIC
		0030/2488	LEN=0030 INSTALLED 2011 024 "DIA CIR PLASTIC
		0030/2003	LEN=0040 INSTALLED UNKN
	002932 FT	002932 FT	2 0 19006 0 00 0029+21 VILLAGE: NEWLIN
		5 0030/0000	LENGTH(AH 2606 BK 2413) AIRPORT RD
		0020/2091	(T412)
		0020/1377	BMSEN 19/2010/0020/1360 2 0 19006 0 00 0018+51 T.ROARING CK
		0020/1360	BMSBG 19/2010/0020/1360
PICNIC GROVE RD (T411)	0020/0853		
			018 "DIA CIRC METAL
		0020/0486	LEN=0045 INSTALLED 2012 015 "DIA CIRC METAL
		0020/0464	LEN=0035 INSTALLED UNKN
	000519 FT	000519 FT	2 0 19006 0 00 0005+21
		5 0020/0000	LENGTH(AH 2413 BK 0519) 015 "DIA CIRC CONCR
		0010/0027	LEN=0037 INSTALLED UNKN
	000000 FT	000000 FT	2 0 19006 0 00 0000+00 VILLAGE: NUMIDIA
		NC	RINGTOWN MT RD NUMIDIA DR (SR0042 SEG 0190/0609)
			MFC BEGIN = D
		5 0010/0000	LENGTH(AH 0519 BK 0000)

DIR: B TOTAL LEN: 3.934 MI. DIST: 03-1 SR: 2009
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

020772 FT

020772 FT RIVER HILL DR
0090/3410 (SR0487 SEG 0230/0000)
01B "DIA CIRC CONCR

DIR: B TOTAL LEN: 3.934 MI. DIST: 03-1 SR: 2009
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

```
                                                 0090/3373 LEN=0085 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0090/3186 LEN=0070 INSTALLED UNKN

                                                           018 "DIA CIR PLASTIC
                                                 0090/2455 LEN=0048 INSTALLED 2013

                                                           015 "DIA CAST IRON
                                                 0090/1679 LEN=0060 INSTALLED UNKN
                                                           015 "DIA CAST IRON
                                                 0090/1203 LEN=0072 INSTALLED UNKN
                                                           015 "DIA CAST IRON
                                                 0090/0876 LEN=0060 INSTALLED UNKN
                                                           015 "DIA CAST IRON
                                                 0090/0413 LEN=0060 INSTALLED UNKN
                017362 FT                        017362 FT 1 0 00415 0 01 0034+85
                                                           SCENIC AV
                                                           (T426)
                                                 0090/0000 LENGTH(AH 3410 BK 1519)
                                                           015 "DIA CAST IRON
                                                 0080/1505 LEN=0050 INSTALLED UNKN
                                                           015 "DIA CAST IRON
                                                 0080/1060 LEN=0060 INSTALLED UNKN
                                                           015 "DIA CAST IRON
                                                 0080/0696 LEN=0060 INSTALLED UNKN
                                                           015 "DIA CAST IRON
                                                 0080/0330 LEN=0060 INSTALLED UNKN
                015843 FT                        015843 FT 1 0 00415 0 01 0049+65
                                                           CATAWISSA
                                                           MAIN T
                                                 0080/0000 LENGTH(AH 1519 BK 2805)
                                                           015 "DIA CAST IRON
                                                 0070/2725 LEN=0038 INSTALLED UNKN
                                                           015 "DIA CAST IRON
                                                 0070/2398 LEN=0072 INSTALLED UNKN
                                                           018 "DIA CAST IRON
                                                 0070/2174 LEN=0037 INSTALLED UNKN
                                                           015 "DIA CAST IRON
                                                 0070/1900 LEN=0070 INSTALLED UNKN
                                                           015 "DIA CAST IRON
                                                 0070/1629 LEN=0035 INSTALLED UNKN
                                                           015 "DIA CAST IRON
                                                 0070/1243 LEN=0032 INSTALLED UNKN
LOOKOUT DR
(T411)            0070/0968

                                                           018 "DIA CIRC CONCR
                                                 0070/0010 LEN=0042 INSTALLED UNKN
                013038 FT                        013038 FT 1 0 00415 0 01 0077+70
```

DIR: B TOTAL LEN: 3.934 MI. DIST: 03-1 SR: 2009
LEFT MUN: MAIN T RIGHT MUN: MAIN T

```
                                                  S 0070/0000 LENGTH(AH 2805 BK 2673)
                                                              015 "DIA CIRC CONCR
                                                    0060/2279 LEN=0042 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0060/1978 LEN=0040 INSTALLED UNKN
                                                              024 "DIA CIRC CONCR
                                                    0060/1706 LEN=0072 INSTALLED UNKN
                                                              018 "DIA CAST IRON
                                                    0060/1343 LEN=0040 INSTALLED UNKN
                                                              036 "DIA CAST IRON
                                                    0060/1038 LEN=0040 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0060/0524 LEN=0043 INSTALLED UNKN
                                                              036 "DIA CAST IRON
                                                    0060/0041 LEN=0036 INSTALLED UNKN
                    010365 FT                       010365 FT 1 0 00415 0 01 0104+30
                                                              HILLCREST DR
                                                              (T820)
                                                  S 0060/0000 LENGTH(AH 2673 BK 2590)
                                                              015 "DIA CIRC CONCR
                                                    0050/2590 LEN=0052 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0050/2060 LEN=0062 INSTALLED UNKN
                                                              018 "DIA CIRC CONCR
                                                    0050/1911 LEN=0040 INSTALLED UNKN
HILLCREST DR
(SR2020 SEG 0030/2968)  0050/1787
                                                              018 "DIA CIRC CONCR
                                                    0050/1725 LEN=0045 INSTALLED UNKN

                                                              024 "DIA CIRC CONCR
                                                    0050/1112 LEN=0036 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0050/0899 LEN=0037 INSTALLED UNKN

                                                              018 "DIA CAST IRON
                                                    0050/0263 LEN=0045 INSTALLED UNKN
                    007775 FT                       007775 FT 1 0 00415 0 01 0130+70
                                                  S 0050/0000 LENGTH(AH 2590 BK 3063)
                                                              015 "DIA CAST IRON
                                                    0040/3055 LEN=0047 INSTALLED UNKN

                                                              072"H 72"W CONC STRUCT
                                                    0040/2411 LEN=0040 INSTALLED UNKN
                                                              018 "DIA CIR PLASTIC
                                                    0040/2290 LEN=0040 INSTALLED UNKN
                                                              015 "DIA CIRC CONCR
                                                    0040/1789 LEN=0041 INSTALLED UNKN
                                                              036 "DIA CAST IRON
                                                    0040/1519 LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 3.934 MI. DIST: 03-1 SR: 2009
LEFT MUN: MAIN T RIGHT MUN: MAIN T

			MT PINK RD
		0040/1472	(T409)
			015 "DIA CIRC CONCR
		0040/1447	LEN=0038 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0040/1117	LEN=0043 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0040/0722	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0040/0329	LEN=0037 INSTALLED UNKN
1 0 00415 0 01 0161+70	004712 FT		004712 FT
SYCAMORE DR			
(SR2018 SEG 0100/2905)	0040/0000	S 0040/0000	LENGTH(AH 3063 BK 1676)
			MAPLE DR
		0030/1653	(T478)
			030 "DIA CAST IRON
		0030/1286	LEN=0040 INSTALLED UNKN
	003036 FT	003036 FT	1 0 00415 0 01 0178+55
			TRIB TO CATAWISSA CREEK
			STRUCTURE LENGTH 14 FT
			BMSID 19/2009/0030/0000
		S 0030/0000	LENGTH(AH 1676 BK 1773)
			015 "DIA CIRC CONCR
		0020/1190	LEN=0040 INSTALLED UNKN
	001263 FT	001263 FT	1 0 00415 0 01 0196+18
		S 0020/0000	LENGTH(AH 1773 BK 1263)
			LC TO/FROM CHURCH RD
		0010/1077	(CONN)
			CHURCH RD
		0010/0906	(T500)
			018 "DIA CIRC CONCR
		0010/0834	LEN=0035 INSTALLED UNKN
		0010/0635	BMSEN 19/2009/0010/0594
			1 0 00415 0 01 0202+83
			T.CATAWISSA
		0010/0594	BMSBG 19/2009/0010/0594
	000000 FT	000000 FT	1 0 00415 0 01 0208+90
			VILLAGE: MAINVILLE
		NC	MAINVILLE DR
			MAIN MIFFLIN DR
			(SR0339 SEG 0220/0000)
		INTER-BK	MAINVILLE DR
			(SR0339 SEG 0220/0000)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 1263 BK 0000)

DIR: B TOTAL LEN: 2.799 MI. DIST: 03-1 SR: 2008
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

	014778 FT		014778 FT INTER-AHD BEAVER MEADOW RD (T466) RINGTOWN MT RD
		0060/2312	(SR2010 SEG 0070/1425) 024 "DIA CIRC CONCR
		0060/2262	LEN=0040 INSTALLED 2015
			018 "DIA CIRC CONCR
		0060/1228	LEN=0030 INSTALLED 1998
	012466 FT		012466 FT 2 0 19007 0 00 0125+38
		5 0060/0000	LENGTH(AH 2312 BK 2565) 018 "DIA CIRC CONCR
		0050/2359	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC METAL
		0050/0130	LEN=0035 INSTALLED UNKN
2 0 19007 0 00 0099+65 POOR HOUSE RD (T418)	009901 FT 0050/0000		009901 FT
		5 0050/0000	LENGTH(AH 2565 BK 2389) POOR HOUSE RD
		0040/2179	(T418) 018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 2.799 MI. DIST: 03-1 SR: 2008
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

```
                                                 0040/2171 LEN=0045 INSTALLED UNKN
                                                           048 "DIA CIRC CONCR
                                                 0040/1675 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0040/1412 LEN=0040 INSTALLED 2015
                                                           015"H 23"W ELLIP METAL
                                                 0040/1342 LEN=0035 INSTALLED UNKN
                                                           036 "DIA CIRC CONCR
                                                 0040/1238 LEN=0030 INSTALLED UNKN

                    007512 FT                    007512 FT 2 0 19007 0 00 0075+45
                                                S0040/0000 LENGTH(AH 2389 BK 2808)
                                                           015 "DIA CIRC CONCR
                                                 0030/2387 LEN=0136 INSTALLED UNKN
                                                           042 "DIA CIR PLASTIC
                                                 0030/2141 LEN=0054 INSTALLED 2006

2 0 19007 0 00 0047+00 004704 FT                 004704 FT
BRASS SCHOOL RD
(T416)                 0030/0000                S0030/0000 LENGTH(AH 2808 BK 2176)

                                                           036 "DIA CIRC CONCR
                                                 0020/0247 LEN=0030 INSTALLED UNKN
                    002528 FT                    002528 FT 2 0 19007 0 00 0025+26
                                                S0020/0000 LENGTH(AH 2176 BK 2528)

                                                           024 "DIA CIRC CONCR
                                                 0010/1338 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0010/0991 LEN=0028 INSTALLED UNKN

                    000000 FT                    000000 FT 2 0 19007 0 00 0000+00
                                                       NC MOUNTAIN RD
                                                           NUMIDIA DR
                                                           (SR0042 SEG 0150/0000)
                                                           MFC BEGIN = E
                                                S0010/0000 LENGTH(AH 2528 BK 0000)
```

DIR: B TOTAL LEN: .830 MI. DIST: 03-1 SR: 2007
LEFT MUN: ROARING CREEK T RIGHT MUN: ROARING CREEK T

OLD READING RD (SR2003 SEG 0120/0000)	004383 FT 0020/1895		004383 FT OLD READING RD 0020/1895 (SR2003 SEG 0120/0000) 021"H 30"W ELLIP METAL 0020/1849 LEN=0038 INSTALLED UNKN
	002488 FT		002488 FT 2 0 19085 0 01 0025+00 5 0020/0000 LENGTH(AH 1895 BK 2488)
			018 "DIA CIRC CONCR 0010/1581 LEN=0034 INSTALLED UNKN 018 "DIA CIRC CONCR 0010/1349 LEN=0036 INSTALLED UNKN
			024 "DIA CIRC CONCR 0010/0050 LEN=0060 INSTALLED 2005 NC DUKE RD MILL RD
2 0 19085 0 00 0000+00 MILL RD (SR2001 SEG 0010/0470)	000000 FT 0010/0000		000000 FT (SR2001 SEG 0010/0470) MFC BEGIN = E 5 0010/0000 LENGTH(AH 2488 BK 0000)

DIR: B TOTAL LEN: 2.408 MI. DIST: 03-1 SR: 2006
LEFT MUN: ROARING CREEK T RIGHT MUN: ROARING CREEK T

```
012712 FT                    012712 FT  AH-SCHUYLKILL      (53)
                           * REF-AHD   ARISTES RD
                             0050/2709 (SR4034 SEG 0010/0000)
                                       018 "DIA CIR PLASTIC
                             0050/2682 LEN=0040 INSTALLED 2006
                                       018 "DIA CIR PLASTIC
                             0050/2462 LEN=0040 INSTALLED 1999
                                       018 "DIA CIR PLASTIC
                             0050/2281 LEN=0050 INSTALLED 2006
                                       018 "DIA CIRC CONCR
                             0050/1999 LEN=0043 INSTALLED UNKN
                                       ROARING CREEK
                             0050/1964 CONYNGHAM T
                                       018 "DIA CIR PLASTIC
                             0050/1634 LEN=0040 INSTALLED 2018
                                       018 "DIA CIRC CONCR
                             0050/1286 LEN=0044 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0050/0899 LEN=0040 INSTALLED 1999
                                       018 "DIA CIRC CONCR
                             0050/0660 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0050/0507 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0050/0152 LEN=0045 INSTALLED UNKN
010003 FT                    010003 FT 2 0 19001 0 01 0105+43
                           S 0050/0000 LENGTH(AH 2709 BK 2497)

                                       018 "DIA CIR PLASTIC
                             0040/1820 LEN=0040 INSTALLED 2018

                                       018 "DIA CIRC CONCR
                             0040/1164 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0040/0857 LEN=0044 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0040/0360 LEN=0042 INSTALLED UNKN
007506 FT                    007506 FT 2 0 19001 0 01 0080+35
                           S 0040/0000 LENGTH(AH 2497 BK 2510)
                                       018 "DIA CIR PLASTIC
                             0030/2382 LEN=0045 INSTALLED UNKN
```

DIR: B TOTAL LEN: 2.408 MI. DIST: 03-1 SR: 2006
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

```
                                                  018 "DIA CIR PLASTIC
                                  0030/1925 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0030/1469 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0030/1270 LEN=0060 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0030/0980 LEN=0044 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0030/0624 LEN=0040 INSTALLED 2018
                                                  018 "DIA CIRC CONCR
                                  0030/0400 LEN=0044 INSTALLED UNKN
                 004996 FT        004996 FT 2 0 19001 0 01 0055+14
                                  0030/0000 LENGTH(AH 2510 BK 2298)
                                                  018 "DIA CIR PLASTIC
                                  0020/2220 LEN=0046 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                  0020/1591 LEN=0048 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0020/1100 LEN=0052 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0020/0832 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0020/0593 LEN=0053 INSTALLED 2005
                                                  018 "DIA CIR PLASTIC
                                  0020/0203 LEN=0060 INSTALLED 2005
                 002698 FT        002698 FT 2 0 19001 0 01 0032+06
                                  0020/0000 LENGTH(AH 2298 BK 2698)
                                                  018 "DIA CIRC CONCR
                                  0010/2584 LEN=0054 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0010/2255 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/2017 LEN=0054 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/1717 LEN=0056 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0010/1353 LEN=0055 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0010/1060 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/0760 LEN=0052 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0010/0495 LEN=0052 INSTALLED UNKN
                                        NC SR 2006 SH
                                                  SR 0042 SH
2 0 19001 0 00 0003+62 000000 FT  000000 FT (SR0042 SEG 0050/1244)
SR 0042 SH                                        MFC BEGIN = D
(SR0042 SEG 0050/1244)  0010/0000 0010/0000 LENGTH(AH 2698 BK 0000)
```

DIR: B TOTAL LEN: 2.019 MI. DIST: 03-1 SR: 2005
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

```
010662 FT                    010662 FT NUMIDA DR
                             0040/1680 (SR0042 SEG 0260/1195)
                                       018 "DIA CIRC CONCR
                             0040/1524 LEN=0045 INSTALLED UNKN

                             0040/0824 BMSEN 19/2005/0040/0791
                                       2 0 19086 0 00 0098+13
                                       T. ROARING C
                             0040/0791 BMSBG 19/2005/0040/0791
                                       CATAWISSA
                             0040/0735 LOCUST T

008982 FT                    008982 FT 2 0 19086 0 00 0090+24
                                       BROOKSIDE RD
                                       (T415)
                               S 0040/0000 LENGTH(AH 1680 BK 3073)
                                       018 "DIA CIRC METAL
                             0030/3043 LEN=0051 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0030/2475 LEN=0040 INSTALLED 2016

                                       018 "DIA CIR PLASTIC
                             0030/1789 LEN=0040 INSTALLED 2012
                                       HOLLOW RD
                             0030/1777 (T379)
                             0030/1219 BMSEN 19/2005/0030/1208
                                       2 0 19086 0 00 0071+13
                                       T.ROARING CK
                             0030/1208 BMSBG 19/2005/0030/1208

                                       018 "DIA CIRC METAL
                             0030/0494 LEN=0037 INSTALLED UNKN
005909 FT                    005909 FT 2 0 19086 0 00 0059+33
                                       024 "DIA CIR PLASTIC
                                       LEN=0036 INSTALLED UNKN
                               S 0030/0000 LENGTH(AH 3073 BK 2915)

                                       018 "DIA CIR PLASTIC
                             0020/2203 LEN=0040 INSTALLED 2012

                                       018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 2.019 MI. DIST: 03-1 SR: 2005
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

		0020/1365	LEN=0040 INSTALLED 2012 018 "DIA CIRC METAL
		0020/1297	LEN=0040 INSTALLED 2012 018 "DIA CIR PLASTIC
		0020/1288	LEN=0040 INSTALLED 2012 FREEWILL RD
		0020/1269	(T376) 018 "DIA CIR PLASTIC
		0020/1255	LEN=0040 INSTALLED 2012
		0020/1224	BMSEN 19/2005/0020/1127 2 0 19086 0 00 0041+09 ROARING CRK
		0020/1127	BMSBG 19/2005/0020/1127
LAKE GLORY RD (T375)	0020/1032		
IDEAL PARK RD (SR2001 SEG 0090/2661)	0020/0544		IDEAL PARK RD
		0020/0544	(SR2001 SEG 0090/2661) 018 "DIA CIRC CONCR
		0020/0516	LEN=0057 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0020/0386	LEN=0045 INSTALLED 2012 018 "DIA CIRC METAL
		0020/0075	LEN=0055 INSTALLED 2012
	002994 FT	002994 FT	2 0 19086 0 00 0030+00 MERCY RD (T414)
		S 0020/0000	LENGTH(AH 2915 BK 2994) QUAKER MEETING HOUSE RD
		0010/2911	(T417) 018 "DIA CIRC METAL
		0010/2890	LEN=0042 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0010/2826	LEN=0050 INSTALLED 2012 018 "DIA CIRC METAL
		0010/2017	LEN=0031 INSTALLED UNKN 018 "DIA CIRC CONCR
		0010/0132	LEN=0040 INSTALLED UNKN NC SLABTOWN RD NUMIDIA DR (SR0042 SEG 0220/0613)
2 0 19086 0 00 0000+00	000000 FT	INTER-BK 000000 FT	EARTH STATION RD (T359) MFC BEGIN = E
NUMIDIA DR (SR0042 SEG 0220/0613)	0010/0000	S 0010/0000	LENGTH(AH 2994 BK 0000)

DIR: B TOTAL LEN: 1.588 MI. DIST: 03-1 SR: 2004
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

008383 FT

008383 FT AH-SCHUYLKILL (53)
* REF-AHD BIG MINE RUN RD
0040/2865 (SR4029 SEG 0020/1864)

018 "DIA CIR PLASTIC
0040/1990 LEN=0061 INSTALLED 1998

DIR: B TOTAL LEN: 1.588 MI. DIST: 03-1 SR: 2004
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

			018 "DIA CIR PLASTIC
		0040/1669	LEN=0050 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0040/1352	LEN=0050 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0040/0976	LEN=0050 INSTALLED UNKN
	005518 FT	005518 FT	2 0 19083 0 00 0055+13
		S 0040/0000	LENGTH(AH 2865 BK 2500)
	003018 FT	003018 FT	2 0 19083 0 00 0030+14
		S 0030/0000	LENGTH(AH 2500 BK 2648)
			018 "DIA CIRC CONCR
		0020/2443	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/2114	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1584	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1249	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/1024	LEN=0047 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0020/0805	LEN=0044 INSTALLED UNKN
			TOWNSHIP RT
		0020/0363	(TWP)
	000370 FT	000370 FT	2 0 19083 0 00 0003+75
		NC SR 2004 SH	
			CONYNGHAM
WOOD ST			CENTRALIA B
(T422)	0020/0000	S 0020/0000	LENGTH(AH 2648 BK 0370)
			030 "DIA CIRC CONCR
		0010/0202	LEN=0042 INSTALLED UNKN
			BORO AL
		0010/0188	(BORO)
	000000 FT	000000 FT	2 0 19083 0 00 0000+00
		NC CENTER ST	
			LOCUST AV
			(SR0061 SEG 0052/0000)
		INTER-BK	CENTER ST
			(SR0061 SEG 0052/0000)
LOCUST AV			MFC BEGIN = D
(SR0042 SEG 0010/0000)	0010/0000	S 0010/0000	LENGTH(AH 0370 BK 0000)

DIR: B TOTAL LEN: 11.342 MI. DIST: 03-1 SR: 2003
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

059887 FT

NUMIDIA DR
(SR0042 SEG 0290/0000) 0250/2592

059887 FT
INTER-AHD MCINTYRE RD
(T393)
NUMIDIA DR
0250/2592 (SR0042 SEG 0290/0000)
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 11.342 MI. DIST: 03-1 SR: 2003
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

		0250/2570	LEN=0068 INSTALLED UNKN
			018 "DIA CIRC METAL
		0250/1650	LEN=0040 INSTALLED UNKN
2 0 19010 0 00 0026+55	057295 FT	057295 FT	018 "DIA CIR PLASTIC
BROOKSIDE RD			LEN=0050 INSTALLED 2013
(T415)	0250/0000	S 0250/0000	LENGTH(AH 2592 BK 1310)
			018 "DIA CIR PLASTIC
		0240/1310	LEN=0060 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0240/1290	LEN=0035 INSTALLED 2013
	055985 FT	055985 FT	2 0 19010 0 00 0039+65
			OLD NUMIDIA RD
			(T418)
		S 0240/0000	LENGTH(AH 1310 BK 2419)
			018 "DIA CIRC METAL
		0230/2049	LEN=0030 INSTALLED UNKN
			015"H 21"W ELLIP METAL
		0230/0791	LEN=0038 INSTALLED 2000
			015 "DIA CIRC METAL
		0230/0099	LEN=0035 INSTALLED UNKN
	053566 FT	053566 FT	2 0 19010 0 00 0064+00
			OLD READING RD
			(T422)
		NC KULP RD	
		S 0230/0000	LENGTH(AH 2419 BK 2791)
			018 "DIA CIRC METAL
		0220/2745	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0220/2161	LEN=0030 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0220/1746	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0220/1531	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0220/1050	LEN=0035 INSTALLED UNKN
			015"H 21"W ELLIP METAL
		0220/0765	LEN=0036 INSTALLED 2000

DIR: B TOTAL LEN: 11.342 MI. DIST: 03-1 SR: 2003
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

			018 "DIA CIRC METAL
		0220/0240	LEN=0046 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0220/0012	LEN=0047 INSTALLED 1999
	050775 FT	050775 FT	2 0 19010 0 00 0092+00
			CATAWISSA
			LOCUST T
		S 0220/0000	LENGTH(AH 2791 BK 3497)
			013"H 22"W ELLIP METAL
		0210/2890	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0210/2884	LEN=0040 INSTALLED 2000
			024 "DIA CIR PLASTIC
		0210/2815	LEN=0035 INSTALLED UNKN
			013"H 22"W ELLIP METAL
		0210/2130	LEN=0040 INSTALLED UNKN
			042 "DIA CIR PLASTIC
		0210/0875	LEN=0040 INSTALLED UNKN
			015"H 21"W ELLIP METAL
		0210/0318	LEN=0033 INSTALLED 2000
		0210/0024	BMSEN 19/2003/0210/0000
	047278 FT	047278 FT	2 0 19010 0 00 0126+80
			ROARING CRK
			BMSBG 19/2003/0210/0000
		S 0210/0000	LENGTH(AH 3497 BK 1588)
FREEWILL RD (T376)	0200/1453		
			BLACK BEAR DR
		0200/0970	(T375)
			018 "DIA CIRC METAL
		0200/0912	LEN=0040 INSTALLED UNKN
	045690 FT	045690 FT	2 0 19010 0 00 0142+60
			LOCUST
			ROARING CREEK T
		S 0200/0000	LENGTH(AH 1588 BK 2688)
			014"H 22"W ELLIP METAL
		0190/2200	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0190/1413	LEN=0045 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0190/0773	LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 11.342 MI. DIST: 03-1 SR: 2003
LEFT MUN: ROARING CREEK T RIGHT MUN: ROARING CREEK T

				018 "DIA CIRC CONCR
			0190/0591	LEN=0040 INSTALLED UNKN
2 0 19010 0 00 0168+50	043002 FT		043002 FT	
MARTIN DR				
(T381)	0190/0000		0190/0000	LENGTH(AH 2688 BK 1838)
				018 "DIA CIRC CONCR
			0180/1263	LEN=0036 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0180/0896	LEN=0045 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0180/0529	LEN=0045 INSTALLED UNKN
				072 "DIA CIRC METAL
			0180/0155	LEN=0050 INSTALLED 2012
	041164 FT		041164 FT	2 0 19010 0 00 0188+27
				MENSCH RD
CREEK RD				(T472)
(SR2014 SEG 0040/2225)	0180/0000		0180/0000	LENGTH(AH 1838 BK 2553)
			0170/2329	BMSEN 19/2003/0170/2310
				2 0 19005 0 01 0112+14
				TR. TO ROARING CREEK
			0170/2310	BMSBG 19/2003/0170/2310
				024 "DIA CIRC METAL
			0170/2040	LEN=0037 INSTALLED UNKN
				018 "DIA CIRC METAL
			0170/1798	LEN=0045 INSTALLED UNKN
				018 "DIA CIRC METAL
			0170/1216	LEN=0040 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0170/0252	LEN=0040 INSTALLED UNKN
	038611 FT		038611 FT	2 0 19005 0 01 0135+13
			0170/0000	LENGTH(AH 2553 BK 1586)
				018 "DIA CIRC METAL
			0160/1244	LEN=0030 INSTALLED UNKN
				018 "DIA CIRC METAL
			0160/0692	LEN=0052 INSTALLED UNKN
	037025 FT		037025 FT	2 0 19005 0 01 0151+04
				FOX HOLLOW RD
WAGNER BRIDGE RD				(T469)
(T468)	0160/0000		0160/0000	LENGTH(AH 1586 BK 1843)
				018 "DIA CIRC METAL
			0150/1793	LEN=0035 INSTALLED UNKN
				018"H 26"W ELLIP METAL
			0150/0843	LEN=0045 INSTALLED UNKN
	035182 FT		035182 FT	2 0 19005 0 01 0169+46

DIR: B TOTAL LEN: 11.342 MI. DIST: 03-1 SR: 2003
LEFT MUN: ROARING CREEK T RIGHT MUN: ROARING CREEK T

			INDEPENDENT ST
			(T474)
		S 0150/0000	LENGTH(AH 1843 BK 2530)
			018 "DIA CIRC METAL
		0140/1149	LEN=0040 INSTALLED UNKN
			024 "DIA CIRC METAL
		0140/0216	LEN=0045 INSTALLED UNKN
			072 "DIA CIRC CONCR
		0140/0005	LEN=0042 INSTALLED UNKN
	032652 FT	032652 FT	2 0 19005 0 01 0194+89
		S 0140/0000	LENGTH(AH 2530 BK 2510)
			018 "DIA CIRC METAL
		0130/2161	LEN=0040 INSTALLED UNKN
RARIG RD (T361)	0130/1822		
			018 "DIA CIR PLASTIC
		0130/1445	LEN=0050 INSTALLED 2013
			024 "DIA CIRC METAL
		0130/1018	LEN=0045 INSTALLED UNKN
			CHURCH RD
		0130/1001	(T362)
			018 "DIA CIRC METAL
		0130/0967	LEN=0055 INSTALLED UNKN
	030142 FT	030142 FT	2 0 19005 0 01 0219+95
		S 0130/0000	LENGTH(AH 2510 BK 2916)
PINE SWAMP RD (T345)	0120/1795		
		0120/1677	BMSEN 19/2003/0120/1651
			2 0 19005 0 01 0232+87
			MILL CK
		0120/1651	BMSBG 19/2003/0120/1651
			MILL GROVE RD
		0120/1188	(SR2012 SEG 0090/3041)
			018 "DIA CIRC METAL
		0120/1130	LEN=0066 INSTALLED UNKN
			018 "DIA CIRC METAL
		0120/0430	LEN=0035 INSTALLED 2011
2 0 19005 0 01 0249+00	027226 FT	027226 FT	
DUKE RD (SR2007 SEG 0020/1895)	0120/0000	S 0120/0000	LENGTH(AH 2916 BK 2543)

DIR: B TOTAL LEN: 11.342 MI. DIST: 03-1 SR: 2003
LEFT MUN: ROARING CREEK T RIGHT MUN: ROARING CREEK T

		018 "DIA CIRC METAL
	0110/2477	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0110/1967	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0110/1567	LEN=0040 INSTALLED 2016
024683 FT	024683 FT	2 0 19005 0 01 0274+75
	S 0110/0000	LENGTH(AH 2543 BK 2892)
		024 "DIA CIRC METAL
	0100/2610	LEN=0055 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0100/1955	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0100/0800	LEN=0035 INSTALLED 2012
		TB ROARINGCK
		STRUCTURE LENGTH 20 FT
	0100/0272	BMSID 19/2003/0100/0272
021791 FT	021791 FT	2 0 19005 0 01 0303+75
		MILL GROVE RD
		(SR2012 SEG 0050/0000)
	S 0100/0000	LENGTH(AH 2892 BK 2558)
		015"H 21"W ELLIP METAL
	0090/1080	LEN=0035 INSTALLED UNKN
		015"H 21"W ELLIP METAL
	0090/0718	LEN=0030 INSTALLED UNKN
		TURKEY FARM RD
	0090/0667	(T331)
		015"H 21"W ELLIP METAL
	0090/0502	LEN=0035 INSTALLED 1999
		T.ROARING CK
		STRUCTURE LENGTH 11 FT
	0090/0343	BMSID 19/2003/0090/0343
019233 FT	019233 FT	2 0 19005 0 01 0329+33
	S 0090/0000	LENGTH(AH 2558 BK 2053)
017180 FT	017180 FT	2 0 19005 0 01 0349+72

DIR: B TOTAL LEN: 11.342 MI. DIST: 03-1 SR: 2003
LEFT MUN: ROARING CREEK T RIGHT MUN: ROARING CREEK T

		5 0080/0000	LENGTH(AH 2053 BK 0826)
		0070/0156	ROARING CREEK FOREST RD (PRDR)
016354 FT		016354 FT	2 0 19005 0 01 0358+13 T.ROARING CK STRUCTURE LENGTH 17 FT BMSID 19/2003/0070/0000
		5 0070/0000	LENGTH(AH 0826 BK 2747)
		0060/1809	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2016
2 0 19005 0 01 0385+90 RINGTOWN MT RD (SR2010 SEG 0100/3299) 0060/0000	013607 FT	013607 FT	
		5 0060/0000	LENGTH(AH 2747 BK 2355)
		0050/2236	015"H 20"W ELLIP METAL LEN=0040 INSTALLED UNKN
		0050/1425	018 "DIA CIRC METAL LEN=0045 INSTALLED UNKN
		0050/0615	018 "DIA CIRC METAL LEN=0045 INSTALLED UNKN
011252 FT		011252 FT	2 0 19005 0 01 0409+34
		5 0050/0000	LENGTH(AH 2355 BK 2510)
		0040/2350	018 "DIA CIRC METAL LEN=0045 INSTALLED UNKN
		0040/1680	018 "DIA CIRC METAL LEN=0045 INSTALLED UNKN
		0040/0740	015 "DIA CIRC METAL LEN=0045 INSTALLED UNKN
008742 FT		008742 FT	2 0 19005 0 01 0434+32
		5 0040/0000	LENGTH(AH 2510 BK 2452)
		0030/2048	015 "DIA CIRC METAL LEN=0045 INSTALLED UNKN
		0030/1528	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2011
		0030/1402	024 "DIA CIR PLASTIC LEN=0050 INSTALLED 1999

DIR: B TOTAL LEN: 11.342 MI. DIST: 03-1 SR: 2003
LEFT MUN: ROARING CREEK T RIGHT MUN: ROARING CREEK T

```
                                                  018 "DIA CIRC METAL
                                     0030/0871 LEN=0045 INSTALLED UNKN

006290 FT                            006290 FT 2 0 19005 0 01 0458+72
                                   S 0030/0000 LENGTH(AH 2452 BK 2519)
                                                  018 "DIA CIR PLASTIC
                                     0020/2472 LEN=0052 INSTALLED 1999


                                                  015 "DIA CIRC METAL
                                     0020/1229 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                     0020/0913 LEN=0060 INSTALLED UNKN

                                                  018 "DIA CIRC METAL
                                     0020/0026 LEN=0040 INSTALLED UNKN
003771 FT                            003771 FT 2 0 19005 0 01 0483+79
                                   S 0020/0000 LENGTH(AH 2519 BK 3771)
                                                  018 "DIA CIRC METAL
                                     0010/3545 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                     0010/3280 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                     0010/3050 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                     0010/2830 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                     0010/2602 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                     0010/2167 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                     0010/1707 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                     0010/1589 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                     0010/1378 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                     0010/1040 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                     0010/0589 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                     0010/0421 LEN=0040 INSTALLED UNKN
000000 FT                            000000 FT 2 0 19005 0 01 0521+32
                                          NC OLD READING RD
                                   * REF-BK     LITTLE MTN RD
                                                (SR4036 SEG 0010/0000)
                                                MFC BEGIN = E
                                                 BK-SCHUYLKILL      (53)
                                   S 0010/0000 LENGTH(AH 3771 BK 0000)
```

DIR: B TOTAL LEN: .852 MI. DIST: 03-1 SR: 2002
LEFT MUN: CENTRALIA B RIGHT MUN: CENTRALIA B

```
004501 FT                    004501 FT
                             INTER-AHD LOCUST ST
                             0020/1394 (SR0061 SEG 0042/0000)
                                       CENTRALIA
                             0020/1307 CONYNGHAM T
                                       015 "DIA CIRC CONCR
                             0020/1223 LEN=0050 INSTALLED UNKN
                                       018 "DIA CAST IRON
                             0020/0697 LEN=0070 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0020/0448 LEN=0042 INSTALLED UNKN
003107 FT                    003107 FT 2 0 19116 0 01 0036+78
                                       CATAWISSA RD
                                       (T311)
                           S 0020/0000 LENGTH(AH 1394 BK 3107)
                                       018 "DIA CIRC METAL
                             0010/2825 LEN=0045 INSTALLED UNKN
                                       018 "DIA CAST IRON
                             0010/2333 LEN=0044 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0010/1968 LEN=0045 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0010/1747 LEN=0060 INSTALLED 2016
                                       018 "DIA CIR PLASTIC
                             0010/1445 LEN=0045 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0010/1106 LEN=0040 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0010/0620 LEN=0055 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0010/0183 LEN=0050 INSTALLED UNKN
000000 FT                    000000 FT 2 0 19116 0 00 0000+00
                                  NC BYRNSVILLE RD
                                       SR 0061 SH
                                       (SR0061 SEG 0014/0952)
                                       (SR0061 SEG 0015/1008)
                                       MFC BEGIN = B
                           S 0010/0000 LENGTH(AH 3107 BK 0000)
```

DIR: B TOTAL LEN: 4.152 MI. DIST: 03-1 SR: 2001
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

021923 FT

SLABTOWN RD
(SR2005 SEG 0020/0544) 0090/2661



021923 FT NUMIDIA DR
0090/3946 (SR0042 SEG 0230/1372)
TO SR 0042/0230 SH
0090/3851 (CONN)
TR. TO ROARING CREEK
STRUCTURE LENGTH 19 FT
0090/3739 BMSID 19/2001/0090/3739
01B "DIA CIRC CONCR
0090/3236 LEN=0050 INSTALLED UNKN
SLABTOWN RD
0090/2661 (SR2005 SEG 0020/0544)

DIR: B TOTAL LEN: 4.152 MI. DIST: 03-1 SR: 2001
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

			018 "DIA CIRC CONCR
		0090/2648	LEN=0040 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0090/2551	LEN=0046 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/2188	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/1578	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/1314	LEN=0048 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0090/1154	LEN=0040 INSTALLED UNKN
MERCY RD (T414)	0090/0907		
			015 "DIA CIRC CONCR
		0090/0902	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0090/0355	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/0028	LEN=0040 INSTALLED UNKN
	017977 FT	017977 FT	1 1 05769 0 00 0039+26
			VILLAGE: SLABTOWN
		NC IDEAL PARK RD	
			CREEK RD
			(SR2014 SEG 0010/0000)
		S 0090/0000	LENGTH(AH 3946 BK 0969)
			018 "DIA CAST IRON
		0080/0563	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0080/0017	LEN=0046 INSTALLED UNKN
	017008 FT	017008 FT	2 0 19009 0 01 0170+17
		S 0080/0000	LENGTH(AH 0969 BK 1865)
			024 "DIA CIRC METAL
		0070/1043	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0070/0655	LEN=0031 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0218	LEN=0030 INSTALLED 2014
	015143 FT	015143 FT	2 0 19009 0 01 0152+27
			RARIG RD
			(T361)
		S 0070/0000	LENGTH(AH 1865 BK 3005)
SNYDER BRIDGE RD (T360)	0060/2975		
			030 "DIA CIR PLASTIC
		0060/2864	LEN=0032 INSTALLED 2014
			018 "DIA CIRC METAL
		0060/2645	LEN=0035 INSTALLED UNKN

DIR: B TOTAL LEN: 4.152 MI. DIST: 03-1 SR: 2001
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

				018 "DIA CIRC METAL
			0060/2491	LEN=0036 INSTALLED UNKN
				018 "DIA CIRC METAL
			0060/1964	LEN=0036 INSTALLED UNKN
				018 "DIA CIRC METAL
			0060/1788	LEN=0036 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0060/1438	LEN=0032 INSTALLED 2014
				018 "DIA CIRC CONCR
			0060/1055	LEN=0040 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0060/0290	LEN=0060 INSTALLED UNKN
			0060/0043	BMSEN 19/2001/0060/0000
	012138 FT		012138 FT	2 0 19009 0 01 0122+18
				T.ROARING CK
				BMSBG 19/2001/0060/0000
			S 0060/0000	LENGTH(AH 3005 BK 2036)
WOLFERT RD (T343)	0050/1724	==		
				018 "DIA CIRC CONCR
			0050/1021	LEN=0045 INSTALLED UNKN
				018 "DIA CIRC METAL
			0050/0656	LEN=0032 INSTALLED UNKN
	010102 FT		010102 FT	2 0 19009 0 01 0101+61
				018 "DIA CIRC METAL
				LEN=0035 INSTALLED 2000
			S 0050/0000	LENGTH(AH 2036 BK 2230)
				015"H 22"W METAL ARCH
			0040/1851	LEN=0035 INSTALLED UNKN
				018 "DIA CIRC METAL
			0040/1642	LEN=0030 INSTALLED 2014
				018 "DIA CIRC METAL
			0040/1561	LEN=0030 INSTALLED 2014
				018 "DIA CIR PLASTIC
			0040/1393	LEN=0040 INSTALLED 2014
				018 "DIA CIRC METAL
			0040/0783	LEN=0026 INSTALLED UNKN
				018"H 00"W MULT PLSTIC
			0040/0458	LEN=0040 INSTALLED 2014
GOBSTER POND RD (T341)				
MAPLE TREE RD (T467)	0040/0423			
				018 "DIA CIR PLASTIC
			0040/0149	LEN=0035 INSTALLED 2013
	007872 FT		007872 FT	2 0 19009 0 01 0079+08

DIR: B TOTAL LEN: 4.152 MI. DIST: 03-1 SR: 2001
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

```
                                                  WAGNER BRIDGE RD
                                                  (T468)
                                 ==     5 0040/0000 LENGTH(AH 2230 BK 2962)

                                                  018 "DIA CIRC METAL
                                          0030/2240 LEN=0032 INSTALLED 2000

                                                  018 "DIA CIRC METAL
                                          0030/1597 LEN=0075 INSTALLED UNKN
                                                  042 "DIA CIR PLASTIC
                                          0030/1191 LEN=0040 INSTALLED 2001
                                                  015 "DIA CIR PLASTIC
                                          0030/0736 LEN=0029 INSTALLED UNKN
                                          0030/0616 BMSEN 19/2001/0030/0582
                                                  0 0 00000 0 00 0000+00
                                                  ROARING CREEK
                                          0030/0582 BMSBG 19/2001/0030/0582
                004910 FT                 004910 FT 2 0 19009 0 01 0049+25
                                                  LOCUST
                                                  ROARING CREEK T
                                          0030/0000 LENGTH(AH 2962 BK 2445)


                                                  018 "DIA CIR PLASTIC
                                          0020/1146 LEN=0035 INSTALLED 2015
                                                  018 "DIA CIR PLASTIC
                                          0020/0756 LEN=0040 INSTALLED 2013
                                                  015"H 21"W ELLIP METAL
                                          0020/0448 LEN=0035 INSTALLED 2000
                002465 FT                 002465 FT 2 0 19009 0 01 0024+80
                                          0020/0000 LENGTH(AH 2445 BK 2465)
                                                  030 "DIA CIRC METAL
                                          0010/1957 LEN=0030 INSTALLED UNKN


                                                  DUKE RD
                                          0010/0470 (SR2007 SEG 0010/0000)
                                          0010/0298 BMSEN 19/2001/0010/0251
                                                  2 0 19009 0 00 0002+52
                                                  ROARING CREEK
                                          0010/0251 BMSBG 19/2001/0010/0251
                000000 FT                 000000 FT 2 0 19009 0 00 0000+00
                                                  VILLAGE: MILL GROVE
                                                NC MILL RD
                                                  MILL GROVE RD
                                                  (SR2012 SEG 0030/0605)
                                                  MFC BEGIN = D
                                          0010/0000 LENGTH(AH 2465 BK 0000)
```

DIR: B TOTAL LEN: .000 MI. DIST: 03-1 SR: 1051
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

000000 FT

000000 FT
7010/0000 LENGTH(AH 0100 BK 0000)

DIR: B TOTAL LEN: .075 MI. DIST: 03-1 SR: 1037
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

000395 FT

000000 FT

FOWLERSVILLE RD
(SR1008 SEG 0120/1559) 0010/0000



000395 FT
INTER-AHD EDWARDS RD
(T728)
SR 0093 SH
0010/0395 (SR0093 SEG 0140/0931)
036 "DIA CIR PLASTIC
0010/0240 LEN=0073 INSTALLED 2005
000000 FT 1 0 00673 1 00 0000+00
NC GOLF COURSE RD
FOWLERSVILLE RD ET
(T481)
INTER-BK GOLF COURSE RD
(SR1015 SEG 0030/3673)
MFC BEGIN = D
S 0010/0000 LENGTH(AH 0395 BK 0000)

DIR: B TOTAL LEN: 3.805 MI. DIST: 03-1 SR: 1035
LEFT MUN: BENTON T RIGHT MUN: BENTON T

020088 FT

SR 0239 SH
(SR0239 SEG 0060/0000) 0100/1866

020088 FT
INTER-AHD UPPER RAVEN CREEK RD
(T826)
SR 0239 SH
0100/1866 (SR0239 SEG 0060/0000)

DIR: B TOTAL LEN: 3.805 MI. DIST: 03-1 SR: 1035
LEFT MUN: BENTON T RIGHT MUN: BENTON T

			030 "DIA CIR PLASTIC
		0100/0670	LEN=0070 INSTALLED 1998
			THUNDERBIRD RD
	==	0100/0636	(T787)
			018 "DIA CIR PLASTIC
		0100/0487	LEN=0030 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0100/0299	LEN=0040 INSTALLED 2018
018222 FT		018222 FT	2 0 19070 0 03 0194+73
		S 0100/0000	LENGTH(AH 1866 BK 1073)
			024 "DIA CIRC CONCR
		0090/1058	LEN=0056 INSTALLED UNKN
			RAVEN CREEK
			STRUCTURE LENGTH 21 FT
		0090/0566	BMSID 19/1035/0090/0566
017149 FT		017149 FT	2 0 19070 0 02 0183+25
		S 0090/0000	LENGTH(AH 1073 BK 2104)
			018 "DIA CIR PLASTIC
		0080/2067	LEN=0040 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0080/1456	LEN=0056 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0080/1138	LEN=0040 INSTALLED 1998
			048 "DIA CIRC METAL
		0080/0591	LEN=0030 INSTALLED UNKN
CEMETERY HILL RD (T677) 0080/0511	==		
			018 "DIA CIR PLASTIC
		0080/0486	LEN=0038 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0080/0204	LEN=0046 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0080/0051	LEN=0044 INSTALLED 2004
015045 FT		015045 FT	2 0 19070 0 02 0162+11
			024 "DIA CIR PLASTIC
			LEN=0060 INSTALLED UNKN
			HAMLINE CHURCH RD
			(T675)
		S 0080/0000	LENGTH(AH 2104 BK 2835)
			018 "DIA CIR PLASTIC
		0070/2721	LEN=0040 INSTALLED 2018
			018 "DIA CIR PLASTIC
		0070/2269	LEN=0040 INSTALLED 2018
			018 "DIA CIR PLASTIC
		0070/1639	LEN=0060 INSTALLED 2018
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 3.805 MI. DIST: 03-1 SR: 1035
LEFT MUN: BENTON T RIGHT MUN: BENTON T

			0070/1630	LEN=0040 INSTALLED 2015
PIED PIPER RD (T827)	0070/1625	==		
				024 "DIA CIR PLASTIC
			0070/1609	LEN=0060 INSTALLED 2018
				018 "DIA CIR PLASTIC
			0070/1579	LEN=0040 INSTALLED 2018
				018 "DIA CIR PLASTIC
			0070/1086	LEN=0030 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0070/0442	LEN=0040 INSTALLED 2018
				028"H 44"W ELLIP METAL
			0070/0081	LEN=0035 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0070/0036	LEN=0045 INSTALLED UNKN
	012210 FT		012210 FT	2 0 19070 0 02 0133+89
				024 "DIA CIR PLASTIC
				LEN=0060 INSTALLED 2000
				HOLLOW RD
HYVIEW RD (T663)				(T829)
	0070/0000		S 0070/0000	LENGTH(AH 2835 BK 1875)
				018 "DIA CIR PLASTIC
			0060/1490	LEN=0032 INSTALLED 2004
				018 "DIA CIR PLASTIC
			0060/0888	LEN=0032 INSTALLED 2004
				018 "DIA CIRC METAL
			0060/0693	LEN=0040 INSTALLED 2018
				018 "DIA CIR PLASTIC
			0060/0439	LEN=0040 INSTALLED 1998
	010335 FT		010335 FT	2 0 19070 0 02 0115+10
				018 "DIA CIR PLASTIC
				LEN=0030 INSTALLED UNKN
				KARNS RD
				(T667)
			S 0060/0000	LENGTH(AH 1875 BK 2272)
				018 "DIA CIR PLASTIC
			0050/1743	LEN=0040 INSTALLED UNKN
				036 "DIA CIR PLASTIC
			0050/1190	LEN=0040 INSTALLED 2004
				018 "DIA CIR PLASTIC
			0050/0497	LEN=0034 INSTALLED 2007
	008063 FT		008063 FT	2 0 19070 0 02 0092+10
				BENTON
				FISHING CREEK T
			S 0050/0000	LENGTH(AH 2272 BK 1548)
				018 "DIA CIR PLASTIC
			0040/1531	LEN=0033 INSTALLED 2007

DIR: B TOTAL LEN: 3.805 MI. DIST: 03-1 SR: 1035
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

			018 "DIA CIR PLASTIC
		0040/1280	LEN=0030 INSTALLED 2001
			018 "DIA CIRC METAL
		0040/0790	LEN=0038 INSTALLED UNKN
	006515 FT	006515 FT	2 0 19070 0 02 0076+60
		S 0040/0000	LENGTH(AH 1548 BK 1658)
		0030/0817	BMSEN 19/1035/0030/0778
			2 0 19070 0 01 0067+24
			RAVEN CREEK
		0030/0778	BMSBG 19/1035/0030/0778
			018 "DIA CIRC CONCR
		0030/0430	LEN=0052 INSTALLED UNKN
	004857 FT	004857 FT	2 0 19070 0 01 0059+50
		S 0030/0000	LENGTH(AH 1658 BK 2287)
			018 "DIA CIR PLASTIC
		0020/1953	LEN=0050 INSTALLED 2001
CROSS RD (T660)	0020/1913		
			030 "DIA CIRC METAL
		0020/1373	LEN=0085 INSTALLED 2001
			KINNEY HILL RD
		0020/1253	(T632)
			018 "DIA CIRC METAL
		0020/0562	LEN=0033 INSTALLED 2001
			FISHING CREEK
		0020/0018	STILLWATER B
	002570 FT	002570 FT	2 0 19070 0 01 0036+57
		S 0020/0000	LENGTH(AH 2287 BK 2570)
			018 "DIA CIR PLASTIC
		0010/2250	LEN=0050 INSTALLED 2015
			030 "DIA CIR PLASTIC
		0010/1705	LEN=0058 INSTALLED 2018
			024"H 36"W ELLIP METAL
		0010/1400	LEN=0050 INSTALLED UNKN
		0010/1022	BMSEN 19/1035/0010/0968
			2 0 19070 0 00 0009+73
			RAVEN CREEK
		0010/0968	BMSBG 19/1035/0010/0968
			PAPER DALE RD
		0010/0729	(BORO)
	000000 FT	000000 FT	2 0 19070 0 00 0000+00
			NC LOWER RAVEN CREEK RD
			SR 0487 SH
			(SR0487 SEG 0580/0661)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 2570 BK 0000)

DIR: B TOTAL LEN: .004 MI. DIST: 03-1 SR: 1033
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

```
000022 FT                    000022 FT
                             7060/0000 LENGTH(AH 1583 BK 2076)
000022 FT                    000022 FT
                             7050/0000 LENGTH(AH 2076 BK 1050)
000022 FT                    000022 FT
                             7048/0000 LENGTH(AH 1050 BK 0022)
                           * REF-AHD   OLD TIOGA TPK
                             0046/0022 (TB00)
000000 FT                    000000 FT 2 0 19080 0 00 0078+71
                                 NC OLD TURNPIKE RD
                                       LITTLE PINE CREEK
                                       STRUCTURE LENGTH  22 FT
                                       BMSID 19/1033/0046/0000
                           * REF-BK    OLD TIOGA TPK
                                       (TB00)
                                       MFC BEGIN = D
                           S 0046/0000 LENGTH(AH 0022 BK 2789)
000000 FT                    000000 FT
                             7040/0000 LENGTH(AH 2789 BK 2432)
000000 FT                    000000 FT
                             7030/0000 LENGTH(AH 2432 BK 2419)
000000 FT                    000000 FT
                             7020/0000 LENGTH(AH 2419 BK 0178)
000000 FT                    000000 FT
                             7010/0000 LENGTH(AH 0178 BK 0000)
```

DIR: B TOTAL LEN: 1.480 MI. DIST: 03-1 SR: 1031
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

007813 FT



007813 FT ZANER BRIDGE RD
0030/2283 (SR1022 SEG 0090/0000)
018 "DIA CIRC CONCR
0030/1993 LEN=0044 INSTALLED 2000
018 "DIA CIRC CONCR
0030/1683 LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 1.480 MI. DIST: 03-1 SR: 1031
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

```
                                          0030/1450 LEN=0044 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0030/1224 LEN=0032 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0030/0996 LEN=0032 INSTALLED UNKN

                                                    018 "DIA CIRC CONCR
                                          0030/0217 LEN=0048 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0030/0025 LEN=0044 INSTALLED UNKN
005530 FT                                 005530 FT 2 0 19108 0 00 0055+31
                                        S 0030/0000 LENGTH(AH 2283 BK 2529)


                                                    024 "DIA CIRC CONCR
                                          0020/1470 LEN=0036 INSTALLED 1910



                                                    018 "DIA CIR PLASTIC
                                          0020/0030 LEN=0070 INSTALLED 2000
003001 FT                                 003001 FT 2 0 19108 0 00 0030+02
                                                    HARRISON RD
                                                    (T571)
                                        S 0020/0000 LENGTH(AH 2529 BK 3001)
                                                    018 "DIA CIRC CONCR
                                          0010/2885 LEN=0040 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/2601 LEN=0036 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/2017 LEN=0040 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/1714 LEN=0044 INSTALLED 2000
                                                    018 "DIA CIRC CONCR
                                          0010/1390 LEN=0040 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/1030 LEN=0036 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/0600 LEN=0036 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0010/0107 LEN=0036 INSTALLED UNKN
000000 FT                                 000000 FT 2 0 19108 0 00 0000+00
                                                    VILLAGE: ASBURY
                                              NC ASBURY RD
                                                    WINDING RD
                                                    (SR1020 SEG 0050/0000)
                                          INTER-BK  WINDING RD
                                                    (SR1020 SEG 0050/0000)
                                                    MFC BEGIN = E
                                        S 0010/0000 LENGTH(AH 3001 BK 0000)
```

DIR: B TOTAL LEN: .731 MI. DIST: 03-1 SR: 1029
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

```
                                 003861 FT                          003861 FT
                                                                 * REF-AHD    MOORES HILL RD
                                                                   0010/3861  (T481)
                                                                   0010/3691  BMSEN 19/1029/0010/3670
                                                                              2 0 19046 0 01 0034+70
                                                                              TRIB EAST BR BRIAR CREE
                                                                   0010/3670  BMSBG 19/1029/0010/3670
                                                                              018 "DIA CIR PLASTIC
                                                                   0010/3118  LEN=0037 INSTALLED 2001
                                                                              018 "DIA CIR PLASTIC
                                                                   0010/2612  LEN=0040 INSTALLED 2006
                                                                              018 "DIA CIR PLASTIC
                                                                   0010/2289  LEN=0030 INSTALLED UNKN
                                                                   0010/1874  BMSEN 19/1029/0010/1833
                                                                              2 0 19046 0 00 0017+80
                                                                              GLEN BROOK
                                                                   0010/1833  BMSBG 19/1029/0010/1833
                                                                              018 "DIA CIR PLASTIC
                                                                   0010/1645  LEN=0040 INSTALLED 2005
                                                                              018 "DIA CIR PLASTIC
                                                                   0010/1495  LEN=0048 INSTALLED 2005
OLD MILL RD
(T746)                           0010/1352
                                                                              MILL RD
                                                                   0010/1293  (T745)
                                                                              018 "DIA CIRC METAL
                                                                   0010/1252  LEN=0046 INSTALLED UNKN
                                                                              DOGWOOD CT
                                                                   0010/1068  (PRDR)
                                                                              015"H 21"W ELLIP METAL
                                                                   0010/0958  LEN=0040 INSTALLED 2002
                                                                              024 "DIA CIRC METAL
                                                                   0010/0368  LEN=0048 INSTALLED 2002
                                                                         NC WATER DAM RD
                                                                              FOUNDRYVILLE RD
2 0 19046 0 00 0000+00 000000 FT                                   000000 FT  (SR1025 SEG 0050/1212)
FOUNDRYVILLE RD                                                               MFC BEGIN = D
(SR1025 SEG 0050/1212)  0010/0000                                  S 0010/0000 LENGTH(AH 3861 BK 0000)
```

DIR: B TOTAL LEN: .701 MI. DIST: 03-1 SR: 1027
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

BROAD ST (T743)	003699 FT			003699 FT
	0020/1192	==		
				013"H 22"W ELLIP METAL
			0020/0810	LEN=0045 INSTALLED UNKN
				BORO AL
		==	0020/0806	(BORO)
				BRIAR CREEK
			0020/0163	BERWICK B
	002507 FT			002507 FT 2 0 19121 0 00 0024+97
				SIXTEENTH ST
				(BORO)
		== ==	S 0020/0000	LENGTH(AH 1192 BK 2507)
				MAYWOOD RD
		==	0010/2228	(BORO)
				SUNSET DR
		==	0010/1932	(BORO)
				T SUSQUE R
				STRUCTURE LENGTH 19 FT
			0010/1477	BMSID 19/1027/0010/1477
				036"H 00"W MULT METAL
			0010/1385	LEN=0045 INSTALLED UNKN
ELEVENTH ST (BORO)	0010/0847	==		
				ELEVENTH ST
		==	0010/0654	(BORO)
BORO AL (BORO)	0010/0631	==		
				TENTH ST
		== ==	0010/0434	(BORO)
				NINTH ST
		== ==	0010/0222	(BORO)
	000000 FT			000000 FT 2 0 19121 0 00 0000+00
				NC FOWLER AV
				EIGHTH ST
				(BORO)
			INTER-BK	FOWLER AV
				(T480)
				MFC BEGIN = D
		== ==	S 0010/0000	LENGTH(AH 2507 BK 0000)

DIR: N TOTAL LEN: .013 MI. DIST: 03-1 SR: 1026
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

000067 FT		000067 FT
		7034/0000 LENGTH(AH 1677 BK 0067)
		BMSEN 19/1026/0030/0000
		REF-AHD BENDERTOWN RD
		0030/0067 (T878)
000000 FT		000000 FT 2 0 19078 0 00 0061+60
		NC CHERRY HILL RD
		REF-BK BENDERTOWN RD
		(T878)
		L.PINE CREEK
		BMSBG 19/1026/0030/0000
		MFC BEGIN = D
		0030/0000 LENGTH(AH 0067 BK 2283)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 2283 BK 1899)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 1899 BK 2007)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 2007 BK 0000)



DIR: N TOTAL LEN: 13.609 MI. DIST: 03-1 SR: 1025
LEFT MUN: BENTON T RIGHT MUN: BENTON T

071855 FT

071847 FT SHICKSHINNY HW
0290/2775 (SR0239 SEG 0010/0602)
018 "DIA CIRC METAL
0290/2328 LEN=0055 INSTALLED UNKN
015"H 21"W ELLIP METAL
0290/1778 LEN=0040 INSTALLED 2005

015 "DIA CIRC METAL
0290/0488 LEN=0035 INSTALLED UNKN
069072 FT

2 0 19069 0 00 0230+61 069080 FT
TOY FACTORY RD
(T795) 0290/0000

0290/0000 LENGTH(AH 2775 BK 2196)
018 "DIA CIRC METAL
0280/2182 LEN=0040 INSTALLED UNKN

DIR: N TOTAL LEN: 13.609 MI. DIST: 03-1 SR: 1025
LEFT MUN: BENTON T RIGHT MUN: BENTON T

			024 "DIA CIR PLASTIC
		0280/1050	LEN=0035 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0280/0382	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0280/0128	LEN=0036 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0280/0036	LEN=0040 INSTALLED UNKN
2 0 19069 0 00 0208+58	066884 FT	066876 FT	FROSTY HOLLOW RD
HOLLOW RD			(T830)
(T829)	0280/0000	S 0280/0000	LENGTH(AH 2196 BK 2887)
			024 "DIA CIR PLASTIC
		0270/2840	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0270/1751	LEN=0034 INSTALLED 2013
			018 "DIA CIRC METAL
		0270/0871	LEN=0035 INSTALLED 2005
	063997 FT	063989 FT	2 0 19069 0 00 0179+77
		S 0270/0000	LENGTH(AH 2887 BK 2754)
			BENTON
		0260/1953	FISHING CREEK T
			021"H 15"W ELLIP METAL
		0260/0763	LEN=0035 INSTALLED 2005
			018 "DIA CIRC METAL
		0260/0646	LEN=0040 INSTALLED UNKN
	061243 FT	061235 FT	2 0 19069 0 00 0152+29
			HONEYTOWN RD
			(T780)
		S 0260/0000	LENGTH(AH 2754 BK 2180)
			060 "DIA CIRC METAL
		0250/2089	LEN=0045 INSTALLED UNKN
	059063 FT	059055 FT	2 0 19069 0 00 0130+38
			ZANERS BRIDGE RD
			(SR1022 SEG 0140/0000)
ZANERS BRIDGE RD			MFC BEGIN = E

DIR: N TOTAL LEN: 13.609 MI. DIST: 03-1 SR: 1025
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

```
(SR1022 SEG 0140/0000)  0250/0000                  S 0250/0000 LENGTH(AH 2180 BK 2911)

                                                            030 "DIA CIR PLASTIC
                                                   0240/1764 LEN=0040 INSTALLED 2005
                                                            015"H 21"W ELLIP METAL
                                                   0240/1514 LEN=0043 INSTALLED 1997

                                                            018 "DIA CIR PLASTIC
                                                   0240/0889 LEN=0045 INSTALLED UNKN

                        056152 FT                   056144 FT 2 0 19069 0 00 0101+38
                                                  S 0240/0000 LENGTH(AH 2911 BK 2631)
                                                            030 "DIA CIR PLASTIC
                                                   0230/2423 LEN=0050 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                   0230/1959 LEN=0040 INSTALLED UNKN

                                                         NC NORTH BENDERTOWN RD
BENDERTOWN RD                                               BENDERTOWN RD
(T603)                   0230/0825                 0230/0825 (T878)

                                                            015 "DIA CIR PLASTIC
                                                   0230/0205 LEN=0035 INSTALLED 2005
                        053521 FT                   053513 FT 2 0 19069 0 00 0075+17
                                                  S 0230/0000 LENGTH(AH 2631 BK 2535)

                        050986 FT                   050978 FT 2 0 19069 0 00 0049+91
                                                            VILLAGE: BENDERTOWN
                                                  S 0220/0000 LENGTH(AH 2535 BK 2488)
                                                            015"H 21"W ELLIP METAL
                                                   0210/2403 LEN=0030 INSTALLED UNKN

                                                            020"H 28"W ELLIP METAL
                                                   0210/1286 LEN=0035 INSTALLED 1997
                                                            HILL RD
                                                   0210/1265 (T574)
                                                            015"H 21"W ELLIP METAL
                                                   0210/0953 LEN=0035 INSTALLED UNKN

                        048498 FT                   048490 FT 2 0 19069 0 00 0025+12
```

DIR: N TOTAL LEN: 13.609 MI. DIST: 03-1 SR: 1025
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

		0210/0000	LENGTH(AH 2488 BK 2521)
			015"H 21"W METAL ARCH
		0200/1951	LEN=0040 INSTALLED UNKN
			024 "DIA CIRC METAL
		0200/1720	LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0200/1375	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0200/1201	LEN=0060 INSTALLED 2005
			018 "DIA CIR PLASTIC
		0200/0918	LEN=0060 INSTALLED 2005
			OLD TIOGA TPK RD
		0200/0625	(T800)
			018 "DIA CIRC CONCR
		0200/0192	LEN=0025 INSTALLED UNKN
			018 "DIA CIRC METAL
		0200/0018	LEN=0040 INSTALLED UNKN
	045977 FT	045969 FT	2 0 19069 0 00 0000+00
			WINDING RD
			(SR1020 SEG 0090/0000)
		0200/0000	LENGTH(AH 2521 BK 1629)
		0190/1521	BMSEN 19/1025/0190/1406
			1 0 00894 0 00 0002+34
			HUNTINGTON CREEK
		0190/1406	BMSBG 19/1025/0190/1406
MILL RD (T766)	0190/1320		
			018 "DIA CIRC CONCR
		0190/1292	LEN=0076 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0190/1019	LEN=0064 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0190/0514	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC METAL
		0190/0281	LEN=0030 INSTALLED UNKN
	044348 FT	044340 FT	1 0 00894 0 00 0015+70
			MOUNTAIN RD
			(T567)
		0190/0000	LENGTH(AH 1629 BK 2378)
MOUNTAIN RD (T567)	0180/2349		NC RIDGE RD
			018 "DIA CIRC METAL
		0180/2333	LEN=0050 INSTALLED 2012
			015 "DIA CIRC METAL
		0180/1777	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC METAL
		0180/1558	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC METAL
		0180/1332	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC METAL

DIR: N TOTAL LEN: 13.609 MI. DIST: 03-1 SR: 1025
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

```
                                        0180/1039 LEN=0045 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0180/0590 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0180/0305 LEN=0050 INSTALLED UNKN
041970 FT                               041962 FT 1 0 00894 0 00 0039+79
                                                  VILLAGE: JONESTOWN
                                      S 0180/0000 LENGTH(AH 2378 BK 2482)
                                                  015 "DIA CIRC METAL
                                        0170/2367 LEN=0048 INSTALLED UNKN
                                                  015"H 21"W ELLIP METAL
                                        0170/1982 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0170/1384 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0170/0983 LEN=0052 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0170/0620 LEN=0060 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0170/0417 LEN=0075 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0170/0150 LEN=0050 INSTALLED 2018
039488 FT                               039480 FT 1 0 00894 0 00 0064+93
                                      S 0170/0000 LENGTH(AH 2482 BK 3541)
                                                  015 "DIA CIRC METAL
                                        0160/3261 LEN=0043 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0160/2964 LEN=0051 INSTALLED UNKN

                                                  015 "DIA CIRC METAL
                                        0160/2357 LEN=0047 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0160/2100 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0160/1803 LEN=0047 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0160/1478 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0160/1170 LEN=0050 INSTALLED 2018
                                                  015 "DIA CIRC METAL
                                        0160/0887 LEN=0046 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0160/0548 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0160/0260 LEN=0060 INSTALLED UNKN
035947 FT                               035939 FT 1 0 00894 0 00 0100+80
                                                  FISHING CREEK
                                                  BRIAR CREEK T
                                      S 0160/0000 LENGTH(AH 3541 BK 3082)
                                                  018 "DIA CIRC CONCR
```

DIR: N TOTAL LEN: 13.609 MI. DIST: 03-1 SR: 1025
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

```
                                        0150/2870 LEN=0048 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0150/2594 LEN=0044 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0150/2314 LEN=0044 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0150/2058 LEN=0044 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0150/1819 LEN=0048 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0150/1551 LEN=0052 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0150/1300 LEN=0044 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0150/1086 LEN=0048 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0150/0825 LEN=0052 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0150/0527 LEN=0052 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0150/0346 LEN=0044 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0150/0167 LEN=0044 INSTALLED UNKN
032865 FT                               032857 FT 2 0 19040 0 00 0329+35
                                      S 0150/0000 LENGTH(AH 3082 BK 2976)
                                                  018 "DIA CIRC CONCR
                                        0140/2907 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0140/2715 LEN=0044 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0140/2553 LEN=0048 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0140/2374 LEN=0048 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0140/2124 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0140/1888 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0140/1700 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0140/1522 LEN=0044 INSTALLED UNKN
                                                  036 "DIA CIRC CONCR
                                        0140/1292 LEN=0048 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0140/0462 LEN=0044 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0140/0193 LEN=0048 INSTALLED UNKN
029889 FT                               029881 FT 2 0 19040 0 00 0299+60
                                      S 0140/0000 LENGTH(AH 2976 BK 2457)
```

DIR: N TOTAL LEN: 13.609 MI. DIST: 03-1 SR: 1025
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

			018 "DIA CIRC CONCR
		0130/1719	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0130/1369	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0130/0963	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0130/0629	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0130/0410	LEN=0050 INSTALLED UNKN
	027432 FT	027424 FT	2 0 19040 0 00 0275+04
		S 0130/0000	LENGTH(AH 2457 BK 2579)
			018 "DIA CIRC CONCR
		0120/2567	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/2187	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/1907	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/1636	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/1288	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/0970	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/0648	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/0347	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/0034	LEN=0055 INSTALLED UNKN
	024853 FT	024845 FT	2 0 19040 0 00 0249+26
			KNOB MT RD
			(SR1012 SEG 0150/0000)
		S 0120/0000	LENGTH(AH 2579 BK 1906)
KACHINKA HOLLOW RD			
(SR1019 SEG 0080/2226)	0110/1247		
			EAST BRANCH BRIAR CREEK
			STRUCTURE LENGTH 13 FT
		0110/0957	BMSID 19/1025/0110/0957
			018 "DIA CIRC CONCR
		0110/0700	LEN=0056 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0110/0430	LEN=0060 INSTALLED UNKN
			015"H 21"W ELLIP METAL
		0110/0182	LEN=0045 INSTALLED UNKN
	022947 FT	022939 FT	2 0 19040 0 00 0230+15
			NC JONESTOWN RD
		S 0110/0000	LENGTH(AH 1906 BK 2002)

DIR: N TOTAL LEN: 13.609 MI. DIST: 03-1 SR: 1025
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

```
                                                  020937 FT 2 0 19040 0 00 0210+08
                    020945 FT                   S 0100/0000 LENGTH(AH 2002 BK 2167)
                                                            024 "DIA CIRC CONCR
                                                  0090/2107 LEN=0060 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0090/1669 LEN=0043 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0090/1077 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0090/0840 LEN=0050 INSTALLED UNKN

2 0 19040 0 00 0188+35 018778 FT                  018770 FT DAIRY RD
TWIN CHURCH RD                                              (SR1018 SEG 0030/0000)
(SR1018 SEG 0030/0000)  0090/0000               S 0090/0000 LENGTH(AH 2167 BK 2336)
                                                            012 "DIA CAST IRON
                                                  0080/2300 LEN=0040 INSTALLED UNKN

                                                            VALLEY RD
                                                  0080/0873 (T744)

                    016442 FT                     016434 FT 2 0 19040 0 00 0164+63
                                                        NC SUMMER HILL RD
                                                  0080/0000 LENGTH(AH 2336 BK 2337)
                                                            036 "DIA CIR PLASTIC
                                                  0070/2031 LEN=0046 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0070/1612 LEN=0044 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0070/1419 LEN=0040 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0070/1180 LEN=0052 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0070/0824 LEN=0048 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0070/0509 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0070/0222 LEN=0053 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0070/0020 LEN=0050 INSTALLED UNKN
                    014105 FT                     014097 FT 2 0 19040 0 00 0140+90
                                                            VILLAGE: SUMMER HILL
                                                  0070/0000 LENGTH(AH 2337 BK 1619)
                                                            018 "DIA CIRC METAL
```

DIR: N TOTAL LEN: 13.609 MI. DIST: 03-1 SR: 1025
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

		0060/1071	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC METAL
		0060/0816	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC METAL
		0060/0405	LEN=0048 INSTALLED UNKN
		0060/0010	BMSEN 19/1025/0060/0000
	012486 FT	012478 FT	2 0 19040 0 00 0124+45
			TRIB EAST BR BRIAR CREE
			BMSBG 19/1025/0060/0000
		S 0060/0000	LENGTH(AH 1619 BK 2562)
			OLD MILL RD
		0050/2108	(T746)
			018 "DIA CIRC METAL
		0050/1472	LEN=0042 INSTALLED UNKN
		0050/1341	BMSEN 19/1025/0050/1308
			2 0 19040 0 00 0112+23
			T.BRIAR CK.
		0050/1308	BMSBG 19/1025/0050/1308
			WATER DAM RD
		0050/1212	(SR1029 SEG 0010/0000)
		0050/0041	BMSEN 19/1025/0050/0000
	009924 FT	009916 FT	2 0 19040 0 00 0098+96
			T.BRIAR CK.
			BMSBG 19/1025/0050/0000
		S 0050/0000	LENGTH(AH 2562 BK 1814)
			018 "DIA CIRC METAL
		0040/1381	LEN=0040 INSTALLED UNKN
		0040/0281	BMSEN 19/1025/0040/0259
			2 0 19040 0 00 0083+50
			BRIAR CREEK
		0040/0259	BMSBG 19/1025/0040/0259
	008110 FT	008102 FT	2 0 19040 0 00 0080+70
			VILLAGE: FOUNDRYVILLE
			NC FOUNDRYVILLE RD
			MFC BEGIN = D
			BRIAR CREEK
			BERWICK B
		S 0040/0000	LENGTH(AH 1814 BK 3396)
BRIAR LN (BORO)	0030/3257		
			HILLSIDE DR
		0030/2830	(BORO)
BOWERS LN (BORO)	0030/2220		

DIR: N TOTAL LEN: 13.609 MI. DIST: 03-1 SR: 1025
LEFT MUN: BERWICK B RIGHT MUN: BERWICK B

LEFT		RIGHT	
MARTZ ST (BORO)	0030/2092	0030/2092	BORO AL (BORO)
		0030/1888	BROAD ST (BORO)
		0030/1880	018 "DIA CIR UNKNOWN LEN=0025 INSTALLED UNKN
		0030/1820	010 "DIA CIR PLASTIC LEN=0020 INSTALLED UNKN
		0030/1813	WALNUT ST (BORO)
CHESTNUT ST (BORO)	0030/1261		
		0030/1227	CHESTNUT ST (BORO)
		0030/0610	018"H 00"W UNK PLASTIC LEN=0025 INSTALLED UNKN
		0030/0590	012 "DIA CAST IRON LEN=0020 INSTALLED UNKN
		0030/0585	PINE ST (BORO)
JESSUP ST (BORO)	0030/0344		
HEIGHTS RD (BORO)	0030/0058		
	004714 FT	004706 FT	2 0 19040 0 00 0046+42
		NC	SUMMERHILL AV
			SIXTEENTH ST (BORO)
MARTZVILLE RD (SR1014 SEG 0062/1733)	0030/0000	5 0030/0000	MFC BEGIN = C LENGTH(AH 3396 BK 2251)
GARFIELD AV (BORO)	0021/2196	0020/2191	GARFIELD AV (BORO)
FIFTEENTH ST (BORO)	0021/2013	0020/2018	FIFTEENTH ST (BORO)
COLUMBIA AV (BORO)	0021/1818	0020/1824	COLUMBIA AV (BORO)
018 "DIA CAST IRON LEN=0025 INSTALLED UNKN	0021/1815		
FOURTEENTH ST (BORO)	0021/1589	0020/1594	FOURTEENTH ST (BORO)
		0020/1590	016 "DIA CAST IRON LEN=0020 INSTALLED UNKN
THIRTEENTH ST (BORO)	0021/1176	0020/1184	THIRTEENTH ST (BORO)
018 "DIA CAST IRON LEN=0025 INSTALLED UNKN	0021/1174		
TWELFTH ST (BORO)	0021/0770	0020/0770	TWELFTH ST (BORO)

DIR: N TOTAL LEN: 13.609 MI. DIST: 03-1 SR: 1025
LEFT MUN: BERWICK B RIGHT MUN: BERWICK B

LEFT		RIGHT
018 "DIA CAST IRON LEN=0025 INSTALLED UNKN ELEVENTH ST (BORO)	0021/0376	0020/0383 ELEVENTH ST (BORO)
		018 "DIA CAST IRON
		0020/0380 LEN=0065 INSTALLED UNKN
		018 "DIA CAST IRON
		0020/0335 LEN=0065 INSTALLED UNKN
2 0 19040 0 00 0024+55 002455 FT		002455 FT 2 0 19040 0 00 0024+55
(APRA) WM L HIXSON CONT		(APRA) WM L HIXSON CONT
TENTH ST (BORO)		TENTH ST (BORO)
LENGTH(AH 2259 BK 2455)	0021/0000	0020/0000 LENGTH(AH 2251 BK 2455)
NINTH ST (BORO)	0011/2188	NINTH ST 0010/2203 (BORO)
018 "DIA CIRC OTHER LEN=0025 INSTALLED UNKN	0011/2140	
EIGHTH ST (BORO)	0011/1951	EIGHTH ST 0010/1966 (BORO)
SEVENTH ST (BORO)	0011/1704	SEVENTH ST 0010/1716 (BORO)
SIXTH ST (BORO)	0011/1451	SIXTH ST 0010/1468 (BORO)
CEMETERY ST (BORO)	0011/1328	CEMETERY ST 0010/1341 (BORO)
FIFTH ST (BORO)	0011/1207	FIFTH ST 0010/1218 (BORO)
FOURTH ST (BORO)	0011/0825	FOURTH ST 0010/0831 (BORO)
BORO AL (BORO)	0011/0752	BORO AL 0010/0744 (BORO)
THIRD ST (BORO)		THIRD ST (BORO)
	0011/0487	0010/0499
SECOND ST (SR0011 SEG 0430/1154) (SR0011 SEG 0431/0000)		SECOND ST (SR0011 SEG 0430/1154) (SR0011 SEG 0431/0000)
	0011/0245	0010/0248
		018 "DIA CIRC CONCR
		0010/0059 LEN=0052 INSTALLED UNKN
2 0 19040 0 00 0000+00 000000 FT		000000 FT 2 0 19040 0 00 0000+00
NC MARKET ST		NC MARKET ST
FRONT ST (SR0011 SEG 0431/0000) (SR0011 SEG 0430/1154)		FRONT ST (SR0011 SEG 0431/0000) (SR0011 SEG 0430/1154)
MARKET ST (SR0093 SEG 0020/0224) MFC BEGIN = C	INTER-BK	INTER-BK MARKET ST (SR0093 SEG 0020/0224) MFC BEGIN = C
LENGTH(AH 2455 BK 0000)	0011/0000	0010/0000 LENGTH(AH 2455 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 03-1 SR: 1024
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

000000 FT		000000 FT
		7060/0000 LENGTH(AH 2796 BK 1401)
000000 FT		000000 FT
		7050/0000 LENGTH(AH 1401 BK 2916)
000000 FT		000000 FT
		7040/0000 LENGTH(AH 2916 BK 2839)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 2839 BK 2662)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 2662 BK 2492)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 2492 BK 0000)

DIR: B TOTAL LEN: .960 MI. DIST: 03-1 SR: 1023
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T



	005070 FT	005070 FT	
		7070/0000	LENGTH(AH 0862 BK 0050)
			BMSEN 19/1023/0068/0000
		REF-AHD	DICKSON ST
		0068/0050	(T845)
	005020 FT	005020 FT	2 0 19045 0 00 0069+63
		REF-BK	DICKSON ST
			(T845)
			E.B.BRIAR CK
			BMSBG 19/1023/0068/0000
		0068/0000	LENGTH(AH 0050 BK 1814)
	005020 FT	005020 FT	
		7066/0000	LENGTH(AH 1814 BK 0061)
			BMSEN 19/1023/0064/0000
		REF-AHD	DICKSON ST
		0064/0061	(T845)
	004959 FT	004959 FT	2 0 19045 0 00 0050+92
		REF-BK	DICKSON ST
			(T845)
			E.B.BRIAR CK
			BMSBG 19/1023/0064/0000
		0064/0000	LENGTH(AH 0061 BK 0100)
	004959 FT	004959 FT	
		7062/0000	LENGTH(AH 0100 BK 0120)
		REF-AHD	DICKSON ST
			(T845)
		0060/0120	BERWICK B
	004839 FT	004839 FT	2 0 19045 0 00 0048+80
			FIFTH AV
			(BORO)
		0060/0000	LENGTH(AH 0120 BK 0393)
			BORO AL
		0050/0187	(BORO)
2 0 19045 0 00 0044+75	004446 FT	004446 FT	
FREAS AV			NC DICKSON ST
(SR1016 SEG 0050/0211)	0050/0000	0050/0000	LENGTH(AH 0393 BK 0362)
MONROE ST			
(BORO)	0040/0341		
	004084 FT	004084 FT	2 0 19045 0 00 0041+25
			NC FREAS AV
			FREAS AV
			(BORO)
		0040/0000	LENGTH(AH 0362 BK 1826)
			018 "DIA CAST IRON
		0030/1728	LEN=0029 INSTALLED UNKN
BORO AL			
(BORO)	0030/1712		
			NORTH ST

DIR: B TOTAL LEN: .960 MI. DIST: 03-1 SR: 1023
LEFT MUN: BERWICK B RIGHT MUN: BERWICK B

```
                                                 0030/1325 (BORO)
                                                           015 "DIA CAST IRON
                                                 0030/0905 LEN=0029 INSTALLED UNKN
                                                           ASSUNTA AV
                                                 0030/0884 (BORO)
FAIR ST
(BORO)                0030/0443
                                                           012 "DIA CAST IRON
                                                 0030/0438 LEN=0029 INSTALLED UNKN
                                                           BORO AL
                                                 0030/0348 (BORO)
                                                           012 "DIA CIR PLASTIC
                                                 0030/0010 LEN=0029 INSTALLED UNKN
                      002258 FT                  002258 FT 2 0 19045 0 00 0023+10
                                                           CENTRE ST
                                                           (BORO)
                                               S 0030/0000 LENGTH(AH 1826 BK 1997)
                                                           012 "DIA CIR PLASTIC
                                                 0020/1975 LEN=0029 INSTALLED UNKN
                                                           PARK ST
                                                 0020/1562 (BORO)
                                                           012 "DIA CIR PLASTIC
                                                 0020/1545 LEN=0029 INSTALLED UNKN
                                                           BORO AL
                                                 0020/1492 (BORO)
                                                           SYCAMORE ST
                                                 0020/1121 (BORO)
                                                           015 "DIA CIR PLASTIC
                                                 0020/1105 LEN=0029 INSTALLED UNKN
                                                           ELM ST
                                                 0020/0681 (BORO)
                                                           015 "DIA CIR PLASTIC
                                                 0020/0664 LEN=0029 INSTALLED UNKN
ECKARD AV
(BORO)                0020/0249
2 0 19045 0 00 0003+07 000261 FT                 000261 FT
THIRD ST
(BORO)                0020/0000                S 0020/0000 LENGTH(AH 1997 BK 0261)
                                                           THIRD ST
                                                 0010/0234 (BORO)
                                                           018 "DIA CIRC CONCR
                                                 0010/0086 LEN=0027 INSTALLED UNKN
                      000000 FT                  000000 FT 2 0 19045 0 00 0000+00
                                                       NC LA SALLE ST
                                                           SECOND ST
                                                           (SR0011 SEG 0420/0081)
                                                           (SR0011 SEG 0421/0075)

                                                           MFC BEGIN = D
                                               S 0010/0000 LENGTH(AH 0261 BK 0000)
```

DIR: B TOTAL LEN: 8.095 MI. DIST: 03-1 SR: 1022
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

042740 FT

2 0 19067 0 03 0558+00 039956 FT
STRAWBERRY LN
(T784) 0160/0000

042740 FT AH-LUZERNE (40)
REF-AHD ACADEMY ST
0160/2784 (SR4014 SEG 0010/0000)
048"H 80"W ELLIP METAL
0160/2607 LEN=0053 INSTALLED 2015
018 "DIA CIR PLASTIC
0160/2157 LEN=0033 INSTALLED UNKN

018 "DIA CIR PLASTIC
0160/1031 LEN=0033 INSTALLED UNKN
030 "DIA CIR PLASTIC
0160/0661 LEN=0030 INSTALLED 2011
024 "DIA CIRC METAL
0160/0195 LEN=0044 INSTALLED UNKN
039956 FT
5 0160/0000 LENGTH(AH 2784 BK 2309)
018 "DIA CIR PLASTIC
0150/1968 LEN=0043 INSTALLED UNKN
013"H 20"W ELLIP METAL
0150/1419 LEN=0032 INSTALLED UNKN

018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 8.095 MI. DIST: 03-1 SR: 1022
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

		0150/0804	LEN=0034 INSTALLED 1996
			018 "DIA CIR PLASTIC
		0150/0116	LEN=0037 INSTALLED 1996
2 0 19067 0 03 0535+71 037647 FT		037647 FT	
HONEYTOWN RD			
(T780)	0150/0000	5 0150/0000	LENGTH(AH 2309 BK 2320)
			057"H 00"W MULT METAL
		0140/2222	LEN=0045 INSTALLED 2015
			018 "DIA CIRC METAL
		0140/1185	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0140/0879	LEN=0032 INSTALLED UNKN
			015"H 18"W ELLIP METAL
		0140/0025	LEN=0050 INSTALLED UNKN
2 0 19067 0 03 0512+66 035327 FT		035327 FT	BENDERTOWN RD
BENDERTOWN RD			(SR1025 SEG 0250/0000)
(SR1025 SEG 0250/0000)	0140/0000	5 0140/0000	LENGTH(AH 2320 BK 2065)
			024 "DIA CIR PLASTIC
		0130/1596	LEN=0035 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0130/0618	LEN=0037 INSTALLED UNKN
2 0 19067 0 03 0491+00 033262 FT		033262 FT	
PINE RD			
(T778)	0130/0000	5 0130/0000	LENGTH(AH 2065 BK 1899)
			024 "DIA CIRC CONCR
		0120/0514	LEN=0046 INSTALLED UNKN
			036"H 50"W ELLIP CONC
		0120/0041	LEN=0040 INSTALLED UNKN
	031363 FT	031363 FT	2 0 19067 0 03 0472+77
			PAPERDALE RD
			(T631)
		5 0120/0000	LENGTH(AH 1899 BK 3313)
			018 "DIA CIR PLASTIC
		0110/2918	LEN=0040 INSTALLED UNKN
CHURCH RD			
(T603)	0110/2166		
			BENDERTOWN RD

DIR: B TOTAL LEN: 8.095 MI. DIST: 03-1 SR: 1022
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

		0110/1179	(T878)
			036 "DIA CIRC METAL
		0110/1012	LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0110/0306	LEN=0040 INSTALLED 2011
	028050 FT	028050 FT	2 0 19067 0 03 0440+16
			COUNTRY RD
			(T764)
		S 0110/0000	LENGTH(AH 3313 BK 2791)
			015"H 20"W ELLIP METAL
		0100/2746	LEN=0040 INSTALLED 1997
			024 "DIA CIR PLASTIC
		0100/1288	LEN=0040 INSTALLED 2012
			018 "DIA CIR PLASTIC
		0100/1175	LEN=0040 INSTALLED 2018
			018 "DIA CIRC METAL
		0100/0940	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC METAL
		0100/0624	LEN=0039 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0100/0024	LEN=0044 INSTALLED 2011
2 0 19067 0 03 0412+00	025259 FT	025259 FT	
SLEEPY HALLOW RD			
(T762)	0100/0000	S 0100/0000	LENGTH(AH 2791 BK 3048)
			018"H 20"W ELLIP METAL
		0090/3025	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/2546	LEN=0035 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0090/2265	LEN=0054 INSTALLED 2015
			018 "DIA CIRC METAL
		0090/1686	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0090/0965	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
		0090/0507	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/0039	LEN=0040 INSTALLED UNKN
	022211 FT	022211 FT	2 0 19067 0 03 0381+72
			ASBURY RD
			(SR1031 SEG 0030/2283)
		S 0090/0000	LENGTH(AH 3048 BK 2220)
			020 "DIA CIR PLASTIC
		0080/2186	LEN=0040 INSTALLED 2011

DIR: B TOTAL LEN: 8.095 MI. DIST: 03-1 SR: 1022
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

			018 "DIA CIR PLASTIC
		0080/2035	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0080/1412	LEN=0036 INSTALLED 1998
			036"H 72"W ELLIP METAL
		0080/0733	LEN=0060 INSTALLED 1998
019991 FT		019991 FT	2 0 19067 0 03 0359+50
		S 0080/0000	LENGTH(AH 2220 BK 1397)
			MINNOW LN
		0070/0797	(T758)
		0070/0758	BMSEN 19/1022/0070/0672
			2 0 19067 0 02 0343+65
			OLD CHANNEL TO FISH CRK
		0070/0672	BMSBG 19/1022/0070/0672
		0070/0331	BMSEN 19/1022/0070/0210
			2 0 19067 0 02 0339+01
			FISHING CREEK
		0070/0210	BMSBG 19/1022/0070/0210
018594 FT		018594 FT	2 0 19067 0 02 0336+95
			SR 0487 SH
			(SR0487 SEG 0540/1001)
SR 0487 SH (SR0487 SEG 0540/1001)	0060/3712	S 0070/0000	LENGTH(AH 1397 BK 3712)
			013"H 20"W ELLIP METAL
		0060/2960	LEN=0030 INSTALLED UNKN
			013"H 20"W ELLIP METAL
		0060/2356	LEN=0040 INSTALLED UNKN
			015"H 20"W ELLIP METAL
		0060/1742	LEN=0030 INSTALLED UNKN
			015"H 20"W ELLIP METAL
		0060/1457	LEN=0035 INSTALLED UNKN
			013"H 20"W ELLIP METAL
		0060/0988	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/0485	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/0070	LEN=0036 INSTALLED 2016
014882 FT		014882 FT	2 0 19067 0 02 0299+84
		S 0060/0000	LENGTH(AH 3712 BK 2762)
			018 "DIA CIR PLASTIC
		0050/2452	LEN=0034 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0050/2178	LEN=0053 INSTALLED 2015

DIR: B TOTAL LEN: 8.095 MI. DIST: 03-1 SR: 1022
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

			036 "DIA CIRC METAL
		0050/2003	LEN=0050 INSTALLED UNKN
			013"H 22"W ELLIP METAL
		0050/1683	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0050/1466	LEN=0040 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0050/1125	LEN=0051 INSTALLED 2003
			GREENWOOD RD
		0050/1110	(T597)
			018 "DIA CIR PLASTIC
		0050/0818	LEN=0045 INSTALLED 2016
			018 "DIA CIR PLASTIC
		0050/0346	LEN=0063 INSTALLED 2015
012120 FT		012120 FT	2 0 19067 0 02 0272+23
		S 0050/0000	LENGTH(AH 2762 BK 2930)
			024 "DIA CIRC METAL
		0040/2903	LEN=0066 INSTALLED UNKN
			015"H 20"W ELLIP METAL
		0040/2552	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC METAL
		0040/2374	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/1304	LEN=0037 INSTALLED UNKN
			015 "DIA CIRC METAL
		0040/1022	LEN=0032 INSTALLED UNKN
009190 FT		009190 FT	2 0 19067 0 02 0242+73
			SAVAGE HILL RD
			(TB10)
		S 0040/0000	LENGTH(AH 2930 BK 3309)
POSEY HILL RD (T674)	0030/3292		
			013 "DIA CIRC METAL
		0030/3274	LEN=0035 INSTALLED UNKN
LC TO/FROM POSEY HILL R (CONN)	0030/2881		
			015 "DIA CIRC METAL
		0030/2605	LEN=0040 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0030/2288	LEN=0035 INSTALLED 2004
			015 "DIA CIRC METAL
		0030/1930	LEN=0046 INSTALLED UNKN
			015 "DIA CIRC METAL
		0030/1537	LEN=0044 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/1027	LEN=0036 INSTALLED 2016

DIR: B TOTAL LEN: 8.095 MI. DIST: 03-1 SR: 1022
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

			036 "DIA CIRC METAL
		0030/0564	LEN=0070 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0030/0247	LEN=0036 INSTALLED 2016
	005881 FT	005881 FT	2 0 19067 0 02 0209+80
		S 0030/0000	LENGTH(AH 3309 BK 3004)
			018"H 15"W ELLIP METAL
		0020/2973	LEN=0032 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0020/2184	LEN=0043 INSTALLED 2013
			018 "DIA CIR PLASTIC
		0020/1979	LEN=0040 INSTALLED 2012
			018 "DIA CIR PLASTIC
		0020/1182	LEN=0040 INSTALLED 2004
			024 "DIA CIR PLASTIC
		0020/0624	LEN=0038 INSTALLED 2012
			018 "DIA CIR PLASTIC
		0020/0108	LEN=0036 INSTALLED 2012
	002877 FT	002877 FT	2 0 19067 0 02 0179+91
		S 0020/0000	LENGTH(AH 3004 BK 2877)
			015 "DIA CIRC METAL
		0010/2514	LEN=0031 INSTALLED UNKN
			024 "DIA CIRC METAL
		0010/2203	LEN=0035 INSTALLED UNKN
		0010/1830	BMSEN 19/1022/0010/1811
			2 0 19067 0 02 0169+30
			TRIBUTARY TO GREEN CREE
		0010/1811	BMSBG 19/1022/0010/1811
KRAMER HILL RD (T668)	0010/1578		
			FISHING CREEK
		0010/1163	GREENWOOD T
			TRIBUTARY GREEN CREEK
			STRUCTURE LENGTH 25 FT
		0010/0989	BMSID 19/1022/0010/0989
			018 "DIA CIR PLASTIC
		0010/0030	LEN=0030 INSTALLED 2011
	000000 FT	000000 FT	2 0 19067 0 02 0151+20
			VILLAGE: ROHRSBURG
			NC ZANERS BRIDGE RD
			ROHRSBURG RD
			(SR4041 SEG 0100/0845)
		INTER-BK	SR 0254 SH
			(SR0254 SEG 0300/0000)
			MFC BEGIN = D
SR 0254 SH (SR0254 SEG 0300/0000)	0010/0000	S 0010/0000	LENGTH(AH 2877 BK 0000)

DIR: B TOTAL LEN: .108 MI. DIST: 03-1 SR: 1021
LEFT MUN: BERWICK B RIGHT MUN: BERWICK B

```
000568 FT                 000568 FT
                          7020/0000 LENGTH(AH 0589 BK 0568)
                        * REF-AHD   WARREN ST
                          0010/0568 (T740)
                          0010/0547 BMSEN 19/1021/0010/0499
                                    0 0 00000 0 00 0000+00
                                    BRAIR CK
                          0010/0499 BMSBG 19/1021/0010/0499
                                    018 "DIA CIR PLASTIC
                          0010/0410 LEN=0040 INSTALLED UNKN
                                    FIFTH AV
                          0010/0384 (BORO)
                                    BORO AL
                          0010/0194 (BORO)
000000 FT                 000000 FT 2 0 19122 0 00 0000+00
                                NC WARREN ST
                                    FREAS AV
                                    (SR1016 SEG 0040/0000)
                          INTER-BK  WARREN ST
                                    (BORO)
                                    MFC BEGIN = E
                          0010/0000 LENGTH(AH 0568 BK 0000)
```

DIR: B TOTAL LEN: 5.284 MI. DIST: 03-1 SR: 1020
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

	027899 FT	027899 FT	AH-LUZERNE (40)
		* REF-AHD	SHICKSHINNY LAKE RD
		0120/1428	(SR4006 SEG 0010/0000)
			018 "DIA CIRC METAL
		0120/1418	LEN=0037 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0120/1309	LEN=0038 INSTALLED 2001
			018 "DIA CIR PLASTIC
		0120/1223	LEN=0035 INSTALLED 2001
			018 "DIA CIR PLASTIC
		0120/0612	LEN=0035 INSTALLED UNKN
2 0 19068 0 02 0270+88	026471 FT	026471 FT	
SHORT RD			
(T768)	0120/0000	S 0120/0000	LENGTH(AH 1428 BK 1580)
			018 "DIA CIRC METAL
		0110/1070	LEN=0025 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0110/0445	LEN=0030 INSTALLED 2001
	024891 FT	024891 FT	2 0 19068 0 02 0255+08
		S 0110/0000	LENGTH(AH 1580 BK 2495)
			018 "DIA CIR PLASTIC
		0100/0850	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0100/0413	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0100/0142	LEN=0035 INSTALLED UNKN
	022396 FT	022396 FT	2 0 19068 0 02 0230+13
		S 0100/0000	LENGTH(AH 2495 BK 2400)

DIR: B TOTAL LEN: 5.284 MI. DIST: 03-1 SR: 1020
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

			0090/0843	BMSEN 19/1020/0090/0751 2 0 19068 0 01 0213+48 PINE CREEK
			0090/0751	BMSBG 19/1020/0090/0751 018 "DIA CIR PLASTIC
			0090/0343	LEN=0030 INSTALLED 2001
	019996 FT		019996 FT	2 0 19068 0 01 0205+93 VILLAGE: JONESTOWN RIDGE RD (SR1025 SEG 0200/0000) MFC BEGIN = D
RIDGE RD (SR1025 SEG 0200/0000)	0090/0000		S 0090/0000	LENGTH(AH 2400 BK 2635)
				018 "DIA CIR PLASTIC
			0080/1709	LEN=0042 INSTALLED UNKN
2 0 19068 0 01 0179+55 HARRISON RD (T571)	017361 FT 0080/0000	==	017361 FT S 0080/0000	LENGTH(AH 2635 BK 2711) 018 "DIA CIR PLASTIC
			0070/2550	LEN=0048 INSTALLED UNKN
			0070/2202	BMSEN 19/1020/0070/2178 2 0 19068 0 01 0174+19 YOST RUN
			0070/2178	BMSBG 19/1020/0070/2178 018 "DIA CIR PLASTIC
			0070/1500	LEN=0035 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0070/0709	LEN=0030 INSTALLED UNKN 018 "DIA CIR PLASTIC
			0070/0310	LEN=0040 INSTALLED UNKN 018 "DIA CIR PLASTIC
			0070/0046	LEN=0030 INSTALLED UNKN
	014650 FT		014650 FT S 0070/0000	2 0 19068 0 01 0152+29 LENGTH(AH 2711 BK 2717) 036 "DIA CIR PLASTIC
			0060/2366	LEN=0050 INSTALLED 2013 018 "DIA CIR PLASTIC
			0060/2205	LEN=0035 INSTALLED UNKN
				018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.284 MI. DIST: 03-1 SR: 1020
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

		0060/1467	LEN=0035 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0060/1183	LEN=0040 INSTALLED 2001 018 "DIA CIR PLASTIC
		0060/1058	LEN=0040 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0060/0148	LEN=0040 INSTALLED UNKN
	011933 FT	011933 FT	2 0 19068 0 01 0124+96
		5 0060/0000	LENGTH(AH 2717 BK 1085) 013"H 22"W ELLIP METAL
		0050/0612	LEN=0035 INSTALLED UNKN 040"H 65"W ELLIP METAL
2 0 19068 0 01 0114+04	010848 FT	0050/0038 010848 FT	LEN=0045 INSTALLED UNKN
ASBURY RD (SR1031 SEG 0010/0000)	0050/0000	5 0050/0000	LENGTH(AH 1085 BK 3548) 018 "DIA CIRC CONCR
		0040/3180	LEN=0052 INSTALLED UNKN 018 "DIA CIRC CONCR
		0040/2911	LEN=0044 INSTALLED UNKN 018 "DIA CIRC CONCR
		0040/2508	LEN=0044 INSTALLED UNKN 018 "DIA CIRC CONCR
		0040/2184	LEN=0048 INSTALLED UNKN 018 "DIA CIRC CONCR
		0040/1837	LEN=0048 INSTALLED UNKN
COVERED BRIDGE RD (T563)	0040/1245		
			018 "DIA CIRC CONCR
		0040/1240	LEN=0040 INSTALLED UNKN
		0040/0526	BMSEN 19/1020/0040/0338 2 0 19068 0 00 0076+38 HUNTINGTON CREEK
	007300 FT	0040/0338 007300 FT	BMSBG 19/1020/0040/0338 2 0 19068 0 00 0073+00 MOUNTAIN RD (T567)
		5 0040/0000	LENGTH(AH 3548 BK 2391) 018 "DIA CIRC CONCR
		0030/2382	LEN=0060 INSTALLED UNKN
COVERED BRIDGE RD (T563)	0030/2295		
			018 "DIA CIRC CONCR
		0030/1740	LEN=0048 INSTALLED UNKN 018 "DIA CIRC CONCR
		0030/1372	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 5.284 MI. DIST: 03-1 SR: 1020
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

				018 "DIA CIRC CONCR
			0030/0760	LEN=0048 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0030/0427	LEN=0040 INSTALLED UNKN
	004909 FT		004909 FT	2 0 19068 0 00 0049+11
				042"H 68"W ELLIP METAL
				LEN=0048 INSTALLED UNKN
			S 0030/0000	LENGTH(AH 2391 BK 2373)
				018 "DIA CIRC CONCR
			0020/1971	LEN=0044 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0020/1588	LEN=0045 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0020/1272	LEN=0060 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0020/0859	LEN=0044 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0020/0264	LEN=0044 INSTALLED UNKN
	002536 FT		002536 FT	2 0 19068 0 00 0025+40
			S 0020/0000	LENGTH(AH 2373 BK 2536)
				TWIN BRIDGE LA
			0010/2028	(T565)
			0010/1914	BMSEN 19/1020/0010/1675
				2 0 19068 0 00 0016+79
				HUNTINGTON CREEK
			0010/1675	BMSBG 19/1020/0010/1675
				018 "DIA CIRC CONCR
			0010/1668	LEN=0044 INSTALLED UNKN
SCHOOL HOUSE RD (T572)	0010/1365			
				021"H 27"W ELLIP METAL
			0010/0900	LEN=0070 INSTALLED UNKN
SCHOOL HOUSE RD (T572)	0010/0682			
				018 "DIA CIRC CONCR
			0010/0558	LEN=0070 INSTALLED UNKN
HARRISON RD (T571)	0010/0505			
				024 "DIA CIR PLASTIC
			0010/0470	LEN=0070 INSTALLED UNKN
			0010/0171	BMSEN 19/1020/0010/0045
				2 0 19068 0 00 0000+46
				FISHING CK
			0010/0045	BMSBG 19/1020/0010/0045
	000000 FT		000000 FT	2 0 19068 0 00 0000+00
			NC	WINDING RD
				SR 0487 SH
				(SR0487 SEG 0510/1136)
				MFC BEGIN = E
			S 0010/0000	LENGTH(AH 2536 BK 0000)

DIR: B TOTAL LEN: 3.711 MI. DIST: 03-1 SR: 1019
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

JONESTOWN RD (SR1025 SEG 0110/1247)	019592 FT 0080/2226		019592 FT 0080/2226	JONESTOWN RD (SR1025 SEG 0110/1247)
				060 "DIA CIR PLASTIC
			0080/1960	LEN=0040 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0080/1539	LEN=0040 INSTALLED 2002
	017366 FT		017366 FT	2 0 19044 0 00 0103+36
			S 0080/0000	LENGTH(AH 2226 BK 2303)
				018 "DIA CIRC METAL
			0070/1820	LEN=0040 INSTALLED 2003
MUNICIPAL RD (T530)	0070/1782	==		
				042 "DIA CIR PLASTIC
			0070/1217	LEN=0040 INSTALLED 2018
				018 "DIA CIR PLASTIC
			0070/1144	LEN=0037 INSTALLED 2001
				018 "DIA CIR PLASTIC
			0070/0408	LEN=0030 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0070/0030	LEN=0035 INSTALLED 2013
2 0 19044 0 00 0080+30 DAVIS HILL RD (T512)	015063 FT 0070/0000	==	015063 FT S 0070/0000	TWIN CHURCH RD (SR1018 SEG 0010/0000) LENGTH(AH 2303 BK 2729)
				036 "DIA CIRC METAL
			0060/2680	LEN=0042 INSTALLED 2004
				018 "DIA CIR PLASTIC
			0060/2587	LEN=0036 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0060/2351	LEN=0036 INSTALLED 2013
				018 "DIA CIRC METAL
			0060/1856	LEN=0038 INSTALLED 2003
				030 "DIA CIRC METAL
			0060/1563	LEN=0038 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0060/1140	LEN=0035 INSTALLED 2013
				036 "DIA CIR PLASTIC
			0060/0840	LEN=0040 INSTALLED 2013
				018 "DIA CIR PLASTIC
			0060/0384	LEN=0040 INSTALLED 2003
				018 "DIA CIR PLASTIC
			0060/0153	LEN=0040 INSTALLED 2013

DIR: B TOTAL LEN: 3.711 MI. DIST: 03-1 SR: 1019
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T



		0060/0023	BMSEN 19/1019/0060/0000
	012334 FT	012334 FT	2 0 19044 0 00 0052+92
			TRIB EAST BR BRIAR CREE
			BMSBG 19/1019/0060/0000
		S 0060/0000	LENGTH(AH 2729 BK 3241)
			018 "DIA CIRC METAL
		0050/3143	LEN=0045 INSTALLED 2003
			018 "DIA CIRC METAL
		0050/2765	LEN=0030 INSTALLED 2003
			018 "DIA CIR PLASTIC
		0050/2448	LEN=0040 INSTALLED 2001
LIGHTS RD (T501)	0050/2422		
		0050/2179	BMSEN 19/1019/0050/2156
			2 0 19044 0 00 0042+10
			TRIB EAST BR BRIAR CRK
		0050/2156	BMSBG 19/1019/0050/2156
			018 "DIA CIR PLASTIC
		0050/1425	LEN=0038 INSTALLED 2001
			018 "DIA CIR PLASTIC
		0050/1045	LEN=0034 INSTALLED 2001
			030 "DIA CIR PLASTIC
		0050/0040	LEN=0042 INSTALLED 2001
	009093 FT	009093 FT	2 0 19044 0 00 0020+00
			WOODCREST RD
			(T413)
		S 0050/0000	LENGTH(AH 3241 BK 2049)
			018 "DIA CIR PLASTIC
		0040/1760	LEN=0034 INSTALLED 2006
			018 "DIA CIR PLASTIC
		0040/1160	LEN=0035 INSTALLED 2003
			018 "DIA CIRC METAL
		0040/0551	LEN=0033 INSTALLED 2003
	007044 FT	007044 FT	2 0 19044 0 00 0000+00
			MARTZVILLE RD
			(SR1014 SEG 0042/0000)
			NC KACHINKA HOLLOW RD
		INTER-BK	MARTZVILLE RD
			(SR1014 SEG 0042/0000)
		S 0040/0000	LTH AH 002049 BK 001067
	007044 FT	007044 FT	
		7034/0000	LTH AH 001067 BK 001453
EVANSVILLE RD		INTER-AHD	MARTZVILLE RD
(SR1014 SEG 0032/1231)	0034/1453	0034/1453	(SR1014 SEG 0032/1231)

DIR: B TOTAL LEN: 3.711 MI. DIST: 03-1 SR: 1019
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

```
                                                  005591 FT  2 0 19098 0 00 0077+42
                                                5 0034/0000  LENGTH(AH 1453 BK 0709)
                                                  0032/0358  BMSEN 19/1019/0032/0338
                                                             0 0 00000 0 00 0000+00
                                                             E.BR.BRIAR C
                                                  0032/0338  BMSBG 19/1019/0032/0338
                                                  004882 FT  0 0 00000 0 00 0000+00
                                                5 0032/0000  LENGTH(AH 0709 BK 1718)

                                                             030 "DIA CIRC METAL
                                                  0030/0747  LEN=0060 INSTALLED 2003

                                                  0030/0049  BMSEN 19/1019/0030/0000
                                                             BRIAR CREEK
                                                  0030/0019  BERWICK B
                                                  003164 FT  2 0 19098 0 00 0053+07
                                                             BRIAR CREEK
                                                             BMSBG 19/1019/0030/0000
                                                5 0030/0000  LENGTH(AH 1718 BK 0667)

                                                  002497 FT  2 0 19098 0 00 0046+87
                                                             FREAS AV
                                                             (SR1016 SEG 0010/0000)
                                                       NC CEMETERY RD
                                                5 0020/0000  LENGTH(AH 0667 BK 2497)
                                                             018 "DIA CIR PLASTIC
                                                  0010/2448  LEN=0045 INSTALLED 2003
                                                             012"H 20"W ELLIP METAL
                                                  0010/1882  LEN=0045 INSTALLED 2003
                                                             BERWICK
                                                  0010/1296  BRIAR CREEK B
                                                             012"H 20"W ELLIPTICAL*
                                                  0010/1232  LEN=0045 INSTALLED 2003
                                                             012"H 20"W ELLIP METAL
                                                  0010/0858  LEN=0045 INSTALLED 2003
                                                             012"H 20"W ELLIP METAL
                                                  0010/0614  LEN=0045 INSTALLED 2003
                                                             012"H 20"W ELLIP METAL
                                                  0010/0322  LEN=0060 INSTALLED 2003
                                                  000000 FT  2 0 19118 0 00 0000+00
                                                             ORANGE ST
                                                             (SR0093 SEG 0080/0000)
                                                       NC FREAS AV
                                                  INTER-BK   PARK RD
                                                             (BORO)
                                                             MFC BEGIN = D
ORANGE ST
(SR0093 SEG 0080/0000)  0010/0000               5 0010/0000  LENGTH(AH 2497 BK 0000)
```

DIR: B TOTAL LEN: 2.381 MI. DIST: 03-1 SR: 1018
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

012572 FT

012572 FT
REF-AHD MOORES HILL RD
0050/2487 (T481)
018 "DIA CIRC METAL
0050/2406 LEN=0050 INSTALLED UNKN

018 "DIA CIRC METAL
0050/1780 LEN=0040 INSTALLED UNKN
WOODLAND ACRES LN
0050/1338 (T746)

010085 FT

010085 FT 2 0 19097 0 00 0100+67
0050/0000 LENGTH(AH 2487 BK 3038)
024 "DIA CIR PLASTIC
0040/2971 LEN=0047 INSTALLED 2014

BERRY FARM LN
(TWP)
0040/2912

018 "DIA CIRC METAL
0040/2604 LEN=0060 INSTALLED UNKN

018 "DIA CIRC METAL
0040/1161 LEN=0045 INSTALLED 1998
060 "DIA CIRC METAL
0040/0742 LEN=0065 INSTALLED UNKN

018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 2.381 MI. DIST: 03-1 SR: 1018
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

		0040/0111	LEN=0040 INSTALLED UNKN
	007047 FT	007047 FT	2 0 19097 0 00 0070+25
		S 0040/0000	LENGTH(AH 3038 BK 2751)
			018 "DIA CIR PLASTIC
		0030/2217	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/1340	LEN=0031 INSTALLED 2014
VALLEY RD			VALLEY RD
(T744)	0030/0854	0030/0854	(T744)
			024 "DIA CIRC METAL
		0030/0833	LEN=0050 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0030/0385	LEN=0030 INSTALLED UNKN
	004296 FT	004296 FT	2 0 19097 0 00 0042+70
			SUMMERHILL RD
			(SR1025 SEG 0090/0000)
SUMMERHILL RD			NC DAIRY RD
(SR1025 SEG 0090/0000)	0030/0000	S 0030/0000	LENGTH(AH 2751 BK 2250)
			015 "DIA CIRC METAL
		0020/1692	LEN=0032 INSTALLED 2017
			018 "DIA CIRC METAL
		0020/1489	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/1330	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0513	LEN=0060 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0219	LEN=0070 INSTALLED 2012
	002046 FT	002046 FT	2 0 19097 0 00 0020+34
			VILLAGE: SUMMER HILL
		S 0020/0000	LENGTH(AH 2250 BK 2046)
			018 "DIA CIR PLASTIC
		0010/1723	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/1372	LEN=0040 INSTALLED 2005
			018 "DIA CIR PLASTIC
		0010/0941	LEN=0045 INSTALLED 2005
			024 "DIA CIR PLASTIC
		0010/0144	LEN=0122 INSTALLED 2004
	000000 FT	000000 FT	2 0 19097 0 00 0000+00
			NC TWIN CHURCH RD
			KACHINKA HOLLOW RD
			(SR1019 SEG 0070/0000)
		INTER-BK	DAVIS HILL RD
			(T512)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 2046 BK 0000)

DIR: B TOTAL LEN: 1.030 MI. DIST: 03-1 SR: 1017
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

005437 FT		005437 FT
		7070/0000 LENGTH(AH 0734 BK 3513)
005437 FT		005437 FT
		7060/0000 LENGTH(AH 3513 BK 2795)
005437 FT		005437 FT
		7050/0000 LENGTH(AH 2795 BK 1560)
005437 FT		005437 FT

DIR: B TOTAL LEN: 1.030 MI. DIST: 03-1 SR: 1017
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

		7044/0000 LENGTH(AH 1560 BK 0029)
		* REF-AHD EVANSVILLE RD
		0042/0029 (T842)
	005408 FT	005408 FT 2 0 19042 0 02 0151+63
		EAST BRANCH BRIAR CREEK
		STRUCTURE LENGTH 29 FT
		BMSID 19/1017/0042/0000
		* REF-BK EVANSVILLE RD
		(T842)
		MFC BEGIN = E
		S 0042/0000 LENGTH(AH 0029 BK 1733)
	005408 FT	005408 FT
		7040/0000 LENGTH(AH 1733 BK 0869)
		* REF-AHD EVANSVILLE RD
		(T842)
		NC EVANSVILLE RD
		EVANSVILLE RD
		0030/0869 (SR1014 SEG 0012/0000)
		EAST BRANCH BRIAR CREEK
		STRUCTURE LENGTH 24 FT
		0030/0386 BMSID 19/1017/0030/0386
	004539 FT	004539 FT 2 0 19043 0 00 0045+20
		VILLAGE: EVANSVILLE
		S 0030/0000 LENGTH(AH 0869 BK 2590)
		018 "DIA CIRC CONCR
		0020/2534 LEN=0036 INSTALLED UNKN
		018 "DIA CIRC METAL
		0020/1073 LEN=0030 INSTALLED UNKN
		024 "DIA CIRC CONCR
		0020/0357 LEN=0030 INSTALLED UNKN
2 0 19043 0 00 0019+65	001949 FT	001949 FT
HELLERS RD		
(T503)	0020/0000	S 0020/0000 LENGTH(AH 2590 BK 1949)
	000000 FT	000000 FT 2 0 19043 0 00 0000+00
		NC LAKE RD
		SR 0093 SH
		(SR0093 SEG 0110/0000)
		INTER-BK BRICK CHURCH RD
		(T724)
		MFC BEGIN = D
		S 0010/0000 LENGTH(AH 1949 BK 0000)

DIR: B TOTAL LEN: .884 MI. DIST: 03-1 SR: 1016
LEFT MUN: BERWICK B RIGHT MUN: BERWICK B

	004667 FT	004667 FT	
DICKSON ST		INTER-AHD	FREAS AV
(SR1023 SEG 0050/0000)	0050/0211	0050/0211	(SR1023 SEG 0050/0000)
	004456 FT	004456 FT	2 0 19098 0 00 0002+00
			WASHINGTON ST
			(BORO)
		0050/0000	LENGTH(AH 0211 BK 0592)
	003864 FT	003864 FT	2 0 19098 0 00 0007+74
			WARREN ST
WARREN ST			(BORO)
(SR1021 SEG 0010/0000)	0040/0000	0040/0000	LENGTH(AH 0592 BK 1111)
			018"H 24"W ELLIP METAL
		0030/0595	LEN=0032 INSTALLED 2003
			ARCH ST
		0030/0570	(BORO)
			018"H 24"W ELLIP METAL
		0030/0010	LEN=0032 INSTALLED 2003
	002753 FT	002753 FT	2 0 19098 0 00 0019+05
			MERCER ST
			(BORO)
		0030/0000	LENGTH(AH 1111 BK 1403)
			018 "DIA CIRC METAL
		0020/0832	LEN=0065 INSTALLED 2003
			POPLAR ST
		0020/0813	(BORO)
	001350 FT	001350 FT	2 0 19098 0 00 0033+10
			EATON ST
			(BORO)
		0020/0000	LENGTH(AH 1403 BK 1350)
	000000 FT	000000 FT	2 0 19098 0 00 0046+87
			NC FREAS AV
		INTER-BK	FREAS AV
			(SR1019 SEG 0020/0000)
CEMETERY RD			MFC BEGIN = D
(SR1019 SEG 0020/0000)	0010/0000	0010/0000	LENGTH(AH 1350 BK 0000)

DIR: B TOTAL LEN: 1.922 MI. DIST: 03-1 SR: 1015
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

010150 FT

FOWLERSVILLE RD
(SR1008 SEG 0120/1559) 0030/3673

RIDGE RD
(T481) 0030/2442
LC FOR RIDGE RD
(CONN) 0030/2336

CRYDER LN
(T646) 0030/1738



010150 FT
INTER-AHD GOLF COURSE RD
(SR1037 SEG 0010/0000)
FOWLERSVILLE RD ET
0030/3673 (T481)

018 "DIA CIRC METAL
0030/3034 LEN=0031 INSTALLED 2013
021"H 15"W METAL ARCH
0030/2461 LEN=0033 INSTALLED 2006

0030/1843 BMSEN 19/1015/0030/1802
2 0 19039 0 00 0084+20
W.BR.BRIAR C
0030/1802 BMSBG 19/1015/0030/1802

024 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 1.922 MI. DIST: 03-1 SR: 1015
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

```
                                          0030/0800 LEN=0040 INSTALLED 2013
                                                    018 "DIA CIR PLASTIC
                                          0030/0554 LEN=0035 INSTALLED UNKN
006477 FT                                 006477 FT 2 0 19039 0 00 0066+50
                                        S 0030/0000 LENGTH(AH 3673 BK 3241)
                                                    036 "DIA CIRC METAL
                                          0020/3176 LEN=0040 INSTALLED UNKN


                                                    015 "DIA CIRC METAL
                                          0020/2135 LEN=0035 INSTALLED UNKN

                                                    018 "DIA CIRC METAL
                                          0020/1385 LEN=0035 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                          0020/1164 LEN=0040 INSTALLED UNKN
                                                    015"H 21"W ELLIP METAL
                                          0020/0606 LEN=0040 INSTALLED UNKN

                                                    018 "DIA CIRC METAL
                                          0020/0005 LEN=0055 INSTALLED UNKN
003236 FT                                 003236 FT 2 0 19039 0 00 0033+88
                                                    HUNTINGTON RD
                                                    (T647)
                                        S 0020/0000 LENGTH(AH 3241 BK 3236)
                                                    CHURCH RD
                                                    (T465)
                                                    NORTH CENTRE
                                          0010/2667 SOUTH CENTRE T

                                                    036 "DIA CIR PLASTIC
                                          0010/1949 LEN=0035 INSTALLED 2011
                                                    018 "DIA CIR PLASTIC
                                          0010/1488 LEN=0040 INSTALLED 2013
                                                    018 "DIA CIR PLASTIC
                                          0010/1290 LEN=0040 INSTALLED 2013
                                                    018 "DIA CIR PLASTIC
                                          0010/0798 LEN=0038 INSTALLED 2013
                                                    018 "DIA CIRC METAL
                                          0010/0780 LEN=0040 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                          0010/0649 LEN=0038 INSTALLED 2013
                                                    018 "DIA CIRC METAL
                                          0010/0092 LEN=0042 INSTALLED UNKN
000000 FT                                 000000 FT 2 0 19039 0 00 0001+33
                                                NC GOLF COURSE RD
                                                    COLUMBIA BLVD
                                                    (SR0011 SEG 0330/0196)
                                                    MFC BEGIN = D
                                        S 0010/0000 LENGTH(AH 3236 BK 0000)
```

DIR: B TOTAL LEN: 2.521 MI. DIST: 03-1 SR: 1014
LEFT MUN: BERWICK B RIGHT MUN: BERWICK B

LEFT		RIGHT	
	013311 FT	013311 FT	
		INTER-AHD	16TH ST
			(SR1025 SEG 0030/0000)
SUMMERHILL AV			MARKET ST
(SR1025 SEG 0030/0000)	0062/1733	0062/1733	(SR1025 SEG 0030/0000)
MARKET ST			
(BORO)	0062/1625		
			BORO AL
		0062/1512	(BORO)
			SEVENTEENTH ST
		0062/1269	(BORO)
			015 "DIA CIRC CONCR
		0062/1250	LEN=0040 INSTALLED UNKN
MULBERRY ST			MULBERRY ST
(BORO)	0062/0853	0062/0853	(BORO)
	011578 FT	011578 FT	2 0 19042 0 00 0017+40
			VINE ST
			(BORO)
			BERWICK
			BRIAR CREEK T
		S 0062/0000	LENGTH(AH 1733 BK 1807)
			GLEN BROOK
			STRUCTURE LENGTH 26 FT
		0052/0422	BMSID 19/1014/0052/0422
			024 "DIA CIR PLASTIC
		0052/0212	LEN=0055 INSTALLED 2003
	009771 FT	009771 FT	2 0 19042 0 00 0035+80
		S 0052/0000	LENGTH(AH 1807 BK 3301)
VISTA RD			
(T404)	0042/3205		
			DICKSON ST
		0042/2762	(TB45)
			018 "DIA CIRC METAL
		0042/2676	LEN=0045 INSTALLED UNKN
HILL TOP RD			
(T400)	0042/2591		
			048 "DIA CIRC METAL
		0042/2287	LEN=0052 INSTALLED UNKN
			048 "DIA CIRC CONCR
		0042/1981	LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 2.521 MI. DIST: 03-1 SR: 1014
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

	006470 FT		006470 FT 2 0 19042 0 01 0069+39
			018 "DIA CIRC METAL
KACHINKA HOLLOW RD			LEN=0032 INSTALLED UNKN
(SR1019 SEG 0040/0000)	0042/0000	S	0042/0000 LENGTH(AH 3301 BK 2305)
			015 "DIA CIRC METAL
			0032/2283 LEN=0035 INSTALLED 2003
			054 "DIA CIRC CONCR
			0032/1315 LEN=0048 INSTALLED 2001
			NC MARTZVILLE RD
			CEMETERY RD
			0032/1231 (SR1019 SEG 0034/1453)
			TRIB EAST BR BRIAR CREE
			STRUCTURE LENGTH 20 FT
			0032/0344 BMSID 19/1014/0032/0344
	004165 FT		004165 FT 2 0 19042 0 01 0092+44
			VILLAGE: MARTZVILLE
		S	0032/0000 LENGTH(AH 2305 BK 2234)
			018 "DIA CIR PLASTIC
			0022/2094 LEN=0048 INSTALLED UNKN
			036 "DIA CIRC CONCR
			0022/1169 LEN=0037 INSTALLED UNKN
			024 "DIA CIR PLASTIC
			0022/0924 LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
			0022/0151 LEN=0045 INSTALLED UNKN
	001931 FT		001931 FT 2 0 19042 0 02 0114+79
		S	0022/0000 LENGTH(AH 2234 BK 1931)
			015 "DIA CIRC METAL
			0012/1924 LEN=0040 INSTALLED UNKN
			030 "DIA CIR PLASTIC
			0012/1748 LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0012/0853 LEN=0034 INSTALLED UNKN
	000000 FT		000000 FT 2 0 19042 0 02 0134+10
			VILLAGE: EVANSVILLE
			NC EVANSVILLE RD
			LAKE RD
			(SR1017 SEG 0030/0869)
			INTER-BK EVANSVILLE RD
			(T842)
			MFC BEGIN = D
		S	0012/0000 LENGTH(AH 1931 BK 0000)

DIR: B TOTAL LEN: 3.702 MI. DIST: 03-1 SR: 1013
LEFT MUN: ORANGEVILLE B RIGHT MUN: ORANGEVILLE B

PINE ST
(SR0093 SEG 0240/1049)

019546 FT
0090/1033

018513 FT



019546 FT PINE ST
0090/1033 (SR0093 SEG 0240/1049)
030 "DIA CIR PLASTIC
0090/0937 LEN=0060 INSTALLED UNKN

018513 FT 2 0 19035 0 00 0185+50
ORANGEVILLE
ORANGE T
S 0090/0000 LENGTH(AH 1033 BK 2060)
018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.702 MI. DIST: 03-1 SR: 1013
LEFT MUN: ORANGE T RIGHT MUN: ORANGE T

```
                                          0080/2021 LEN=0035 INSTALLED UNKN
                                                    036 "DIA CIRC CONCR
                                          0080/1672 LEN=0030 INSTALLED UNKN

                                                    048 "DIA CIR PLASTIC
                                          0080/0888 LEN=0045 INSTALLED 2006

                016453 FT                 016453 FT 2 0 19035 0 00 0164+80
                                        S 0080/0000 LENGTH(AH 2060 BK 2042)



                                                    024 "DIA CIRC CONCR
                                          0070/0330 LEN=0035 INSTALLED UNKN
                014411 FT                 014411 FT 2 0 19035 0 00 0144+29
                                                    STONY BROOK
                                                    STRUCTURE LENGTH  13 FT
                                                    BMSID 19/1013/0070/0000
                                        S 0070/0000 LENGTH(AH 2042 BK 1918)

                                                    WHITMIRE RD
                                          0060/1008 (T525)
                                                    018 "DIA CIRC CONCR
                                          0060/0996 LEN=0035 INSTALLED UNKN
                                                    015 "DIA CIRC METAL
                                          0060/0585 LEN=0035 INSTALLED UNKN
                012493 FT                 012493 FT 2 0 19035 0 00 0125+05
                                        S 0060/0000 LENGTH(AH 1918 BK 2563)
BUCK RD
(T521)           0050/2130

                                                    030 "DIA CIR PLASTIC
                                          0050/1070 LEN=0035 INSTALLED UNKN

                009930 FT                 009930 FT 2 0 19035 0 00 0099+33
                                                    ECKROTH RD
                                                    (SR1010 SEG 0010/0000)
                                        S 0050/0000 LENGTH(AH 2563 BK 2416)
                                                    SPONENBERG HILL RD
                                          0040/2039 (T564)
                                                    LC TO SPONENBERG HILL R
                                          0040/1936 (CONN)
                                                    018 "DIA CIR PLASTIC
                                          0040/1653 LEN=0030 INSTALLED UNKN
```

DIR: B TOTAL LEN: 3.702 MI. DIST: 03-1 SR: 1013
LEFT MUN: ORANGE T RIGHT MUN: ORANGE T

			018 "DIA CIRC METAL
		0040/0108	LEN=0030 INSTALLED UNKN
	007514 FT	007514 FT	2 0 19035 0 00 0075+15
		S 0040/0000	LENGTH(AH 2416 BK 2512)
			018 "DIA CIRC CONCR
		0030/2126	LEN=0036 INSTALLED UNKN
WOODS EDGE DR (T690)	0030/1086		
WOODS EDGE DR (T690)	0030/0626		
			018 "DIA CIRC CONCR
		0030/0595	LEN=0030 INSTALLED UNKN
	005002 FT	005002 FT	2 0 19035 0 00 0050+02
		S 0030/0000	LENGTH(AH 2512 BK 2571)
			018 "DIA CIRC CONCR
		0020/2324	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1473	LEN=0035 INSTALLED UNKN
	002431 FT	002431 FT	2 0 19035 0 00 0024+30
			ORANGE
			SCOTT T
		S 0020/0000	LENGTH(AH 2571 BK 2431)
			018 "DIA CIRC CONCR
		0010/2300	LEN=0035 INSTALLED UNKN
			042 "DIA CIRC CONCR
		0010/1675	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1145	LEN=0040 INSTALLED UNKN
			038"H 52"W ELLIP CONC
		0010/0532	LEN=0065 INSTALLED UNKN
		0010/0252	BMSEN 19/1013/0010/0243
			2 0 19035 0 00 0002+45
			T FISHG CK
		0010/0243	BMSBG 19/1013/0010/0243
	000000 FT	000000 FT	2 0 19035 0 00 0000+00
			NC DRAKETOWN RD
			EASY ST
			(SR1008 SEG 0010/1811)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 2431 BK 0000)

DIR: B TOTAL LEN: 9.116 MI. DIST: 03-1 SR: 1012
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

048135 FT		048135 FT	AH-LUZERNE (40)
	*	REF-AHD	SHICKSHINNEY VALLEY RD
		0184/2463	(SR4004 SEG 0010/0000)
			015 "DIA CIR PLASTIC
		0184/2338	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0184/1965	LEN=0035 INSTALLED 2007
			024 "DIA CIR PLASTIC
		0184/1104	LEN=0035 INSTALLED 2007
			018 "DIA CIR PLASTIC
		0184/0720	LEN=0035 INSTALLED 2015
045672 FT		045672 FT	2 0 19123 0 00 0145+87
	S	0184/0000	LENGTH(AH 2463 BK 2464)
			024 "DIA CIRC METAL
		0180/2441	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0180/2086	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0180/1519	LEN=0030 INSTALLED UNKN
			072 "DIA CIRC METAL
		0180/0450	LEN=0035 INSTALLED UNKN
043208 FT		043208 FT	2 0 19123 0 00 0121+24
	S	0180/0000	LENGTH(AH 2464 BK 3772)
			018 "DIA CIRC METAL
		0174/3309	LEN=0040 INSTALLED UNKN
			024 "DIA CIRC METAL
		0174/3015	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0174/2593	LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 9.116 MI. DIST: 03-1 SR: 1012
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

		018 "DIA CIR PLASTIC
	0174/2077	LEN=0040 INSTALLED 2015
		018 "DIA CIRC METAL
	0174/1772	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC METAL
	0174/1446	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0174/1106	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0174/0376	LEN=0030 INSTALLED UNKN
039436 FT	039436 FT	2 0 19123 0 00 0083+52
	S 0174/0000	LENGTH(AH 3772 BK 3814)
		018 "DIA CIRC METAL
	0170/2818	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0170/2295	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0170/2056	LEN=0052 INSTALLED UNKN
		018 "DIA CIRC METAL
	0170/1800	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0170/1289	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0170/0855	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0170/0508	LEN=0040 INSTALLED UNKN
035622 FT	035622 FT	2 0 19123 0 00 0045+38
		NC SCHICKSHINNEY VALLEY RD
	S 0170/0000	LENGTH(AH 3814 BK 2544)
		018 "DIA CIRC METAL
	0160/2244	LEN=0030 INSTALLED UNKN
		VALLEY RD
	== 0160/2195	(T744)
		016 "DIA CIRC METAL
	0160/2143	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0160/2028	LEN=0037 INSTALLED UNKN
		016"H 21"W ELLIP METAL
	0160/1762	LEN=0035 INSTALLED 2001
		018 "DIA CIR PLASTIC
	0160/1578	LEN=0036 INSTALLED 2001
		015"H 22"W ELLIP METAL
	0160/1426	LEN=0025 INSTALLED UNKN
		016"H 22"W ELLIP METAL
	0160/1104	LEN=0025 INSTALLED UNKN
		018"H 18"W ELLIP METAL
	0160/0763	LEN=0033 INSTALLED 1998

DIR: B TOTAL LEN: 9.116 MI. DIST: 03-1 SR: 1012
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

		018 "DIA CIR PLASTIC
	0160/0080	LEN=0040 INSTALLED 2001
033078 FT	033078 FT	2 0 19123 0 00 0019+95
	S 0160/0000	LENGTH(AH 2544 BK 1995)
		018 "DIA CIRC METAL
	0150/1822	LEN=0030 INSTALLED UNKN
		024 "DIA CIRC METAL
	0150/1520	LEN=0038 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0150/1285	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0150/0775	LEN=0025 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0150/0604	LEN=0035 INSTALLED 2001
031083 FT	031083 FT	2 0 19123 0 00 0000+00
		SR 1025 SH
		(SR1025 SEG 0120/0000)
	S 0150/0000	LENGTH(AH 1995 BK 2103)
		024 "DIA CIR PLASTIC
	0140/1788	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0140/1342	LEN=0040 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0140/1041	LEN=0035 INSTALLED 2012
		018 "DIA CIR PLASTIC
	0140/0138	LEN=0035 INSTALLED 2012
028980 FT	028980 FT	2 0 19041 0 00 0289+90
	S 0140/0000	LENGTH(AH 2103 BK 2449)
		018 "DIA CIRC METAL
	0130/1920	LEN=0045 INSTALLED UNKN
		042 "DIA CIR PLASTIC
	0130/1640	LEN=0040 INSTALLED 2005
		018 "DIA CIR PLASTIC
	0130/1289	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0130/1040	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0130/0235	LEN=0028 INSTALLED UNKN
026531 FT	026531 FT	2 0 19041 0 00 0265+39
	S 0130/0000	LENGTH(AH 2449 BK 2571)
		015 "DIA CIR PLASTIC
	0120/2187	LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 9.116 MI. DIST: 03-1 SR: 1012
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

				015"H 18"W ELLIP METAL
			0120/0196	LEN=0030 INSTALLED UNKN
	023960 FT		023960 FT	2 0 19041 0 00 0239+66
			S 0120/0000	LENGTH(AH 2571 BK 2700)
				013"H 22"W ELLIP METAL
			0110/2366	LEN=0035 INSTALLED UNKN
				015"H 18"W ELLIP METAL
			0110/1838	LEN=0039 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0110/1467	LEN=0030 INSTALLED 1998
				030 "DIA CIR PLASTIC
			0110/1086	LEN=0037 INSTALLED UNKN
				030 "DIA CIR PLASTIC
			0110/0764	LEN=0037 INSTALLED UNKN
				024 "DIA CIRC METAL
			0110/0019	LEN=0057 INSTALLED UNKN
2 0 19041 0 00 0212+64	021260 FT		021260 FT	EVANSVILLE RD
EAGLE FARM RD				(TWP)
(T742)	0110/0000	== ==	S 0110/0000	LENGTH(AH 2700 BK 1133)
				036 "DIA CIRC CONCR
			0100/0295	LEN=0040 INSTALLED UNKN
	020127 FT		020127 FT	2 0 19041 0 00 0201+53
			S 0100/0000	LENGTH(AH 1133 BK 1149)
				042 "DIA CIR PLASTIC
			0090/0875	LEN=0042 INSTALLED 2005
				TRIB TO BRIAR CREEK
				STRUCTURE LENGTH 15 FT
			0090/0592	BMSID 19/1012/0090/0592
				018 "DIA CIRC METAL
			0090/0200	LEN=0055 INSTALLED UNKN
	018978 FT		018978 FT	2 0 19041 0 00 0190+00
			S 0090/0000	LENGTH(AH 1149 BK 1468)
				018 "DIA CIRC METAL
			0080/1450	LEN=0035 INSTALLED UNKN
				024 "DIA CIRC METAL
			0080/1149	LEN=0035 INSTALLED UNKN
				YOST HOLLOW RD
		==	0080/0690	(T725)
				024 "DIA CIR PLASTIC
			0080/0622	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0080/0052	LEN=0030 INSTALLED UNKN
	017510 FT		017510 FT	2 0 19041 0 00 0175+23
			S 0080/0000	LENGTH(AH 1468 BK 2526)

DIR: B TOTAL LEN: 9.116 MI. DIST: 03-1 SR: 1012
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

		0070/1490	024 "DIA CIR PLASTIC LEN=0050 INSTALLED 1998
		0070/0845	018 "DIA CIRC METAL LEN=0035 INSTALLED 1998
		0070/0056	018 "DIA CIRC METAL LEN=0036 INSTALLED UNKN
014984 FT		014984 FT	2 0 19041 0 00 0150+00 CROOP RD (T527)
		NC KNOB MT RD	
	==	S 0070/0000	LENGTH(AH 2526 BK 2127)
		0060/1464	018 "DIA CIRC METAL LEN=0031 INSTALLED UNKN
		0060/1102	BRIAR CREEK NORTH CENTRE T
		0060/1091	030 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
012857 FT		012857 FT	2 0 19041 0 00 0128+55 NURSERY RD (T728)
	==	S 0060/0000	LENGTH(AH 2127 BK 2366)
			DEER PATH DR
	==	0050/0723	(T591)
		0050/0281	036 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
			DOHL RD
	==	0050/0105	(T726)
		0050/0014	BMSEN 19/1012/0050/0000
010491 FT		010491 FT	2 0 19041 0 00 0105+08 TB N BRIAR
			BMSBG 19/1012/0050/0000
		S 0050/0000	LENGTH(AH 2366 BK 2930)
		0040/2729	018 "DIA CIRC METAL LEN=0045 INSTALLED UNKN

DIR: B TOTAL LEN: 9.116 MI. DIST: 03-1 SR: 1012
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

		048"H 72"W ELLIP CONC
	0040/0207	LEN=0040 INSTALLED UNKN
007561 FT	007561 FT	2 0 19041 0 00 0075+73
	0040/0000	LENGTH(AH 2930 BK 2569)
		024 "DIA CIR PLASTIC
	0030/2465	LEN=0039 INSTALLED 2014
		015 "DIA CIR PLASTIC
	0030/2048	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0030/1945	LEN=0035 INSTALLED 2000
		018 "DIA CIRC METAL
	0030/1482	LEN=0030 INSTALLED UNKN
		030 "DIA CIR PLASTIC
	0030/0789	LEN=0035 INSTALLED UNKN
		032 "DIA CIR PLASTIC
	0030/0713	LEN=0040 INSTALLED UNKN
		030 "DIA CIR PLASTIC
	0030/0254	LEN=0038 INSTALLED 2014
		042 "DIA CIR PLASTIC
	0030/0060	LEN=0041 INSTALLED 2015
004992 FT	004992 FT	2 0 19041 0 00 0050+00
		HELLER LN
		(T658)
	0030/0000	LENGTH(AH 2569 BK 2389)
002603 FT	002603 FT	2 0 19041 0 00 0026+07
		030 "DIA CIRC METAL
		LEN=0035 INSTALLED UNKN
	0020/0000	LENGTH(AH 2389 BK 2603)
		024 "DIA CIR PLASTIC
	0010/1093	LEN=0040 INSTALLED UNKN
		036 "DIA CIR PLASTIC
	0010/0691	LEN=0040 INSTALLED 2007
000000 FT	000000 FT	2 0 19041 0 00 0000+00
		NC MOUNTAIN RD
		SR 0093 SH
		(SR0093 SEG 0190/0000)
		MFC BEGIN = E
	0010/0000	LENGTH(AH 2603 BK 0000)

DIR: B TOTAL LEN: 2.612 MI. DIST: 03-1 SR: 1010
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

013790 FT

010884 FT

013790 FT	SHELHAMER RD
0050/2906	(T510)
	042 "DIA CIR PLASTIC
0050/2773	LEN=0040 INSTALLED UNKN
	018 "DIA CIR PLASTIC
0050/2426	LEN=0040 INSTALLED UNKN
	024 "DIA CIR PLASTIC
0050/2044	LEN=0055 INSTALLED UNKN
	018 "DIA CIRC METAL
0050/1050	LEN=0050 INSTALLED 1997
010884 FT	2 0 19104 0 00 0110+13
0050/0000	LENGTH(AH 2906 BK 2746)
	018 "DIA CIRC METAL
0040/2300	LEN=0050 INSTALLED UNKN
	018 "DIA CIRC METAL
0040/1885	LEN=0035 INSTALLED UNKN
	018 "DIA CIRC METAL
0040/1245	LEN=0045 INSTALLED UNKN
	CABIN RUN RD
	(T656)
	NC HOSLER RD
	036 "DIA CIRC METAL
0040/1168	LEN=0040 INSTALLED UNKN
	018 "DIA CIR PLASTIC
0040/0639	LEN=0040 INSTALLED UNKN
	024 "DIA CIR PLASTIC
0040/0160	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 2.612 MI. DIST: 03-1 SR: 1010
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

	008138 FT		008138 FT 2 0 19104 0 00 0081+50
CABIN RUN RD			NC CABIN RUN RD
(T656)	0040/0000	S	0040/0000 LENGTH(AH 2746 BK 3153)
			036"H 56"W ELLIP METAL
			0030/3125 LEN=0055 INSTALLED UNKN
			014"H 20"W ELLIP METAL
			0030/1895 LEN=0030 INSTALLED UNKN
			015"H 21"W ELLIP METAL
			0030/1678 LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
			0030/0730 LEN=0035 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0030/0650 LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
			0030/0335 LEN=0030 INSTALLED UNKN
	004985 FT		004985 FT 2 0 19104 0 00 0050+03
		S	0030/0000 LENGTH(AH 3153 BK 2163)
			014"H 22"W ELLIP METAL
			0020/0835 LEN=0030 INSTALLED UNKN
			019"H 15"W ELLIP METAL
			0020/0635 LEN=0030 INSTALLED UNKN
2 0 19104 0 00 0028+45	002822 FT		002822 FT NORTH CENTRE
DIETTERICH RD			ORANGE T
(T560)	0020/0000	S	0020/0000 LENGTH(AH 2163 BK 2822)
			018 "DIA CIRC CONCR
			0010/2822 LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
			0010/2522 LEN=0040 INSTALLED 2015
			DIETTERICK HILL RD
			0010/2062 (T560)
	000000 FT		000000 FT 2 0 19104 0 00 0000+00
			NC ECKROTE RD
			DRAKETOWN RD
			(SR1013 SEG 0050/0000)
			MFC BEGIN = E
		S	0010/0000 LENGTH(AH 2822 BK 0000)

DIR: B TOTAL LEN: 5.411 MI. DIST: 03-1 SR: 1008
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

	028570 FT		028570 FT
			INTER-AHD FOWLERSVILLE ET RD
			(T481)
GOLF COURSE RD			GOLF COURSE RD
(SR1037 SEG 0010/0000)	0120/1559		0120/1559 (SR1015 SEG 0030/3673)
			018 "DIA CIR PLASTIC
			0120/0743 LEN=0040 INSTALLED 2006
			018 "DIA CIR PLASTIC
			0120/0045 LEN=0035 INSTALLED 1997
2 0 19034 1 00 0269+63	027011 FT		027011 FT
THOMAS DR			
(T652)	0120/0000		5 0120/0000 LENGTH(AH 1559 BK 1958)
			0110/1935 BMSEN 19/1008/0110/1899
			2 0 19034 0 00 0268+98
			N.BR.BRIAR C
			0110/1899 BMSBG 19/1008/0110/1899
			018 "DIA CIR PLASTIC
			0110/1808 LEN=0040 INSTALLED 2006
			021"H 15"W METAL ARCH
			0110/1520 LEN=0040 INSTALLED 2007
			018 "DIA CIR PLASTIC
			0110/0032 LEN=0045 INSTALLED UNKN
2 0 19034 0 00 0250+13	025053 FT		025053 FT ADAMS RD
MILLER RD			(T651)
(T650)	0110/0000		5 0110/0000 LENGTH(AH 1958 BK 2419)
			018 "DIA CIR PLASTIC
			0100/1022 LEN=0040 INSTALLED 2006
			024 "DIA CIR PLASTIC
			0100/0833 LEN=0040 INSTALLED 2006
			053"H 83"W ELLIP METAL
			0100/0122 LEN=0040 INSTALLED 1996
2 0 19034 0 00 0226+41	022634 FT		022634 FT
SHELHAMER RD			
(T510)	0100/0000		5 0100/0000 LENGTH(AH 2419 BK 2825)
			SCHOOL HOUSE RD
			0090/2477 (SR1003 SEG 0050/3358)
			015 "DIA CIRC METAL

DIR: B TOTAL LEN: 5.411 MI. DIST: 03-1 SR: 1008
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

			0090/2211	LEN=0035 INSTALLED UNKN
				018 "DIA CIRC METAL
			0090/1256	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC METAL
			0090/0725	LEN=0035 INSTALLED UNKN
				030 "DIA CIRC METAL
			0090/0390	LEN=0035 INSTALLED UNKN
	019809 FT		019809 FT	2 0 19034 0 00 0197+63
				MOORE RD
				(T648)
		==	S 0090/0000	LENGTH(AH 2825 BK 2113)
				018 "DIA CIRC METAL
			0080/1765	LEN=0035 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0080/1507	LEN=0035 INSTALLED 2006
				030 "DIA CIRC METAL
			0080/0391	LEN=0035 INSTALLED UNKN
				018 "DIA CIRC METAL
			0080/0021	LEN=0065 INSTALLED UNKN
2 0 19034 0 00 0176+51	017696 FT		017696 FT	
CABIN RUN RD				
(T656)	0080/0000	==	S 0080/0000	LENGTH(AH 2113 BK 1679)
				060 "DIA CIR PLASTIC
			0070/1265	LEN=0040 INSTALLED 2006
				018 "DIA CIR PLASTIC
			0070/0393	LEN=0060 INSTALLED 2006
				018 "DIA CIR PLASTIC
			0070/0015	LEN=0050 INSTALLED UNKN
	016017 FT		016017 FT	2 0 19034 0 00 0159+77
				HARRIS RD
				(T558)
		==	S 0070/0000	LENGTH(AH 1679 BK 3493)
				018 "DIA CIR PLASTIC
			0060/3424	LEN=0058 INSTALLED 2006
				018 "DIA CIR PLASTIC
			0060/3086	LEN=0040 INSTALLED 2006
				015 "DIA CIRC METAL
			0060/2620	LEN=0030 INSTALLED UNKN
				021"H 15"W METAL ARCH
			0060/2343	LEN=0035 INSTALLED 2005
				018 "DIA CIR PLASTIC
			0060/1563	LEN=0045 INSTALLED 2006
				036 "DIA CIR PLASTIC
			0060/1006	LEN=0041 INSTALLED 2006

DIR: B TOTAL LEN: 5.411 MI. DIST: 03-1 SR: 1008
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

				024 "DIA CIR PLASTIC
			0060/0200	LEN=0035 INSTALLED 2006
	012524 FT		012524 FT	2 0 19034 0 00 0124+90
			S 0060/0000	LENGTH(AH 3493 BK 2769)
				036 "DIA CIRC CONCR
			0050/2330	LEN=0050 INSTALLED UNKN
				HIDLAY CHURCH RD
			0050/1236	(SR1005 SEG 0060/2419)
DIETTERICK HILL RD (T566)	0050/1135			
				024 "DIA CIRC METAL
			0050/1119	LEN=0035 INSTALLED UNKN
				018 "DIA CIRC METAL
			0050/0018	LEN=0050 INSTALLED UNKN
2 0 19034 0 00 0097+26	009755 FT		009755 FT	
SPONEBERG HILL RD (T564)	0050/0000		S 0050/0000	LENGTH(AH 2769 BK 2232)
				018 "DIA CIRC CONCR
			0040/2200	LEN=0050 INSTALLED UNKN
				048 "DIA CIRC CONCR
			0040/1719	LEN=0055 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0040/1448	LEN=0036 INSTALLED 2006
				018 "DIA CIRC METAL
			0040/0225	LEN=0035 INSTALLED UNKN
	007523 FT		007523 FT	2 0 19034 0 00 0074+75
			S 0040/0000	LENGTH(AH 2232 BK 2960)
				015 "DIA CIRC METAL
			0030/2585	LEN=0030 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0030/2175	LEN=0030 INSTALLED UNKN
	004563 FT		004563 FT	2 0 19034 0 00 0044+90
				NORTH CENTRE
				SCOTT T
			S 0030/0000	LENGTH(AH 2960 BK 1865)
				024 "DIA CIRC METAL

DIR: B TOTAL LEN: 5.411 MI. DIST: 03-1 SR: 1008
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

			0020/1529 LEN=0050 INSTALLED UNKN 018 "DIA CIRC METAL
			0020/1197 LEN=0040 INSTALLED UNKN
BRENTWOOD CR (T411)	0020/0446		
			048 "DIA CIR PLASTIC
			0020/0407 LEN=0060 INSTALLED 2006 SUNDALE DR
			0020/0371 (T700)
	002698 FT		002698 FT 2 0 19034 0 00 0026+10 TERRACE DR (T702)
			S 0020/0000 LENGTH(AH 1865 BK 2698) 018 "DIA CIRC METAL
			0010/2411 LEN=0045 INSTALLED UNKN PLEASANTVIEW DR
			0010/2276 (T704)
DRAKETOWN RD (SR1013 SEG 0010/0000)	0010/1811		
			048 "DIA CIR PLASTIC
			0010/1105 LEN=0041 INSTALLED 2006 018 "DIA CIRC METAL
			0010/0960 LEN=0030 INSTALLED UNKN 018 "DIA CIR PLASTIC
			0010/0770 LEN=0035 INSTALLED 2005 018 "DIA CIR PLASTIC
			0010/0650 LEN=0040 INSTALLED 2005 FROM 0487/0340 SH
			0010/0471 (CONN)
			048 "DIA CIRC METAL
			0010/0460 LEN=0100 INSTALLED UNKN NC FOWLERSVILLE RD SR 0487 SH
			(SR0487 SEG 0340/2027)
			0010/0387
			LEVI ST
			0010/0227 (TWP)
			015"H 21"W ELLIP METAL
			0010/0025 LEN=0040 INSTALLED UNKN
	000000 FT		000000 FT 2 0 19034 0 00 0000+00 VILLAGE: LIGHT STREET
			NC EASY ST MAIN ST (T514)
			INTER-BK EASY ST (TWP)
MAIN ST (SR4008 SEG 0080/1300)	0010/0000		MFC BEGIN = D
			S 0010/0000 LENGTH(AH 2698 BK 0000)

DIR: B TOTAL LEN: 1.749 MI. DIST: 03-1 SR: 1007
LEFT MUN: ORANGE T RIGHT MUN: ORANGE T

SR 0487 SH 009236 FT
(SR0487 SEG 0420/0960) 0050/0368

2 0 19033 4 00 0085+26 008868 FT
MEGARGELL RD
(T523) 0050/0000



009236 FT SR 0487 SH
0050/0368 (SR0487 SEG 0420/0960)
018 "DIA CIRC METAL
0050/0278 LEN=0040 INSTALLED UNKN
008868 FT
0050/0000 LENGTH(AH 0368 BK 1265)
MEGARGELL RD
0040/1224 (T523)

DIR: B TOTAL LEN: 1.749 MI. DIST: 03-1 SR: 1007
LEFT MUN: ORANGE T RIGHT MUN: ORANGE T

			013"H 22"W ELLIP METAL
		0040/0022	LEN=0030 INSTALLED UNKN
	007603 FT	007603 FT	2 0 19033 0 00 0072+64
			BUCK RD
			(T521)
		S 0040/0000	LENGTH(AH 1265 BK 3491)
			072 "DIA CIRC METAL
		0030/3278	LEN=0040 INSTALLED UNKN
	004112 FT	004112 FT	2 0 19033 0 00 0037+68
		S 0030/0000	LENGTH(AH 3491 BK 3762)
			038"H 60"W ELLIP CONC
		0020/3745	LEN=0040 INSTALLED 1998
			018 "DIA CIRC METAL
		0020/3297	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC METAL
		0020/2811	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/2266	LEN=0045 INSTALLED UNKN
		0020/1397	BMSEN 19/1007/0020/1368
			0 0 00000 0 00 0000+00
			STONEY BRK
		0020/1368	BMSBG 19/1007/0020/1368
			030 "DIA CIRC CONCR
		0020/1286	LEN=0052 INSTALLED UNKN
			015 "DIA CIRC METAL
		0020/0740	LEN=0030 INSTALLED UNKN
			LEE RD
		0020/0659	(T490)
			018 "DIA CIRC CONCR
		0020/0034	LEN=0055 INSTALLED UNKN
	000350 FT	000350 FT	2 0 19033 0 00 0000+00
		S 0020/0000	LENGTH(AH 3762 BK 0350)
			NC STONY BROOK RD
			SR 0487 SH
2 0 19033 1 00 0000+00	000000 FT	000000 FT	(SR0487 SEG 0370/0000)
SR 0487 SH			MFC BEGIN = E
(SR0487 SEG 0370/0000)	0010/0000	S 0010/0000	LENGTH(AH 0350 BK 0000)

DIR: B TOTAL LEN: 2.798 MI. DIST: 03-1 SR: 1006
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

HIDLAY CHURCH RD (SR1005 SEG 0040/1246)	014772 FT 0060/2266		014772 FT HIDLAY CHURCH RD 0060/2266 (SR1005 SEG 0040/1246) 018 "DIA CIR PLASTIC 0060/2171 LEN=0047 INSTALLED 2011
	012506 FT		024 "DIA CIRC CONCR 0060/0100 LEN=0050 INSTALLED UNKN 012506 FT 2 0 19102 0 00 0030+16 S 0060/0000 LENGTH(AH 2266 BK 3011) NORTH CENTRE 0050/2918 SOUTH CENTRE T 030 "DIA CIRC CONCR 0050/2847 LEN=0045 INSTALLED UNKN 015"H 21"W ELLIP METAL 0050/2251 LEN=0030 INSTALLED UNKN
NORTH CENTRE SCOTT T	009495 FT 0040/0622		024 "DIA CIR PLASTIC 0050/0208 LEN=0050 INSTALLED UNKN 009495 FT 2 0 19102 0 00 0000+00 S 0050/0000 LENGTH(AH 3011 BK 1189) SOUTH CENTRE 0040/0622 SCOTT T 018 "DIA CIRC CONCR 0040/0030 LEN=0055 INSTALLED UNKN 008306 FT 2 0 19113 0 00 0000+00
CARLSON RD (T494)	008306 FT 0040/0000		NC HORSE FARM RD SHAFFER RD (SR1001 SEG 0040/1559) S 0040/0000 LENGTH(AH 1189 BK 2326)

DIR: B TOTAL LEN: 2.798 MI. DIST: 03-1 SR: 1006
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

			018 "DIA CIR PLASTIC
		0030/1750	LEN=0030 INSTALLED 2005
			018 "DIA CIRC METAL
		0030/1344	LEN=0030 INSTALLED 1998
	005980 FT	005980 FT	2 0 19091 0 00 0120+29
		S 0030/0000	LENGTH(AH 2326 BK 2854)
			018 "DIA CIRC METAL
		0020/1754	LEN=0075 INSTALLED UNKN
BEILYS RD (T492)	0020/1098		
			018 "DIA CIRC CONCR
		0020/0890	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0263	LEN=0030 INSTALLED UNKN
			060 "DIA CIRC CONCR
		0020/0010	LEN=0075 INSTALLED UNKN
	003126 FT	003126 FT	2 0 19091 0 00 0148+75
		S 0020/0000	LENGTH(AH 2854 BK 3126)
			030 "DIA CIRC CONCR
		0010/2345	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1945	LEN=0045 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0010/1542	LEN=0060 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0010/0847	LEN=0075 INSTALLED 2002
			024 "DIA CIRC METAL
		0010/0521	LEN=0036 INSTALLED UNKN
			LEE ST
		0010/0453	(T512)
			072 "DIA CIRC METAL
		0010/0132	LEN=0150 INSTALLED UNKN
	000000 FT	000000 FT	2 0 19091 0 00 0179+93
		NC SAWMILL RD	
			SR 0487 SH
			(SR0487 SEG 0330/0000)
		INTER-BK	MAIN ST
			(T514)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 3126 BK 0000)

DIR: B TOTAL LEN: 2.565 MI. DIST: 03-1 SR: 1005
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

	013544 FT	013544 FT	FOWLERSVILLE RD
		0060/2419	(SR1008 SEG 0050/1236)
			ALEXIS DR
		0060/0786	(T464)
	011125 FT	011125 FT	2 0 19101 0 01 0147+08
		0060/0000	LENGTH(AH 2419 BK 2130)
		0050/1825	BMSEN 19/1005/0050/1806
			2 0 19101 0 01 0143+80
			W.BR.BRIAR C
		0050/1806	BMSBG 19/1005/0050/1806
			015"H 21"W ELLIP METAL
		0050/1247	LEN=0036 INSTALLED UNKN
			015"H 21"W ELLIP METAL
		0050/0014	LEN=0060 INSTALLED UNKN
	008995 FT	008995 FT	2 0 19101 0 01 0125+75
			RIDGE RD
			(T481)
		0050/0000	LENGTH(AH 2130 BK 2025)
			015"H 21"W ELLIP METAL
		0040/2000	LEN=0050 INSTALLED UNKN
			024"H 15"W PIPE ARCH *
		0040/1575	LEN=0062 INSTALLED 2001
			024 "DIA CIR PLASTIC
		0040/1276	LEN=0035 INSTALLED 1997
HORSE FARM RD (SR1006 SEG 0060/2266)	0040/1246		
			024 "DIA CIR PLASTIC
		0040/1185	LEN=0045 INSTALLED 1997
			018 "DIA CIRC METAL
		0040/0600	LEN=0033 INSTALLED UNKN
	006970 FT	006970 FT	2 0 19101 0 01 0105+57
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 2.565 MI. DIST: 03-1 SR: 1005
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

			LEN=0070 INSTALLED 2001
		5 0040/0000	LENGTH(AH 2025 BK 2574)
HESS RD			
(T479)	0030/1851		
NORTH CENTRE			
SOUTH CENTRE T	0030/1604		
			018 "DIA CIRC METAL
		0030/1498	LEN=0040 INSTALLED UNKN
			015"H 21"W METAL ARCH
		0030/1348	LEN=0040 INSTALLED 2001
			018 "DIA CIRC METAL
		0030/0651	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/0330	LEN=0045 INSTALLED UNKN
			036 "DIA CIRC METAL
		0030/0082	LEN=0035 INSTALLED UNKN
2 0 19101 0 01 0079+92	004396 FT		004396 FT
SOUTH CENTRE			
NORTH CENTRE T	0030/0000	5 0030/0000	LENGTH(AH 2574 BK 2701)
			MCDOWELL HILL RD
		0020/2278	(T556)
			018 "DIA CIRC CONCR
		0020/1245	LEN=0030 INSTALLED UNKN
	001695 FT	001695 FT	2 0 19101 0 00 0016+90
			NORTH CENTRE
			SOUTH CENTRE T
		5 0020/0000	LENGTH(AH 2701 BK 1695)
			SHORT RD
		0010/1434	(T479)
			018 "DIA CIRC CONCR
		0010/0941	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0526	LEN=0030 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0010/0130	LEN=0030 INSTALLED UNKN
			036 "DIA CIRC METAL
		0010/0030	LEN=0125 INSTALLED UNKN
	000000 FT	000000 FT	2 0 19101 0 00 0000+00
		NC HIDLAY CHURCH RD	
			SR 1003 SH
			(SR1003 SEG 0020/1325)
			MFC BEGIN = E
		5 0010/0000	LENGTH(AH 1695 BK 0000)

DIR: B TOTAL LEN: 7.627 MI. DIST: 03-1 SR: 1004
LEFT MUN: SOUTH CENTRE T RIGHT MUN: SOUTH CENTRE T

```
040269 FT                    040269 FT
                             INTER-AHD OLD BERWICK RD
                                       (T803)
                                       SR 2028 SH
                             0162/0265 (SR2028 SEG 0012/0000)
                                       018 "DIA CIRC CONCR
                             0162/0175 LEN=0040 INSTALLED UNKN
                             0162/0147 MFC BEGIN = C
040004 FT                    040004 FT 0 0 00000 0 00 0000+00
                           S 0162/0000 LENGTH(AH 0265 BK 2478)
                                       018 "DIA CIRC METAL
                             0160/2180 LEN=0030 INSTALLED UNKN
                                       015 "DIA CAST IRON
                             0160/1923 LEN=0040 INSTALLED UNKN

                                       015 "DIA CAST IRON
                             0160/0927 LEN=0030 INSTALLED UNKN

                                       015 "DIA CAST IRON
                             0160/0152 LEN=0050 INSTALLED UNKN
037526 FT                    037526 FT 2 0 19117 0 00 0375+59
                           S 0160/0000 LENGTH(AH 2478 BK 2869)
                                       018 "DIA CIRC CONCR
                             0150/2695 LEN=0040 INSTALLED 2005

                                       015 "DIA CAST IRON
                             0150/2001 LEN=0030 INSTALLED UNKN
                                       012 "DIA CAST IRON
                             0150/1479 LEN=0030 INSTALLED UNKN
NAUS WAY DR
(T458)
 0150/1063

                                       012 "DIA CAST IRON
                             0150/0701 LEN=0040 INSTALLED UNKN
                                       I 80 WB
                             0150/0398 OP ID 19/0080/2411/0687
                                       024 "DIA CIRC CONCR
                             0150/0385 LEN=0040 INSTALLED UNKN
                                       SR 80 EBL
                             0150/0313 OP ID 19/0080/2410/0630
                                       012 "DIA CAST IRON
                             0150/0036 LEN=0040 INSTALLED UNKN
034657 FT                    034657 FT 2 0 19117 0 00 0346+22
                                       (APRA) PLEASANT VIEW ES
```

DIR: B TOTAL LEN: 7.627 MI. DIST: 03-1 SR: 1004
LEFT MUN: SOUTH CENTRE T RIGHT MUN: SOUTH CENTRE T

LEFT				RIGHT	
FORT JENKINS LN (T644)	0150/0000	==			NC OLD BERWICK RD
				S 0150/0000	LENGTH(AH 2869 BK 3225)
					015 "DIA CAST IRON
				0140/3049	LEN=0035 INSTALLED UNKN
					015 "DIA CIR PLASTIC
				0140/2692	LEN=0020 INSTALLED 2005
SUSQUEHANNA DR (TWP)	0140/2388	==			
					COLUMBIA PARK LN
			==	0140/1530	(TWP)
LINCOLN DR (T640)	0140/1250	==			
					040"H 60"W CONCR ARCH
				0140/1006	LEN=0040 INSTALLED UNKN
					MAIN ST
		==	==	0140/0676	(T642)
CHESTNUT ST (T636)	0140/0341	==			
	031432 FT			031432 FT	2 0 19117 0 00 0313+90
					MILL ST
					(T638)
			==	S 0140/0000	LENGTH(AH 3225 BK 3311)
					HUGHES ST
			==	0130/2834	(T649)
					LOW ST
		==	==	0130/2193	(T508)
					OAK ST
			==	0130/1777	(T647)
					JOE'S LN
			==	0130/1336	(TWP)
					015 "DIA CIRC CONCR
				0130/0734	LEN=0035 INSTALLED UNKN
	028121 FT			028121 FT	2 0 19117 0 00 0280+88
					VILLAGE: LIME RIDGE
KEEFERS LN (T506)	0130/0000	==			NC FOURTH ST
				S 0130/0000	LENGTH(AH 3311 BK 2114)
					018 "DIA CAST IRON
				0120/0655	LEN=0040 INSTALLED UNKN
	026007 FT			026007 FT	2 0 19117 0 00 0259+74
				S 0120/0000	LENGTH(AH 2114 BK 2775)

DIR: B TOTAL LEN: 7.627 MI. DIST: 03-1 SR: 1004
LEFT MUN: SOUTH CENTRE T RIGHT MUN: SOUTH CENTRE T

```
                                                                  015 "DIA CIRC CONCR
                                                   ----   0110/0635 LEN=0050 INSTALLED UNKN
2 0 19117 0 00 0232+11 023232 FT                          023232 FT
MCGUIRE DR
(T498)                 0110/0000   ==              [S] 0110/0000 LENGTH(AH 2775 BK 3241)
                                                                  048"H 72"W ELLIP METAL
                                                   ----   0100/2853 LEN=0050 INSTALLED UNKN
DONNELLEY LN
(TWP )                 0100/2537   ==
                                                                  MARTZ LN
                                               ==          0100/2094 (T502)
                                                                  RIVER LN
                                               ==          0100/1894 (TWP )
                                                                  RADIUM LN
                                               ==          0100/1341 (TWP )

                                                                  MAPLE ST
                                               ==          0100/0390 (TWP )
                                                                  015 "DIA CIRC CONCR
                                                   ----   0100/0231 LEN=0030 INSTALLED UNKN
                                                                  CANAL ST
                                               ==          0100/0206 (TWP )
2 0 19117 0 00 0199+45 019991 FT                          019991 FT
VAN DINE ST
(T510)                 0100/0000   ==              [S] 0100/0000 LENGTH(AH 3241 BK 2254)
                                                                  SUSAN LN
                                               ==          0090/2004 (TWP )
BISSET LN                                                         SOUTH CENTRE
(T504)                 0090/1727   ==          ----    0090/1727 SCOTT T

                                                                  HOPPER LN
                                               ==          0090/0320 (TWP )
                                                                  015 "DIA CIRC METAL
                                                   ----   0090/0042 LEN=0035 INSTALLED UNKN
2 0 19117 0 00 0176+04 017737 FT                          017737 FT
RIDGE ST
(T496)                 0090/0000   ==              [S] 0090/0000 LENGTH(AH 2254 BK 1919)
                                                                  015 "DIA CIRC CONCR
                                                   ----   0080/1612 LEN=0030 INSTALLED UNKN
                                                                  012 "DIA CIRC CONCR
                                                   ----   0080/1183 LEN=0030 INSTALLED UNKN
CHURCH ST
```

DIR: B TOTAL LEN: 7.627 MI. DIST: 03-1 SR: 1004
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

```
(T457)                    0080/1160     ==|  |
                                            |  |                 015 "DIA CIRC CONCR
                                            |  |     0080/0526 LEN=0030 INSTALLED UNKN
2 0 19117 0 00 0157+20 015818 FT            |  |     015818 FT
CENTRAL AV
(T406)                    0080/0000     ==|  |   S 0080/0000 LENGTH(AH 1919 BK 2213)
                                            |  |                 012 "DIA CIRC METAL
                                            |  |     0070/1421 LEN=0040 INSTALLED UNKN

                                            |  |                 015 "DIA CAST IRON
                                            |  |     0070/0510 LEN=0040 INSTALLED UNKN
2 0 19117 0 00 0135+85 013605 FT            |  |     013605 FT
EDGAR AV
(T502)                    0070/0000     ==|  |   S 0070/0000 LENGTH(AH 2213 BK 3288)
                                            |  |                 T.SUSQ.RIVER
                                            |  |                 STRUCTURE LENGTH  16 FT
                                            |  |     0060/3094 BMSID 19/1004/0060/3094
SNYDER AV
(TWP )                    0060/2499     ==|  |
                                            |  |                 018 "DIA CAST IRON
                                            |  |     0060/2280 LEN=0040 INSTALLED 2007
                                            |  |                 018 "DIA CIR PLASTIC
                                            |  |     0060/1978 LEN=0045 INSTALLED 2007
                                            |  |                 TENNY ST
                                            |==|==   0060/1531 (T484)
                                            |  |                 018 "DIA CIRC METAL
                                            |  |     0060/1497 LEN=0030 INSTALLED UNKN
                                            |  |                 ERMA AV
                                            |==|==   0060/1077 (TWP )
                                            |  |                 CENTRAL RD
                                            |  |==   0060/0621 (T500)
CENTRAL RD
(T500)                    0060/0564     ==|  |
                                            |  |                 BONNIE AV
                                            |==|==   0060/0274 (TWP )
                          010317 FT         |  |     010317 FT 2 0 19117 0 00 0102+95
                                            |  |                 WORMAN ST
                                            |  |                 (T482)
                                            |==|==   0060/0000 LENGTH(AH 3288 BK 3206)
                                            |  |                 015 "DIA CIRC CONCR
                                            |  |     0050/3195 LEN=0030 INSTALLED UNKN
CLARK AV
(TWP )                    0050/2912     ==|  |
                                            |  |                 MAYNARD AV
                                            |  |==   0050/2781 (TWP )
MADRID AV                                   |  |                 WALTER AV
(TWP )                    0050/2460     ==|  |==   0050/2460 (TWP )
```

DIR: B TOTAL LEN: 7.627 MI. DIST: 03-1 SR: 1004
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

			015 "DIA CIRC CONCR
		0050/0025	LEN=0030 INSTALLED UNKN
2 0 19117 0 00 0070+40 007111 FT		007111 FT	
FOREST RD			
(T414)	0050/0000	0050/0000	LENGTH(AH 3206 BK 1806)
SHERWOOD DR			
(T412)	0040/1524		
			YOCUM DR
		0040/1485	(TWP)
			015 "DIA CIR PLASTIC
		0040/1274	LEN=0040 INSTALLED UNKN
KNIGHTS DR			
(T410)	0040/1125		
			YOCUM DR
		0040/1032	(TWP)
			018 "DIA CIRC METAL
		0040/0374	LEN=0095 INSTALLED UNKN
2 0 19117 0 00 0052+74 005305 FT		005305 FT	
JUNIPER ST			
(T452)	0040/0000	0040/0000	LENGTH(AH 1806 BK 2194)
BRIDGE ST			
(T450)	0030/1577		
			SCOTT
		0030/1394	BLOOMSBURG TO
			018 "DIA CIRC METAL
		0030/0480	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/0335	LEN=0030 INSTALLED UNKN
WALNUT ST			
(TWP)	0030/0283		
			INDUSTRIAL DR
		0030/0061	(TOWN)
		0030/0017	BMSEN 19/1004/0030/0000
	003111 FT	003111 FT	2 0 19117 0 00 0031+08
			NEALS RUN
			BMSBG 19/1004/0030/0000
		0030/0000	LENGTH(AH 2194 BK 1628)
MAPLE ST			
(TOWN)	0020/1422		

DIR: B TOTAL LEN: 7.627 MI. DIST: 03-1 SR: 1004
LEFT MUN: BLOOMSBURG TO RIGHT MUN: BLOOMSBURG TO

LEFT		RIGHT	
		0020/1417	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
		0020/1273	PATTERSON DR (TOWN)
		0020/1054	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
		0020/0793	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
OAK ST (TOWN)	0020/0787		
		0020/0560	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN NAYLOR AV (TOWN)
REAR OF OAK ST (TOWN)	0020/0560		
EIGHTH ST ET (TOWN)	0020/0459		
		0020/0392	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
PARK ST (TOWN)	0020/0362		
		0020/0210	EIGHTH ST (TOWN)
TOWN AL (TOWN)	0020/0171		
2 0 19117 0 00 0014+83 001483 FT		001483 FT	
LOCUST ST (TOWN)	0020/0000	S 0020/0000	LENGTH(AH 1628 BK 1483)
		0010/1475	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
SPRUCE ST (TOWN)	0010/0996		
		0010/0942	013"H 22"W ELLIP CONC LEN=0030 INSTALLED UNKN
		0010/0886	015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
SEVENTH ST (TOWN)	0010/0464		
			NC OLD BERWICK RD
		0010/0447	CHERRY ST (TOWN)
		0010/0222	THORTON AV (TOWN)
	000000 FT	000000 FT	2 0 19117 0 00 0000+00
			NC SEVENTH ST
			POPLAR ST (SR0487 SEG 0260/0000)
		INTER-BK	SEVENTH ST (TOWN)
EAST ST (SR0487 SEG 0260/0000)	0010/0000	S 0010/0000	MFC BEGIN = D LENGTH(AH 1483 BK 0000)

DIR: B TOTAL LEN: 2.621 MI. DIST: 03-1 SR: 1003
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

	013839 FT		013839 FT FOWLERSVILLE RD
			0050/3358 (SR1008 SEG 0090/2477)
			0050/1450 BMSEN 19/1003/0050/1403
			2 0 19037 0 01 0132+00
			WEST BRANCH BRIAR CREEK
			0050/1403 BMSBG 19/1003/0050/1403
			018 "DIA CIR PLASTIC
			0050/0738 LEN=0030 INSTALLED 2012
			024"H 42"W ELLIP METAL
			0050/0533 LEN=0048 INSTALLED UNKN
	010481 FT		010481 FT 2 0 19037 0 01 0132+00
RIDGE RD			(APRA) BROOKSIDE VILLAG
(T481)	0050/0000	POI	5 0050/0000 LENGTH(AH 3358 BK 2467)
			030 "DIA CIRC METAL
			0040/2421 LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
			0040/2100 LEN=0050 INSTALLED UNKN
			RIDGE RD
			0040/2065 (T481)
	008014 FT		008014 FT 2 0 19037 0 01 0107+30
			NC SCHOOL HOUSE RD
			SHAFFERS HOLLOW RD
			(T644)
			NORTH CENTRE
			SOUTH CENTRE T
			5 0040/0000 LENGTH(AH 2467 BK 3121)
			024 "DIA CIR PLASTIC
			0030/3043 LEN=0050 INSTALLED 2016
			024 "DIA CIRC METAL
			0030/1164 LEN=0035 INSTALLED UNKN
			030 "DIA CIR PLASTIC
			0030/0455 LEN=0040 INSTALLED 2016
SHORT RD			

DIR: B TOTAL LEN: 2.621 MI. DIST: 03-1 SR: 1003
LEFT MUN: NORTH CENTRE T RIGHT MUN: SOUTH CENTRE T

(T478)	0030/0359		
NORTH CENTRE			
SOUTH CENTRE T	0030/0332		
			018 "DIA CIRC METAL
		0030/0309	LEN=0045 INSTALLED UNKN
	004893 FT	004893 FT	2 0 19037 0 01 0076+39
		S 0030/0000	LENGTH(AH 3121 BK 1912)
			018 "DIA CIRC CONCR
		0020/1405	LEN=0032 INSTALLED UNKN
HIDLAY CHURCH RD			
(SR1005 SEG 0010/0000)	0020/1325		
			018 "DIA CIRC CONCR
		0020/1189	LEN=0028 INSTALLED UNKN
			S.R.0080 WBL
		0020/1147	OP ID 19/0080/2395/0917
			SR 0080 EBL
		0020/1000	OP ID 19/0080/2394/0848
			036 "DIA CIRC CONCR
		0020/0792	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/0419	LEN=0032 INSTALLED UNKN
			060 "DIA CIRC CONCR
		0020/0049	LEN=0120 INSTALLED UNKN
	002981 FT	002981 FT	2 0 19037 0 00 0055+48
WOLF HOLLOW RD			NC LOW ST
(T461)	0020/0000	S 0020/0000	LENGTH(AH 1912 BK 2981)
			024 "DIA CAST IRON
		0010/2170	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/1797	LEN=0045 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0010/1642	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/1310	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/0988	LEN=0040 INSTALLED UNKN
			036 "DIA CAST IRON
		0010/0055	LEN=0082 INSTALLED UNKN
	000000 FT	000000 FT	2 0 19037 0 00 0025+72
			NC LOWS RD
			COLUMBIA BLVD
			(SR0011 SEG 0270/2175)
		INTER-BK	LOW ST
			(T508)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 2981 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 03-1 SR: 1002
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

000000 FT
000000 FT

000000 FT
7014/0000 LENGTH(AH 0207 BK 1704)
000000 FT
7010/0000 LENGTH(AH 1704 BK 0000)

DIR: B TOTAL LEN: 1.494 MI. DIST: 03-1 SR: 1001
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

	007886 FT	007886 FT	
		INTER-AHD	CARLSON RD
			(T494)
SAWMILL RD			HORSE FARM RD
(SR1006 SEG 0040/0000)	0040/1559	0040/1559	(SR1006 SEG 0040/0000)
			018 "DIA CIRC CONCR
		0040/0947	LEN=0030 INSTALLED UNKN
			S.R.0080 WBL
		0040/0912	OP ID 19/0080/2371/2128
			018 "DIA CIRC CONCR
		0040/0787	LEN=0030 INSTALLED UNKN
			S.R.0080 EBL
		0040/0751	OP ID 19/0080/2370/2133
	006327 FT	006327 FT	2 0 19091 0 00 0081+72
		0040/0000	LENGTH(AH 1559 BK 2167)
			018 "DIA CIRC CONCR
		0030/2120	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 1.494 MI. DIST: 03-1 SR: 1001
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

```
                                                 0030/1878 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0030/1655 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0030/1334 LEN=0045 INSTALLED UNKN
                                                           024 "DIA CIR PLASTIC
                                                 0030/0753 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0030/0356 LEN=0040 INSTALLED 1999
                                                           018 "DIA CIR PLASTIC
                                                 0030/0018 LEN=0035 INSTALLED UNKN
                  004160 FT                      004160 FT 2 0 19091 0 00 0060+04
                                                S0030/0000 LENGTH(AH 2167 BK 2662)
                                                           018 "DIA CIR PLASTIC
                                                 0020/2466 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/2023 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0020/1838 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/1465 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0020/1175 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0020/0877 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0020/0590 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0020/0348 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/0099 LEN=0035 INSTALLED UNKN
                                                 0020/0012 BMSEN 19/1001/0020/0000
                  001498 FT                      001498 FT 2 0 19091 0 00 0033+41
                                                           T.SUSQ.RIVER
                                                           BMSBG 19/1001/0020/0000
                                                S0020/0000 LENGTH(AH 2662 BK 1498)

NEUFER HILL RD
(T493)            0010/0798
                                                           015"H 21"W ELLIP METAL
                                                 0010/0542 LEN=0030 INSTALLED UNKN
                  000000 FT                      000000 FT 2 0 19091 0 00 0018+22
                                                       NC SHAFFER RD
                                                           COLUMBIA BLVD
                                                           (SR0011 SEG 0210/1546)

                                                 INTER-BK  EDGAR AV
                                                           (T502)
                                                           MFC BEGIN = E
                                                S0010/0000 LENGTH(AH 1498 BK 0000)
```

DIR: B TOTAL LEN: 1.281 MI. DIST: 03-1 SR: 642
LEFT MUN: MADISON T RIGHT MUN: MADISON T

BUCKHORN RD	006762 FT	006762 FT	BUCKHORN RD
(SR0044 SEG 0170/0000)	0030/0867	0030/0867	(SR0044 SEG 0170/0000)
			FOR SR 0044 AND 0642
		0030/0773	(CONN)
	005895 FT	005895 FT	1 0 00505 0 00 0058+84
		0030/0000	LENGTH(AH 0867 BK 3356)
			036 "DIA CIRC CONCR
		0020/3321	LEN=0050 INSTALLED UNKN
GILPEN LN			
(T390)			
WOODSIDE DR			
(T535)	0020/3258		
			024 "DIA CIRC CONCR
		0020/2915	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/2341	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1952	LEN=0062 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0020/1771	LEN=0055 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0020/1201	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0777	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0429	LEN=0048 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0020/0032	LEN=0060 INSTALLED UNKN
	002539 FT	002539 FT	1 0 00505 0 00 0025+34
		0020/0000	LENGTH(AH 3356 BK 2539)
			018 "DIA CIRC CONCR
		0010/2218	LEN=0048 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0010/1728	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0214	LEN=0040 INSTALLED UNKN
	000000 FT	000000 FT	1 0 00505 0 00 0000+00
			NC DANVILLE RD
		REF-BK	DANVILLE RD
			(SR0642 SEG 0290/3203)
			MFC BEGIN = D
			BK-MONTOUR (47)
		0010/0000	LENGTH(AH 2539 BK 0000)

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

	184458 FT	184459 FT	AH-LUZERNE (40)
SR 0118 SH			SR 0118 SH
(SR0118 SEG 0140/0000)	0790/0605	0790/0605	(SR0118 SEG 0140/0000)
			018 "DIA CAST IRON
		0790/0224	LEN=0070 INSTALLED UNKN
	183853 FT	183854 FT	1 0 00504 0 00 0220+50
		S 0790/0000	LENGTH(AH 0605 BK 3037)
			018 "DIA CAST IRON
		0780/2862	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0780/2554	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0780/2267	LEN=0045 INSTALLED UNKN
			COLES CR
			STRUCTURE LENGTH 12 FT
		0780/1422	BMSID 19/0487/0780/1422
			015 "DIA CAST IRON
		0780/1205	LEN=0040 INSTALLED UNKN
			015 "DIA CAST IRON
		0780/0900	LEN=0038 INSTALLED UNKN
			018 "DIA CAST IRON
		0780/0697	LEN=0035 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0780/0373	LEN=0045 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0780/0114	LEN=0045 INSTALLED UNKN
	180816 FT	180817 FT	1 0 00504 0 00 0189+92
		S 0780/0000	LENGTH(AH 3037 BK 3096)
			015 "DIA CAST IRON
		0770/2869	LEN=0045 INSTALLED UNKN

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

			015 "DIA CIR PLASTIC
		0770/2615	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0770/2404	LEN=0038 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0770/1405	LEN=0038 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0770/0920	LEN=0040 INSTALLED UNKN
			015 "DIA CAST IRON
		0770/0506	LEN=0035 INSTALLED UNKN
			015 "DIA CAST IRON
		0770/0130	LEN=0035 INSTALLED 1998
	177720 FT	177721 FT	1 0 00504 0 00 0157+88
			PARKS RD
			(T753)
		S 0770/0000	LENGTH(AH 3096 BK 2068)
		0760/1354	BMSEN 19/0487/0760/1321
			0 0 00000 0 00 0000+00
			COLES CREEK
		0760/1321	BMSBG 19/0487/0760/1321
			015 "DIA CAST IRON
		0760/1065	LEN=0045 INSTALLED UNKN
			015 "DIA CAST IRON
		0760/0489	LEN=0040 INSTALLED UNKN
LAUBACH RD (T816)	0760/0480		
			015 "DIA CAST IRON
		0760/0161	LEN=0045 INSTALLED UNKN
		0760/0012	BMSEN 19/0487/0760/0000
	175652 FT	175653 FT	1 0 00504 0 00 0138+48
			TR COLES CRK
			BMSBG 19/0487/0760/0000
		S 0760/0000	LENGTH(AH 2068 BK 2565)
			015 "DIA CIRC METAL
		0750/2360	LEN=0040 INSTALLED UNKN
			015 "DIA CAST IRON
		0750/2050	LEN=0035 INSTALLED UNKN
			018 "DIA CAST IRON
		0750/1756	LEN=0038 INSTALLED UNKN
			018 "DIA CAST IRON
		0750/1425	LEN=0035 INSTALLED UNKN
			015 "DIA CAST IRON
		0750/1120	LEN=0040 INSTALLED UNKN
			018 "DIA CAST IRON
		0750/0955	LEN=0040 INSTALLED UNKN
			015 "DIA CAST IRON
		0750/0580	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

			018 "DIA CAST IRON
		0750/0296	LEN=0040 INSTALLED UNKN
			018 "DIA CAST IRON
		0750/0025	LEN=0040 INSTALLED UNKN
	173087 FT	173088 FT	1 0 00504 0 00 0112+55
			RIPPLE BR RD
			(T800)
		S 0750/0000	LENGTH(AH 2565 BK 2423)
			024 "DIA CAST IRON
		0740/2026	LEN=0050 INSTALLED UNKN
			018 "DIA CAST IRON
		0740/1770	LEN=0045 INSTALLED UNKN
			018 "DIA CAST IRON
		0740/1467	LEN=0045 INSTALLED UNKN
			018 "DIA CAST IRON
		0740/1160	LEN=0040 INSTALLED UNKN
			FALLOW BRIDGE RD
		0740/0574	(TWP)
	170664 FT	170665 FT	1 0 00504 0 00 0088+55
		S 0740/0000	LENGTH(AH 2423 BK 3665)
			018 "DIA CAST IRON
		0730/3598	LEN=0045 INSTALLED UNKN
		0730/3306	BMSEN 19/0487/0730/3291
			1 0 00504 0 00 0085+09
			TRIB TO COLES CREEK
		0730/3291	BMSBG 19/0487/0730/3291
			018 "DIA CAST IRON
		0730/2875	LEN=0035 INSTALLED UNKN
			024 "DIA CAST IRON
		0730/2557	LEN=0040 INSTALLED UNKN
FRITZ HILL RD (T825)	0730/2408		
			018 "DIA CIR PLASTIC
		0730/2376	LEN=0050 INSTALLED UNKN
			018 "DIA CAST IRON
		0730/2007	LEN=0018 INSTALLED UNKN
			018 "DIA CAST IRON
		0730/1846	LEN=0045 INSTALLED UNKN
			018 "DIA CAST IRON
		0730/1593	LEN=0040 INSTALLED UNKN
			018 "DIA CAST IRON
		0730/1345	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0730/0888	LEN=0052 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0730/0650	LEN=0050 INSTALLED UNKN
		0730/0048	BMSEN 19/0487/0730/0000
	166999 FT	167000 FT	1 0 00504 0 00 0052+21
			COLES CREEK

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

				BMSBG 19/0487/0730/0000
			5 0730/0000	LENGTH(AH 3665 BK 2009)
MARR RD (T812)	0720/1231	POI	0720/1231	(APRA) RICHARD LEHET
				018 "DIA CAST IRON
			0720/1228	LEN=0050 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0720/0830	LEN=0060 INSTALLED UNKN
				018 "DIA CAST IRON
			0720/0536	LEN=0040 INSTALLED UNKN
PRIVATE DR (PRDR)	0720/0525	POI	0720/0525	(APRA) LEHETS MANUF HOM
				038"H 84"W CON BOX CUL
			0720/0115	LEN=0035 INSTALLED UNKN
	164990 FT		164991 FT	1 0 00504 0 00 0032+07
				HARTMAN HOLLOW RD
				(T737)
		==	5 0720/0000	LENGTH(AH 2009 BK 3190)
				018 "DIA CIR PLASTIC
			0710/2480	LEN=0065 INSTALLED UNKN
				018 "DIA CAST IRON
			0710/2269	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0710/1913	LEN=0040 INSTALLED UNKN
				018 "DIA CAST IRON
			0710/1595	LEN=0040 INSTALLED UNKN
				036 "DIA CIR PLASTIC
			0710/1436	LEN=0040 INSTALLED UNKN
				018 "DIA CAST IRON
			0710/1160	LEN=0037 INSTALLED UNKN
				(APRA) PENNDOT STOCKPIL
				PENNDOT STOCKPILE 04
		POI	0710/0995	(GOVT)
				018 "DIA CAST IRON
			0710/0907	LEN=0037 INSTALLED 1998
				018 "DIA CAST IRON
			0710/0513	LEN=0050 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0710/0264	LEN=0052 INSTALLED UNKN
1 0 00504 0 00 0000+00	161800 FT		161801 FT	
CAMP LAVIGNE RD (SR4049 SEG 0010/0000)	0710/0000	==	5 0710/0000	LENGTH(AH 3190 BK 3156)
				018 "DIA CAST IRON
			0700/2983	LEN=0040 INSTALLED UNKN
				018 "DIA CAST IRON
			0700/2708	LEN=0035 INSTALLED UNKN
				018 "DIA CAST IRON
			0700/2323	LEN=0035 INSTALLED UNKN

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

			ST GABRIEL HILL RD
		== 0700/2267	(T871)
			018 "DIA CAST IRON
		0700/1853	LEN=0035 INSTALLED UNKN
			018 "DIA CAST IRON
		0700/1313	LEN=0038 INSTALLED UNKN
			018 "DIA CAST IRON
		0700/0721	LEN=0035 INSTALLED UNKN
1 0 00016 0 07 1060+64 158644 FT		158645 FT	
HACKETT RD			
(T721) 0700/0000	==	5 0700/0000	LENGTH(AH 3156 BK 3424)
			024 "DIA CIR PLASTIC
		0690/3333	LEN=0040 INSTALLED UNKN
			018 "DIA CAST IRON
		0690/2777	LEN=0040 INSTALLED UNKN
			SUGARLOAF
		0690/2748	BENTON T
			018 "DIA CIRC CONCR
		0690/2212	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0690/1717	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0690/1477	LEN=0045 INSTALLED UNKN
			RASKI RD
	==	0690/1445	(T726)
			018 "DIA CIRC CONCR
		0690/1400	LEN=0054 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0690/1208	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0690/0845	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0690/0597	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0690/0252	LEN=0045 INSTALLED UNKN
		0690/0013	BMSEN 19/0487/0690/0000
155220 FT		155221 FT	1 0 00016 0 07 1026+35
			TRIB FISHING CREEK
			BMSBG 19/0487/0690/0000
		5 0690/0000	LENGTH(AH 3424 BK 2556)
			018 "DIA CIRC CONCR
		0680/2254	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0680/1856	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0680/1572	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0680/0917	LEN=0045 INSTALLED UNKN

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: BENTON T RIGHT MUN: BENTON T

			018 "DIA CIRC CONCR
		0680/0770	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0680/0552	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0680/0084	LEN=0045 INSTALLED UNKN
	152664 FT	152665 FT	1 0 00016 0 06 1000+77
		S 0680/0000	LENGTH(AH 2556 BK 1577)
			054 "DIA CIRC CONCR
		0670/1513	LEN=0050 INSTALLED UNKN
			SHANNON HILL RD
		0670/0869	(T701)
		0670/0650	BMSEN 19/0487/0670/0372
			1 0 00016 0 06 0988+66
			FISHING CREEK
		0670/0372	BMSBG 19/0487/0670/0372
JOHNS RD (T706)	0670/0315		
			RETAINING WALL END
		0670/0293	BMSID 19/0487/0670/0150
			018 "DIA CIRC METAL
		0670/0207	LEN=0080 INSTALLED UNKN
			RETAINING WALL BEGIN
		0670/0150	BMSID 19/0487/0670/0150
			018 "DIA CIRC METAL
1 0 00016 0 06 0984+80	151087 FT	0670/0025	LEN=0100 INSTALLED UNKN
		151088 FT	
PP&L RD (T705)	0670/0000	S 0670/0000	LENGTH(AH 1577 BK 2316)
		148772 FT	D ROCK RD
1 0 00016 0 06 0961+88	148771 FT	INTER-BK	SR 0239 SH
SR 0239 SH			(SR0239 SEG 0130/0000)
(SR0239 SEG 0130/0000)	0660/0000	S 0660/0000	LTH AH 002316 BK 005778
	148771 FT	148772 FT	
		7652/0000	LTH AH 005778 BK 002025
		INTER-AHD	MAIN ST
			(SR0239 SEG 0100/0000)
			MAIN ST
			(SR0239 SEG 0100/0000)
		0650/2025	BENTON B
			018 "DIA CIRC CONCR
		0650/1303	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: BENTON B RIGHT MUN: BENTON B

			018 "DIA CIRC CONCR
		0650/1110	LEN=0050 INSTALLED UNKN
			DAVIS ST
		0650/1083	(BORO)
			SUNNY HILLSIDE RD
		0650/0810	(BORO)
			018 "DIA CIRC CONCR
		0650/0796	LEN=0055 INSTALLED UNKN
		0650/0447	BMSEN 19/0487/0650/0437
			1 0 00016 0 05 0886+11
			TRIB TO FISHING CREEK
		0650/0437	BMSBG 19/0487/0650/0437
146746 FT		146747 FT	1 0 00016 0 05 0881+76
		NC MILL ST	
			BENTON
			BENTON T
		S 0650/0000	LENGTH(AH 2025 BK 1945)
			024 "DIA CIRC CONCR
		0640/1615	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0640/1050	LEN=0080 INSTALLED UNKN
			036 "DIA CIRC METAL
		0640/0698	LEN=0090 INSTALLED UNKN
144801 FT		144802 FT	1 0 00016 0 05 0862+33
		S 0640/0000	LENGTH(AH 1945 BK 1771)
			PIEDPIPER RD
		0630/0252	(T827)
SR 0254 SH			
(SR0254 SEG 0380/1482)	0630/0205		
1 0 00016 0 05 0844+64	143030 FT	143031 FT	
FOR SR 0254 AND 0487			
(CONN)	0630/0000	S 0630/0000	LENGTH(AH 1771 BK 2819)
			018 "DIA CIRC CONCR
		0620/2788	LEN=0065 INSTALLED UNKN
RIBBLE LN			
(T808)	0620/1919		
			018 "DIA CIRC CONCR
		0620/1763	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0620/1465	LEN=0045 INSTALLED UNKN
			RIBBLE LN
		0620/1264	(T808)

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: BENTON T RIGHT MUN: BENTON T

		048 "DIA CIRC CONCR
	0620/0313	LEN=0065 INSTALLED UNKN
		LC FOR RIBBLE LN
	0620/0271	(CONN)
		RIBBLE LN
	0620/0095	(T808)
140211 FT	140212 FT	1 0 00016 0 05 0816+48
		NC MAPLE GROVE RD
		BENTON
		FISHING CREEK T
	S 0620/0000	LENGTH(AH 2819 BK 1578)
		018 "DIA CIRC METAL
	0610/0237	LEN=0060 INSTALLED UNKN
		(APRA) SOKOL QUARRIES I
		PRIVATE DR
	0610/0065	(PRDR)
138633 FT	138634 FT	1 0 00016 0 05 0800+78
		FISHING CREEK
		STILLWATER B
	S 0610/0000	LENGTH(AH 1578 BK 1528)
		018 "DIA CIRC CONCR
	0600/1231	LEN=0055 INSTALLED UNKN
	0600/0017	BMSEN 19/0487/0600/0000
137105 FT	137106 FT	1 0 00016 0 05 0785+30
		TR. TO FISHING CREEK
		BMSBG 19/0487/0600/0000
	S 0600/0000	LENGTH(AH 1528 BK 2024)
		018 "DIA CIRC METAL
	0590/1635	LEN=0048 INSTALLED UNKN
		CROSS RD
	0590/1443	(BORO)
		018 "DIA CIRC METAL
	0590/0746	LEN=0051 INSTALLED UNKN
135081 FT	135082 FT	1 0 00016 0 05 0765+54
	S 0590/0000	LENGTH(AH 2024 BK 2538)
		018 "DIA CIRC CONCR
	0580/1020	LEN=0047 INSTALLED UNKN
		LOWER RAVEN CREEK RD

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: STILLWATER B RIGHT MUN: STILLWATER B

			0580/0661 (SR1035 SEG 0010/0000)
			0580/0222 BMSEN 19/0487/0580/0000
	132543 FT		132544 FT 1 0 00016 0 05 0739+63
			FISHING CRK
			BMSBG 19/0487/0580/0000
		S	0580/0000 LENGTH(AH 2538 BK 1405)
			WESLEY ST
MCHENRY ST			0570/1046 (BORO)
(BORO)	0570/1011		
	131138 FT		131139 FT 1 0 00016 0 05 0725+44
			WESLEY ST
MCHENRY ST			(BORO)
(BORO)	0570/0000	S	0570/0000 LENGTH(AH 1405 BK 2629)
LC FOR MCHENRY ST			
(CONN)	0560/2496		
			018 "DIA CIRC CONCR
			0560/2476 LEN=0050 INSTALLED UNKN
			018 "DIA CIRC METAL
			0560/1642 LEN=0050 INSTALLED UNKN
CEMETERY RD			
(BORO)	0560/1565		
			018 "DIA CIRC METAL
			0560/1150 LEN=0060 INSTALLED UNKN
MCMICHAEL ST			
(BORO)	0560/0876		
			024 "DIA CIRC CONCR
			0560/0510 LEN=0050 INSTALLED UNKN
1 0 00016 0 05 0699+25	128509 FT		128510 FT
KLINE RD			
(BORO)	0560/0000	S	0560/0000 LENGTH(AH 2629 BK 3413)
			018 "DIA CAST IRON
			0550/2943 LEN=0070 INSTALLED UNKN
			018 "DIA CAST IRON
			0550/2555 LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0550/1835 LEN=0045 INSTALLED UNKN
			048 "DIA CIRC CONCR
			0550/1146 LEN=0075 INSTALLED UNKN
			TRIB TO FISHING CREEK
			STRUCTURE LENGTH 19 FT
			0550/0194 BMSID 19/0487/0550/0194
	125096 FT		125097 FT 1 0 00016 0 05 0665+25

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: STILLWATER B RIGHT MUN: STILLWATER B

				STILLWATER
				FISHING CREEK T
			S 0550/0000	LENGTH(AH 3413 BK 2323)
				018 "DIA CIRC CONCR
			0540/2059	LEN=0055 INSTALLED UNKN
				036 "DIA CAST IRON
			0540/1530	LEN=0105 INSTALLED UNKN
ZANERS RHOREBURG RD				ZANERS BRIDGE RD
(SR1022 SEG 0060/3712)	0540/1001		0540/1001	(SR1022 SEG 0070/0000)
				036 "DIA CAST IRON
			0540/0565	LEN=0060 INSTALLED UNKN
1 0 00016 0 05 0642+02	122773 FT		122774 FT	
ZION CHURCH RD				
(T754)	0540/0000		S 0540/0000	LENGTH(AH 2323 BK 2579)
				T FISHING CK
				STRUCTURE LENGTH 10 FT
			0530/1411	BMSID 19/0487/0530/1411
ZION CHURCH RD				
(T754)	0530/0483			
				018 "DIA CIRC CONCR
			0530/0439	LEN=0045 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0530/0050	LEN=0045 INSTALLED UNKN
	120194 FT		120195 FT	1 0 00016 0 05 0615+85
			S 0530/0000	LENGTH(AH 2579 BK 2439)
PEALERTOWN RD				
(T569)	0520/1653			
HOLLOW RD				
(T762)	0520/1632			
				024 "DIA CIRC CONCR
			0520/1071	LEN=0055 INSTALLED UNKN
	117755 FT		117756 FT	1 0 00016 0 05 0591+48
			S 0520/0000	LENGTH(AH 2439 BK 3573)
				057"H 83"W CONCR ARCH
			0510/3493	LEN=0055 INSTALLED UNKN
				018 "DIA CAST IRON
			0510/2797	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0510/2522	LEN=0045 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0510/2397	LEN=0045 INSTALLED UNKN

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: FISHING CREEK T RIGHT MUN: FISHING CREEK T

				018 "DIA CIRC CONCR
			0510/1680	LEN=0050 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0510/1420	LEN=0050 INSTALLED UNKN
				WINDING RD
			0510/1136	(SR1020 SEG 0010/0000)
				018 "DIA CIRC CONCR
			0510/1095	LEN=0045 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0510/0595	LEN=0055 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0510/0296	LEN=0050 INSTALLED UNKN
	114182 FT		114183 FT	1 0 00016 0 05 0555+49
			S 0510/0000	LENGTH(AH 3573 BK 3081)
				018 "DIA CIRC CONCR
			0500/2699	LEN=0055 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0500/2285	LEN=0040 INSTALLED UNKN
KEE EQUIPMENT SERVICES (PRDR)	0500/0572	POI	0500/0572	(APRA) KEE EQUIPMENT SE
				018 "DIA CIR PLASTIC
			0500/0544	LEN=0052 INSTALLED 2005
	111101 FT		111102 FT	1 0 00016 0 05 0524+46
				VILLAGE: FORKS
			S 0500/0000	LENGTH(AH 3081 BK 2238)
				018 "DIA CIRC CONCR
			0490/2217	LEN=0045 INSTALLED UNKN
			0490/0812	BMSEN 19/0487/0490/0801
				1 0 00016 0 05 0510+00
				TR FISHING C
			0490/0801	BMSBG 19/0487/0490/0801
				018 "DIA CIRC CONCR
			0490/0590	LEN=0050 INSTALLED UNKN
ARCH RD (T661)	0490/0433			
	108863 FT		108864 FT	1 0 00016 0 05 0501+92
				FISHING CREEK
				ORANGE T
			S 0490/0000	LENGTH(AH 2238 BK 2903)
				018 "DIA CIRC CONCR
			0480/2260	LEN=0045 INSTALLED UNKN
MOORES RD				

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: ORANGE T RIGHT MUN: ORANGE T

(T563)	0480/2080		
		0480/1443	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0480/1430	MOORES RD (T563)
		0480/1125	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0480/0425	048 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
1 0 00016 0 05 0472+90	105960 FT	105961 FT	MOORES RD (T563)
SAVAGE HOLLOW RD (T664)	0480/0000	5 0480/0000	LENGTH(AH 2903 BK 1762)
		0470/1747	018 "DIA CIRC CONCR LEN=0055 INSTALLED 1998
LODGE RD (T563)	0470/1121		
		0470/0726	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0470/0368	018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
	104198 FT	104199 FT	1 0 00016 0 05 0455+30 TR FISHING C STRUCTURE LENGTH 11 FT BMSID 19/0487/0470/0000
		5 0470/0000	LENGTH(AH 1762 BK 2890)
		0460/2417	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
		0460/1739	018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
SAVAGE HILL RD (T810)	0460/1505		
NEYHART RD (T830)	0460/0860		
		0460/0840	018 "DIA CIR PLASTIC LEN=0065 INSTALLED UNKN
	101308 FT	101309 FT	1 0 00016 0 05 0426+40
		5 0460/0000	LENGTH(AH 2890 BK 2630)
NOR POLE RD (T572)	0450/1848		
ROHRSBURG RD (SR4041 SEG 0010/0000)	0450/1345		
		0450/1214	BMSEN 19/0487/0450/0968 1 0 00016 0 04 0407+55

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: ORANGE T RIGHT MUN: ORANGE T

				FISHING CREEK
			0450/0968	BMSBG 19/0487/0450/0968
				018 "DIA CIRC METAL
			0450/0281	LEN=0085 INSTALLED UNKN
				018 "DIA CIRC METAL
			0450/0108	LEN=0085 INSTALLED UNKN
	098678 FT		098679 FT	1 0 00016 0 04 0397+90
				NC SR 0487 SH
			S 0450/0000	LENGTH(AH 2630 BK 2840)
				018 "DIA CIRC CONCR
			0440/2427	LEN=0054 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0440/1942	LEN=0054 INSTALLED UNKN
				ORANGE
			0440/1939	ORANGEVILLE B
				018 "DIA CIRC METAL
			0440/1659	LEN=0060 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0440/1431	LEN=0054 INSTALLED UNKN
				024 "DIA CIRC METAL
			0440/0989	LEN=0043 INSTALLED UNKN
				018 "DIA CIRC METAL
			0440/0571	LEN=0055 INSTALLED UNKN
				018 "DIA CIRC METAL
			0440/0500	LEN=0120 INSTALLED UNKN
				018 "DIA CIRC METAL
			0440/0290	LEN=0030 INSTALLED UNKN
BORO AL				
(BORO)	0440/0163	==		
1 0 00016 0 04 0369+68	095838 FT		095839 FT	
RICKETTS ST				
(BORO)	0440/0000	==	S 0440/0000	LENGTH(AH 2840 BK 2526)
				BORO AL
		== ==	0430/2235	(BORO)
				018 "DIA CIRC CONCR
			0430/2233	LEN=0030 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0430/2069	LEN=0030 INSTALLED UNKN
BORO AL				
(BORO)	0430/2005	==		
				036 "DIA CIRC CONCR
			0430/1823	LEN=0025 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0430/1753	LEN=0035 INSTALLED UNKN
				PINE ST
		== ==	0430/1720	(BORO)
				015 "DIA CIRC CONCR
			0430/1718	LEN=0035 INSTALLED UNKN
				024 "DIA CIRC CONCR

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: ORANGEVILLE B RIGHT MUN: ORANGEVILLE B

```
                                                 0430/1642 LEN=0025 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0430/1515 LEN=0025 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0430/1410 LEN=0025 INSTALLED UNKN
MOUNT PLEASANT ST
(SR4034 SEG 0030/2336)   0430/1380
                                                           024 "DIA CIRC CONCR
                                                 0430/1280 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0430/0994 LEN=0042 INSTALLED UNKN
                                                           BERWICK RD
                                                 0430/0938 (SR0093 SEG 0250/2064)
                                                           034"H 53"W ELLIP CONC
                                                 0430/0922 LEN=0071 INSTALLED 2011
                                                           018 "DIA CIRC CONCR
                                                 0430/0919 LEN=0037 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                 0430/0839 LEN=0030 INSTALLED UNKN
                                                           BROAD ST
                                                 0430/0544 (BORO)
                                                           018 "DIA CIR PLASTIC
                                                 0430/0535 LEN=0033 INSTALLED 2015
                093312 FT                        093313 FT 1 0 00016 0 03 0343+80
                                                       NC MAIN ST
                                                           ORANGEVILLE
                                                           ORANGE T
                                               5 0430/0000 LENGTH(AH 2526 BK 1712)

                                                 0420/1053 BMSEN 19/0487/0420/1030
                                                           1 0 00016 0 03 0336+88
                                                           TRIB TO FISHING CREEK
                                                 0420/1030 BMSBG 19/0487/0420/1030
                                                           STONY BROOK RD
                                                 0420/0960 (SR1007 SEG 0050/0368)
                                                           MEGARGELL RD
                                                 0420/0466 (T523)
                                                           018 "DIA CIRC METAL
                                                 0420/0234 LEN=0040 INSTALLED UNKN
                091600 FT                        091601 FT 1 0 00016 0 03 0326+76
                                               5 0420/0000 LENGTH(AH 1712 BK 2589)
                                                           018 "DIA CIRC METAL
                                                 0410/2520 LEN=0040 INSTALLED UNKN

                                                           018 "DIA CIRC METAL
                                                 0410/1605 LEN=0050 INSTALLED UNKN
                                                           HESS LN
                                                 0410/1543 (TWP )
```

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: ORANGE T RIGHT MUN: ORANGE T

			018 "DIA CIR PLASTIC
		0410/0856	LEN=0060 INSTALLED UNKN
			022"H 34"W ELLIP CONC
		0410/0292	LEN=0120 INSTALLED UNKN
1 0 00016 0 03 0300+99	089011 FT	089012 FT	
CHARMUND RD			
(SR4034 SEG 0010/0000)	0410/0000	S 0410/0000	LENGTH(AH 2589 BK 2358)
			018 "DIA CIRC METAL
		0400/2187	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC METAL
		0400/1725	LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0400/1317	LEN=0050 INSTALLED UNKN
			024 "DIA CIRC METAL
		0400/0522	LEN=0080 INSTALLED UNKN
	086653 FT	086654 FT	1 0 00016 0 03 0277+02
		S 0400/0000	LENGTH(AH 2358 BK 2594)
			018 "DIA CIR PLASTIC
		0390/2346	LEN=0040 INSTALLED UNKN
FISHING CREEK CAMPGROUN			
(PRDR)	0390/2315		
			018 "DIA CIR PLASTIC
		0390/1891	LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0390/1419	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC METAL
		0390/1118	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0390/0960	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0390/0842	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0390/0730	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0390/0371	LEN=0075 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0390/0130	LEN=0040 INSTALLED UNKN
	084059 FT	084060 FT	1 0 00016 0 03 0250+65
		S 0390/0000	LENGTH(AH 2594 BK 2458)
			018 "DIA CIRC CONCR
		0380/2360	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0380/2188	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0380/2082	LEN=0040 INSTALLED UNKN
			024 "DIA CIRC METAL
		0380/1849	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0380/1534	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: ORANGE T RIGHT MUN: ORANGE T

FISHING CREEK CAMPGROUN (PRDR)	0380/1501		
			018 "DIA CIRC METAL
		0380/1360	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0380/0796	LEN=0040 INSTALLED UNKN
	081601 FT	081602 FT	1 0 00016 0 03 0225+66
		S 0380/0000	LENGTH(AH 2458 BK 1273)
HAZEL LEE LN (TWP)	0370/0927		
		0370/0234	BMSEN 19/0487/0370/0177
			1 0 00016 0 02 0214+49
			P3
			STONY BROOK CREEK
		0370/0177	BMSBG 19/0487/0370/0177
			018 "DIA CIRC METAL
		0370/0031	LEN=0060 INSTALLED UNKN
	080328 FT	080329 FT	1 0 00016 0 02 0212+07
			STONEY BROOK RD
			(SR1007 SEG 0010/0000)
		S 0370/0000	LENGTH(AH 1273 BK 2400)
			048 "DIA CIR PLASTIC
		0360/1890	LEN=0050 INSTALLED 2008
			018 "DIA CIRC CONCR
		0360/1800	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0360/0890	LEN=0045 INSTALLED UNKN
			LEE RD
		0360/0293	(T490)
	077928 FT	077929 FT	1 0 00016 0 02 0189+02
		S 0360/0000	LENGTH(AH 2400 BK 1401)
			018 "DIA CIRC METAL
		0350/1040	LEN=0175 INSTALLED UNKN
			057"H 38"W UNKN METAL
		0350/0963	LEN=0080 INSTALLED 2002
			ORANGE
		0350/0829	SCOTT T
			018 "DIA CIRC CONCR
		0350/0184	LEN=0094 INSTALLED UNKN
1 0 00016 0 01 0180+19	076527 FT	076528 FT	
MAIN ST (T514)	0350/0000	S 0350/0000	LENGTH(AH 1401 BK 2964)
			(APRA) STONY BROOK CIRC

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

		0340/2262	BROOK RD (BORO) T FISHG CK STRUCTURE LENGTH 11 FT
		0340/2106	BMSID 19/0487/0340/2106 FOWLERSVILLE RD (SR1008 SEG 0010/0387)
EASY ST (SR1008 SEG 0010/0387)	0340/2027	0340/2027	
		0340/1916	TO 1008/0010 SH (CONN)
		0340/0048	024 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
	073563 FT	073564 FT	1 0 00016 0 01 0150+46 (APRA) BROOKSIDE VILLAG VILLAGE: LIGHTSTREET RIDGE RD (T481)
APPLE LN (PRDR)	0330/2224	5 0340/0000	LENGTH(AH 2964 BK 2499)
		0330/1332	T FISHG CK STRUCTURE LENGTH 16 FT BMSID 19/0487/0330/1332
		0330/0410	018 "DIA CIRC CONCR LEN=0047 INSTALLED UNKN
		0330/0408	BMSEN 19/0487/0330/0269 1 0 00016 0 01 0128+09 OTHER RR
		0330/0269	BMSBG 19/0487/0330/0269
	071064 FT	071065 FT	1 0 00016 0 01 0125+54 NC SR 0487 SH SAWMILL RD (SR1006 SEG 0010/0000)
MAIN ST (T514)	0330/0000	5 0330/0000	MFC BEGIN = C LENGTH(AH 2499 BK 1802)
018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN	0321/1796		
018 "DIA CIRC CONCR LEN=0077 INSTALLED UNKN	0321/1476		
RAMP B SPUR RD			

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

(SR8004 SEG 0250/0000) 0321/1469

RAMP B RD
(SR8004 SEG 0260/0000) 0321/1330
RAMP A RD
(SR8004 SEG 0270/1152) 0321/1189
BMSEN 19/0487/0320/0720 0321/0975
018 "DIA CIRC CONCR
LEN=0043 INSTALLED UNKN 0321/0925
1 0 00016 0 01 0114+64
SR.0080
BMSBG 19/0487/0320/0720 0321/0704

RAMP D RD
(SR8004 SEG 0750/1105)
0321/0501
RAMP E RD
(SR8004 SEG 0760/0000)
0321/0482

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0321/0275

1 0 00016 0 01 0107+50 069263 FT
VILLAGE: LIGHTSTREET
PAPER MILL RD
(T485)
CENTRAL RD
(T500)
MFC BEGIN = C
LENGTH(AH 1801 BK 3027) 0321/0000

1 0 00016 0 01 0077+12 066236 FT



RAMP C RD
0320/1358 (SR8004 SEG 0500/0409)
RAMP B RD
0320/1314 (SR8004 SEG 0260/0000)

0320/0991 BMSEN 19/0487/0320/0720

1 0 00016 0 01 0114+64
SR.0080
0320/0720 BMSBG 19/0487/0320/0720
FROM 8004/0750 SH
0320/0594 (CONN)
RAMP D RD
(SR8004 SEG 0750/1105)
0320/0488
RAMP E RD
(SR8004 SEG 0760/0000)
0320/0470
018 "DIA CIRC CONCR
0320/0450 LEN=0100 INSTALLED UNKN

018 "DIA CIRC CONCR
0320/0254 LEN=0100 INSTALLED UNKN
TO 8004/0760 SH
0320/0240 (CONN)
069263 FT 1 0 00016 0 01 0107+50
PAPER MILL RD
(T485)
CENTRAL RD
(T500)

MFC BEGIN = C
0320/0000 LENGTH(AH 1802 BK 3027)

GRAY ST
0310/1160 (T509)

018 "DIA CIR PLASTIC
0310/0376 LEN=0040 INSTALLED 2003
AMANDA DR
0310/0340 (PRDR)
066236 FT

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

ARBUTUS PARK RD (T486)	0310/0000	0310/0000	LENGTH(AH 3027 BK 2804) SHANGRILA DR
		0300/2709	(PRDR)
		0300/2070	024 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
		0300/1258	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2003 CRESTWOOD DR
		0300/1012	(T489)
		0300/0624	030 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
		0300/0055	018 "DIA CIR PLASTIC LEN=0054 INSTALLED 2003
1 0 00016 0 01 0049+45 063432 FT		063432 FT	SCOTT BLOOMSBURG TO
COUNTRY CLUB DR (TOWN)	0300/0000	0300/0000	LENGTH(AH 2804 BK 3559)
		0290/3452	018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
		0290/2959	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0290/2784	018 "DIA CIRC CONCR LEN=0060 INSTALLED 1998 (APRA) BLOOMSBURG UNIVE SWISHER DR
COUNTRY CLUB RD (TOWN)	0290/2740	0290/2740	(PRDR)
		0290/2600	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
YORK RD (TOWN)	0290/2549		
		0290/2065	018 "DIA CIRC CONCR LEN=0037 INSTALLED UNKN
		0290/1832	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0290/1150	018 "DIA CIRC METAL LEN=0060 INSTALLED UNKN
		0290/0950	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0290/0760	018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
		0290/0654	030 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0290/0545	018 "DIA CIRC CONCR LEN=0053 INSTALLED UNKN
HOSPITAL DR (TOWN)	0290/0387		

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: BLOOMSBURG TO RIGHT MUN: BLOOMSBURG TO

			PED.WALKWAY
		0290/0056	OP ID 19/0487/0290/0056
			018 "DIA CIRC CONCR
		0290/0045	LEN=0065 INSTALLED UNKN
1 0 00016 0 00 0013+51 059873 FT		059873 FT	
PENN ST			
(TOWN)	0290/0000	S 0290/0000	LENGTH(AH 3559 BK 1317)
			024 "DIA CIRC CONCR
			LEN=0030 INSTALLED UNKN
			PENN ST
		0280/0984	(TOWN)
			018 "DIA CIRC CONCR
		0280/0740	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0280/0453	LEN=0030 INSTALLED UNKN
FETTERMAN AV			
(TOWN)	0280/0401		
NORTH ST			
(TOWN)	0280/0094		
	058556 FT	058556 FT	1 0 00016 0 00 0000+00
			NC LIGHTSTREET RD
			SECOND ST
			(TOWN)
		INTER-BK	EAST ST
MAIN ST			(SR0011 SEG 0150/0000)
(SR0011 SEG 0150/0000)	0280/0000	S 0280/0000	LTH AH 001317 BK 001971
	058556 FT	058556 FT	
		7262/0000	LTH AH 001971 BK 000363
		INTER-AHD	EAST ST
			(SR0011 SEG 0160/0000)
			COLUMBIA BLVD
			(SR0011 SEG 0161/0000)
SIXTH ST			(SR0011 SEG 0160/0000)
(TOWN)	0260/0363	0260/0363	
			018 "DIA CIRC CONCR
		0260/0320	LEN=0058 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/0316	LEN=0131 INSTALLED UNKN
		0260/0299	(AAR 265982H)#TRKS 01
TOWN AL			
(TOWN)	0260/0281	0260/0281	
			015 "DIA CIRC CONCR
		0260/0021	LEN=0064 INSTALLED UNKN
	058193 FT	058193 FT	1 0 00283 0 03 0577+23
			NC EAST ST
			SEVENTH ST
			(SR1004 SEG 0010/0000)
SEVENTH ST			
(TOWN)	0260/0000	S 0260/0000	LENGTH(AH 0363 BK 1527)

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: BLOOMSBURG TO RIGHT MUN: BLOOMSBURG TO

				015 "DIA CIRC CONCR
			0250/1462	LEN=0040 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0250/1377	LEN=0036 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0250/1305	LEN=0075 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0250/1293	LEN=0020 INSTALLED UNKN
				PEACH AV
			0250/1291	(TOWN)
				EIGHTH ST
			0250/1072	(TOWN)
				CANAL ST
			0250/0842	(TOWN)
				NC POPLAR ST
				NINTH ST
			0250/0575	(TOWN)
TENTH ST (TOWN)	0250/0232			
			0250/0016	BMSEN 19/0487/0250/0000
	056666 FT		056666 FT	1 0 00283 0 03 0561+91
				KINNEY RUN
				BMSBG 19/0487/0250/0000
			5 0250/0000	LENGTH(AH 1527 BK 1505)
				018 "DIA CIRC CONCR
			0240/0230	LEN=0147 INSTALLED UNKN
	055161 FT		055161 FT	1 0 00283 0 03 0546+95
				NC FERRY RD
				AIRPORT RD
FORT MCCLURE BL (TOWN)	0240/0000			(TOWN)
			5 0240/0000	LENGTH(AH 1505 BK 2045)
				018 "DIA CIRC CONCR
			0230/1972	LEN=0035 INSTALLED UNKN
			0230/1971	BMSEN 19/0487/0230/0625
				MFC BEGIN = C
				BLOOMSBURG
			0230/1301	CATAWISSA T
				0 0 00000 0 00 0000+00
				N. BR. SUSQ. RIVER
			0230/0625	BMSBG 19/0487/0230/0625
	053116 FT		053116 FT	1 0 00283 0 03 0524+25
				MAINVILLE DR
				(SR2009 SEG 0090/3410)
			5 0230/0000	LENGTH(AH 2045 BK 2820)

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

```
                                                    T.SUSQ.RIVER
                                                    STRUCTURE LENGTH  13 FT
                                        0220/2754   BMSID 19/0487/0220/2754
                                                    018 "DIA CIRC CONCR
                                        0220/2553   LEN=0050 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                        0220/2252   LEN=0055 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                        0220/1903   LEN=0060 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                        0220/1510   LEN=0050 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                        0220/1154   LEN=0050 INSTALLED UNKN
                                                    048 "DIA CIRC CONCR
                                        0220/0880   LEN=0070 INSTALLED UNKN

                 050296 FT              050296 FT   1 0 00283 0 02 0496+16
                                      5 0220/0000   LENGTH(AH 2820 BK 2761)
                                                    018 "DIA CIR PLASTIC
                                        0210/2563   LEN=0040 INSTALLED UNKN


                                                    018 "DIA CIR PLASTIC
                                        0210/1191   LEN=0055 INSTALLED UNKN
                                                    W HILLCREST DR
                                        0210/1068   (SR2020 SEG 0010/0000)

                                                    018 "DIA CIR PLASTIC
                                        0210/0167   LEN=0037 INSTALLED UNKN
1 0 00283 0 02 0468+65 047535 FT        047535 FT
BREEZE KNOLLS DR
(T430)           0210/0000            5 0210/0000   LENGTH(AH 2761 BK 3120)
                                                    018 "DIA CIRC METAL
                                        0200/2781   LEN=0042 INSTALLED UNKN

HOLLOW RD
(SR3016 SEG 0100/1743)  0200/1997

                                                    DEER RD
                                        0200/1552   (T407)
                                                    018 "DIA CIRC METAL
                                        0200/1526   LEN=0042 INSTALLED UNKN


                                                    018 "DIA CIRC METAL
                                        0200/0026   LEN=0050 INSTALLED 2000
                 044415 FT              044415 FT   1 0 00283 0 02 0438+09
```

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

		0200/0000 LENGTH(AH 3120 BK 2501)
	041914 FT	041914 FT 1 0 00283 0 02 0413+59
		0190/0000 LENGTH(AH 2501 BK 2511)
		018 "DIA CIR PLASTIC
		0180/0400 LEN=0038 INSTALLED UNKN
	039403 FT	039403 FT 1 0 00283 0 02 0389+00
		0180/0000 LENGTH(AH 2511 BK 2525)
	036878 FT	036878 FT 1 0 00283 0 02 0364+27
		0170/0000 LENGTH(AH 2525 BK 2184)
ROCKY LN (TWP)	0160/0451	
		018 "DIA CIR PLASTIC
		0160/0246 LEN=0046 INSTALLED UNKN
	034694 FT	034694 FT 1 0 00283 0 02 0342+88
		MFC BEGIN = D
		CATAWISSA
		CATAWISSA B
		0160/0000 LENGTH(AH 2184 BK 1735)
DENT AV (BORO)	0150/1308	
		018"H 00"W MULT CAST I
		0150/0830 LEN=0038 INSTALLED UNKN
WILLITS AV (BORO)	0150/0760	
FOURTH ST (BORO)	0150/0734	NC MERCERON ST

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: CATAWISSA B RIGHT MUN: CATAWISSA B

LEFT		RIGHT
		PINE ST
	0150/0516	(BORO)
		FISHER AV
	0150/0367	(BORO)
QUINN AV (BORO) 0150/0268		
		BALSHI AV
	0150/0183	(BORO)
		NC FOURTH ST
1 0 00283 0 02 0325+94 032959 FT	032959 FT	MAIN ST
MAIN ST		(SR2018 SEG 0010/0000)
(SR0042 SEG 0370/0000)	INTER-BK	MILL ST
FOURTH ST		(SR0042 SEG 0370/0000)
(BORO) 0150/0000	S 0150/0000	LTH AH 001735 BK 003686
032959 FT	032959 FT	
	7142/0000	LTH AH 003686 BK 003305
	INTER-AHD	NUMIDIA DR
		(SR0042 SEG 0340/0540)
		NUMIDIA DR
		(SR0042 SEG 0340/0540)
	0140/3305	CATAWISSA T
LONGWOODS RD (T395) 0140/3181		
		018 "DIA CIRC CONCR
	0140/2980	LEN=0040 INSTALLED UNKN
		018 "DIA CAST IRON
	0140/2731	LEN=0060 INSTALLED UNKN
		018 "DIA CAST IRON
	0140/2259	LEN=0060 INSTALLED UNKN
		015 "DIA CAST IRON
	0140/1964	LEN=0050 INSTALLED UNKN
		018 "DIA CAST IRON
	0140/1750	LEN=0050 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0140/1451	LEN=0048 INSTALLED UNKN
		018 "DIA CIRC METAL
	0140/1045	LEN=0052 INSTALLED UNKN
		018 "DIA CIRC METAL
	0140/0490	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC METAL
	0140/0042	LEN=0050 INSTALLED UNKN
029654 FT	029654 FT	1 0 00283 0 01 0295+40
	S 0140/0000	LENGTH(AH 3305 BK 2612)
		QUARRY DR
	0130/2325	(T440)
		060 "DIA CIRC CONCR
	0130/2235	LEN=0131 INSTALLED 2000
		018 "DIA CIRC METAL
	0130/2106	LEN=0050 INSTALLED UNKN
		CATAWISSA

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

		0130/1908	FRANKLIN T 018 "DIA CAST IRON
		0130/1755	LEN=0053 INSTALLED UNKN 018 "DIA CAST IRON
		0130/1497	LEN=0045 INSTALLED UNKN 018 "DIA CAST IRON
		0130/0988	LEN=0045 INSTALLED UNKN 024 "DIA CAST IRON
		0130/0605	LEN=0055 INSTALLED UNKN 018 "DIA CAST IRON
1 0 00283 0 01 0269+91 027042 FT		0130/0097	LEN=0080 INSTALLED UNKN 027042 FT MCINTYRE RD
APPLE RD (T344)	0130/0000	S 0130/0000	(T393) LENGTH(AH 2612 BK 2609) 018 "DIA CAST IRON
		0120/2240	LEN=0045 INSTALLED UNKN 018 "DIA CAST IRON
		0120/1545	LEN=0043 INSTALLED UNKN 015 "DIA CAST IRON
		0120/0995	LEN=0045 INSTALLED UNKN 018 "DIA CAST IRON
		0120/0247	LEN=0043 INSTALLED UNKN
	024433 FT	S 0120/0000	024433 FT 1 0 00283 0 01 0243+98 LENGTH(AH 2609 BK 2765) 018 "DIA CAST IRON
		0110/2657	LEN=0045 INSTALLED UNKN 018 "DIA CAST IRON
		0110/2318	LEN=0045 INSTALLED UNKN 018 "DIA CAST IRON
		0110/1900	LEN=0048 INSTALLED UNKN 018 "DIA CAST IRON
		0110/1576	LEN=0045 INSTALLED UNKN 015 "DIA CAST IRON
		0110/0950	LEN=0044 INSTALLED UNKN 012 "DIA CAST IRON
		0110/0789	LEN=0047 INSTALLED UNKN 018 "DIA CAST IRON
		0110/0375	LEN=0048 INSTALLED UNKN 018 "DIA CAST IRON
		0110/0150	LEN=0045 INSTALLED UNKN
	021668 FT	S 0110/0000	021668 FT 1 0 00283 0 01 0216+21 LENGTH(AH 2765 BK 1595) 018 "DIA CAST IRON
		0100/1450	LEN=0060 INSTALLED UNKN 015 "DIA CIRC METAL
		0100/1285	LEN=0050 INSTALLED UNKN 018 "DIA CAST IRON

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

		0100/1038	LEN=0045 INSTALLED UNKN 018 "DIA CAST IRON
		0100/0782	LEN=0040 INSTALLED UNKN 015 "DIA CAST IRON
		0100/0505	LEN=0040 INSTALLED UNKN 015 "DIA CAST IRON
		0100/0243	LEN=0041 INSTALLED UNKN
		0100/0159	BMSEN 19/0487/0100/0144 0 0 00000 0 00 0000+00 T.ROARING CK
		0100/0144	BMSBG 19/0487/0100/0144
LC FOR LAWRENCE DR (CONN)	0100/0116		
1 0 00283 0 01 0200+61	020073 FT	020073 FT	
LAWRENCE DR (T338)	0100/0000	S 0100/0000	LENGTH(AH 1595 BK 2634) 018 "DIA CIRC CONCR
		0090/2456	LEN=0060 INSTALLED UNKN 018 "DIA CIRC CONCR
		0090/2105	LEN=0060 INSTALLED UNKN 014"H 23"W ELLIP METAL
		0090/1820	LEN=0057 INSTALLED UNKN 036 "DIA CIRC CONCR
		0090/1445	LEN=0065 INSTALLED UNKN 024 "DIA CIRC CONCR
		0090/0597	LEN=0025 INSTALLED UNKN 018 "DIA CIRC CONCR
		0090/0596	LEN=0070 INSTALLED UNKN 018 "DIA CIRC CONCR
		0090/0130	LEN=0065 INSTALLED UNKN
1 0 00283 0 00 0173+92	017439 FT	017439 FT	ASHTON HOLLOW RD (SR3003 SEG 0090/0000)
ORCHARD DR (SR3003 SEG 0090/0000)	0090/0000	S 0090/0000	LENGTH(AH 2634 BK 1593) 024 "DIA CIRC CONCR
		0080/1323	LEN=0040 INSTALLED UNKN 024 "DIA CIRC METAL
		0080/0693	LEN=0065 INSTALLED UNKN
	015846 FT	015846 FT	1 0 00283 0 00 0157+95
		S 0080/0000	LENGTH(AH 1593 BK 2470) 018 "DIA CAST IRON
		0070/2352	LEN=0045 INSTALLED UNKN 018 "DIA CAST IRON
		0070/2073	LEN=0040 INSTALLED UNKN 018 "DIA CAST IRON
		0070/1792	LEN=0046 INSTALLED UNKN 018 "DIA CAST IRON

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

```
                                                 0070/1189 LEN=0055 INSTALLED UNKN
                                                           015 "DIA CAST IRON
                                                 0070/0667 LEN=0055 INSTALLED UNKN
                                                           018 "DIA CAST IRON
                                                 0070/0181 LEN=0075 INSTALLED UNKN
SHADY CREEK DR
(T320)                 0070/0133
                                                 0070/0084 BMSEN 19/0487/0070/0000
                       013376 FT                 013376 FT 1 0 00283 0 00 0133+50
                                                           ROARING CRK
                                                           BMSBG 19/0487/0070/0000
                                                 0070/0000 LENGTH(AH 2470 BK 1330)
                                                           036 "DIA CIRC METAL
                                                 0060/1005 LEN=0077 INSTALLED UNKN
                                                           018 "DIA CAST IRON
                                                 0060/0562 LEN=0045 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0060/0180 LEN=0046 INSTALLED UNKN
                       012046 FT                 012046 FT 1 0 00283 0 00 0120+12
                                                           BETHEL RD
                                                           (T320)
                                                 0060/0000 LENGTH(AH 1330 BK 2629)


                                                           018 "DIA CIRC METAL
                                                 0050/1200 LEN=0060 INSTALLED UNKN
                                                           018 "DIA CAST IRON
                                                 0050/0700 LEN=0045 INSTALLED UNKN
                                                 0050/0173 BMSEN 19/0487/0050/0156
                                                           1 0 00283 0 00 0095+32
                                                           T.ROARING CK
                                                 0050/0156 BMSBG 19/0487/0050/0156
                       009417 FT                 009417 FT 1 0 00283 0 00 0093+93
                                                           HEMLOCK RD
                                                           (T314)
                                                 0050/0000 LENGTH(AH 2629 BK 1858)


                                                           036 "DIA CAST IRON
                                                 0040/0463 LEN=0055 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                 0040/0228 LEN=0040 INSTALLED UNKN
                       007559 FT                 007559 FT 1 0 00283 0 00 0075+41
                                                 0040/0000 LENGTH(AH 1858 BK 2490)
                                                           018 "DIA CIR PLASTIC
                                                 0030/2346 LEN=0040 INSTALLED UNKN
                                                           024 "DIA CIRC METAL
                                                 0030/1933 LEN=0095 INSTALLED UNKN
```

DIR: B TOTAL LEN: 34.935 MI. DIST: 03-1 SR: 487
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

KRICK RD
(T369)

0030/1615

005069 FT

002531 FT

REEDER DR
(T344)

0010/1287

000000 FT

	018 "DIA CAST IRON
0030/0857	LEN=0040 INSTALLED UNKN
	024 "DIA CAST IRON
0030/0441	LEN=0050 INSTALLED UNKN
005069 FT	1 0 00283 0 00 0050+57
0030/0000	LENGTH(AH 2490 BK 2538)
	024 "DIA CIR PLASTIC
0020/2270	LEN=0005 INSTALLED 2007
	024 "DIA CAST IRON
0020/1773	LEN=0070 INSTALLED UNKN
	018 "DIA CAST IRON
0020/0959	LEN=0043 INSTALLED 1998
	024 "DIA CAST IRON
0020/0714	LEN=0044 INSTALLED UNKN
	018 "DIA CAST IRON
0020/0353	LEN=0050 INSTALLED UNKN
	018 "DIA CAST IRON
0020/0102	LEN=0045 INSTALLED UNKN
002531 FT	1 0 00283 0 00 0025+25
0020/0000	LENGTH(AH 2538 BK 2531)
	018 "DIA CIRC METAL
0010/2300	LEN=0045 INSTALLED UNKN
	036 "DIA CAST IRON
0010/1671	LEN=0059 INSTALLED UNKN
	030 "DIA CIRC CONCR
0010/1400	LEN=0035 INSTALLED UNKN
	PARK DR
0010/0975	(T318)
	024 "DIA CIRC CONCR
0010/0637	LEN=0055 INSTALLED 1998
	KNOEBELS PY
	(T319)
0010/0443	
0010/0082	BMSEN 19/0487/0010/0000
000000 FT	1 0 00283 0 00 0000+00
	NC SOUTHERN DR
REF-BK	VALLEY AV
	(SR0487 SEG 0110/1622)
	S.BR.ROARING
	BMSBG 19/0487/0010/0000
	MFC BEGIN = C
	BK-NORTHUMBERLAND (49)
0010/0000	LENGTH(AH 2531 BK 0000)

DIR: B TOTAL LEN: 3.539 MI. DIST: 03-1 SR: 442
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

	018687 FT	018687 FT	
SR 0042 SH		INTER-AHD	SR 0042 SH
(SR0042 SEG 0770/0000)	0080/1262	0080/1262	(SR0042 SEG 0770/0000)
		0080/0988	BMSEN 19/0442/0080/0892
			GREENWOOD
		0080/0947	PINE T
			1 0 00303 0 00 0183+74
			LITTLE FISHING CREEK
		0080/0892	BMSBG 19/0442/0080/0892
	017425 FT	017425 FT	1 0 00303 0 00 0175+31
		0080/0000	LENGTH(AH 1262 BK 2386)
			018 "DIA CAST IRON
		0070/2160	LEN=0060 INSTALLED UNKN
			018 "DIA CAST IRON
		0070/1612	LEN=0045 INSTALLED UNKN
			018 "DIA CAST IRON
		0070/1220	LEN=0045 INSTALLED UNKN
		0070/0100	BMSEN 19/0442/0070/0000
	015039 FT	015039 FT	1 0 00303 0 00 0151+16
			WEST BRANCH RUN



DIR: B TOTAL LEN: 3.539 MI. DIST: 03-1 SR: 442
LEFT MUN: PINE T RIGHT MUN: PINE T

				BMSBG 19/0442/0070/0000
			0070/0000	LENGTH(AH 2386 BK 2570)
				018 "DIA CIRC METAL
			0060/1452	LEN=0058 INSTALLED UNKN
PINE SCHOOL RD				CHESTNUT LN
(T620)	0060/1434		0060/1434	(T621)
				018 "DIA CAST IRON
			0060/0906	LEN=0049 INSTALLED UNKN
	012469 FT		012469 FT	1 0 00303 0 00 0125+41
			0060/0000	LENGTH(AH 2570 BK 2142)
				018 "DIA CIR PLASTIC
			0050/1986	LEN=0040 INSTALLED UNKN
				018 "DIA CAST IRON
			0050/1643	LEN=0046 INSTALLED UNKN
				018 "DIA CAST IRON
			0050/1215	LEN=0044 INSTALLED UNKN
				008 "DIA CIRC CONCR
			0050/0680	LEN=0055 INSTALLED UNKN
			0050/0329	BMSEN 19/0442/0050/0292
				1 0 00303 0 00 0106+64
				WEST BRANCH RUN
			0050/0292	BMSBG 19/0442/0050/0292
1 0 00303 0 00 0103+94	010327 FT		010327 FT	
SHINGLE RUN RD				
(T460)	0050/0000		0050/0000	LENGTH(AH 2142 BK 3388)
				018 "DIA CIRC CONCR
			0040/2930	LEN=0070 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/2716	LEN=0076 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/2334	LEN=0090 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/2030	LEN=0085 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/1724	LEN=0100 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/1477	LEN=0098 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/1229	LEN=0075 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/1016	LEN=0102 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/0673	LEN=0110 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/0381	LEN=0110 INSTALLED UNKN
				018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 3.539 MI. DIST: 03-1 SR: 442
LEFT MUN: PINE T RIGHT MUN: PINE T

		0040/0030	LEN=0080 INSTALLED UNKN
	006939 FT	006939 FT	1 0 00303 0 00 0070+02
		S 0040/0000	LENGTH(AH 3388 BK 2426)
			018 "DIA CIRC CONCR
		0030/2310	LEN=0075 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/2067	LEN=0074 INSTALLED UNKN
			015 "DIA CAST IRON
		0030/1620	LEN=0080 INSTALLED UNKN
			015 "DIA CAST IRON
		0030/1173	LEN=0064 INSTALLED UNKN
			018 "DIA CAST IRON
		0030/0882	LEN=0060 INSTALLED UNKN
	004513 FT	004513 FT	1 0 00303 0 00 0044+50
			CHESTNUT LN
			(T621)
		S 0030/0000	LENGTH(AH 2426 BK 2080)
			MAPLE RIDGE RD
		0020/1728	(T619)
			015 "DIA CAST IRON
		0020/1705	LEN=0058 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1116	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0753	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0417	LEN=0054 INSTALLED UNKN
	002433 FT	002433 FT	1 0 00303 0 00 0024+32
			BRANCH RD
PINE SUMMIT RD			(T635)
(SR4029 SEG 0010/0000)	0020/0000	S 0020/0000	LENGTH(AH 2080 BK 2433)
			024"H 42"W ELLIP CONC
		0010/1791	LEN=0065 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/0993	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/0337	LEN=0044 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0010/0137	LEN=0057 INSTALLED UNKN
	000000 FT	000000 FT	1 0 00303 0 00 0000+00
			NC SR 0442 SH
		* REF-BK	SR 0442 SH
			(SR0442 SEG 0300/1410)
			MFC BEGIN = D
			BK-LYCOMING (41)
		S 0010/0000	LENGTH(AH 2433 BK 0000)

DIR: B TOTAL LEN: 19.948 MI. DIST: 03-1 SR: 339
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

105323 FT



```
105323 FT   AH-LUZERNE                    (40)
REF-AHD     SR 0339 SH
0450/2707   (SR0339 SEG 0010/0000)
            015 "DIA CIRC CONCR
0450/2182   LEN=0037 INSTALLED UNKN
            015 "DIA CIRC CONCR
0450/1583   LEN=0039 INSTALLED 1997
            015 "DIA CIRC CONCR
0450/1330   LEN=0034 INSTALLED UNKN
            018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 19.948 MI. DIST: 03-1 SR: 339
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

```
                                        0450/0875 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0450/0508 LEN=0037 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0450/0130 LEN=0035 INSTALLED UNKN
102616 FT                               102616 FT 2 0 19020 0 01 0600+07
                                      S 0450/0000 LENGTH(AH 2707 BK 2006)
                                                  018 "DIA CIRC CONCR
                                        0440/1607 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0440/1270 LEN=0042 INSTALLED UNKN
                                        0440/0993 BMSEN 19/0339/0440/0976
                                                  2 0 19020 0 01 0589+79
                                                  T.SUSQ.RIVER
                                        0440/0976 BMSBG 19/0339/0440/0976
                                                  018 "DIA CIRC METAL
                                        0440/0576 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0440/0117 LEN=0035 INSTALLED UNKN
100610 FT                               100610 FT 2 0 19020 0 01 0580+03
                                      S 0440/0000 LENGTH(AH 2006 BK 2965)
                                                  018 "DIA CIRC CONCR
                                        0430/2692 LEN=0035 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0430/2109 LEN=0036 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0430/2045 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0430/1677 LEN=0034 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0430/1348 LEN=0036 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0430/1040 LEN=0036 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0430/0742 LEN=0034 INSTALLED UNKN

                                                  T.SUSQ.RIVER
                                                  STRUCTURE LENGTH 17 FT
                                        0430/0046 BMSID 19/0339/0430/0046
097645 FT                               097645 FT 2 0 19020 0 01 0550+41
                                                  SMITH HOLLOW RD
                                                  (SR2017 SEG 0050/3186)
                                      S 0430/0000 LENGTH(AH 2965 BK 1944)
                                        0420/1580 (AAR 517878M)#TRKS 01
                                                  018 "DIA CIRC CONCR
                                        0420/1225 LEN=0039 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0420/0875 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0420/0485 LEN=0032 INSTALLED UNKN
```

DIR: B TOTAL LEN: 19.948 MI. DIST: 03-1 SR: 339
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

```
095701 FT                    095701 FT 2 0 19020 0 01 0531+01
                           5 0420/0000 LENGTH(AH 1944 BK 3023)
                                       048 "DIA CIRC CONCR
                             0410/3013 LEN=0084 INSTALLED 2001

                                       018 "DIA CIRC CONCR
                             0410/2365 LEN=0037 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0410/2058 LEN=0041 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0410/1772 LEN=0041 INSTALLED UNKN

                                       018 "DIA CIRC METAL
                             0410/0870 LEN=0039 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0410/0485 LEN=0038 INSTALLED UNKN
092678 FT                    092678 FT 2 0 19020 0 01 0500+82
                                       018 "DIA CIRC METAL
                                       LEN=0040 INSTALLED UNKN
                           5 0410/0000 LENGTH(AH 3023 BK 3057)

                                       018 "DIA CIRC METAL
                             0400/2233 LEN=0040 INSTALLED UNKN

                                       018 "DIA CIRC METAL
                             0400/1285 LEN=0040 INSTALLED UNKN
                                       T SUSQ RIVER
                                       STRUCTURE LENGTH 10 FT
                             0400/0736 BMSID 19/0339/0400/0736
089621 FT                    089621 FT 2 0 19020 0 01 0470+29
                           5 0400/0000 LENGTH(AH 3057 BK 3039)
                                       018 "DIA CIRC METAL
                             0390/2979 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0390/2570 LEN=0070 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0390/2519 LEN=0075 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0390/2120 LEN=0040 INSTALLED UNKN

                                       018 "DIA CIRC METAL
                             0390/1285 LEN=0050 INSTALLED UNKN
                                       T.SUSQ.RIVER
                                       STRUCTURE LENGTH 15 FT
                             0390/1200 BMSID 19/0339/0390/1200
                                       015 "DIA CIRC CONCR
                             0390/0775 LEN=0053 INSTALLED UNKN
```

DIR: B TOTAL LEN: 19.948 MI. DIST: 03-1 SR: 339
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

086582 FT

086582 FT 2 0 19020 0 01 0439+94
NC SR 0339 SH
0390/0000 LENGTH(AH 3039 BK 3651)

JOHN ST
0380/2627 (T638)

MARY ST
0380/1762 (T636)

ANN ST
0380/0898 (T634)

060 "DIA CIRC CONCR
0380/0050 LEN=0111 INSTALLED UNKN

082931 FT

082931 FT 2 0 19020 0 01 0403+48
MARKET ST
(SR2028 SEG 0024/0000)
MFC BEGIN = D
0380/0000 LENGTH(AH 3651 BK 0892)

018 "DIA CIRC METAL
0370/0242 LEN=0040 INSTALLED UNKN

082039 FT

082039 FT 2 0 19020 0 01 0394+55
RACE ST
(T800)
0370/0000 LENGTH(AH 0892 BK 1714)

(APRA) ROBERT C YOUNG
FAIR ST
0360/0852 (T630)

080325 FT

080325 FT 2 0 19020 0 01 0377+40
VILLAGE: MIFFLINVILLE
NC THIRD ST
WEST ST
(T618)
0360/0000 LENGTH(AH 1714 BK 1337)
036 "DIA CIRC CONCR
0350/0837 LEN=0050 INSTALLED UNKN

078988 FT

078988 FT 2 0 19020 0 00 0363+57
0350/0000 LENGTH(AH 1337 BK 0835)
FROM 8008/0500 SH

TO 8008/0250 SH
(CONN)

0340/0827

0340/0827 (CONN)
RAMP B RD
0340/0718 (SR8008 SEG 0500/0751)
RAMP A RD

DIR: B TOTAL LEN: 19.948 MI. DIST: 03-1 SR: 339
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

		0340/0705	(SR8008 SEG 0250/0000)
			018 "DIA CIRC CONCR
		0340/0590	LEN=0072 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0340/0585	LEN=0045 INSTALLED UNKN
			S.R.0080WBL
		0340/0507	OP ID 19/0080/2415/1185
			SR 0080
		0340/0370	OP ID 19/0080/2414/1267
			018 "DIA CIRC CONCR
		0340/0176	LEN=0062 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0340/0170	LEN=0036 INSTALLED UNKN
			RAMP D RD
		0340/0145	(SR8008 SEG 0010/0763)
			RAMP C RD
		0340/0123	(SR8008 SEG 0750/0000)
FROM 8008/0010 SH			TO 8008/0750 SH
(CONN)	0340/0027	0340/0027	(CONN)
			018 "DIA CIRC CONCR
		0340/0023	LEN=0060 INSTALLED UNKN
	078153 FT	078153 FT	2 0 19020 0 00 0354+94
			MFC BEGIN = C
		S 0340/0000	LENGTH(AH 0835 BK 0236)
2 0 19020 0 00 0352+58	077917 FT	077917 FT	
PEEWEE HILL RD			
(SR2020 SEG 0130/2171)	0330/0000	S 0330/0000	LENGTH(AH 0236 BK 1269)
			030 "DIA CIRC CONCR
		0320/1205	LEN=0039 INSTALLED UNKN
			013"H 22"W ELLIP METAL
		0320/0755	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0320/0356	LEN=0040 INSTALLED 2005
			ATEN RD
		0320/0150	(T417)
	076648 FT	076648 FT	2 0 19021 0 01 0246+84
			TENMILE RUN
			STRUCTURE LENGTH 33 FT
			BMSID 19/0339/0320/0000
		S 0320/0000	LENGTH(AH 1269 BK 2898)
			024 "DIA CIR PLASTIC
		0310/2080	LEN=0055 INSTALLED 2005
			030 "DIA CIR PLASTIC
		0310/0903	LEN=0052 INSTALLED 2016
			018 "DIA CIRC METAL
		0310/0115	LEN=0043 INSTALLED UNKN

DIR: B TOTAL LEN: 19.948 MI. DIST: 03-1 SR: 339
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

	073750 FT	073750 FT	2 0 19021 0 01 0217+30
			RYMAN RD
			(T415)
		0310/0000	LENGTH(AH 2898 BK 1492)
			018 "DIA CIRC METAL
		0300/1389	LEN=0056 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0300/0930	LEN=0060 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0300/0505	LEN=0040 INSTALLED 2016
			018 "DIA CIRC METAL
		0300/0320	LEN=0036 INSTALLED UNKN
	072258 FT	072258 FT	2 0 19021 0 01 0202+40
		0300/0000	LENGTH(AH 1492 BK 1705)
			018 "DIA CIRC CONCR
		0290/1445	LEN=0056 INSTALLED UNKN
			072 "DIA CIRC CONCR
		0290/0902	LEN=0094 INSTALLED UNKN
	070553 FT	070553 FT	2 0 19021 0 00 0184+95
		0290/0000	LENGTH(AH 1705 BK 1506)
			MIFFLIN X RD
		0280/1195	(T409)
			018 "DIA CIRC CONCR
		0280/1169	LEN=0047 INSTALLED UNKN
			TENMILE RUN
			STRUCTURE LENGTH 11 FT
		0280/0136	BMSID 19/0339/0280/0136
2 0 19021 0 00 0169+89	069047 FT	069047 FT	
HOUCK HOLLOW RD			
(T820)	0280/0000	0280/0000	LENGTH(AH 1506 BK 2151)
			018 "DIA CIR PLASTIC
		0270/1520	LEN=0120 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0270/0345	LEN=0037 INSTALLED UNKN
	066896 FT	066896 FT	2 0 19021 0 00 0148+42
		0270/0000	LENGTH(AH 2151 BK 3604)
			MILLARD DR
		0260/2098	(PRDR)
			036 "DIA CIRC CONCR

DIR: B TOTAL LEN: 19.948 MI. DIST: 03-1 SR: 339
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

			0260/2020 LEN=0041 INSTALLED UNKN
	063292 FT		063292 FT 2 0 19021 0 00 0112+45
			MIFFLIN
			MAIN T
		S	0260/0000 LENGTH(AH 3604 BK 2337)
			018 "DIA CIRC CONCR
			0250/2311 LEN=0035 INSTALLED UNKN
			030"H 00"W MULT METAL
			0250/1520 LEN=0050 INSTALLED 2004
			024 "DIA CIRC CONCR
			0250/0520 LEN=0041 INSTALLED UNKN
BROOKSIDE RD (T556)	0250/0464		
			0250/0014 BMSEN 19/0339/0250/0000
	060955 FT		060955 FT 2 0 19021 0 00 0088+99
			T.CATAWISSA
			BMSBG 19/0339/0250/0000
		S	0250/0000 LENGTH(AH 2337 BK 2869)
			018 "DIA CIRC METAL
			0240/2177 LEN=0039 INSTALLED UNKN
			030 "DIA CIR PLASTIC
			0240/1271 LEN=0040 INSTALLED 2003
			018 "DIA CIRC METAL
			0240/0886 LEN=0031 INSTALLED UNKN
			018 "DIA CIRC METAL
			0240/0520 LEN=0031 INSTALLED UNKN
	058086 FT		058086 FT 2 0 19021 0 00 0060+42
		S	0240/0000 LENGTH(AH 2869 BK 3145)
MT PINK RD (T409)	0230/2800		
			0230/2328 BMSEN 19/0339/0230/2314
			2 0 19021 0 00 0052+15
			T.CATAWISSA
			0230/2314 BMSBG 19/0339/0230/2314
			018 "DIA CIRC CONCR
			0230/1280 LEN=0038 INSTALLED UNKN

DIR: B TOTAL LEN: 19.948 MI. DIST: 03-1 SR: 339
LEFT MUN: MAIN T RIGHT MUN: MAIN T

	054941 FT	054941 FT	2 0 19021 0 00 0028+96
		0230/0000	LENGTH(AH 3145 BK 2890)
			018 "DIA CIR PLASTIC
		0220/2521	LEN=0095 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0220/2324	LEN=0118 INSTALLED UNKN
			018 "DIA CIRC METAL
		0220/1986	LEN=0031 INSTALLED UNKN
		0220/0475	BMSEN 19/0339/0220/0447
			2 0 19021 0 00 0004+48
			TR. CATAWISSA CREEK
		0220/0447	BMSBG 19/0339/0220/0447
2 0 19021 0 00 0000+00	052051 FT	052051 FT	
MAINVILLE DR			NC MAIN MIFFLIN DR
(SR2009 SEG 0010/0000)	0220/0000	0220/0000	LENGTH(AH 2890 BK 1552)
			024 "DIA CIR PLASTIC
		0210/1030	LEN=0056 INSTALLED 2000
			FIRE HALL LN
		0210/0929	(T415)
			015 "DIA CIRC CONCR
		0210/0875	LEN=0049 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0210/0645	LEN=0040 INSTALLED UNKN
			012 "DIA CIRC CONCR
		0210/0440	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0210/0128	LEN=0056 INSTALLED 2011
1 0 00415 0 01 0224+35	050499 FT	050499 FT	018 "DIA CIR PLASTIC
MOUNTAIN RD			LEN=0147 INSTALLED 2005
(T403)	0210/0000	0210/0000	LENGTH(AH 1552 BK 2665)
			018 "DIA CIR PLASTIC
		0200/1540	LEN=0061 INSTALLED 2011
			018 "DIA CIRC METAL
		0200/1157	LEN=0060 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0200/0862	LEN=0060 INSTALLED 2011
			018 "DIA CIRC METAL
		0200/0616	LEN=0061 INSTALLED UNKN
	047834 FT	047834 FT	1 0 00415 0 01 0250+99
			VILLAGE: MAINVILLE
		0200/0000	LENGTH(AH 2665 BK 2294)

DIR: B TOTAL LEN: 19.948 MI. DIST: 03-1 SR: 339
LEFT MUN: MAIN T RIGHT MUN: MAIN T

FISHER RUN RD
(T468)

0190/2000

	018 "DIA CIRC METAL
0190/1970	LEN=0047 INSTALLED UNKN
	018 "DIA CIRC METAL
0190/1442	LEN=0033 INSTALLED UNKN
	018 "DIA CIR PLASTIC
0190/1287	LEN=0034 INSTALLED UNKN
	015 "DIA CIRC METAL
0190/0663	LEN=0033 INSTALLED UNKN
045540 FT	045540 FT 1 0 00415 0 01 0273+89
0190/0000	LENGTH(AH 2294 BK 2026)
	018 "DIA CIRC METAL
0180/1801	LEN=0040 INSTALLED UNKN
	018 "DIA CIRC METAL
0180/1559	LEN=0039 INSTALLED UNKN
	018 "DIA CIRC METAL
0180/1350	LEN=0040 INSTALLED UNKN
	018 "DIA CIRC METAL
0180/1040	LEN=0040 INSTALLED UNKN
	018 "DIA CIR PLASTIC
0180/0795	LEN=0040 INSTALLED 2011
	018 "DIA CIRC METAL
0180/0645	LEN=0040 INSTALLED UNKN
	018 "DIA CIRC METAL
0180/0336	LEN=0055 INSTALLED UNKN
	018 "DIA CIRC METAL
0180/0020	LEN=0036 INSTALLED UNKN
043514 FT	043514 FT 1 0 00415 0 01 0294+00
0180/0000	LENGTH(AH 2026 BK 1152)
0170/0639	BMSEN 19/0339/0170/0612
	1 0 00415 0 01 0299+28
	SCOTCH RUN
0170/0612	BMSBG 19/0339/0170/0612
	NC MAINVILLE DR
	FULL-MILL HILL RD
0170/0463	(SR2022 SEG 0010/0000)
	018 "DIA CIRC METAL
0170/0355	LEN=0061 INSTALLED UNKN

IRON BRIDGE RD
(T413)

0170/0065
042362 FT

042362 FT	1 0 00415 0 01 0305+61
0170/0000	LENGTH(AH 1152 BK 2383)
	018 "DIA CIRC METAL
0160/2270	LEN=0040 INSTALLED UNKN
	018 "DIA CIRC METAL
0160/1970	LEN=0032 INSTALLED UNKN
	MAIN

DIR: B TOTAL LEN: 19.948 MI. DIST: 03-1 SR: 339
LEFT MUN: MAIN T RIGHT MUN: MAIN T

```
                                        0160/1876 BEAVER T
                                                  018 "DIA CIRC METAL
                                        0160/1815 LEN=0042 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0160/1540 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0160/1353 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0160/1060 LEN=0057 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0160/0705 LEN=0037 INSTALLED UNKN

                                                  018 "DIA CIRC METAL
                                        0160/0048 LEN=0042 INSTALLED UNKN
039979 FT                               039979 FT 1 0 00415 0 02 0329+14
                                      S 0160/0000 LENGTH(AH 2383 BK 2365)
                                                  018 "DIA CIRC METAL
                                        0150/2276 LEN=0041 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0150/2174 LEN=0037 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0150/2107 LEN=0033 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0150/1886 LEN=0033 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0150/0810 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0150/0356 LEN=0114 INSTALLED UNKN
                                        0150/0167 BMSEN 19/0339/0150/0000
037614 FT                               037614 FT 1 0 00415 0 02 0351+16
                                                  CATAWISSA CK
                                                  BMSBG 19/0339/0150/0000
                                      S 0150/0000 LENGTH(AH 2365 BK 2512)

                                                  018 "DIA CIRC METAL
                                        0140/1448 LEN=0049 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0140/1178 LEN=0055 INSTALLED 2011

035102 FT                               035102 FT 1 0 00415 0 02 0378+48
                                      S 0140/0000 LENGTH(AH 2512 BK 2073)
                                                  018 "DIA CIRC METAL
                                        0130/1840 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0130/1471 LEN=0033 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 19.948 MI. DIST: 03-1 SR: 339
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

```
                                        0130/1265 LEN=0034 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0130/0892 LEN=0040 INSTALLED UNKN

033029 FT                               033029 FT 1 0 00415 0 02 0400+00
                                      S 0130/0000 LENGTH(AH 2073 BK 2489)
                                                  018 "DIA CIR PLASTIC
                                        0120/2299 LEN=0040 INSTALLED UNKN

                                                  018 "DIA CIRC METAL
                                        0120/1675 LEN=0045 INSTALLED UNKN

                                                  018 "DIA CIRC METAL
                                        0120/0879 LEN=0036 INSTALLED UNKN

030540 FT                               030540 FT 1 0 00415 0 02 0424+21
                                      S 0120/0000 LENGTH(AH 2489 BK 2862)

                                                  018 "DIA CIRC METAL
                                        0110/2127 LEN=0039 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0110/1623 LEN=0037 INSTALLED UNKN


                                                  018 "DIA CIRC METAL
                                        0110/0349 LEN=0036 INSTALLED UNKN
027678 FT                               027678 FT 1 0 00415 0 02 0452+90
                                                  018 "DIA CIRC METAL
                                                  LEN=0041 INSTALLED UNKN
                                      S 0110/0000 LENGTH(AH 2862 BK 2790)
                                                  024 "DIA CIRC CONCR
                                        0100/2312 LEN=0054 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0100/1831 LEN=0054 INSTALLED UNKN


                                                  015 "DIA CIRC CONCR
                                        0100/0825 LEN=0045 INSTALLED UNKN
                                        0100/0817 BMSEN 19/0339/0100/0748
                                                  1 0 00415 0 02 0472+79
                                                  CATAWISSA CREEK
                                        0100/0748 BMSBG 19/0339/0100/0748
                                                  CREEKSIDE LN
                                        0100/0610 (T624)
                                                  018 "DIA CIRC METAL
                                        0100/0530 LEN=0037 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0100/0045 LEN=0090 INSTALLED UNKN
024888 FT                               024888 FT 1 0 00415 0 02 0480+99
```

DIR: B TOTAL LEN: 19.948 MI. DIST: 03-1 SR: 339
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

	S 0100/0000	LENGTH(AH 2790 BK 3750)
		018 "DIA CIRC METAL
	0090/3309	LEN=0037 INSTALLED UNKN
		015 "DIA CIRC METAL
	0090/2862	LEN=0042 INSTALLED UNKN
		036 "DIA CIR PLASTIC
	0090/2632	LEN=0095 INSTALLED 2004
		DOG TOWN RD
	0090/2581	(T630)
		018 "DIA CIRC METAL
	0090/2550	LEN=0040 INSTALLED UNKN
		036 "DIA CIR PLASTIC
	0090/2373	LEN=0040 INSTALLED UNKN
		DRAINAGE
		STRUCTURE LENGTH 27 FT
	0090/2117	BMSID 19/0339/0090/2117
		018 "DIA CIR PLASTIC
	0090/1283	LEN=0048 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0090/0490	LEN=0040 INSTALLED UNKN
021138 FT	021138 FT	1 0 00415 0 03 0517+99
	S 0090/0000	LENGTH(AH 3750 BK 1657)
		018 "DIA CIR PLASTIC
	0080/1640	LEN=0040 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0080/0041	LEN=0044 INSTALLED UNKN
019481 FT	019481 FT	1 0 00415 0 03 0534+54
		MOUNTAIN SHADOW LN
		(SR2026 SEG 0010/0000)
	S 0080/0000	LENGTH(AH 1657 BK 2726)
		018 "DIA CIRC METAL
	0070/2706	LEN=0040 INSTALLED UNKN
		048 "DIA CIR PLASTIC
	0070/1480	LEN=0041 INSTALLED 2015
		018 "DIA CIR PLASTIC
	0070/0375	LEN=0042 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0070/0095	LEN=0060 INSTALLED UNKN
1 0 00415 0 03 0561+75 016755 FT	016755 FT	

DIR: B TOTAL LEN: 19.948 MI. DIST: 03-1 SR: 339
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

LONG HOLLOW RD (T367)	0070/0000		S 0070/0000 LENGTH(AH 2726 BK 2963)
			018 "DIA CIRC METAL
			0060/2465 LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0060/1907 LEN=0051 INSTALLED UNKN
			018 "DIA CIRC METAL
			0060/0980 LEN=0045 INSTALLED 1998
	013792 FT		013792 FT 1 0 00415 0 03 0591+35
			018 "DIA CIRC METAL
			LEN=0044 INSTALLED 1998
			S 0060/0000 LENGTH(AH 2963 BK 2849)
			018 "DIA CIRC METAL
			0050/2247 LEN=0036 INSTALLED UNKN
			018 "DIA CIRC METAL
			0050/1681 LEN=0040 INSTALLED UNKN
GREENHOUSE RD (T620)	0050/1596		
			018 "DIA CIRC METAL
			0050/1315 LEN=0040 INSTALLED UNKN
LC FOR GREENHOUSE RD (CONN)	0050/1272		
			018 "DIA CIRC METAL
			0050/1070 LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
			0050/0860 LEN=0045 INSTALLED UNKN
			018 "DIA CIRC METAL
			0050/0365 LEN=0036 INSTALLED UNKN
	010943 FT		010943 FT 1 0 00415 0 03 0619+82
			S 0050/0000 LENGTH(AH 2849 BK 3017)
			018 "DIA CIRC METAL
			0040/2667 LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0040/1948 LEN=0043 INSTALLED 2014
			018 "DIA CIR PLASTIC
			0040/1628 LEN=0039 INSTALLED 2014
			018 "DIA CIRC METAL
			0040/1415 LEN=0031 INSTALLED UNKN
			018 "DIA CIRC METAL
			0040/0900 LEN=0031 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0040/0540 LEN=0030 INSTALLED 2015
	007926 FT		007926 FT 1 0 00415 0 03 0649+97
			S 0040/0000 LENGTH(AH 3017 BK 3018)

DIR: B TOTAL LEN: 19.948 MI. DIST: 03-1 SR: 339
LEFT MUN: BEAVER T RIGHT MUN: BEAVER T

			018 "DIA CIR PLASTIC
		0030/2815	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/2620	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0030/1830	LEN=0032 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0030/1490	LEN=0038 INSTALLED 2015
			018 "DIA CIR PLASTIC
		0030/1255	LEN=0040 INSTALLED 1998
			015 "DIA CAST IRON
		0030/0816	LEN=0034 INSTALLED UNKN
			024 "DIA CIRC METAL
		0030/0485	LEN=0041 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0030/0290	LEN=0041 INSTALLED UNKN
	004908 FT	004908 FT	1 0 00415 0 03 0680+13
		S 0030/0000	LENGTH(AH 3018 BK 2921)
			018 "DIA CIRC METAL
		0020/2674	LEN=0057 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/2075	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/1190	LEN=0042 INSTALLED UNKN
CRANBERRY RUN RD (T365)	0020/0383		
			060 "DIA CIR PLASTIC
		0020/0110	LEN=0048 INSTALLED UNKN
	001987 FT	001987 FT	1 0 00415 0 03 0709+32
			024 "DIA CIRC METAL
			LEN=0035 INSTALLED UNKN
		S 0020/0000	LENGTH(AH 2921 BK 1987)
			030 "DIA CIR PLASTIC
		0010/1575	LEN=0040 INSTALLED 2011
			024 "DIA CIR PLASTIC
		0010/0512	LEN=0036 INSTALLED UNKN
			BUCKS MOUNTAIN RD
		0010/0018	(SR2030 SEG 0010/0148)
	000000 FT	000000 FT	1 0 00415 0 03 0729+18
			NC STATE RD
		* REF-BK	CREEK RD
			(SR0339 SEG 0250/2132)
			MFC BEGIN = D
			BK-SCHUYLKILL (53)
		S 0010/0000	LENGTH(AH 1987 BK 0000)

DIR: B TOTAL LEN: 16.689 MI. DIST: 03-1 SR: 254
LEFT MUN: BENTON T RIGHT MUN: BENTON T

```
SR 0487 SH                088119 FT
(SR0487 SEG 0630/0205)     0380/1482
```



```
088119 FT  SR 0487 SH
0380/1482  (SR0487 SEG 0630/0205)
           024 "DIA CIRC CONCR
0380/1273  LEN=0068 INSTALLED UNKN
           FOR SR 0254 AND 0487
           (CONN)
           MAPLE GROVE RD
0380/1207  (T808)
0380/1173  BMSEN 19/0254/0380/1152
           1 0 00249 0 01 0932+65
           T FISHING CK
0380/1152  BMSBG 19/0254/0380/1152
0380/0616  BMSEN 19/0254/0380/0498
           0 0 00000 0 00 0000+00
           FISHING CK
0380/0498  BMSBG 19/0254/0380/0498
           STEINRUCK RD
0380/0417  (T668)
0380/0014  BMSEN 19/0254/0380/0000
086637 FT  1 0 00249 0 01 0921+38
           CULLEY RUN
           BMSBG 19/0254/0380/0000
S 0380/0000  LENGTH(AH 1482 BK 3608)
           015 "DIA CAST IRON
0370/3140  LEN=0039 INSTALLED UNKN
           015 "DIA CAST IRON
0370/2647  LEN=0041 INSTALLED UNKN
           015 "DIA CAST IRON
0370/2385  LEN=0042 INSTALLED UNKN
           015 "DIA CAST IRON
0370/1931  LEN=0039 INSTALLED UNKN
           024 "DIA CAST IRON
0370/1402  LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 16.689 MI. DIST: 03-1 SR: 254
LEFT MUN: BENTON T RIGHT MUN: BENTON T

			015 "DIA CIRC CONCR
		0370/1209	LEN=0048 INSTALLED UNKN
CULLY RUN RD (T686)	0370/0955		
		0370/0749	BMSEN 19/0254/0370/0736
			1 0 00249 0 01 0892+66
			CULLEY RUN
		0370/0736	BMSBG 19/0254/0370/0736
			015 "DIA CAST IRON
		0370/0304	LEN=0044 INSTALLED UNKN
1 0 00249 0 01 0885+20 083029 FT		083029 FT	
GORDON RD (T661)	0370/0000	S 0370/0000	LENGTH(AH 3608 BK 3367)
			036 "DIA CAST IRON
		0360/3316	LEN=0060 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0360/3212	LEN=0045 INSTALLED 2005
			018 "DIA CAST IRON
		0360/2917	LEN=0060 INSTALLED 2005
			015 "DIA CAST IRON
		0360/2642	LEN=0090 INSTALLED UNKN
			015 "DIA CAST IRON
		0360/2380	LEN=0044 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0360/1969	LEN=0045 INSTALLED UNKN
			BENTON
		0360/1898	FISHING CREEK T
			015 "DIA CAST IRON
		0360/1601	LEN=0052 INSTALLED UNKN
			015 "DIA CAST IRON
		0360/1355	LEN=0050 INSTALLED UNKN
			018 "DIA CAST IRON
		0360/1172	LEN=0052 INSTALLED UNKN
LC TO O BRIAN HILL RD (CONN)	0360/0164		
1 0 00249 0 01 0852+00 079662 FT		079662 FT	
O BRIAN HILL RD (T678)	0360/0000	S 0360/0000	LENGTH(AH 3367 BK 2197)
			018 "DIA CIRC METAL
		0350/2163	LEN=0045 INSTALLED UNKN
			FISHING CREEK
		0350/1976	GREENWOOD T
			015 "DIA CAST IRON
		0350/1797	LEN=0040 INSTALLED UNKN
			024 "DIA CAST IRON
		0350/1344	LEN=0042 INSTALLED UNKN
			015 "DIA CAST IRON
		0350/1152	LEN=0044 INSTALLED UNKN

DIR: B TOTAL LEN: 16.689 MI. DIST: 03-1 SR: 254
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

```
                                                  018 "DIA CAST IRON
                                  0350/0735  LEN=0050 INSTALLED UNKN
                                                  015 "DIA CAST IRON
                                  0350/0589  LEN=0046 INSTALLED UNKN
                                                  015 "DIA CAST IRON
                                  0350/0303  LEN=0040 INSTALLED UNKN
077465 FT                         077465 FT  1 0 00249 0 01 0829+91
                                  0350/0000  LENGTH(AH 2197 BK 2395)
                                                  015 "DIA CAST IRON
                                  0340/2356  LEN=0039 INSTALLED UNKN
                                                  018 "DIA CAST IRON
                                  0340/2198  LEN=0044 INSTALLED UNKN
                                                  018 "DIA CAST IRON
                                  0340/1913  LEN=0044 INSTALLED UNKN
                                                  015 "DIA CAST IRON
                                  0340/1594  LEN=0048 INSTALLED UNKN
                                                  015 "DIA CAST IRON
                                  0340/1304  LEN=0060 INSTALLED UNKN
                                                  015 "DIA CAST IRON
                                  0340/1004  LEN=0050 INSTALLED UNKN
                                                  018 "DIA CAST IRON
                                  0340/0800  LEN=0050 INSTALLED UNKN
                                                  015 "DIA CAST IRON
                                  0340/0505  LEN=0050 INSTALLED UNKN
                                                  015 "DIA CAST IRON
                                  0340/0315  LEN=0044 INSTALLED UNKN
                                                  KELLER RD
                                  0340/0049  (T651)
075070 FT                         075070 FT  1 0 00249 0 01 0805+52
                                                  024"H 60"W CON BOX CUL
                                                  LEN=0043 INSTALLED UNKN
                                  0340/0000  LENGTH(AH 2395 BK 3469)
                                                  018 "DIA CAST IRON
                                  0330/3113  LEN=0055 INSTALLED UNKN
                                                  015 "DIA CAST IRON
                                  0330/2762  LEN=0042 INSTALLED UNKN
                                                  015 "DIA CAST IRON
                                  0330/2511  LEN=0047 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                  0330/2261  LEN=0039 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0330/2008  LEN=0044 INSTALLED UNKN
                                                  036"H 42"W CON BOX CUL
                                  0330/1750  LEN=0042 INSTALLED UNKN
                                                  018 "DIA CAST IRON
                                  0330/1554  LEN=0039 INSTALLED UNKN
                                                  018 "DIA CAST IRON
                                  0330/1227  LEN=0040 INSTALLED UNKN

                                                  015 "DIA CAST IRON
```

DIR: B TOTAL LEN: 16.689 MI. DIST: 03-1 SR: 254
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

```
                                                  0330/0615 LEN=0041 INSTALLED UNKN
                                                            015 "DIA CAST IRON
                                                  0330/0323 LEN=0041 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0330/0188 LEN=0041 INSTALLED UNKN
1 0 00249 0 01 0770+93 071601 FT                  071601 FT
GREEN CREEK RD
(SR4045 SEG 0010/0000)  0330/0000               S 0330/0000 LENGTH(AH 3469 BK 2803)
                                                            015 "DIA CAST IRON
                                                  0320/2592 LEN=0045 INSTALLED UNKN
                                                            015 "DIA CAST IRON
                                                  0320/2350 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CAST IRON
                                                  0320/1964 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CAST IRON
                                                  0320/1758 LEN=0045 INSTALLED UNKN
                                                  0320/1306 BMSEN 19/0254/0320/1291
                                                            1 0 00249 0 01 0755+58
                                                            TR TO GREEN CREEK
                                                  0320/1291 BMSBG 19/0254/0320/1291
                                                            024 "DIA CIR PLASTIC
                                                  0320/0809 LEN=0042 INSTALLED 2005
                                                            015 "DIA CIRC METAL
                                                  0320/0378 LEN=0042 INSTALLED UNKN
                                                            018 "DIA CAST IRON
                                                  0320/0029 LEN=0045 INSTALLED UNKN
1 0 00249 0 01 0742+79 068798 FT                  068798 FT
WINTERS RD
(T459)                  0320/0000               S 0320/0000 LENGTH(AH 2803 BK 3370)
                                                            015 "DIA CAST IRON
                                                  0310/3327 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CAST IRON
                                                  0310/2931 LEN=0042 INSTALLED UNKN
                                                            018 "DIA CAST IRON
                                                  0310/2566 LEN=0051 INSTALLED UNKN
                                                            015 "DIA CAST IRON
                                                  0310/2376 LEN=0042 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0310/1972 LEN=0041 INSTALLED UNKN
                                                            042 "DIA CAST IRON
                                                  0310/1532 LEN=0051 INSTALLED UNKN
                                                            015 "DIA CAST IRON
                                                  0310/1213 LEN=0042 INSTALLED UNKN
                                                            018 "DIA CAST IRON
                                                  0310/0971 LEN=0044 INSTALLED UNKN
                                                            018 "DIA CAST IRON
                                                  0310/0447 LEN=0042 INSTALLED UNKN
                                                            015 "DIA CAST IRON
                                                  0310/0021 LEN=0041 INSTALLED UNKN
                        065428 FT                 065428 FT 1 0 00249 0 01 0709+16
```

DIR: B TOTAL LEN: 16.689 MI. DIST: 03-1 SR: 254
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

			CEMETERY RD
			(T601)
		0310/0000	LENGTH(AH 3370 BK 2778)
			042 "DIA CIR PLASTIC
		0300/2616	LEN=0050 INSTALLED 2005
CARDINAL RD			
(T455)	0300/2304		
			030 "DIA CAST IRON
		0300/0712	LEN=0043 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0300/0425	LEN=0040 INSTALLED UNKN
	062650 FT	062650 FT	1 0 00249 0 01 0681+21
			ZANERS RD
			(SR1022 SEG 0010/0000)
			ROHRSBURG RD
			(SR4041 SEG 0100/0845)
		0300/0000	LENGTH(AH 2778 BK 1636)
			018 "DIA CAST IRON
		0290/1203	LEN=0042 INSTALLED UNKN
		0290/0228	BMSEN 19/0254/0290/0145
			1 0 00249 0 01 0666+29
			GREEN CREEK
		0290/0145	BMSBG 19/0254/0290/0145
	061014 FT	061014 FT	1 0 00249 0 01 0664+91
AUSTIN TRAIL RD			VILLAGE: ROHRSBURG
(SR4039 SEG 0010/0000)	0290/0000	0290/0000	LENGTH(AH 1636 BK 2413)
			018 "DIA CAST IRON
		0280/2155	LEN=0056 INSTALLED UNKN
			THOMAS RD
		0280/2125	(T453)
		0280/1939	BMSEN 19/0254/0280/1920
			1 0 00249 0 01 0660+01
			L GREEN CK
		0280/1920	BMSBG 19/0254/0280/1920
			018 "DIA CAST IRON
		0280/1136	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0280/0024	LEN=0040 INSTALLED 2013
	058601 FT	058601 FT	1 0 00249 0 01 0641+03
		0280/0000	LENGTH(AH 2413 BK 2186)
			015 "DIA CAST IRON

DIR: B TOTAL LEN: 16.689 MI. DIST: 03-1 SR: 254
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

				0270/1986 LEN=0041 INSTALLED UNKN
FAUSEY RD (T580)	0270/1274	==		
				018 "DIA CAST IRON
				0270/0472 LEN=0042 INSTALLED UNKN
1 0 00249 0 01 0619+40	056415 FT			056415 FT
REESE RD (T578)	0270/0000	==	S	0270/0000 LENGTH(AH 2186 BK 2213)
				015 "DIA CAST IRON
				0260/2000 LEN=0048 INSTALLED UNKN
				TR. TO MUD RUN
				STRUCTURE LENGTH 8 FT
				0260/1776 BMSID 19/0254/0260/1776
				018 "DIA CAST IRON
				0260/1523 LEN=0046 INSTALLED UNKN
	054202 FT			054202 FT 1 0 00249 0 01 0596+78
				066"H 72"W CON BOX CUL
				LEN=0043 INSTALLED 1996
			S	0260/0000 LENGTH(AH 2213 BK 1979)
				018 "DIA CIR PLASTIC
				0250/0858 LEN=0043 INSTALLED 2013
TRIVELPIECE RD (T576)	0250/0585	==		
		RBR		
				0250/0504 BMSEN 19/0254/0250/0486
				1 0 00249 0 01 0581+75
		RBR		P3
				TRIBUTARY TO MUD RUN
				0250/0486 BMSBG 19/0254/0250/0486
1 0 00249 0 01 0577+06	052223 FT			052223 FT BOWMAN MILL RD
EAGLE RD (SR4037 SEG 0090/0000)	0250/0000	== ==	S	(SR4037 SEG 0090/0000)
				0250/0000 LENGTH(AH 1979 BK 3204)
				018 "DIA CIR PLASTIC
				0240/3174 LEN=0044 INSTALLED UNKN
				018 "DIA CAST IRON
				0240/2737 LEN=0041 INSTALLED UNKN
				SWALLOW RD
			==	0240/2295 (T574)
				015 "DIA CAST IRON
				0240/1938 LEN=0041 INSTALLED UNKN

DIR: B TOTAL LEN: 16.689 MI. DIST: 03-1 SR: 254
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

				015 "DIA CAST IRON
			0240/1484	LEN=0044 INSTALLED UNKN
				054"H 60"W CONCR ARCH
			0240/1202	LEN=0042 INSTALLED UNKN
				018 "DIA CAST IRON
			0240/1022	LEN=0045 INSTALLED UNKN
				ORIOLE RD
		==	0240/0563	(T451)
GROUSE RD (T532)	0240/0354	==		
			0240/0014	BMSEN 19/0254/0240/0000
	049019 FT		049019 FT	1 0 00249 0 01 0544+98
				TRIBUTARY MUD RUN
				BMSBG 19/0254/0240/0000
			S 0240/0000	LENGTH(AH 3204 BK 2567)
				024 "DIA CAST IRON
			0230/1849	LEN=0041 INSTALLED UNKN
				015 "DIA CAST IRON
			0230/0996	LEN=0043 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0230/0751	LEN=0050 INSTALLED 2016
				015 "DIA CAST IRON
			0230/0535	LEN=0042 INSTALLED UNKN
1 0 00249 0 01 0519+30	046452 FT		046452 FT	MILLER TOWN RD
BLACK LN				(SR4011 SEG 0150/2157)
(T530)	0230/0000	==	S 0230/0000	LENGTH(AH 2567 BK 2103)
				015 "DIA CAST IRON
			0220/2073	LEN=0054 INSTALLED UNKN
				015 "DIA CAST IRON
			0220/1318	LEN=0044 INSTALLED UNKN
				015 "DIA CAST IRON
			0220/1074	LEN=0040 INSTALLED UNKN
				042 "DIA CAST IRON
			0220/0770	LEN=0046 INSTALLED UNKN
				024 "DIA CAST IRON
			0220/0506	LEN=0064 INSTALLED UNKN
1 0 00249 0 01 0498+29	044349 FT		044349 FT	CRANE RD
SHED RD				(T528)
(T527)	0220/0000	== ==	S 0220/0000	LENGTH(AH 2103 BK 3675)
				048"H 48"W CONCR ARCH
			0210/3461	LEN=0033 INSTALLED UNKN
				015 "DIA CAST IRON
			0210/3154	LEN=0040 INSTALLED UNKN
				018 "DIA CAST IRON
			0210/2668	LEN=0038 INSTALLED UNKN
				018 "DIA CAST IRON
			0210/2096	LEN=0044 INSTALLED UNKN

DIR: B TOTAL LEN: 16.689 MI. DIST: 03-1 SR: 254
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

			048"H 72"W CONCR ARCH
		0210/1935	LEN=0050 INSTALLED UNKN
OLD GREENWOOD RD			OLD GREENWOOD RD
(T597)	0210/0271	0210/0271	(T597)
			018 "DIA CAST IRON
		0210/0242	LEN=0053 INSTALLED UNKN
	040674 FT	040674 FT	1 0 00249 0 01 0461+58
			MUD RUN
			STRUCTURE LENGTH 12 FT
			BMSID 19/0254/0210/0000
		S 0210/0000	LENGTH(AH 3675 BK 2308)
			CAMP VICTORY RD
		0200/1984	(T525)
			015 "DIA CAST IRON
		0200/1478	LEN=0040 INSTALLED UNKN
			027"H 43"W ELLIP METAL
		0200/1012	LEN=0058 INSTALLED UNKN
BEAGLE RD			
(T534)	0200/0525		
			015 "DIA CIRC METAL
		0200/0385	LEN=0045 INSTALLED UNKN
			043"H 68"W ELLIP CONC
		0200/0022	LEN=0060 INSTALLED UNKN
	038366 FT	038366 FT	1 0 00249 0 01 0438+52
		S 0200/0000	LENGTH(AH 2308 BK 2121)
			024 "DIA CAST IRON
		0190/1166	LEN=0045 INSTALLED UNKN
			018 "DIA CAST IRON
		0190/0293	LEN=0040 INSTALLED UNKN
	036245 FT	036245 FT	1 0 00249 0 01 0417+28
			NC SR 0254 SH
			LAKE RD
			(T448)
			GREENWOOD
			MILLVILLE B
		S 0190/0000	LENGTH(AH 2121 BK 2986)
SUNNYVIEW LN			
(BORO)	0180/2253		
			018 "DIA CIRC METAL
		0180/2000	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0180/1600	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 16.689 MI. DIST: 03-1 SR: 254
LEFT MUN: MILLVILLE B RIGHT MUN: MILLVILLE B

			015 "DIA CIRC METAL
		0180/1234	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0180/0975	LEN=0040 INSTALLED UNKN
			018 "DIA CAST IRON
		0180/0441	LEN=0050 INSTALLED UNKN
WOODLAND DR (T452)	0180/0403		
	033259 FT		
		033259 FT	1 0 00249 0 01 0387+37
		S 0180/0000	LENGTH(AH 2986 BK 2650)
			018 "DIA CIRC CONCR
		0170/2650	LEN=0045 INSTALLED UNKN
			CHESTNUT ST
		0170/2149	(BORO)
GREEN ST (BORO)	0170/1708		
			CENTER ST
		0170/1313	(BORO)
			018 "DIA CIRC CONCR
		0170/0900	LEN=0030 INSTALLED UNKN
			STATE ST
			(SR0042 SEG 0730/0000)
		0170/0843	
			RAILROAD ST
		0170/0536	(BORO)
			015 "DIA CIRC METAL
		0170/0320	LEN=0030 INSTALLED UNKN
			048 "DIA CIRC METAL
		0170/0155	LEN=0070 INSTALLED UNKN
			024"H 35"W ELLIP METAL
		0170/0137	LEN=0050 INSTALLED UNKN
		0170/0096	BMSEN 19/0254/0170/0000
		NC MAIN ST	
			MILLVILLE
		0170/0048	MADISON T
	030609 FT	030609 FT	1 0 00249 0 01 0361+49
			LITTLE FISHING CREEK
			BMSBG 19/0254/0170/0000
		S 0170/0000	LENGTH(AH 2650 BK 0580)
			TAYLOR RD
		0160/0485	(T556)
ROD & GUN CLUB RD (T444)	0160/0327		
	030029 FT		
		030029 FT	1 0 00249 0 00 0336+01
		S 0160/0000	LENGTH(AH 0580 BK 2290)
			018 "DIA CIRC CONCR
		0150/2222	LEN=0070 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0150/1480	LEN=0145 INSTALLED UNKN

DIR: B TOTAL LEN: 16.689 MI. DIST: 03-1 SR: 254
LEFT MUN: MADISON T RIGHT MUN: MADISON T

MEADOWS DR			
(TWP)	0150/1023		
			030 "DIA CIRC CONCR
		0150/0892	LEN=0120 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0150/0675	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0150/0240	LEN=0070 INSTALLED UNKN
	027739 FT	027739 FT	1 0 00249 0 00 0313+01
		S 0150/0000	LENGTH(AH 2290 BK 2938)
			018 "DIA CIRC CONCR
		0140/2320	LEN=0100 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0140/1825	LEN=0115 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0140/1345	LEN=0100 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0140/0965	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0140/0602	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0140/0155	LEN=0098 INSTALLED UNKN
	024801 FT	024801 FT	1 0 00249 0 00 0283+63
		S 0140/0000	LENGTH(AH 2938 BK 1229)
			018 "DIA CIRC CONCR
		0130/0845	LEN=0060 INSTALLED UNKN
			060 "DIA CIRC CONCR
		0130/0640	LEN=0160 INSTALLED UNKN
			TAYLOR RD
		0130/0443	(T556)
TO SPRUCE RUN RD			
(CONN)	0130/0207		
1 0 00249 0 00 0271+34	023572 FT	023572 FT	CREEK RD
SPRUCE RUN RD			(SR4021 SEG 0060/2214)
(SR4023 SEG 0010/0000)	0130/0000	S 0130/0000	LENGTH(AH 1229 BK 1581)
			BMSEN 19/0254/0120/1359
			TO 4021/0060 SH
		0120/1394	(CONN)
			1 0 00249 0 00 0269+14
			SPRUCE RUN
		0120/1359	BMSBG 19/0254/0120/1359
			TRIBUTARY TO SPRUCE RUN
			STRUCTURE LENGTH 12 FT
		0120/0456	BMSID 19/0254/0120/0456
SLATE RD			
(T406)	0120/0407		
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 16.689 MI. DIST: 03-1 SR: 254
LEFT MUN: MADISON T RIGHT MUN: MADISON T

		0120/0070	LEN=0075 INSTALLED UNKN
	021991 FT	021991 FT	1 0 00249 0 00 0255+64
		S 0120/0000	LENGTH(AH 1581 BK 1558)
			018 "DIA CIRC CONCR
		0110/1300	LEN=0065 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0110/0935	LEN=0065 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0110/0737	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0110/0695	LEN=0065 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0110/0449	LEN=0050 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0110/0120	LEN=0090 INSTALLED UNKN
	020433 FT	020433 FT	1 0 00249 0 00 0240+02
		S 0110/0000	LENGTH(AH 1558 BK 2869)
			018 "DIA CIRC CONCR
		0100/2590	LEN=0075 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0100/2242	LEN=0060 INSTALLED UNKN
			MORDANS RD
		0100/1908	(T555)
MAGEE RD (T404)	0100/1542		
			018 "DIA CIRC CONCR
		0100/1115	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0100/0415	LEN=0085 INSTALLED UNKN
	017564 FT	017564 FT	1 0 00249 0 00 0211+26
			BENNETT RD
			(T383)
		S 0100/0000	LENGTH(AH 2869 BK 2120)
			018 "DIA CIRC CONCR
		0090/1943	LEN=0065 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/1657	LEN=0065 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/1361	LEN=0072 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/1019	LEN=0065 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/0670	LEN=0065 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/0375	LEN=0065 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/0139	LEN=0065 INSTALLED UNKN
	015444 FT	015444 FT	1 0 00249 0 00 0190+14
		S 0090/0000	LENGTH(AH 2120 BK 2025)

DIR: B TOTAL LEN: 16.689 MI. DIST: 03-1 SR: 254
LEFT MUN: MADISON T RIGHT MUN: MADISON T

			024 "DIA CIRC CONCR
		0080/1681	LEN=0145 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0080/1225	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0080/0871	LEN=0042 INSTALLED UNKN
			042 "DIA CIRC CONCR
		0080/0473	LEN=0110 INSTALLED UNKN
	013419 FT	013419 FT	1 0 00249 0 00 0169+97
		S 0080/0000	LENGTH(AH 2025 BK 0808)
			018 "DIA CIRC CONCR
		0070/0259	LEN=0033 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/0022	LEN=0040 INSTALLED UNKN
	012611 FT	012611 FT	1 0 00249 0 00 0161+92
			NC JERSEYTOWN RD
			DANVILLE RD
WHITEHALL RD			(SR0044 SEG 0210/0000)
(SR0044 SEG 0210/0000)	0070/0000	S 0070/0000	LENGTH(AH 0808 BK 1405)
			042 "DIA CIR PLASTIC
		0060/1300	LEN=0050 INSTALLED 2001
			018 "DIA CIRC METAL
		0060/0920	LEN=0030 INSTALLED UNKN
	011206 FT	011206 FT	1 0 00414 0 00 0112+06
			VILLAGE: JERSEYTOWN
		S 0060/0000	LENGTH(AH 1405 BK 1619)
			018 "DIA CIRC METAL
		0050/1325	LEN=0033 INSTALLED UNKN
			072 "DIA CIRC CONCR
		0050/1140	LEN=0043 INSTALLED UNKN
			CROSS RD
		0050/0219	(T543)
	009587 FT	009587 FT	1 0 00414 0 00 0095+90
		S 0050/0000	LENGTH(AH 1619 BK 1902)
			018 "DIA CIR PLASTIC
		0040/1659	LEN=0049 INSTALLED 2016
			024 "DIA CIR PLASTIC
		0040/1309	LEN=0053 INSTALLED 2016
			018 "DIA CIR PLASTIC
		0040/1020	LEN=0050 INSTALLED 2016
			018 "DIA CIR PLASTIC
		0040/0788	LEN=0050 INSTALLED 2016
			018 "DIA CIR PLASTIC
		0040/0545	LEN=0040 INSTALLED 2016
		0040/0027	BMSEN 19/0254/0040/0000
	007685 FT	007685 FT	1 0 00414 0 00 0076+89

DIR: B TOTAL LEN: 16.689 MI. DIST: 03-1 SR: 254
LEFT MUN: MADISON T RIGHT MUN: MADISON T

```
                                                  TRIBUTARY TO MUD CREEK
                                                  BMSBG 19/0254/0040/0000
                                   S 0040/0000    LENGTH(AH 1902 BK 2902)
                                                  024 "DIA CIR PLASTIC
                                     0030/2521    LEN=0040 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                     0030/1675    LEN=0051 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                     0030/1353    LEN=0045 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                     0030/0793    LEN=0044 INSTALLED 2016
                                                  015 "DIA CIRC METAL
                                     0030/0483    LEN=0040 INSTALLED UNKN
                  004783 FT          004783 FT    1 0 00414 0 00 0047+89
                                                  STEVES RD
                                                  (T537)
                                   S 0030/0000    LENGTH(AH 2902 BK 2258)
                                                  024 "DIA CIR PLASTIC
                                     0020/2248    LEN=0053 INSTALLED 2005

                                                  018 "DIA CIR PLASTIC
                                     0020/1435    LEN=0050 INSTALLED 2001
                                                  036 "DIA CIRC METAL
                                     0020/1352    LEN=0050 INSTALLED 2001
VALLEY RD
(T392)             0020/1055

                                                  042 "DIA CIRC CONCR
                                     0020/0677    LEN=0050 INSTALLED 2001

                  002525 FT          002525 FT    1 0 00414 0 00 0025+28
                                   S 0020/0000    LENGTH(AH 2258 BK 2525)
                                                  018 "DIA CIR PLASTIC
                                     0010/2365    LEN=0050 INSTALLED 2016
                                                  018 "DIA CIR PLASTIC
                                     0010/1918    LEN=0050 INSTALLED 2012

                                                  036 "DIA CIRC CONCR
                                     0010/1040    LEN=0050 INSTALLED 2001


                                                  024 "DIA CIRC CONCR
                                     0010/0028    LEN=0069 INSTALLED UNKN
                  000000 FT          000000 FT    1 0 00414 0 00 0000+00
                                          NC WASHINGTONVILLE RD
                                   * REF-BK       WASHINGTONVILLE RD
                                                  (SR0254 SEG 0180/2900)
                                                  MFC BEGIN = D
                                                   BK-MONTOUR        (47)
                                   S 0010/0000    LENGTH(AH 2525 BK 0000)
```

DIR: B TOTAL LEN: 11.973 MI. DIST: 03-1 SR: 239
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

063219 FT

SR 0118 SH
(SR0118 SEG 0380/2734) 0250/3292



063219 FT AH-LYCOMING (41)
INTER-AHD SR 0239 SH
(SR0239 SEG 0012/0000)
SR 0118 SH
0250/3292 (SR0118 SEG 0010/0000)
TO 0118/0010 SH
0250/3174 (CONN)
018 "DIA CIR PLASTIC
0250/2790 LEN=0045 INSTALLED UNKN
018 "DIA CIRC METAL
0250/2604 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 11.973 MI. DIST: 03-1 SR: 239
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

			0250/2360	LEN=0055 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0250/1521	LEN=0057 INSTALLED UNKN
				018 "DIA CIRC METAL
			0250/1015	LEN=0040 INSTALLED UNKN
				018 "DIA CIRC METAL
			0250/0735	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0250/0264	LEN=0036 INSTALLED UNKN
	059927 FT		059927 FT	1 0 00321 0 03 0329+69
			S 0250/0000	LENGTH(AH 3292 BK 3060)
				018 "DIA CIR PLASTIC
			0240/2345	LEN=0042 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0240/1480	LEN=0052 INSTALLED UNKN
ANDYS HILL RD				POLE BRIDGE RD
(T737)	0240/1478	== ==	0240/1478	(T637)
				015"H 21"W ELLIP METAL
			0240/1434	LEN=0057 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0240/1292	LEN=0042 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0240/1058	LEN=0045 INSTALLED UNKN
				030 "DIA CIRC CONCR
			0240/0642	LEN=0047 INSTALLED UNKN
LC FOR REMLEYS HILL RD				
(CONN)	0240/0161	==		
1 0 00321 0 03 0300+00	056867 FT		056867 FT	
REMLEYS HILL RD				
(T611)	0240/0000	==	S 0240/0000	LENGTH(AH 3060 BK 2733)
				018 "DIA CIR PLASTIC
			0230/2484	LEN=0042 INSTALLED 1999
				018 "DIA CIR PLASTIC
			0230/2109	LEN=0040 INSTALLED UNKN
				018 "DIA CIRC METAL
			0230/1204	LEN=0040 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0230/0458	LEN=0060 INSTALLED UNKN
				024 "DIA CIRC METAL
			0230/0041	LEN=0060 INSTALLED UNKN
	054134 FT		054134 FT	1 0 00321 0 03 0271+90
				MOUNTAIN RD
WALLER DIVIDE RD				(T737)
(T700)	0230/0000	== ==	S 0230/0000	LENGTH(AH 2733 BK 3672)

DIR: B TOTAL LEN: 11.973 MI. DIST: 03-1 SR: 239
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

		018 "DIA CIRC METAL
	0220/3185	LEN=0038 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0220/2765	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0220/2405	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0220/1937	LEN=0038 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0220/1515	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0220/1408	LEN=0052 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0220/1065	LEN=0050 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0220/0508	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC METAL
	0220/0094	LEN=0036 INSTALLED UNKN
050462 FT	050462 FT	1 0 00321 0 03 0234+89
		VILLAGE: DIVIDE
	S 0220/0000	LENGTH(AH 3672 BK 2589)
		030 "DIA CIRC METAL
	0210/2333	LEN=0042 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0210/2105	LEN=0050 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0210/1450	LEN=0046 INSTALLED 2000
		024 "DIA CIR PLASTIC
	0210/1004	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0210/0880	LEN=0035 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0210/0748	LEN=0037 INSTALLED UNKN
		018 "DIA CIRC METAL
	0210/0555	LEN=0045 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0210/0328	LEN=0042 INSTALLED UNKN
	0210/0016	BMSEN 19/0239/0210/0000
047873 FT	047873 FT	1 0 00321 0 03 0208+96
		TR TO WEST CREEK
		BMSBG 19/0239/0210/0000
	S 0210/0000	LENGTH(AH 2589 BK 2166)
		018 "DIA CIRC METAL
	0200/2052	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC METAL
	0200/1768	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0200/1145	LEN=0037 INSTALLED UNKN

DIR: B TOTAL LEN: 11.973 MI. DIST: 03-1 SR: 239
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

			048 "DIA CIRC CONCR
		0200/0715	LEN=0043 INSTALLED UNKN
	045707 FT	045707 FT	1 0 00321 0 03 0187+33
			SHULTZ HOLLOW RD
			(T692)
		S 0200/0000	LENGTH(AH 2166 BK 1778)
			018 "DIA CIRC METAL
		0190/1709	LEN=0039 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0190/1035	LEN=0053 INSTALLED UNKN
			JACKSON
		0190/0886	SUGARLOAF T
			018 "DIA CIR PLASTIC
		0190/0191	LEN=0045 INSTALLED UNKN
	043929 FT	043929 FT	1 0 00321 0 03 0169+70
		S 0190/0000	LENGTH(AH 1778 BK 2260)
			018 "DIA CIRC METAL
		0180/2008	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0180/1596	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC METAL
		0180/1221	LEN=0060 INSTALLED UNKN
MAPLE RD (T733)	0180/1205		
			018 "DIA CIR PLASTIC
		0180/0118	LEN=0035 INSTALLED UNKN
	041669 FT	041669 FT	1 0 00321 0 02 0142+81
		S 0180/0000	LENGTH(AH 2260 BK 2426)
			036 "DIA CIR PLASTIC
		0170/1995	LEN=0057 INSTALLED 2016
		0170/1887	BMSEN 19/0239/0170/1830
			1 0 00321 0 02 0136+68
			WEST CREEK
		0170/1830	BMSBG 19/0239/0170/1830
			WEST CREEK RD
		0170/1669	(T700)
			021 "DIA CIR PLASTIC
		0170/1629	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0170/1169	LEN=0048 INSTALLED UNKN
			021 "DIA CIR PLASTIC
		0170/0218	LEN=0040 INSTALLED 1999
	039243 FT	039243 FT	1 0 00321 0 02 0118+64

DIR: B TOTAL LEN: 11.973 MI. DIST: 03-1 SR: 239
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

		S	0170/0000 LENGTH(AH 2426 BK 2036)
			021 "DIA CIR PLASTIC
			0160/1822 LEN=0035 INSTALLED UNKN
			TRIBUTARY WEST CREEK
			STRUCTURE LENGTH 13 FT
			0160/0715 BMSID 19/0239/0160/0715
			021 "DIA CIR PLASTIC
			0160/0328 LEN=0040 INSTALLED UNKN
			021 "DIA CIRC METAL
			0160/0031 LEN=0052 INSTALLED UNKN
	037207 FT		037207 FT 1 0 00321 0 01 0095+29
			KLINGER HILL RD
			(TWP)
		S	0160/0000 LENGTH(AH 2036 BK 2432)
			024 "DIA CIR PLASTIC
			0150/2137 LEN=0040 INSTALLED UNKN
			SUGARLOAF
			0150/1892 BENTON T
			018 "DIA CIR PLASTIC
			0150/0815 LEN=0040 INSTALLED UNKN
			0150/0055 BMSEN 19/0239/0150/0000
	034775 FT		034775 FT 1 0 00321 0 01 0071+41
			WEST CREEK
			BMSBG 19/0239/0150/0000
		S	0150/0000 LENGTH(AH 2432 BK 3747)
FRITZ HILL RD (T707)	0140/3725		
			024 "DIA CIR PLASTIC
			0140/3686 LEN=0050 INSTALLED UNKN
LC FOR COLES CREEK MILL (CONN)	0140/2919		
COLES CREEK MILL RD (T717)	0140/2771		
			018 "DIA CIRC METAL
			0140/2731 LEN=0034 INSTALLED UNKN
			018 "DIA CIRC METAL
			0140/2343 LEN=0034 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0140/1373 LEN=0040 INSTALLED UNKN
			0140/0972 BMSEN 19/0239/0140/0906
			1 0 00321 0 00 0039+17
			WEST CREEK

DIR: B TOTAL LEN: 11.973 MI. DIST: 03-1 SR: 239
LEFT MUN: BENTON T RIGHT MUN: BENTON T

		0140/0906	BMSBG 19/0239/0140/0906
	031028 FT	031028 FT	1 0 00321 0 00 0030+14
		S 0140/0000	LENGTH(AH 3747 BK 3022)
			021"H 15"W ELLIP METAL
		0130/2770	LEN=0033 INSTALLED UNKN
			021"H 15"W ELLIP METAL
		0130/2356	LEN=0037 INSTALLED 2000
			018 "DIA CIRC METAL
		0130/2141	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC METAL
		0130/1854	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC METAL
		0130/1365	LEN=0040 INSTALLED UNKN
	028006 FT	028006 FT	1 0 00321 0 00 0000+00
			SR 0487 SH
			(SR0487 SEG 0660/0000)
			MFC BEGIN = D
		S 0130/0000	LENGTH(AH 3022 BK 2839)
PRIVATE DR (PRDR)	0120/1921	0120/1921	(APRA) TOTAL LOOK LANDS
			018 "DIA CIRC CONCR
		0120/1653	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/1194	LEN=0055 INSTALLED UNKN
WALLER RD (T720)	0120/1182		
			015"H 21"W ELLIP METAL
		0120/0935	LEN=0045 INSTALLED UNKN
			GREEN ACRES DR
		0120/0567	(T658)
	025167 FT	025167 FT	1 0 00016 0 06 0933+58
			NC SR 0239 SH
			BENTON
MENDENHALL LN (BORO)	0120/0000		BENTON B
		S 0120/0000	LENGTH(AH 2839 BK 2238)
			018 "DIA CIR PLASTIC
		0110/2113	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0110/1885	LEN=0030 INSTALLED UNKN
			NORTH ST
		0110/1669	(BORO)
			018 "DIA CIR PLASTIC
		0110/1630	LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 11.973 MI. DIST: 03-1 SR: 239
LEFT MUN: BENTON B RIGHT MUN: BENTON B

LEFT				RIGHT	
				0110/1444	COX ST (BORO)
				0110/1426	018 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
				0110/1229	HURLEY ST (BORO)
				0110/1205	018 "DIA CIR PLASTIC LEN=0029 INSTALLED UNKN
EVERETT ST (BORO)	0110/1005			0110/1005	SCHOOL ST (BORO)
				0110/0984	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
				0110/0784	BUTT ST (BORO)
				0110/0770	018 "DIA CIR PLASTIC LEN=0028 INSTALLED UNKN
CHURCH ST (BORO)	0110/0569			0110/0569	KELLER ST (BORO)
				0110/0565	018 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
				0110/0418	MASTERS ST (BORO)
				0110/0395	024 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
CENTER ST (BORO)	0110/0259				
				0110/0255	024 "DIA CIR PLASTIC LEN=0033 INSTALLED UNKN
HESS ST (BORO)	0110/0137				
				0110/0045	024 "DIA CIR PLASTIC LEN=0034 INSTALLED UNKN
	022929 FT			022929 FT	1 0 00016 0 06 0911+12
				S 0110/0000	LENGTH(AH 2238 BK 0701)
MARKET ST (BORO)	0100/0659			0100/0659	MARKET ST (BORO)
BEAVER ST (BORO)	0100/0424				
COLLEY ST (BORO)	0100/0294			0100/0294	PARK ST (BORO)
				0100/0250	BMSEN 19/0239/0100/0120 1 0 00016 0 05 0903+16
				0100/0120	FISHING CRK BMSBG 19/0239/0100/0120
	022228 FT			022228 FT	1 0 00016 0 05 0901+87
MILL ST (SR0487 SEG 0650/2025)	0100/0000			S 0100/0000	NC MAIN ST MFC BEGIN = C LENGTH(AH 0701 BK 3192)
				0090/3046	015 "DIA CIRC METAL LEN=0032 INSTALLED UNKN

DIR: B TOTAL LEN: 11.973 MI. DIST: 03-1 SR: 239
LEFT MUN: BENTON B RIGHT MUN: BENTON B

HILL ST
(BORO)

0090/2834		
		018 "DIA CIRC METAL
	0090/2807	LEN=0050 INSTALLED UNKN
		032"H 84"W CONC STRUCT
	0090/2174	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/1950	LEN=0051 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0090/1672	LEN=0047 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/1207	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/0966	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/0520	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/0375	LEN=0040 INSTALLED UNKN
		BENTON
	0090/0188	BENTON T
019036 FT	019036 FT	1 0 00235 0 01 0032+90
	S 0090/0000	LENGTH(AH 3192 BK 2419)
		018 "DIA CIRC CONCR
	0080/2373	LEN=0048 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0080/1973	LEN=0043 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/1748	LEN=0044 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/1370	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/1000	LEN=0041 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/0749	LEN=0047 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/0463	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/0204	LEN=0052 INSTALLED UNKN
016617 FT	016617 FT	1 0 00235 0 01 0057+05
	S 0080/0000	LENGTH(AH 2419 BK 2416)
		036 "DIA CIR PLASTIC
	0070/2133	LEN=0076 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0070/0912	LEN=0060 INSTALLED 2015
		024 "DIA CIR PLASTIC
	0070/0633	LEN=0060 INSTALLED 2015

DIR: B TOTAL LEN: 11.973 MI. DIST: 03-1 SR: 239
LEFT MUN: BENTON T RIGHT MUN: BENTON T

			018 "DIA CIRC CONCR
		0070/0308	LEN=0040 INSTALLED UNKN
	014201 FT	014201 FT	1 0 00235 0 01 0081+17
			SHANNON HILL RD
			(T701)
		0070/0000	LENGTH(AH 2416 BK 2475)
			015 "DIA CIRC CONCR
		0060/2336	LEN=0039 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/1897	LEN=0046 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/1616	LEN=0052 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/1037	LEN=0039 INSTALLED UNKN
		0060/0544	BMSEN 19/0239/0060/0511
			1 0 00235 0 01 0100+67
			RAVEN CREEK
		0060/0511	BMSBG 19/0239/0060/0511
	011726 FT	011726 FT	1 0 00235 0 01 0105+88
			UPPER RAVEN CREEK RD
LOWER RAVEN CREEK RD			(T826)
(SR1035 SEG 0100/1866)	0060/0000	0060/0000	LENGTH(AH 2475 BK 2497)
			018 "DIA CIRC CONCR
		0050/2448	LEN=0058 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/1832	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/1475	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0050/0535	LEN=0064 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0050/0178	LEN=0052 INSTALLED UNKN
	009229 FT	009229 FT	1 0 00235 0 01 0130+83
		0050/0000	LENGTH(AH 2497 BK 1621)
			015 "DIA CIRC CONCR
		0040/0497	LEN=0043 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/0194	LEN=0037 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0040/0019	LEN=0096 INSTALLED UNKN
1 0 00235 0 01 0147+03	007608 FT	007608 FT	DOTYVILLE RD
HAMLINE CHURCH RD			(T800)
(T675)	0040/0000	0040/0000	LENGTH(AH 1621 BK 2756)
			015 "DIA CIRC CONCR
		0030/2215	LEN=0041 INSTALLED UNKN

DIR: B TOTAL LEN: 11.973 MI. DIST: 03-1 SR: 239
LEFT MUN: BENTON T RIGHT MUN: BENTON T

			024 "DIA CIRC CONCR
		0030/1845	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0030/0957	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0030/0605	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/0166	LEN=0055 INSTALLED UNKN
	004852 FT	004852 FT	1 0 00235 0 01 0174+58
			PEALER RD
			(T794)
		S 0030/0000	LENGTH(AH 2756 BK 3032)
			018 "DIA CIRC CONCR
		0020/2760	LEN=0040 INSTALLED UNKN
TOY FACTORY RD (T795)	0020/2379		
		0020/2325	BMSEN 19/0239/0020/2299
			0 0 00000 0 00 0000+00
			EAST BRANCH RAVEN CREEK
		0020/2299	BMSBG 19/0239/0020/2299
			018 "DIA CIRC CONCR
		0020/1750	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/1304	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/0808	LEN=0034 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0501	LEN=0038 INSTALLED UNKN
1 0 00235 0 01 0204+90	001820 FT	001820 FT	
KILES RD (T673)	0020/0000	S 0020/0000	LENGTH(AH 3032 BK 1820)
			024 "DIA CIRC CONCR
		0010/1045	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0795	LEN=0044 INSTALLED UNKN
NORTH BENDERTOWN RD (SR1025 SEG 0290/2775)	0010/0602		
			018 "DIA CIR PLASTIC
		0010/0580	LEN=0068 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0010/0020	LEN=0058 INSTALLED UNKN
	000000 FT	000000 FT	1 0 00235 0 01 0223+22
		NC SHICKSHINNY HW	
		* REF-BK	POND HILL RD
			(SR0239 SEG 0390/3367)
			MFC BEGIN = D
			BK-LUZERNE (40)
		S 0010/0000	LENGTH(AH 1820 BK 0000)

DIR: B TOTAL LEN: 7.452 MI. DIST: 03-1 SR: 118
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

039345 FT

038348 FT

035689 FT

033961 FT



039345 FT AH-LUZERNE (40)
REF-AHD SR 0118 SH
0140/0997 (SR0118 SEG 0010/0000)

038348 FT 1 0 00504 0 00 0226+35
RED ROCK RD
(SR0487 SEG 0790/0605)
0140/0000 LENGTH(AH 0997 BK 2659)
018 "DIA CIRC CONCR
0130/2274 LEN=0070 INSTALLED UNKN

0130/1647 BMSEN 19/0118/0130/1624
2 0 19075 0 00 0185+08
COLES CREEK
0130/1624 BMSBG 19/0118/0130/1624
018 "DIA CAST IRON
0130/1460 LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR
0130/1095 LEN=0055 INSTALLED UNKN
048 "DIA CIRC METAL
0130/0850 LEN=0075 INSTALLED UNKN

054 "DIA CIRC METAL
0130/0022 LEN=0065 INSTALLED UNKN
035689 FT 2 0 19075 0 00 0168+77
0130/0000 LENGTH(AH 2659 BK 1728)
048 "DIA CIRC CONCR
0120/1560 LEN=0060 INSTALLED UNKN
024 "DIA CIRC CONCR
0120/1354 LEN=0065 INSTALLED UNKN

054 "DIA CIRC METAL
0120/0708 LEN=0079 INSTALLED UNKN

033961 FT 2 0 19075 0 00 0151+51

DIR: B TOTAL LEN: 7.452 MI. DIST: 03-1 SR: 118
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

		0120/0000	LENGTH(AH 1728 BK 2883)
			060 "DIA CIRC METAL
		0110/1619	LEN=0080 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0110/0543	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0110/0110	LEN=0050 INSTALLED UNKN
	031078 FT	031078 FT	2 0 19075 0 00 0122+71
		0110/0000	LENGTH(AH 2883 BK 3246)
			018 "DIA CIRC CONCR
		0100/3183	LEN=0050 INSTALLED UNKN
			FRITZ HILL RD
		0100/2855	(T757)
			056 "DIA CIRC METAL
		0100/2450	LEN=0080 INSTALLED UNKN
STEVENS HILL RD (T757)	0100/2087		
			018 "DIA CIRC CONCR
		0100/2020	LEN=0065 INSTALLED UNKN
			FRITZ RD
			(T757)
			LAUBACH RD
		0100/1836	(T816)
			018 "DIA CIRC CONCR
		0100/1782	LEN=0050 INSTALLED UNKN
			CASELOT RD
		0100/1299	(T828)
			048 "DIA CIRC METAL
		0100/0860	LEN=0085 INSTALLED UNKN
			024 "DIA CAST IRON
		0100/0115	LEN=0060 INSTALLED UNKN
	027832 FT	027832 FT	2 0 19075 0 00 0090+29
		0100/0000	LENGTH(AH 3246 BK 2910)
			018 "DIA CIRC CONCR
		0090/1684	LEN=0070 INSTALLED UNKN
COMSTOCK RD (T812)	0090/1665		
			COMSTOCK RD
		0090/1022	(T812)
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 7.452 MI. DIST: 03-1 SR: 118
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

		0090/0890	LEN=0056 INSTALLED UNKN 018 "DIA CIRC CONCR
		0090/0300	LEN=0080 INSTALLED UNKN
024922 FT		024922 FT	2 0 19075 0 00 0061+22
		S 0090/0000	LENGTH(AH 2910 BK 3187) 048 "DIA CAST IRON
		0080/2963	LEN=0060 INSTALLED UNKN 024 "DIA CIRC CONCR
		0080/2443	LEN=0060 INSTALLED UNKN 018 "DIA CIR UNKNOWN
		0080/2111	LEN=0060 INSTALLED UNKN 018 "DIA CAST IRON
		0080/1701	LEN=0065 INSTALLED UNKN
		0080/1320	BMSEN 19/0118/0080/1238 2 0 19075 0 00 0041+70 EAST BRANCH FISHING CRK
		0080/1238	BMSBG 19/0118/0080/1238 018 "DIA CIRC CONCR
		0080/0819	LEN=0065 INSTALLED UNKN
		0080/0098	BMSEN 19/0118/0080/0000
021735 FT		021735 FT	2 0 19075 0 00 0029+38 WEST BRANCH FISHING CRK BMSBG 19/0118/0080/0000
		S 0080/0000	LENGTH(AH 3187 BK 2956) 018 "DIA CIRC CONCR
		0070/2525	LEN=0070 INSTALLED UNKN 030 "DIA CAST IRON
		0070/2370	LEN=0065 INSTALLED UNKN 024 "DIA CAST IRON
		0070/2194	LEN=0065 INSTALLED UNKN SCHOOL HOUSE DR
		0070/1979	(T714) 018 "DIA CIRC CONCR
		0070/1701	LEN=0055 INSTALLED UNKN 048 "DIA CAST IRON
		0070/1197	LEN=0095 INSTALLED UNKN 048 "DIA CAST IRON
		0070/0679	LEN=0065 INSTALLED UNKN 018 "DIA CAST IRON
		0070/0098	LEN=0077 INSTALLED UNKN 018 "DIA CIRC CONCR
		0070/0018	LEN=0065 INSTALLED UNKN
2 0 19075 0 00 0000+00 018779 FT CENTRAL RD (SR4049 SEG 0070/0000) 0070/0000		018779 FT	CAMP LAVIGNE RD (SR4049 SEG 0070/0000)
		S 0070/0000	LENGTH(AH 2956 BK 3260) 048 "DIA CAST IRON
		0060/2770	LEN=0095 INSTALLED UNKN 024 "DIA CIRC CONCR
		0060/2311	LEN=0053 INSTALLED UNKN

DIR: B TOTAL LEN: 7.452 MI. DIST: 03-1 SR: 118
LEFT MUN: SUGARLOAF T RIGHT MUN: SUGARLOAF T

			018 "DIA CIRC CONCR
		0060/1640	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/1410	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/1153	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/0865	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/0377	LEN=0090 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/0012	LEN=0120 INSTALLED UNKN
	015519 FT	015519 FT	2 0 19066 0 00 0155+44
			WEST CREEK RD
			(T700)
		S 0060/0000	LENGTH(AH 3260 BK 3148)
			072 "DIA CIRC METAL
		0050/2490	LEN=0077 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/2130	LEN=0056 INSTALLED UNKN
SADDLE ROCK RD (T755)	0050/1017		
			SUGARLOAF
		0050/0810	JACKSON T
			018 "DIA CIRC CONCR
		0050/0394	LEN=0080 INSTALLED UNKN
	012371 FT	012371 FT	2 0 19066 0 00 0123+70
			MOUNTAIN RD
			(T737)
		S 0050/0000	LENGTH(AH 3148 BK 3371)
			024 "DIA CIRC CONCR
		0040/3325	LEN=0080 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/3130	LEN=0055 INSTALLED UNKN
			054 "DIA CIRC METAL
		0040/2057	LEN=0090 INSTALLED UNKN
	009000 FT	009000 FT	2 0 19066 0 00 0089+98
		S 0040/0000	LENGTH(AH 3371 BK 3001)
			048 "DIA CAST IRON

DIR: B TOTAL LEN: 7.452 MI. DIST: 03-1 SR: 118
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

		0030/2990	LEN=0070 INSTALLED UNKN
			048 "DIA CAST IRON
		0030/2296	LEN=0055 INSTALLED UNKN
			018 "DIA CAST IRON
		0030/1308	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/0645	LEN=0066 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/0250	LEN=0075 INSTALLED UNKN
	005999 FT	005999 FT	2 0 19066 0 00 0059+98
		S 0030/0000	LENGTH(AH 3001 BK 2989)
			TR. TO WEST CREEK
			STRUCTURE LENGTH 10 FT
		0020/2476	BMSID 19/0118/0020/2476
			018 "DIA CIRC CONCR
		0020/1596	LEN=0064 INSTALLED UNKN
	003010 FT	003010 FT	2 0 19066 0 00 0030+09
		S 0020/0000	LENGTH(AH 2989 BK 3010)
			TR WEST CREEK
			STRUCTURE LENGTH 8 FT
		0010/2622	BMSID 19/0118/0010/2622
			018 "DIA CIRC CONCR
		0010/1708	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1357	LEN=0045 INSTALLED UNKN
			060 "DIA CIR PLASTIC
		0010/0530	LEN=0080 INSTALLED 2018
TO 0239/0012 SH			FROM 0239/0250 SH
(CONN)	0010/0126	0010/0126	(CONN)
	000000 FT	000000 FT	2 0 19066 0 00 0000+00
			SR 0239 SH
			(SR0239 SEG 0250/3292)
			NC SR 0118 SH
		INTER-BK	LAIRDSVILLE RD
			(SR0118 SEG 0380/2734)
			MFC BEGIN = C
SR 0239/0012 SH			BK-LYCOMING (41)
(SR0239 SEG 0012/0000)	0010/0000	S 0010/0000	LENGTH(AH 3010 BK 0000)

DIR: B TOTAL LEN: 10.089 MI. DIST: 03-1 SR: 93
LEFT MUN: ORANGEVILLE B RIGHT MUN: ORANGEVILLE B

053268 FT

BORO AL
(BORO)

0250/1876



053268 FT MAIN ST
0250/2064 (SR0487 SEG 0430/0938)
018 "DIA CIR PLASTIC
0250/2000 LEN=0023 INSTALLED UNKN
015 "DIA CIRC METAL
0250/1881 LEN=0050 INSTALLED UNKN

018 "DIA CIR PLASTIC
0250/1670 LEN=0050 INSTALLED UNKN
024 "DIA CIR PLASTIC
0250/1158 LEN=0050 INSTALLED UNKN
015 "DIA CIR PLASTIC
0250/0971 LEN=0050 INSTALLED UNKN
018 "DIA CIRC METAL
0250/0645 LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 10.089 MI. DIST: 03-1 SR: 93
LEFT MUN: ORANGEVILLE B RIGHT MUN: ORANGEVILLE B

			018 "DIA CIR PLASTIC
		0250/0228	LEN=0035 INSTALLED UNKN
	051204 FT	051204 FT	1 0 00673 0 00 0020+43
			PINE ST
			(BORO)
		S 0250/0000	LENGTH(AH 2064 BK 1158)
DRAKETOWN RD			
(SR1013 SEG 0090/1033)	0240/1049		
			036 "DIA CIR PLASTIC
		0240/0971	LEN=0080 INSTALLED 2006
	050046 FT	050046 FT	1 0 00673 0 00 0032+20
			NC BERWICK RD
			ORANGEVILLE
			ORANGE T
		S 0240/0000	LENGTH(AH 1158 BK 3399)
			024 "DIA CIRC METAL
		0230/3340	LEN=0050 INSTALLED UNKN
			024 "DIA CIRC METAL
		0230/2479	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0230/2185	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0230/2026	LEN=0058 INSTALLED 2014
			018 "DIA CIRC CONCR
		0230/1614	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0230/1487	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0230/1243	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0230/1017	LEN=0050 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0230/0751	LEN=0048 INSTALLED 2014
			015 "DIA CIRC METAL
		0230/0512	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0230/0321	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0230/0024	LEN=0048 INSTALLED 2014
	046647 FT	046647 FT	1 0 00673 0 00 0066+19
			ORANGE
			NORTH CENTRE T
		S 0230/0000	LENGTH(AH 3399 BK 2002)
			036 "DIA CIR PLASTIC
		0220/1590	LEN=0062 INSTALLED 2014
			018 "DIA CIRC CONCR
		0220/1371	LEN=0044 INSTALLED UNKN

DIR: B TOTAL LEN: 10.089 MI. DIST: 03-1 SR: 93
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

			018 "DIA CIRC CONCR
		0220/1198	LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0220/0200	LEN=0048 INSTALLED 1996
	044645 FT	044645 FT	1 0 00673 0 00 0086+13
		S 0220/0000	LENGTH(AH 2002 BK 1819)
			036 "DIA CIRC CONCR
		0210/1010	LEN=0052 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0210/0450	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC METAL
		0210/0321	LEN=0040 INSTALLED UNKN
	042826 FT	042826 FT	1 0 00673 0 00 0104+24
			STONY BROOK
			STRUCTURE LENGTH 15 FT
			BMSID 19/0093/0210/0000
		S 0210/0000	LENGTH(AH 1819 BK 1714)
WHITMIRE RD (T525)	0200/1470		
			018 "DIA CIRC CONCR
		0200/0998	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0200/0745	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0200/0335	LEN=0040 INSTALLED UNKN
1 0 00673 0 00 0121+35	041112 FT	041112 FT	
CABIN RUN RD (T656)	0200/0000	S 0200/0000	LENGTH(AH 1714 BK 3836)
			018 "DIA CIRC CONCR
		0190/3174	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0190/2341	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0190/1841	LEN=0040 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0190/1235	LEN=0045 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0190/1017	LEN=0065 INSTALLED 1997
			015 "DIA CIRC CONCR
		0190/0489	LEN=0045 INSTALLED UNKN
SHELHAMER RD (T510)	0190/0023		
			036 "DIA CIRC METAL
		0190/0006	LEN=0060 INSTALLED UNKN

DIR: B TOTAL LEN: 10.089 MI. DIST: 03-1 SR: 93
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

```
037276 FT                    037276 FT 1 0 00673 0 00 0159+76
                                       MOUNTAIN RD
                                       (SR1012 SEG 0010/0000)
                             S 0190/0000 LENGTH(AH 3836 BK 2403)
                                       018 "DIA CIRC METAL
                             0180/2403 LEN=0050 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0180/2130 LEN=0048 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0180/1683 LEN=0050 INSTALLED 1997
                                       018 "DIA CIR PLASTIC
                             0180/1306 LEN=0050 INSTALLED UNKN
                                       036 "DIA CIRC CONCR
                             0180/0955 LEN=0055 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0180/0753 LEN=0044 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0180/0527 LEN=0050 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0180/0235 LEN=0055 INSTALLED 2003
                                       015 "DIA CIRC METAL
                             0180/0090 LEN=0050 INSTALLED UNKN
034873 FT                    034873 FT 1 0 00673 0 00 0183+73
                             S 0180/0000 LENGTH(AH 2403 BK 2778)
                                       024 "DIA CIR PLASTIC
                             0170/2767 LEN=0047 INSTALLED 2014
                                       018 "DIA CIR PLASTIC
                             0170/2585 LEN=0045 INSTALLED 2014
                                       HELLER LN
                             0170/2543 (T658)
                                       018 "DIA CIRC CONCR
                             0170/2373 LEN=0052 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0170/2123 LEN=0048 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0170/1755 LEN=0048 INSTALLED 2013
                                       015 "DIA CIRC CONCR
                             0170/1444 LEN=0060 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0170/1035 LEN=0045 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0170/0766 LEN=0042 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0170/0401 LEN=0044 INSTALLED UNKN
032095 FT                    032095 FT 1 0 00673 0 00 0211+43
                                       BR.OF BRIAR CREEK
                                       STRUCTURE LENGTH  25 FT
                                       BMSID 19/0093/0170/0000
                             S 0170/0000 LENGTH(AH 2778 BK 2831)
```

DIR: B TOTAL LEN: 10.089 MI. DIST: 03-1 SR: 93
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

			015 "DIA CIRC CONCR
		0160/2090	LEN=0045 INSTALLED UNKN
			DOHL RD
		0160/2031	(T726)
		0160/1632	BMSEN 19/0093/0160/1606
			0 0 00000 0 00 0000+00
			T.N.BR BRIAR
		0160/1606	BMSBG 19/0093/0160/1606
			015 "DIA CIRC CONCR
		0160/1447	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0160/1226	LEN=0045 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0160/0991	LEN=0090 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0160/0686	LEN=0050 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0160/0491	LEN=0060 INSTALLED 2014
			024 "DIA CIR PLASTIC
		0160/0150	LEN=0050 INSTALLED 2014
			018 "DIA CIRC CONCR
		0160/0021	LEN=0045 INSTALLED UNKN
1 0 00673 0 00 0239+66 029264 FT		029264 FT	SLOWICK RD
TAYLOR DR			(T503)
(T504) 0160/0000		0160/0000	LENGTH(AH 2831 BK 1393)
		0150/1236	BMSEN 19/0093/0150/1226
			1 0 00673 0 00 0241+21
			T BRIAR CK
		0150/1226	BMSBG 19/0093/0150/1226
			018 "DIA CIRC CONCR
		0150/0812	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC METAL
		0150/0208	LEN=0047 INSTALLED UNKN
1 0 00673 0 00 0253+59 027871 FT		027871 FT	
THOMAS DR			
(T652) 0150/0000		0150/0000	LENGTH(AH 1393 BK 2825)
			018 "DIA CIR PLASTIC
		0140/2714	LEN=0050 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0140/2422	LEN=0050 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0140/1944	LEN=0045 INSTALLED 1999
			030 "DIA CIR PLASTIC
		0140/0935	LEN=0087 INSTALLED 2005
GOLF COURSE RD			EDWARDS RD
(SR1037 SEG 0010/0395) 0140/0931		0140/0931	(T728)
			015 "DIA CIRC METAL

DIR: B TOTAL LEN: 10.089 MI. DIST: 03-1 SR: 93
LEFT MUN: NORTH CENTRE T RIGHT MUN: NORTH CENTRE T

	0140/0885	LEN=0088 INSTALLED UNKN
1 0 00673 0 00 0281+96 025046 FT	025046 FT	
FOWLERSVILLE ET RD		
(T481) 0140/0000	S 0140/0000	LENGTH(AH 2825 BK 2248)
		024 "DIA CIRC METAL
	0130/2185	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC METAL
	0130/1695	LEN=0050 INSTALLED 2013
		036 "DIA CIRC CONCR
	0130/1278	LEN=0015 INSTALLED 2000
		018 "DIA CIR PLASTIC
	0130/0679	LEN=0054 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0130/0360	LEN=0050 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0130/0135	LEN=0054 INSTALLED 1999
1 0 00673 0 00 0304+33 022798 FT	022798 FT	
DENNIS MILL RD		
(T730) 0130/0000	S 0130/0000	LENGTH(AH 2248 BK 1307)
		018 "DIA CIR PLASTIC
	0120/1245	LEN=0060 INSTALLED 1999
		024 "DIA CIR PLASTIC
	0120/0845	LEN=0045 INSTALLED 1999
		018 "DIA CIRC CONCR
	0120/0456	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0120/0137	LEN=0045 INSTALLED 1999
021491 FT	021491 FT	1 0 00673 0 00 0317+14
		NORTH CENTRE
		BRIAR CREEK T
	S 0120/0000	LENGTH(AH 1307 BK 3320)
		042 "DIA CAST IRON
	0110/3235	LEN=0045 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0110/2840	LEN=0042 INSTALLED 1996
		018 "DIA CIRC CONCR
	0110/2138	LEN=0065 INSTALLED UNKN
		018 "DIA CIRC METAL
	0110/1190	LEN=0060 INSTALLED UNKN
		YOST HOLLOW RD
	0110/1132	(T725)
	0110/1112	BMSEN 19/0093/0110/1085
		1 0 00673 0 01 0339+96
		TRIBUTARY BRIAR CREEK
	0110/1085	BMSBG 19/0093/0110/1085

DIR: B TOTAL LEN: 10.089 MI. DIST: 03-1 SR: 93
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

			015 "DIA CIRC CONCR
		0110/0392	LEN=0040 INSTALLED UNKN
	018171 FT	018171 FT	1 0 00673 0 01 0350+74
			018 "DIA CIR PLASTIC
			LEN=0100 INSTALLED 2011
			LAKE RD
BRICK CHURCH RD			(SR1017 SEG 0010/0000)
(T724)	0110/0000	S 0110/0000	LENGTH(AH 3320 BK 2344)
			042"H 00"W 0 PIPE DESC
		0100/2155	LEN=0485 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0100/1773	LEN=0060 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0100/1578	LEN=0060 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0100/1196	LEN=0060 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0100/0980	LEN=0060 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0100/0656	LEN=0060 INSTALLED UNKN
	015827 FT	015827 FT	1 0 00673 0 01 0374+16
		S 0100/0000	LENGTH(AH 2344 BK 3702)
			018 "DIA CIRC CONCR
		0090/3290	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0090/2292	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0090/1840	LEN=0048 INSTALLED UNKN
			015 "DIA CIRC METAL
		0090/1494	LEN=0045 INSTALLED UNKN
			012 "DIA CAST IRON
		0090/1376	LEN=0052 INSTALLED UNKN
			015 "DIA CIR UNKNOWN
		0090/1096	LEN=0052 INSTALLED UNKN
			015 "DIA CAST IRON
		0090/0874	LEN=0052 INSTALLED UNKN
			015 "DIA CAST IRON
		0090/0722	LEN=0060 INSTALLED UNKN
			015 "DIA CAST IRON
		0090/0568	LEN=0060 INSTALLED UNKN
			BRIAR CREST AV
		0090/0541	(T460)
			LC TO BRIAR CREST AV
		0090/0441	(CONN)
			015 "DIA CAST IRON
		0090/0319	LEN=0060 INSTALLED UNKN
			015 "DIA CAST IRON

DIR: B TOTAL LEN: 10.089 MI. DIST: 03-1 SR: 93
LEFT MUN: BRIAR CREEK T RIGHT MUN: BRIAR CREEK T

			0090/0214 LEN=0060 INSTALLED UNKN 015 "DIA CAST IRON
			0090/0092 LEN=0060 INSTALLED UNKN
	012125 FT		012125 FT 1 0 00673 0 01 0411+16 NC SR 0093 SH MFC BEGIN = D BRIAR CREEK BRIAR CREEK B
			S 0090/0000 LENGTH(AH 3702 BK 1478) 018 "DIA CAST IRON
			0080/1460 LEN=0060 INSTALLED UNKN 018 "DIA CAST IRON
			0080/1330 LEN=0060 INSTALLED UNKN (APRA) HOWARD SEIGFREID 018 "DIA CAST IRON
RITTENHOUSE MILL RD (BORO)	0080/1093	POI	0080/1093 LEN=0067 INSTALLED UNKN
			0080/0358 BMSEN 19/0093/0080/0279 1 0 00673 0 01 0423+24 EAST BRANCH BRIAR CREEK
			0080/0279 BMSBG 19/0093/0080/0279
	010647 FT		010647 FT 1 0 00673 0 01 0425+96 (APRA) PARK RD M H COUR FREAS AV (SR1019 SEG 0010/0000)
PARK RD (BORO)	0080/0000	POI	S 0080/0000 LENGTH(AH 1478 BK 1374) 018 "DIA CIRC CONCR
			0070/1269 LEN=0070 INSTALLED UNKN 018 "DIA CIR PLASTIC
			0070/0846 LEN=0056 INSTALLED UNKN
RITTENHOUSE MILL RD (BORO)	0070/0510	==	
	009273 FT		009273 FT 1 0 00673 0 01 0439+73 BRIAR CREEK BERWICK B
			S 0070/0000 LENGTH(AH 1374 BK 2529) 018 "DIA CIRC CONCR
			0060/2237 LEN=0044 INSTALLED UNKN
FAIRCHILD ST (BORO)	0060/2062	==	
BOWMAN ST (BORO)	0060/1532	==	
SCANLON ST (BORO)	0060/0931	==	
			018 "DIA CIRC CONCR
			0060/0031 LEN=0040 INSTALLED UNKN
	006744 FT		006744 FT 1 0 00673 0 01 0465+00

DIR: B TOTAL LEN: 10.089 MI. DIST: 03-1 SR: 93
LEFT MUN: BERWICK B RIGHT MUN: BERWICK B

				EATON ST
				(BORO)
		== ==	S 0060/0000	LENGTH(AH 2529 BK 1449)
				018 "DIA CIRC CONCR
			0050/1410	LEN=0036 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0050/1200	LEN=0036 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0050/0909	LEN=0036 INSTALLED UNKN
				POPLAR ST
		== ==	0050/0617	(BORO)
				018 "DIA CIRC CONCR
			0050/0569	LEN=0036 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0050/0303	LEN=0036 INSTALLED UNKN
	005295 FT		005295 FT	1 0 00673 0 01 0479+57
				MERCER ST
				(BORO)
		== ==	S 0050/0000	LENGTH(AH 1449 BK 3497)
				018 "DIA CIRC CONCR
			0040/3450	LEN=0035 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/3166	LEN=0035 INSTALLED UNKN
				ARCH ST
		== ==	0040/2915	(BORO)
				018 "DIA CIRC CONCR
			0040/2610	LEN=0036 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/2340	LEN=0036 INSTALLED UNKN
				WARREN ST
		== ==	0040/2322	(BORO)
				018 "DIA CIRC CONCR
			0040/2269	LEN=0036 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0040/2014	LEN=0036 INSTALLED UNKN
BLAIR ST				
(BORO)	0040/1644	==		
				018 "DIA CIRC CONCR
			0040/1640	LEN=0036 INSTALLED UNKN
				CLOVER LEAF LN
		==	0040/1435	(PRDR)
				018 "DIA CIRC CONCR
			0040/1434	LEN=0036 INSTALLED UNKN
ORCHARD ST				
(BORO)	0040/1262	==		
				018 "DIA CIRC CONCR
			0040/1206	LEN=0036 INSTALLED UNKN
				ORCHARD ST
		==	0040/1162	(BORO)
				015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 10.089 MI. DIST: 03-1 SR: 93
LEFT MUN: BERWICK B RIGHT MUN: BERWICK B

```
                                                  0040/0865 LEN=0036 INSTALLED UNKN
BORO AL
(BORO)                    0040/0672   ==
                                                            018 "DIA CIRC CONCR
                                                  0040/0575 LEN=0036 INSTALLED UNKN
                                                            WASHINGTON ST
                                                  0040/0343 (BORO)
                                                            018 "DIA CIRC CONCR
                                                  0040/0283 LEN=0036 INSTALLED UNKN
                                                        NC ORANGE ST
                                                  INTER-BK  FRONT ST
1 0 00673 0 01 0514+28 001798 FT                  001798 FT (SR0011 SEG 0410/1294)
FRONT ST                                                    MFC BEGIN = C
(SR0011 SEG 0410/1294)  0040/0000                 0040/0000 LTH AH 003497 BK 003861
                        001798 FT                 001798 FT
                                                  7034/0000 LTH AH 003861 BK 000224
                                                  INTER-AHD MARKET ST
                                                            (SR1025 SEG 0010/0000)
                                                            FRONT ST
                                                            (SR0011 SEG 0430/1154)
                                                  0020/0224
                                                            036 "DIA CIRC METAL
                                                  0020/0138 LEN=0060 INSTALLED UNKN
REAGANS AL
(BORO)                    0020/0111   ==
                                                            018 "DIA CIRC METAL
                                                  0020/0011 LEN=0030 INSTALLED UNKN
                        001574 FT                 001574 FT 1 0 00184 0 00 0002+35
                                                  0020/0000 LENGTH(AH 0224 BK 1574)
                                                            BMSEN 19/0093/0010/0000
                                                            RETAINING WALL END
                                                  0010/1574 BMSID 19/0093/0010/1441
                                                            RETAINING WALL BEGIN
                                                  0010/1553 BMSID 19/0093/0010/1553
                                                            RETAINING WALL BEGIN
                                                  0010/1513 BMSID 19/0093/0010/1513
                                                            RETAINING WALL BEGIN
                                                  0010/1441 BMSID 19/0093/0010/1441


                        000000 FT                 000000 FT 1 0 00184 0 00 0017+91
                                                        NC MARKET ST
                                                  REF-BK    THIRD ST
                                                            (SR0093 SEG 0400/1406)
                                                            CANAL(MLBRY)
                                                            BMSBG 19/0093/0010/0000
                                                            MFC BEGIN = B
                                                             BK-LUZERNE        (40)
                                                  0010/0000 LENGTH(AH 1574 BK 0000)
```

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

AH-LUZERNE (40)100933 FT
Z H CONFAIR MEMORIAL HW REF-AHD
(SR0080 SEG 2473/0000) 2471/1326

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 2471/0620

CROSSOVER RD
(CONN) 2471/0092
1 0 01009 0 01 0997+09 099607 FT
MILEPOST 247.00
LENGTH(AH 1326 BK 2604) 2471/0000

018 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 2465/2374
036 "DIA CIRC CONCR
LEN=0127 INSTALLED UNKN 2465/2167

018 "DIA CIRC CONCR
LEN=0094 INSTALLED UNKN 2465/2000

036 "DIA CIRC CONCR
LEN=0129 INSTALLED UNKN 2465/1750
024 "DIA CIRC CONCR
LEN=0148 INSTALLED UNKN 2465/1360

SHRP WIM 709 2465/1316M

018 "DIA CIRC CONCR
LEN=0049 INSTALLED UNKN 2465/0980
030 "DIA CIRC CONCR
LEN=0098 INSTALLED UNKN 2465/0626

SR 2021
OP ID 19/2021/0010/0000 2465/0318

101076 FT
REF-AHD Z H CONFAIR MEMORIAL HW
2470/1321 (SR0080 SEG 2472/0000)

018 "DIA CIRC METAL
2470/0621 LEN=0055 INSTALLED UNKN
CROSSOVER RD
2470/0098 (CONN)
099755 FT 1 0 01009 0 01 0997+62
MILEPOST 247.00
2470/0000 LENGTH(AH 1321 BK 2649)
048 "DIA CIRC CONCR
2464/2551 LEN=0127 INSTALLED UNKN

036 "DIA CIRC CONCR
2464/2120 LEN=0129 INSTALLED UNKN

024 "DIA CIRC CONCR
2464/1930 LEN=0148 INSTALLED UNKN

048 "DIA CIRC CONCR
2464/1370 LEN=0119 INSTALLED UNKN
018 "DIA CIRC CONCR
2464/1050 LEN=0098 INSTALLED UNKN

018 "DIA CIRC CONCR
2464/0666 LEN=0049 INSTALLED UNKN
SR 2021
2464/0371 OP ID 19/2021/0010/0000
018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80

LEFT MUN: MIFFLIN T	RIGHT MUN: MIFFLIN T
	2464/0317 LEN=0071 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN 2465/0250	
1 0 01009 0 01 0971+00 097003 FT LENGTH(AH 2604 BK 2640) 2465/0000 S	097106 FT 1 0 01009 0 01 0971+18 S 2464/0000 LENGTH(AH 2649 BK 2640)
	018 "DIA CIRC CONCR 2460/2605 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN 2461/2572	
	038"H 60"W ELLIP METAL 2460/2075 LEN=0100 INSTALLED UNKN
038"H 60"W ELLIP METAL LEN=0080 INSTALLED UNKN 2461/1970	
	036 "DIA CIRC CONCR 2460/1875 LEN=0100 INSTALLED UNKN
036"H 60"W ELLIP METAL LEN=0092 INSTALLED UNKN 2461/1850	
ROADSIDE REST RD (SR9201 SEG 0010/0000) (APRA) ROADSIDE REST RD 2461/1327 POI	
	018 "DIA CIRC CONCR 2460/1300 LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0099 INSTALLED UNKN 2461/1284	
018 "DIA CIRC CONCR LEN=0095 INSTALLED UNKN 2461/0980	
	036 "DIA CIRC CONCR 2460/0695 LEN=0080 INSTALLED UNKN
027"H 43"W ELLIP METAL LEN=0076 INSTALLED UNKN 2461/0687	
	ROADSIDE REST RD 2460/0016 (SR9202 SEG 0010/2519) 094466 FT 1 0 01009 0 01 0944+82
1 0 01009 0 01 0944+54 094363 FT MILEPOST 246.00 LENGTH(AH 2640 BK 2555) 2461/0000 S	MILEPOST 246.00 S 2460/0000 LENGTH(AH 2640 BK 2628)
	030"H 45"W ELLIP METAL 2454/2580 LEN=0120 INSTALLED UNKN
048 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN 2455/2505	
	W 2454/2012 RWIS SITE/I-80 @ EXIT 2
	036 "DIA CIRC CONCR 2454/1999 LEN=0125 INSTALLED UNKN
	036 "DIA CIRC CONCR 2454/1745 LEN=0150 INSTALLED UNKN
036 "DIA CIRC CONCR LEN=0106 INSTALLED UNKN 2455/1613	
	024 "DIA CIRC CONCR 2454/1180 LEN=0120 INSTALLED UNKN
036 "DIA CIRC CONCR	

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

LEN=0068 INSTALLED UNKN 2455/1105
ROADSIDE REST RD
(SR9201 SEG 0010/3026) 2455/0891

060 "DIA CIRC CONCR
LEN=0160 INSTALLED UNKN 2455/0639

1 0 01009 0 01 0918+94 091808 FT
LENGTH(AH 2555 BK 2640) 2455/0000
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 2451/2395

024 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 2451/2095

CROSSOVER RD
(CONN) 2451/1817

018 "DIA CIRC CONCR
LEN=0174 INSTALLED UNKN 2451/1501
018 "DIA CIRC CONCR
LEN=0053 INSTALLED UNKN 2451/0970

018 "DIA CIRC CONCR
LEN=0125 INSTALLED UNKN 2451/0680

1 0 01009 0 01 0892+49 089168 FT
MILEPOST 245.00
LENGTH(AH 2640 BK 2581) 2451/0000

036 "DIA CIRC CONCR
LEN=0130 INSTALLED UNKN 2445/2530
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 2445/2130

018 "DIA CIRC CONCR
LEN=0040 INSTALLED 1998 2445/1784

024 "DIA CIRC CONCR

POI

060 "DIA CIRC CONCR
2454/0675 LEN=0140 INSTALLED UNKN

(APRA) ROADSIDE REST RD
ROADSIDE REST RD
2454/0148 (SR9202 SEG 0010/0000)
091838 FT 1 0 01009 0 01 0918+48
2454/0000 LENGTH(AH 2628 BK 2640)

018 "DIA CIRC CONCR
2450/2440 LEN=0050 INSTALLED UNKN

018 "DIA CIRC CONCR
2450/2140 LEN=0050 INSTALLED UNKN
CROSSOVER RD
2450/1916 (CONN)
024 "DIA CIRC METAL
2450/1655 LEN=0150 INSTALLED UNKN

018 "DIA CIRC CONCR
2450/0690 LEN=0125 INSTALLED UNKN

018 "DIA CIRC CONCR
2450/0452 LEN=0125 INSTALLED UNKN
089198 FT 1 0 01009 0 01 0892+02
MILEPOST 245.00
2450/0000 LENGTH(AH 2640 BK 2680)
036 "DIA CIRC CONCR
2444/2611 LEN=0138 INSTALLED UNKN

018 "DIA CIRC CONCR
2444/1990 LEN=0136 INSTALLED UNKN

060 "DIA CIRC METAL
2444/1150 LEN=0175 INSTALLED UNKN

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

LEN=0100 INSTALLED UNKN 2445/0930

SIGN: CENTER MOUNTD
BMSID 19/0080/2445/0409 2445/0409

BMSEN 19/0080/2445/0000 2445/0108
1 0 01009 0 01 0866+63 086587 FT
SR 2028
BMSBG 19/0080/2445/0000
LENGTH(AH 2581 BK 2679) 2445/0000

018 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 2441/1528

018 "DIA CIRC CONCR
LEN=0057 INSTALLED UNKN 2441/0950

018 "DIA CIRC CONCR
LEN=0057 INSTALLED UNKN 2441/0643

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 2441/0339
018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 2441/0035

1 0 01009 0 01 0839+81 083908 FT
MILEPOST 244.00
LENGTH(AH 2679 BK 2599) 2441/0000

024 "DIA CIRC CONCR
LEN=0057 INSTALLED UNKN 2435/2345

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 2435/2045

048 "DIA CIRC CONCR
LEN=0150 INSTALLED UNKN 2435/1212

M 2444/0402 SHRP WIM 709

060 "DIA CIRC CONCR
2444/0220 LEN=0090 INSTALLED UNKN
2444/0114 BMSEN 19/0080/2444/0000
086518 FT 1 0 01009 0 01 0865+30
SR 2028
BMSBG 19/0080/2444/0000
2444/0000 LENGTH(AH 2680 BK 2590)

018 "DIA CIRC CONCR
2440/1340 LEN=0056 INSTALLED UNKN
018 "DIA CIRC CONCR
2440/0993 LEN=0056 INSTALLED UNKN

018 "DIA CIRC CONCR
2440/0656 LEN=0053 INSTALLED UNKN

018 "DIA CIRC CONCR
2440/0390 LEN=0053 INSTALLED UNKN

018 "DIA CIRC CONCR
2440/0033 LEN=0053 INSTALLED UNKN
083928 FT 1 0 01009 0 01 0839+22
MILEPOST 244.00
2440/0000 LENGTH(AH 2590 BK 2702)
018 "DIA CIRC CONCR
2434/2461 LEN=0056 INSTALLED UNKN

018 "DIA CIRC CONCR
2434/2113 LEN=0053 INSTALLED UNKN

018 "DIA CIRC CONCR
2434/1813 LEN=0065 INSTALLED UNKN
024 "DIA CIRC CONCR
2434/1460 LEN=0095 INSTALLED UNKN

018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

LEFT	RIGHT
	2434/0795 LEN=0150 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 2435/0609	
	018 "DIA CIRC CONCR 2434/0495 LEN=0114 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 2435/0321	
	018 "DIA CIRC CONCR 2434/0163 LEN=0125 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 2435/0035	
1 0 01009 0 01 0813+78 081309 FT	081226 FT 1 0 01009 0 01 0812+62
LENGTH(AH 2599 BK 2640) 2435/0000 S	S 2434/0000 LENGTH(AH 2702 BK 2640)
018 "DIA CIRC CONCR LEN=0053 INSTALLED UNKN 2431/2387	
	018 "DIA CIRC CONCR 2430/2225 LEN=0049 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED 1998 2431/2100	
	024 "DIA CIRC CONCR 2430/1915 LEN=0048 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 2431/1808	
	018 "DIA CIRC CONCR 2430/1609 LEN=0049 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 2431/1520	
	018 "DIA CIRC CONCR 2430/1300 LEN=0085 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 2431/1226	
	018 "DIA CIRC CONCR 2430/0742 LEN=0100 INSTALLED UNKN
036 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 2431/0387	
	018 "DIA CIRC CONCR 2430/0235 LEN=0157 INSTALLED UNKN
1 0 01009 0 01 0787+34 078669 FT MILEPOST 243.00	078586 FT 1 0 01009 0 01 0786+42 MILEPOST 243.00
LENGTH(AH 2640 BK 2654) 2431/0000 S	S 2430/0000 LENGTH(AH 2640 BK 2620)
018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN 2425/2506	
	018 "DIA CIRC CONCR 2424/2505 LEN=0050 INSTALLED UNKN
	018 "DIA CIRC CONCR 2424/2090 LEN=0130 INSTALLED UNKN
BMSEN 19/0080/2425/1816 2425/1931	2424/2031 BMSEN 19/0080/2424/1911
1 0 01009 0 01 0779+41	1 0 01009 0 01 0779+10
SR 2028	SR 2028
BMSBG 19/0080/2425/1816 2425/1816	2424/1911 BMSBG 19/0080/2424/1911

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

LEFT		RIGHT	
		CROSSOVER RD	
		(CONN)	2424/1098
048 "DIA CIRC CONCR			
LEN=0114 INSTALLED UNKN	2425/0790		
		024 "DIA CIRC CONCR	
		LEN=0184 INSTALLED UNKN	2424/0680
		018 "DIA CIRC CONCR	
		LEN=0122 INSTALLED 2015	2424/0287
CROSSOVER RD			
(CONN)	2425/0267		
018 "DIA CIRC CONCR			
LEN=0048 INSTALLED 2015	2425/0257		
1 0 01009 0 01 0761+28 076015 FT		075966 FT 1 0 01009 0 01 0760+02	
LENGTH(AH 2654 BK 2645)	2425/0000	LENGTH(AH 2620 BK 2640)	2424/0000
018 "DIA CIRC CONCR			
LEN=0100 INSTALLED 1998	2421/1473		
		018 "DIA CIRC CONCR	
		LEN=0147 INSTALLED UNKN	2420/1460
		073326 FT 1 0 01009 0 01 0733+62	
		RAMP C RD	
		(SR8008 SEG 0750/0786)	
1 0 01009 0 01 0734+33 073370 FT		MILEPOST 242.00	
LENGTH(AH 2645 BK 2172)	2421/0000	LENGTH(AH 2640 BK 2205)	2420/0000
RAMP B RD			
(SR8008 SEG 0500/0000)	2415/1862		
		018 "DIA CIRC CONCR	
		LEN=0134 INSTALLED UNKN	2414/1680
BMSEN 19/0080/2415/1185	2415/1300	BMSEN 19/0080/2414/1267	2414/1382
1 0 01009 0 01 0724+52		1 0 01009 0 01 0724+22	
SR 339		SR 0339	
BMSBG 19/0080/2415/1185	2415/1185	BMSBG 19/0080/2414/1267	2414/1267
		018 "DIA CIRC CONCR	
		LEN=0158 INSTALLED UNKN	2414/0900
		RAMP D RD	
		(SR8008 SEG 0010/0000)	2414/0680
RAMP A RD			
(SR8008 SEG 0250/0704)	2415/0589		
BMSEN 19/0080/2415/0000	2415/0067	BMSEN 19/0080/2414/0000	2414/0127
1 0 01009 0 01 0712+67 071198 FT		071121 FT 1 0 01009 0 01 0711+55	
DELAWARE AND HUDSON RR		DELAWARE AND HUDSON RR	
BMSBG 19/0080/2415/0000		BMSBG 19/0080/2414/0000	
LENGTH(AH 2172 BK 3131)	2415/0000	LENGTH(AH 2205 BK 3064)	2414/0000
018 "DIA CIR PLASTIC			
LEN=0047 INSTALLED 2015	2411/2787		

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: MIFFLIN T RIGHT MUN: MIFFLIN T

		018 "DIA CIR PLASTIC	
		2410/2750	LEN=0034 INSTALLED 2015
BMSEN 19/0080/2411/0687	2411/2752	2410/2735	BMSEN 19/0080/2410/0630
MIFFLIN		MIFFLIN	
SOUTH CENTRE T	2411/1965	2410/1934	SOUTH CENTRE T
1 0 01009 0 01 0688+47		1 0 01009 0 01 0687+12	
SR 1004		SR 1004	
BMSBG 19/0080/2411/0687	2411/0687	2410/0630	BMSBG 19/0080/2410/0630
018 "DIA CIR PLASTIC			
LEN=0054 INSTALLED 2015	2411/0660		
018 "DIA CIR PLASTIC			
LEN=0050 INSTALLED 2015	2411/0614		
		018 "DIA CIR PLASTIC	
		2410/0576	LEN=0034 INSTALLED 2015
1 0 01009 0 01 0681+56 068067 FT		068057 FT	1 0 01009 0 01 0680+82
MILEPOST 241.00		MILEPOST 241.00	
LENGTH(AH 3131 BK 2400)	2411/0000	2410/0000	LENGTH(AH 3064 BK 2494)
		018 "DIA CIRC METAL	
		2404/2267	LEN=0156 INSTALLED UNKN
SIGN: CANTILEVER			
BMSID 19/0080/2405/1832	2405/1832		
		018 "DIA CIRC METAL	
		2404/1780	LEN=0162 INSTALLED UNKN
T.SUSQ.RIVER		T.SUSQ.RIVER	
STRUCTURE LENGTH 16 FT		STRUCTURE LENGTH 16 FT	
BMSID 19/0080/2404/1577	2405/1532	2404/1577	BMSID 19/0080/2404/1577
BMSEN 19/0080/2405/1110	2405/1374	2404/1339	BMSEN 19/0080/2404/1075
1 0 01009 0 01 0668+60		1 0 01009 0 01 0666+99	
SR.11		SR.11	
BMSBG 19/0080/2405/1110	2405/1110	2404/1075	BMSBG 19/0080/2404/1075
RAMP Y RD			
(SR8006 SEG 0272/0000)	2405/0991		
		RAMP W RD	
		2404/0868	(SR8006 SEG 0020/1323)
		018 "DIA CIRC CONCR	
		2404/0774	LEN=0100 INSTALLED UNKN
		RAMP X RD	
		2404/0129	(SR8006 SEG 0040/0000)
BMSEN 19/0080/2405/0000	2405/0163	2404/0075	BMSEN 19/0080/2404/0000
1 0 01009 0 01 0657+50 065667 FT		065563 FT	1 0 01009 0 01 0656+21
SR.11		S.R. 11	
BMSBG 19/0080/2405/0000		BMSBG 19/0080/2404/0000	
LENGTH(AH 2400 BK 2922)	2405/0000	2404/0000	LENGTH(AH 2494 BK 2803)
		SIGN: 3 CHORD TRUSS	
		2400/2477	BMSID 19/0080/2400/2477

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: SOUTH CENTRE T RIGHT MUN: SOUTH CENTRE T

LEFT		RIGHT	
		2400/2445	018 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN
RAMP T RD (SR8006 SEG 0262/0984)	2401/2401		
		2400/2145	018 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
		2400/1885	018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0073 INSTALLED UNKN	2401/1850		
		2400/1811	RAMP U RD (SR8006 SEG 0010/0000)
018 "DIA CIRC CONCR LEN=0061 INSTALLED UNKN	2401/1490		
		2400/1460	018 "DIA CIRC CONCR LEN=0106 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0057 INSTALLED UNKN	2401/1075		
		2400/1056	018 "DIA CIRC CONCR LEN=0066 INSTALLED UNKN
		2400/0891	SIGN: 3 CHORD TRUSS BMSID 19/0080/2400/0891
018 "DIA CIRC CONCR LEN=0056 INSTALLED UNKN	2401/0672		
		2400/0656	018 "DIA CIRC CONCR LEN=0058 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN	2401/0372		
		2400/0360	018 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN	2401/0004		
1 0 01009 0 01 0628+02 062745 FT MILEPOST 240.00		062760 FT	1 0 01009 0 01 0628+02 MILEPOST 240.00
LENGTH(AH 2922 BK 2693)	2401/0000	2400/0000	LENGTH(AH 2803 BK 2636)
		2394/2634	024 "DIA CIRC CONCR LEN=0092 INSTALLED UNKN
		2394/2120	018 "DIA CIRC CONCR LEN=0136 INSTALLED UNKN
CROSSOVER RD (CONN)	2395/1567	2394/1506	CROSSOVER RD (CONN)
		2394/1464	048 "DIA CIRC METAL LEN=0024 INSTALLED UNKN
BMSEN 19/0080/2395/0917	2395/1010	2394/0941	BMSEN 19/0080/2394/0848
1 0 01009 0 01 0610+63 S.R.1003			1 0 01009 0 01 0610+10 SR 1003
BMSBG 19/0080/2395/0917	2395/0917	2394/0848	BMSBG 19/0080/2394/0848
		2394/0700	024 "DIA CIRC CONCR LEN=0166 INSTALLED UNKN

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80

LEFT MUN: SOUTH CENTRE T	RIGHT MUN: SOUTH CENTRE T
024 "DIA CIRC CONCR LEN=0085 INSTALLED UNKN 2395/0666	
	018 "DIA CIRC CONCR 2394/0610 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0072 INSTALLED UNKN 2395/0200	
	018 "DIA CIRC CONCR 2394/0180 LEN=0053 INSTALLED UNKN
1 0 01009 0 01 0601+43 060052 FT LENGTH(AH 2693 BK 2673) 2395/0000 S	060124 FT 1 0 01009 0 01 0601+62 S 2394/0000 LENGTH(AH 2636 BK 2640)
	024 "DIA CIRC CONCR 2390/1985 LEN=0158 INSTALLED UNKN
	036 "DIA CIRC CONCR 2390/1690 LEN=0096 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0098 INSTALLED UNKN 2391/1650	
	036 "DIA CIRC CONCR 2390/1503 LEN=0150 INSTALLED UNKN
	018 "DIA CIRC CONCR 2390/1390 LEN=0080 INSTALLED UNKN
036 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 2391/1250	
	036 "DIA CIRC CONCR 2390/0940 LEN=0104 INSTALLED UNKN
048 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN 2391/0908	
018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN 2391/0785	
048 "DIA CIRC CONCR LEN=0154 INSTALLED UNKN 2391/0023	
1 0 01009 0 01 0574+96 057379 FT MILEPOST 239.00	057484 FT 1 0 01009 0 01 0575+22 MILEPOST 239.00
LENGTH(AH 2673 BK 2639) 2391/0000 S	S 2390/0000 LENGTH(AH 2640 BK 2637)
048 "DIA CIRC CONCR LEN=0180 INSTALLED UNKN 2385/2155	
018 "DIA CIRC CONCR LEN=0136 INSTALLED UNKN 2385/2125	
	048 "DIA CIRC CONCR 2384/1870 LEN=0200 INSTALLED UNKN
042 "DIA CIRC METAL LEN=0152 INSTALLED UNKN 2385/1615	
	042 "DIA CIRC METAL 2384/1610 LEN=0024 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN 2385/1120	
	018 "DIA CIRC CONCR 2384/1030 LEN=0052 INSTALLED UNKN

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: SOUTH CENTRE T RIGHT MUN: SOUTH CENTRE T

048 "DIA CIRC CONCR
LEN=0196 INSTALLED UNKN 2385/0400

018 "DIA CIRC CONCR
LEN=0166 INSTALLED UNKN 2385/0111
1 0 01009 0 01 0548+50 054740 FT
LENGTH(AH 2639 BK 2640) 2385/0000 S

018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN 2381/2105

018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN 2381/1715

048 "DIA CIRC CONCR
LEN=0075 INSTALLED UNKN 2381/1286

CROSSOVER RD
(CONN) 2381/0752
018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN 2381/0654

018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN 2381/0202
1 0 01009 0 01 0522+03 052100 FT
MILEPOST 238.00
LENGTH(AH 2640 BK 2651) 2381/0000 S
018 "DIA CIRC CONCR
LEN=0052 INSTALLED UNKN 2375/2400

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 2375/2000

018 "DIA CIRC CONCR
LEN=0052 INSTALLED UNKN 2375/1590

060 "DIA CIRC METAL
LEN=0200 INSTALLED UNKN 2375/0973

048"H 00"W MULT METAL
2384/0120 LEN=0100 INSTALLED UNKN

054847 FT 1 0 01009 0 01 0548+84
S 2384/0000 LENGTH(AH 2637 BK 2640)
018 "DIA CIRC CONCR
2380/2635 LEN=0162 INSTALLED UNKN

018 "DIA CIRC CONCR
2380/2100 LEN=0052 INSTALLED UNKN

018 "DIA CIRC CONCR
2380/1710 LEN=0052 INSTALLED UNKN

048 "DIA CIRC CONCR
2380/1200 LEN=0125 INSTALLED UNKN
CROSSOVER RD
2380/0764 (CONN)

024 "DIA CIRC CONCR
2380/0215 LEN=0074 INSTALLED UNKN

052207 FT 1 0 01009 0 01 0522+42
MILEPOST 238.00
S 2380/0000 LENGTH(AH 2640 BK 2656)
018 "DIA CIRC CONCR
2374/2300 LEN=0052 INSTALLED UNKN

024 "DIA CIRC CONCR
2374/1890 LEN=0052 INSTALLED 1998

018 "DIA CIRC CONCR
2374/1500 LEN=0052 INSTALLED UNKN
024 "DIA CIRC METAL
2374/1005 LEN=0188 INSTALLED UNKN

060 "DIA CIRC METAL

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80

LEFT MUN: SOUTH CENTRE T	RIGHT MUN: SOUTH CENTRE T
	2374/0909 LEN=0024 INSTALLED UNKN
1 0 01009 0 01 0495+46 049449 FT	049551 FT 1 0 01009 0 01 0495+76
LENGTH(AH 2651 BK 2640) 2375/0000 S	2374/0000 LENGTH(AH 2656 BK 2630) S
SOUTH CENTRE	SOUTH CENTRE
SCOTT T 2371/2319	2370/2355 SCOTT T
BMSEN 19/0080/2371/2128 2371/2220	2370/2224 BMSEN 19/0080/2370/2133
1 0 01009 0 01 0490+33	1 0 01009 0 01 0490+78
S.R.1001	S.R.1001
BMSBG 19/0080/2371/2128 2371/2128	2370/2133 BMSBG 19/0080/2370/2133
	024 "DIA CIRC CONCR
	2370/1945 LEN=0144 INSTALLED UNKN
024 "DIA CIRC CONCR	
LEN=0124 INSTALLED UNKN 2371/1940	
018 "DIA CIRC CONCR	
LEN=0052 INSTALLED UNKN 2371/0750	
	018 "DIA CIRC CONCR
	2370/0645 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0052 INSTALLED UNKN 2371/0400	
	018 "DIA CIRC CONCR
	2370/0050 LEN=0100 INSTALLED UNKN
1 0 01009 0 01 0468+96 046809 FT	046921 FT 1 0 01009 0 01 0469+62
MILEPOST 237.00	MILEPOST 237.00
LENGTH(AH 2640 BK 2589) 2371/0000 S	2370/0000 LENGTH(AH 2630 BK 2640) S
018 "DIA CIRC CONCR	
LEN=0050 INSTALLED UNKN 2365/1630	
	018 "DIA CIRC CONCR
	2364/1450 LEN=0054 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0052 INSTALLED UNKN 2365/1230	
	018 "DIA CIRC CONCR
	2364/1025 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0052 INSTALLED UNKN 2365/0830	
	018 "DIA CIRC CONCR
	2364/0645 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0050 INSTALLED UNKN 2365/0460	
	018 "DIA CIRC CONCR
	2364/0225 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR	
LEN=0052 INSTALLED UNKN 2365/0070	
1 0 01009 0 01 0443+07 044220 FT	044281 FT 1 0 01009 0 01 0443+14
LENGTH(AH 2589 BK 2612) 2365/0000 S	2364/0000 LENGTH(AH 2640 BK 2637) S

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

LEFT		RIGHT	
		018 "DIA CIRC CONCR	2360/2480
024 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN	2361/2430		
CROSSOVER RD (CONN)	2361/2395	CROSSOVER RD (CONN)	2360/2409
024 "DIA CIRC CONCR LEN=0169 INSTALLED UNKN	2361/2257		
		048 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN	2360/2180
		018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN	2360/1820
024 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN	2361/1810		
024 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN	2361/1313		
		018 "DIA CIRC CONCR LEN=0100 INSTALLED UNKN	2360/0485
018 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN	2361/0451		
SIGN: 3 CHORD TRUSS BMSID 19/0080/2361/0100	2361/0100		
		018 "DIA CIRC CONCR LEN=0092 INSTALLED UNKN	2360/0070
018 "DIA CIRC CONCR LEN=0080 INSTALLED UNKN	2361/0045		
1 0 01009 0 01 0416+89 041608 FT MILEPOST 236.00		041644 FT 1 0 01009 0 01 0416+82 MILEPOST 236.00	
LENGTH(AH 2612 BK 2678)	2361/0000	LENGTH(AH 2637 BK 2614)	2360/0000
		RAMP E RD (SR8004 SEG 0760/1427)	2354/2363
		060 "DIA CIRC CONCR LEN=0094 INSTALLED UNKN	2354/2172
048 "DIA CIRC CONCR LEN=0121 INSTALLED UNKN	2355/2236		
RAMP C RD (SR8004 SEG 0500/0000)	2355/1949		
018 "DIA CIRC CONCR LEN=0070 INSTALLED UNKN	2355/1885		
		RAMP D RD (SR8004 SEG 0750/0000)	2354/1691
		024 "DIA CIRC CONCR LEN=0076 INSTALLED UNKN	2354/1350
SR. 487 OP ID 19/0487/0320/0720	2355/1436	SR. 487 OP ID 19/0487/0320/0720	2354/1304
RAMP A RD (SR8004 SEG 0270/0000)	2355/1143		
018 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN	2355/1094		

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

LEFT		RIGHT
		018 "DIA CIRC CONCR
	2354/1051	LEN=0076 INSTALLED 1998
		018 "DIA CIRC CONCR
	2354/0750	LEN=0076 INSTALLED 1998
		024 "DIA CIRC CONCR
	2354/0496	LEN=0088 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0056 INSTALLED UNKN 2355/0470		
RAMP B RD		
(SR8004 SEG 0260/1428) 2355/0431		
018 "DIA CIRC CONCR		
LEN=0055 INSTALLED UNKN 2355/0244		
		018 "DIA CIRC CONCR
	2354/0196	LEN=0088 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0055 INSTALLED UNKN 2355/0008		
1 0 01009 0 01 0390+05 038930 FT		039030 FT 1 0 01009 0 01 0390+71
LENGTH(AH 2678 BK 2640) 2355/0000 S		S 2354/0000 LENGTH(AH 2614 BK 2672)
		018 "DIA CIRC CONCR
	2350/2620	LEN=0088 INSTALLED 1998
018 "DIA CIRC CONCR		
LEN=0060 INSTALLED UNKN 2351/2390		
		018 "DIA CIRC CONCR
	2350/2372	LEN=0065 INSTALLED 1998
036 "DIA CIRC CONCR		
LEN=0074 INSTALLED UNKN 2351/2084		
		048 "DIA CIRC CONCR
	2350/1965	LEN=0156 INSTALLED UNKN
036 "DIA CIRC CONCR		
LEN=0086 INSTALLED UNKN 2351/1648		
		018 "DIA CIRC METAL
	2350/1610	LEN=0130 INSTALLED UNKN
		018 "DIA CIRC CONCR
	2350/1099	LEN=0125 INSTALLED UNKN
036 "DIA CIRC CONCR		
LEN=0138 INSTALLED UNKN 2351/0850		
		036 "DIA CIRC METAL
	2350/0800	LEN=0130 INSTALLED UNKN
		018 "DIA CIRC CONCR
	2350/0650	LEN=0138 INSTALLED UNKN
CROSSOVER RD		CROSSOVER RD
(CONN) 2351/0502	2350/0502	(CONN)
1 0 01009 0 01 0363+59 036290 FT		036358 FT 1 0 01009 0 01 0364+02
MILEPOST 235.00		MILEPOST 235.00
LENGTH(AH 2640 BK 2633) 2351/0000 S		S 2350/0000 LENGTH(AH 2672 BK 2626)
		018 "DIA CIRC CONCR
	2344/2434	LEN=0100 INSTALLED UNKN
		054 "DIA CIRC METAL
	2344/2258	LEN=0150 INSTALLED UNKN
BMSEN 19/0080/2345/1834 2345/2049	2344/1940	BMSEN 19/0080/2344/1725

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

1 0 01009 0 00 0355+59			1 0 01009 0 01 0355+11
TWP.RD.T-488			TWP.RD.T-488
BMSBG 19/0080/2345/1834	2345/1834	2344/1725	BMSBG 19/0080/2344/1725
018 "DIA CIRC METAL			
LEN=0132 INSTALLED UNKN	2345/1255		
SCOTT			SCOTT
MT PLEASANT T	2345/0891	2344/0842	MT PLEASANT T
018 "DIA CIRC CONCR			
LEN=0113 INSTALLED UNKN	2345/0700		
018 "DIA CIRC CONCR			
LEN=0130 INSTALLED UNKN	2345/0200		
1 0 01009 0 00 0337+28 033657 FT		033732 FT	1 0 01009 0 00 0337+21
LENGTH(AH 2633 BK 2640)	2345/0000 S	S 2344/0000	LENGTH(AH 2626 BK 2668)
018 "DIA CIRC CONCR			
LEN=0089 INSTALLED UNKN	2341/2380		
018 "DIA CIRC CONCR			
LEN=0102 INSTALLED UNKN	2341/1877		
018 "DIA CIRC CONCR			
LEN=0100 INSTALLED UNKN	2341/1380		
018 "DIA CIRC CONCR			
LEN=0088 INSTALLED UNKN	2341/0910		
CROSSOVER RD			CROSSOVER RD
(CONN)	2341/0706	2340/0711	(CONN)
018 "DIA CIRC CONCR			
LEN=0084 INSTALLED 1998	2341/0410		
1 0 01009 0 00 0310+91 031017 FT		031064 FT	1 0 01009 0 00 0311+14
MILEPOST 234.00			MILEPOST 234.00
LENGTH(AH 2640 BK 2577)	2341/0000 S	S 2340/0000	LENGTH(AH 2668 BK 2640)
MT PLEASANT			MT PLEASANT
BLOOMSBURG TO	2335/2088	2334/2146	BLOOMSBURG TO
			018 "DIA CIRC CONCR
		2334/2054	LEN=0093 INSTALLED UNKN
TR. TO FISHING CREEK			TR. TO FISHING CREEK
STRUCTURE LENGTH 12 FT			STRUCTURE LENGTH 12 FT
BMSID 19/0080/2334/1890	2335/1777	2334/1890	BMSID 19/0080/2334/1890
			018 "DIA CIRC CONCR
		2334/1554	LEN=0086 INSTALLED UNKN
			018 "DIA CIRC CONCR
		2334/1052	LEN=0084 INSTALLED UNKN
			018 "DIA CIRC CONCR
		2334/0059	LEN=0123 INSTALLED UNKN
1 0 01009 0 00 0285+17 028440 FT		028424 FT	1 0 01009 0 00 0284+42
LENGTH(AH 2577 BK 2904)	2335/0000 S	S 2334/0000	LENGTH(AH 2640 BK 2830)
018 "DIA CIRC CONCR			
LEN=0090 INSTALLED UNKN	2331/2850		
			018 "DIA CIRC CONCR
		2330/2425	LEN=0119 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80

LEFT MUN: BLOOMSBURG TO		RIGHT MUN: BLOOMSBURG TO	
		2330/1878	LEN=0047 INSTALLED UNKN
BMSEN 19/0080/2331/1728	2331/1836	2330/1788	BMSEN 19/0080/2330/1721
1 0 01009 0 00 0272+83			1 0 01009 0 00 0273+28
SR 4009			SR 4009
BMSBG 19/0080/2331/1728	2331/1728	2330/1721	BMSBG 19/0080/2330/1721
			018 "DIA CIRC CONCR
		2330/1712	LEN=0134 INSTALLED UNKN
			018 "DIA CIRC CONCR
		2330/1126	LEN=0140 INSTALLED UNKN
BMSEN 19/0080/2331/0000	2331/0510	2330/0504	BMSEN 19/0080/2330/0000
BLOOMSBURG			BLOOMSBURG
HEMLOCK T	2331/0212	2330/0205	HEMLOCK T
			030 "DIA CIR PLASTIC
		2330/0043	LEN=0011 INSTALLED UNKN
1 0 01009 0 00 0256+15 025536 FT		025594 FT	1 0 01009 0 00 0256+22
T 360			T-360 CREEK RD
BMSBG 19/0080/2331/0000			BMSBG 19/0080/2330/0000
MILEPOST 233.00			MILEPOST 233.00
LENGTH(AH 2904 BK 2431)	2331/0000	2330/0000	LENGTH(AH 2830 BK 2420)
018 "DIA CIRC CONCR			
LEN=0071 INSTALLED UNKN	2325/2425		
018 "DIA CIRC CONCR			
LEN=0069 INSTALLED UNKN	2325/1982		
			018 "DIA CIRC CONCR
		2324/1607	LEN=0072 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0075 INSTALLED UNKN	2325/1586		
			048 "DIA CIRC CONCR
		2324/1193	LEN=0125 INSTALLED UNKN
			018 "DIA CIRC METAL
		2324/1158	LEN=0110 INSTALLED UNKN
048 "DIA CIRC CONCR			
LEN=0109 INSTALLED UNKN	2325/1115		
			018 "DIA CIRC CONCR
		2324/0705	LEN=0075 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0082 INSTALLED UNKN	2325/0685		
			018 "DIA CIRC CONCR
		2324/0401	LEN=0076 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0090 INSTALLED UNKN	2325/0388		
			018 "DIA CIRC CONCR
		2324/0105	LEN=0079 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0089 INSTALLED UNKN	2325/0088		
1 0 01009 0 00 0231+76 023105 FT		023174 FT	1 0 01009 0 00 0231+98
LENGTH(AH 2431 BK 2640)	2325/0000	2324/0000	LENGTH(AH 2420 BK 2640)
			018 "DIA CIRC CONCR
		2320/2455	LEN=0076 INSTALLED UNKN

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

LEFT		RIGHT	
015 "DIA CIRC CONCR LEN=0089 INSTALLED UNKN	2321/2438		
		018 "DIA CIRC CONCR	2320/2163 LEN=0087 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0108 INSTALLED UNKN	2321/2134		
RAMP C RD (SR8002 SEG 0500/0000)	2321/2056		
		018 "DIA CIRC CONCR	2320/1850 LEN=0069 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0097 INSTALLED UNKN	2321/1809		
		RAMP E RD	2320/1784 (SR8002 SEG 0750/1045)
030 "DIA CIRC CONCR LEN=0250 INSTALLED UNKN	2321/1500		
		018 "DIA CIRC CONCR	2320/1320 LEN=0090 INSTALLED UNKN
RAMP D RD (SR8002 SEG 0510/0994)	2321/1325		
018 "DIA CIRC CONCR LEN=0132 INSTALLED UNKN	2321/1017		
SR 0042 OP ID 19/0042/0510/0716	2321/0902	SR 0042 OP ID 19/0042/0510/0716	2320/0891
015 "DIA CIRC METAL LEN=0200 INSTALLED UNKN	2321/0700		
018 "DIA CIRC CONCR LEN=0102 INSTALLED UNKN	2321/0648		
		015 "DIA CIRC METAL	2320/0605 LEN=0200 INSTALLED UNKN
		015 "DIA CIRC METAL	2320/0598 LEN=0200 INSTALLED UNKN
		RAMP H RD	2320/0484 (SR8002 SEG 0020/0988)
		018 "DIA CIRC CONCR	2320/0399 LEN=0125 INSTALLED UNKN
RAMP A RD (SR8002 SEG 0250/0755)	2321/0241		
036 "DIA CIRC CONCR LEN=0117 INSTALLED UNKN	2321/0050		
		060 "DIA CIRC CONCR	2320/0049 LEN=0200 INSTALLED UNKN
1 0 01009 0 00 0205+34 020465 FT MILEPOST 232.00		020534 FT 1 0 01009 0 00 0205+54 MILEPOST 232.00	
LENGTH(AH 2640 BK 2631)	2321/0000		2320/0000 LENGTH(AH 2640 BK 2608)
		018 "DIA CIRC CONCR	2314/2418 LEN=0075 INSTALLED UNKN
		RAMP G RD	2314/2267 (SR8002 SEG 0010/0000)
		018 "DIA CIRC CONCR	2314/2015 LEN=0083 INSTALLED UNKN

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

018 "DIA CIRC CONCR
LEN=0097 INSTALLED UNKN 2315/2006

018 "DIA CIRC CONCR
LEN=0093 INSTALLED UNKN 2315/1659

036 "DIA CIRC CONCR
LEN=0090 INSTALLED UNKN 2315/0960

BMSEN 19/0080/2315/0000 2315/0121
1 0 01009 0 00 0178+89 017834 FT
HEMLOCK CRK.
BMSBG 19/0080/2315/0000
LENGTH(AH 2631 BK 2607) 2315/0000

018 "DIA CIRC CONCR
LEN=0071 INSTALLED UNKN 2311/1496
072"H 44"W ELLIP METAL
LEN=0089 INSTALLED UNKN 2311/1440
SR 4006
OP ID 19/4006/0072/0000 2311/1430

018 "DIA CIRC CONCR
LEN=0071 INSTALLED UNKN 2311/1070

CROSSOVER RD
(CONN) 2311/0470
1 0 01009 0 00 0152+74 015227 FT
060 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN
MILEPOST 231.00
LENGTH(AH 2607 BK 2704) 2311/0000

018 "DIA CIRC CONCR

018 "DIA CIRC CONCR
2314/1664 LEN=0080 INSTALLED UNKN

018 "DIA CIRC CONCR
2314/1360 LEN=0082 INSTALLED UNKN

036 "DIA CIRC CONCR
2314/0920 LEN=0090 INSTALLED UNKN
018 "DIA CIRC CONCR
2314/0761 LEN=0078 INSTALLED UNKN

2314/0119 BMSEN 19/0080/2314/0000
017926 FT 1 0 01009 0 00 0179+49
HEMLOCK CRK
BMSBG 19/0080/2314/0000
2314/0000 LENGTH(AH 2608 BK 2645)

SR 4006
2310/1411 OP ID 19/4006/0072/0000
018 "DIA CIRC CONCR
2310/1352 LEN=0075 INSTALLED UNKN
068"H 43"W ELLIP METAL
2310/1274 LEN=0089 INSTALLED UNKN

018 "DIA CIRC CONCR
2310/1003 LEN=0081 INSTALLED UNKN
018 "DIA CIRC CONCR
2310/0674 LEN=0060 INSTALLED UNKN
CROSSOVER RD
2310/0446 (CONN)

015281 FT 1 0 01009 0 00 0152+74
MILEPOST 231.00
2310/0000 LENGTH(AH 2645 BK 2643)
060 "DIA CIRC CONCR
2304/2567 LEN=0110 INSTALLED UNKN
018 "DIA CIRC CONCR
2304/2117 LEN=0098 INSTALLED UNKN

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

```
LEN=0090 INSTALLED UNKN 2305/1707
060 "DIA CIRC CONCR
LEN=0097 INSTALLED UNKN 2305/1281
                                                    060 "DIA CIRC CONCR
                                          2304/1227 LEN=0097 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          2304/0542 LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN 2305/0248
                                                    018 "DIA CIRC CONCR
                                          2304/0167 LEN=0054 INSTALLED UNKN
1 0 01009 0 00 0125+62 012523 FT          012638 FT 1 0 01009 0 00 0125+73
LENGTH(AH 2704 BK 2580) 2305/0000         2304/0000 LENGTH(AH 2643 BK 2640)
018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN 2301/2546
                                                    018 "DIA CIR PLASTIC
                                          2300/2517 LEN=0054 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN 2301/2246
                                                    018 "DIA CIRC CONCR
                                          2300/2217 LEN=0054 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN 2301/1949
                                                    018 "DIA CIR PLASTIC
                                          2300/1917 LEN=0054 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN 2301/1645
                                                    018 "DIA CIR PLASTIC
                                          2300/1617 LEN=0054 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN 2301/1345
                                                    018 "DIA CIRC CONCR
                                          2300/1317 LEN=0054 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0114 INSTALLED UNKN 2301/0830
                                                    018 "DIA CIRC CONCR
                                          2300/0817 LEN=0108 INSTALLED UNKN
                                                    060 "DIA CIRC CONCR
                                          2300/0645 LEN=0082 INSTALLED UNKN
060 "DIA CIRC CONCR
LEN=0078 INSTALLED UNKN 2301/0640
                                                    018 "DIA CIRC CONCR
                                          2300/0217 LEN=0065 INSTALLED UNKN
018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN 2301/0203
1 0 01009 0 00 0099+74 009943 FT          009998 FT 1 0 01009 0 00 0099+94
      MILEPOST   230.00                                 MILEPOST   230.00
LENGTH(AH 2580 BK 2592) 2301/0000         2300/0000 LENGTH(AH 2640 BK 2638)
                                                    018 "DIA CIRC CONCR
```

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

LEFT	RIGHT
	2294/2540 LEN=0070 INSTALLED UNKN
018 "DIA CIR PLASTIC LEN=0087 INSTALLED UNKN 2295/2336	
018 "DIA CIRC CONCR LEN=0120 INSTALLED UNKN 2295/1970	
	048 "DIA CIRC CONCR 2294/1760 LEN=0100 INSTALLED UNKN
048 "DIA CIRC CONCR LEN=0106 INSTALLED UNKN 2295/1770	
	018 "DIA CIRC CONCR 2294/1486 LEN=0130 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0120 INSTALLED UNKN 2295/1470	
T.W.HEMLK CK STRUCTURE LENGTH 10 FT BMSID 19/0080/2295/1192 2295/1192	T.W.HEMLK CK STRUCTURE LENGTH 10 FT 2294/1174 BMSID 19/0080/2294/1174
018 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN 2295/0466	
	018 "DIA CIRC CONCR 2294/0445 LEN=0084 INSTALLED UNKN
1 0 01009 0 00 0073+68 007351 FT LENGTH(AH 2592 BK 2640) 2295/0000 S	007360 FT 1 0 01009 0 00 0073+61 S 2294/0000 LENGTH(AH 2638 BK 2640)
018 "DIA CIRC CONCR LEN=0120 INSTALLED UNKN 2291/2595	
	018 "DIA CIRC CONCR 2290/2510 LEN=0120 INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0114 INSTALLED 1998 2291/1295	
	024 "DIA CIRC CONCR 2290/1270 LEN=0114 INSTALLED UNKN
018 "DIA CIR PLASTIC LEN=0076 INSTALLED UNKN 2291/0795	
	018 "DIA CIRC CONCR 2290/0730 LEN=0114 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0082 INSTALLED UNKN 2291/0450	
024 "DIA CIRC CONCR LEN=0094 INSTALLED UNKN 2291/0150	
	024 "DIA CIRC CONCR 2290/0150 LEN=0078 INSTALLED UNKN
CROSSOVER RD (CONN) 2291/0102	CROSSOVER RD 2290/0105 (CONN)
1 0 01009 0 00 0047+07 004711 FT MILEPOST 229.00 LENGTH(AH 2640 BK 2353) 2291/0000 S	004720 FT 1 0 01009 0 00 0047+14 MILEPOST 229.00 S 2290/0000 LENGTH(AH 2640 BK 2344)
	018 "DIA CIRC CONCR

DIR: E TOTAL LEN: 19.143 MI. DIST: 03-1 SR: 80
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

LEFT	RIGHT
	2284/2187 LEN=0089 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0087 INSTALLED UNKN 2285/2180	
018 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN 2285/1875	
018 "DIA CIRC CONCR LEN=0054 INSTALLED UNKN 2285/1520	
	018 "DIA CIRC CONCR 2284/1370 LEN=0128 INSTALLED UNKN
	060 "DIA CIRC CONCR 2284/0970 LEN=0185 INSTALLED 1998
	015 "DIA CIRC CONCR 2284/0640 LEN=0086 INSTALLED UNKN
060 "DIA CIRC CONCR LEN=0185 INSTALLED UNKN 2285/0623	
018 "DIA CIRC CONCR LEN=0122 INSTALLED UNKN 2285/0580	
1 0 01009 0 00 0023+64 002358 FT T.W.HEMLK CK STRUCTURE LENGTH 10 FT BMSID 19/0080/2285/0000 LENGTH(AH 2353 BK 2358) 2285/0000	002376 FT 1 0 01009 0 00 0023+80 T.W.HEMLK CK STRUCTURE LENGTH 10 FT BMSID 19/0080/2284/0000 2284/0000 LENGTH(AH 2344 BK 2376)
	018 "DIA CIRC CONCR 2282/1950 LEN=0085 INSTALLED UNKN
018 "DIA CIR PLASTIC LEN=0077 INSTALLED UNKN 2283/1900	
	018 "DIA CIRC CONCR 2282/1600 LEN=0086 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0073 INSTALLED UNKN 2283/1550	
	036 "DIA CIR PLASTIC 2282/0900 LEN=0069 INSTALLED UNKN
036 "DIA CIRC CONCR LEN=0074 INSTALLED UNKN 2283/0850	
018 "DIA CIRC CONCR LEN=0062 INSTALLED UNKN 2283/0450	018 "DIA CIRC CONCR 2282/0450 LEN=0068 INSTALLED UNKN
018 "DIA CIR PLASTIC LEN=0060 INSTALLED UNKN 2283/0100	018 "DIA CIRC CONCR 2282/0100 LEN=0074 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0110 INSTALLED UNKN 2283/0058	
1 0 01009 0 00 0000+00 000000 FT SR 4053 OP ID 19/4053/0010/0000 NC Z H CONFAIR MEMORIAL HW Z H CONFAIR MEMORIAL HW REF-BK (SR0080 SEG 2275/3170) MFC BEGIN = A LENGTH(AH 2358 BK 0000) 2283/0000	000000 FT 1 0 01009 0 00 0000+00 SR 4053 OP ID 19/4053/0010/0000 NC Z H CONFAIR MEMORIAL HW REF-BK Z H CONFAIR MEMORIAL HW (SR0080 SEG 2274/3158) MFC BEGIN = A BK-MONTOUR (47) 2282/0000 LENGTH(AH 2376 BK 0000)

DIR: N TOTAL LEN: 3.787 MI. DIST: 03-1 SR: 61
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

AH-NORTHUMBERLAND (49)019994 FT
FIFTH ST REF-AHD *
(SR0061 SEG 0003/0000) 0113/2633
018 "DIA CIRC CONCR
LEN=0100 INSTALLED UNKN 0113/2533
HARMONY RD
(PRDR) 0113/2402

018"H 30"W ELLIP CONC
LEN=0083 INSTALLED UNKN 0113/2084

018 "DIA CIRC CONCR
LEN=0049 INSTALLED UNKN 0113/1698

018 "DIA CIRC METAL
LEN=0044 INSTALLED UNKN 0113/1402

024 "DIA CIRC CONCR
LEN=0043 INSTALLED UNKN 0113/0884
018 "DIA CIRC CONCR
LEN=0038 INSTALLED UNKN 0113/0561

018 "DIA CIRC CONCR
LEN=0041 INSTALLED UNKN 0113/0206
1 0 00161 0 00 0027+28 017361 FT
LENGTH(AH 2633 BK 2290) 0113/0000 S
018 "DIA CAST IRON

019938 FT
* REF-AHD FIFTH ST
0112/2633 (SR0061 SEG 0002/0000)
024 "DIA CIRC CONCR
0112/2533 LEN=0097 INSTALLED UNKN

RAMP B
0112/2379 (SR9402 SEG 0500/0000)
018"H 30"W ELLIP METAL
0112/2110 LEN=0110 INSTALLED UNKN

018 "DIA CIRC CONCR
0112/1825 LEN=0064 INSTALLED UNKN

018 "DIA CIRC CONCR
0112/1410 LEN=0056 INSTALLED UNKN

018 "DIA CAST IRON
0112/0894 LEN=0050 INSTALLED UNKN

018 "DIA CIRC CONCR
0112/0560 LEN=0040 INSTALLED UNKN
024 "DIA CAST IRON
0112/0210 LEN=0047 INSTALLED UNKN

017305 FT 1 0 00161 0 00 0027+28
S 0112/0000 LENGTH(AH 2633 BK 2290)
018 "DIA CAST IRON

DIR: N TOTAL LEN: 3.787 MI. DIST: 03-1 SR: 61

LEFT MUN: CONYNGHAM T		RIGHT MUN: CONYNGHAM T	
LEN=0038 INSTALLED UNKN	0103/2012	0102/2012	LEN=0052 INSTALLED UNKN
			018 "DIA CAST IRON
		0102/1659	LEN=0047 INSTALLED UNKN
018 "DIA CAST IRON			
LEN=0037 INSTALLED UNKN	0103/1645		
			024 "DIA CAST IRON
		0102/1333	LEN=0050 INSTALLED UNKN
024 "DIA CAST IRON			
LEN=0038 INSTALLED UNKN	0103/1316		
018 "DIA CIRC CONCR			
LEN=0038 INSTALLED UNKN	0103/1127		
			018 "DIA CAST IRON
		0102/1110	LEN=0049 INSTALLED UNKN
			018 "DIA CIRC METAL
		0102/0810	LEN=0050 INSTALLED UNKN
024 "DIA CAST IRON			
LEN=0037 INSTALLED UNKN	0103/0776		
			015 "DIA CIRC CONCR
		0102/0668	LEN=0047 INSTALLED UNKN
018 "DIA CIRC CONCR			018 "DIA CAST IRON
LEN=0038 INSTALLED UNKN	0103/0596	0102/0596	LEN=0047 INSTALLED UNKN
018 "DIA CAST IRON			015 "DIA CAST IRON
LEN=0040 INSTALLED UNKN	0103/0244	0102/0244	LEN=0046 INSTALLED UNKN
1 0 00161 0 01 0050+77	015071 FT	015015 FT	1 0 00161 0 01 0050+77
LENGTH(AH 2290 BK 2527)	0103/0000 S	S 0102/0000	LENGTH(AH 2290 BK 2527)
			018 "DIA CAST IRON
		0092/2491	LEN=0052 INSTALLED UNKN
018 "DIA CAST IRON			
LEN=0040 INSTALLED UNKN	0093/2482		
			018 "DIA CIR PLASTIC
		0092/2200	LEN=0043 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0038 INSTALLED UNKN	0093/2192		
			018 "DIA CAST IRON
		0092/1810	LEN=0045 INSTALLED UNKN
018 "DIA CAST IRON			
LEN=0040 INSTALLED UNKN	0093/1800		
			018 "DIA CAST IRON
018 "DIA CAST IRON		0092/1417	LEN=0045 INSTALLED UNKN
LEN=0040 INSTALLED UNKN	0093/1417		
			018 "DIA CAST IRON
018 "DIA CAST IRON		0092/1094	LEN=0043 INSTALLED UNKN
LEN=0038 INSTALLED UNKN	0093/1094		
(APRA) PENNDOT STOCKPIL			(APRA) PENNDOT STOCKPIL
PENNDOT STOCKPILE 03			PENNDOT STOCKPILE 03
(GOVT)	0093/0951	0092/0950	(GOVT)
			018 "DIA CAST IRON
		0092/0843	LEN=0046 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0038 INSTALLED UNKN	0093/0837		

DIR: N TOTAL LEN: 3.787 MI. DIST: 03-1 SR: 61
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

			036 "DIA CIRC CONCR
		0092/0528	LEN=0047 INSTALLED UNKN
030 "DIA CIRC CONCR			
LEN=0040 INSTALLED UNKN	0093/0519		
			015 "DIA CAST IRON
		0092/0260	LEN=0045 INSTALLED UNKN
018 "DIA CAST IRON			
LEN=0040 INSTALLED UNKN	0093/0250		
1 0 00161 0 01 0075+73 012544 FT		012488 FT	1 0 00161 0 01 0075+73
LENGTH(AH 2527 BK 1313)	0093/0000	0092/0000	LENGTH(AH 2527 BK 1313)
			018 "DIA CAST IRON
		0082/1211	LEN=0043 INSTALLED UNKN
018 "DIA CAST IRON			
LEN=0038 INSTALLED 1998	0083/1198		
018 "DIA CAST IRON			018 "DIA CAST IRON
LEN=0040 INSTALLED UNKN	0083/0930	0082/0930	LEN=0045 INSTALLED UNKN
			018 "DIA CAST IRON
		0082/0540	LEN=0048 INSTALLED UNKN
018 "DIA CAST IRON			
LEN=0040 INSTALLED UNKN	0083/0535		
			018 "DIA CIRC CONCR
		0082/0106	LEN=0047 INSTALLED UNKN
			018 "DIA CIRC METAL
		0082/0010	LEN=0052 INSTALLED UNKN
1 0 00161 0 01 0088+71 011231 FT			
018 "DIA CIRC CONCR			
LEN=0043 INSTALLED UNKN		011175 FT	1 0 00161 0 01 0088+71
LENGTH(AH 1313 BK 1869)	0083/0000	0082/0000	LENGTH(AH 1313 BK 1869)
			018 "DIA CIRC CONCR
		0072/1655	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0072/1170	LEN=0050 INSTALLED UNKN
018 "DIA CIRC METAL			018 "DIA CIRC CONCR
LEN=0043 INSTALLED UNKN	0073/0317	0072/0317	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0072/0188	LEN=0050 INSTALLED UNKN
1 0 00161 0 01 0107+14 009362 FT		009306 FT	1 0 00161 0 01 0107+14
LENGTH(AH 1869 BK 2004)	0073/0000	0072/0000	LENGTH(AH 1869 BK 2004)
018 "DIA CIRC METAL			018 "DIA CIRC METAL
LEN=0041 INSTALLED UNKN	0063/1370	0062/1370	LEN=0050 INSTALLED UNKN
018 "DIA CIR PLASTIC			018 "DIA CIRC METAL
LEN=0040 INSTALLED UNKN	0063/1130	0062/1130	LEN=0052 INSTALLED UNKN
024 "DIA CIRC METAL			
LEN=0042 INSTALLED UNKN	0063/0879		018 "DIA CIRC METAL
		0062/0877	LEN=0048 INSTALLED UNKN
CONYNGHAM			CONYNGHAM
CENTRALIA B	0063/0558	0062/0558	CENTRALIA B
014"H 23"W ELLIP METAL			015 "DIA CIRC OTHER

DIR: N TOTAL LEN: 3.787 MI. DIST: 03-1 SR: 61
LEFT MUN: CENTRALIA B RIGHT MUN: CENTRALIA B

```
LEN=0042 INSTALLED UNKN 0063/0240                0062/0240 LEN=0042 INSTALLED UNKN
1 0 00161 0 01 0127+53 007358 FT                 007302 FT 1 0 00161 0 01 0127+53
MFC BEGIN = B                                              MFC BEGIN = B
LENGTH(AH 2004 BK 1887) 0063/0000                0062/0000 LENGTH(AH 2004 BK 1887)
SUMMER ST
(BORO)                  0052/1523
                                                           018 "DIA CIRC METAL
                                                 0052/1505 LEN=0050 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0052/1160 LEN=0050 INSTALLED UNKN
                                                           MEYER ST
                                                 0052/1131 (BORO)
                                                           GRAPE ST
                                                 0052/0946 (BORO)
                                                           TROUTWINE ST
                                                 0052/0759 (BORO)
                                                           PLUM ST
                                                 0052/0566 (BORO)
                                                           PAXTON ST
                                                 0052/0376 (BORO)
                                                           PEACH ST
                                                 0052/0190 (BORO)
                        005471 FT                005415 FT 1 0 00161 0 01 0145+83
                                                           LOCUST ST
                                                           (SR0042 SEG 0010/0000)
                                                       NC SR 0061 SH
                                                           CENTER ST
                                                           (SR2004 SEG 0010/0000)
                                                 0052/0000 LENGTH(AH 1887 BK 1708)
                                                           MAIN ST
                                                 0042/1362 (BORO)
                                                           018 "DIA CAST IRON
                                                 0042/1335 LEN=0045 INSTALLED UNKN
                                                           PARK ST
                                                 0042/0984 (BORO)
                                                           018 "DIA CIRC CONCR
                                                 0042/0960 LEN=0050 INSTALLED UNKN
                                                           SOUTH ST
                                                 0042/0621 (BORO)
                                                           SECOND ST
                                                 0042/0289 (BORO)
                        003763 FT                003707 FT 1 0 00161 0 01 0163+00
                                                       NC LOCUST AV
                                                 INTER-BK  BYRNSVILLE RD
                                                           (SR2002 SEG 0020/1394)
                                                           MFC BEGIN = B
                                                 0042/0000 LTH AH 001708 BK 001394
                        003763 FT                003707 FT
                                                 7032/0000 LTH AH 001394 BK 003224
                        003763 FT                003707 FT
```

DIR: N TOTAL LEN: 3.787 MI. DIST: 03-1 SR: 61
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

```
BYRNSVILLE RD                INTER-AHD
(SR2002 SEG 0010/0000)
CONYNGHAM T                  0015/1008
015 "DIA CIRC CONCR
LEN=0047 INSTALLED UNKN      0015/0657
015 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN      0015/0350
1 0 00161 0 01 0212+48 002755 FT
LENGTH(AH 1008 BK 2755)      0015/0000 S

018 "DIA CIRC CONCR
LEN=0053 INSTALLED UNKN      0013/2450

018 "DIA CIRC CONCR
LEN=0035 INSTALLED 1998      0013/2190

018 "DIA CIRC CONCR
LEN=0050 INSTALLED 1998      0013/1405

018 "DIA CIRC CONCR
LEN=0043 INSTALLED 1998      0013/1130
018 "DIA CIRC CONCR
LEN=0048 INSTALLED UNKN      0013/0805

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN      0013/0685
SR 3004 SH
(SR3004 SEG 0040/2536)       0013/0591

018 "DIA CIRC CONCR
LEN=0048 INSTALLED UNKN      0013/0360
015 "DIA CIRC CONCR
LEN=0047 INSTALLED UNKN      0013/0220
TOWNSHIP 0305 RT
(T305)                       0013/0162

1 0 00161 0 01 0239+70 000000 FT
     NC SR 0061 SH
MEMORIAL DR                  REF-BK *
(SR0061 SEG 0661/1330)
MFC BEGIN = B
LENGTH(AH 2755 BK 0000)      0013/0000 S
```

```
7022/0000 LTH AH 003224 BK 000952
INTER-AHD BYRNSVILLE RD
          (SR2002 SEG 0010/0000)
0014/0952 CONYNGHAM T

002755 FT 1 0 00161 0 01 0212+48
0014/0000 LENGTH(AH 0952 BK 2755) S
          018 "DIA CIRC CONCR
0012/2450 LEN=0045 INSTALLED UNKN

          018 "DIA CIRC CONCR
0012/2190 LEN=0036 INSTALLED UNKN

          018 "DIA CIRC CONCR
0012/1415 LEN=0040 INSTALLED UNKN

          018 "DIA CIRC CONCR
0012/1130 LEN=0035 INSTALLED UNKN

          018 "DIA CIRC CONCR
0012/0691 LEN=0035 INSTALLED UNKN

          SR 3004 SH
0012/0576 (SR3004 SEG 0040/2536)
          018 "DIA CIRC CONCR
0012/0371 LEN=0040 INSTALLED UNKN

          TOWNSHIP 0305 RT
0012/0150 (T305)
000000 FT 1 0 00161 0 01 0239+70
     NC SR 0061 SH
* REF-BK  MEMORIAL DR
          (SR0061 SEG 0660/1330)
          MFC BEGIN = B
           BK-SCHUYLKILL      (53)
0012/0000 LENGTH(AH 2755 BK 0000) S
```

DIR: B TOTAL LEN: .297 MI. DIST: 03-1 SR: 54
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

001568 FT

FIREHOUSE ST
(T502)
TEAM RD
(T500)

0012/1394

0012/1100

000000 FT



001568 FT AH-SCHUYLKILL (53)
REF-AHD MAIN ST
0012/1568 (SR0054 SEG 0002/0000)
018 "DIA CIR PLASTIC
0012/1563 LEN=0040 INSTALLED UNKN

0012/0571 (AAR 591833D)#TRKS 01
000000 FT 2 0 19081 0 00 0000+00
VILLAGE: LOCUSTDALE
NC MAIN ST
REF-BK SR 0054 SH
(SR0054 SEG 0672/1442)
MFC BEGIN = D
BK-NORTHUMBERLAND (49)
0012/0000 LENGTH(AH 1568 BK 0000)

DIR: B TOTAL LEN: 10.939 MI. DIST: 03-1 SR: 44
LEFT MUN: MADISON T RIGHT MUN: MADISON T

057758 FT

1 0 00249 0 00 0017+38 056007 FT
STRAWBERRY RIDGE RD
(SR4038 SEG 0010/2152) 0260/0000



057758 FT AH-MONTOUR (47)
* REF-AHD SR 0044 SH
0260/1751 (SR0044 SEG 0010/0000)
018 "DIA CIRC CONCR
0260/1439 LEN=0040 INSTALLED UNKN
018 "DIA CIRC CONCR
0260/0866 LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR
0260/0583 LEN=0068 INSTALLED UNKN
024 "DIA CIR PLASTIC
0260/0044 LEN=0056 INSTALLED UNKN
056007 FT

5 0260/0000 LENGTH(AH 1751 BK 3109)
018 "DIA CIRC CONCR
0250/2764 LEN=0044 INSTALLED UNKN
018 "DIA CIRC CONCR
0250/2510 LEN=0052 INSTALLED UNKN
024 "DIA CIRC CONCR
0250/2202 LEN=0060 INSTALLED UNKN

DIR: B TOTAL LEN: 10.939 MI. DIST: 03-1 SR: 44
LEFT MUN: MADISON T RIGHT MUN: MADISON T

			018 "DIA CIRC CONCR
		0250/1179	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/0876	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/0571	LEN=0052 INSTALLED UNKN
		0250/0202	BMSEN 19/0044/0250/0163
			1 0 00249 0 00 0047+05
			EAST BR CHILLISQUAQUE C
		0250/0163	BMSBG 19/0044/0250/0163
	052898 FT	052898 FT	1 0 00249 0 00 0048+60
			ANTS HILL RD
ANTS HILL RD			(SR4025 SEG 0030/0000)
(SR4025 SEG 0030/0000)	0250/0000	5 0250/0000	LENGTH(AH 3109 BK 2791)
			018 "DIA CIRC CONCR
		0240/2771	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0240/2558	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0240/1820	LEN=0052 INSTALLED UNKN
	RBR		
		0240/1415	BMSEN 19/0044/0240/1397
			1 0 00249 0 00 0062+44
	RBR		P3
			TRIB E.BR.CHILLISQUAQUE
		0240/1397	BMSBG 19/0044/0240/1397
RIDER RD			
(T579)	0240/0980		
			018 "DIA CIRC CONCR
		0240/0718	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0240/0514	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0240/0336	LEN=0052 INSTALLED UNKN
	050107 FT	050107 FT	1 0 00249 0 00 0076+38
			SCHOOL HOUSE RD
			(T580)
		5 0240/0000	LENGTH(AH 2791 BK 3293)
			018 "DIA CIRC CONCR
		0230/3081	LEN=0052 INSTALLED UNKN
			048 "DIA CIRC CONCR
		0230/2927	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0230/2556	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0230/2232	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 10.939 MI. DIST: 03-1 SR: 44
LEFT MUN: MADISON T RIGHT MUN: MADISON T

			0230/1687	LEN=0063 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0230/1420	LEN=0052 INSTALLED UNKN
				042 "DIA CIRC METAL
			0230/0972	LEN=0070 INSTALLED UNKN
HUMPTY DUMPTY RD (T394)	0230/0953	==		
				018 "DIA CIRC CONCR
			0230/0581	LEN=0052 INSTALLED UNKN
				SWARTZ RD
		==	0230/0158	(T395)
			0230/0011	BMSEN 19/0044/0230/0000
	046814 FT		046814 FT	1 0 00249 0 00 0109+35
				TRIBUTARY MUD CREEK
				BMSBG 19/0044/0230/0000
			S 0230/0000	LENGTH(AH 3293 BK 2629)
				048 "DIA CIRC CONCR
			0220/2239	LEN=0064 INSTALLED 2002
				030 "DIA CIRC CONCR
			0220/0735	LEN=0060 INSTALLED UNKN
	044185 FT		044185 FT	1 0 00249 0 00 0135+65
			S 0220/0000	LENGTH(AH 2629 BK 2627)
				018 "DIA CIRC CONCR
			0210/2330	LEN=0064 INSTALLED UNKN
DEIHL RD (T553)	0210/2322	==		
				BROTE HOLLOW RD
		==	0210/2310	(T554)
				018 "DIA CIRC CONCR
			0210/1992	LEN=0048 INSTALLED UNKN
				024 "DIA CIRC CONCR
			0210/1556	LEN=0040 INSTALLED 2002
				036 "DIA CIRC CONCR
			0210/1300	LEN=0052 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0210/0937	LEN=0048 INSTALLED UNKN
			0210/0731	BMSEN 19/0044/0210/0714
				1 0 00249 0 00 0154+79
				MUD CREEK
			0210/0714	BMSBG 19/0044/0210/0714
	041558 FT		041558 FT	1 0 00249 0 00 0161+92
			NC WHITE HALL RD	
				JERSEYTOWN RD
WASHINGTONVILLE RD				(SR0254 SEG 0070/0000)

DIR: B TOTAL LEN: 10.939 MI. DIST: 03-1 SR: 44
LEFT MUN: MADISON T RIGHT MUN: MADISON T

(SR0254 SEG 0070/0000)	0210/0000	0210/0000	LENGTH(AH 2627 BK 1446)
			018 "DIA CIRC CONCR
		0200/1411	LEN=0072 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0200/1245	LEN=0068 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0200/0525	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0200/0278	LEN=0048 INSTALLED UNKN
	040112 FT	040112 FT	1 0 00505 0 01 0118+93
			VILLAGE: JERSEYTOWN
		0200/0000	LENGTH(AH 1446 BK 2315)
			TR. TO MUD CREEK
			STRUCTURE LENGTH 17 FT
		0190/1977	BMSID 19/0044/0190/1977
CROSS RD			
(T543)	0190/1925		
			EYERSGROVE RD
		0190/1772	(SR4018 SEG 0010/0000)
			018 "DIA CIRC CONCR
		0190/1688	LEN=0065 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0190/1201	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0190/0907	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0190/0357	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0190/0029	LEN=0036 INSTALLED UNKN
	037797 FT	037797 FT	1 0 00505 0 01 0095+92
		0190/0000	LENGTH(AH 2315 BK 1382)
			(APRA) GERALD ZEISLOFT
			PRIVATE DR
		0180/1332	(PRDR)
			060 "DIA CIRC CONCR
		0180/0655	LEN=0048 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0180/0446	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0180/0164	LEN=0045 INSTALLED UNKN
	036415 FT	036415 FT	1 0 00505 0 01 0081+83
		0180/0000	LENGTH(AH 1382 BK 0660)
			018 "DIA CIRC CONCR
		0170/0485	LEN=0064 INSTALLED UNKN
	035755 FT	035755 FT	1 0 00505 0 00 0067+53
SR 0642 SH			NC DANVILLE RD
(SR0642 SEG 0030/0867)	0170/0000	0170/0000	LENGTH(AH 0660 BK 2072)
FOR SR 0044 AND 0642			

DIR: B TOTAL LEN: 10.939 MI. DIST: 03-1 SR: 44
LEFT MUN: MADISON T RIGHT MUN: MADISON T

```
(CONN)                          0160/1989
                                                                036 "DIA CIRC METAL
                                                   0160/1290 LEN=0050 INSTALLED UNKN

                                                                016"H 25"W ELLIP METAL
                                                   0160/0505 LEN=0040 INSTALLED UNKN
                                033683 FT          033683 FT 1 0 00609 0 03 0427+44
                                                 S 0160/0000 LENGTH(AH 2072 BK 2103)
                                                                018 "DIA CIRC METAL
                                                   0150/2025 LEN=0050 INSTALLED UNKN

                                                                018 "DIA CIRC METAL
                                                   0150/1281 LEN=0045 INSTALLED UNKN
                                                                018 "DIA CIR PLASTIC
                                                   0150/0956 LEN=0060 INSTALLED UNKN
NICHOLS RD
(T386)                          0150/0546

                                                                024 "DIA CIR PLASTIC
                                                   0150/0503 LEN=0040 INSTALLED 2013
1 0 00609 0 03 0406+57 031580 FT                   031580 FT
SHELTER LN
(T385)                          0150/0000        S 0150/0000 LENGTH(AH 2103 BK 1917)

                                                                024 "DIA CIR PLASTIC
                                                   0140/0864 LEN=0091 INSTALLED UNKN

                                                                024 "DIA CIR PLASTIC
                                                   0140/0168 LEN=0040 INSTALLED 2006
1 0 00609 0 03 0387+48 029663 FT                   029663 FT
DERRS RD
(SR4019 SEG 0020/2453)          0140/0000        S 0140/0000 LENGTH(AH 1917 BK 2443)

                                                                030 "DIA CIR PLASTIC
                                                   0130/1538 LEN=0037 INSTALLED 2005

                                                                042 "DIA CIRC CONCR
                                                   0130/0613 LEN=0045 INSTALLED UNKN

                                033683 FT          027220 FT 1 0 00609 0 03 0363+18
                                                                DUG RD
                                                                (T384)
                                                                013"H 22"W ELLIP METAL
                                                                LEN=0020 INSTALLED UNKN
                                                 S 0130/0000 LENGTH(AH 2443 BK 2023)
                                                                013"H 22"W ELLIP METAL
                                                   0120/1969 LEN=0067 INSTALLED 2007
```

DIR: B TOTAL LEN: 10.939 MI. DIST: 03-1 SR: 44
LEFT MUN: MADISON T RIGHT MUN: MADISON T

				018 "DIA CIR PLASTIC
			0120/0948	LEN=0060 INSTALLED 2007
				BLACK RUN RD
				(SR4016 SEG 0010/0000)
				DUTCH HILL RD
			0120/0944	(SR4007 SEG 0090/2548)
				036 "DIA CIRC METAL
			0120/0738	LEN=0035 INSTALLED UNKN
	025197 FT		025197 FT	1 0 00609 0 03 0342+88
			S 0120/0000	LENGTH(AH 2023 BK 2939)
				018 "DIA CIR PLASTIC
			0110/2483	LEN=0040 INSTALLED 2006
				030 "DIA CIR PLASTIC
			0110/2070	LEN=0040 INSTALLED 2007
				036 "DIA CIR PLASTIC
			0110/0996	LEN=0045 INSTALLED 2007
				018 "DIA CIRC METAL
			0110/0141	LEN=0035 INSTALLED UNKN
1 0 00609 0 03 0312+11	022258 FT		022258 FT	
CAMP RD				
(T517)	0110/0000	==	S 0110/0000	LENGTH(AH 2939 BK 2610)
				018 "DIA CIRC CONCR
			0100/1884	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0100/1518	LEN=0050 INSTALLED 2007
				030"H 40"W ELLIP METAL
			0100/0580	LEN=0040 INSTALLED 2007
				018 "DIA CIR PLASTIC
			0100/0215	LEN=0040 INSTALLED 2006
				036 "DIA CIR PLASTIC
			0100/0015	LEN=0048 INSTALLED 2004
	019648 FT		019648 FT	1 0 00609 0 03 0287+19
				LONGS RD
				(T518)
		==	S 0100/0000	LENGTH(AH 2610 BK 2904)
				018 "DIA CIR PLASTIC
			0090/2588	LEN=0040 INSTALLED 2007
				024 "DIA CIR PLASTIC
			0090/2125	LEN=0035 INSTALLED UNKN
				018 "DIA CIRC METAL
			0090/1630	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 10.939 MI. DIST: 03-1 SR: 44
LEFT MUN: MADISON T RIGHT MUN: MADISON T

			018 "DIA CIRC CONCR
		0090/1292	LEN=0075 INSTALLED UNKN
			MADISON
		0090/1012	HEMLOCK T
			013"H 22"W ELLIP METAL
		0090/0573	LEN=0035 INSTALLED UNKN
	016744 FT	016744 FT	1 0 00609 0 03 0258+14
			HOWELL DR
			(T513)
		S 0090/0000	LENGTH(AH 2904 BK 2135)
			036 "DIA CIR PLASTIC
		0080/2090	LEN=0040 INSTALLED 2007
			018 "DIA CIR PLASTIC
		0080/1422	LEN=0046 INSTALLED 2005
			018 "DIA CIR PLASTIC
		0080/1325	LEN=0040 INSTALLED UNKN
FOR SR 0040 AND 4012			
(CONN)	0080/1277		
			018 "DIA CIR PLASTIC
		0080/1021	LEN=0060 INSTALLED 2007
PEPPERMILL RD			
(SR4012 SEG 0050/1831)	0080/0985		
			018 "DIA CIRC METAL
		0080/0786	LEN=0037 INSTALLED UNKN
			016"H 25"W ELLIP METAL
		0080/0052	LEN=0040 INSTALLED UNKN
1 0 00609 0 03 0236+78	014609 FT	014609 FT	
LOVER DR			
(T487)	0080/0000	S 0080/0000	LENGTH(AH 2135 BK 2168)
			018 "DIA CIR PLASTIC
		0070/1834	LEN=0040 INSTALLED 2006
			024 "DIA CIR PLASTIC
		0070/1395	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0070/0752	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0070/0398	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0051	LEN=0045 INSTALLED 2007
	012441 FT	012441 FT	1 0 00609 0 03 0215+06
		S 0070/0000	LENGTH(AH 2168 BK 2099)
			036 "DIA CIRC METAL
		0060/1650	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0060/1165	LEN=0040 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0060/0727	LEN=0048 INSTALLED 2007

DIR: B TOTAL LEN: 10.939 MI. DIST: 03-1 SR: 44
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

			018 "DIA CIR PLASTIC
		0060/0402	LEN=0040 INSTALLED 2006
			015 "DIA CIRC METAL
		0060/0049	LEN=0040 INSTALLED UNKN
	010342 FT	010342 FT	1 0 00609 0 03 0194+04
		S 0060/0000	LENGTH(AH 2099 BK 2551)
			060 "DIA CIRC METAL
		0050/1400	LEN=0040 INSTALLED UNKN
			GUYS LN
		0050/1331	(T364)
			015 "DIA CIRC METAL
		0050/1029	LEN=0035 INSTALLED UNKN
			015 "DIA CIRC METAL
		0050/0717	LEN=0035 INSTALLED UNKN
			024 "DIA CIRC METAL
		0050/0536	LEN=0100 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/0335	LEN=0040 INSTALLED 2006
			018 "DIA CIR PLASTIC
		0050/0042	LEN=0040 INSTALLED 2013
	007791 FT	007791 FT	1 0 00609 0 03 0168+49
		S 0050/0000	LENGTH(AH 2551 BK 2345)
			018 "DIA CIR PLASTIC
		0040/2174	LEN=0040 INSTALLED 2013
			018 "DIA CIRC METAL
		0040/1279	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/0718	LEN=0035 INSTALLED UNKN
	005446 FT	005446 FT	1 0 00609 0 03 0145+00
			DUTCH HILL RD
			(T806)
		S 0040/0000	LENGTH(AH 2345 BK 2282)
			018 "DIA CIRC METAL
		0030/2261	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/1639	LEN=0040 INSTALLED 2006
DAHL RD (T828)	0030/1567		
			018 "DIA CIR PLASTIC
		0030/1329	LEN=0040 INSTALLED 2006
			030"H 60"W ELLIP METAL
		0030/0675	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 10.939 MI. DIST: 03-1 SR: 44
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

		0030/0020	LEN=0045 INSTALLED UNKN
	003164 FT	003164 FT	1 0 00609 0 03 0122+62
			SCHOOL HOUSE RD
			(T475)
		S 0030/0000	LENGTH(AH 2282 BK 0931)
			018 "DIA CIRC CONCR
		0020/0697	LEN=0035 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0020/0490	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0333	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/0147	LEN=0030 INSTALLED UNKN
	002233 FT	002233 FT	1 0 00609 0 03 0113+26
		S 0020/0000	LENGTH(AH 0931 BK 2233)
FIRE HALL RD (T376)	0010/2065		
			018 "DIA CIRC METAL
		0010/1815	LEN=0040 INSTALLED UNKN
FIRE HALL RD (T376)	0010/1609		
			018 "DIA CIRC METAL
		0010/1567	LEN=0055 INSTALLED UNKN
		M 0010/1419	CAVC 815
			024 "DIA CIRC CONCR
		0010/1315	LEN=0050 INSTALLED UNKN
			MITCHELL DR
			(TWP)
		0010/0995	
PRIVATE DR (PRDR)	0010/0655	0010/0655	(APRA) TA TRAVEL CENTER
			018 "DIA CIRC CONCR
		0010/0586	LEN=0036 INSTALLED UNKN
			RICKY AV
		0010/0564	(TWP)
PRIVATE DR (PRDR)	0010/0288	0010/0288	(APRA) TA TRAVEL CENTER
			FROM 0042/0521 SH
		0010/0116	(CONN)
			018 "DIA CIRC CONCR
		0010/0089	LEN=0100 INSTALLED UNKN
	000000 FT	000000 FT	1 0 00609 0 02 0097+24
			VILLAGE: BUCKHORN
			NC BUCKHORN RD
			INTERCHANGE RD
			(SR0042 SEG 0520/0000)
			(SR0042 SEG 0521/0000)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 2233 BK 0000)

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: PINE T RIGHT MUN: PINE T

	186137 FT	186163 FT	AH-LYCOMING (41)
		REF-AHD	SR 0042 SH
		0860/2637	(SR0042 SEG 0010/0000)
			036 "DIA CIR PLASTIC
		0860/2550	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0860/2280	LEN=0048 INSTALLED UNKN
			BUTTERNUT LN
		0860/2116	(T656)
			018 "DIA CIRC CONCR
		0860/1708	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0860/1554	LEN=0048 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0860/0916	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0860/0611	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0860/0216	LEN=0040 INSTALLED UNKN
1 0 00239 0 04 0865+00	183500 FT	183526 FT	
CLYDE RD			
(T497)	0860/0000	0860/0000	LENGTH(AH 2637 BK 3373)
			018 "DIA CIR PLASTIC
		0850/3320	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0850/3085	LEN=0044 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0850/2741	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0850/2422	LEN=0059 INSTALLED UNKN
WHITE ASH RD			
(T550)	0850/2237		
			018 "DIA CIRC METAL
		0850/2230	LEN=0061 INSTALLED UNKN
			027"H 42"W ELLIP METAL
		0850/2131	LEN=0049 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0850/2088	LEN=0044 INSTALLED UNKN
		0850/1574	BMSEN 19/0042/0850/1561
			1 0 00239 0 04 0845+75
			LICK RUN
		0850/1561	BMSBG 19/0042/0850/1561
			BUTTERNUT LN
		0850/1422	(T656)
			018 "DIA CIR PLASTIC
		0850/1355	LEN=0046 INSTALLED UNKN
			015"H 21"W ELLIP METAL
		0850/1154	LEN=0041 INSTALLED UNKN

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: PINE T RIGHT MUN: PINE T

			018 "DIA CIR PLASTIC
		0850/1010	LEN=0044 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0850/0730	LEN=0051 INSTALLED UNKN
			030 "DIA CIRC METAL
		0850/0475	LEN=0054 INSTALLED UNKN
			015"H 21"W ELLIP METAL
		0850/0312	LEN=0041 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0850/0160	LEN=0050 INSTALLED UNKN
	180127 FT	180153 FT	1 0 00239 0 04 0831+00
			LOCUST LN
			(T552)
		0850/0000	LENGTH(AH 3373 BK 2124)
			018 "DIA CIR PLASTIC
		0840/1682	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0840/1460	LEN=0051 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0840/1300	LEN=0041 INSTALLED UNKN
			024"H 36"W ELLIP METAL
		0840/1038	LEN=0037 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0840/0867	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0840/0658	LEN=0041 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0840/0288	LEN=0048 INSTALLED UNKN
			030 "DIA CIRC METAL
		0840/0063	LEN=0049 INSTALLED UNKN
1 0 00239 0 04 0809+17	178003 FT	178029 FT	
WINTERSTEEN SCHOOL RD			
(T750)	0840/0000	0840/0000	LENGTH(AH 2124 BK 3455)
			018 "DIA CIRC CONCR
		0830/3148	LEN=0041 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0830/2350	LEN=0049 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0830/1939	LEN=0041 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0830/1606	LEN=0043 INSTALLED UNKN
			024 "DIA CIRC METAL
		0830/1249	LEN=0060 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0830/1055	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC METAL
		0830/0858	LEN=0041 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0830/0519	LEN=0041 INSTALLED UNKN

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: PINE T RIGHT MUN: PINE T

		018 "DIA CIR PLASTIC
	0830/0030	LEN=0056 INSTALLED UNKN
174548 FT	174574 FT	1 0 00239 0 04 0774+63
		OAK HILL RD
		(T681)
	S 0830/0000	LENGTH(AH 3455 BK 3457)
		018 "DIA CIR PLASTIC
	0820/3375	LEN=0057 INSTALLED UNKN
		048 "DIA CIR PLASTIC
	0820/3217	LEN=0060 INSTALLED 2005
		PINE CENTER CHURCH RD
	0820/3087	(T644)
		018 "DIA CIRC CONCR
	0820/2961	LEN=0056 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0820/2199	LEN=0041 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0820/1862	LEN=0050 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0820/1430	LEN=0057 INSTALLED UNKN
		015 "DIA CIRC METAL
	0820/1090	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0820/0700	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0820/0309	LEN=0042 INSTALLED UNKN
171091 FT	171117 FT	1 0 00239 0 04 0740+03
	S 0820/0000	LENGTH(AH 3457 BK 3006)
		018 "DIA CIRC METAL
	0810/2764	LEN=0042 INSTALLED UNKN
		036 "DIA CIR PLASTIC
	0810/2470	LEN=0075 INSTALLED 2005
		018 "DIA CIRC CONCR
	0810/2296	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0810/1748	LEN=0043 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0810/1381	LEN=0043 INSTALLED UNKN
		018 "DIA CIRC METAL
	0810/0779	LEN=0060 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0810/0506	LEN=0070 INSTALLED 2003
		018 "DIA CIRC METAL
	0810/0175	LEN=0042 INSTALLED UNKN
168085 FT	168111 FT	1 0 00239 0 04 0709+95
	S 0810/0000	LENGTH(AH 3006 BK 2143)
		018 "DIA CIRC CONCR
	0800/2008	LEN=0043 INSTALLED UNKN

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: PINE T RIGHT MUN: PINE T

			018 "DIA CIRC METAL
		0800/1248	LEN=0047 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0800/0946	LEN=0043 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0800/0611	LEN=0041 INSTALLED UNKN
	165942 FT	165968 FT	1 0 00239 0 04 0688+50
			CHERRY HOLLOW RD
			(T544)
		S 0800/0000	LENGTH(AH 2143 BK 3202)
			TRIBUTARY TO LICK RUN
			STRUCTURE LENGTH 9 FT
		0790/3130	BMSID 19/0042/0790/3130
			018 "DIA CIRC METAL
		0790/2777	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0790/2392	LEN=0041 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0790/2097	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0790/1558	LEN=0039 INSTALLED UNKN
			018 "DIA CIRC METAL
		0790/1256	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC METAL
		0790/0852	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0790/0450	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0790/0420	LEN=0013 INSTALLED UNKN
			BMSEN 19/0042/0790/0000
			SERENO RD
		0790/0044	(TWP)
	162740 FT	162766 FT	1 0 00239 0 04 0656+56
			LICK RUN
			BMSBG 19/0042/0790/0000
		S 0790/0000	LENGTH(AH 3202 BK 2897)
PINE SCHOOL RD (T620)	0780/2123		
		0780/1522	BMSEN 19/0042/0780/1413
			PINE
		0780/1462	GREENWOOD T
			1 0 00239 0 03 0641+26
			LITTLE FISHING CREEK
		0780/1413	BMSBG 19/0042/0780/1413
			018 "DIA CIRC METAL
		0780/1255	LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

			024 "DIA CIRC CONCR
		0780/0962	LEN=0041 INSTALLED UNKN
			018 "DIA CIRC METAL
		0780/0418	LEN=0048 INSTALLED UNKN
	159843 FT	159869 FT	1 0 00239 0 03 0628+04
			VILLAGE: SERENO
			WHITEHORSE RD
			(T661)
		S 0780/0000	LENGTH(AH 2897 BK 3433)
			048 "DIA CIR PLASTIC
		0770/3410	LEN=0053 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0770/2320	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0770/1984	LEN=0048 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0770/1600	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0770/0964	LEN=0049 INSTALLED UNKN
			018 "DIA CIRC METAL
		0770/0457	LEN=0039 INSTALLED UNKN
1 0 00239 0 03 0593+54	156410 FT	156436 FT	
SR 0442 SH			
(SR0442 SEG 0080/1262)	0770/0000	S 0770/0000	LENGTH(AH 3433 BK 1756)
			036 "DIA CIRC CONCR
		0760/1535	LEN=0068 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0760/1183	LEN=0110 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0760/0536	LEN=0066 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0760/0535	LEN=0080 INSTALLED UNKN
			APPLEGATE RD
		0760/0526	(T450)
1 0 00239 0 02 0575+56	154654 FT	154680 FT	
LEGION RD			
(SR4024 SEG 0010/0928)	0760/0000	S 0760/0000	LENGTH(AH 1756 BK 2794)
			018 "DIA CIRC CONCR
		0750/2372	LEN=0050 INSTALLED UNKN
			BLACKBIRD RD
		0750/1510	(T454)
			036 "DIA CIRC CONCR
		0750/1236	LEN=0071 INSTALLED UNKN
			024 "DIA CIRC CONCR

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

```
                                    0750/0572 LEN=0072 INSTALLED UNKN
151860 FT                           151886 FT 1 0 00239 0 02 0546+80
                                              VILLAGE: IOLA
                                        NC SR 0042 SH
                                              GREENWOOD
                                              MILLVILLE B
                                    0750/0000 LENGTH(AH 2794 BK 2043)
                                              CHESTNUT ST
                                    0740/1942 (BORO)
                                              BLACKBIRD RD
                                    0740/1491 (BORO)


                                              030"H 42"W ELLIP METAL
                                    0740/0255 LEN=0065 INSTALLED UNKN
                                    0740/0021 BMSEN 19/0042/0740/0000
149817 FT                           149843 FT 1 0 00239 0 02 0527+28
                                              TRIB LITTLE FISHING CRK
                                              BMSBG 19/0042/0740/0000
                                    0740/0000 LENGTH(AH 2043 BK 1406)
                                              FIFTH ST
                                    0730/1274 (BORO)
                                              018 "DIA CIRC CONCR
                                    0730/1095 LEN=0030 INSTALLED UNKN
                                              FOURTH ST
                                    0730/0998 (BORO)
                                              018 "DIA CIRC CONCR
                                    0730/0964 LEN=0030 INSTALLED UNKN
                                              THIRD ST
                                    0730/0723 (BORO)
                                              018 "DIA CIRC CONCR
                                    0730/0692 LEN=0040 INSTALLED UNKN
                                              SECOND ST
                                    0730/0450 (BORO)
                                              018 "DIA CIRC CONCR
                                    0730/0418 LEN=0025 INSTALLED UNKN
                                              BORO AL
                                    0730/0251 (BORO)
                                              BORO AL
                                    0730/0139 (BORO)
                                              018 "DIA CIRC CONCR
                                    0730/0104 LEN=0025 INSTALLED UNKN
148411 FT                           148437 FT 1 0 00239 0 02 0513+29
                                              018 "DIA CIRC CONCR
                                              LEN=0030 INSTALLED UNKN
                                              MAIN ST
                                              (SR0254 SEG 0170/0843)

                                    0730/0000 LENGTH(AH 1406 BK 0974)
```

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: MILLVILLE B RIGHT MUN: MILLVILLE B

BORO AL (BORO)	0720/0804	==			
			==	0720/0776	BORO AL (BORO)
				0720/0630	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		==	==	0720/0606	WALNUT ST (BORO)
				0720/0585	018 "DIA CIRC CONCR LEN=0035 INSTALLED UNKN
MOOREHEAD AV (BORO)	0720/0310	==			
				0720/0295	024 "DIA CIRC CONCR LEN=0037 INSTALLED UNKN
BORO AL (BORO)	0720/0120	==			
				0720/0011	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
1 0 00239 0 02 0503+54	147437 FT			147463 FT	
FRANCIS ST (BORO)	0720/0000	==		5 0720/0000	LENGTH(AH 0974 BK 2244)
MAPLE ST (BORO)	0710/2046	==			
				0710/1983	018 "DIA CIRC CONCR LEN=0028 INSTALLED UNKN
			==	0710/1939	CASE LN (PRDR)
				0710/1225	018 "DIA CIRC CONCR LEN=0027 INSTALLED UNKN
				0710/0719	018 "DIA CIRC CONCR LEN=0026 INSTALLED UNKN
				0710/0510	018 "DIA CIRC CONCR LEN=0025 INSTALLED UNKN
			==	0710/0294	HAVEN LN (PRDR)
				0710/0074	018 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN
	145193 FT			145219 FT	1 0 00239 0 02 0481+00
					HILL RD (SR4022 SEG 0010/0000)
				5 0710/0000	LENGTH(AH 2244 BK 1551)
				0700/1455	018 "DIA CIRC CONCR LEN=0037 INSTALLED UNKN
				0700/1127	015 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
				0700/0315	015 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
	143642 FT			143668 FT	1 0 00239 0 02 0465+69

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: MILLVILLE B RIGHT MUN: MILLVILLE B

			NC STATE ST MILLVILLE GREENWOOD T
		S 0700/0000	LENGTH(AH 1551 BK 2582) BOTTOM RD
RED TAIL RD (T440)	0690/2050	0690/2050	(T583)
		0690/1850	BMSEN 19/0042/0690/1821 1 0 00239 0 02 0458+06 T.L.FISHG CK
		0690/1821	BMSBG 19/0042/0690/1821 015 "DIA CIRC CONCR
		0690/1664	LEN=0100 INSTALLED UNKN
RED TAIL RD (T440)	0690/1496		
			024 "DIA CIRC CONCR
		0690/1454	LEN=0044 INSTALLED UNKN PRIVATE DR
		0690/1434	(PRDR)
BOYER BOTTOM RD (T557)	0690/1252		
			018 "DIA CIRC CONCR
		0690/0895	LEN=0045 INSTALLED UNKN 018 "DIA CIRC CONCR
		0690/0420	LEN=0042 INSTALLED UNKN 015 "DIA CIRC CONCR
		0690/0094	LEN=0045 INSTALLED UNKN
	141060 FT	141086 FT	1 0 00239 0 02 0439+42
		S 0690/0000	LENGTH(AH 2582 BK 2301) 018 "DIA CIRC CONCR
		0680/2155	LEN=0041 INSTALLED UNKN 024 "DIA CIRC METAL
		0680/1604	LEN=0046 INSTALLED UNKN 036 "DIA CIRC CONCR
		0680/1092	LEN=0049 INSTALLED UNKN
			018 "DIA CIRC METAL
		0680/0395	LEN=0045 INSTALLED UNKN 036 "DIA CIRC CONCR
		0680/0016	LEN=0056 INSTALLED 2012
	138759 FT	138785 FT	1 0 00239 0 02 0416+00 MILL RD (T428)
		S 0680/0000	LENGTH(AH 2301 BK 2838) 024 "DIA CIRC CONCR
		0670/2579	LEN=0050 INSTALLED UNKN 015 "DIA CIRC CONCR
		0670/2289	LEN=0036 INSTALLED UNKN 024 "DIA CIRC CONCR
		0670/2059	LEN=0037 INSTALLED UNKN 018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: GREENWOOD T RIGHT MUN: GREENWOOD T

```
                                                 0670/1680 LEN=0037 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0670/1427 LEN=0046 INSTALLED UNKN

                                                           024 "DIA CIRC METAL
                                                 0670/0768 LEN=0050 INSTALLED UNKN

                                                           018 "DIA CIRC METAL
                                                 0670/0168 LEN=0168 INSTALLED UNKN
                        135921 FT                135947 FT 1 0 00239 0 02 0388+45
                                                           MILL RD
EYERSGROVE RD                                              (T428)
(SR4021 SEG 0010/0000)  0670/0000                S 0670/0000 LENGTH(AH 2838 BK 3310)
                                                           018 "DIA CIRC CONCR
                                                 0660/3202 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0660/3045 LEN=0035 INSTALLED UNKN

                                                           060 "DIA CIRC METAL
                                                           LEN=0050 INSTALLED UNKN
                                                           GREENWOOD
                                                 0660/2200 MT PLEASANT T
                                                           018 "DIA CIRC CONCR
                                                 0660/1792 LEN=0040 INSTALLED UNKN
                                                           030 "DIA CIRC CONCR
                                                 0660/1456 LEN=0100 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0660/1077 LEN=0042 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0660/0576 LEN=0042 INSTALLED UNKN
                                                           030 "DIA CIRC CONCR
                                                 0660/0539 LEN=0046 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0660/0167 LEN=0040 INSTALLED UNKN
                        132611 FT                132637 FT 1 0 00239 0 02 0355+49
                                                           VILLAGE: EYERS GROVE
                                                 S 0660/0000 LENGTH(AH 3310 BK 2998)
                                                           024 "DIA CIRC CONCR
                                                 0650/2960 LEN=0055 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0650/2600 LEN=0115 INSTALLED UNKN

                                                 0650/1441 BMSEN 19/0042/0650/1347
                                                           MT PLEASANT
                                                 0650/1393 MADISON T
                                                           1 0 00239 0 02 0338+72
                                                           LT. FISHING
                                                 0650/1347 BMSBG 19/0042/0650/1347
KLINES RD
```

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: MADISON T RIGHT MUN: MADISON T

```
(T378)                          0650/1172
                                                                018 "DIA CIRC CONCR
                                                   0650/0630 LEN=0080 INSTALLED UNKN

                                                   0650/0019 BMSEN 19/0042/0650/0000
                                129613 FT          129639 FT 1 0 00239 0 02 0325+24
                                                                TR. FISHING CREEK
                                                                BMSBG 19/0042/0650/0000
                                                 S 0650/0000 LENGTH(AH 2998 BK 2605)
BLACKRUN RD
(SR4016 SEG 0060/1612)          0640/2396
                                                                015 "DIA CIRC CONCR
                                                   0640/2259 LEN=0037 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                   0640/1914 LEN=0037 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                   0640/1375 LEN=0052 INSTALLED UNKN
                                                                015 "DIA CIRC CONCR
                                                   0640/1196 LEN=0043 INSTALLED UNKN
                                                                015 "DIA CIRC CONCR
                                                   0640/0860 LEN=0056 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                   0640/0689 LEN=0042 INSTALLED UNKN
                                                                036"H 48"W CON BOX CUL
                                                   0640/0405 LEN=0045 INSTALLED UNKN
                                                                018 "DIA CIRC CONCR
                                                   0640/0288 LEN=0037 INSTALLED UNKN
                                127008 FT          127034 FT 1 0 00239 0 02 0299+33
                                                 S 0640/0000 LENGTH(AH 2605 BK 2377)
                                                                072"H 72"W CON BOX CUL
                                                   0630/2317 LEN=0055 INSTALLED UNKN

                                                                015 "DIA CIRC CONCR
                                                   0630/1284 LEN=0060 INSTALLED UNKN

                                                                015 "DIA CIRC CONCR
                                                   0630/0384 LEN=0055 INSTALLED UNKN
                                124631 FT          124657 FT 1 0 00239 0 02 0275+68
                                                 S 0630/0000 LENGTH(AH 2377 BK 2099)
                                                                015 "DIA CIR PLASTIC
                                                   0620/2082 LEN=0054 INSTALLED UNKN
                                                                015 "DIA CIRC CONCR
                                                   0620/1751 LEN=0050 INSTALLED UNKN
                                                                ROBBINS RD
                                                   0620/1459 (SR4015 SEG 0020/0000)
                                                                015 "DIA CIRC CONCR
                                                   0620/1241 LEN=0084 INSTALLED UNKN
                                                                015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: MADISON T RIGHT MUN: MADISON T

			0620/0899	LEN=0045 INSTALLED UNKN 015 "DIA CIRC CONCR
			0620/0555	LEN=0060 INSTALLED UNKN
	122532 FT		122558 FT	1 0 00239 0 01 0254+47 MADISON HEMLOCK T
			S 0620/0000	LENGTH(AH 2099 BK 2450) 015 "DIA CIRC CONCR
			0610/2350	LEN=0055 INSTALLED UNKN (APRA) HRI INC PRIVATE DR
		POI	0610/1910	(PRDR) 018 "DIA CIR PLASTIC
			0610/1854	LEN=0069 INSTALLED UNKN 015 "DIA CIRC CONCR
			0610/1529	LEN=0045 INSTALLED UNKN
EBNER DR (T519)	0610/1321	POI	0610/1321	(APRA) HRI INC
			0610/1314	BMSEN 19/0042/0610/1301 1 0 00239 0 01 0242+94 T.L.FISHG CK
			0610/1301	BMSBG 19/0042/0610/1301 (APRA) G & M CRAWFORD I MELICK HOLLOW RD
		POI	0610/1271	(T519) 018 "DIA CIRC CONCR
			0610/1023	LEN=0042 INSTALLED UNKN 015 "DIA CAST IRON
			0610/0746	LEN=0040 INSTALLED UNKN 015 "DIA CIRC METAL
			0610/0345	LEN=0035 INSTALLED UNKN 015 "DIA CIR PLASTIC
			0610/0103	LEN=0035 INSTALLED UNKN
	120082 FT		120108 FT	1 0 00239 0 01 0230+01
			S 0610/0000	LENGTH(AH 2450 BK 2433) 015 "DIA CIRC CONCR
			0600/1782	LEN=0038 INSTALLED UNKN 015 "DIA CIRC CONCR
			0600/1219	LEN=0047 INSTALLED UNKN 024 "DIA CAST IRON
			0600/0871	LEN=0050 INSTALLED UNKN 018 "DIA CIRC CONCR
			0600/0580	LEN=0038 INSTALLED UNKN (APRA) SOKOL INC PRIVATE DR
		POI	0600/0287	(PRDR) 015 "DIA CIRC CONCR
			0600/0100	LEN=0052 INSTALLED UNKN
1 0 00239 0 01 0205+72	117649 FT		117675 FT	

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

FAIRVIEW DR (T807)	0600/0000	0600/0000	LENGTH(AH 2433 BK 2605)
		0590/2605	BMSEN 19/0042/0590/2594
			1 0 00239 0 01 0205+47
			TRIB LITTLE FISHING CR
		0590/2594	BMSBG 19/0042/0590/2594
			015 "DIA CIRC CONCR
		0590/1968	LEN=0064 INSTALLED UNKN
			048"H 72"W CONCR ARCH
		0590/0380	LEN=0058 INSTALLED UNKN
1 0 00239 0 01 0180+02	115044 FT	115070 FT	
JACOBY DR (T372)	0590/0000	0590/0000	LENGTH(AH 2605 BK 1359)
			018 "DIA CIRC CONCR
		0580/1323	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0580/0645	LEN=0048 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0580/0250	LEN=0046 INSTALLED UNKN
	113685 FT	113711 FT	1 0 00239 0 01 0166+16
			COVERED BRIDGE DR
			(T493)
		0580/0000	LENGTH(AH 1359 BK 3271)
			015 "DIA CIRC CONCR
		0570/1995	LEN=0055 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0570/1000	LEN=0050 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0570/0828	LEN=0063 INSTALLED UNKN
			048 "DIA CIRC CONCR
		0570/0439	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0570/0226	LEN=0045 INSTALLED UNKN
	110414 FT	110440 FT	1 0 00239 0 01 0133+47
		0570/0000	LENGTH(AH 3271 BK 1970)
			015 "DIA CIRC METAL
		0560/1946	LEN=0040 INSTALLED UNKN
			015 "DIA CAST IRON

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

0560/1150 LEN=0045 INSTALLED UNKN

TO 0042/0550 SH
(CONN) 0560/0290
108444 FT

108470 FT 1 0 00239 0 01 0114+19
NC MILLVILLE RD

MILLVILLE RD
(SR4009 SEG 0070/0238)
S 0560/0000 LENGTH(AH 1970 BK 1514)

TO 0042/0560 SH
(CONN) 0550/1299

024 "DIA CIRC CONCR
0550/1063 LEN=0100 INSTALLED UNKN
018 "DIA CIRC CONCR
0550/0668 LEN=0040 INSTALLED UNKN

048 "DIA CIRC METAL
0550/0044 LEN=0150 INSTALLED UNKN
106930 FT 106956 FT 2 0 19026 0 01 0270+34
SCHOOL HOUSE RD
(T475)
SCHOOL HOUSE RD
(T475) 0550/0000
S 0550/0000 LENGTH(AH 1514 BK 1948)
072 "DIA CIRC METAL
0540/1799 LEN=0150 INSTALLED UNKN

030 "DIA CIRC METAL
0540/0357 LEN=0100 INSTALLED UNKN
018 "DIA CIRC METAL
0540/0001 LEN=0029 INSTALLED UNKN
104982 FT 105008 FT 2 0 19026 7 00 0018+03
MFC BEGIN = C
S 0540/0000 LENGTH(AH 1948 BK 0933)

024 "DIA CIRC METAL
0530/0785 LEN=0030 INSTALLED UNKN

018 "DIA CIRC METAL
LEN=0034 INSTALLED UNKN 0531/0590

018 "DIA CIRC METAL
0530/0585 LEN=0065 INSTALLED UNKN
MALL ENTRANCE RD
(PRDR) 0531/0519
MALL ENTRANCE RD
0530/0544 (PRDR)
018 "DIA CIRC METAL
0530/0479 LEN=0049 INSTALLED UNKN
018 "DIA CIRC METAL
0530/0430 LEN=0032 INSTALLED UNKN
018 "DIA CIRC METAL
0530/0422 LEN=0024 INSTALLED UNKN

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0531/0400

018 "DIA CIRC METAL
LEN=0030 INSTALLED UNKN 0531/0270

018 "DIA CIRC METAL
LEN=0030 INSTALLED UNKN 0531/0125

2 0 19026 7 00 0011+07 104049 FT
LENGTH(AH 0933 BK 1057) 0531/0000 S
018 "DIA CIRC METAL
LEN=0052 INSTALLED UNKN 0521/1057

018 "DIA CIRC METAL
LEN=0055 INSTALLED UNKN 0521/0824
MITCHELL DR
(T476)
MALL DR
(PRDR)
0521/0802

018 "DIA CIRC CONCR
LEN=0039 INSTALLED UNKN 0521/0500

018 "DIA CIRC CONCR
LEN=0060 INSTALLED UNKN 0521/0280

TO 0044/0010 SH
(CONN)
0521/0103

2 0 19026 7 00 0000+00 102992 FT
FROM 8002/0500 SH
(CONN)
BUCKHORN RD
(SR0044 SEG 0010/0000)

0530/0393 LC TO MALL ENTRANC RD
(CONN)
0530/0284 018 "DIA CIRC METAL
LEN=0038 INSTALLED UNKN

0530/0156 018 "DIA CIRC METAL
LEN=0039 INSTALLED UNKN

SIGN: CANTILEVER
0530/0010 BMSID 19/0042/0530/0010
104075 FT 2 0 19026 7 00 0011+07
018 "DIA CIRC METAL
LEN=0030 INSTALLED UNKN
S 0530/0000 LENGTH(AH 0933 BK 1057)

0520/0810 018 "DIA CIRC METAL
LEN=0050 INSTALLED UNKN

MITCHELL DR
(T476)
MALL DR
(PRDR)
0520/0765
0520/0657 LC TO MALL DR
(PRDR)

0520/0485 018 "DIA CIRC CONCR
LEN=0051 INSTALLED UNKN

0520/0245 024 "DIA CIRC METAL
LEN=0062 INSTALLED UNKN
RAMP C RD
0520/0150 (SR8002 SEG 0500/1365)

0520/0073 024 "DIA CIRC METAL
LEN=0061 INSTALLED UNKN
103018 FT 2 0 19026 7 00 0000+00
FROM 8002/0510 SH
(CONN)
BUCKHORN RD
(SR0044 SEG 0010/0000)

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

LEFT		RIGHT	
LENGTH(AH 1057 BK 1680)	0521/0000	0520/0000	LENGTH(AH 1057 BK 1658)
018 "DIA CIRC METAL LEN=0066 INSTALLED UNKN	0511/1380		
RAMP A RD (SR8002 SEG 0250/0000)	0511/1268		
		0510/1179	RAMP D RD (SR8002 SEG 0510/0000)
018 "DIA CIRC CONCR LEN=0005 INSTALLED UNKN	0511/1155		
		0510/0981	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
BMSEN 19/0042/0510/0716 1 0 00609 0 01 0080+10 SR 0080	0511/0958	0510/0938	BMSEN 19/0042/0510/0716 0 0 00000 0 00 0000+00 SR 0080
BMSBG 19/0042/0510/0716	0511/0736	0510/0716	BMSBG 19/0042/0510/0716
RAMP H RD (SR8002 SEG 0020/0000)	0511/0450		
		0510/0270	RAMP E RD (SR8002 SEG 0750/0000)
		0510/0093	018 "DIA CIRC CONCR LEN=0015 INSTALLED UNKN
1 0 00609 0 01 0080+10 FROM 8002/0010 SH (CONN) LUNGER DR (SR4051 SEG 0012/0000)	101312 FT	101360 FT	1 0 00609 0 01 0080+10 FROM 8002/0010 SH (CONN) LUNGER DR (SR4051 SEG 0012/0000)
LENGTH(AH 1680 BK 1065)	0511/0000	0510/0000	LENGTH(AH 1658 BK 1119)
		0500/1065	024 "DIA CIRC METAL LEN=0056 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN	0501/1016		
		0500/0994	TO 4051/0012 SH (CONN)
RAMP G RD (SR8002 SEG 0010/1457)	0501/0884		
		0500/0744	024 "DIA CIRC CONCR LEN=0071 INSTALLED UNKN
024 "DIA CIRC CONCR LEN=0083 INSTALLED UNKN	0501/0640		
		0500/0415	018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0078 INSTALLED UNKN	0501/0395		
		0500/0060	018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
1 0 00609 0 00 0070+88 WEDGETOWN RD (T378)	100247 FT	100241 FT	1 0 00609 0 00 0070+88 WEDGETOWN RD (T378)

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: HEMLOCK T RIGHT MUN: HEMLOCK T

LEFT		RIGHT
RED MILL RD (T809)		RED MILL RD (T809)
LENGTH(AH 1065 BK 0780) 0501/0000		0500/0000 LENGTH(AH 1119 BK 0756)
		018 "DIA CIRC METAL
		0490/0518 LEN=0052 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0067 INSTALLED UNKN 0491/0506		
		018 "DIA CIRC METAL
		0490/0341 LEN=0039 INSTALLED UNKN
1 0 01115 0 00 0074+04 099467 FT		099485 FT 1 0 01115 0 00 0074+04
MFC BEGIN = C		MFC BEGIN = C
LENGTH(AH 0780 BK 1447) 0491/0000		0490/0000 LENGTH(AH 0756 BK 1447)
		048 "DIA CIRC METAL
		0480/1362 LEN=0130 INSTALLED UNKN
098020 FT		098038 FT 1 0 01115 0 00 0059+10
		FROSTY VALLEY RD (T827)
FROSTY VALLEY RD (SR4003 SEG 0042/0000) 0480/0000		0480/0000 LENGTH(AH 1447 BK 3552)
		018 "DIA CIRC CONCR
		0470/3300 LEN=0140 INSTALLED UNKN
		048 "DIA CIRC METAL
		0470/2500 LEN=0140 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0470/1790 LEN=0140 INSTALLED UNKN
		024 "DIA CIRC CONCR
		0470/1544 LEN=0132 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0470/1243 LEN=0140 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0470/0940 LEN=0140 INSTALLED UNKN
RIDGE RD (SR4004 SEG 0080/1125) 0470/0510		RIDGE RD (T819) 0470/0510
		0470/0041 BMSEN 19/0042/0470/0000
094468 FT		094486 FT 1 0 01115 0 00 0023+57
		HEMLOCK CRK
		BMSBG 19/0042/0470/0000
		HEMLOCK
		MONTOUR T
		0470/0000 LENGTH(AH 3552 BK 0844)
093624 FT		093642 FT 1 0 01115 0 00 0015+13
		MFC BEGIN = C
		0460/0000 LENGTH(AH 0844 BK 1172)

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: MONTOUR T RIGHT MUN: MONTOUR T

PERRY AV (TWP)			PERRY AV (TWP)
	0451/0704		0450/0701
			018 "DIA CIRC CONCR
		0450/0579	LEN=0033 INSTALLED UNKN
BMSEN 19/0042/0451/0000	0451/0198	0450/0198	BMSEN 19/0042/0451/0000
1 0 01115 0 00 0003+43	092447 FT	092470 FT	1 0 01115 0 00 0003+43
FISHING CREEK			FISHING CREEK
BMSBG 19/0042/0451/0000			BMSBG 19/0042/0451/0000
LENGTH(AH 1177 BK 0427)	0451/0000	0450/0000	LENGTH(AH 1172 BK 0427)
SIGN: 3 CHORD TRUSS			SIGN: 3 CHORD TRUSS
BMSID 19/0042/0441/0377	0441/0377	0440/0375	BMSID 19/0042/0441/0377
MONTOUR			MONTOUR
BLOOMSBURG TO	0441/0297	0440/0297	BLOOMSBURG TO
			RAMP G RD
		0440/0294	(SR8005 SEG 0500/0350)
RAMP H RD (SR8005 SEG 0250/0000)	0441/0278		
BMSEN 19/0042/0440/0000	0441/0159	0440/0159	BMSEN 19/0042/0440/0000
1 0 01115 0 00 0000+00	092020 FT	092043 FT	1 0 01115 0 00 0000+00
NC MALL BLVD		NC MALL BLVD	
RAMP F RD	REF-BK	REF-BK	RAMP E RD
(SR8005 SEG 0020/0000)			(SR8005 SEG 0010/1487)
SR 11			SR 11
BMSBG 19/0042/0440/0000			BMSBG 19/0042/0440/0000
MFC BEGIN = C			MFC BEGIN = C
LTH AH 000427 BK 000100	0441/0000	0440/0000	LTH AH 000427 BK 000100
	092020 FT	092043 FT	
		7432/0000	LTH AH 000100 BK 001990
		REF-AHD	RAMP C RD
			(SR8003 SEG 0250/0000)
MONTOUR T	0430/1990	0430/1990	MONTOUR T
		0430/1988	BMSEN 19/0042/0430/1807
			1 0 00183 0 05 0921+94
			US TR 11
		0430/1807	BMSBG 19/0042/0430/1807
RAMP B RD (SR8003 SEG 0010/0423)	0430/1540		RAMP A RD
		0430/1540	(SR8003 SEG 0750/0000)
			SIGN: 3 CHORD TRUSS
		0430/1240	BMSID 19/0042/0430/1240
			MONTOUR RUN
			STRUCTURE LENGTH 23 FT
		0430/0686	BMSID 19/0042/0430/0686
HOCK RD (T356)	0430/0426		
			018 "DIA CIRC METAL
		0430/0081	LEN=0100 INSTALLED UNKN
	090030 FT	090053 FT	1 0 00183 0 05 0904+26
			JACKSON ST
			(T411)

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: MONTOUR T RIGHT MUN: MONTOUR T

			0430/0000 LENGTH(AH 1990 BK 3304)
			036 "DIA CIRC METAL
			0420/2660 LEN=0110 INSTALLED UNKN
TWP AL (TWP)	0420/2417		
			TRAIN ST
			0420/2110 (T879)
			018 "DIA CIR PLASTIC
			0420/1732 LEN=0040 INSTALLED UNKN
			015"H 10"W ELLIPTICAL*
			0420/1701 LEN=0040 INSTALLED UNKN
HUNTER ST (T449)	0420/1679		
			018 "DIA CIRC CONCR
			0420/1365 LEN=0040 INSTALLED UNKN
GIPPLE ST (T451)	0420/1355		
			018 "DIA CIRC METAL
			0420/1086 LEN=0042 INSTALLED UNKN
			018 "DIA CAST IRON
			0420/0855 LEN=0038 INSTALLED UNKN
			015 "DIA CAST IRON
			0420/0629 LEN=0040 INSTALLED UNKN
	086726 FT		086749 FT 1 0 00183 0 05 0870+64
			VILLAGE: RUPERT
			0420/0000 LENGTH(AH 3304 BK 2448)
			018 "DIA CIRC CONCR
			0410/2400 LEN=0038 INSTALLED UNKN
			048"H 60"W CON BOX CUL
			0410/2051 LEN=0061 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0410/1656 LEN=0061 INSTALLED UNKN
			018 "DIA CIRC METAL
			0410/1164 LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0410/0823 LEN=0067 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0410/0577 LEN=0063 INSTALLED UNKN
1 0 00183 0 05 0846+47	084278 FT		084301 FT
HOLLOW RD (T435)	0410/0000		0410/0000 LENGTH(AH 2448 BK 3720)
			042"H 60"W CON BOX CUL
			0400/3616 LEN=0060 INSTALLED UNKN
			024 "DIA CIRC CONCR
			0400/3426 LEN=0064 INSTALLED UNKN
			024 "DIA CIRC CONCR
			0400/3041 LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: MONTOUR T RIGHT MUN: MONTOUR T

```
                                                  0400/2464 LEN=0095 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0400/1990 LEN=0066 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0400/1670 LEN=0065 INSTALLED UNKN
                                                            036 "DIA CIRC CONCR
                                                  0400/1355 LEN=0069 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0400/0953 LEN=0065 INSTALLED UNKN
                                                            018 "DIA CIRC METAL
                                                  0400/0537 LEN=0043 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0400/0239 LEN=0042 INSTALLED UNKN
                     080558 FT                    080581 FT 1 0 00183 0 05 0809+48
                                                S 0400/0000 LENGTH(AH 3720 BK 1560)
                                                            024 "DIA CIRC CONCR
                                                  0390/1543 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0390/1294 LEN=0043 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0390/1172 LEN=0052 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0390/0964 LEN=0051 INSTALLED UNKN
                                                            030 "DIA CAST IRON
                                                  0390/0756 LEN=0143 INSTALLED UNKN
GROVANIA DR
(SR4002 SEG 0060/0000)  0390/0564
TO 4002/0060 SH
(CONN)                  0390/0504
LEGION RD
(SR4002 SEG 0050/2434)  0390/0433
                                                  0390/0403 (AAR 264143C)#TRKS 01
FROM 4002/0050 SH
(CONN)                  0390/0389
                                                            018 "DIA CIRC CONCR
                                                  0390/0384 LEN=0110 INSTALLED UNKN
                                                            048 "DIA CIRC CONCR
                                                  0390/0150 LEN=0130 INSTALLED UNKN
                     078998 FT                    079021 FT 1 0 00183 0 04 0793+48
                                                         NC RUPERT DR
                                                S 0390/0000 LENGTH(AH 1560 BK 1378)
                                                  0380/1378 BMSEN 19/0042/0380/0000

                     077620 FT                    077643 FT 1 0 00183 0 04 0780+42
                                                         NC NUMIDIA DR
                                                            N B SUSQUEHANNA RIVER
                                                            BMSBG 19/0042/0380/0000
                                                            MONTOUR
```

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: MONTOUR T RIGHT MUN: MONTOUR T

			CATAWISSA B
		0380/0000	LENGTH(AH 1378 BK 1696)
		0370/1582	(AAR 517867A)#TRKS 01
			018 "DIA CIRC CONCR
		0370/1487	LEN=0043 INSTALLED UNKN
			FIRST ST
		0370/1479	(BORO)
			018 "DIA CIRC CONCR
		0370/1292	LEN=0036 INSTALLED UNKN
RAILROAD ST (BORO)	0370/1279		
			018 "DIA CIRC CONCR
		0370/1261	LEN=0037 INSTALLED UNKN
			RAILROAD ST
		0370/1258	(BORO)
			SECOND ST
		0370/0984	(BORO)
			BERGER AV
		0370/0742	(BORO)
			THIRD ST
		0370/0495	(BORO)
			018 "DIA CIRC CONCR
		0370/0486	LEN=0059 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0370/0466	LEN=0040 INSTALLED UNKN
			BANK AV
		0370/0347	(BORO)
			FOX AV
		0370/0254	(BORO)
	075924 FT	075947 FT	1 0 00183 0 04 0764+37
		NC MAIN ST	
			FOURTH ST
			(SR0487 SEG 0150/0000)
			MAIN ST
FOURTH ST (BORO)			(SR2018 SEG 0010/0000)
	0370/0000	0370/0000	LENGTH(AH 1696 BK 1566)
PARK AV (BORO)	0360/1277		
			UXBRIDGE AV
		0360/1201	(BORO)
			CHURCH ST
CHURCH ST (BORO)			(SR2016 SEG 0010/0000)
	0360/0786	0360/0786	
			018 "DIA CIRC CONCR
		0360/0752	LEN=0042 INSTALLED UNKN
SANDT ST (BORO)	0360/0535		
			018 "DIA CIRC CONCR
		0360/0288	LEN=0025 INSTALLED UNKN

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: CATAWISSA B RIGHT MUN: CATAWISSA B

			FRANKLIN AV
		0360/0274	(BORO)
			018 "DIA CIRC CONCR
		0360/0035	LEN=0026 INSTALLED UNKN
	074358 FT	074381 FT	1 0 00183 0 03 0744+11
			NC MILL ST
			CEMETERY ST
			(BORO)
			CREEK RD
			(BORO)
		S 0360/0000	LENGTH(AH 1566 BK 2120)
			015 "DIA CIRC CONCR
		0350/1700	LEN=0050 INSTALLED UNKN
CREEK RD			
(BORO)	0350/1633		
		0350/1581	BMSEN 19/0042/0350/1265
			1 0 00183 0 03 0735+64
			CATAWISSA CK
		0350/1265	BMSBG 19/0042/0350/1265
			MOUNTAIN RD
		0350/1168	(T403)
		0350/1070	BMSEN 19/0042/0350/1047
			CATAWISSA
		0350/1060	CATAWISSA T
			1 0 00183 0 03 0733+44
			T CATAWISA C
		0350/1047	BMSBG 19/0042/0350/1047
			015 "DIA CAST IRON
		0350/0699	LEN=0055 INSTALLED UNKN
			018 "DIA CIRC METAL
		0350/0328	LEN=0053 INSTALLED UNKN
			042 "DIA CIRC CONCR
		0350/0078	LEN=0085 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0350/0040	LEN=0079 INSTALLED 2006
1 0 00183 0 03 0722+71	072238 FT	072261 FT	
MOUNT ZION RD			
(SR3012 SEG 0090/3196)	0350/0000	S 0350/0000	LENGTH(AH 2120 BK 0620)
SOUTHERN DR			
(SR0487 SEG 0140/3305)	0340/0540		
		0340/0460	BMSEN 19/0042/0340/0444
			1 0 00183 0 03 0717+00
			TRIB CATAWISSA CR
		0340/0444	BMSBG 19/0042/0340/0444
			018 "DIA CIRC CONCR
		0340/0257	LEN=0045 INSTALLED UNKN
1 0 00183 0 03 0717+00	071618 FT	071641 FT	
OLD NUMIDIA RD			
(T418)	0340/0000	S 0340/0000	LENGTH(AH 0620 BK 1996)
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

```
                                                  0330/1989 LEN=0046 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0330/1822 LEN=0041 INSTALLED UNKN
                                                            072"H 84"W CONC STRUCT
                                                  0330/1638 LEN=0060 INSTALLED UNKN
                                                  0330/1527 BMSEN 19/0042/0330/1514
                                                            1 0 00183 0 02 0712+37
                                                            T CATAWISA C
                                                  0330/1514 BMSBG 19/0042/0330/1514
                                                            018 "DIA CIRC CONCR
                                                  0330/1350 LEN=0042 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0330/1151 LEN=0050 INSTALLED UNKN
                                                            018 "DIA CAST IRON
                                                  0330/0803 LEN=0052 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0330/0589 LEN=0085 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0330/0041 LEN=0080 INSTALLED UNKN
1 0 00183 0 02 0697+33 069622 FT                  069645 FT
OLD NUMIDIA RD
(T418)                 0330/0000                S 0330/0000 LENGTH(AH 1996 BK 1728)
                                                            018 "DIA CIRC CONCR
                                                  0320/1292 LEN=0105 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0320/1152 LEN=0075 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0320/0898 LEN=0075 INSTALLED UNKN
                                                            OLD NUMIDIA RD
                                                  0320/0701 (T418)
                                                            018 "DIA CIRC CONCR
                                                  0320/0603 LEN=0074 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0320/0395 LEN=0076 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0320/0214 LEN=0070 INSTALLED UNKN
                       067894 FT                  067917 FT 1 0 00183 0 02 0680+00
                                                  S 0320/0000 LENGTH(AH 1728 BK 1271)
                                                            018 "DIA CIRC CONCR
                                                  0310/1228 LEN=0075 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0310/0979 LEN=0080 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0310/0720 LEN=0080 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0310/0276 LEN=0100 INSTALLED UNKN
                       066623 FT                  066646 FT 1 0 00183 0 02 0667+26
                                                            MFC BEGIN = C
                                                  S 0310/0000 LENGTH(AH 1271 BK 2925)
```

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

LEFT		RIGHT
018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN 0301/2331		0300/2331 018 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
		0300/2116 018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0301/2107		
		0300/1814 018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0301/1804		
015 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0301/1602		
030 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0301/1411		0300/1411 030 "DIA CIRC CONCR LEN=0055 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0301/1172		0300/1172 018 "DIA CIRC CONCR LEN=0050 INSTALLED UNKN
		0300/0989 018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0301/0977		
018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN 0301/0016		0300/0016 018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
1 0 00183 0 02 0629+75 063690 FT MFC BEGIN = C LENGTH(AH 2933 BK 1272) 0301/0000	S	063721 FT 1 0 00183 0 02 0629+75 MFC BEGIN = C S 0300/0000 LENGTH(AH 2925 BK 1272)
		0290/1141 018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
		0290/0851 018 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
		0290/0554 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0290/0376 018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
		0290/0198 018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0290/0020 018 "DIA CIRC METAL LEN=0064 INSTALLED UNKN
1 0 00183 0 02 0625+12 062418 FT MCINTYRE RD (T393) 0290/0000		062449 FT KULP RD (SR2003 SEG 0250/2592) S 0290/0000 LENGTH(AH 1272 BK 1263)
		0280/1043 018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
		0280/0667 018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
		0280/0360 018 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: CATAWISSA T RIGHT MUN: CATAWISSA T

		0280/0180	LEN=0045 INSTALLED UNKN
	061155 FT	061186 FT	1 0 00183 0 02 0612+44
		S 0280/0000	LENGTH(AH 1263 BK 0831)
			018 "DIA CIRC CONCR
		0270/0614	LEN=0080 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0270/0322	LEN=0070 INSTALLED UNKN
	060324 FT	060355 FT	1 0 00183 0 02 0604+13
		S 0270/0000	LENGTH(AH 0831 BK 2410)
			018 "DIA CIRC CONCR
		0260/2095	LEN=0075 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/1808	LEN=0080 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/1575	LEN=0070 INSTALLED UNKN
			SLABTOWN RD
		0260/1195	(SR2005 SEG 0040/1680)
			018 "DIA CIRC CONCR
		0260/1192	LEN=0068 INSTALLED UNKN
		0260/1116	BMSEN 19/0042/0260/1047
			1 0 00183 0 02 0590+39
			ROARING CREEK
		0260/1047	BMSBG 19/0042/0260/1047
			CATAWISSA
		0260/0805	LOCUST T
QUEEN CITY RD (T377)	0260/0766		
			018 "DIA CIRC CONCR
		0260/0435	LEN=0050 INSTALLED UNKN
			018"H 00"W 0 PIPE DESC
		0260/0410	LEN=0338 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/0097	LEN=0055 INSTALLED UNKN
	057914 FT	057945 FT	1 0 00183 0 02 0580+00
		S 0260/0000	LENGTH(AH 2410 BK 2531)
			018 "DIA CIRC CONCR
		0250/1953	LEN=0055 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0250/1818	LEN=0068 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/1471	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/1327	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/1171	LEN=0063 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/0900	LEN=0062 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/0706	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

```
                                                 0250/0523 LEN=0058 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0250/0360 LEN=0060 INSTALLED UNKN
                                                           048"H 60"W CON BOX CUL
                                                 0250/0054 LEN=0075 INSTALLED UNKN
                    055383 FT                    055414 FT 1 0 00183 0 02 0554+72
                                                 0250/0000 LENGTH(AH 2531 BK 1462)
                                                           018 "DIA CIRC CONCR
                                                 0240/1395 LEN=0055 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0240/1259 LEN=0070 INSTALLED UNKN
                                                           072"H 60"W CONCR ARCH
                                                 0240/1117 LEN=0150 INSTALLED UNKN

                                                           018 "DIA CIRC CONCR
                                                 0240/0475 LEN=0065 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0240/0322 LEN=0070 INSTALLED UNKN
                    053921 FT                    053952 FT 1 0 00183 0 02 0540+00
                                                 0240/0000 LENGTH(AH 1462 BK 1998)
                                                           018 "DIA CIRC CONCR
                                                 0230/1940 LEN=0057 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0230/1790 LEN=0065 INSTALLED UNKN
                                                           LAKE GLORY RD
                                                 0230/1757 (T378)
                                                           024 "DIA CIRC CONCR
                                                 0230/1748 LEN=0065 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0230/1538 LEN=0056 INSTALLED UNKN
                                                           FROM 2001/0090 SH
                                                 0230/1418 (CONN)
                                                           IDEAL PARK RD
                                                 0230/1372 (SR2001 SEG 0090/3946)
                                                           018 "DIA CIRC CONCR
                                                 0230/1231 LEN=0060 INSTALLED UNKN
CEMETERY HILL RD
(T352)              0230/1215
                                                 0230/0869 BMSEN 19/0042/0230/0829
                                                           1 0 00183 0 02 0528+39
                                                           T ROARING CK
                                                 0230/0829 BMSBG 19/0042/0230/0829
                                                           018 "DIA CIRC CONCR
                                                 0230/0426 LEN=0065 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0230/0152 LEN=0060 INSTALLED UNKN
                    051923 FT                    051954 FT 1 0 00183 0 02 0520+12
                                                 0230/0000 LENGTH(AH 1998 BK 2109)
                                                           018 "DIA CIRC CONCR
                                                 0220/1879 LEN=0060 INSTALLED UNKN
```

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

				018 "DIA CIRC CONCR
			0220/1686	LEN=0065 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0220/1422	LEN=0070 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0220/0712	LEN=0060 INSTALLED UNKN
EARTH STATION RD				SLABTOWN RD
(T359)	0220/0613	==	0220/0613	(SR2005 SEG 0010/0000)
				036 "DIA CIRC CONCR
			0220/0390	LEN=0055 INSTALLED UNKN
	049814 FT		049845 FT	1 0 00183 0 02 0499+00
			S 0220/0000	LENGTH(AH 2109 BK 1523)
				018 "DIA CIRC CONCR
			0210/1374	LEN=0060 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0210/0935	LEN=0060 INSTALLED UNKN
TYSON SCHOOL RD				
(SR3001 SEG 0090/2756)	0210/0923	==		
	048291 FT		048322 FT	1 0 00183 0 02 0483+80
				060"H 48"W CONC STRUCT
				LEN=0055 INSTALLED UNKN
			S 0210/0000	LENGTH(AH 1523 BK 2435)
				018 "DIA CIRC CONCR
			0200/1747	LEN=0056 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0200/1388	LEN=0057 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0200/0729	LEN=0056 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0200/0327	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0200/0020	LEN=0050 INSTALLED UNKN
1 0 00183 0 02 0459+45	045856 FT		045887 FT	DRAG STRIP RD
GASWELL RD				(T340)
(T339)	0200/0000	== ==	S 0200/0000	LENGTH(AH 2435 BK 2911)
				015 "DIA CIRC CONCR
			0190/2894	LEN=0051 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0190/2214	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC METAL
			0190/1729	LEN=0040 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0190/1510	LEN=0024 INSTALLED UNKN
				018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

```
                                                  0190/1269 LEN=0025 INSTALLED UNKN
PRIVATE DR
(PRDR)                  0190/1128
                                                            018 "DIA CIRC CONCR
                                                  0190/1101 LEN=0027 INSTALLED UNKN
PRIVATE DR
(PRDR)                  0190/0890                 0190/0890 (APRA) COUNTRY ACRES M
                                                            018 "DIA CIRC CONCR
                                                  0190/0873 LEN=0026 INSTALLED UNKN
                                                            RINGTOWN MOUNTAIN RD
                                                            (SR2010 SEG 0010/0000)
                                                  0190/0609
                                                            018 "DIA CIRC CONCR
                                                  0190/0202 LEN=0030 INSTALLED UNKN
                        042945 FT                 042976 FT 1 0 00183 0 02 0431+02
                                                S 0190/0000 LENGTH(AH 2911 BK 1869)
                                                            015 "DIA CIRC CONCR
                                                  0180/1567 LEN=0037 INSTALLED UNKN
                                                            012 "DIA CIRC CONCR
                                                  0180/1054 LEN=0049 INSTALLED UNKN
MIDDLE RD
(SR3010 SEG 0110/1235)  0180/0732

                                                            018 "DIA CIRC CONCR
                                                  0180/0030 LEN=0050 INSTALLED UNKN
                        041076 FT                 041107 FT 1 0 00183 0 02 0412+77
                                                            VILLAGE: NUMIDIA
                                                            MOUNTAIN VIEW ESTATE DR
                                                            (T469)
                                                S 0180/0000 LENGTH(AH 1869 BK 2336)
                                                            018 "DIA CIRC CONCR
                                                  0170/2099 LEN=0046 INSTALLED UNKN
TODD MANOR DR
(T470)                  0170/1631

                                                            018 "DIA CIRC CONCR
                                                  0170/0713 LEN=0053 INSTALLED UNKN
WHITE CHURCH RD
(T323)                  0170/0694
                                                            018 "DIA CIRC CONCR
                                                  0170/0376 LEN=0048 INSTALLED UNKN
                        038740 FT                 038771 FT 1 0 00183 0 02 0388+81
                                                            072"H 48"W CON BOX CUL
                                                            LEN=0054 INSTALLED UNKN
                                                S 0170/0000 LENGTH(AH 2336 BK 3036)
                                                            018 "DIA CIRC CONCR
                                                  0160/2595 LEN=0044 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0160/2262 LEN=0077 INSTALLED UNKN
```

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

			018 "DIA CIRC CONCR
		0160/1960	LEN=0052 INSTALLED UNKN
			AIRPORT RD
		0160/1931	(T412)
			018 "DIA CIRC CONCR
		0160/1037	LEN=0054 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0160/0589	LEN=0047 INSTALLED UNKN
	035704 FT	035735 FT	1 0 00183 0 02 0357+68
			MUGSER RUN
			STRUCTURE LENGTH 15 FT
			BMSID 19/0042/0160/0000
		5 0160/0000	LENGTH(AH 3036 BK 2481)
RHOADESTOWN RD (T321)	0150/2445		
			018 "DIA CIRC CONCR
		0150/2146	LEN=0061 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0150/1699	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0150/1335	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0150/0774	LEN=0051 INSTALLED UNKN
BEAR GAP RD (SR3008 SEG 0120/2801)	0150/0750		
	033223 FT	033254 FT	1 0 00183 0 01 0322+87
			MOUNTAIN RD
			(SR2008 SEG 0010/0000)
		5 0150/0000	LENGTH(AH 2481 BK 3185)
			024 "DIA CAST IRON
		0140/2991	LEN=0065 INSTALLED UNKN
			018 "DIA CAST IRON
		0140/2652	LEN=0075 INSTALLED UNKN
			024 "DIA CAST IRON
		0140/2339	LEN=0080 INSTALLED UNKN
PENNDOT STOCKPILE 12 (GOVT)	0140/0449	POI	
		0140/0449	(APRA) PENNDOT STOCKPIL
			018 "DIA CAST IRON
		0140/0028	LEN=0077 INSTALLED UNKN
	030038 FT	030069 FT	1 0 00183 0 01 0291+04
		5 0140/0000	LENGTH(AH 3185 BK 1640)
			018 "DIA CAST IRON
		0130/1262	LEN=0060 INSTALLED UNKN

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: LOCUST T RIGHT MUN: LOCUST T

			018 "DIA CAST IRON
		0130/0824	LEN=0060 INSTALLED UNKN
			018 "DIA CAST IRON
		0130/0688	LEN=0065 INSTALLED UNKN
			018 "DIA CAST IRON
		0130/0243	LEN=0090 INSTALLED UNKN
	028398 FT	028429 FT	1 0 00183 0 01 0274+65
		S 0130/0000	LENGTH(AH 1640 BK 2543)
			018 "DIA CAST IRON
		0120/2435	LEN=0075 INSTALLED UNKN
MYSTIC MTN RD (PRDR)	0120/2389	==	
			018 "DIA CAST IRON
		0120/2079	LEN=0059 INSTALLED UNKN
			018 "DIA CAST IRON
		0120/1725	LEN=0062 INSTALLED UNKN
			018 "DIA CAST IRON
		0120/1347	LEN=0075 INSTALLED UNKN
			018 "DIA CAST IRON
		0120/0946	LEN=0074 INSTALLED UNKN
	025855 FT	025886 FT	1 0 00183 0 01 0249+37
			LOCUST
			CONYNGHAM T
		S 0120/0000	LENGTH(AH 2543 BK 2411)
			018 "DIA CAST IRON
		0110/2217	LEN=0044 INSTALLED UNKN
			018 "DIA CAST IRON
		0110/1707	LEN=0103 INSTALLED UNKN
			018 "DIA CAST IRON
		0110/1456	LEN=0070 INSTALLED UNKN
			018 "DIA CAST IRON
		0110/0951	LEN=0080 INSTALLED UNKN
			018 "DIA CAST IRON
		0110/0624	LEN=0090 INSTALLED UNKN
			018 "DIA CAST IRON
		0110/0281	LEN=0090 INSTALLED UNKN
	023444 FT	023475 FT	1 0 00183 0 01 0225+13
		S 0110/0000	LENGTH(AH 2411 BK 2094)
			018 "DIA CAST IRON
		0100/1912	LEN=0076 INSTALLED UNKN
			018 "DIA CAST IRON
		0100/1527	LEN=0075 INSTALLED UNKN
			018 "DIA CAST IRON
		0100/1264	LEN=0085 INSTALLED UNKN
			018 "DIA CAST IRON
		0100/0899	LEN=0090 INSTALLED UNKN
			018 "DIA CAST IRON
		0100/0388	LEN=0080 INSTALLED UNKN

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

```
021350 FT                  021381 FT 1 0 00183 0 01 0204+19
                                   POOR HOUSE RD
                                   (T618)
                        ==  S 0100/0000 LENGTH(AH 2094 BK 2052)

                            0090/0069 BMSEN 19/0042/0090/0000
019298 FT                  019329 FT 1 0 00183 0 01 0183+78
                                   ROARING CREEK
                                   BMSBG 19/0042/0090/0000
                        S 0090/0000 LENGTH(AH 2052 BK 2684)

016614 FT                  016645 FT 1 0 00183 0 01 0156+91
                        S 0080/0000 LENGTH(AH 2684 BK 2616)
                                   018 "DIA CAST IRON
                            0070/2080 LEN=0075 INSTALLED UNKN
                                   018 "DIA CAST IRON
                            0070/1680 LEN=0077 INSTALLED UNKN
                                   018 "DIA CAST IRON
                            0070/1278 LEN=0080 INSTALLED UNKN
                                   018 "DIA CAST IRON
                            0070/0875 LEN=0079 INSTALLED UNKN
                                   018 "DIA CAST IRON
                            0070/0467 LEN=0073 INSTALLED UNKN
                                   018 "DIA CAST IRON
                            0070/0159 LEN=0078 INSTALLED UNKN
013998 FT                  014029 FT 1 0 00183 0 01 0130+91
                                NC NUMIDIA DR
                        S 0070/0000 LENGTH(AH 2616 BK 2580)
                                   018 "DIA CAST IRON
                            0060/2531 LEN=0081 INSTALLED UNKN
                                   018 "DIA CAST IRON
                            0060/2262 LEN=0075 INSTALLED UNKN
                                   018 "DIA CAST IRON
                            0060/1947 LEN=0075 INSTALLED UNKN
                                   018 "DIA CAST IRON
                            0060/1590 LEN=0080 INSTALLED UNKN

                                   WEISTER ST
                        ==  0060/0910 (PRDR)
                                   048 "DIA CAST IRON
```

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

			0060/0600 LEN=0110 INSTALLED UNKN 018 "DIA CAST IRON
			0060/0141 LEN=0100 INSTALLED UNKN
	011418 FT		011449 FT 1 0 00183 0 01 0105+07
			S 0060/0000 LENGTH(AH 2580 BK 3767) 018 "DIA CAST IRON
			0050/3304 LEN=0063 INSTALLED UNKN 018 "DIA CAST IRON
			0050/2958 LEN=0055 INSTALLED UNKN
			SR 2006 SH
			0050/1244 (SR2006 SEG 0010/0000)
MIDVALLEY RD (SR3006 SEG 0060/3706)	0050/0730		
			018 "DIA CIRC CONCR
			0050/0703 LEN=0078 INSTALLED UNKN
FOR SR 0042 AND 3006 (CONN)	0050/0487		
			018 "DIA CIRC METAL
			0050/0386 LEN=0040 INSTALLED UNKN
			SCHOOL ST
			0050/0365 (T607)
	007651 FT		007682 FT 1 0 00183 0 01 0076+50
			FOURTH ST
			(T605)
			S 0050/0000 LENGTH(AH 3767 BK 2050)
SUMMIT HILL RD (T426)	0040/1633		
			018 "DIA CIRC CONCR
			0040/1632 LEN=0055 INSTALLED UNKN
			TREE ST
			0040/1581 (T607)
			TIMBER ST
			0040/1303 (T603)
LEIBY ST (T602)	0040/1219		
SHORT ST (T601)	0040/1040		NC MAIN ST
			018 "DIA CIRC CONCR
			0040/0126 LEN=0085 INSTALLED UNKN
	005601 FT		005632 FT 1 0 00183 0 00 0056+14
			VILLAGE: ARISTES
			MFC BEGIN = C
			S 0040/0000 LENGTH(AH 2050 BK 1579)

DIR: B TOTAL LEN: 35.258 MI. DIST: 03-1 SR: 42
LEFT MUN: CONYNGHAM T RIGHT MUN: CONYNGHAM T

LEFT		RIGHT	
LILLY RD (TWP)	0031/0845	0030/0884	LILLY RD (TWP)
		0030/0053	018 "DIA CIRC CONCR LEN=0090 INSTALLED UNKN
018 "DIA CIRC CONCR LEN=0024 INSTALLED UNKN	0031/0033		
1 0 00183 0 00 0040+39 004053 FT NC NUMIDIA DR		004053 FT	1 0 00183 0 00 0040+60 NC NUMIDIA DR
MFC BEGIN = C			MFC BEGIN = C
LENGTH(AH 1548 BK 3068)	0031/0000	0030/0000	LENGTH(AH 1579 BK 3068)
		0020/2470	018 "DIA CIRC CONCR LEN=0082 INSTALLED UNKN
		0020/2164	018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
		0020/1991	018 "DIA CIR PLASTIC LEN=0075 INSTALLED UNKN
		0020/1782	018 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
		0020/1279	048 "DIA CIRC CONCR LEN=0075 INSTALLED UNKN
		0020/0950	018 "DIA CIR PLASTIC LEN=0075 INSTALLED UNKN
		0020/0615	CONYNGHAM CENTRALIA B
		0020/0242	018 "DIA CIR PLASTIC LEN=0075 INSTALLED UNKN
		0020/0010	018 "DIA CIRC CONCR LEN=0105 INSTALLED UNKN
	000985 FT	000985 FT	1 0 00183 0 00 0009+80 NORTH ST (BORO)
		0020/0000	LENGTH(AH 3068 BK 0985)
LAUREL ST (BORO)	0010/0773		
		0010/0403	024 "DIA CAST IRON LEN=0046 INSTALLED UNKN
RAILROAD AV (BORO)	0010/0392		
		0010/0358	RAILROAD AV (BORO)
	000000 FT	000000 FT	1 0 00183 0 00 0000+00 NC LOCUST ST
			CENTER ST (SR2004 SEG 0010/0000)
		INTER-BK	LOCUST AV (SR0061 SEG 0052/0000)
CENTER ST (SR0061 SEG 0052/0000)	0010/0000		MFC BEGIN = C
		0010/0000	LENGTH(AH 0985 BK 0000)

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: BERWICK B RIGHT MUN: BERWICK B

AH-LUZERNE (40)091618 FT
FRONT ST
(SR0011 SEG 0010/0000)
FRONT ST
(SR0011 SEG 0430/2852) 0431/1927
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0431/1900

CHESTNUT ST
(BORO) 0431/1144

PINE ST
(BORO)
0431/0580

1 0 00004 3 00 0029+82 089691 FT
MARKET ST
(SR1025 SEG 0011/0245)
LENGTH(AH 1927 BK 2919) 0431/0000

012 "DIA CIRC OTHER
LEN=0030 INSTALLED UNKN 0421/2800

EUCLID AL
(BORO) 0421/2567

MULBERRY ST
(BORO)
0421/2435

BORO AL
(BORO) 0421/2019



091055 FT
INTER-AHD FRONT ST
(SR0011 SEG 0010/0000)
WALNUT ST
0430/2852 (SR0011 SEG 0431/1927)

018 "DIA CAST IRON
0430/2558 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0430/2300 LEN=0015 INSTALLED UNKN
CHESTNUT ST
0430/2291 (BORO)
018 "DIA CIRC CONCR
0430/1739 LEN=0037 INSTALLED UNKN

PINE ST
0430/1713 (BORO)
036"H 36"W CON BOX CUL
0430/1193 LEN=0020 INSTALLED UNKN
MARKET ST
(SR1025 SEG 0011/0000)
MARKET ST
(SR0093 SEG 0020/0224)
0430/1154
018"H 18"W **UNKNOWN**
0430/1058 LEN=0047 INSTALLED UNKN

012"H 12"W **UNKNOWN**
0430/0942 LEN=0039 INSTALLED UNKN
EUCLID AL
0430/0784 (BORO)
012 "DIA CIR PLASTIC
0430/0760 LEN=0015 INSTALLED UNKN
MULBERRY ST
(BORO)
0430/0565
018 "DIA CIRC CONCR
0430/0290 LEN=0032 INSTALLED UNKN
BORO AL
0430/0231 (BORO)
012"H 18"W ELLIP CONC
0430/0032 LEN=0032 INSTALLED UNKN

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: BERWICK B RIGHT MUN: BERWICK B

088203 FT 1 0 00004 0 02 0660+58

VINE ST
(BORO)
0421/1786
018 "DIA CIRC METAL
LEN=0030 INSTALLED UNKN 0421/1760
SECOND ST
(BORO)
NC WALNUT ST
WALNUT ST
(BORO)
0431/1707
015 "DIA CIRC METAL
LEN=0020 INSTALLED UNKN 0421/1650

OAK ST
(BORO)
0421/1233

(AAR 266016H)#TRKS 01 0421/1223
012 "DIA CIRC OTHER
LEN=0022 INSTALLED UNKN 0421/1089
MACK ST
(BORO)
0421/0690
SIGN: CANTILEVER
BMSID 19/0011/0421/0612 0421/0612

FOWLER ST
(BORO)
0421/0518
SIGN: CANTILEVER
BMSID 19/0011/0421/0316 0421/0316

TO 0011/0420 SH
(CONN)
LASALLE ST
(SR1023 SEG 0010/0000)
0421/0075

015 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0421/0030
1 0 00004 3 00 0000+00 086772 FT

0430/0000 VINE ST
(BORO)
LENGTH(AH 2852 BK 1828)

018 "DIA CIRC CONCR
0420/1550 LEN=0032 INSTALLED UNKN

OAK ST
0420/1265 (BORO)
012 "DIA CIRC METAL
0420/1263 LEN=0020 INSTALLED UNKN
018 "DIA CIRC METAL
0420/1253 LEN=0014 INSTALLED UNKN
0420/1250 (AAR 266017P)#TRKS 01

CRISMAN AV
0420/0597 (BORO)

LINE ST
0420/0261 (BORO)
FROM 0011/0421 SH
0420/0095 (CONN)

LA SALLE ST
(SR1023 SEG 0010/0000)
0420/0075

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: BERWICK B RIGHT MUN: BERWICK B

LEFT		RIGHT	
NC SECOND ST		086375 FT	1 0 00004 0 02 0641+65
MFC BEGIN = B		MFC BEGIN = B	
LENGTH(AH 2919 BK 1746)	0421/0000	0420/0000	LENGTH(AH 1828 BK 1746)
		IDA ST	
		0410/1480	(BORO)
ORANGE ST			
(SR0093 SEG 0040/0000)	0410/1294	0410/1294	
		BORO AL	
		0410/1046	(BORO)
		HUGHES ST	
		0410/0884	(BORO)
BORO AL			
(BORO)	0410/0735		
		BORO AL	
		0410/0665	(BORO)
		IRON ST	
		0410/0491	(BORO)
		018 "DIA CAST IRON	
		0410/0473	LEN=0029 INSTALLED UNKN
		ORCHARD ST	
		0410/0232	(BORO)
ORCHARD ST			
(BORO)	0410/0199	0410/0199	
	085026 FT	084629 FT	1 0 00004 0 02 0624+90
		COUGHLIN ST	
		(BORO)	
		0410/0000	LENGTH(AH 1746 BK 1888)
BLAIR ST			
(BORO)	0400/1651		
		(APRA) FEISSNER LAND DE	
		RASELEY ST	
	POI	0400/1392	(BORO)
		018 "DIA CIRC CONCR	
		0400/1152	LEN=0033 INSTALLED UNKN
		WARREN ST	
		0400/1130	(BORO)
WARREN ST			
(BORO)	0400/1100		
		018 "DIA CIRC CONCR	
		0400/0752	LEN=0033 INSTALLED UNKN
		RACE ST	
		0400/0725	(BORO)
ARCH ST			
(BORO)	0400/0556		
		018 "DIA CIRC CONCR	
		0400/0510	LEN=0033 INSTALLED UNKN
		018 "DIA CIRC CONCR	
		0400/0336	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR	
		0400/0028	LEN=0035 INSTALLED UNKN

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: BERWICK B RIGHT MUN: BERWICK B

LEFT		RIGHT
	083138 FT	082741 FT 1 0 00004 0 02 0606+15
		MERCER ST
		(BORO)
	== ==	S 0400/0000 LENGTH(AH 1888 BK 2309)
		018 "DIA CIRC CONCR
		0390/2290 LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0390/1950 LEN=0032 INSTALLED UNKN
		POPLAR ST
		(BORO)
	== ==	0390/1636
		018 "DIA CIRC CONCR
		0390/1604 LEN=0033 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0390/1297 LEN=0040 INSTALLED UNKN
EATON ST		
(BORO)	0390/0911 ==	
		EATON ST
	==	0390/0900 (BORO)
		018 "DIA CIRC CONCR
		0390/0597 LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0390/0300 LEN=0032 INSTALLED UNKN
1 0 00004 0 02 0583+05	080829 FT	080432 FT
SCANLON ST		
(BORO)	0390/0000 ==	S 0390/0000 LENGTH(AH 2309 BK 2005)
		018 "DIA CIRC CONCR
		0380/1973 LEN=0033 INSTALLED UNKN
		PARK BL
	==	0380/1750 (BORO)
		018 "DIA CIRC METAL
		0380/1671 LEN=0033 INSTALLED UNKN
BOWMAN ST		
(BORO)	0380/1405 ==	
		018 "DIA CIRC CONCR
		0380/1370 LEN=0035 INSTALLED UNKN
FAIRCHILD ST		
(BORO)	0380/0815 ==	
		PARK BL
	==	0380/0439 (BORO)
		018 "DIA CIRC CONCR
		0380/0411 LEN=0034 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0380/0142 LEN=0037 INSTALLED UNKN
		BERWICK
		0380/0121 BRIAR CREEK B
	078824 FT	078427 FT 1 0 00004 0 02 0562+69
		S 0380/0000 LENGTH(AH 2005 BK 2438)
		018 "DIA CIR PLASTIC
		0370/2359 LEN=0037 INSTALLED UNKN

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: BRIAR CREEK B RIGHT MUN: BRIAR CREEK B

			0370/2164	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
			0370/1951	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
		==	0370/1909	WELLIVER RD (BORO)
			0370/1778	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
			0370/1567	018 "DIA CIR PLASTIC LEN=0183 INSTALLED UNKN
BRIAR CREEK PLAZA (PRDR)	0370/1513	== ==	0370/1513	PRIVATE DRIVE (PRDR)
			0370/1233	018 "DIA CIR PLASTIC LEN=0035 INSTALLED UNKN
			0370/1034	018 "DIA CIR PLASTIC LEN=0033 INSTALLED UNKN
			0370/0970	018 "DIA CIRC METAL LEN=0032 INSTALLED UNKN
			0370/0859	018 "DIA CIR PLASTIC LEN=0034 INSTALLED UNKN
			0370/0459	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
		==	0370/0304	BRIANA WAY (PRDR)
			0370/0235	018 "DIA CIR PLASTIC LEN=0036 INSTALLED UNKN
			0370/0055	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
	076386 FT		075989 FT	1 0 00004 0 02 0538+56
		==	S 0370/0000	ASH AL (BORO) LENGTH(AH 2438 BK 0860)
			0360/0460	018 "DIA CIRC METAL LEN=0034 INSTALLED UNKN
PARK RD (BORO)	0360/0435	POI	0360/0435	(APRA) PARK RD M H COUR
			0360/0370	018 "DIA CAST IRON LEN=0034 INSTALLED UNKN
			0360/0265	018 "DIA CIRC METAL LEN=0034 INSTALLED UNKN
		==	0360/0160	RIVER RD (BORO)
			0360/0084	018 "DIA CAST IRON LEN=0034 INSTALLED UNKN
	075526 FT		075129 FT	1 0 00004 0 02 0529+92
			S 0360/0000	LENGTH(AH 0860 BK 1130)
			0350/1130	024 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
				COMMERCE DR

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: BRIAR CREEK B RIGHT MUN: BRIAR CREEK B

		0350/1035	(PRDR)
			018 "DIA CIR PLASTIC
		0350/1020	LEN=0084 INSTALLED UNKN
PRIVATE DR (PRDR)	0350/0966	0350/0966	(APRA) PA ALUMINUM
		0350/0687	BMSEN 19/0011/0350/0605
			1 0 00004 0 01 0525+01
			BRIAR CREEK
		0350/0605	BMSBG 19/0011/0350/0605
			(APRA) DON E. BOWER INC
			PRIVATE DR
		0350/0378	(PRDR)
	074396 FT	073999 FT	1 0 00004 0 01 0519+15
		0350/0000	LENGTH(AH 1130 BK 3660)
OLD RT 4 RD (BORO)	0340/3163		
			HAYES RD
		0340/2910	(BORO)
			018 "DIA CIR PLASTIC
		0340/2811	LEN=0052 INSTALLED UNKN
			048"H 46"W CON BOX CUL
		0340/2570	LEN=0066 INSTALLED UNKN
			018 "DIA CAST IRON
		0340/2251	LEN=0066 INSTALLED UNKN
			SIGN: CENTER MOUNTD
		0340/1958	BMSID 19/0011/0340/1958
			024 "DIA CAST IRON
		0340/1686	LEN=0085 INSTALLED UNKN
RITTENHOUSE MILL RD (BORO)	0340/1662	0340/1662	(APRA) HOWARD SEIGFREID
			036 "DIA CIRC CONCR
		0340/1439	LEN=0092 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0340/1034	LEN=0075 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0340/0640	LEN=0070 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0340/0328	LEN=0080 INSTALLED UNKN
	070736 FT	070339 FT	1 0 00004 0 01 0469+81
			NC FRONT ST
		0340/0000	LENGTH(AH 3660 BK 2180)
			048 "DIA CAST IRON
		0330/2178	LEN=0078 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0330/1953	LEN=0140 INSTALLED UNKN
			018 "DIA CAST IRON
		0330/1719	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0330/1541	LEN=0120 INSTALLED UNKN

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: BRIAR CREEK B RIGHT MUN: BRIAR CREEK B

				018 "DIA CAST IRON
			0330/0826	LEN=0080 INSTALLED UNKN
				BRIAR CREEK
			0330/0685	SOUTH CENTRE T
				018 "DIA CIRC CONCR
			0330/0540	LEN=0080 INSTALLED UNKN
				PRIVATE DR
		==	0330/0530	(PRDR)
				060 "DIA CIRC CONCR
			0330/0228	LEN=0225 INSTALLED UNKN
GOLF COURSE RD				
(SR1015 SEG 0010/0000)	0330/0196			
	068556 FT		068159 FT	1 0 00004 0 01 0448+00
			S 0330/0000	LENGTH(AH 2180 BK 2763)
				018 "DIA CAST IRON
			0320/2470	LEN=0066 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0320/2153	LEN=0065 INSTALLED UNKN
PRIVATE DRIVE				
(PRDR)	0320/2140	==		
				024 "DIA CIR PLASTIC
			0320/1250	LEN=0068 INSTALLED UNKN
				030 "DIA CAST IRON
			0320/0833	LEN=0065 INSTALLED UNKN
				MARKET ST
				(SR2028 SEG 0004/0000)
			0320/0653	
				024 "DIA CAST IRON
			0320/0417	LEN=0065 INSTALLED UNKN
1 0 00004 0 01 0420+35	065793 FT		065396 FT	
CRYDERS LN				
(T646)	0320/0000	==	S 0320/0000	LENGTH(AH 2763 BK 3624)
				036 "DIA CAST IRON
			0310/3236	LEN=0074 INSTALLED UNKN
				030 "DIA CAST IRON
			0310/2889	LEN=0067 INSTALLED UNKN
				018 "DIA CAST IRON
			0310/2500	LEN=0065 INSTALLED UNKN
				018 "DIA CAST IRON
			0310/2231	LEN=0064 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0310/1686	LEN=0090 INSTALLED UNKN
				INDUSTRIAL DR
		==	0310/1602	(T455)
				024 "DIA CAST IRON
			0310/1016	LEN=0065 INSTALLED UNKN
HILLSIDE DR				
(T453)	0310/0976	==		
				015"H 21"W ELLIP CAST

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: SOUTH CENTRE T RIGHT MUN: SOUTH CENTRE T

062169 FT

RAMP S RD
(SR8006 SEG 0252/0158) 0301/0405
018 "DIA CAST IRON
LEN=0060 INSTALLED UNKN 0301/0265
1 0 00004 0 00 0375+58 060855 FT
LENGTH(AH 1314 BK 3324) 0301/0000 S
TRIB SUSQ R
STRUCTURE LENGTH 12 FT
BMSID 19/0011/0291/3087 0291/3087

SIGN: 3 CHORD TRUSS
BMSID 19/0011/0291/2730 0291/2730

RAMP T RD
(SR8006 SEG 0262/0000) 0291/2464

RAMP Y RD
(SR8006 SEG 0272/0761) 0291/2248
001 "DIA CIRC CONCR
LEN=0140 INSTALLED UNKN 0291/2095
SR.0080 WBL
OP ID 19/0080/2405/0000 0291/2000
018 "DIA CIR UNKNOWN
LEN=0117 INSTALLED UNKN 0291/1978
018 "DIA CIRC CONCR
LEN=0122 INSTALLED UNKN 0291/1873

S.R. 80 EBL
OP ID 19/0080/2404/0000 0291/1814

0310/0660 LEN=0064 INSTALLED UNKN
015"H 21"W ELLIP METAL
0310/0564 LEN=0071 INSTALLED UNKN
018 "DIA CAST IRON
0310/0248 LEN=0075 INSTALLED UNKN
061772 FT 1 0 00004 0 01 0385+59
MFC BEGIN = B
S 0310/0000 LENGTH(AH 3624 BK 0907)

060865 FT 1 0 00004 0 00 0375+41
S 0300/0000 LENGTH(AH 0907 BK 2041)

RAMP S RD
0290/2013 (SR8006 SEG 0252/0000)

018 "DIA CIRC CONCR
0290/1820 LEN=0065 INSTALLED UNKN

RAMP Z RD
0290/1564 (SR8006 SEG 0282/0892)
0290/1477 BMSEN 19/0011/0290/1452
1 0 00004 0 00 0369+35
T.SUSQ RIVER
0290/1452 BMSBG 19/0011/0290/1452

SR.0080 WBL
0290/1162 OP ID 19/0080/2405/1110

018 "DIA CIRC CONCR
0290/1015 LEN=0090 INSTALLED UNKN
SR.0080 EBL
0290/0998 OP ID 19/0080/2404/1075
018 "DIA CIRC CONCR
0290/0803 LEN=0072 INSTALLED UNKN

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: SOUTH CENTRE T RIGHT MUN: SOUTH CENTRE T

LEFT MUN: SOUTH CENTRE T			RIGHT MUN: SOUTH CENTRE T
			RAMP X RD
		0290/0623	(SR8006 SEG 0040/0885)
RAMP V RD			
(SR8006 SEG 0030/0000)	0291/1213		
RAMP U RD			
(SR8006 SEG 0010/1016)	0291/0956		
			018 "DIA CIRC CONCR
		0290/0498	LEN=0070 INSTALLED UNKN
PENN DOT MAINT YARD			
(PRDR)	0291/0321		
1 0 00004 0 00 0342+34	057531 FT	058824 FT	1 0 00004 0 00 0355+00
LENGTH(AH 3324 BK 0581)	0291/0000	0290/0000	LENGTH(AH 2041 BK 1851)
			RAMP W RD
		0280/1360	(SR8006 SEG 0020/0000)
			SIGN: 3 CHORD TRUSS
		0280/1147	BMSID 19/0011/0280/1147
			024 "DIA CIRC CONCR
		0280/0680	LEN=0063 INSTALLED UNKN
			(APRA) PENNDOT STOCKPIL
			PENNDOT STOCKPILE 03
		0280/0480	(GOVT)
1 0 00004 0 00 0336+42	056950 FT	056973 FT	1 0 00004 0 00 0336+42
MFC BEGIN = B			MFC BEGIN = B
LENGTH(AH 0581 BK 3207)	0281/0000	0280/0000	LENGTH(AH 1851 BK 3207)
			018 "DIA CAST IRON
		0270/2848	LEN=0090 INSTALLED UNKN
			LOW ST
LOWS RD			(T508)
(SR1003 SEG 0010/0000)	0270/2175	0270/2175	
			036 "DIA CAST IRON
		0270/2087	LEN=0082 INSTALLED UNKN
			018 "DIA CAST IRON
		0270/1432	LEN=0070 INSTALLED UNKN
PRIVATE DR			
(PRDR)	0270/1355	0270/1355	(APRA) MAPES MULCH
			018 "DIA CAST IRON
		0270/1142	LEN=0082 INSTALLED UNKN
PRIVATE DR			
(PRDR)	0270/1025		
			018 "DIA CAST IRON
		0270/0815	LEN=0078 INSTALLED UNKN
PRIVATE DR			
(PRDR)	0270/0185	0270/0185	(APRA) RIDGE INVESTMENT
	053743 FT	053766 FT	1 0 00004 0 00 0304+37
			KEEFERS LN
			(T506)

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: SOUTH CENTRE T RIGHT MUN: SOUTH CENTRE T

			S	0270/0000 LENGTH(AH 3207 BK 3037)
RIDGEWOOD DR (PRDR)	0260/1941	==		
PRIVATE DR (PRDR)	0260/0480	POI		0260/0480 (APRA) RIDGE CREST HOME
				024 "DIA CAST IRON
				0260/0344 LEN=0080 INSTALLED UNKN
	050706 FT			050729 FT 1 0 00004 0 00 0274+00
			S	0260/0000 LENGTH(AH 3037 BK 1949)
				036 "DIA CAST IRON
				0250/1111 LEN=0060 INSTALLED UNKN
				018 "DIA CAST IRON
				0250/0728 LEN=0063 INSTALLED UNKN
				0250/0133 BMSEN 19/0011/0250/0110
				1 0 00004 0 00 0255+56
				TRIB.SUSQ.R.
				0250/0110 BMSBG 19/0011/0250/0110
1 0 00004 0 00 0254+50	048757 FT			048780 FT
WOLF HOLLOW RD (T461)	0250/0000	==	S	0250/0000 LENGTH(AH 1949 BK 3619)
				018 "DIA CIRC CONCR
				0240/2863 LEN=0075 INSTALLED UNKN
				018 "DIA CAST IRON
				0240/2651 LEN=0071 INSTALLED UNKN
				018 "DIA CAST IRON
				0240/1192 LEN=0082 INSTALLED UNKN
				018 "DIA CAST IRON
				0240/0027 LEN=0071 INSTALLED UNKN
	045138 FT			045161 FT 1 0 00004 0 00 0218+10
				BISSETS LN
				(T504)
				SOUTH CENTRE
				SCOTT T
			S	0240/0000 LENGTH(AH 3619 BK 1615)
				024 "DIA CIRC METAL
				0230/1575 LEN=0076 INSTALLED UNKN
				T SUSQUE RIV
				STRUCTURE LENGTH 8 FT

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

```
                                                 0230/1219 BMSID 19/0011/0230/1219
                                                           018 "DIA CIR PLASTIC
                                                 0230/0982 LEN=0080 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0230/0551 LEN=0085 INSTALLED UNKN
                043523 FT                        043546 FT 1 0 00004 0 00 0201+93
                                                           RIDGE ST
                                                           (T496)
                                                 S 0230/0000 LENGTH(AH 1615 BK 2660)

                                                           018 "DIA CIRC CONCR
                                                 0220/1990 LEN=0073 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0220/1620 LEN=0075 INSTALLED UNKN
                                                            SIGN: CENTER MOUNTD
                                                 0220/1225 BMSID 19/0011/0220/1225
                                                           018 "DIA CIRC METAL
                                                 0220/0943 LEN=0089 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0220/0657 LEN=0079 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0220/0357 LEN=0076 INSTALLED UNKN
                040863 FT                        040886 FT 1 0 00004 0 00 0175+30
                                                           T SUSQ RIVER
                                                           STRUCTURE LENGTH 14 FT
                                                           BMSID 19/0011/0220/0000
                                                 S 0220/0000 LENGTH(AH 2660 BK 3043)
                                                           018 "DIA CAST IRON
                                                 0210/2507 LEN=0073 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0210/1911 LEN=0079 INSTALLED UNKN
                                                           EDGAR AV
SHAFFER RD                                                 (T502)
(SR1001 SEG 0010/0000)   0210/1546               0210/1546
                                                           015"H 24"W ELLIP CONC
                                                 0210/1110 LEN=0077 INSTALLED UNKN
                                                           015"H 24"W ELLIP CONC
                                                 0210/0810 LEN=0076 INSTALLED UNKN
                                                           015"H 24"W ELLIP CONC
                                                 0210/0311 LEN=0078 INSTALLED UNKN
                037820 FT                        037843 FT 1 0 00004 0 00 0144+78
                                                           (APRA) G&M CRAWFORD INC
                                                           TENNY ST
                                                           (T484)
SEIPLE DR
(T503)                   0210/0000               S 0210/0000 LENGTH(AH 3043 BK 2345)
                                                           018 "DIA CIRC CONCR
                                                 0200/2315 LEN=0065 INSTALLED UNKN
                                                           018 "DIA CAST IRON
                                                 0200/1755 LEN=0066 INSTALLED UNKN
```

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

				018 "DIA CAST IRON
			0200/1435	LEN=0077 INSTALLED UNKN
				024 "DIA CIRC CONCR
			0200/1220	LEN=0076 INSTALLED UNKN
				CENTRAL RD
CENTRAL RD				(T500)
(T500)	0200/1192		0200/1192	
				018 "DIA CIRC CONCR
			0200/0807	LEN=0075 INSTALLED UNKN
				018 "DIA CIRC METAL
			0200/0229	LEN=0072 INSTALLED UNKN
	035475 FT		035498 FT	1 0 00004 0 00 0121+27
				048"H 72"W CONC STRUCT
				LEN=0069 INSTALLED UNKN
			S 0200/0000	LENGTH(AH 2345 BK 3000)
				018 "DIA CIRC CONCR
			0190/2608	LEN=0075 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0190/2606	LEN=0075 INSTALLED UNKN
STONY BROOK M H SALES				
(PRDR)	0190/2356	POI	0190/2356	(APRA) STONY BROOK M H
STILL WATER RAMPS & MOB				
(PRDR)	0190/2317			
				030 "DIA CAST IRON
			0190/2115	LEN=0075 INSTALLED UNKN
CINEMA CTR DR				
(PRDR)	0190/1519		0190/1519	
				KINNEY RUN
				STRUCTURE LENGTH 8 FT
			0190/1431	BMSID 19/0011/0190/1431
				018 "DIA CIRC CONCR
			0190/1295	LEN=0078 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0190/0800	LEN=0082 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0190/0636	LEN=0083 INSTALLED UNKN
			0190/0015	BMSEN 19/0011/0190/0000
	032475 FT		032498 FT	1 0 00004 0 00 0091+19
				T SUSQ RIVER
				BMSBG 19/0011/0190/0000
			S 0190/0000	LENGTH(AH 3000 BK 1959)
				036 "DIA CAST IRON
			0180/1477	LEN=0087 INSTALLED UNKN
				024"H 00"W MULT CONCR
			0180/0980	LEN=0083 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0180/0340	LEN=0072 INSTALLED UNKN
	030516 FT		030539 FT	1 0 00004 0 00 0071+00

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: SCOTT T RIGHT MUN: SCOTT T

			SCOTT
			BLOOMSBURG TO
		S 0180/0000	LENGTH(AH 1959 BK 3198)
SCOTT TOWN CTR (PRDR)	0170/3068	0170/3068	
			018 "DIA CIR PLASTIC
		0170/3023	LEN=0087 INSTALLED UNKN
			018 "DIA CAST IRON
		0170/2732	LEN=0070 INSTALLED UNKN
			036"H 90"W CON BOX CUL
		0170/2346	LEN=0078 INSTALLED UNKN
			018 "DIA CAST IRON
		0170/1843	LEN=0076 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0170/1297	LEN=0062 INSTALLED UNKN
			PARK ST
			(TOWN)
		0170/1237	
			024 "DIA CIRC CONCR
		0170/1189	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0170/0940	LEN=0044 INSTALLED UNKN
			LOCUST ST
		0170/0903	(TOWN)
			018 "DIA CAST IRON
		0170/0853	LEN=0042 INSTALLED UNKN
SPRUCE ST (TOWN)	0170/0438		
			018 "DIA CIRC CONCR
		0170/0365	LEN=0041 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0170/0138	LEN=0042 INSTALLED UNKN
	027318 FT	027341 FT	1 0 00004 0 00 0039+53
			MFC BEGIN = B
		S 0170/0000	LENGTH(AH 3198 BK 0655)
			036 "DIA CIRC CONCR
		0160/0577	LEN=0025 INSTALLED UNKN
036 "DIA CIRC CONCR LEN=0025 INSTALLED UNKN	0161/0566		
018 "DIA CIRC CONCR LEN=0025 INSTALLED UNKN	0161/0330		
			018 "DIA CIRC CONCR
		0160/0330	LEN=0025 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0160/0052	LEN=0052 INSTALLED UNKN
1 0 00004 0 00 0032+98	026663 FT	026686 FT	1 0 00004 0 00 0032+98
EAST ST			EAST ST
(SR0487 SEG 0260/0363)			(SR0487 SEG 0260/0363)
NC COLUMBIA BLVD		NC COLUMBIA BLVD	
SIXTH ST			SIXTH ST

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: BLOOMSBURG TO RIGHT MUN: BLOOMSBURG TO

(TOWN)				(TOWN)
MFC BEGIN = B				MFC BEGIN = B
LENGTH(AH 0655 BK 1971)	0161/0000	S	S 0160/0000	LENGTH(AH 0655 BK 1971)
				018 "DIA CIRC CONCR
			0150/1939	LEN=0036 INSTALLED UNKN
				STERNER AV
			0150/1634	(TOWN)
				012 "DIA CIRC CONCR
			0150/1587	LEN=0040 INSTALLED UNKN
				FIFTH ST
FIFTH ST				(TOWN)
(TBC)	0150/1530		0150/1530	
				012 "DIA CIR PLASTIC
			0150/1508	LEN=0052 INSTALLED UNKN
TOWN AL				
(TOWN)	0150/1399			
TOWN AL				
(TOWN)	0150/1216			
				TOWN AL
			0150/1198	(TOWN)
				018 "DIA CIRC CONCR
			0150/1101	LEN=0017 INSTALLED UNKN
				FOURTH ST
			0150/1095	(TOWN)
				006 "DIA CIR PLASTIC
			0150/1066	LEN=0031 INSTALLED UNKN
				TOWN AL
			0150/0715	(TOWN)
				018 "DIA CIRC CONCR
			0150/0615	LEN=0040 INSTALLED UNKN
THIRD ST				HARTMAN AV
(TOWN)	0150/0557		0150/0557	(TOWN)
				018 "DIA CIRC CONCR
			0150/0549	LEN=0053 INSTALLED UNKN
				THIRD ST
			0150/0395	(TOWN)
1 0 00004 0 00 0013+00	024692 FT		024715 FT	
EAST SECOND ST			NC EAST ST	
(TOWN)				
LIGHTSTREET RD				MFC BEGIN = B
(SR0487 SEG 0280/0000)	0150/0000		S 0150/0000	LENGTH(AH 1971 BK 0432)
018 "DIA CAST IRON				
LEN=0040 INSTALLED UNKN	0141/0378			
				018 "DIA CAST IRON
			0140/0334	LEN=0040 INSTALLED UNKN
018 "DIA CAST IRON				
LEN=0040 INSTALLED UNKN	0141/0323			
CATHERINE ST				CATHERINE ST
(TOWN)	0141/0295		0140/0295	(TOWN)

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: BLOOMSBURG TO RIGHT MUN: BLOOMSBURG TO

			018 "DIA CAST IRON
		0140/0285	LEN=0042 INSTALLED UNKN
018 "DIA CAST IRON			
LEN=0040 INSTALLED UNKN	0141/0153		
018 "DIA CAST IRON			
LEN=0040 INSTALLED UNKN	0141/0040		
			018 "DIA CAST IRON
		0140/0033	LEN=0040 INSTALLED UNKN
1 0 00004 0 00 0009+12 024260 FT		024283 FT	1 0 00004 0 00 0009+12
IRON ST			IRON ST
(TOWN)			(TOWN)
IRON ST			IRON ST
(SR4009 SEG 0010/0000)			(SR4009 SEG 0010/0000)
LENGTH(AH 0432 BK 0924)	0141/0000	0140/0000	LENGTH(AH 0432 BK 0924)
018 "DIA CAST IRON			018 "DIA CAST IRON
LEN=0040 INSTALLED UNKN	0131/0710	0130/0710	LEN=0041 INSTALLED UNKN
MILLER AV			MILLER AV
(TOWN)	0131/0696	0130/0696	(TOWN)
			018 "DIA CAST IRON
		0130/0519	LEN=0040 INSTALLED UNKN
CENTER ST			CENTER ST
(TOWN)			(TOWN)
	0131/0486	0130/0486	
018 "DIA CAST IRON			
LEN=0041 INSTALLED UNKN	0131/0457		
TOWN AL			TOWN AL
(TOWN)	0131/0365	0130/0358	(TOWN)
018 "DIA CAST IRON			018 "DIA CAST IRON
LEN=0040 INSTALLED UNKN	0131/0282	0130/0282	LEN=0040 INSTALLED UNKN
WHITEMAN AV			WHITEMAN AV
(TOWN)	0131/0263	0130/0263	(TOWN)
018 "DIA CAST IRON			018 "DIA CAST IRON
LEN=0040 INSTALLED UNKN	0131/0091	0130/0091	LEN=0040 INSTALLED UNKN
1 0 00004 0 00 0000+00 023336 FT		023359 FT	1 0 00004 0 00 0000+00
MARKET ST			MARKET ST
(TOWN)			(TOWN)
LENGTH(AH 0924 BK 0692)	0131/0000	0130/0000	LENGTH(AH 0924 BK 0692)
018 "DIA CIRC METAL			018 "DIA CIRC METAL
LEN=0040 INSTALLED UNKN	0121/0588	0120/0588	LEN=0040 INSTALLED UNKN
MURRAY AV			MURRAY AV
(TOWN)	0121/0433	0120/0433	(TOWN)
018 "DIA CIRC METAL			
LEN=0040 INSTALLED UNKN	0121/0403		
			018 "DIA CIRC METAL
		0120/0236	LEN=0040 INSTALLED UNKN
024 "DIA CIRC METAL			
LEN=0040 INSTALLED UNKN	0121/0219		
JEFFERSON ST			JEFFERSON ST

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11

LEFT MUN: BLOOMSBURG TO		RIGHT MUN: BLOOMSBURG TO	
(TOWN)	0121/0213	0120/0206	(TOWN)
			018 "DIA CIRC METAL
		0120/0202	LEN=0040 INSTALLED UNKN
024 "DIA CIRC METAL			
LEN=0040 INSTALLED UNKN	0121/0020		
1 0 00003 0 01 0236+28	022644 FT	022667 FT	1 0 00003 0 01 0236+28
OYER AV			OYER AV
(TOWN)			(TOWN)
MFC BEGIN = B			MFC BEGIN = B
LENGTH(AH 0692 BK 3013)	0121/0000	0120/0000	LENGTH(AH 0692 BK 3013)
			018 "DIA CAST IRON
		0110/2866	LEN=0020 INSTALLED UNKN
			018 "DIA CAST IRON
		0110/2820	LEN=0070 INSTALLED UNKN
			WEST ST
			(TOWN)
		0110/2782	
			BLACKBERRY AV
		0110/2549	(TOWN)
			018 "DIA CAST IRON
		0110/2531	LEN=0060 INSTALLED UNKN
			018 "DIA CAST IRON
		0110/2394	LEN=0025 INSTALLED UNKN
			RAILROAD ST
		0110/2360	(TOWN)
			036 "DIA CAST IRON
		0110/2230	LEN=0059 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0110/2160	LEN=0102 INSTALLED UNKN
			SCOTT AV
		0110/2069	(TOWN)
			024 "DIA CIRC CONCR
		0110/2063	LEN=0041 INSTALLED UNKN
			TOWN AL
		0110/1997	(TOWN)
			BARTON AL
		0110/1851	(TOWN)
			018 "DIA CIR UNKNOWN
		0110/1718	LEN=0100 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0110/1633	LEN=0066 INSTALLED UNKN
			LEONARD ST
			(TOWN)
		0110/1596	
			018 "DIA CIRC METAL
		0110/1374	LEN=0208 INSTALLED UNKN
			MARY AV
		0110/1354	(TOWN)
MARY AV			
(TOWN)	0110/1300		

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: BLOOMSBURG TO RIGHT MUN: BLOOMSBURG TO

JAMES AV
== 0110/1000 (TOWN)
018 "DIA CIRC CONCR
0110/0986 LEN=0044 INSTALLED UNKN
BARTON ST
== 0110/0764 (TOWN)

BARTON ST
(TOWN) 0110/0750 ==

ORCHARD ST
== 0110/0532 (TOWN)
018 "DIA CIRC METAL
0110/0399 LEN=0042 INSTALLED UNKN
015 "DIA CAST IRON
0110/0304 LEN=0045 INSTALLED UNKN
WASHINGTON ST
== 0110/0226 (TOWN)
019631 FT 019654 FT 1 0 00003 0 01 0206+12
018 "DIA CIRC METAL
LEN=0011 INSTALLED UNKN
S 0110/0000 LENGTH(AH 3013 BK 1900)
018 "DIA CIRC METAL
0100/1380 LEN=0070 INSTALLED UNKN
BRIDGE ST
== 0100/0810 (TOWN)
018 "DIA CIRC METAL
0100/0689 LEN=0070 INSTALLED UNKN
FT MCLURE BLVD
== 0100/0240 (TOWN)
SIGN: 3 CHORD TRUSS
0100/0149 BMSID 19/0011/0100/0149

RAMP G RD
(SR8005 SEG 0500/0000) 0100/0009
017731 FT 017754 FT 1 0 00003 0 00 0176+91
MFC BEGIN = B
S 0100/0000 LENGTH(AH 1900 BK 0325)

1 0 00003 0 00 0173+75 017413 FT 017429 FT 1 0 00003 0 00 0173+75
SR 42 SR 42
OP ID 19/0042/0440/0000 OP ID 19/0042/0440/0000
NC MAIN ST NC MAIN ST
LENGTH(AH 0318 BK 1414) 0091/0000 S S 0090/0000 LENGTH(AH 0325 BK 1449)
RAMP F RD
0080/1161 (SR8005 SEG 0020/1395)

018 "DIA CIRC CONCR
LEN=0054 INSTALLED UNKN 0081/1032
RAMP H RD
(SR8005 SEG 0250/0541) 0081/0888

018 "DIA CIRC CONCR
0080/0698 LEN=0080 INSTALLED UNKN
RAMP E RD

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11

LEFT MUN: BLOOMSBURG TO		RIGHT MUN: BLOOMSBURG TO	
		0080/0529	(SR8005 SEG 0010/0000)
SIGN: 3 CHORD TRUSS			SIGN: 3 CHORD TRUSS
BMSID 19/0011/0080/0386	0081/0359	0080/0386	BMSID 19/0011/0080/0386
BMSEN 19/0011/0081/0000	0081/0232	0080/0232	BMSEN 19/0011/0080/0000
			BLOOMSBURG
		0080/0115	MONTOUR T
1 0 00003 0 00 0159+41 015999 FT			
FISHING CREEK			
BMSBG 19/0011/0081/0000		015980 FT	1 0 00003 0 00 0159+43
			FISHING CRK
BLOOMSBURG			BMSBG 19/0011/0080/0000
MONTOUR T			
LENGTH(AH 1414 BK 1757)	0081/0000	0080/0000	LENGTH(AH 1449 BK 1732)
			RAMP A RD
		0070/1463	(SR8003 SEG 0750/0479)
			018 "DIA CIRC CONCR
		0070/1303	LEN=0051 INSTALLED UNKN
SR 0042			SR 0042
OP ID 19/0042/0430/1807	0071/1166	0070/1159	OP ID 19/0042/0430/1807
018 "DIA CIRC CONCR			
LEN=0096 INSTALLED UNKN	0071/1059		
			018 "DIA CIRC CONCR
		0070/1026	LEN=0076 INSTALLED UNKN
RAMP D RD			
(SR8003 SEG 0260/0000)	0071/0991		
			RAMP B RD
		0070/0776	(SR8003 SEG 0010/0000)
			036 "DIA CIRC CONCR
		0070/0734	LEN=0075 INSTALLED UNKN
036 "DIA CIRC CONCR			
LEN=0025 INSTALLED UNKN	0071/0709		
018 "DIA CIRC METAL			
LEN=0051 INSTALLED 2008	0071/0393		
RAMP C RD			
(SR8003 SEG 0250/1647)	0071/0265		
			SIGN: 3 CHORD TRUSS
		0070/0175	BMSID 19/0011/0070/0175
1 0 00003 0 00 0142+00 014242 FT		014248 FT	1 0 00003 0 00 0142+00
LENGTH(AH 1757 BK 1198)	0071/0000	0070/0000	LENGTH(AH 1732 BK 1204)
048 "DIA CIRC CONCR			048 "DIA CIRC CONCR
LEN=0049 INSTALLED UNKN	0061/0910	0060/0910	LEN=0099 INSTALLED UNKN
VALLEY RD			
(T416)	0061/0610		
CROSS RD			CROSS RD
(T407)	0061/0334	0060/0334	(T407)
018 "DIA CIRC CONCR			018 "DIA CIRC CONCR
LEN=0031 INSTALLED UNKN	0061/0271	0060/0271	LEN=0099 INSTALLED UNKN
1 0 00003 0 00 0129+98 013044 FT		013044 FT	1 0 00003 0 00 0129+98
MFC BEGIN = B			MFC BEGIN = B
LENGTH(AH 1198 BK 1646)	0061/0000	0060/0000	LENGTH(AH 1204 BK 1646)
LC FOR VALLEY RD			

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: MONTOUR T RIGHT MUN: MONTOUR T

```
(T416)                    0050/1582     ==|
                                        |                    018 "DIA CIRC CONCR
                                        ----     0050/1481  LEN=0086 INSTALLED UNKN
                                                             015 "DIA CIRC CONCR
                                        ----     0050/1278  LEN=0098 INSTALLED UNKN
                                                             042 "DIA CIRC CONCR
                                        ----     0050/1030  LEN=0087 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                        ----     0050/0536  LEN=0069 INSTALLED UNKN
                          011398 FT             011398 FT  1 0 00003 0 00 0113+55
                                                             060 "DIA CIRC CONCR
                                                             LEN=0080 INSTALLED UNKN
                                        ----   S 0050/0000  LENGTH(AH 1646 BK 2790)

                                                             018 "DIA CIRC CONCR
                                        ----     0040/2119  LEN=0069 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                        ----     0040/1818  LEN=0070 INSTALLED UNKN
                                                             DUESSEN DR
                                            ==   0040/1585  (T358)
WELLIVER DR
(T358)                    0040/1576     ==|
                                                             024 "DIA CIRC CONCR
                                        ----     0040/1550  LEN=0100 INSTALLED UNKN

                                                             072 "DIA CIRC CONCR
                                        ----     0040/0939  LEN=0076 INSTALLED UNKN

                          008608 FT             008608 FT  1 0 00003 0 00 0085+71
                                                 S 0040/0000  LENGTH(AH 2790 BK 2336)
                                                             018 "DIA CIRC CONCR
                                        ----     0030/2336  LEN=0078 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                        ----     0030/1755  LEN=0069 INSTALLED UNKN
                                                             SURRY LN
                                            ==   0030/1751  (T363)


                                                             DIVISION ST
                                         == ==   0030/0773  (T418)

                                                             T.MONTOUR RN
                                                             STRUCTURE LENGTH  12 FT
                                        >----<   0030/0078  BMSID 19/0011/0030/0078
1 0 00003 0 00 0062+40 006272 FT                 006272 FT
QUARRY RD
(SR4004 SEG 0010/0000)    0030/0000     ===    S 0030/0000  LENGTH(AH 2336 BK 3679)
                                                             018 "DIA CIRC CONCR
                                        ----     0020/3420  LEN=0073 INSTALLED UNKN
```

DIR: B TOTAL LEN: 17.352 MI. DIST: 03-1 SR: 11
LEFT MUN: MONTOUR T RIGHT MUN: MONTOUR T

			(APRA) TWIN HILLS M H P
			PRIVATE DR
		0020/2570	(PRDR)
			018 "DIA CIRC CONCR
		0020/2084	LEN=0073 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1751	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1411	LEN=0067 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1089	LEN=0074 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0020/0645	LEN=0073 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0376	LEN=0071 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0035	LEN=0065 INSTALLED UNKN
	002593 FT	002593 FT	1 0 00003 0 00 0025+80
		S 0020/0000	LENGTH(AH 3679 BK 2593)
TOWER DR (PRDR)	0010/1918		
			018 "DIA CIRC CONCR
		0010/1889	LEN=0064 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1521	LEN=0076 INSTALLED UNKN
		0010/1029	BMSEN 19/0011/0010/1019
			1 0 00003 0 00 0009+94
			MONTOUR RUN
		0010/1019	BMSBG 19/0011/0010/1019
			018 "DIA CIRC CONCR
		0010/0922	LEN=0082 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0682	LEN=0068 INSTALLED UNKN
			075"H 72"W CON BOX CUL
		0010/0540	LEN=0062 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0378	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0030	LEN=0101 INSTALLED UNKN
	000000 FT	000000 FT	1 0 00003 0 00 0000+00
			GROVIANIA DR
			(SR4002 SEG 0130/2746)
		NC	MONTOUR BL
		INTER-BK	MONTOUR BL
			(SR0011 SEG 0160/3328)
			MFC BEGIN = B
			BK-MONTOUR (47)
GROVANIA DR (T413)	0010/0000	S 0010/0000	LENGTH(AH 2593 BK 0000)