Straight Line Diagram

(Including Drain Pipes)

Huntingdon
31

January 2020

This document was produced by the Pennsylvania Department of Transportation (PENNDOT) as an internal management tool for State maintained highways and is not to be used for other purposes. The printed information was compiled from the Department's computerized Roadway Management System (RMS) and is subject to change without notice. Use of any or all of the printed information for purposes other than those intended by the Department may not satisfy other accuracy and completeness requirements and the Department does not warrant that such printed information is accurate or complete.

ROADWAY MANAGEMENT SYSTEM

INDEX FOR SR'S LOCATED IN THE COUNTY OF HUNTINGDON

SR	BGN PAGE	END PAGE	SR	BGN PAGE	END PAGE	SR	BGN PAGE	END PAGE
0022	1	18	2012	314	316	3049	446	446
0026	19	50	2013	317	319	3051	447	448
0035	51	58	2014	320	320	3053	449	449
0045	59	66	2015	321	324	4001	450	450
0103	67	70	2016	325	327	4002	451	452
0305	71	88	2017	328	335	4003	453	453
0350	89	93	2018	336	337	4004	454	458
0422	94	94	2019	338	340	4005	459	462
0453	95	99	2020	341	341	4006	463	464
0475	100	107	2021	342	343	4007	465	468
0522	108	125	2022	344	345	4008	469	471
0550	126	131	2023	346	347	4009	472	474
0641	132	135	2024	348	349	4010	475	475
0655	136	158	2025	350	351	4011	476	476
0747	159	171	2026	352	352	4012	477	477
0829	172	185	2028	353	353	4013	478	481
0913	186	196	3001	354	358	4014	482	482
0994	197	217	3002	359	360	4015	483	484
1001	218	225	3003	361	363	4016	485	486
1002	226	226	3004	364	364	4017	487	488
1003	227	230	3005	365	366	4019	489	489
1004	231	231	3006	367	369	4021	490	491
1005	232	235	3007	370	370	4023	492	494
1006	236	239	3008	371	371	4025	495	498
1007	240	241	3009	372	373	4027	499	499
1008	242	243	3010	374	374	4029	500	500
1009	244	247	3011	375	377	4031	501	501
1010	248	248	3012	378	378	8004	502	503
1011	249	252	3013	379	379	8006	504	504
1013	253	256	3014	380	382			
1015	257	259	3015	383	384			
1017	260	260	3016	385	385			
1019	261	265	3017	386	389			
1021	266	267	3018	390	390			
1023	268	271	3019	391	397			
1025	272	273	3020	398	398			
1027	274	275	3021	399	402			
1029	276	280	3023	403	405			
1031	281	281	3025	406	408			
2001	282	284	3027	409	412			
2002	285	286	3029	413	421			
2003	287	288	3031	422	423			
2004	289	292	3033	424	428			
2005	293	298	3035	429	431			
2006	299	300	3037	432	435			
2007	301	301	3039	436	439			
2008	302	304	3041	440	440			
2009	305	309	3043	441	443			
2010	310	312	3045	444	444			
2011	313	313	3047	445	445			

pennsylvania
DEPARTMENT OF TRANSPORTATION

December 30, 2019

Pennsylvania State Roads - Straight Line Diagrams

Contained within this document are the 2020 Pennsylvania Straight Line Diagram's (SLD's) for State Routes by county within a particular PennDOT district. At the end of each year, PennDOT takes a snapshot of its current SLD database and creates PDF files from the SLD snapshot. The SLD's are a graphical representation of State Routes (SR's) that PennDOT maintains. The information shown on the SLD's is generated from data found in PennDOT's Roadway Management System (RMS) database. The data from RMS is constantly being updated to match actual roadway inventory data found on Pennsylvania's state highways. PennDOT's SR system is explained briefly in this document along with symbol definitions for each type of roadway feature or attribute found on the SLD. This PDF version of the SLD contains an individual county list of all state roads found in that county. The SR's found on the list are linked to the actual pages that show the individual SLD's. To find an SLD for a particular road that you want, simply point to that road on the SR index list and click on it to jump to the beginning page of that SLD.

If you have any questions or comments concerning information found in this document, please contact Janice L. Arellano, P.E., Chief, Roadway Inventory and Testing Unit, Asset Management Division, Bureau of Maintenance and Operations, by calling (717) 787-7294.

Additional information on state owned highways is available from your local PENNDOT Engineering District Office, RMS Unit, RMS Coordinator.

Straight Line Diagram Disclaimer: This document is for informational purposes only and may be viewed by anyone. No part of the information contained in this document may be altered or redistributed without prior written consent of PENNDOT. Straight Line Diagram information is provided "as is" without warranty of any kind, either expressed or implied. This information could include technical inaccuracies or errors of omission. Changes may be made periodically to the information herein.

Copyright © 2019 by the Commonwealth of Pennsylvania. All rights reserved.

pennsylvania
DEPARTMENT OF TRANSPORTATION

Asset Management Division
Mission Statement

To protect and preserve Pennsylvania's infrastructure by providing meaningful, timely, and accurate pavement and roadway management, design, standards, strategies, inventory and condition, as well as fair, consistent and efficient application of Commonwealth laws and regulations.

CUSTOMER SERVICE RATING FORM

Straight Line Diagram (SLD) – Customer Service Rating

As means to improve customer service, we would like you to rate the product/ service you have received, by circling a "grade" from "A" (excellent) to "E" (fail).

A **B** **C** **D** **E**

If your rating is not an "A," please let us know what we could do better.

_____

_____

_____

_____

_____

Name and Organization (optional)

_____

Thank You.

(Fold along line, and tape or staple together before mailing)

(Cut along dashed line

_____

_____

_____

Bureau of Maintenance and Operations
Asset Management Division – BOMO Annex
907 Elmerton Avenue
Harrisburg, PA 17110
ATTN: Janice Arellano

F-CS-02

PENNSYLVANIA DEPARTMENT OF TRANSPORTATION
Bureau of Maintenance and Operations, Asset Management Division

Location Referencing System (LRS) – Definitions, Uses & Testing

The Department's LRS, implemented in 1987, is the mechanism to designate the State highway network, to define roadway lengths, locations, and route connectivity, and to serve as the basis for the collection, storage, and integration of roadway information.

An LRS key is a unique series of numbers that identifies the location of each point or feature along a State route. The fourteen digit number is an integral part of the Roadway Management System (RMS) where roadway data is stored. 07/4016/0100/0857 is an example of an LRS key, which identifies County (CO) = 07, State Route (SR) = 4016, Segment (SEG) = 0100, and Offset = 0857.

County (CO)

Each of Pennsylvania's sixty-seven counties is identified by a number.

Name	#	Name	#	Name	#	Name	#
Adams	1	Clinton	18	Lackawanna	35	Potter	52
Allegheny	2	Columbia	19	Lancaster	36	Schuylkill	53
Armstrong	3	Crawford	20	Lawrence	37	Snyder	54
Beaver	4	Cumberland	21	Lebanon	38	Somerset	55
Bedford	5	Dauphin	22	Lehigh	39	Sullivan	56
Berks	6	Delaware	23	Luzerne	40	Susquehanna	57
Blair	7	Elk	24	Lycoming	41	Tioga	58
Bradford	8	Erie	25	McKean	42	Union	59
Bucks	9	Fayette	26	Mercer	43	Venango	60
Butler	10	Forest	27	Mifflin	44	Warren	61
Cambria	11	Franklin	28	Monroe	45	Washington	62
Cameron	12	Fulton	29	Montgomery	46	Wayne	63
Carbon	13	Greene	30	Montour	47	Westmoreland	64
Centre	14	Huntingdon	31	Northampton	48	Wyoming	65
Chester	15	Indiana	32	Northumberland	49	York	66
Clarion	16	Jefferson	33	Perry	50	Philadelphia	67
Clearfield	17	Juniata	34	Pike	51		

State Route (SR)

State Routes (SR's) are identified by four-digit numbers. SR numbers are assigned as follows:

1. Traffic Routes: Routes designated as Interstates, US or PA Routes 0001-0999
2. Quadrant Routes (Non-Traffic Routes) 1001-4999
3. Relocated Traffic Routes 6000-6999
4. Turned Back, Abandoned, or Null Routes 7000-7999
5. Interchanges 8001-8999
6. WYE's 9101-9199
7. Rest Areas 9201-9299
8. Truck Escape Ramps 9301-9399
9. Others 9401-9499

Even/Odd Convention: Even numbers are typically given to SR's in the East/West direction, and odd numbers to SR's that run North/South. This convention applies to Interstate Routes (except those that are Beltways or Spurs), and Quadrant Routes. This convention may or may not apply to PA or US Traffic Routes.

Hierarchy: If two or more traffic routes occupy the same section of roadway, the SR number is based on the "higher" type route, according to the following hierarchy. If the traffic routes are the same hierarchy class, then the SR number is assigned the lower numbered traffic route (Figure 1).

1. Interstates
2. U.S. Routes
3. PA Routes
4. Quadrant Routes



FIGURE 1

Other Numbering Conventions:

1. The first digit of a quadrant route is based on which quadrant of the county the route is located, as shown in the following diagram (Figure 2).
2. The last three digits of a Relocated Traffic Route are the same as the Traffic Route that was relocated.
3. Interchanges are numbered sequentially. Odd numbers are given to interchanges along SR's in the North/South direction; even numbers are given to interchanges along SR's in the East/West direction (Figure 3).
4. WYE's are given odd numbers if the connecting SR is odd numbered, and even numbers if the connecting SR is even numbered.
5. Rest Areas or Truck Escape Ramps are given odd numbers if they connect to the Southbound or Westbound side of an SR, and even numbers if they connect to the Northbound or Eastbound side.



FIGURE 2



FIGURE 3

Segment (SEG)

State routes are divided into segments, which are approximately one-half mile long, and are identified by a four-digit number. Segment begin and end points are placed at physical features where possible. Segment numbers increase in the North or East direction, and typically by 10's (Figure 4). Segments are even numbered on undivided roadways, and in the Northbound or Eastbound direction of divided roadways. Segments are odd numbered in the Southbound or Westbound direction of divided roadways (Figure 5). Interstate segments are associated with the mile posts (Figure 6).

<u>Undivided Roadways</u>



FIGURE 4

<u>Divided Roadways</u>



FIGURE 5

<u>Interstate Roadways</u>



FIGURE 6

Turned Back, Abandoned, and Null Segments are given numbers in the range of 7000-7999. For two coincident State routes, the route with "lower" hierarchy is "nulled."

Segment numbering restarts on Traffic Routes at County boundaries, except Interstates (Figure 7).



FIGURE 7

Offset

The offset, a subdivision of the segment, is the distance (in feet) from the beginning of the segment, expressed as a four-digit number. Offsets are measured in the increasing segment direction.

Segment Markers

Segment markers, which allow for easy identification of the LRS location on the State highway system, indicate the State route and segment number at the point that each segment is entered. If the beginning of a segment occurs at a physical feature, then the point of reference is at the physical feature and not the sign. At intersections, signs are used to identify beginning or ending State routes or segments.

Users of the LRS

Locations of all intersections, structures, and other points of interest are field verified and inventoried in the RMS. This information can be displayed on Straight Line Diagrams (SLD's) which can be viewed in the RMS, or hardcopy form. SLD books are refreshed and printed annually for distribution to the Department's District and County offices, as well as too many external entities.

A list of those within the Department that use the LRS to identify locations in the RMS and in the field includes personnel from the following organizations: Pavement Testing, County Maintenance, Traffic, Design, Surveys, Construction, Bridge, Permits, Crash Review, Planning and Programming, Posted & Bonded Roads, Tort Liability, and Emergency Management.

Users outside the Department include: County & Municipal governments, County 911, Planning Commissions, Federal Highway Administration, State & Local Police, Local Emergency Management, Delivery Services (UPS, Fed Ex, etc.), Fire Departments, Utility Companies, Contractors, and Consultants.

Without segment markers located in the field, all of these users would have to rely solely on the SLD, which would be extremely cumbersome at best and impossible for some.

Verification, QA & QC

In order to assure that LRS information is indicated properly in the RMS, on SLD's, and in the field, LRS Quality Assurance (QA) and Quality Commitment (QC) programs are performed each year. The Bureau of Maintenance and Operations, Asset Management Division, Roadway Inventory & Testing Unit (RITU) performs all Statewide QC testing. Field verification and QA is also performed by RITS, except in Engineering Districts 2-0, 11-0, and 12-0, where it is done "in-house." Each Engineering District is responsible for its own LRS completeness and maintenance with respect to the RMS.

Twenty percent of each county is field tested annually as part of the QA program, and five percent of each county is tested for the annual QC program. The goal of the QC program is to maintain at least 90% accuracy between the RMS and the actual field locations of highway features. Annual QC ratings are developed and reported to the Engineering Districts.

Field testing is performed by two-person teams (a permanent employee that operates the test, and a temporary employee that drives the device) with the use of vans equipped with an on-board computer and a Data Measurement Subsystem. Testing is typically performed during the months of April through November.

Vehicle location and roadway features are displayed on the van's computer screen in SLD format, and the software accepts operator inputs verifying or modifying roadway feature locations, as well as comments. Though the system can function at greater speed, test speeds are typically less than 25 mph to ensure accuracy.

There are five categories of information that is verified and/or modified:

1. State Route Length
2. Segment Length
3. Roadway Geometry (lane count, pavement & shoulder types & widths)
4. Intersecting Feature Location (intersections & bridges)
5. Segment Marker Location

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY

SEGMENT MARKER	AHEAD LEFT INTER STATE OWNED	RAILROAD CROSSING	INTERSTATE MILEPOST
TURNBACK	AHEAD LEFT INTER NON-STATE	RAILROAD OVER-PASS	MFC BEGIN
NULL	AHEAD RIGHT INTE STATE OWNED	OVER-PASS	MUNICIPAL BOUNDARY
UNDIVIDED HIGHWAY	AHEAD RIGHT INTE NON-STATE	BRIDGE END	VILLAGE BEGIN
PHYSICALLY DIVIDED	BACK LEFT INTER STATE OWNED	BRIDGE BEGIN	AH - LENGTH FORWARD TO NEXT SEGMENT BEGIN BK - LENGTH BACK WARD TO PREVIOUS SEGMENT BEGIN
PAINT DIVIDED	BACK LEFT INTER NON-STATE	TUNNEL	
INTERSECTION AHEAD	BACK RIGHT INTER STATE OWNED	SIGN STRUCTURE	MFC - MAINTENANCE FUNCTIONAL CLASS A = INTERSTATE B = EXPRESSWAY AND/OR PRINCIPLE ARTERIAL C = MINOR ARTERIAL D = COLLECTOR E = LOCAL ACCESS F = INTERCHANGE RAMP
INTERSECTION BACK	BACK RIGHT INTER NON-STATE	RBR P3 BRIDGE	
REFERENCE AHEAD/BACK	T-LEFT INTERSEC STATE OWNED	RETAINING WALL	
DIVIDED CONNECTOR	T-LEFT INTERSEC NON-STATE	BRIDGE/CULVERT UNDER FILL	NULL AND TURNBACK SEGMENTS ARE DISPLAYED IN THE DEPARTMENT"S ROADWAY MANAGEMENT SYSTEM (RMS) AS 100 FEET IN LENGTH. ACTUAL SEGMENT AND SECTION LENGTHS MAY VARY SIGNIFICANTLY
CROSS INTERSEC STATE OWNED	T-RIGHT INTERSEC STATE OWNED	PIPE (STAMPP)	
CROSS INTERSEC NON-STATE	T-RIGHT INTERSEC NON-STATE	ROTARY INTERSEC	

STRAIGHT LINE DIAGRAM (SLD) ANNUAL REFRESH ATTRIBUTE KEY

ROAD CLOSED	POI POINT OF INTEREST	BRIDGE CLOSED	P BRIDGE POSTED
M MONITORING SITE	TRAFFIC SIGNAL	W RWIS SITE	NC - STREET NAME CHANGE

DIR: N TOTAL LEN: .241 MI. DIST: 09-5 SR: 8006
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T

```
001273 FT                    001273 FT  BK-HUNTINGDON      (31)
                                        WILLIAM PENN HW
                                        (SR0022 SEG 0260/0832)
                             0510/0626
                                        TO 0022/0260 SH
                             0510/0550  (CONN)
                                        024 "DIA CIRC METAL
                             0510/0531  LEN=0050 INSTALLED 1988
                                        FROM 3035/0070 SH
                             0510/0181  (CONN)
                                        014"H 23"W ELLIP CONC
                             0510/0075  LEN=0050 INSTALLED UNKN
000647 FT                    000647 FT  1 0 00055 7 00 0000+00
                                        FAIRGROUNDS RD
                                        (SR3035 SEG 0070/0285)
                           5 0510/0000  LENGTH(AH 0626 BK 0647)

                                        FAIRGROUNDS RD
                                        (SR3035 SEG 0070/0285)
                             0500/0647
                                        018 "DIA CIRC CONCR
                             0500/0340  LEN=0050 INSTALLED 1988
                                        024 "DIA CIRC METAL
                             0500/0160  LEN=0060 INSTALLED 1988
                                        FROM 0022/0260 SH
                             0500/0105  (CONN)
000000 FT                    000000 FT  1 0 00055 7 00 0006+98
                                  NC RAMP RD
                                        WILLIAM PENN HW
                                        (SR0022 SEG 0260/0832)

                                        MFC BEGIN = F
                           5 0500/0000  LENGTH(AH 0647 BK 0000)
```

DIR: N TOTAL LEN: .573 MI. DIST: 09-5 SR: 8004
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T

003027 FT

002310 FT





```
003027 FT
INTER-AHD WILLIAM PENN HW
0754/0717 (SR0022 SEG 0230/0460)
          030 "DIA CIRC CONCR
0754/0225 LEN=0070 INSTALLED 1988
          FROM 0026/0350 SH
0754/0118 (CONN)
002310 FT 0 0 00000 0 00 0000+00
     NC RAMP A EAST RD
          RIDGE RD
          (SR0026 SEG 0350/0718)
5 0754/0000 LENGTH(AH 0717 BK 0727)

          RIDGE RD
          (SR0026 SEG 0350/0718)
0752/0727
          TO 0026/0350 SH
0752/0608 (CONN)
          030 "DIA CIRC CONCR
0752/0417 LEN=0035 INSTALLED 1988
```

DIR: N TOTAL LEN: .573 MI. DIST: 09-5 SR: 8004
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T



001583 FT

018 "DIA CIRC CONCR
0752/0060 LEN=0070 INSTALLED 1988
001583 FT 1 0 00055 2 03 0000+00
NC RAMP A WEST RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0230/0325)
0752/0000 LENGTH(AH 0727 BK 0808)

INTER-AHD WILLIAM PENN HW
0254/0808 (SR0022 SEG 0221/1220)
PRIVATE DR (PENNDOT 9-5
0254/0337 (PRDR)
018 "DIA CIRC CONCR
0254/0276 LEN=0035 INSTALLED 1988
LC TO PRIVATE DR (9-5)
0254/0129 (PRDR)
FROM 0026/0360 SH
0254/0099 (CONN)
014"H 23"W ELLIP CONC
0254/0077 LEN=0053 INSTALLED UNKN
000775 FT 0 0 00000 0 00 0000+00
NC RAMP B WEST RD
RIDGE RD
(SR0026 SEG 0360/0344)
0254/0000 LENGTH(AH 0808 BK 0775)

RIDGE RD
(SR0026 SEG 0360/0344)
0252/0775
014"H 23"W ELLIP CONC
0252/0639 LEN=0012 INSTALLED UNKN
TO 0026/0360 SH
0252/0569 (CONN)
018 "DIA CIRC CONCR
0252/0453 LEN=0035 INSTALLED 1988

PRIVATE DR (PENNDOT 9-5
(PRDR)
0252/0415

015 "DIA CIRC CONCR
0252/0190 LEN=0050 INSTALLED 1988
015 "DIA CIRC CONCR
0252/0030 LEN=0060 INSTALLED 1988
000000 FT 0 0 00000 0 00 0000+00
NC RAMP B EAST RD
INTER-BK WILLIAM PENN HW
(SR0022 SEG 0221/1400)
MFC BEGIN = F
0252/0000 LENGTH(AH 0775 BK 0000)

DIR: B TOTAL LEN: .958 MI. DIST: 09-5 SR: 4031
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

```
                                                   005057 FT
                    005057 FT                    * REF-AHD    MARENGO RD
                                                   0020/3507  (TWP )
                                                              018 "DIA CIRC METAL
                                                   0020/2982  LEN=0050 INSTALLED UNKN

                                                              018 "DIA CIRC METAL
                                                   0020/2158  LEN=0060 INSTALLED UNKN
CAMPBELL LN
(PRDR)               0020/1810

                                                              018 "DIA CIRC METAL
                                                   0020/1747  LEN=0035 INSTALLED UNKN
                                                              018 "DIA CIR PLASTIC
                                                   0020/1456  LEN=0040 INSTALLED UNKN
                                                              018 "DIA CIRC METAL
                                                   0020/1076  LEN=0040 INSTALLED UNKN

                                                   0020/0033  BMSEN 31/4031/0020/0000
                    001550 FT                      001550 FT  2 0 31091 0 00 0015+64
                                                              BEAVER BRANCH
                                                              BMSBG 31/4031/0020/0000
                                                   S 0020/0000 LENGTH(AH 3507 BK 1550)
                                                              FURNACE LN
                                                   0010/1355  (PRDR)
                                                   0010/1216  BMSEN 31/4031/0010/1190
                                                              2 0 31091 0 00 0011+95
                                                              SPRUCE CREEK
                                                   0010/1190  BMSBG 31/4031/0010/1190
                                                              JOHNSON RD
                                                   0010/1014  (T552)
                                                              015 "DIA CIRC METAL
                                                   0010/0709  LEN=0040 INSTALLED UNKN
                                                              024 "DIA CIR PLASTIC
                                                   0010/0521  LEN=0040 INSTALLED UNKN
                    000000 FT                      000000 FT  2 0 31091 0 00 0000+00
                                                         NC MARENGO RD
                                                              SPRUCE CREEK RD
                                                              (SR0045 SEG 0250/1353)
                                                              MFC BEGIN = E
                                                   S 0010/0000 LENGTH(AH 1550 BK 0000)
```

DIR: B TOTAL LEN: .000 MI. DIST: 09-5 SR: 4029
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

000000 FT
000000 FT

000000 FT
7020/0000 LENGTH(AH 1791 BK 2445)
000000 FT
7010/0000 LENGTH(AH 2445 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 09-5 SR: 4027
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

000000 FT
000000 FT

000000 FT
7020/0000 LENGTH(AH 2811 BK 2685)
000000 FT
7010/0000 LENGTH(AH 2685 BK 0000)

DIR: B TOTAL LEN: 5.633 MI. DIST: 09-5 SR: 4025
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

029742 FT

029742 FT
INTER-AHD HALF MOON VALLEY RD
(SR0550 SEG 0160/0000)
CENTRE LINE RD
0120/1569 (SR0550 SEG 0160/0000)

DIR: B TOTAL LEN: 5.633 MI. DIST: 09-5 SR: 4025
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

REESE LN
(T550)

0120/0268			030 "DIA CIRC CONCR
		0120/0127	LEN=0032 INSTALLED UNKN
028173 FT		028173 FT	2 0 31071 0 01 0296+00
	S	0120/0000	LENGTH(AH 1569 BK 3076)
			015 "DIA CIRC CONCR
		0110/2751	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0110/2113	LEN=0036 INSTALLED 2001
			015 "DIA CIRC CONCR
		0110/0904	LEN=0100 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/0589	LEN=0024 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/0120	LEN=0030 INSTALLED UNKN
025097 FT		025097 FT	2 0 31071 0 01 0264+96
	S	0110/0000	LENGTH(AH 3076 BK 2679)
			015 "DIA CIRC CONCR
		0100/2410	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0100/1554	LEN=0029 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0100/0655	LEN=0030 INSTALLED UNKN
022418 FT		022418 FT	2 0 31071 0 01 0238+33
			VILLAGE: SPRING MOUNT
			WARRIORS MARK PATH RD
			(SR0350 SEG 0090/2241)
	S	0100/0000	LENGTH(AH 2679 BK 1094)
			060"H 84"W ELLIP METAL
		0090/0981	LEN=0039 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0090/0724	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0090/0020	LEN=0030 INSTALLED UNKN
021324 FT		021324 FT	2 0 31071 0 01 0227+44
	S	0090/0000	LENGTH(AH 1094 BK 2702)
			018 "DIA CIR PLASTIC
		0080/1640	LEN=0024 INSTALLED UNKN
			024 "DIA CIRC CONCR

DIR: B TOTAL LEN: 5.633 MI. DIST: 09-5 SR: 4025
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

		0080/1310	LEN=0024 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0080/0230	LEN=0024 INSTALLED UNKN
	018622 FT	018622 FT	2 0 31071 0 01 0200+19
			015 "DIA CIRC CONCR
			LEN=0030 INSTALLED UNKN
		S 0080/0000	LENGTH(AH 2702 BK 1499)
	017123 FT	017123 FT	2 0 31071 0 01 0184+99
		S 0070/0000	LENGTH(AH 1499 BK 3756)
			018 "DIA CIRC CONCR
		0060/3006	LEN=0032 INSTALLED UNKN
			012 "DIA CIRC CONCR
		0060/2742	LEN=0025 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0060/2201	LEN=0041 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/1853	LEN=0036 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0060/1166	LEN=0031 INSTALLED UNKN
	013367 FT	013367 FT	2 0 31071 0 01 0147+67
		S 0060/0000	LENGTH(AH 3756 BK 2284)
			018 "DIA CIRC CONCR
		0050/1429	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/0823	LEN=0031 INSTALLED UNKN
MORRISSEY LN (PRDR)	0050/0587	==	
	011083 FT	011083 FT	2 0 31071 0 01 0124+59
			STIVER RD
			(T544)
		== S 0050/0000	LENGTH(AH 2284 BK 3045)
			018 "DIA CIR PLASTIC
		0040/2805	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/2220	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/1705	LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 5.633 MI. DIST: 09-5 SR: 4025
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

008038 FT		008038 FT 2 0 31071 0 01 0094+14
		S 0040/0000 LENGTH(AH 3045 BK 3437)
		018 "DIA CIRC CONCR
		0030/2527 LEN=0032 INSTALLED UNKN
		024 "DIA CIRC CONCR
		0030/1753 LEN=0032 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0030/1467 LEN=0031 INSTALLED UNKN
		050 "DIA CIRC CONCR
		0030/1296 LEN=0031 INSTALLED UNKN
004601 FT		004601 FT 2 0 31071 0 01 0059+77
		S 0030/0000 LENGTH(AH 3437 BK 1861)
		018 "DIA CIR PLASTIC
		0020/0455 LEN=0023 INSTALLED UNKN
002740 FT		002740 FT 2 0 31071 0 01 0041+74
		S 0020/0000 LENGTH(AH 1861 BK 2740)
		015 "DIA CIRC METAL
		0010/2378 LEN=0036 INSTALLED UNKN
		015 "DIA CIRC METAL
		0010/1855 LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0010/1734 LEN=0036 INSTALLED 1989
		015 "DIA CIRC METAL
		0010/1445 LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0010/1100 LEN=0037 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0010/0962 LEN=0038 INSTALLED UNKN
		015 "DIA CIRC METAL
		0010/0708 LEN=0038 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0010/0540 LEN=0045 INSTALLED UNKN
000000 FT		000000 FT 2 0 31071 0 00 0000+00
		PENNINGTON RD
		(SR0550 SEG 0030/0000)
		NC RIDGE RD
		MFC BEGIN = E
PENNINGTON RD (SR0550 SEG 0030/0000)	0010/0000	S 0010/0000 LENGTH(AH 2740 BK 0000)

DIR: B TOTAL LEN: 4.543 MI. DIST: 09-5 SR: 4023
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

	023985 FT	023985 FT	PENNINGTON RD (SR0550 SEG 0090/0000)
PENNINGTON RD (SR0550 SEG 0090/0000)	0110/2627	0110/2627	BURKET RD (T541)
		0110/2571	030 "DIA CIRC CONCR LEN=0069 INSTALLED 1988
		0110/0806	018 "DIA CIRC CONCR LEN=0033 INSTALLED 1988
	021358 FT	021358 FT	2 0 31070 0 00 0210+00
		S 0110/0000	LENGTH(AH 2627 BK 2500)
		0100/1590	018 "DIA CIRC CONCR LEN=0029 INSTALLED 1988
		0100/0613	018 "DIA CIRC CONCR LEN=0029 INSTALLED 1988
		0100/0224	018 "DIA CIRC CONCR LEN=0039 INSTALLED 1988
	018858 FT	018858 FT	2 0 31070 0 00 0184+88
		S 0100/0000	LENGTH(AH 2500 BK 3588)

DIR: B TOTAL LEN: 4.543 MI. DIST: 09-5 SR: 4023
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

		018 "DIA CIRC CONCR
	0090/0735	LEN=0029 INSTALLED 1988
		018 "DIA CIRC CONCR
	0090/0151	LEN=0029 INSTALLED 1988
015270 FT	015270 FT	2 0 31070 0 00 0149+00
		FULCOMER LN
		(T532)
	0090/0000	LENGTH(AH 3588 BK 1826)
		018 "DIA CIRC CONCR
	0080/1552	LEN=0033 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0080/0912	LEN=0029 INSTALLED 1988
		018 "DIA CIRC CONCR
	0080/0256	LEN=0033 INSTALLED 1988
013444 FT	013444 FT	2 0 31070 0 00 0131+00
	0080/0000	LENGTH(AH 1826 BK 1504)
		018 "DIA CIRC CONCR
	0070/0704	LEN=0033 INSTALLED 1988
011940 FT	011940 FT	2 0 31070 0 00 0116+00
	0070/0000	LENGTH(AH 1504 BK 1355)
		018 "DIA CIRC CONCR
	0060/1288	LEN=0030 INSTALLED 1988
010585 FT	010585 FT	2 0 31070 0 00 0102+59
		KNARR RD
		(T528)
	0060/0000	LENGTH(AH 1355 BK 2724)
		018 "DIA CIRC CONCR
	0050/1656	LEN=0033 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/1274	LEN=0033 INSTALLED 1988
		018 "DIA CIRC CONCR
	0050/1035	LEN=0033 INSTALLED 1988
		018 "DIA CIRC CONCR
	0050/0773	LEN=0034 INSTALLED 1988

DIR: B TOTAL LEN: 4.543 MI. DIST: 09-5 SR: 4023
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

	007861 FT		007861 FT 2 0 31070 0 00 0075+00
		S	0050/0000 LENGTH(AH 2724 BK 2501)
			018 "DIA CIRC CONCR
			0040/2048 LEN=0040 INSTALLED 1988
			018 "DIA CIRC CONCR
			0040/0975 LEN=0037 INSTALLED 1988
			036 "DIA CIRC CONCR
			0040/0417 LEN=0043 INSTALLED 1988
	005360 FT		005360 FT 2 0 31070 0 00 0050+00
		S	0040/0000 LENGTH(AH 2501 BK 2488)
			018 "DIA CIRC CONCR
			0030/2246 LEN=0037 INSTALLED 1988
			018 "DIA CIRC CONCR
			0030/1744 LEN=0033 INSTALLED 1988
			024 "DIA CIRC CONCR
			0030/1135 LEN=0032 INSTALLED 1988
			018 "DIA CIRC CONCR
			0030/0614 LEN=0034 INSTALLED 1988
			018 "DIA CIRC CONCR
			0030/0204 LEN=0032 INSTALLED 1988
	002872 FT		002872 FT 2 0 31070 0 00 0025+25
			018 "DIA CIRC CONCR
			LEN=0033 INSTALLED 1988
		S	0030/0000 LENGTH(AH 2488 BK 2525)
			018 "DIA CIRC CONCR
			0020/2049 LEN=0033 INSTALLED 1988
			024 "DIA CIRC CONCR
			0020/1681 LEN=0037 INSTALLED 1988
			018 "DIA CIRC METAL
			0020/1607 LEN=0033 INSTALLED 1988
			018 "DIA CIRC CONCR
			0020/1402 LEN=0033 INSTALLED 1988
			018 "DIA CIRC CONCR
			0020/0978 LEN=0029 INSTALLED 1988
			018 "DIA CIRC CONCR
			0020/0315 LEN=0030 INSTALLED 1988
	000347 FT		000347 FT 2 0 31070 0 00 0000+00
			DRY HOLLOW RD
			(T534)
		S	0020/0000 LENGTH(AH 2525 BK 0347)
	000000 FT		000000 FT 2 0 31070 1 00 0000+00
			BIRMINGHAM PK
			(SR0453 SEG 0110/2788)
			NC HUNDRED SPRINGS RD
BIRMINGHAM PK			MFC BEGIN = E
(SR0453 SEG 0110/2788)	0010/0000	S	0010/0000 LENGTH(AH 0347 BK 0000)

DIR: B TOTAL LEN: 1.578 MI. DIST: 09-5 SR: 4021
LEFT MUN: SPRUCE CREEK T RIGHT MUN: SPRUCE CREEK T

EDEN HILL RD 008330 FT
(SR4017 SEG 0050/0000) 0030/1694



008330 FT EDEN HILL RD
0030/1694 (SR4017 SEG 0050/0000)
024"H 00"W MULT METAL
0030/1690 LEN=0044 INSTALLED UNKN

DIR: B TOTAL LEN: 1.578 MI. DIST: 09-5 SR: 4021
LEFT MUN: SPRUCE CREEK T RIGHT MUN: SPRUCE CREEK T

	006636 FT		006636 FT 2 0 31061 0 00 0058+15
		S	0030/0000 LENGTH(AH 1694 BK 3000)
			015 "DIA CIR PLASTIC
			0020/2672 LEN=0025 INSTALLED 2008
			015 "DIA CIR PLASTIC
			0020/2120 LEN=0025 INSTALLED 2008
EDEN RD (T514)	0020/0677		
			015 "DIA CIR PLASTIC
			0020/0335 LEN=0025 INSTALLED 2008
			015 "DIA CIR PLASTIC
			0020/0232 LEN=0025 INSTALLED 2008
	003636 FT		003636 FT 2 0 31060 0 00 0028+15
			GENSIMORE LN
			(T517)
		S	0020/0000 LENGTH(AH 3000 BK 3636)
			015 "DIA CIR PLASTIC
			0010/3403 LEN=0025 INSTALLED 2008
			028"H 53"W ELLIP CONC
			0010/2721 LEN=0032 INSTALLED 2009
			018 "DIA CIRC CONCR
			0010/2362 LEN=0035 INSTALLED 2009
			018 "DIA CIR PLASTIC
			0010/2298 LEN=0036 INSTALLED 2009
			018 "DIA CIRC CONCR
			0010/2023 LEN=0040 INSTALLED 2009
			018 "DIA CIR PLASTIC
			0010/1755 LEN=0040 INSTALLED 2009
			018 "DIA CIRC CONCR
			0010/1081 LEN=0040 INSTALLED 2009
NES&LCO UNION FURNACE Q (PRDR)	0010/0548	POI	0010/0548 (APRA) NES&LCO UNION FU
			0010/0482 (AAR 506520K)#TRKS 02
LINESTONE RD (PRDR)	0010/0307		
	000000 FT		000000 FT 2 0 31060 0 00 0000+70
			NC JOHNSON HILL RD
		*	REF-BK PEMBERTON RD
			(SR1013 SEG 0370/1175)
			MFC BEGIN = E
			BK-BLAIR (07)
		S	0010/0000 LENGTH(AH 3636 BK 0000)

DIR: B TOTAL LEN: .329 MI. DIST: 09-5 SR: 4019
LEFT MUN: MORRIS T RIGHT MUN: MORRIS T

001738 FT



000000 FT

001738 FT AH-BLAIR (07)
BMSEN 31/4019/0010/1711
REF-AHD UNION FURNACE RD
0010/1738 (SR1010 SEG 0010/0000)
1 0 00055 4 00 0009+38
ARCH SPRING RUN
0010/1711 BMSBG 31/4019/0010/1711
015 "DIA CIRC CONCR
0010/1338 LEN=0028 INSTALLED UNKN

015 "DIA CIR PLASTIC
0010/0296 LEN=0035 INSTALLED 2001
015 "DIA CIR PLASTIC
0010/0082 LEN=0040 INSTALLED 2001
000000 FT 2 0 31057 1 00 0000+00
NC UNION FURNACE RD
UNION FURNACE RD
(SR4006 SEG 0020/0000)
INTER-BK SHOVEL WORKS RD
(SR4006 SEG 0020/0000)
MFC BEGIN = E
0010/0000 LENGTH(AH 1738 BK 0000)

DIR: B TOTAL LEN: 3.143 MI. DIST: 09-5 SR: 4017
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

	016595 FT		016595 FT	
			INTER-AHD	KEEFERTOWN RD (T537)
HUNTINGDON FURNACE RD (SR4013 SEG 0050/0000)	0080/2543		0080/2543	HUNTINGDON FURNACE RD (SR4013 SEG 0050/0000)
				018 "DIA CIRC METAL
			0080/2513	LEN=0120 INSTALLED UNKN
				WARRIORS MARK
			0080/1111	SPRUCE CREEK T
				015 "DIA CIRC METAL
			0080/0649	LEN=0036 INSTALLED UNKN
	014052 FT		014052 FT	2 0 31058 0 00 0140+38
			S 0080/0000	LENGTH(AH 2543 BK 2037)
				015 "DIA CIRC METAL
			0070/1460	LEN=0040 INSTALLED UNKN
				015 "DIA CIRC METAL
			0070/0960	LEN=0060 INSTALLED UNKN
2 0 31058 0 00 0120+00 EDEN RD (T514)	012015 FT		012015 FT	
	0070/0000		S 0070/0000	LENGTH(AH 2037 BK 0973)
	011042 FT		011042 FT	2 0 31058 0 00 0110+33
			S 0060/0000	LENGTH(AH 0973 BK 2717)
				018 "DIA CIRC METAL
			0050/2273	LEN=0038 INSTALLED UNKN
				015 "DIA CIRC METAL
			0050/0846	LEN=0034 INSTALLED UNKN
2 0 31058 0 00 0083+38 JOHNSON HILL RD (SR4021 SEG 0030/1694)	008325 FT		008325 FT	
	0050/0000		S 0050/0000	LENGTH(AH 2717 BK 1792)
				018 "DIA CIRC METAL
			0040/1766	LEN=0038 INSTALLED UNKN
				015 "DIA CIRC METAL
			0040/1129	LEN=0024 INSTALLED UNKN
				015 "DIA CIRC METAL
			0040/0705	LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 3.143 MI. DIST: 09-5 SR: 4017
LEFT MUN: SPRUCE CREEK T RIGHT MUN: SPRUCE CREEK T

```
                                                  015 "DIA CIRC METAL
                                     0040/0576 LEN=0028 INSTALLED UNKN
006533 FT                            006533 FT 2 0 31058 0 00 0065+46
                                     0040/0000 LENGTH(AH 1792 BK 1790)
                                                  015 "DIA CIRC METAL
                                     0030/1726 LEN=0026 INSTALLED UNKN

                                                  015 "DIA CIRC METAL
                                     0030/0707 LEN=0028 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                     0030/0279 LEN=0024 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                     0030/0146 LEN=0028 INSTALLED UNKN
004743 FT                            004743 FT 2 0 31058 0 00 0047+84
                                     0030/0000 LENGTH(AH 1790 BK 2531)
                                                  015 "DIA CIRC METAL
                                     0020/2467 LEN=0024 INSTALLED UNKN

                                                  015 "DIA CIRC METAL
                                     0020/1608 LEN=0028 INSTALLED UNKN

                                                  015 "DIA CIRC METAL
                                     0020/0978 LEN=0032 INSTALLED UNKN
                                                  012 "DIA CIRC METAL
                                     0020/0632 LEN=0025 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                     0020/0281 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                     0020/0023 LEN=0030 INSTALLED UNKN
002212 FT                            002212 FT 2 0 31058 0 00 0022+53
                                     0020/0000 LENGTH(AH 2531 BK 2212)
                                                  015 "DIA CIRC METAL
                                     0010/1875 LEN=0045 INSTALLED UNKN

                                                  015 "DIA CIRC METAL
                                     0010/1161 LEN=0028 INSTALLED 1990
                                                  015 "DIA CIRC METAL
                                     0010/0797 LEN=0028 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                     0010/0352 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                     0010/0167 LEN=0032 INSTALLED UNKN
000000 FT                            000000 FT 2 0 31058 0 00 0000+00
                                                  VILLAGE: SPRUCE CREEK
                                           NC EDEN HILL RD
                                                  SPRUCE CREEK RD
                                                  (SR0045 SEG 0070/0167)
                                                  MFC BEGIN = E
                                     0010/0000 LENGTH(AH 2212 BK 0000)
```

DIR: B TOTAL LEN: 1.315 MI. DIST: 09-5 SR: 4016
LEFT MUN: MORRIS T RIGHT MUN: MORRIS T

006942 FT

006942 FT
INTER-AHD BIRMINGHAM PK
(SR0453 SEG 0010/0000)
WILLIAM PENN HW
(SR0022 SEG 0078/0000)
0030/1634
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 1.315 MI. DIST: 09-5 SR: 4016
LEFT MUN: MORRIS T RIGHT MUN: MORRIS T

```
                                                 0030/1500 LEN=0090 INSTALLED 2001
                                                           018 "DIA CIRC CONCR
                                                 0030/1210 LEN=0045 INSTALLED UNKN

                                                           024 "DIA CIRC CONCR
                                                 0030/0400 LEN=0055 INSTALLED 1999
                                                              SR 0022
                                                 0030/0364 OP ID 31/0022/0074/0000
                                                 0030/0049 BMSEN 31/4016/0030/0000
                        005308 FT                005308 FT 1 0 00260 0 02 0150+75
                                                           SHAFFERS RUN
                                                           BMSBG 31/4016/0030/0000
                                                S 0030/0000 LENGTH(AH 1634 BK 2640)
HUNGRY HOLLOW RD
(SR4001 SEG 0010/0000)   0020/2418

                                                           015 "DIA CIRC CONCR
                                                 0020/1667 LEN=0048 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0020/1142 LEN=0037 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0020/0708 LEN=0042 INSTALLED UNKN
                                                 0020/0175 BMSEN 31/4016/0020/0163
                                                           1 0 00260 0 02 0126+01
                                                           TRIB SHAFFERS RUN
                                                 0020/0163 BMSBG 31/4016/0020/0163
                        002668 FT                002668 FT 1 0 00260 0 02 0124+45
TIPPERY RD                                                 VILLAGE: SHAFFERSVILLE
(T495)                   0020/0000              S 0020/0000 LENGTH(AH 2640 BK 2668)
                                                           018 "DIA CIRC CONCR
                                                 0010/2217 LEN=0062 INSTALLED UNKN
                                                 0010/2114 BMSEN 31/4016/0010/2100
                                                           1 0 00260 0 02 0118+80
                                                           TR.SHAFRS RN
                                                 0010/2100 BMSBG 31/4016/0010/2100
                                                           018 "DIA CIRC CONCR
                                                 0010/1600 LEN=0060 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0010/1029 LEN=0040 INSTALLED UNKN
                                                           GOODMAN RD
                                                 0010/0705 (T482)

                                                           048 "DIA CIRC METAL
                                                 0010/0063 LEN=0039 INSTALLED UNKN
                        000000 FT                000000 FT 0 0 00000 0 00 0000+00
                                                      NC SHAFFERSVILLE RD
                                                           WILLIAM PENN HW
                                                           (SR0022 SEG 0044/1601)
                                                           MFC BEGIN = E
                                                S 0010/0000 LENGTH(AH 2668 BK 0000)
```

DIR: B TOTAL LEN: 1.891 MI. DIST: 09-5 SR: 4015
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

	009985 FT		009985 FT	
HUNTINGDON FURNACE RD			INTER-AHD	OLD MILL RD
(SR4013 SEG 0140/0000)	0050/2434		0050/2434	(SR4013 SEG 0140/0000)
				012 "DIA CIR PLASTIC
			0050/2166	LEN=0029 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0050/1844	LEN=0027 INSTALLED 1988
				018 "DIA CIRC METAL
			0050/1185	LEN=0027 INSTALLED 1988
				018 "DIA CIRC METAL
			0050/0722	LEN=0029 INSTALLED 1988
				018 "DIA CIRC METAL
			0050/0554	LEN=0038 INSTALLED 1988
			0050/0067	BMSEN 31/4015/0050/0000
	007551 FT		007551 FT	2 0 31106 0 01 0076+16
				VILLAGE: HUNT.FURNACE
				WARRIORS MARK RUN
				BMSBG 31/4015/0050/0000
			5 0050/0000	LENGTH(AH 2434 BK 1115)
				018 "DIA CIRC METAL
			0040/1015	LEN=0060 INSTALLED 1988
				018 "DIA CIRC METAL
			0040/0653	LEN=0033 INSTALLED 1988

DIR: B TOTAL LEN: 1.891 MI. DIST: 09-5 SR: 4015
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

```
                                          0040/0052 BMSEN 31/4015/0040/0000
006436 FT                                 006436 FT 2 0 31106 0 01 0062+05
                                                    WARRIORS MARK RUN
                                                    BMSBG 31/4015/0040/0000
                                        S 0040/0000 LENGTH(AH 1115 BK 1963)
                                                    036 "DIA CIRC METAL
                                          0030/1460 LEN=0041 INSTALLED 1988
                                                    012 "DIA CIRC METAL
                                          0030/1152 LEN=0020 INSTALLED 1988


                                                    015 "DIA CIRC METAL
                                          0030/0167 LEN=0026 INSTALLED 1988
004473 FT                                 004473 FT 2 0 31106 0 01 0045+40
                                                    018 "DIA CIRC METAL
                                                    LEN=0046 INSTALLED 1988
                                        S 0030/0000 LENGTH(AH 1963 BK 2772)
                                                    018 "DIA CIRC METAL
                                          0020/2365 LEN=0031 INSTALLED 1998
                                                    036 "DIA CIRC METAL
                                          0020/2204 LEN=0022 INSTALLED 1988

                                                    018 "DIA CIR PLASTIC
                                          0020/1504 LEN=0030 INSTALLED 1988
                                                    015 "DIA CIRC METAL
                                          0020/1343 LEN=0025 INSTALLED 1988

                                                    012 "DIA CIR PLASTIC
                                          0020/0731 LEN=0028 INSTALLED 1988
                                                    018 "DIA CIRC METAL
                                          0020/0390 LEN=0026 INSTALLED 1988
001701 FT                                 001701 FT 2 0 31106 0 01 0017+68
                                        S 0020/0000 LENGTH(AH 2772 BK 1701)
                                                    018 "DIA CIRC CONCR
                                          0010/1371 LEN=0045 INSTALLED 1998
                                          0010/1004 BMSEN 31/4015/0010/0915
                                                    2 0 31106 0 00 0009+21
                                                    WARRIORS MARK RUN
                                          0010/0915 BMSBG 31/4015/0010/0915
                                                    018 "DIA CIRC CONCR
                                          0010/0765 LEN=0045 INSTALLED 1988

                                                    018 "DIA CIRC CONCR
                                          0010/0118 LEN=0026 INSTALLED 1988
000000 FT                                 000000 FT 2 0 31106 0 00 0000+00
                                                NC HUNTINGDON FURNACE RD
                                                    SPRUCE CREEK RD
                                                    (SR0045 SEG 0130/0000)
                                                    MFC BEGIN = E
                                        S 0010/0000 LENGTH(AH 1701 BK 0000)
```

DIR: B TOTAL LEN: 1.127 MI. DIST: 09-5 SR: 4014
LEFT MUN: PORTER T RIGHT MUN: PORTER T

	005949 FT		005949 FT
BARREE RD			INTER-AHD MAIN ST
(SR4004 SEG 0020/0527)	0030/1498		0030/1498 (SR4004 SEG 0020/0527)
			036 "DIA CIRC METAL
			0030/1359 LEN=0036 INSTALLED UNKN
	004451 FT		004451 FT 2 0 31101 0 00 0045+00
		S	0030/0000 LENGTH(AH 1498 BK 2798)
			030 "DIA CIRC METAL
			0020/2521 LEN=0063 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0020/1312 LEN=0032 INSTALLED UNKN
RUSSELL RIDGE TRANSPORT			
(PRDR)	0020/0900		0020/0900 (APRA) RUSSELL RIDGE TR
			0020/0648 BMSEN 31/4014/0020/0642
			0 0 00000 0 00 0000+00
			048"H 72"W CONC STRUCT
			LEN=0026 INSTALLED UNKN
			T FB JUN RIV
			0020/0642 BMSBG 31/4014/0020/0642
			015 "DIA CIRC METAL
			0020/0530 LEN=0200 INSTALLED UNKN
	001653 FT		001653 FT 2 0 31101 0 00 0017+16
		S	0020/0000 LENGTH(AH 2798 BK 1653)
			018 "DIA CIR PLASTIC
			0010/1455 LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0010/1389 LEN=0032 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0010/1134 LEN=0042 INSTALLED UNKN
			015 "DIA CIRC METAL
			0010/0925 LEN=0048 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0010/0641 LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0010/0190 LEN=0060 INSTALLED UNKN
	000000 FT		000000 FT 2 0 31101 0 00 0000+00
			NC MAIN ST
			WILLIAM PENN HW
			(SR0022 SEG 0080/2290)
			MFC BEGIN = D
		S	0010/0000 LENGTH(AH 1653 BK 0000)

DIR: B TOTAL LEN: 5.814 MI. DIST: 09-5 SR: 4013
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

030700 FT

029408 FT



030700 FT WARRIORS MARK PATH RD
0150/1292 (SR0350 SEG 0030/2887)
036 "DIA CIRC METAL
0150/1270 LEN=0060 INSTALLED UNKN
015 "DIA CIRC CONCR
0150/0822 LEN=0032 INSTALLED UNKN
015 "DIA CIR PLASTIC
0150/0433 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0150/0109 LEN=0030 INSTALLED UNKN
029408 FT 2 0 31069 0 02 0296+45
5 0150/0000 LENGTH(AH 1292 BK 2840)

018 "DIA CIRC CONCR
0140/1500 LEN=0026 INSTALLED UNKN

DIR: B TOTAL LEN: 5.814 MI. DIST: 09-5 SR: 4013
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

026568 FT

026568 FT 2 0 31069 0 02 0268+35
VILLAGE: HUNT.FURNACE
NC OLD MILL RD
HUNTINGDON FURNACE RD
(SR4015 SEG 0050/2434)
S 0140/0000 LENGTH(AH 2840 BK 1367)
0130/1299 BMSEN 31/4013/0130/1249
2 0 31069 0 02 0267+52
WARRIORS MARK RUN
0130/1249 BMSBG 31/4013/0130/1249
018 "DIA CIRC CONCR
0130/1110 LEN=0044 INSTALLED 1999

060 "DIA CIRC METAL
0130/0214 LEN=0099 INSTALLED UNKN

025201 FT

025201 FT 2 0 31069 0 02 0255+27
S 0130/0000 LENGTH(AH 1367 BK 2524)

022677 FT

022677 FT 2 0 31069 0 02 0229+58
S 0120/0000 LENGTH(AH 2524 BK 2103)

018 "DIA CIRC CONCR
0110/1396 LEN=0025 INSTALLED UNKN
018 "DIA CIRC CONCR
0110/1030 LEN=0032 INSTALLED 2005
018 "DIA CIR PLASTIC
0110/0542 LEN=0026 INSTALLED UNKN
018 "DIA CIRC CONCR
0110/0015 LEN=0032 INSTALLED 2005

020574 FT

020574 FT 2 0 31069 0 02 0208+55
S 0110/0000 LENGTH(AH 2103 BK 2282)
018 "DIA CIRC CONCR
0100/1931 LEN=0029 INSTALLED UNKN
015 "DIA CIR PLASTIC
0100/1560 LEN=0035 INSTALLED UNKN
018 "DIA CIR PLASTIC
0100/1290 LEN=0008 INSTALLED 2005

015 "DIA CIR PLASTIC
0100/0420 LEN=0040 INSTALLED UNKN

2 0 31069 0 02 0185+30 018292 FT

018292 FT

DIR: B TOTAL LEN: 5.814 MI. DIST: 09-5 SR: 4013
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

CURFMAN RD (T531)	0100/0000		0100/0000 LENGTH(AH 2282 BK 1645)
			024 "DIA CIRC CONCR
			0090/1515 LEN=0008 INSTALLED 2005
			ARCHIE SMITH LN
			0090/1231 (PRDR)
			018 "DIA CIR PLASTIC
			0090/0860 LEN=0029 INSTALLED UNKN
	016647 FT		016647 FT 2 0 31069 0 02 0168+00
			0090/0000 LENGTH(AH 1645 BK 2424)
			FRANKLIN
			0080/2214 WARRIORS MARK T
			024 "DIA CIR PLASTIC
			0080/2024 LEN=0008 INSTALLED 2005
			024 "DIA CIR PLASTIC
			0080/1024 LEN=0008 INSTALLED 2005
BIG DREAM LN (PRDR)	0080/0861		
			015 "DIA CIRC CONCR
			0080/0648 LEN=0025 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0080/0180 LEN=0006 INSTALLED 2005
	014223 FT		014223 FT 2 0 31069 0 02 0143+51
			0080/0000 LENGTH(AH 2424 BK 2468)
			015 "DIA CIRC CONCR
			0070/2029 LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0070/1665 LEN=0031 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0070/0535 LEN=0030 INSTALLED UNKN
	011755 FT		011755 FT 2 0 31069 0 02 0119+00
			0070/0000 LENGTH(AH 2468 BK 2460)
			018 "DIA CIRC CONCR
			0060/2384 LEN=0030 INSTALLED UNKN
PENNDOT STOCKPILE #6 (GOVT)	0060/2204		ORE LN
			0060/2204 (PRDR)
			018 "DIA CIRC CONCR
			0060/1899 LEN=0045 INSTALLED 1980
	009295 FT		009295 FT 2 0 31069 0 02 0094+10
			0060/0000 LENGTH(AH 2460 BK 1262)

DIR: B TOTAL LEN: 5.814 MI. DIST: 09-5 SR: 4013
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

KEEFERTOWN RD
(T538)

			018 "DIA CIRC CONCR
		0050/0553	LEN=0048 INSTALLED 1980
			018 "DIA CIRC CONCR
		0050/0121	LEN=0045 INSTALLED UNKN
	008033 FT	008033 FT	2 0 31069 0 01 0080+16
			EDEN HILL RD
			(SR4017 SEG 0080/2543)
	0050/0000	0050/0000	LENGTH(AH 1262 BK 1239)
			015 "DIA CIRC CONCR
		0040/0433	LEN=0070 INSTALLED UNKN
	006794 FT	006794 FT	2 0 31069 0 01 0068+64
		0040/0000	LENGTH(AH 1239 BK 1257)
			018 "DIA CIRC CONCR
		0030/0755	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/0529	LEN=0066 INSTALLED UNKN
		0030/0026	BMSEN 31/4013/0030/0000
	005537 FT	005537 FT	2 0 31069 0 01 0055+75
			GENSIMORE RN
			BMSBG 31/4013/0030/0000
		0030/0000	LENGTH(AH 1257 BK 2971)
			018 "DIA CIRC CONCR
		0020/2118	LEN=0030 INSTALLED UNKN
	002566 FT	002566 FT	2 0 31069 0 01 0026+43
		0020/0000	LENGTH(AH 2971 BK 2566)
			018 "DIA CIRC CONCR
		0010/2274	LEN=0072 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1757	LEN=0048 INSTALLED 2005
			018 "DIA CIRC CONCR
		0010/1308	LEN=0064 INSTALLED 2005
			018 "DIA CIRC METAL
		0010/0866	LEN=0010 INSTALLED 2005
			018 "DIA CIRC CONCR
		0010/0490	LEN=0045 INSTALLED UNKN
	000000 FT	000000 FT	2 0 31069 0 00 0000+00
			NC HUNTINGDON FURNACE RD
			BIRMINGHAM PK
			(SR0453 SEG 0080/0000)
			MFC BEGIN = E
		0010/0000	LENGTH(AH 2566 BK 0000)

DIR: B TOTAL LEN: .375 MI. DIST: 09-5 SR: 4012
LEFT MUN: BIRMINGHAM B RIGHT MUN: BIRMINGHAM B

	001980 FT		001980 FT
		*	REF-AHD BUTTERNUT RD
			0010/1980 (T315)
			015 "DIA CIR PLASTIC
			0010/1721 LEN=0045 INSTALLED 1997
FURNACE ST (BORO)	0010/1625		NC BUTTERNUT RD
			CENTRE AL
			0010/1415 (BORO)
			NC JUNIATA ST
SPRING ST (BORO)	0010/0810		
MARKET ST (BORO)	0010/0636		
			015 "DIA CIRC CONCR
			0010/0600 LEN=0025 INSTALLED UNKN
			BIRMINGHAM
			0010/0422 WARRIORS MARK T
			018 "DIA CIRC METAL
			0010/0407 LEN=0051 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0010/0046 LEN=0054 INSTALLED UNKN
	000000 FT		000000 FT 2 0 31108 0 00 0000+00
			NC TYRONE ST
			BIRMINGHAM PK
			(SR0453 SEG 0110/0000)
			MFC BEGIN = E
		S	0010/0000 LENGTH(AH 1980 BK 0000)

DIR: B TOTAL LEN: .660 MI. DIST: 09-5 SR: 4011
LEFT MUN: LOGAN T RIGHT MUN: LOGAN T

003483 FT

003483 FT
INTER-AHD DIAMOND VALLEY RD
(T602)
SNEATH RD
0010/3483 (T504)
036 "DIA CIRC METAL
0010/2946 LEN=0034 INSTALLED UNKN
048"H 72"W ELLIP CONC
0010/2725 LEN=0025 INSTALLED UNKN
015 "DIA CIR PLASTIC
0010/2245 LEN=0050 INSTALLED UNKN

015 "DIA CIR PLASTIC
0010/1593 LEN=0035 INSTALLED 2001
015 "DIA CIR PLASTIC
0010/1190 LEN=0040 INSTALLED 2001
015 "DIA CIR PLASTIC
0010/0968 LEN=0035 INSTALLED 2001

000000 FT

000000 FT 2 0 31114 0 00 0000+00
NC DIAMOND VALLEY RD
INTER-BK DIAMOND VALLEY RD
(SR4002 SEG 0050/0000)
MFC BEGIN = E
BROOKSIDE RD
(SR4002 SEG 0050/0000) 0010/0000 0010/0000 LENGTH(AH 3483 BK 0000)

DIR: B TOTAL LEN: .260 MI. DIST: 09-5 SR: 4010
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

001374 FT

000000 FT



001374 FT
* REF-AHD WHITEHALL RD
0010/1374 (TWP)

000000 FT 2 0 31104 0 00 0000+00
NC WHITEHALL RD
SPRUCE CREEK RD
(SR0045 SEG 0260/0000)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 1374 BK 0000)

DIR: B TOTAL LEN: 3.405 MI. DIST: 09-5 SR: 4009
LEFT MUN: WEST T RIGHT MUN: WEST T

017978 FT

ORMSBY RD
(T505)

0080/0029

015246 FT

SNEATH RD
(T504)

0070/1195



017978 FT SHAVERS CREEK RD
0080/2732 (SR0305 SEG 0210/0000)
018 "DIA CIR PLASTIC
0080/2722 LEN=0038 INSTALLED 2016
018 "DIA CIR PLASTIC
0080/2520 LEN=0028 INSTALLED UNKN
018 "DIA CIR PLASTIC
0080/2445 LEN=0030 INSTALLED UNKN
018 "DIA CIR PLASTIC
0080/2216 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0080/2162 LEN=0039 INSTALLED 2016
018 "DIA CIR PLASTIC
0080/1638 LEN=0040 INSTALLED UNKN

018 "DIA CIR PLASTIC
0080/0843 LEN=0032 INSTALLED UNKN

0080/0018 BMSEN 31/4009/0080/0000
015246 FT 2 0 31087 0 01 0152+05
LIGHTNER R C
BMSBG 31/4009/0080/0000
5 0080/0000 LENGTH(AH 2732 BK 2545)

018 "DIA CIR PLASTIC
0070/1906 LEN=0033 INSTALLED 2016
018 "DIA CIR PLASTIC
0070/1529 LEN=0034 INSTALLED UNKN
018 "DIA CIRC CONCR
0070/1243 LEN=0048 INSTALLED 2002

DIR: B TOTAL LEN: 3.405 MI. DIST: 09-5 SR: 4009
LEFT MUN: WEST T RIGHT MUN: WEST T

				048"H 00"W MULT PLSTIC
				LEN=0032 INSTALLED UNKN
				T SHAVERS CK
				STRUCTURE LENGTH 9 FT
			0070/1169	BMSID 31/4009/0070/1169
				WEST
			0070/0519	LOGAN T
				036 "DIA CIR PLASTIC
			0070/0446	LEN=0036 INSTALLED 2016
	012701 FT		012701 FT	2 0 31087 0 01 0126+77
				015 "DIA CIRC CONCR
				LEN=0032 INSTALLED UNKN
		S	0070/0000	LENGTH(AH 2545 BK 2716)
				018 "DIA CIR PLASTIC
			0060/2221	LEN=0040 INSTALLED UNKN
				015 "DIA CIR PLASTIC
			0060/1912	LEN=0040 INSTALLED 2002
				018 "DIA CIR PLASTIC
			0060/1036	LEN=0032 INSTALLED UNKN
				024 "DIA CIRC CONCR
			0060/0670	LEN=0040 INSTALLED UNKN
	009985 FT		009985 FT	2 0 31087 0 01 0099+60
		S	0060/0000	LENGTH(AH 2716 BK 2527)
				018 "DIA CIRC CONCR
			0050/1947	LEN=0040 INSTALLED 2002
				018 "DIA CIR PLASTIC
			0050/1095	LEN=0064 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0050/0526	LEN=0030 INSTALLED 2016
2 0 31087 0 01 0074+33	007458 FT		007458 FT	
WILLOWBROOK RD				
(T506)	0050/0000	S	0050/0000	LENGTH(AH 2527 BK 2396)
			0040/2066	BMSEN 31/4009/0040/2047
				2 0 31087 0 01 0070+70
				BR SHAVER CR
			0040/2047	BMSBG 31/4009/0040/2047
				NELSON RD
			0040/1850	(T507)
				018 "DIA CIR PLASTIC
			0040/1760	LEN=0036 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0040/0935	LEN=0034 INSTALLED UNKN
	005062 FT		005062 FT	2 0 31087 0 01 0050+30

DIR: B TOTAL LEN: 3.405 MI. DIST: 09-5 SR: 4009
LEFT MUN: LOGAN T RIGHT MUN: LOGAN T

			MILL RD
			(T505)
		S 0040/0000	LENGTH(AH 2396 BK 1456)
			060 "DIA CIRC METAL
		0030/1415	LEN=0038 INSTALLED UNKN
			LC FOR MILL RD
		0030/1338	(TWP)
			015 "DIA CIR PLASTIC
		0030/1262	LEN=0032 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0030/0881	LEN=0028 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/0455	LEN=0030 INSTALLED 2016
	003606 FT	003606 FT	2 0 31087 0 01 0035+77
			018 "DIA CIR PLASTIC
			LEN=0031 INSTALLED 2016
		S 0030/0000	LENGTH(AH 1456 BK 2297)
			018 "DIA CIR PLASTIC
		0020/1716	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0020/1647	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1418	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0891	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0370	LEN=0038 INSTALLED UNKN
FOR SR 4002 AND 4009			
(CONN)	0020/0255		
DIAMOND VALLEY RD			
(SR4002 SEG 0050/2761)	0020/0140		NC BETHEL RD
		RBR	
		0020/0126	BMSEN 31/4009/0020/0000
	001309 FT	001309 FT	2 0 31087 0 00 0013+20
			P3
			SHAVERS CREEK
		RBR	BMSBG 31/4009/0020/0000
		S 0020/0000	LENGTH(AH 2297 BK 1309)
			018 "DIA CIR PLASTIC
		0010/0253	LEN=0026 INSTALLED 2016
	000000 FT	000000 FT	2 0 31087 0 00 0000+00
			NC DIAMOND VALLEY RD
			SHAVERS CREEK RD
			(SR0305 SEG 0120/0000)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 1309 BK 0000)

DIR: B TOTAL LEN: 3.519 MI. DIST: 09-5 SR: 4008
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

CLAYBANK LN
(PRDR)

018582 FT

0080/0295
018117 FT



018582 FT
REF-AHD DRY HOLLOW RD
0080/0465 (TWP)

018117 FT 2 0 31074 0 00 0181+35
0080/0000 LENGTH(AH 0465 BK 2551)
018 "DIA CIRC METAL
0070/2125 LEN=0024 INSTALLED UNKN
018 "DIA CIRC METAL

DIR: B TOTAL LEN: 3.519 MI. DIST: 09-5 SR: 4008
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

```
                                                  0070/1822 LEN=0024 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0070/1580 LEN=0024 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0070/1202 LEN=0024 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0070/0689 LEN=0024 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0070/0460 LEN=0031 INSTALLED UNKN
015566 FT                                         015566 FT 2 0 31074 0 00 0155+84
                                                5 0070/0000 LENGTH(AH 2551 BK 2522)
                                                            018 "DIA CIRC CONCR
                                                  0060/2448 LEN=0032 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0060/2021 LEN=0025 INSTALLED UNKN

                                                            ARBUTUS LN
                                                  0060/1151 (PRDR)
                                                            015 "DIA CIRC METAL
                                                  0060/1066 LEN=0025 INSTALLED UNKN

013044 FT                                         013044 FT 2 0 31074 0 00 0130+34
                                                5 0060/0000 LENGTH(AH 2522 BK 2574)


                                                            018 "DIA CIRC CONCR
                                                  0050/1270 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0050/1004 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0050/0700 LEN=0030 INSTALLED UNKN

010470 FT                                         010470 FT 2 0 31074 0 00 0104+60
                                                            VILLAGE: DUNGARVIN
                                                      NC DRY HOLLOW RD
                                                            DRY HOLLOW RD
                                                            (T534)
                                                5 0050/0000 LENGTH(AH 2574 BK 2910)
                                                            LC FOR DRY HOLLOW RD
                                                  0040/2793 (CONN)
                                                            018 "DIA CIR PLASTIC
                                                  0040/2758 LEN=0025 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0040/1937 LEN=0027 INSTALLED UNKN
ON POINT LN
(PRDR)                0040/1785

                                                            015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 3.519 MI. DIST: 09-5 SR: 4008
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

		0040/1586	LEN=0025 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0040/0230	LEN=0025 INSTALLED UNKN
	007560 FT	007560 FT	2 0 31074 0 00 0075+50
		S 0040/0000	LENGTH(AH 2910 BK 2487)
			015 "DIA CIRC CONCR
		0030/1755	LEN=0075 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0030/1174	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0030/0694	LEN=0037 INSTALLED UNKN
	005073 FT	005073 FT	2 0 31074 0 00 0050+63
		S 0030/0000	LENGTH(AH 2487 BK 2393)
			015 "DIA CIRC CONCR
		0020/2000	LEN=0042 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/1531	LEN=0031 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1321	LEN=0030 INSTALLED UNKN
	002680 FT	002680 FT	2 0 31074 0 00 0027+03
			015 "DIA CIRC CONCR
			LEN=0042 INSTALLED UNKN
		S 0020/0000	LENGTH(AH 2393 BK 2680)
SHAW LN (PRDR)	0010/2423		
			015 "DIA CIR PLASTIC
		0010/1328	LEN=0025 INSTALLED UNKN
HANNAH'S LN (PRDR)	0010/1189		
			018 "DIA CIR PLASTIC
		0010/0722	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0060	LEN=0074 INSTALLED UNKN
	000000 FT	000000 FT	2 0 31074 0 00 0000+00
			NC DUNGARVIN RD
			CENTRE LINE RD
			(SR0550 SEG 0140/0000)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 2680 BK 0000)

DIR: B TOTAL LEN: 6.647 MI. DIST: 09-5 SR: 4007
LEFT MUN: PETERSBURG B RIGHT MUN: PETERSBURG B

	035097 FT		035097 FT INTER-AHD DIAMOND ST (SR0305 SEG 0100/0629)
KING ST (BORO)	0140/3753		KING ST 0140/3753 (SR0305 SEG 0100/0629) 024 "DIA CAST IRON
			0140/3702 LEN=0050 INSTALLED UNKN
HILL ST (BORO)	0140/3328		HILL ST 0140/3299 (BORO) PETERSBURG
			0140/2920 LOGAN T 018 "DIA CIR PLASTIC
			0140/2621 LEN=0042 INSTALLED 2019
WARRIOR RIDGE RD (T492)	0140/2596		015 "DIA CIRC CONCR
			0140/1712 LEN=0030 INSTALLED UNKN 018 "DIA CIRC CONCR
			0140/1623 LEN=0032 INSTALLED 2001
			018 "DIA CIRC CONCR
			0140/0582 LEN=0040 INSTALLED 2001

DIR: B TOTAL LEN: 6.647 MI. DIST: 09-5 SR: 4007
LEFT MUN: LOGAN T RIGHT MUN: LOGAN T

		018 "DIA CIR PLASTIC
	0140/0172	LEN=0036 INSTALLED 2019
031344 FT	031344 FT	2 0 31107 0 00 0037+46
	S 0140/0000	LENGTH(AH 3753 BK 2171)
		018 "DIA CIR PLASTIC
	0130/1552	LEN=0034 INSTALLED 2019
		018 "DIA CIR PLASTIC
	0130/0951	LEN=0030 INSTALLED 2019
029173 FT	029173 FT	2 0 31107 0 00 0059+87
	S 0130/0000	LENGTH(AH 2171 BK 1938)
		018 "DIA CIR PLASTIC
	0120/1563	LEN=0030 INSTALLED 2019
		018 "DIA CIR PLASTIC
	0120/0842	LEN=0035 INSTALLED 2019
027235 FT	027235 FT	2 0 31107 0 00 0079+25
	S 0120/0000	LENGTH(AH 1938 BK 2519)
		018 "DIA CIR PLASTIC
	0110/2450	LEN=0040 INSTALLED 2019
		034"H 53"W ELLIP CONC
	0110/1977	LEN=0072 INSTALLED 2019
		018 "DIA CIRC CONCR
	0110/0662	LEN=0040 INSTALLED 2001
024716 FT	024716 FT	2 0 31107 0 00 0105+11
	S 0110/0000	LENGTH(AH 2519 BK 2031)
		018 "DIA CIRC CONCR
	0100/0555	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0100/0098	LEN=0040 INSTALLED 2001
022685 FT	022685 FT	2 0 31107 0 00 0125+42
	S 0100/0000	LENGTH(AH 2031 BK 2300)
		015 "DIA CIR PLASTIC
	0090/1670	LEN=0038 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0090/1131	LEN=0032 INSTALLED 2001

DIR: B TOTAL LEN: 6.647 MI. DIST: 09-5 SR: 4007
LEFT MUN: LOGAN T RIGHT MUN: LOGAN T

```
020385 FT                    020385 FT 2 0 31107 0 00 0148+00
                                       GROVES RD
                                       (T476)
                                 0090/0000 LENGTH(AH 2300 BK 2760)

                                       015 "DIA CIRC CONCR
                             0080/2016 LEN=0030 INSTALLED UNKN

017625 FT                    017625 FT 2 0 31107 0 00 0175+60
                                 0080/0000 LENGTH(AH 2760 BK 2560)

                                       FRY'S LN
                             0070/1502 (PRDR)

                                       018 "DIA CIRC CONCR
                             0070/0456 LEN=0032 INSTALLED 2001
015065 FT                    015065 FT 2 0 31107 0 00 0200+95
                                 0070/0000 LENGTH(AH 2560 BK 1824)

                                       018 "DIA CIRC CONCR
                             0060/0913 LEN=0040 INSTALLED 2001
                                       018 "DIA CIRC CONCR
                             0060/0429 LEN=0040 INSTALLED 2001
                                       LOGAN
                             0060/0116 ONEIDA T
013241 FT                    013241 FT 2 0 31107 0 00 0219+19
                                 0060/0000 LENGTH(AH 1824 BK 2669)

                                       018 "DIA CIRC CONCR
                             0050/1698 LEN=0036 INSTALLED 2001
                                       018 "DIA CIR PLASTIC
                             0050/1483 LEN=0034 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0050/0540 LEN=0032 INSTALLED 2001
010572 FT                    010572 FT 2 0 31107 0 00 0245+88
                                 0050/0000 LENGTH(AH 2669 BK 2920)
```

DIR: B TOTAL LEN: 6.647 MI. DIST: 09-5 SR: 4007
LEFT MUN: ONEIDA T RIGHT MUN: ONEIDA T

	007652 FT		007652 FT 2 0 31107 0 00 0275+08
		S	0040/0000 LENGTH(AH 2920 BK 2081)
			018 "DIA CIRC CONCR
			0030/1329 LEN=0040 INSTALLED 2001
			018 "DIA CIRC CONCR
			0030/0583 LEN=0040 INSTALLED 2001
	005571 FT		005571 FT 2 0 31107 0 00 0295+89
		S	0030/0000 LENGTH(AH 2081 BK 2854)
			018 "DIA CIRC CONCR
			0020/2718 LEN=0040 INSTALLED 2001
			018 "DIA CIRC CONCR
			0020/2101 LEN=0040 INSTALLED 2001
			018 "DIA CIRC CONCR
			0020/1867 LEN=0048 INSTALLED 2001
			018 "DIA CIRC CONCR
			0020/0700 LEN=0056 INSTALLED 2001
			018 "DIA CIRC CONCR
			0020/0267 LEN=0048 INSTALLED 2001
			018 "DIA CIRC CONCR
			0020/0100 LEN=0048 INSTALLED 2001
	002717 FT		002717 FT 2 0 31107 0 00 0324+18
		S	0020/0000 LENGTH(AH 2854 BK 2717)
			018 "DIA CIRC CONCR
			0010/2401 LEN=0040 INSTALLED 2001
			018 "DIA CIRC METAL
			0010/1800 LEN=0048 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0010/1191 LEN=0040 INSTALLED 2019
WALNUT LN (PRDR)	0010/0479		
			018 "DIA CIRC CONCR
			0010/0211 LEN=0185 INSTALLED UNKN
	000000 FT		000000 FT 2 0 31107 0 00 0351+45
			NC PETERSBURG PK
			COLD SPRINGS RD
			(SR1009 SEG 0070/0000)
			MFC BEGIN = E
		S	0010/0000 LENGTH(AH 2717 BK 0000)

DIR: B TOTAL LEN: 1.755 MI. DIST: 09-5 SR: 4006
LEFT MUN: SPRUCE CREEK T RIGHT MUN: SPRUCE CREEK T

SPRUCE CREEK RD	009268 FT		009268 FT	SPRUCE CREEK RD
(SR0045 SEG 0060/0000)	0050/0926		0050/0926	(SR0045 SEG 0060/0000)
				024 "DIA CAST IRON
			0050/0874	LEN=0042 INSTALLED UNKN
	008342 FT		008342 FT	2 0 31057 0 00 0083+85
				CONSOLIDATED RAIL CORPO
				OVERPASS IS RR X-ING
			S 0050/0000	LENGTH(AH 0926 BK 2246)

DIR: B TOTAL LEN: 1.755 MI. DIST: 09-5 SR: 4006
LEFT MUN: SPRUCE CREEK T RIGHT MUN: SPRUCE CREEK T

			015 "DIA CIRC METAL
		0040/1622	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC METAL
		0040/1400	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0040/1026	LEN=0036 INSTALLED UNKN
			030 "DIA CIRC METAL
		0040/0522	LEN=0030 INSTALLED UNKN
	006096 FT	006096 FT	2 0 31057 0 00 0061+12
		S 0040/0000	LENGTH(AH 2246 BK 2375)
			015 "DIA CIR PLASTIC
		0030/1250	LEN=0033 INSTALLED 2001
			SPRUCE CREEK
		0030/1213	MORRIS T
			024 "DIA CIR PLASTIC
		0030/0522	LEN=0040 INSTALLED 2001
			015 "DIA CIR PLASTIC
		0030/0052	LEN=0036 INSTALLED 2001
	003721 FT	003721 FT	2 0 31057 0 00 0037+37
			024 "DIA CIR PLASTIC
			LEN=0035 INSTALLED 2001
		S 0030/0000	LENGTH(AH 2375 BK 2032)
			015 "DIA CIRC METAL
		0020/1924	LEN=0028 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0020/1620	LEN=0035 INSTALLED 2001
			015 "DIA CIRC METAL
		0020/1183	LEN=0022 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0020/0593	LEN=0035 INSTALLED 2001
			042 "DIA CIRC METAL
		0020/0334	LEN=0042 INSTALLED UNKN
2 0 31057 0 00 0017+12	001689 FT	001689 FT	
UNION FURNACE RD			NC UNION FURNACE RD
(SR4019 SEG 0010/0000)	0020/0000	S 0020/0000	LENGTH(AH 2032 BK 1689)
			018 "DIA CIR PLASTIC
		0010/1328	LEN=0040 INSTALLED 2001
	000000 FT	000000 FT	2 0 31057 0 00 0000+00
			NC SHOVEL WORKS RD
			BIRMINGHAM PK
			(SR0453 SEG 0060/0000)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 1689 BK 0000)

DIR: B TOTAL LEN: 6.214 MI. DIST: 09-5 SR: 4005
LEFT MUN: PORTER T RIGHT MUN: PORTER T

	032810 FT	032810 FT	
		INTER-AHD	JUNIATA VALLEY PK
			(SR0305 SEG 0030/0000)
			JUNIATA VALLEY PK
		0150/2458	(SR0305 SEG 0030/0000)
			018 "DIA CIRC METAL
		0150/2393	LEN=0036 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0150/1423	LEN=0040 INSTALLED 2006
			015 "DIA CIR PLASTIC
		0150/0478	LEN=0040 INSTALLED 2006
			015 "DIA CIR PLASTIC
		0150/0352	LEN=0040 INSTALLED 2006
			015 "DIA CIR PLASTIC
		0150/0058	LEN=0040 INSTALLED 2006
	030352 FT	030352 FT	1 0 00885 0 00 0304+15
			SHADE LN
			(T480)
		S 0150/0000	LENGTH(AH 2458 BK 2677)
			015 "DIA CIRC CONCR
		0140/2602	LEN=0030 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0140/2091	LEN=0034 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0140/1787	LEN=0030 INSTALLED 1988
			015 "DIA CIRC CONCR
		0140/0572	LEN=0026 INSTALLED 1988
			015 "DIA CIRC CONCR
		0140/0343	LEN=0028 INSTALLED 1988
			CODDINGTON LN
		0140/0168	(T481)
			015 "DIA CIRC CONCR
		0140/0146	LEN=0034 INSTALLED 1988
			012 "DIA CAST IRON
		0140/0050	LEN=0050 INSTALLED UNKN
1 0 00885 0 00 0276+92	027675 FT	027675 FT	
BERWICK FORGE RD			
(T477)	0140/0000	S 0140/0000	LENGTH(AH 2677 BK 0969)

DIR: B TOTAL LEN: 6.214 MI. DIST: 09-5 SR: 4005
LEFT MUN: PORTER T RIGHT MUN: PORTER T

```
                                                026706 FT 1 0 00885 0 00 0267+21
                                              S 0130/0000 LENGTH(AH 0969 BK 2271)
026706 FT

                                                          BMSEN 31/4005/0120/0000
                                                0120/0159 BRIDGE POSTED (TONS)
024435 FT                                       024435 FT 1 0 00885 0 00 0244+71
                                                          SGL      20 COMB
                                                          FRANKSTOWN BR JUNIATA R
                                                          BMSBG 31/4005/0120/0000
                                              S 0120/0000 LENGTH(AH 2271 BK 2545)
                                                          RIVER RD
                                                0110/2458 (T618)
MARDON LN
(T619)                 0110/2006

                                                          015 "DIA CIRC CONCR
                                                0110/1382 LEN=0034 INSTALLED 1988
                                                          018 "DIA CIRC CONCR
                                                0110/1035 LEN=0030 INSTALLED 1988
                                                          018 "DIA CIRC CONCR
                                                0110/0706 LEN=0036 INSTALLED 1988
                                                          015 "DIA CIRC CONCR
                                                0110/0354 LEN=0036 INSTALLED 1988
021890 FT                                       021890 FT 1 0 00885 0 00 0219+33
                                              S 0110/0000 LENGTH(AH 2545 BK 1980)
                                                          018 "DIA CIRC CONCR
                                                0100/1769 LEN=0040 INSTALLED 1988
                                                          018 "DIA CIRC CONCR
                                                0100/1583 LEN=0040 INSTALLED 1988
                                                          018 "DIA CIRC CONCR
                                                0100/1425 LEN=0040 INSTALLED 1988
                                                          015 "DIA CIRC CONCR
                                                0100/1145 LEN=0036 INSTALLED 1988
                                                          018 "DIA CIRC CONCR
                                                0100/0999 LEN=0032 INSTALLED 1988
                                                          018 "DIA CIRC CONCR
                                                0100/0757 LEN=0030 INSTALLED 1988
                                                          018 "DIA CIRC CONCR
                                                0100/0522 LEN=0038 INSTALLED 1998
                                                          018 "DIA CIRC CONCR
                                                0100/0175 LEN=0032 INSTALLED 1988
019910 FT                                       019910 FT 1 0 00885 0 00 0199+53
                                              S 0100/0000 LENGTH(AH 1980 BK 2729)
                                                          036 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 6.214 MI. DIST: 09-5 SR: 4005
LEFT MUN: PORTER T RIGHT MUN: PORTER T

```
                                                  0090/2616 LEN=0048 INSTALLED 1988
                                                            018 "DIA CIRC CONCR
                                                  0090/2474 LEN=0034 INSTALLED 1988

                                                            018 "DIA CIR PLASTIC
                                                  0090/0801 LEN=0034 INSTALLED 1988
                                                            018 "DIA CIR PLASTIC
                                                  0090/0355 LEN=0032 INSTALLED 1988
                        017181 FT                 017181 FT 1 0 00885 0 00 0171+91
                                                5 0090/0000 LENGTH(AH 2729 BK 1804)

                                                            015 "DIA CIRC CONCR
                                                  0080/1012 LEN=0030 INSTALLED 1988
                                                            018 "DIA CIRC METAL
                                                  0080/0470 LEN=0032 INSTALLED 1988
1 0 00885 0 00 0153+92 015377 FT                  015377 FT
RUNKS RD
(T432)                   0080/0000              5 0080/0000 LENGTH(AH 1804 BK 1885)
                                                            015 "DIA CIR PLASTIC
                                                  0070/1654 LEN=0034 INSTALLED 1988
                                                            HORSE SHOW RD
                                                  0070/1626 (T602)

                                                            018 "DIA CIR PLASTIC
                                                  0070/0788 LEN=0030 INSTALLED 1988

                        013492 FT                 013492 FT 1 0 00885 0 00 0135+08
                                                            018 "DIA CIRC METAL
                                                            LEN=0030 INSTALLED 1988
                                                5 0070/0000 LENGTH(AH 1885 BK 1995)
                                                            018 "DIA CIRC METAL
                                                  0060/1588 LEN=0032 INSTALLED 1988
                                                            015 "DIA CIRC CONCR
                                                  0060/1024 LEN=0028 INSTALLED 1988
                                                            015 "DIA CIRC CONCR
                                                  0060/0620 LEN=0030 INSTALLED 1988

                        011497 FT                 011497 FT 1 0 00885 0 00 0115+13
                                                5 0060/0000 LENGTH(AH 1995 BK 2581)

                                                            015 "DIA CIRC CONCR
                                                  0050/1961 LEN=0036 INSTALLED 1988
                                                            018 "DIA CIR PLASTIC
                                                  0050/1514 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0050/1091 LEN=0034 INSTALLED 1988
```

DIR: B TOTAL LEN: 6.214 MI. DIST: 09-5 SR: 4005
LEFT MUN: PORTER T RIGHT MUN: PORTER T

	008916 FT		008916 FT 1 0 00885 0 00 0089+32
			S 0050/0000 LENGTH(AH 2581 BK 1979)
			015 "DIA CIR PLASTIC
			0040/0950 LEN=0045 INSTALLED 1988
			018 "DIA CIR PLASTIC
			0040/0424 LEN=0030 INSTALLED 1988
			018 "DIA CIR PLASTIC
			0040/0274 LEN=0034 INSTALLED 1988
			015 "DIA CIRC CONCR
			0040/0012 LEN=0044 INSTALLED 1988
	006937 FT		006937 FT 1 0 00885 0 00 0069+53
			S 0040/0000 LENGTH(AH 1979 BK 1418)
			PORTER
			0030/1193 SMITHFIELD T
			015 "DIA CIRC CONCR
			0030/0857 LEN=0030 INSTALLED 1988
	005519 FT		005519 FT 1 0 00885 0 00 0055+15
			S 0030/0000 LENGTH(AH 1418 BK 3731)
			018 "DIA CIRC CONCR
			0020/3509 LEN=0034 INSTALLED 1988
STATE CORRECT INSTITUTE (GOVT)	0020/1451	==	
			010 "DIA CIR PLASTIC
			0020/0100 LEN=0034 INSTALLED UNKN
	001788 FT		001788 FT 1 0 00885 0 00 0017+46
			NC ALEXANDRIA PK
			S 0020/0000 LENGTH(AH 3731 BK 1788)
			012 "DIA CIRC OTHER
			0010/1194 LEN=0050 INSTALLED 1988
			BRIDGE ST
		==	0010/0817 (TWP)
INSTITUTION DR (GOVT)	0010/0334	==	
			NC PIKE ST
			PENNSYLVANIA AV
1 0 00885 0 00 0000+00	000000 FT		000000 FT (SR0026 SEG 0370/0000)
PENNSYLVANIA AV			MFC BEGIN = E
(SR0026 SEG 0370/0000)	0010/0000		S 0010/0000 LENGTH(AH 1788 BK 0000)

DIR: B TOTAL LEN: 5.327 MI. DIST: 09-5 SR: 4004
LEFT MUN: LOGAN T RIGHT MUN: LOGAN T

028126 FT

FITZGERALD LN
(PRDR)

0120/0123



028126 FT
INTER-AHD JUNIATA VALLEY PK
(SR0305 SEG 0080/0173)
JUNIATA VALLEY PK
0120/2476 (SR0305 SEG 0080/0173)

018 "DIA CIR PLASTIC
0120/1553 LEN=0040 INSTALLED 2001
015 "DIA CIR PLASTIC
0120/1162 LEN=0035 INSTALLED UNKN
018 "DIA CIR PLASTIC
0120/0679 LEN=0035 INSTALLED 2001
018 "DIA CIRC METAL
0120/0233 LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 5.327 MI. DIST: 09-5 SR: 4004
LEFT MUN: LOGAN T RIGHT MUN: LOGAN T

	025650 FT		025650 FT 2 0 31051 0 00 0283+00
			TR.JUN.RIV.
			STRUCTURE LENGTH 12 FT
			BMSID 31/4004/0120/0000
		S	0120/0000 LENGTH(AH 2476 BK 1140)
			015 "DIA CIR PLASTIC
			0110/0505 LEN=0036 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0110/0010 LEN=0036 INSTALLED 2001
	024510 FT		024510 FT 2 0 31051 0 00 0271+60
		S	0110/0000 LENGTH(AH 1140 BK 2356)
			015 "DIA CIRC CONCR
			0100/2040 LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0100/1642 LEN=0044 INSTALLED 2001
			015 "DIA CIR PLASTIC
			0100/1038 LEN=0032 INSTALLED 2001
			018 "DIA CIR PLASTIC
			0100/0320 LEN=0035 INSTALLED 2001
			018 "DIA CIR PLASTIC
			0100/0112 LEN=0035 INSTALLED 2001
			018 "DIA CIR PLASTIC
			0100/0010 LEN=0045 INSTALLED 2001
2 0 31051 0 00 0248+00	022154 FT		022154 FT
BROOKSIDE RD			
(SR4002 SEG 0010/0000)	0100/0000		S 0100/0000 LENGTH(AH 2356 BK 1439)
			042 "DIA CIRC METAL
			0090/1280 LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0090/0639 LEN=0024 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0090/0362 LEN=0035 INSTALLED 2001
	020715 FT		020715 FT 2 0 31051 0 00 0233+57
			LOGAN
			PORTER T
		S	0090/0000 LENGTH(AH 1439 BK 2126)
			015 "DIA CIR PLASTIC
			0080/1931 LEN=0032 INSTALLED 2001
			015 "DIA CIR PLASTIC
			0080/1302 LEN=0080 INSTALLED 2001
			018 "DIA CIR PLASTIC
			0080/0791 LEN=0035 INSTALLED 2001
			018 "DIA CIR PLASTIC
			0080/0712 LEN=0032 INSTALLED UNKN
			015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.327 MI. DIST: 09-5 SR: 4004
LEFT MUN: PORTER T RIGHT MUN: PORTER T

			0080/0526 LEN=0032 INSTALLED 2001 018 "DIA CIR PLASTIC
			0080/0220 LEN=0035 INSTALLED 2001
2 0 31051 0 00 0212+31	018589 FT		018589 FT
HEETER RD (T510)	0080/0000	==	S 0080/0000 LENGTH(AH 2126 BK 3087) 042 "DIA CIRC METAL
			0070/3064 LEN=0048 INSTALLED UNKN 015 "DIA CIRC METAL
			0070/2789 LEN=0026 INSTALLED UNKN 018 "DIA CIR PLASTIC
			0070/2675 LEN=0035 INSTALLED 2001 024 "DIA CIRC CONCR
			0070/2310 LEN=0032 INSTALLED UNKN 030 "DIA CIRC METAL
			0070/2263 LEN=0042 INSTALLED UNKN
TEABERRY HOLLOW RD (FRST)	0070/2207	==	
			015 "DIA CIRC CONCR
			0070/1979 LEN=0036 INSTALLED UNKN 018 "DIA CIR PLASTIC
			0070/1615 LEN=0040 INSTALLED 2001 018 "DIA CIR PLASTIC
			0070/1262 LEN=0035 INSTALLED 2001 018 "DIA CIR PLASTIC
			0070/1066 LEN=0035 INSTALLED 2001 018 "DIA CIR PLASTIC
			0070/0701 LEN=0040 INSTALLED 2001 018 "DIA CIR PLASTIC
			0070/0185 LEN=0035 INSTALLED 2001 015 "DIA CIR PLASTIC
			0070/0012 LEN=0035 INSTALLED 2001
	015502 FT		015502 FT 2 0 31051 0 00 0182+45
			S 0070/0000 LENGTH(AH 3087 BK 2963)
			015 "DIA CIR PLASTIC
			0060/2161 LEN=0035 INSTALLED 2001
MOUNTAIN RD (T514)	0060/1820	==	
			0060/1576 BMSEN 31/4004/0060/1560 2 0 31051 0 00 0168+17 MCCLAIN RUN
			0060/1560 BMSBG 31/4004/0060/1560
			0060/1219 BMSEN 31/4004/0060/1059 2 0 31051 0 00 0152+79 LITTLE JUNIATA RIVER
			0060/1059 BMSBG 31/4004/0060/1059 BLACK OAK RD
		==	0060/0930 (T606)

DIR: B TOTAL LEN: 5.327 MI. DIST: 09-5 SR: 4004
LEFT MUN: PORTER T RIGHT MUN: PORTER T

```
                                                  BARREE LN
                                          ==      (T606)
                        012539 FT                 012539 FT  2 0 31051 0 00 0152+79
                                                  VILLAGE: BARREE
                                                  (AAR 506523F)#TRKS 02
                                                5 0060/0000  LENGTH(AH 2963 BK 3209)
                                                  NEUBAUER RD
                                          ==      0050/3164  (T601)
                                                             024 "DIA CIRC CONCR
                                                  0050/2697  LEN=0048 INSTALLED UNKN
                                                             024 "DIA CIR PLASTIC
                                                  0050/2163  LEN=0120 INSTALLED 1998
                                                             015 "DIA CIR PLASTIC
                                                  0050/1862  LEN=0060 INSTALLED 2001

                                                             015 "DIA CIRC METAL
                                                  0050/0977  LEN=0036 INSTALLED UNKN

                                                             036 "DIA CIRC METAL
                                                  0050/0144  LEN=0038 INSTALLED UNKN
                        009330 FT                 009330 FT  2 0 31051 0 00 0120+51
                                                5 0050/0000  LENGTH(AH 3209 BK 2923)
                                                             015 "DIA CIRC METAL
                                                  0040/2616  LEN=0030 INSTALLED UNKN
WOODS LN
(T515)                  0040/2117       ==
                                                             024 "DIA CIR PLASTIC
                                                  0040/2071  LEN=0050 INSTALLED 2001
                                                             TAD POLE HOLLOW RD
                                          ==      0040/1656  (PRDR)
                                                             HILLCREST LN
                                          ==      0040/1576  (PRDR)
ICE POND LN
(PRDR)                  0040/1558       ==
                                                             030 "DIA CIR PLASTIC
                                                  0040/1366  LEN=0038 INSTALLED UNKN

                                                             015 "DIA CIRC METAL
                                                  0040/0554  LEN=0030 INSTALLED 2001
                                                             015 "DIA CIRC METAL
                                                  0040/0158  LEN=0036 INSTALLED UNKN
2 0 31051 0 00 0091+39  006407 FT                 006407 FT
TRIMERS RD
(T607)                  0040/0000       ==      5 0040/0000  LENGTH(AH 2923 BK 2529)
                                                             015 "DIA CIRC METAL
                                                  0030/2255  LEN=0040 INSTALLED UNKN
                                                             024 "DIA CIRC METAL
                                                  0030/1748  LEN=0036 INSTALLED UNKN
                                                             024 "DIA CIRC METAL
                                                  0030/1397  LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 5.327 MI. DIST: 09-5 SR: 4004
LEFT MUN: PORTER T RIGHT MUN: PORTER T

			015 "DIA CIRC METAL
		0030/0953	LEN=0038 INSTALLED UNKN
			015 "DIA CIRC METAL
		0030/0466	LEN=0028 INSTALLED UNKN
	003878 FT	003878 FT	2 0 31051 0 00 0066+06
			SHELTON AV
			(T493)
		0030/0000	LENGTH(AH 2529 BK 1381)
			018 "DIA CIRC METAL
		0020/0817	LEN=0036 INSTALLED UNKN
			MEDICAL CENTER RD
		0020/0779	(T605)
MAIN ST			NC BARREE RD
(SR4014 SEG 0030/1498)	0020/0527	0020/0527	MFC BEGIN = E
			MEDICAL CENTER RD
		0020/0034	(T605)
		0020/0013	BMSEN 31/4004/0020/0000
	002497 FT	002497 FT	2 0 31051 0 00 0052+07
			BLUE RUN
			BMSBG 31/4004/0020/0000
		0020/0000	LENGTH(AH 1381 BK 2497)
			PORTER
		0010/2446	ALEXANDRIA B
			SEVENTH ST
		0010/2128	(BORO)
			SIXTH ST
		0010/1792	(BORO)
			024"H 24"W CON BOX CUL
		0010/1778	LEN=0030 INSTALLED UNKN
			024"H 24"W CON BOX CUL
GEMMILL LN		0010/1387	LEN=0030 INSTALLED UNKN
(BORO)	0010/1386		
			CHURCH ST
		0010/1029	(BORO)
			024"H 24"W CON BOX CUL
		0010/0859	LEN=0030 INSTALLED UNKN
			024"H 24"W CON BOX CUL
		0010/0554	LEN=0030 INSTALLED UNKN
			HARTSLOG ST
		0010/0530	(BORO)
			024"H 24"W CON BOX CUL
		0010/0025	LEN=0032 INSTALLED UNKN
	000000 FT	000000 FT	2 0 31051 0 00 0027+10
			NC MAIN ST
			SECOND ST
			(BORO)
		INTER-BK	MAIN ST
			(SR0305 SEG 0020/0000)
BRIDGE ST			MFC BEGIN = D
(SR0305 SEG 0020/0000)	0010/0000	0010/0000	LENGTH(AH 2497 BK 0000)

DIR: B TOTAL LEN: .044 MI. DIST: 09-5 SR: 4003
LEFT MUN: LOGAN T RIGHT MUN: LOGAN T

000230 FT		000230 FT
		7056/0000 LENGTH(AH 1531 BK 0514)
000230 FT		000230 FT
		7054/0000 LENGTH(AH 0514 BK 0230)
		BMSEN 31/4003/0050/0000
	*	REF-AHD RIVER RD
		0050/0230 (T618)
		LOGAN
		0050/0088 PORTER T
000000 FT		000000 FT 2 0 31098 0 00 0134+64
		NC RIVER RD
	*	REF-BK RIVER RD
		(T618)
		FRANKSTOWN BR JUNIATA R
		BMSBG 31/4003/0050/0000
	S	0050/0000 LENGTH(AH 0230 BK 0197)
000000 FT		000000 FT
		7050/0000 LENGTH(AH 0197 BK 2681)
000000 FT		000000 FT
		7040/0000 LENGTH(AH 2681 BK 3977)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 3977 BK 3666)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 3666 BK 3112)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 3112 BK 0000)

DIR: B TOTAL LEN: 2.353 MI. DIST: 09-5 SR: 4002
LEFT MUN: LOGAN T RIGHT MUN: LOGAN T

	012422 FT			012422 FT
BETHEL RD				INTER-AHD BETHEL RD
(SR4009 SEG 0020/0140)	0050/2761			0050/2761 (SR4009 SEG 0020/0140)
FOR SR 4002 AND 4009				
(CONN)	0050/2643			
				018 "DIA CIR PLASTIC
			0050/1402	LEN=0040 INSTALLED 2001
				018 "DIA CIR PLASTIC
			0050/1150	LEN=0040 INSTALLED 2001
				015 "DIA CIRC CONCR
			0050/0705	LEN=0026 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0050/0547	LEN=0035 INSTALLED 2001
	009661 FT		009661 FT	2 0 31092 0 01 0028+16
				024 "DIA CIR PLASTIC
				LEN=0026 INSTALLED UNKN
DIAMOND VALLEY RD				NC DIAMOND VALLEY RD
(SR4011 SEG 0010/0000)	0050/0000		S 0050/0000	LENGTH(AH 2761 BK 2056)
			0040/1876	BMSEN 31/4002/0040/1838
				2 0 31088 0 00 0094+37
				REEDS RUN
			0040/1838	BMSBG 31/4002/0040/1838
				018 "DIA CIR PLASTIC
			0040/1367	LEN=0036 INSTALLED UNKN
				015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 2.353 MI. DIST: 09-5 SR: 4002
LEFT MUN: LOGAN T RIGHT MUN: LOGAN T

```
                                                  0040/1100 LEN=0040 INSTALLED 2000
                                                            015 "DIA CIR PLASTIC
                                                  0040/0900 LEN=0032 INSTALLED 2000
                                                            015 "DIA CIR PLASTIC
                                                  0040/0445 LEN=0030 INSTALLED 2000
                                                            015 "DIA CIR PLASTIC
                                                  0040/0042 LEN=0030 INSTALLED UNKN
                        007605 FT                 007605 FT 2 0 31088 0 00 0075+06
                                                S 0040/0000 LENGTH(AH 2056 BK 2963)
                                                            015 "DIA CIRC METAL
                                                  0030/2500 LEN=0035 INSTALLED UNKN
                                                            024 "DIA CIR PLASTIC
                                                  0030/2097 LEN=0050 INSTALLED 2000

                                                            018 "DIA CIRC CONCR
                                                  0030/1227 LEN=0032 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0030/0732 LEN=0049 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0030/0279 LEN=0043 INSTALLED UNKN
2 0 31088 0 00 0046+80  004642 FT                 004642 FT
DIEHL RD
(T508)                   0030/0000              S 0030/0000 LENGTH(AH 2963 BK 2051)
                                                            021 "DIA CIRC CONCR
                                                  0020/1774 LEN=0040 INSTALLED UNKN

                                                            015 "DIA CIR PLASTIC
                                                  0020/0905 LEN=0055 INSTALLED 2000
                                                            018 "DIA CIR PLASTIC
                                                  0020/0370 LEN=0032 INSTALLED UNKN
                        002591 FT                 002591 FT 2 0 31088 0 00 0025+19
                                                S 0020/0000 LENGTH(AH 2051 BK 2591)
                                                            015 "DIA CIR PLASTIC
                                                  0010/2066 LEN=0051 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0010/1546 LEN=0037 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0010/1361 LEN=0035 INSTALLED 2000
                                                            018 "DIA CIR PLASTIC
                                                  0010/1250 LEN=0035 INSTALLED 2000
                                                            015 "DIA CIR PLASTIC
                                                  0010/0850 LEN=0040 INSTALLED 2000
                                                            015 "DIA CIR PLASTIC
                                                  0010/0354 LEN=0040 INSTALLED 2000
                        000000 FT                 000000 FT 2 0 31088 0 00 0000+00
                                                        NC BROOKSIDE RD
                                                            BARREE RD
                                                            (SR4004 SEG 0100/0000)
                                                            MFC BEGIN = E
                                                S 0010/0000 LENGTH(AH 2591 BK 0000)
```

DIR: B TOTAL LEN: 1.584 MI. DIST: 09-5 SR: 4001
LEFT MUN: MORRIS T RIGHT MUN: MORRIS T

	008361 FT		008361 FT BIRMINGHAM PK
			0030/2844 (SR0453 SEG 0030/2434)
MORRIS HEIGHTS (PRDR)	0030/1609		
	005517 FT		005517 FT 2 0 31052 0 00 0055+35
		S	0030/0000 LENGTH(AH 2844 BK 2911)
HIDDEN HILLS LN (PRDR)	0020/2444		
			015 "DIA CIR PLASTIC
			0020/2296 LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0020/0654 LEN=0020 INSTALLED UNKN
	002606 FT		002606 FT 2 0 31052 0 00 0026+24
		S	0020/0000 LENGTH(AH 2911 BK 2606)
			018 "DIA CIR PLASTIC
			0010/2218 LEN=0024 INSTALLED UNKN
			0010/0104 BMSEN 31/4001/0010/0090
			2 0 31052 0 00 0000+00
			SHAFFERS RUN
			0010/0090 BMSBG 31/4001/0010/0090
	000000 FT		000000 FT 2 0 31052 0 00 0000+00
			VILLAGE: SHAFFERSVILLE
			NC HUNGRY HOLLOW RD
			SHAFFERSVILLE RD
			(SR4016 SEG 0020/2418)
			MFC BEGIN = E
		S	0010/0000 LENGTH(AH 2606 BK 0000)

DIR: B TOTAL LEN: .012 MI. DIST: 09-5 SR: 3053
LEFT MUN: PORTER T RIGHT MUN: PORTER T



DIR: B TOTAL LEN: 1.970 MI. DIST: 09-5 SR: 3051
LEFT MUN: UNION T RIGHT MUN: UNION T

010399 FT

010399 FT
REF-AHD JUNIATA TOWNSHIP RD
0040/2826 (GOVT)

015 "DIA CIRC METAL
0040/1465 LEN=0040 INSTALLED UNKN

018 "DIA CIR PLASTIC
0040/0670 LEN=0045 INSTALLED UNKN

007573 FT

007573 FT 2 0 31110 0 01 0075+17
0040/0000 LENGTH(AH 2826 BK 2482)
018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 1.970 MI. DIST: 09-5 SR: 3051
LEFT MUN: UNION T RIGHT MUN: UNION T

```
                                          0030/2180 LEN=0060 INSTALLED UNKN
                                                    015 "DIA CIR PLASTIC
                                          0030/1567 LEN=0030 INSTALLED UNKN

005091 FT                                 005091 FT 2 0 31110 0 01 0050+09
                                        S 0030/0000 LENGTH(AH 2482 BK 2498)
                                                    018 "DIA CIR PLASTIC
                                          0020/2123 LEN=0005 INSTALLED 2000
                                                    024 "DIA CIR PLASTIC
                                          0020/1664 LEN=0060 INSTALLED 2000
                                                    015 "DIA CIR PLASTIC
                                          0020/1400 LEN=0030 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0020/0969 LEN=0040 INSTALLED UNKN
                                                    024 "DIA CIR PLASTIC
                                          0020/0835 LEN=0026 INSTALLED UNKN

                                          0020/0140 BMSEN 31/3051/0020/0130
                                                    054"H 00"W MULT METAL
                                          0020/0139 LEN=0036 INSTALLED UNKN
                                                    2 0 31110 0 01 0026+64
                                                    LTL.TROUGH C
                                          0020/0130 BMSBG 31/3051/0020/0130
002593 FT                                 002593 FT 2 0 31110 0 01 0025+20
                                                    SMITH RD
                                                    (T423)
                                        S 0020/0000 LENGTH(AH 2498 BK 2593)
                                                    015 "DIA CIRC CONCR
                                          0010/2304 LEN=0036 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                          0010/1922 LEN=0034 INSTALLED UNKN
                                                    015 "DIA CIR PLASTIC
                                          0010/1646 LEN=0028 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                          0010/1450 LEN=0026 INSTALLED UNKN
                                                    015 "DIA CIR PLASTIC
                                          0010/1025 LEN=0026 INSTALLED UNKN

                                                    024 "DIA CIRC METAL
                                          0010/0170 LEN=0032 INSTALLED UNKN
000000 FT                                 000000 FT 2 0 31110 0 00 0000+00
                                                NC HAWNS BRIDGE RD
                                                    TROUGH CREEK VALLEY PK
                                                    (SR0829 SEG 0310/0000)
                                                    MFC BEGIN = E
                                        S 0010/0000 LENGTH(AH 2593 BK 0000)
```

DIR: B TOTAL LEN: 1.244 MI. DIST: 09-5 SR: 3049
LEFT MUN: UNION T RIGHT MUN: UNION T

	006567 FT	006567 FT	TROUGH CREEK PK
		0020/3723	(SR0829 SEG 0390/0000)
MILLERS RD (T453)	0020/3388		
			018 "DIA CIR PLASTIC
		0020/2779	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/2193	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1695	LEN=0032 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0020/1152	LEN=0032 INSTALLED 2006
			018 "DIA CIR PLASTIC
		0020/0326	LEN=0038 INSTALLED UNKN
	002844 FT	002844 FT	2 0 31102 0 00 0028+44
		S 0020/0000	LENGTH(AH 3723 BK 2844)
			060 "DIA CIRC CONCR
		0010/2844	LEN=0038 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/2720	LEN=0035 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0010/2244	LEN=0040 INSTALLED 2006
			030 "DIA CIRC CONCR
		0010/1902	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/1680	LEN=0032 INSTALLED 2006
			024 "DIA CIR PLASTIC
		0010/1500	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/1052	LEN=0040 INSTALLED 2006
			015 "DIA CIR PLASTIC
		0010/0868	LEN=0034 INSTALLED 2006
			018 "DIA CIRC CONCR
		0010/0615	LEN=0040 INSTALLED 2002
			018 "DIA CIR PLASTIC
		0010/0121	LEN=0032 INSTALLED 2006
			024 "DIA CIR PLASTIC
		0010/0023	LEN=0032 INSTALLED 1996
			NC POLECAT HOLLOW RD
			SMITH VALLEY RD
2 0 31102 0 00 0000+00	000000 FT	000000 FT	(SR3029 SEG 0210/3004)
SMITH VALLEY RD			MFC BEGIN = D
(SR3029 SEG 0210/3004)	0010/0000	S 0010/0000	LENGTH(AH 2844 BK 0000)

DIR: B TOTAL LEN: .304 MI. DIST: 09-5 SR: 3047
LEFT MUN: HUNTINGDON B RIGHT MUN: HUNTINGDON B

001604 FT

PENNSYLVANIA AV
(T504) 0010/1024

SHOPPING CENTER ENTR RD
(PRDR) 0010/0692

000000 FT



001604 FT
7018/0000 LENGTH(AH 0500 BK 1604)
BMSEN 31/3047/0010/1245
REF-AHD FOURTH ST
0010/1604 (BORO)
HUNTINGDON
0010/1426 SMITHFIELD T
1 1 00135 0 00 0013+53
JUNIATA RIV.
0010/1245 BMSBG 31/3047/0010/1245
018 "DIA CIRC CONCR
0010/1080 LEN=0032 INSTALLED 2004

018 "DIA CIRC CONCR
0010/0952 LEN=0036 INSTALLED 2004
024 "DIA CIRC CONCR
0010/0765 LEN=0065 INSTALLED 2004

030"H 00"W MULT CONCR
0010/0612 LEN=0040 INSTALLED UNKN
LC FROM RAYSTOWN SHOP C
0010/0401 (CONN)
LAKE RAYSTOWN SHOP CTR
0010/0349 (PRDR)
LC TO RAYSTOWN SHOP CTR
0010/0271 (CONN)
048 "DIA CIRC METAL
0010/0083 LEN=0098 INSTALLED 1980
000000 FT 1 1 00135 0 00 0000+46
NC FOURTH ST
WM PENN HW
(SR0022 SEG 0270/0000)

MFC BEGIN = C
0010/0000 LENGTH(AH 1604 BK 0000)

DIR: B TOTAL LEN: 1.193 MI. DIST: 09-5 SR: 3045
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T

SNYDER RUN RD
(SR3043 SEG 0080/0000)

006301 FT
0020/3951



006301 FT SNYDER RUN RD
0020/3951 (SR3043 SEG 0080/0000)
0020/3924 BMSEN 31/3045/0020/3904
2 0 31109 0 00 0000+73
SNYDERS RUN
0020/3904 BMSBG 31/3045/0020/3904
015 "DIA CIRC CONCR
0020/3392 LEN=0035 INSTALLED UNKN

015 "DIA CIRC CONCR
0020/2417 LEN=0034 INSTALLED UNKN
015 "DIA CIRC METAL
0020/2233 LEN=0030 INSTALLED UNKN
015 "DIA CIR PLASTIC
0020/1665 LEN=0030 INSTALLED UNKN
POINT RD
(T430)
0020/1663 MFC BEGIN = D

015 "DIA CIRC CONCR
0020/1046 LEN=0031 INSTALLED UNKN
015 "DIA CIRC METAL
0020/0500 LEN=0042 INSTALLED UNKN
036 "DIA CIRC CONCR
0020/0075 LEN=0040 INSTALLED UNKN
0020/0023 BMSEN 31/3045/0020/0000
002350 FT 002350 FT 2 0 31109 0 01 0038+40
VILLAGE: HENDERSON HOLL
TRIB JUNIATA RIVER
BMSBG 31/3045/0020/0000
S 0020/0000 LENGTH(AH 3951 BK 2350)
048 "DIA CIRC METAL
0010/2320 LEN=0075 INSTALLED UNKN
036 "DIA CIR PLASTIC
0010/1860 LEN=0036 INSTALLED 1997
015 "DIA CIR PLASTIC
0010/1694 LEN=0036 INSTALLED 1960

ECHO HEIGHTS DR
(PRDR)

0010/0115
000000 FT

000000 FT 2 0 31109 0 01 0063+36
NC HENDERSON OVERLOOK RD
REF-BK HENDERSON OVERLOOK RD
(T434)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 2350 BK 0000)

DIR: B TOTAL LEN: 3.208 MI. DIST: 09-5 SR: 3043
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T

016939 FT



016939 FT WILLIAM PENN HW
0080/2122 (SR0022 SEG 0270/1971)

015 "DIA CIRC METAL
0080/1189 LEN=0050 INSTALLED UNKN
015 "DIA CIRC METAL
0080/0722 LEN=0045 INSTALLED UNKN
018 "DIA CIRC METAL
0080/0596 LEN=0045 INSTALLED UNKN
015 "DIA CIRC METAL
0080/0378 LEN=0035 INSTALLED UNKN
015 "DIA CIRC METAL
0080/0125 LEN=0035 INSTALLED UNKN

DIR: B TOTAL LEN: 3.208 MI. DIST: 09-5 SR: 3043
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T

```
014817 FT                    014817 FT 2 0 31032 0 01 0911+12
                                       HENDERSON OVERLOOK RD
                                       (SR3045 SEG 0020/3951)
                             S 0080/0000 LENGTH(AH 2122 BK 3284)
                                       015 "DIA CIRC METAL
                             0070/2732 LEN=0035 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                             0070/2159 LEN=0035 INSTALLED UNKN
                                       012 "DIA CIRC METAL
                             0070/1915 LEN=0035 INSTALLED UNKN
                                       024 "DIA CIRC METAL
                             0070/1615 LEN=0035 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                             0070/1413 LEN=0032 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                             0070/1096 LEN=0032 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                             0070/0802 LEN=0032 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0070/0521 LEN=0032 INSTALLED UNKN
011533 FT                    011533 FT 2 0 31032 0 01 0877+44
                             S 0070/0000 LENGTH(AH 3284 BK 2322)
                                       015 "DIA CIRC METAL
                             0060/2266 LEN=0036 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                             0060/1992 LEN=0034 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                             0060/1789 LEN=0036 INSTALLED UNKN
                                       036 "DIA CIR PLASTIC
                             0060/1737 LEN=0040 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                             0060/1498 LEN=0038 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                             0060/1343 LEN=0042 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0060/0993 LEN=0032 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0060/0676 LEN=0032 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                             0060/0588 LEN=0033 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                             0060/0309 LEN=0050 INSTALLED UNKN
                                       SMITHFIELD
                             0060/0284 JUNIATA T
009211 FT                    009211 FT 2 0 31032 0 01 0853+96
                             S 0060/0000 LENGTH(AH 2322 BK 1044)
                                       036 "DIA CIR PLASTIC
                             0050/0969 LEN=0030 INSTALLED 1999
                                       015 "DIA CIRC METAL
                             0050/0445 LEN=0032 INSTALLED UNKN
```

DIR: B TOTAL LEN: 3.208 MI. DIST: 09-5 SR: 3043
LEFT MUN: JUNIATA T RIGHT MUN: JUNIATA T

008167 FT

008167 FT 2 0 31032 0 01 0843+76
S 0050/0000 LENGTH(AH 1044 BK 3126)
015 "DIA CIR PLASTIC
0040/3092 LEN=0033 INSTALLED UNKN
015 "DIA CIRC METAL
0040/2930 LEN=0032 INSTALLED UNKN
015 "DIA CIRC METAL
0040/2551 LEN=0034 INSTALLED UNKN
048 "DIA CIRC CONCR
0040/2151 LEN=0045 INSTALLED UNKN
024 "DIA CIRC METAL
0040/1581 LEN=0033 INSTALLED UNKN
015 "DIA CIRC CONCR
0040/1135 LEN=0032 INSTALLED UNKN
015 "DIA CIR PLASTIC
0040/0901 LEN=0032 INSTALLED UNKN
018 "DIA CIRC CONCR
0040/0543 LEN=0033 INSTALLED 1997
015 "DIA CIRC CONCR
0040/0324 LEN=0032 INSTALLED UNKN
024 "DIA CIRC METAL
0040/0227 LEN=0034 INSTALLED UNKN

005041 FT

005041 FT 2 0 31032 0 01 0812+50
S 0040/0000 LENGTH(AH 3126 BK 2216)
015 "DIA CIRC CONCR
0030/1991 LEN=0032 INSTALLED UNKN
018 "DIA CIRC METAL
0030/1381 LEN=0038 INSTALLED UNKN
036 "DIA CIRC CONCR
0030/0534 LEN=0048 INSTALLED UNKN

002825 FT

002825 FT 2 0 31032 0 01 0790+57
S 0030/0000 LENGTH(AH 2216 BK 2825)
036 "DIA CIRC METAL
0020/2668 LEN=0050 INSTALLED UNKN
015 "DIA CIRC METAL
0020/1293 LEN=0048 INSTALLED UNKN
015 "DIA CIRC CONCR
0020/0745 LEN=0036 INSTALLED UNKN

000000 FT

000000 FT 2 0 31032 0 01 0763+00
NC SNYDER RUN RD
* REF-BK SNYDER RUN RD
(TWP)
MFC BEGIN = D
S 0020/0000 LENGTH(AH 2825 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 09-5 SR: 3041
LEFT MUN: PORTER T RIGHT MUN: PORTER T

000000 FT

000000 FT
7010/0000 LENGTH(AH 0100 BK 0000)

DIR: B TOTAL LEN: 5.172 MI. DIST: 09-5 SR: 3039
LEFT MUN: PORTER T RIGHT MUN: PORTER T

WILLIAM PENN HW (SR0022 SEG 0190/2049)	027308 FT 0130/1009		027308 FT 0130/1009 WILLIAM PENN HW (SR0022 SEG 0190/2049)
	026299 FT		026299 FT 0130/0000 2 0 31038 0 01 0263+90 LENGTH(AH 1009 BK 1850)
			012 "DIA CAST IRON
			0120/1772 LEN=0028 INSTALLED UNKN
			015 "DIA CIRC METAL
			0120/0978 LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
			0120/0375 LEN=0035 INSTALLED UNKN
	024449 FT		024449 FT 0120/0000 2 0 31038 0 00 0244+93 LENGTH(AH 1850 BK 2464)
			015 "DIA CIRC METAL
			0110/2452 LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
			0110/1583 LEN=0034 INSTALLED UNKN
			015 "DIA CIRC METAL
			0110/1399 LEN=0038 INSTALLED UNKN
			015 "DIA CIRC METAL
			0110/0960 LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
			0110/0546 LEN=0028 INSTALLED UNKN
			REED RD
			0110/0535 (PRDR)
			024 "DIA CIR PLASTIC
			0110/0224 LEN=0044 INSTALLED 1996
	021985 FT		021985 FT 0110/0000 2 0 31038 0 00 0220+05 LENGTH(AH 2464 BK 2370)

DIR: B TOTAL LEN: 5.172 MI. DIST: 09-5 SR: 3039
LEFT MUN: PORTER T RIGHT MUN: PORTER T

			015 "DIA CIRC METAL
		0100/2176	LEN=0028 INSTALLED UNKN
			018 "DIA CIRC METAL
		0100/1610	LEN=0028 INSTALLED UNKN
			018 "DIA CIRC METAL
		0100/1195	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0100/0363	LEN=0030 INSTALLED UNKN
2 0 31038 0 00 0196+35 019615 FT		019615 FT	
HOMESTEAD RD			
(T467) 0100/0000		5 0100/0000	LENGTH(AH 2370 BK 1751)
			015 "DIA CIRC METAL
		0090/1710	LEN=0067 INSTALLED UNKN
			015 "DIA CIRC METAL
		0090/0815	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC METAL
		0090/0467	LEN=0031 INSTALLED UNKN
			024 "DIA CIRC METAL
		0090/0369	LEN=0052 INSTALLED UNKN
			015 "DIA CIRC METAL
		0090/0144	LEN=0036 INSTALLED UNKN
017864 FT		017864 FT	2 0 31038 0 00 0178+84
		5 0090/0000	LENGTH(AH 1751 BK 1931)
			015 "DIA CIRC METAL
		0080/1696	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC METAL
		0080/1355	LEN=0032 INSTALLED UNKN
		0080/0372	BMSEN 31/3039/0080/0354
			2 0 31038 0 00 0163+11
			TRIB CROOKED CREEK
		0080/0354	BMSBG 31/3039/0080/0354
SIPES RD			
(T464) 0080/0284			
			015 "DIA CIRC METAL
		0080/0158	LEN=0028 INSTALLED UNKN
2 0 31038 0 00 0159+70 015933 FT		015933 FT	PORTER
WILLIAMSBURG MOUNTAIN R			WALKER T
(SR3014 SEG 0070/1884) 0080/0000		5 0080/0000	LENGTH(AH 1931 BK 2844)
			060 "DIA CIRC METAL
		0070/2637	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/2218	LEN=0032 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0070/1854	LEN=0034 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0070/1606	LEN=0004 INSTALLED 2002

DIR: B TOTAL LEN: 5.172 MI. DIST: 09-5 SR: 3039
LEFT MUN: WALKER T RIGHT MUN: WALKER T

					015 "DIA CIRC CONCR
				0070/0602	LEN=0030 INSTALLED UNKN
					018 "DIA CIRC CONCR
				0070/0260	LEN=0036 INSTALLED UNKN
2 0 31038 0 00 0131+05	013089 FT				013089 FT
BLUE MOON RD					
(T453)	0070/0000	==		5 0070/0000	LENGTH(AH 2844 BK 2277)
					048"H 60"W ELLIP METAL
				0060/2151	LEN=0034 INSTALLED UNKN
					015 "DIA CIR PLASTIC
				0060/1314	LEN=0038 INSTALLED UNKN
					015 "DIA CIRC CONCR
				0060/0892	LEN=0032 INSTALLED UNKN
					015 "DIA CIRC CONCR
				0060/0665	LEN=0030 INSTALLED UNKN
					DALES LN
			==	0060/0572	(PRDR)
					015 "DIA CIRC METAL
				0060/0542	LEN=0036 INSTALLED UNKN
2 0 31038 0 00 0107+70	010812 FT				010812 FT
LLOYD RD					
(T447)	0060/0000	==		5 0060/0000	LENGTH(AH 2277 BK 1583)
					042"H 00"W MULT METAL
				0050/1553	LEN=0038 INSTALLED UNKN
					024 "DIA CIRC CONCR
				0050/0973	LEN=0030 INSTALLED UNKN
					015 "DIA CIRC CONCR
				0050/0099	LEN=0029 INSTALLED UNKN
	009229 FT				009229 FT 2 0 31038 0 00 0092+00
				5 0050/0000	LENGTH(AH 1583 BK 3169)
					018 "DIA CIR PLASTIC
				0040/2945	LEN=0040 INSTALLED UNKN
					015 "DIA CIRC CONCR
				0040/2745	LEN=0038 INSTALLED UNKN
					015 "DIA CIR PLASTIC
				0040/2496	LEN=0032 INSTALLED UNKN
					015 "DIA CIRC CONCR
				0040/2106	LEN=0032 INSTALLED 2002
					015 "DIA CIRC METAL
				0040/1469	LEN=0028 INSTALLED UNKN
					BUSH RD
			==	0040/0756	(T404)
LC FOR IRON ORE RD					
(CONN)	0040/0261	==			

DIR: B TOTAL LEN: 5.172 MI. DIST: 09-5 SR: 3039
LEFT MUN: WALKER T RIGHT MUN: WALKER T

			018 "DIA CIRC CONCR
		0040/0250	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0040/0032	LEN=0040 INSTALLED 2002
2 0 31038 0 00 0061+10	006060 FT	006060 FT	
IRON ORE RD			
(T445)	0040/0000	S 0040/0000	LENGTH(AH 3169 BK 1445)
			015 "DIA CIRC CONCR
		0030/1057	LEN=0040 INSTALLED 2002
			015 "DIA CIRC CONCR
		0030/0016	LEN=0032 INSTALLED 2002
	004615 FT	004615 FT	2 0 31038 0 00 0046+30
		S 0030/0000	LENGTH(AH 1445 BK 2588)
			015 "DIA CIRC CONCR
		0020/2229	LEN=0032 INSTALLED 2002
			015 "DIA CIRC CONCR
		0020/2005	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/1615	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/1148	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/1025	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/0865	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/0786	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/0489	LEN=0031 INSTALLED UNKN
			015 "DIA CIRC METAL
		0020/0023	LEN=0040 INSTALLED UNKN
2 0 31038 0 00 0020+54	002027 FT	002027 FT	
VINEYARD LN			
(T436)	0020/0000	S 0020/0000	LENGTH(AH 2588 BK 2027)
			072 "DIA CIRC CONCR
		0010/1535	LEN=0048 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/1035	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0115	LEN=0040 INSTALLED 2002
	000000 FT	000000 FT	2 0 31038 0 00 0000+00
			NC HARTSLOG VALLEY RD
			RAYSTOWN RD
			(SR0026 SEG 0290/0000)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 2027 BK 0000)

DIR: B TOTAL LEN: 4.744 MI. DIST: 09-5 SR: 3037
LEFT MUN: WALKER T RIGHT MUN: WALKER T

FAIRGROUNDS RD	025049 FT	025049 FT	FAIRGROUNDS RD
(SR3035 SEG 0020/0000)	0130/2486	0130/2486	(SR3035 SEG 0020/0000)
			024 "DIA CIR PLASTIC
		0130/2399	LEN=0075 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0130/1508	LEN=0035 INSTALLED UNKN
CREE DR			
(PRDR)	0130/1455		
			030 "DIA CIRC CONCR
		0130/1135	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0130/0646	LEN=0025 INSTALLED UNKN
			015 "DIA CIRC METAL
		0130/0260	LEN=0070 INSTALLED UNKN
2 0 31034 0 01 0495+15	022563 FT	022563 FT	
CIDER PRESS RD			
(T443)	0130/0000	S 0130/0000	LENGTH(AH 2486 BK 1636)

DIR: B TOTAL LEN: 4.744 MI. DIST: 09-5 SR: 3037
LEFT MUN: WALKER T RIGHT MUN: WALKER T

		049"H 33"W METAL ARCH
	0120/1058	LEN=0025 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0120/0761	LEN=0032 INSTALLED UNKN
		024 "DIA CIR UNKNOWN
	0120/0530	LEN=0035 INSTALLED UNKN
		JACKELYNS DR
	0120/0369	(TWP)
020927 FT	020927 FT	2 0 31034 0 01 0478+79
	S 0120/0000	LENGTH(AH 1636 BK 2437)
		018 "DIA CIR PLASTIC
	0110/1898	LEN=0034 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0110/1643	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0110/1267	LEN=0040 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0110/1060	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0110/0928	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0110/0601	LEN=0050 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0110/0253	LEN=0032 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0110/0027	LEN=0032 INSTALLED UNKN
018490 FT	018490 FT	2 0 31034 0 01 0454+42
	S 0110/0000	LENGTH(AH 2437 BK 2474)
		018 "DIA CIR PLASTIC
	0100/2264	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0100/2031	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0100/1673	LEN=0034 INSTALLED 2018
		018 "DIA CIR PLASTIC
	0100/1292	LEN=0034 INSTALLED 2018
		015 "DIA CIR PLASTIC
	0100/0970	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0100/0588	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0100/0323	LEN=0036 INSTALLED UNKN
016016 FT	016016 FT	2 0 31034 0 01 0429+68
	S 0100/0000	LENGTH(AH 2474 BK 2186)
		018 "DIA CIR PLASTIC
	0090/1961	LEN=0032 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0090/1791	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0090/1630	LEN=0040 INSTALLED 2018

DIR: B TOTAL LEN: 4.744 MI. DIST: 09-5 SR: 3037
LEFT MUN: WALKER T RIGHT MUN: WALKER T

			024 "DIA CIR PLASTIC
		0090/0850	LEN=0030 INSTALLED 2018
			024 "DIA CIR PLASTIC
		0090/0760	LEN=0030 INSTALLED 2018
STATION RD (T448)	0090/0325		NC STATION RD
			018 "DIA CIR PLASTIC
		0090/0304	LEN=0060 INSTALLED 2018
		0090/0071	BMSEN 31/3037/0090/0000
	013830 FT	013830 FT	2 0 31034 0 00 0407+48
			CROOKED CREEK
			BMSBG 31/3037/0090/0000
		0090/0000	LENGTH(AH 2186 BK 2789)
			ORCHARD RD
		0080/2713	(T438)
			ARBORVITAE RD
		0080/2024	(PRDR)
			024 "DIA CIR PLASTIC
		0080/1333	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/0215	LEN=0040 INSTALLED UNKN
	011041 FT	011041 FT	2 0 31034 0 00 0380+50
			036 "DIA CIR PLASTIC
			LEN=0030 INSTALLED 2018
		0080/0000	LENGTH(AH 2789 BK 2465)
			018 "DIA CIR PLASTIC
		0070/0708	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0254	LEN=0032 INSTALLED UNKN
	008576 FT	008576 FT	2 0 31034 0 00 0356+70
		0070/0000	LENGTH(AH 2465 BK 2514)
			018 "DIA CIR PLASTIC
		0060/1927	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/1511	LEN=0032 INSTALLED 2017
			015 "DIA CIR PLASTIC
		0060/0986	LEN=0033 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0060/0272	LEN=0033 INSTALLED UNKN
	006062 FT	006062 FT	2 0 31034 0 00 0332+50

DIR: B TOTAL LEN: 4.744 MI. DIST: 09-5 SR: 3037
LEFT MUN: WALKER T RIGHT MUN: WALKER T

	0060/0000	LENGTH(AH 2514 BK 3031)
		018 "DIA CIR PLASTIC
	0050/1040	LEN=0045 INSTALLED UNKN
		WALKER
	0050/0592	PENN T
		MEADOW RD
	0050/0520	(T420)
		018 "DIA CIR PLASTIC
	0050/0495	LEN=0044 INSTALLED UNKN
003031 FT	003031 FT	2 0 31034 0 00 0303+00
	0050/0000	LENGTH(AH 3031 BK 3031)
		015 "DIA CIR PLASTIC
	0040/2995	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/2048	LEN=0099 INSTALLED 2018
		015 "DIA CIR PLASTIC
	0040/1096	LEN=0031 INSTALLED UNKN
		GRAFTON RD
	0040/0448	(T424)
		BRIGGS RD
	0040/0279	(T428)
		048 "DIA CIRC METAL
	0040/0040	LEN=0044 INSTALLED UNKN
000000 FT	000000 FT	2 0 31034 0 00 0273+08
		VILLAGE: HESSTON
		NC TURKEY FARM RD
		SEVEN POINTS RD
		(SR3011 SEG 0110/0000)
	INTER-BK	STATES RD
		(T427)
		MFC BEGIN = E
	0040/0000	LTH AH 003031 BK 001230
000000 FT	000000 FT	
	7034/0000	LTH AH 001230 BK 002890
000000 FT	000000 FT	
	7030/0000	LENGTH(AH 2890 BK 2900)
000000 FT	000000 FT	
	7020/0000	LENGTH(AH 2900 BK 2942)
000000 FT	000000 FT	
	7010/0000	LENGTH(AH 2942 BK 0000)

DIR: B TOTAL LEN: 2.891 MI. DIST: 09-5 SR: 3035
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T

	015263 FT		015263 FT
			INTER-AHD PENN ST
			(SR0026 SEG 0370/2194)
			PENNSYLVANIA AV
PENNSYLVANIA AV			(T504)
(SR0026 SEG 0370/2194)	0070/1004		0070/1004
MOUNT VERNON AV			
(T457)	0070/0786		
			036 "DIA CIRC METAL
			0070/0576 LEN=0040 INSTALLED UNKN
JUNIATA AV			
(T461)	0070/0442		
			0070/0427 (AAR 444444X)#TRKS 01
			RAMP RD
			(SR8006 SEG 0510/0000)
			RAMP RD
			(SR8006 SEG 0500/0647)
			0070/0285
			014"H 23"W ELLIP CONC
			0070/0226 LEN=0080 INSTALLED UNKN
			TO 8006/0510 SH
			0070/0070 (CONN)
			PINEY RIDGE RD
			0070/0015 (T565)
	014259 FT		014259 FT 2 0 31034 0 02 0637+14
			SR 0022
			OP ID 31/0022/0260/0000
			NC RIDGE RD
			0070/0000 LENGTH(AH 1004 BK 2614)
			018 "DIA CIRC CONCR
			0060/2550 LEN=0058 INSTALLED UNKN
			LC FOR PINEY RIDGE RD

DIR: B TOTAL LEN: 2.891 MI. DIST: 09-5 SR: 3035
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T

		0060/2503	(CONN)
			018 "DIA CIRC CONCR
		0060/2094	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/1843	LEN=0050 INSTALLED UNKN
			028 "DIA CIRC CONCR
		0060/1163	LEN=0049 INSTALLED UNKN
			018 "DIA CIRC METAL
		0060/0857	LEN=0047 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/0402	LEN=0048 INSTALLED UNKN
	011645 FT	011645 FT	2 0 31034 0 02 0611+28
		S 0060/0000	LENGTH(AH 2614 BK 2748)
			032 "DIA CIRC CONCR
		0050/2241	LEN=0049 INSTALLED UNKN
			018 "DIA CIRC METAL
		0050/1876	LEN=0038 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0050/1313	LEN=0048 INSTALLED UNKN
			015"H 24"W ELLIP METAL
		0050/1042	LEN=0056 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0050/0773	LEN=0047 INSTALLED UNKN
	008897 FT	008897 FT	2 0 31034 0 02 0583+80
			FAIRGROUNDS ACCESS RD
			(T502)
		S 0050/0000	LENGTH(AH 2748 BK 1279)
			018 "DIA CIRC CONCR
		0040/1243	LEN=0040 INSTALLED UNKN
HORDUBAY RD (T510)	0040/0908		
			016 "DIA CIR PLASTIC
		0040/0882	LEN=0361 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0040/0057	LEN=0060 INSTALLED UNKN
	007618 FT	007618 FT	2 0 31034 0 02 0570+81
			FAIRGROUNDS ACCESS RD
			(T502)
		S 0040/0000	LENGTH(AH 1279 BK 2099)
			030 "DIA CIRC CONCR
		0030/1991	LEN=0105 INSTALLED UNKN
			SMITHFIELD
		0030/1979	WALKER T
MARKS BROS CONTRACTING (PRDR)	0030/1436	POI 0030/1436	(APRA) MARKS BROS CONTR
			018 "DIA CIRC CONCR
		0030/1358	LEN=0100 INSTALLED UNKN

DIR: B TOTAL LEN: 2.891 MI. DIST: 09-5 SR: 3035
LEFT MUN: WALKER T RIGHT MUN: WALKER T

```
                                                                  (APRA) NES&L CO
                                                                  NES&L CO
                                                 POI        0030/1040 (PRDR)
                                                                  018 "DIA CIRC CONCR
                                                            0030/0874 LEN=0065 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                            0030/0424 LEN=0065 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                            0030/0131 LEN=0060 INSTALLED UNKN
2 0 31034 0 02 0549+33 005519 FT                            005519 FT
SARAH LN
(PRDR)                      0030/0000                   5 0030/0000 LENGTH(AH 2099 BK 2913)
                                                                  018 "DIA CIRC CONCR
                                                            0020/2690 LEN=0055 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                            0020/2468 LEN=0055 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                            0020/1909 LEN=0055 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                            0020/1621 LEN=0045 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                            0020/1380 LEN=0085 INSTALLED UNKN
                                                                  030"H 50"W METAL UNKWN
                                                            0020/1080 LEN=0070 INSTALLED 1996
                                                                  018 "DIA CIRC CONCR
                                                            0020/0803 LEN=0060 INSTALLED UNKN
                                                                  016 "DIA CIRC CONCR
                                                            0020/0426 LEN=0060 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                            0020/0082 LEN=0060 INSTALLED UNKN
                            002606 FT                       002606 FT 2 0 31034 0 02 0520+55
                                                                  STATION RD
                                                                  (SR3037 SEG 0130/2486)
                                                            5 0020/0000 LENGTH(AH 2913 BK 2606)


                                                                  015 "DIA CIRC METAL
                                                            0010/1092 LEN=0034 INSTALLED UNKN
                                                                  JILL DR
                                                            0010/0904 (T473)

                            000000 FT                       000000 FT 2 0 31039 0 00 0000+00
                                                                  NC FAIRGROUNDS RD
                                                                  RAYSTOWN RD
                                                                  (SR0026 SEG 0320/0000)
                                                                  MFC BEGIN = D
                                                            5 0010/0000 LENGTH(AH 2606 BK 0000)
```

DIR: B TOTAL LEN: 7.042 MI. DIST: 09-5 SR: 3033
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T

```
037181 FT                    037181 FT
                             INTER-AHD  PINEY RIDGE RD
                                        (T565)
                                        CROOKED CREEK RD
                             0150/2995  (T564)

                                        024 "DIA CIRC METAL
                             0150/2190  LEN=0099 INSTALLED 1988
                                        018 "DIA CIRC METAL
                             0150/1906  LEN=0052 INSTALLED 1988
                                        015 "DIA CIRC METAL
                             0150/1672  LEN=0040 INSTALLED 1988
                                        015 "DIA CIRC METAL
                             0150/1389  LEN=0048 INSTALLED 1988
                                        018 "DIA CIR PLASTIC
                             0150/1054  LEN=0040 INSTALLED 1988
                                        018 "DIA CIR PLASTIC
                             0150/0849  LEN=0038 INSTALLED 1988
                                        018 "DIA CIR PLASTIC
                             0150/0642  LEN=0040 INSTALLED 1988
                                        018 "DIA CIRC METAL
                             0150/0250  LEN=0040 INSTALLED 1988
034186 FT                    034186 FT  2 0 31085 0 01 0240+33
                             0150/0000  LENGTH(AH 2995 BK 2398)
                                        018 "DIA CIRC METAL
                             0140/2327  LEN=0045 INSTALLED 1988
```

DIR: B TOTAL LEN: 7.042 MI. DIST: 09-5 SR: 3033
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T

		0140/2100	015 "DIA CIRC METAL LEN=0042 INSTALLED 1988
		0140/1926	015 "DIA CIRC METAL LEN=0040 INSTALLED 1988
		0140/1595	018 "DIA CIR PLASTIC LEN=0042 INSTALLED 1988
		0140/1212	015 "DIA CIRC METAL LEN=0038 INSTALLED 1987
		0140/1011	015 "DIA CIRC METAL LEN=0033 INSTALLED 1988
		0140/0719	024 "DIA CIR PLASTIC LEN=0046 INSTALLED 1988
		0140/0409	024 "DIA CIR PLASTIC LEN=0040 INSTALLED 1988
		0140/0216	015 "DIA CIRC METAL LEN=0035 INSTALLED 1988
	031788 FT	031788 FT	2 0 31085 0 01 0215+70 LEFFARD BENCH RD (T503) SMITHFIELD JUNIATA T
SMITHFIELD WALKER T	0140/0000	5 0140/0000	LENGTH(AH 2398 BK 2060)
		0130/2058	018 "DIA CIR PLASTIC LEN=0037 INSTALLED 1988
		0130/1890	LC TO LEFFARD BENCH RD (CONN)
		0130/0162	015 "DIA CIRC METAL LEN=0045 INSTALLED 1988
	029728 FT	029728 FT	2 0 31085 0 01 0194+87
		5 0130/0000	LENGTH(AH 2060 BK 2393)
		0120/2166	015 "DIA CIRC METAL LEN=0042 INSTALLED 1988
		0120/1487	012 "DIA CIRC METAL LEN=0099 INSTALLED 1988
		0120/1223	015 "DIA CIRC METAL LEN=0036 INSTALLED 1988
		0120/0977	015 "DIA CIRC METAL LEN=0048 INSTALLED 1988
	027335 FT	027335 FT	2 0 31085 0 01 0170+94
		5 0120/0000	LENGTH(AH 2393 BK 2556)
		0110/1838	015 "DIA CIRC METAL LEN=0030 INSTALLED 1988

DIR: B TOTAL LEN: 7.042 MI. DIST: 09-5 SR: 3033
LEFT MUN: WALKER T RIGHT MUN: JUNIATA T

			015 "DIA CIRC METAL
		0110/1490	LEN=0032 INSTALLED 1988
WALKER			
JUNIATA T	0110/0866		
			015 "DIA CIRC METAL
		0110/0713	LEN=0033 INSTALLED 1988
			015 "DIA CIRC METAL
		0110/0293	LEN=0030 INSTALLED 1988
JUNIATA			
WALKER T	0110/0215		
	024779 FT		
		024779 FT	2 0 31085 0 01 0145+34
		S 0110/0000	LENGTH(AH 2556 BK 2867)
			015 "DIA CIRC METAL
		0100/2800	LEN=0032 INSTALLED UNKN
WALKER			
JUNIATA T	0100/2453		
			015 "DIA CIR PLASTIC
		0100/2360	LEN=0032 INSTALLED 1988
			015 "DIA CIRC METAL
		0100/1681	LEN=0032 INSTALLED 1988
JUNIATA			
WALKER T	0100/1648		
			015 "DIA CIRC METAL
		0100/0707	LEN=0032 INSTALLED 1988
			015 "DIA CIRC METAL
		0100/0213	LEN=0035 INSTALLED 1988
	021912 FT	021912 FT	2 0 31085 0 01 0116+42
		S 0100/0000	LENGTH(AH 2867 BK 3198)
			015 "DIA CIRC METAL
		0090/3052	LEN=0032 INSTALLED 1988
			015 "DIA CIRC METAL
		0090/2724	LEN=0032 INSTALLED 1988
			015 "DIA CIRC METAL
		0090/2103	LEN=0035 INSTALLED 1988
			015 "DIA CIRC METAL
		0090/1615	LEN=0028 INSTALLED 1988
			018 "DIA CIRC METAL
		0090/1285	LEN=0042 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0090/0819	LEN=0032 INSTALLED 1988
			018 "DIA CIRC METAL
		0090/0222	LEN=0032 INSTALLED 1988
	018714 FT	018714 FT	2 0 31085 0 01 0084+98
		S 0090/0000	LENGTH(AH 3198 BK 2804)

DIR: B TOTAL LEN: 7.042 MI. DIST: 09-5 SR: 3033
LEFT MUN: WALKER T RIGHT MUN: PENN T

		0080/1755	018 "DIA CIRC METAL LEN=0030 INSTALLED 1988
		0080/1558	018 "DIA CIRC METAL LEN=0030 INSTALLED 1988
		0080/0625	018 "DIA CIRC METAL LEN=0032 INSTALLED 1988
015910 FT		015910 FT	2 0 31085 0 01 0056+70
			PARKS RD
			(SR3018 SEG 0010/0000)
		S 0080/0000	LENGTH(AH 2804 BK 2123)
ORCHARD RD (T438)	0070/2087		
		0070/1542	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 1988
		0070/0799	018 "DIA CIRC METAL LEN=0032 INSTALLED 1988
		0070/0266	018 "DIA CIRC METAL LEN=0030 INSTALLED 1988
013787 FT		013787 FT	2 0 31085 0 00 0140+00
		S 0070/0000	LENGTH(AH 2123 BK 2477)
		0060/1831	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1988
		0060/1046	018 "DIA CIRC METAL LEN=0030 INSTALLED 1988
			WINDSTAR WY
		0060/1012	(PRDR)
			WINDSTAR WY
		0060/0261	(PRDR)
011310 FT		011310 FT	2 0 31085 0 00 0115+00
			018 "DIA CIRC METAL
			LEN=0030 INSTALLED 1988
		S 0060/0000	LENGTH(AH 2477 BK 2514)
			015 "DIA CIR PLASTIC
		0050/1920	LEN=0034 INSTALLED 1988
		0050/1137	018 "DIA CIRC METAL LEN=0032 INSTALLED 1988
		0050/0065	018 "DIA CIRC METAL LEN=0032 INSTALLED 1988
008796 FT		008796 FT	2 0 31085 0 00 0090+00

DIR: B TOTAL LEN: 7.042 MI. DIST: 09-5 SR: 3033
LEFT MUN: WALKER T RIGHT MUN: PENN T

		0050/0000	LENGTH(AH 2514 BK 2377)
			018 "DIA CIRC METAL
		0040/1605	LEN=0045 INSTALLED 1988
			018 "DIA CIRC METAL
		0040/0652	LEN=0030 INSTALLED 1988
	006419 FT	006419 FT	2 0 31085 0 00 0065+00
		0040/0000	LENGTH(AH 2377 BK 2340)
WALKER			JUNIATA
PENN T	0030/1860	0030/1860	PENN T
			018 "DIA CIR PLASTIC
		0030/1680	LEN=0036 INSTALLED 1988
			015 "DIA CIRC METAL
		0030/1152	LEN=0030 INSTALLED 1988
			015 "DIA CIRC CONCR
		0030/0957	LEN=0040 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0030/0678	LEN=0032 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0030/0112	LEN=0030 INSTALLED 1988
	004079 FT	004079 FT	2 0 31085 0 00 0039+80
		0030/0000	LENGTH(AH 2340 BK 1478)
			018 "DIA CIR PLASTIC
		0020/1264	LEN=0045 INSTALLED 1988
			018 "DIA CIRC METAL
		0020/0931	LEN=0036 INSTALLED 1988
	002601 FT	002601 FT	2 0 31085 0 00 0025+50
		0020/0000	LENGTH(AH 1478 BK 2601)
			018 "DIA CIRC METAL
		0010/2358	LEN=0034 INSTALLED 1988
			018 "DIA CIRC METAL
		0010/1801	LEN=0032 INSTALLED 1988
			015 "DIA CIRC METAL
		0010/0598	LEN=0030 INSTALLED 1988
	000000 FT	000000 FT	2 0 31085 0 00 0000+00
			NC PINEY RIDGE RD
			SEVEN POINTS RD
			(SR3011 SEG 0080/0000)
		INTER-BK	SCHOOL HOUSE RD
			(T423)
			MFC BEGIN = D
		0010/0000	LENGTH(AH 2601 BK 0000)

DIR: B TOTAL LEN: 1.750 MI. DIST: 09-5 SR: 3031
LEFT MUN: TODD T RIGHT MUN: TODD T

009241 FT 009241 FT STATE FOREST RD

DIR: B TOTAL LEN: 1.750 MI. DIST: 09-5 SR: 3031
LEFT MUN: TODD T RIGHT MUN: TODD T

		0040/1465	(FRST)
			048 "DIA CIRC CONCR
		0040/0298	LEN=0035 INSTALLED UNKN
2 0 31118 0 00 0078+00	007776 FT	007776 FT	
OLD FORGE RD			
(TWP)	0040/0000	0040/0000	LENGTH(AH 1465 BK 2250)
			018 "DIA CIRC CONCR
		0030/2198	LEN=0054 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/1728	LEN=0056 INSTALLED UNKN
			032 "DIA CIRC METAL
		0030/0994	LEN=0185 INSTALLED UNKN
	005526 FT	005526 FT	2 0 31118 0 00 0056+13
		0030/0000	LENGTH(AH 2250 BK 3037)
			042 "DIA CIRC METAL
		0020/2329	LEN=0136 INSTALLED UNKN
RHODES DR			
(PRDR)	0020/0644		
	002489 FT	002489 FT	2 0 31118 0 00 0025+14
		0020/0000	LENGTH(AH 3037 BK 2489)
			042 "DIA CIRC METAL
		0010/1960	LEN=0110 INSTALLED UNKN
			042 "DIA CIRC METAL
		0010/1217	LEN=0090 INSTALLED UNKN
			T TATMANS RN
			STRUCTURE LENGTH 10 FT
		0010/0706	BMSID 31/3031/0010/0706
			024 "DIA CIRC CONCR
		0010/0055	LEN=0064 INSTALLED UNKN
	000000 FT	000000 FT	2 0 31118 0 00 0000+00
			NC LITTLE VALLEY RD
			OLD PLANK RD
			(SR0994 SEG 0140/0000)
		INTER-BK	LITTLE VALLEY RD
			(SR3001 SEG 0140/3154)
			MFC BEGIN = D
		0010/0000	LENGTH(AH 2489 BK 0000)

DIR: B TOTAL LEN: 11.455 MI. DIST: 09-5 SR: 3029
LEFT MUN: MAPLETON B RIGHT MUN: MAPLETON B

060480 FT

FEED MILL DR
(BORO)

0260/1012

FEED MILL DR
(BORO)

0260/0606

059271 FT



060480 FT
INTER-AHD MAIN ST
(SR0655 SEG 0450/0000)
CAMPBELL ST
0260/1209 (SR0655 SEG 0450/0000)

042 "DIA CIRC OTHER
0260/0990 LEN=0030 INSTALLED UNKN
CALLOHILL ST
(BORO)
NC MAIN ST

015 "DIA CIRC METAL
0260/0387 LEN=0063 INSTALLED UNKN
BANKSTOWN ST
0260/0358 (BORO)
0260/0054 BMSEN 31/3029/0260/0000
MAPLETON
0260/0024 UNION T
059271 FT 2 0 31027 0 05 0599+51
NC CALLOHILL ST

DIR: B TOTAL LEN: 11.455 MI. DIST: 09-5 SR: 3029
LEFT MUN: UNION T RIGHT MUN: UNION T

				HARES VALLEY CREEK
				BMSBG 31/3029/0260/0000
			S 0260/0000	LENGTH(AH 1209 BK 1252)
			0250/0035	BMSEN 31/3029/0250/0000
	058019 FT		058019 FT	2 0 31027 0 04 0586+99
				SMITH RUN
				BMSBG 31/3029/0250/0000
			S 0250/0000	LENGTH(AH 1252 BK 1626)
				BIRDVALE RD
		==	0240/1162	(T401)
				036 "DIA CIRC METAL
			0240/0584	LEN=0100 INSTALLED UNKN
HONEYSUCKLE LN				
(PRDR)	0240/0382	==		
2 0 31027 0 04 0570+90	056393 FT		056393 FT	
RIVER RD				
(T432)	0240/0000	==	S 0240/0000	LENGTH(AH 1626 BK 1982)
				BIRDVALE RD
		==	0230/1866	(T401)
				015 "DIA CIRC METAL
			0230/1826	LEN=0051 INSTALLED UNKN
				015 "DIA CIRC METAL
			0230/1253	LEN=0036 INSTALLED UNKN
				018 "DIA CIRC METAL
			0230/0755	LEN=0042 INSTALLED UNKN
				024 "DIA CIRC METAL
			0230/0312	LEN=0036 INSTALLED UNKN
	054411 FT		054411 FT	2 0 31027 0 04 0551+05
				VILLAGE: BIRDVALE
			S 0230/0000	LENGTH(AH 1982 BK 2563)
				018 "DIA CIRC CONCR
			0220/2500	LEN=0032 INSTALLED 2006
				015 "DIA CIRC METAL
			0220/1900	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0220/1740	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0220/1578	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0220/1390	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0220/1290	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0220/0790	LEN=0030 INSTALLED 2006
				018 "DIA CIRC CONCR
			0220/0473	LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 11.455 MI. DIST: 09-5 SR: 3029
LEFT MUN: UNION T RIGHT MUN: UNION T

			018 "DIA CIRC CONCR
		0220/0081	LEN=0035 INSTALLED UNKN
		0220/0013	BMSEN 31/3029/0220/0000
	051848 FT	051848 FT	2 0 31027 0 03 0524+78
			TRIB SMITH RUN
			BMSBG 31/3029/0220/0000
			MFC BEGIN = D
		S 0220/0000	LENGTH(AH 2563 BK 3031)
POLECAT HOLLOW RD			
(SR3049 SEG 0010/0000)	0210/3004		
			018 "DIA CIR PLASTIC
		0210/2508	LEN=0050 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0210/1850	LEN=0048 INSTALLED UNKN
			015 "DIA CIRC METAL
		0210/1615	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0210/1370	LEN=0033 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0210/0421	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0210/0192	LEN=0042 INSTALLED UNKN
	048817 FT	048817 FT	2 0 31027 0 03 0494+30
			024 "DIA CIR PLASTIC
			LEN=0040 INSTALLED 1996
		S 0210/0000	LENGTH(AH 3031 BK 2564)
			018 "DIA CIR PLASTIC
		0200/2356	LEN=0052 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0200/1665	LEN=0050 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0200/1205	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0200/0965	LEN=0040 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0200/0237	LEN=0040 INSTALLED UNKN
	046253 FT	046253 FT	2 0 31027 0 03 0468+66
		S 0200/0000	LENGTH(AH 2564 BK 1358)
			018 "DIA CIR PLASTIC
		0190/1152	LEN=0034 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0190/0842	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0190/0643	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 11.455 MI. DIST: 09-5 SR: 3029
LEFT MUN: UNION T RIGHT MUN: UNION T

```
                                        0190/0289 LEN=0035 INSTALLED UNKN
                                        0190/0068 BMSEN 31/3029/0190/0000
044895 FT                               044895 FT 2 0 31027 0 02 0451+38
                                                  SMITH RUN
                                                  BMSBG 31/3029/0190/0000
                                      S 0190/0000 LENGTH(AH 1358 BK 2287)
                                                  015 "DIA CIR PLASTIC
                                        0180/2171 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0180/1965 LEN=0045 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0180/1703 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0180/1402 LEN=0040 INSTALLED UNKN


                                                  015 "DIA CIRC CONCR
                                        0180/0502 LEN=0034 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0180/0293 LEN=0033 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0180/0017 LEN=0036 INSTALLED UNKN
042608 FT                               042608 FT 2 0 31027 0 02 0428+51
                                      S 0180/0000 LENGTH(AH 2287 BK 2538)
                                                  018 "DIA CIR PLASTIC
                                        0170/2075 LEN=0032 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0170/1903 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0170/1804 LEN=0039 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0170/1322 LEN=0036 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0170/1259 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0170/1034 LEN=0035 INSTALLED UNKN
                                                  030 "DIA CIR PLASTIC
                                        0170/0808 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0170/0465 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0170/0219 LEN=0040 INSTALLED UNKN
040070 FT                               040070 FT 2 0 31027 0 02 0403+13
                                      S 0170/0000 LENGTH(AH 2538 BK 2472)
                                                  024 "DIA CIR PLASTIC
                                        0160/2443 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0160/2284 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0160/1859 LEN=0040 INSTALLED UNKN
```

DIR: B TOTAL LEN: 11.455 MI. DIST: 09-5 SR: 3029
LEFT MUN: UNION T RIGHT MUN: UNION T

		018 "DIA CIR PLASTIC
	0160/1544	LEN=0037 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0160/1155	LEN=0033 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0160/0985	LEN=0033 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0160/0849	LEN=0040 INSTALLED UNKN
		036 "DIA CIRC METAL
	0160/0404	LEN=0039 INSTALLED UNKN
037598 FT	037598 FT	2 0 31027 0 02 0378+41
	S 0160/0000	LENGTH(AH 2472 BK 2399)
		018 "DIA CIR PLASTIC
	0150/1850	LEN=0040 INSTALLED 2005
		018 "DIA CIR PLASTIC
	0150/1185	LEN=0040 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0150/1052	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0150/0748	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0150/0346	LEN=0040 INSTALLED 2005
		018 "DIA CIR PLASTIC
	0150/0125	LEN=0060 INSTALLED UNKN
035199 FT	035199 FT	2 0 31027 0 02 0354+42
	S 0150/0000	LENGTH(AH 2399 BK 2606)
		036 "DIA CIR PLASTIC
	0140/2558	LEN=0045 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0140/2126	LEN=0035 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0140/1662	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0140/1460	LEN=0035 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0140/0676	LEN=0030 INSTALLED UNKN
032593 FT	032593 FT	2 0 31027 0 01 0328+05
		030 "DIA CIRC CONCR
		LEN=0036 INSTALLED UNKN
	S 0140/0000	LENGTH(AH 2606 BK 2501)
		015 "DIA CIRC CONCR
	0130/1945	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0130/1452	LEN=0040 INSTALLED 2005
		015 "DIA CIRC CONCR
	0130/0993	LEN=0042 INSTALLED UNKN
		015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 11.455 MI. DIST: 09-5 SR: 3029
LEFT MUN: UNION T RIGHT MUN: UNION T

```
                                        0130/0745 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0130/0370 LEN=0046 INSTALLED UNKN
                                                  036 "DIA CIR PLASTIC
                                        0130/0225 LEN=0050 INSTALLED UNKN
030092 FT                               030092 FT 2 0 31027 0 01 0303+04
                                      S 0130/0000 LENGTH(AH 2501 BK 2348)

                                                  018 "DIA CIRC CONCR
                                        0120/1565 LEN=0045 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                        0120/0886 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0120/0713 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                        0120/0321 LEN=0034 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0120/0205 LEN=0040 INSTALLED UNKN
027744 FT                               027744 FT 2 0 31027 0 00 0278+07
                                      S 0120/0000 LENGTH(AH 2348 BK 2075)
                                                  024 "DIA CIR PLASTIC
                                        0110/1856 LEN=0055 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0110/1482 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0110/1065 LEN=0040 INSTALLED 2005
                                                  018 "DIA CIR PLASTIC
                                        0110/0835 LEN=0040 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                        0110/0234 LEN=0035 INSTALLED UNKN
025669 FT                               025669 FT 2 0 31027 0 00 0257+32
                                      S 0110/0000 LENGTH(AH 2075 BK 2750)
                                                  036 "DIA CIR PLASTIC
                                        0100/2275 LEN=0060 INSTALLED 1988
                                                  042 "DIA CIR PLASTIC
                                        0100/1846 LEN=0040 INSTALLED 1988
                                                  018 "DIA CIR PLASTIC
                                        0100/1698 LEN=0040 INSTALLED 1988
                                                  018 "DIA CIR PLASTIC
                                        0100/1475 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0100/0976 LEN=0040 INSTALLED 1988
                                                  018 "DIA CIR PLASTIC
                                        0100/0406 LEN=0040 INSTALLED 1988
                                                  042 "DIA CIR PLASTIC
                                        0100/0189 LEN=0040 INSTALLED 1988
022919 FT                               022919 FT 2 0 31027 0 00 0229+82
                                      S 0100/0000 LENGTH(AH 2750 BK 2372)
```

DIR: B TOTAL LEN: 11.455 MI. DIST: 09-5 SR: 3029
LEFT MUN: UNION T RIGHT MUN: UNION T

			018 "DIA CIR PLASTIC
		0090/1783	LEN=0040 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0090/1423	LEN=0054 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/0860	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0090/0605	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0090/0464	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/0252	LEN=0040 INSTALLED UNKN
	020547 FT	020547 FT	2 0 31027 0 00 0206+10
		0090/0000	LENGTH(AH 2372 BK 2726)
			UNION
		0080/2707	CASS T
			018 "DIA CIR PLASTIC
		0080/2360	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/2010	LEN=0040 INSTALLED UNKN
			042 "DIA CIR PLASTIC
		0080/1845	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/1165	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/0855	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/0585	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/0425	LEN=0036 INSTALLED UNKN
2 0 31027 0 00 0178+85	017821 FT	017821 FT	
DIRT MOUNTAIN RD			
(T386)	0080/0000	0080/0000	LENGTH(AH 2726 BK 2822)
			052 "DIA CIR PLASTIC
		0070/2785	LEN=0040 INSTALLED UNKN
			RIDGE RD
		0070/2711	(T390)
			015 "DIA CIR PLASTIC
		0070/2283	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/1959	LEN=0033 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0070/1547	LEN=0050 INSTALLED UNKN
			HUMMINGBIRD LN
		0070/0978	(TWP)
			030 "DIA CIR PLASTIC
		0070/0940	LEN=0048 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0070/0527	LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 11.455 MI. DIST: 09-5 SR: 3029
LEFT MUN: CASS T RIGHT MUN: CASS T

				018 "DIA CIR PLASTIC
			0070/0265	LEN=0042 INSTALLED 1996
MEGAN LN (TWP)	0070/0075	==		
				018 "DIA CIR PLASTIC
			0070/0035	LEN=0040 INSTALLED UNKN
	014999 FT		014999 FT	2 0 31027 0 00 0150+35
			S 0070/0000	LENGTH(AH 2822 BK 2416)
				018 "DIA CIR PLASTIC
			0060/2187	LEN=0040 INSTALLED UNKN
				036 "DIA CIR PLASTIC
			0060/1876	LEN=0050 INSTALLED 1999
				018 "DIA CIR PLASTIC
			0060/1328	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0060/1088	LEN=0033 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0060/0909	LEN=0038 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0060/0516	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0060/0125	LEN=0060 INSTALLED UNKN
	012583 FT		012583 FT	2 0 31027 0 00 0125+71
				024 "DIA CIR PLASTIC
				LEN=0036 INSTALLED UNKN
			S 0060/0000	LENGTH(AH 2416 BK 2571)
				018 "DIA CIR PLASTIC
			0050/2147	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0050/1864	LEN=0032 INSTALLED UNKN
				036 "DIA CIR PLASTIC
			0050/1232	LEN=0055 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0050/0819	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0050/0551	LEN=0036 INSTALLED UNKN
	010012 FT		010012 FT	2 0 31027 0 00 0100+00
				018 "DIA CIR PLASTIC
				LEN=0040 INSTALLED UNKN
			S 0050/0000	LENGTH(AH 2571 BK 2585)
				036 "DIA CIR PLASTIC
			0040/2410	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0040/1640	LEN=0040 INSTALLED UNKN
				030 "DIA CIR PLASTIC
			0040/1176	LEN=0040 INSTALLED UNKN
				030 "DIA CIR PLASTIC
			0040/0754	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 11.455 MI. DIST: 09-5 SR: 3029
LEFT MUN: CASS T RIGHT MUN: CASS T

			018 "DIA CIR PLASTIC
		0040/0407	LEN=0035 INSTALLED UNKN
	007427 FT	007427 FT	2 0 31027 0 00 0074+15
			GARLOCK RD
			(T383)
		S 0040/0000	LENGTH(AH 2585 BK 2386)
			024 "DIA CIR PLASTIC
		0030/2340	LEN=0040 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0030/1768	LEN=0040 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0030/1025	LEN=0040 INSTALLED 1997
			024 "DIA CIR PLASTIC
		0030/0394	LEN=0040 INSTALLED UNKN
	005041 FT	005041 FT	2 0 31027 0 00 0049+90
		S 0030/0000	LENGTH(AH 2386 BK 2507)
			036 "DIA CIR PLASTIC
		0020/2291	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1831	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1560	LEN=0035 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0020/1335	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0797	LEN=0035 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0020/0234	LEN=0040 INSTALLED UNKN
	002534 FT	002534 FT	2 0 31027 0 00 0024+83
		S 0020/0000	LENGTH(AH 2507 BK 2534)
			018 "DIA CIR PLASTIC
		0010/2160	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/1990	LEN=0035 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0010/1540	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0010/0970	LEN=0040 INSTALLED UNKN
	000000 FT	000000 FT	2 0 31027 0 00 0000+00
			NC SMITH VALLEY RD
			ZINOBILE RD
			(SR3020 SEG 0010/0000)
		INTER-BK	SR 0829 SH
			(SR0829 SEG 0090/0000)
SR 0829 SH			MFC BEGIN = E
(SR0829 SEG 0090/0000)	0010/0000	S 0010/0000	LENGTH(AH 2534 BK 0000)

DIR: B TOTAL LEN: 5.243 MI. DIST: 09-5 SR: 3027
LEFT MUN: CASS T RIGHT MUN: CASS T

TROUGH CREEK VALLEY PK 027683 FT
(SR0829 SEG 0190/0000) 0110/1820



027683 FT TROUGH CREEK VALLEY PK
0110/1820 (SR0829 SEG 0190/0000)
015 "DIA CIRC CONCR
0110/1743 LEN=0036 INSTALLED UNKN

036 "DIA CIR PLASTIC
0110/1090 LEN=0028 INSTALLED UNKN
012 "DIA CIRC CONCR
0110/0610 LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 5.243 MI. DIST: 09-5 SR: 3027
LEFT MUN: CASS T RIGHT MUN: CASS T

			018 "DIA CIR PLASTIC
		0110/0390	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0110/0248	LEN=0034 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/0013	LEN=0034 INSTALLED UNKN
2 0 31024 0 01 0263+00	025863 FT	025863 FT	
FINK RD			
(T391)	0110/0000	S 0110/0000	LENGTH(AH 1820 BK 2797)
		0100/1153	BMSEN 31/3027/0100/1023
			2 0 31024 0 01 0245+34
			LITTLE TROUGH CREEK
		0100/1023	BMSBG 31/3027/0100/1023
			015 "DIA CIRC CONCR
		0100/0546	LEN=0030 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0100/0065	LEN=0034 INSTALLED UNKN
	023066 FT	023066 FT	2 0 31024 0 01 0235+00
			WRIGHT RD
			(T387)
		S 0100/0000	LENGTH(AH 2797 BK 3365)
			015 "DIA CIRC METAL
		0090/1734	LEN=0032 INSTALLED UNKN
			042 "DIA CIRC CONCR
		0090/1329	LEN=0038 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0090/1112	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0090/0239	LEN=0032 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0090/0058	LEN=0035 INSTALLED 2007
	019701 FT	019701 FT	2 0 31024 0 01 0200+54
		S 0090/0000	LENGTH(AH 3365 BK 2497)
			015 "DIA CIRC CONCR
		0080/1529	LEN=0032 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0080/0956	LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 5.243 MI. DIST: 09-5 SR: 3027
LEFT MUN: CASS T RIGHT MUN: CASS T

			018 "DIA CIRC ALUMIN
		0080/0035	LEN=0034 INSTALLED 2014
	017204 FT	017204 FT	2 0 31024 0 01 0175+07
		5 0080/0000	LENGTH(AH 2497 BK 2443)
			072 "DIA CIRC CONCR
		0070/1858	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0070/0759	LEN=0034 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0070/0513	LEN=0044 INSTALLED UNKN
2 0 31024 0 01 0150+30	014761 FT	014761 FT	CASSVILLE RD
PARADISE RD			(SR3008 SEG 0010/0000)
(T385)	0070/0000	5 0070/0000	LENGTH(AH 2443 BK 3406)
			036 "DIA CIR PLASTIC
		0060/2636	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC ALUMIN
		0060/2095	LEN=0040 INSTALLED 2014
			036 "DIA CIRC ALUMIN
		0060/0831	LEN=0032 INSTALLED 2014
			015 "DIA CIRC CONCR
		0060/0269	LEN=0036 INSTALLED UNKN
	011355 FT	011355 FT	2 0 31024 0 01 0117+40
			CASS
			TODD T
		5 0060/0000	LENGTH(AH 3406 BK 2602)
			015 "DIA CIRC CONCR
		0050/2515	LEN=0032 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0050/1765	LEN=0040 INSTALLED UNKN
			042 "DIA CIRC CONCR
		0050/0623	LEN=0042 INSTALLED UNKN
2 0 31024 0 01 0091+00	008753 FT	008753 FT	
STATE FOREST RD			
(FRST)	0050/0000	5 0050/0000	LENGTH(AH 2602 BK 1825)
			024 "DIA CIRC CONCR
		0040/1585	LEN=0042 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0040/1000	LEN=0052 INSTALLED 2006

DIR: B TOTAL LEN: 5.243 MI. DIST: 09-5 SR: 3027
LEFT MUN: TODD T RIGHT MUN: TODD T

	006928 FT		006928 FT	2 0 31024 0 01 0072+78
				MILL LN
				(T369)
			0040/0000	LENGTH(AH 1825 BK 2221)
				012 "DIA CIR PLASTIC
			0030/2079	LEN=0025 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0030/1563	LEN=0036 INSTALLED UNKN
				018 "DIA CIRC ALUMIN
			0030/1370	LEN=0040 INSTALLED 2014
				024 "DIA CIRC CONCR
			0030/0670	LEN=0036 INSTALLED UNKN
2 0 31024 0 01 0050+00	004707 FT		004707 FT	
NEW FORDING RD				
(T368)	0030/0000		0030/0000	LENGTH(AH 2221 BK 2099)
				024 "DIA CIRC ALUMIN
			0020/1181	LEN=0060 INSTALLED 2014
				024 "DIA CIRC ALUMIN
			0020/0605	LEN=0040 INSTALLED 2014
				015 "DIA CIRC CONCR
			0020/0340	LEN=0130 INSTALLED UNKN
			0020/0066	BMSEN 31/3027/0020/0000
	002608 FT		002608 FT	2 0 31024 0 00 0027+08
				GREAT TROUGH CREEK
				BMSBG 31/3027/0020/0000
			0020/0000	LENGTH(AH 2099 BK 2608)
				015 "DIA CIRC CONCR
			0010/2087	LEN=0030 INSTALLED UNKN
				015 "DIA CIR PLASTIC
			0010/1840	LEN=0036 INSTALLED UNKN
				015 "DIA CIR PLASTIC
			0010/1431	LEN=0036 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0010/0732	LEN=0026 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0010/0506	LEN=0030 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0010/0041	LEN=0040 INSTALLED UNKN
	000000 FT		000000 FT	2 0 31024 0 00 0000+00
				VILLAGE: TODD
			NC	BEAVERTOWN RD
			INTER-BK	SUGAR RUN RD
				(SR3025 SEG 0060/0134)
SUGAR RUN RD				MFC BEGIN = E
(SR3025 SEG 0060/0134)	0010/0000		0010/0000	LENGTH(AH 2608 BK 0000)

DIR: B TOTAL LEN: 3.093 MI. DIST: 09-5 SR: 3025
LEFT MUN: TODD T RIGHT MUN: TODD T

016333 FT

016333 FT COOKS RD
0070/2390 (SR3019 SEG 0160/0000)
018 "DIA CIRC METAL

DIR: B TOTAL LEN: 3.093 MI. DIST: 09-5 SR: 3025
LEFT MUN: TODD T RIGHT MUN: TODD T

		0070/2304	LEN=0042 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0070/1585	LEN=0044 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0070/0514	LEN=0034 INSTALLED UNKN
	013943 FT	013943 FT	1 0 00738 0 00 0140+50
		S 0070/0000	LENGTH(AH 2390 BK 2192)
			015 "DIA CIRC CONCR
		0060/1994	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/1725	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/1236	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/0686	LEN=0060 INSTALLED UNKN
			LANE RD
		0060/0550	(T367)
			015 "DIA CIRC CONCR
		0060/0520	LEN=0028 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0060/0200	LEN=0035 INSTALLED UNKN
BEAVERTOWN RD (SR3027 SEG 0010/0000)	0060/0134		
			015 "DIA CIRC METAL
		0060/0129	LEN=0099 INSTALLED UNKN
	011751 FT	011751 FT	1 0 00738 0 00 0117+83
			BR.TROUGH CR
			STRUCTURE LENGTH 12 FT
			BMSID 31/3025/0060/0000
		S 0060/0000	LENGTH(AH 2192 BK 1784)
			015 "DIA CIRC CONCR
		0050/1085	LEN=0042 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0050/0379	LEN=0082 INSTALLED UNKN
	009967 FT	009967 FT	1 0 00738 0 00 0099+80
GRANGE HALL RD (T363)	0050/0000		VILLAGE: TODD
		S 0050/0000	LENGTH(AH 1784 BK 2995)
			015 "DIA CIRC CONCR
		0040/2915	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/1896	LEN=0034 INSTALLED UNKN
			030 "DIA CIRC CONCR

DIR: B TOTAL LEN: 3.093 MI. DIST: 09-5 SR: 3025
LEFT MUN: TODD T RIGHT MUN: TODD T

```
                                                 0040/1243 LEN=0036 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0040/0846 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0040/0675 LEN=0038 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0040/0520 LEN=0030 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0040/0092 LEN=0030 INSTALLED UNKN
                006972 FT                        006972 FT 1 0 00738 0 00 0070+25
                                                S 0040/0000 LENGTH(AH 2995 BK 2438)
                                                           030 "DIA CIRC CONCR
                                                 0030/2230 LEN=0036 INSTALLED UNKN

                                                           015 "DIA CIRC CONCR
                                                 0030/1583 LEN=0032 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0030/1326 LEN=0032 INSTALLED UNKN
                                                           BARNETT DR
                                              ==  0030/1093 (PRDR)
                                                           015 "DIA CIRC CONCR
                                                 0030/0988 LEN=0034 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0030/0417 LEN=0042 INSTALLED UNKN
                004534 FT                        004534 FT 1 0 00738 0 00 0045+63
                                                S 0030/0000 LENGTH(AH 2438 BK 2082)
                                                           015 "DIA CIRC CONCR
                                                 0020/1655 LEN=0036 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0020/1362 LEN=0034 INSTALLED UNKN

                                                           015 "DIA CIRC CONCR
                                                 0020/0596 LEN=0030 INSTALLED UNKN
                002452 FT                        002452 FT 1 0 00738 0 00 0024+81
                                                S 0020/0000 LENGTH(AH 2082 BK 2452)
                                                           018 "DIA CIRC CONCR
                                                 0010/2206 LEN=0036 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0010/1797 LEN=0034 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0010/1644 LEN=0032 INSTALLED UNKN


                                                           015 "DIA CIRC CONCR
                                                 0010/0528 LEN=0032 INSTALLED UNKN
                                                       NC SUGAR RUN RD
                                                           OLD PLANK RD
1 0 00738 0 00 0000+00 000000 FT                 000000 FT (SR0994 SEG 0270/0000)
OLD PLANK RD                                               MFC BEGIN = E
(SR0994 SEG 0270/0000)  0010/0000               S 0010/0000 LENGTH(AH 2452 BK 0000)
```

DIR: B TOTAL LEN: 4.409 MI. DIST: 09-5 SR: 3023
LEFT MUN: CLAY T RIGHT MUN: CLAY T

```
023279 FT                    023279 FT OLD PLANK RD
                             0090/3279 (SR0994 SEG 0420/0000)
                                       SPRING RUN
                                       STRUCTURE LENGTH  16 FT
                             0090/3189 BMSID 31/3023/0090/3189

                                       018 "DIA CIR PLASTIC
                             0090/2523 LEN=0040 INSTALLED 2006
                                       015 "DIA CIRC CONCR
                             0090/2074 LEN=0030 INSTALLED UNKN
                                       036 "DIA CIR PLASTIC
                             0090/1617 LEN=0040 INSTALLED 2006
                                       015 "DIA CIRC CONCR
                             0090/1273 LEN=0036 INSTALLED UNKN

                                       015 "DIA CIRC CONCR
                             0090/0624 LEN=0027 INSTALLED UNKN
                                       024 "DIA CIR PLASTIC
                             0090/0059 LEN=0040 INSTALLED 2000
020000 FT                    020000 FT 2 0 31008 0 00 0200+70
                           S 0090/0000 LENGTH(AH 3279 BK 1512)
                                       015 "DIA CIRC CONCR
                             0080/1239 LEN=0032 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0080/0622 LEN=0030 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0080/0211 LEN=0033 INSTALLED UNKN
018488 FT                    018488 FT 2 0 31008 0 00 0185+50
                           S 0080/0000 LENGTH(AH 1512 BK 2651)
                                       015 "DIA CIR PLASTIC
                             0070/2362 LEN=0037 INSTALLED 2006
```

DIR: B TOTAL LEN: 4.409 MI. DIST: 09-5 SR: 3023
LEFT MUN: CLAY T RIGHT MUN: CLAY T

		036 "DIA CIRC CONCR
	0070/1941	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/1183	LEN=0033 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0070/0597	LEN=0032 INSTALLED UNKN
015837 FT	015837 FT	2 0 31008 0 00 0158+67
	S 0070/0000	LENGTH(AH 2651 BK 2515)
		024 "DIA CIR PLASTIC
	0060/2153	LEN=0040 INSTALLED 2006
		018 "DIA CIRC CONCR
	0060/1816	LEN=0034 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/1142	LEN=0038 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0060/0650	LEN=0032 INSTALLED 2006
		024 "DIA CIR PLASTIC
	0060/0052	LEN=0041 INSTALLED 2006
013322 FT	013322 FT	2 0 31008 0 00 0133+52
	S 0060/0000	LENGTH(AH 2515 BK 2832)
		015 "DIA CIR PLASTIC
	0050/2286	LEN=0030 INSTALLED UNKN
		036 "DIA CIR PLASTIC
	0050/1547	LEN=0030 INSTALLED 2000
		018 "DIA CIRC CONCR
	0050/0606	LEN=0033 INSTALLED UNKN
010490 FT	010490 FT	2 0 31008 0 00 0105+20
	S 0050/0000	LENGTH(AH 2832 BK 2614)
		015 "DIA CIRC CONCR
	0040/2428	LEN=0033 INSTALLED 1999
		030 "DIA CIR PLASTIC
	0040/1700	LEN=0040 INSTALLED 2006
		018 "DIA CIR PLASTIC
	0040/1027	LEN=0040 INSTALLED 2006
		015 "DIA CIRC CONCR
	0040/0876	LEN=0030 INSTALLED UNKN
007876 FT	007876 FT	2 0 31008 0 00 0079+00
		018 "DIA CIRC CONCR
		LEN=0045 INSTALLED UNKN
	S 0040/0000	LENGTH(AH 2614 BK 2433)

DIR: B TOTAL LEN: 4.409 MI. DIST: 09-5 SR: 3023
LEFT MUN: CLAY T RIGHT MUN: CLAY T

			024 "DIA CIR PLASTIC
		0030/1444	LEN=0040 INSTALLED 2006
			018 "DIA CIRC CONCR
		0030/0848	LEN=0035 INSTALLED UNKN
			015 "DIA CIRC CONCR
2 0 31008 0 00 0054+43 005443 FT		0030/0285	LEN=0030 INSTALLED UNKN
ZION CHURCH RD		005443 FT	
(T322) 0030/0000	==	S 0030/0000	LENGTH(AH 2433 BK 2996)
			015 "DIA CIRC CONCR
		0020/2727	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/2467	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/2286	LEN=0040 INSTALLED 2006
			018 "DIA CIRC CONCR
		0020/2043	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/1879	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/1314	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/0387	LEN=0032 INSTALLED UNKN
002447 FT		002447 FT	2 0 31008 0 00 0024+43
			018 "DIA CIRC CONCR
			LEN=0030 INSTALLED 1999
		S 0020/0000	LENGTH(AH 2996 BK 2447)
			018 "DIA CIRC CONCR
		0010/2154	LEN=0033 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1647	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC METAL
		0010/1411	LEN=0030 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0010/1086	LEN=0040 INSTALLED 2006
CUTSHALL RD			
(T315) 0010/0683	==		
			015 "DIA CIRC CONCR
		0010/0648	LEN=0035 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0010/0033	LEN=0045 INSTALLED UNKN
		NC	SHORE VALLEY RD
			WATERFALL RD
2 0 31008 0 00 0000+00 000000 FT		000000 FT	(SR0655 SEG 0020/1674)
WATERFALL RD			MFC BEGIN = E
(SR0655 SEG 0020/1674) 0010/0000		S 0010/0000	LENGTH(AH 2447 BK 0000)

DIR: B TOTAL LEN: 5.261 MI. DIST: 09-5 SR: 3021
LEFT MUN: TODD T RIGHT MUN: TODD T

OLD PLANK RD	027777 FT	027777 FT	OLD PLANK RD
(SR0994 SEG 0380/0000)	0110/2288	0110/2288	(SR0994 SEG 0380/0000)
			018 "DIA CIR PLASTIC
		0110/1854	LEN=0040 INSTALLED 1999
			018 "DIA CIRC CONCR
		0110/1702	LEN=0040 INSTALLED 2003
			015 "DIA CIRC CONCR
		0110/1567	LEN=0044 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/1349	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0110/0777	LEN=0040 INSTALLED 2003
			030 "DIA CIRC METAL
		0110/0411	LEN=0072 INSTALLED UNKN
	025489 FT	025489 FT	2 0 31007 0 00 0256+02
			018 "DIA CIRC CONCR
			LEN=0037 INSTALLED 2003
		S 0110/0000	LENGTH(AH 2288 BK 2381)
			018 "DIA CIRC CONCR
		0100/1940	LEN=0048 INSTALLED 2003
			018 "DIA CIRC CONCR
		0100/1570	LEN=0040 INSTALLED 2003
			018 "DIA CIRC CONCR
		0100/1186	LEN=0040 INSTALLED 2003
			018 "DIA CIRC CONCR
		0100/0856	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0100/0725	LEN=0040 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0100/0601	LEN=0038 INSTALLED UNKN
	023108 FT	023108 FT	2 0 31007 0 00 0232+02
			030 "DIA CIR PLASTIC
			LEN=0040 INSTALLED 1997
		S 0100/0000	LENGTH(AH 2381 BK 3252)
			TODD
		0090/3093	WOOD T
			018 "DIA CIR PLASTIC
		0090/2883	LEN=0032 INSTALLED UNKN

DIR: B TOTAL LEN: 5.261 MI. DIST: 09-5 SR: 3021
LEFT MUN: WOOD T RIGHT MUN: WOOD T

```
                                                 018 "DIA CIRC CONCR
                                0090/2390 LEN=0040 INSTALLED 2003
                                                 018 "DIA CIRC CONCR
                                0090/2147 LEN=0040 INSTALLED 2003
                                                 024 "DIA CIRC METAL
                                0090/1823 LEN=0085 INSTALLED UNKN

                                                 015 "DIA CIR PLASTIC
                                0090/1212 LEN=0032 INSTALLED UNKN
                                                 018 "DIA CIRC CONCR
                                0090/1025 LEN=0040 INSTALLED 2003
                                                 015 "DIA CIRC CONCR
                                0090/0537 LEN=0028 INSTALLED UNKN
                                                 ACORN RD
                                0090/0404 (PRDR)
                                0090/0013 BMSEN 31/3021/0090/0000
019856 FT                       019856 FT 2 0 31007 0 00 0199+50
                                                 W BR RING R.
                                                 BMSBG 31/3021/0090/0000
                              S 0090/0000 LENGTH(AH 3252 BK 2961)
                                                 018 "DIA CIR PLASTIC
                                0080/2828 LEN=0040 INSTALLED UNKN
                                                 ROARING RUN RD
                                0080/2815 (PRDR)
                                                 018 "DIA CIRC CONCR
                                0080/2358 LEN=0040 INSTALLED 2003

                                                 018 "DIA CIRC CONCR
                                0080/1754 LEN=0040 INSTALLED 2003
                                                 018 "DIA CIRC CONCR
                                0080/1385 LEN=0040 INSTALLED 2003


                                                 ROARING RUN RD
                                0080/0300 (PRDR)
                                                 018 "DIA CIRC CONCR
                                0080/0250 LEN=0040 INSTALLED 2003
                                                 024 "DIA CIR PLASTIC
                                0080/0020 LEN=0076 INSTALLED UNKN
016895 FT                       016895 FT 2 0 31007 0 00 0169+86
                              S 0080/0000 LENGTH(AH 2961 BK 2849)
                                                 018 "DIA CIRC CONCR
                                0070/2623 LEN=0032 INSTALLED 2003
                                                 030 "DIA CIR PLASTIC
                                0070/2357 LEN=0044 INSTALLED 2007


                                                 015 "DIA CIRC CONCR
                                0070/1422 LEN=0030 INSTALLED UNKN
                                                 018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 5.261 MI. DIST: 09-5 SR: 3021
LEFT MUN: WOOD T RIGHT MUN: WOOD T

```
                                        0070/1224 LEN=0040 INSTALLED 2003
                                                  018 "DIA CIRC CONCR
                                        0070/0871 LEN=0040 INSTALLED 2003
                                                  018 "DIA CIRC METAL
                                        0070/0547 LEN=0054 INSTALLED UNKN
014046 FT                               014046 FT 2 0 31007 0 00 0141+15
                                      S 0070/0000 LENGTH(AH 2849 BK 1856)
                                                  018 "DIA CIRC CONCR
                                        0060/1784 LEN=0040 INSTALLED 2003

                                                  018 "DIA CIRC METAL
                                        0060/1168 LEN=0076 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0060/0500 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0060/0421 LEN=0040 INSTALLED 2003
012190 FT                               012190 FT 2 0 31007 0 00 0122+59
                                      S 0060/0000 LENGTH(AH 1856 BK 2460)
                                                  042 "DIA CIRC CONCR
                                        0050/2058 LEN=0055 INSTALLED 2008
                                                  015 "DIA CIRC CONCR
                                        0050/1484 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CAST IRON
                                        0050/1150 LEN=0080 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/0790 LEN=0035 INSTALLED UNKN

009730 FT                               009730 FT 2 0 31007 0 00 0097+99
                                                  030 "DIA CIRC CONCR
                                                  LEN=0040 INSTALLED 2003
                                      S 0050/0000 LENGTH(AH 2460 BK 2872)

                                                  036 "DIA CIRC METAL
                                        0040/2035 LEN=0180 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/1554 LEN=0040 INSTALLED 2003
                                                  024 "DIA CIRC METAL
                                        0040/1224 LEN=0055 INSTALLED UNKN
                                                  048 "DIA CIRC METAL
                                        0040/0856 LEN=0092 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/0290 LEN=0034 INSTALLED 2003
006858 FT                               006858 FT 2 0 31007 0 00 0069+27
                                                  018 "DIA CIRC CONCR
                                                  LEN=0036 INSTALLED 2003
                                      S 0040/0000 LENGTH(AH 2872 BK 2634)
                                                  048 "DIA CIRC METAL
                                        0030/2179 LEN=0186 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 5.261 MI. DIST: 09-5 SR: 3021
LEFT MUN: WOOD T RIGHT MUN: WOOD T

```
                                                  0030/1596 LEN=0040 INSTALLED 2003
                                                            015 "DIA CIRC CONCR
                                                  0030/1217 LEN=0044 INSTALLED UNKN
                                                            036 "DIA CIRC METAL
                                                  0030/1031 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0030/0616 LEN=0032 INSTALLED 2002

                                                  0030/0012 BMSEN 31/3021/0030/0000
                          004224 FT               004224 FT 2 0 31007 0 00 0042+95
                                                            TRIB ROARING RUN
                                                            BMSBG 31/3021/0030/0000
                                                5 0030/0000 LENGTH(AH 2634 BK 2576)
BOOK RD
(PRDR)                     0020/2179

                                                  0020/2132 BMSEN 31/3021/0020/2096
                                                            2 0 31007 0 00 0038+14
                                                            ROARING RUN
                                                  0020/2096 BMSBG 31/3021/0020/2096
                                                            015 "DIA CIRC CONCR
                                                  0020/1725 LEN=0052 INSTALLED 2002
                                                            015 "DIA CIRC CONCR
                                                  0020/1417 LEN=0040 INSTALLED 2002
                                                            018 "DIA CIRC CONCR
                                                  0020/1186 LEN=0040 INSTALLED 2002
                                                            015 "DIA CIRC CONCR
                                                  0020/0732 LEN=0040 INSTALLED 2001
                                                            015 "DIA CIRC CONCR
                                                  0020/0191 LEN=0032 INSTALLED 2001
2 0 31007 0 00 0017+13 001648 FT                  001648 FT
SUMMIT LN
(PRDR)                     0020/0000              5 0020/0000 LENGTH(AH 2576 BK 1648)
                                                            015 "DIA CIRC CONCR
                                                  0010/1567 LEN=0040 INSTALLED 2001
                                                            018 "DIA CIRC CONCR
                                                  0010/1088 LEN=0040 INSTALLED 2001
                                                            018 "DIA CIRC CONCR
                                                  0010/0717 LEN=0040 INSTALLED 2001
                                                            015 "DIA CIRC CONCR
                                                  0010/0523 LEN=0040 INSTALLED 2001
                                                            018 "DIA CIRC CONCR
                                                  0010/0130 LEN=0040 INSTALLED 2001
                          000000 FT               000000 FT 2 0 31007 0 00 0000+00
                                                            VILLAGE: NEW GRANADA
                                                      NC COLES VALLEY RD
                                                * REF-BK    HOOVER RD
                                                            (SR4015 SEG 0010/1306)
                                                            MFC BEGIN = E
                                                             BK-FULTON          (29)
                                                5 0010/0000 LENGTH(AH 1648 BK 0000)
```

DIR: B TOTAL LEN: 1.260 MI. DIST: 09-5 SR: 3020
LEFT MUN: CASS T RIGHT MUN: CASS T

	006653 FT		006653 FT	HARES VALLEY RD
			0030/1632	(SR0655 SEG 0220/0000)
				018 "DIA CIRC CONCR
			0030/1326	LEN=0065 INSTALLED 1988
				015 "DIA CIR PLASTIC
			0030/1191	LEN=0040 INSTALLED 1988
				015 "DIA CIR PLASTIC
			0030/0976	LEN=0032 INSTALLED 1988
				018 "DIA CIRC CONCR
			0030/0801	LEN=0034 INSTALLED 1988
				020 "DIA CIRC CONCR
			0030/0591	LEN=0030 INSTALLED 1988
				015 "DIA CIRC CONCR
			0030/0304	LEN=0030 INSTALLED 1988
	005021 FT		005021 FT	2 0 31095 0 00 0050+43
				018 "DIA CIRC CONCR
				LEN=0065 INSTALLED 1988
			S 0030/0000	LENGTH(AH 1632 BK 2605)
				018 "DIA CIR PLASTIC
			0020/2142	LEN=0024 INSTALLED 1988
				015 "DIA CIRC METAL
			0020/1414	LEN=0043 INSTALLED 1988
				018 "DIA CIRC CONCR
			0020/0907	LEN=0065 INSTALLED 1988
				018 "DIA CIRC CONCR
			0020/0493	LEN=0065 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0020/0014	LEN=0065 INSTALLED 1988
	002416 FT		002416 FT	2 0 31095 0 00 0024+41
			S 0020/0000	LENGTH(AH 2605 BK 2416)
BUCK RIDGE CR (T453)	0010/1070			
				018 "DIA CIRC CONCR
			0010/0698	LEN=0028 INSTALLED 1988
				018 "DIA CIRC METAL
			0010/0055	LEN=0036 INSTALLED 1988
	000000 FT		000000 FT	2 0 31095 0 00 0000+00
			NC ZINOBILE RD	
				SR 0829 SH
				(SR0829 SEG 0090/0000)
			INTER-BK	SR 0829 SH
				(SR0829 SEG 0090/0000)
				MFC BEGIN = E
SMITH VALLEY RD (SR3029 SEG 0010/0000)	0010/0000		S 0010/0000	LENGTH(AH 2416 BK 0000)

DIR: B TOTAL LEN: 9.784 MI. DIST: 09-5 SR: 3019
LEFT MUN: CASSVILLE B RIGHT MUN: CASSVILLE B

	051660 FT		051660 FT INTER-AHD SEMINARY ST (BORO) WATER ST
		0240/1996	(SR0829 SEG 0130/1826) 015 "DIA CIR PLASTIC
		0240/1905	LEN=0030 INSTALLED UNKN MAIN ST
MAIN ST (BORO)	0240/1699	0240/1699	(BORO) 018 "DIA CIRC CONCR
		0240/1645	LEN=0040 INSTALLED UNKN
MAPLE ST (BORO)	0240/1532		
			015 "DIA CIR PLASTIC
		0240/1321	LEN=0043 INSTALLED 1997 018 "DIA CIR PLASTIC
		0240/0780	LEN=0060 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0240/0342	LEN=0055 INSTALLED UNKN
	049664 FT		049664 FT 1 0 00738 0 00 0323+12 CASSVILLE CASS T
		S 0240/0000	LENGTH(AH 1996 BK 1840) 018 "DIA CIR PLASTIC
		0230/1831	LEN=0039 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0230/1020	LEN=0080 INSTALLED 1997 015 "DIA CIRC METAL
		0230/0468	LEN=0050 INSTALLED UNKN
	047824 FT		047824 FT 1 0 00738 0 00 0304+74 NC SEMINARY ST
CASSVILLE RD (SR3008 SEG 0030/3011)	0230/0000	S 0230/0000	LENGTH(AH 1840 BK 1517) 018 "DIA CIR PLASTIC
		0220/1480	LEN=0045 INSTALLED 1997 015 "DIA CIR PLASTIC
		0220/0935	LEN=0045 INSTALLED UNKN 018 "DIA CIRC CONCR
		0220/0530	LEN=0040 INSTALLED 1997
	046307 FT		046307 FT 1 0 00738 0 00 0289+57
		S 0220/0000	LENGTH(AH 1517 BK 2312) 015 "DIA CIR PLASTIC
		0210/2216	LEN=0045 INSTALLED UNKN

DIR: B TOTAL LEN: 9.784 MI. DIST: 09-5 SR: 3019
LEFT MUN: CASS T RIGHT MUN: CASS T

			018 "DIA CIRC CONCR
		0210/1460	LEN=0060 INSTALLED UNKN
			SHIRLEY'S KNOB RD
		0210/1266	(T301)
			018 "DIA CIRC CONCR
		0210/1035	LEN=0040 INSTALLED 1997
	043995 FT	043995 FT	1 0 00738 0 00 0266+51
			015 "DIA CIR PLASTIC
			LEN=0040 INSTALLED 1997
		0210/0000	LENGTH(AH 2312 BK 1861)
			015 "DIA CIR PLASTIC
		0200/1535	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0200/1040	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0200/0487	LEN=0050 INSTALLED 1999
		0200/0110	BMSEN 31/3019/0200/0000
	042134 FT	042134 FT	1 0 00738 0 00 0248+06
			GREAT TROUGH CREEK
			BMSBG 31/3019/0200/0000
		0200/0000	LENGTH(AH 1861 BK 1227)
			036 "DIA CIR PLASTIC
		0190/0410	LEN=0040 INSTALLED UNKN
	040907 FT	040907 FT	1 0 00738 0 00 0235+69
			CASS
			TODD T
		0190/0000	LENGTH(AH 1227 BK 2098)
			018 "DIA CIRC CONCR
		0180/1770	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0180/1555	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC METAL
		0180/1077	LEN=0055 INSTALLED UNKN
			JACOBS RD
		0180/0989	(T340)
			015 "DIA CIR PLASTIC
		0180/0959	LEN=0051 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0180/0520	LEN=0045 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0180/0050	LEN=0050 INSTALLED UNKN
1 0 00738 0 00 0214+42	038809 FT	038809 FT	
MILL LN			
(T369)	0180/0000	0180/0000	LENGTH(AH 2098 BK 2421)

DIR: B TOTAL LEN: 9.784 MI. DIST: 09-5 SR: 3019
LEFT MUN: TODD T RIGHT MUN: TODD T

LEFT			RIGHT	
			0170/0933	015 "DIA CIR PLASTIC LEN=0038 INSTALLED UNKN
			0170/0764	015 "DIA CIR PLASTIC LEN=0065 INSTALLED 1997
TROUGH CREEK ELEM SCHOO (PRDR)	0170/0584	==		
TROUGH CREEK ELEM SCHOO (PRDR)	0170/0312	==		
			0170/0252	024 "DIA CIR PLASTIC LEN=0040 INSTALLED 1997
	036388 FT		036388 FT	1 0 00738 0 00 0189+91
			S 0170/0000	LENGTH(AH 2421 BK 2520)
			0160/1777	024 "DIA CIRC CONCR LEN=0060 INSTALLED UNKN
			0160/1252	018 "DIA CIRC CONCR LEN=0040 INSTALLED 1997
			0160/0580	015 "DIA CIR PLASTIC LEN=0050 INSTALLED 1997
1 0 00738 0 00 0164+71	033868 FT		0160/0232	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1997
SUGAR RUN RD (SR3025 SEG 0070/2390)	0160/0000	==	033868 FT	
			S 0160/0000	LENGTH(AH 2520 BK 2528)
			0150/2350	015 "DIA CIR PLASTIC LEN=0051 INSTALLED UNKN
			0150/2120	015 "DIA CIR PLASTIC LEN=0039 INSTALLED UNKN
			0150/1445	015 "DIA CIRC METAL LEN=0036 INSTALLED UNKN
	031340 FT		031340 FT	2 0 31094 0 00 0193+80
LANE RD (T367)	0150/0000		S 0150/0000	018 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN LENGTH(AH 2528 BK 2053)
			0140/1827	024 "DIA CIR PLASTIC LEN=0039 INSTALLED UNKN
			0140/1120	018 "DIA CIR PLASTIC LEN=0033 INSTALLED UNKN
			0140/0427	024 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
2 0 31094 0 00 0172+05	029287 FT		029287 FT	TAYLOR TOWN RD (T365)
W TAYLOR TOWN RD (T364)	0140/0000	== ==	S 0140/0000	LENGTH(AH 2053 BK 1179)

DIR: B TOTAL LEN: 9.784 MI. DIST: 09-5 SR: 3019
LEFT MUN: TODD T RIGHT MUN: TODD T

			024 "DIA CIR PLASTIC
		0130/1150	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0130/0878	LEN=0027 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0130/0517	LEN=0030 INSTALLED UNKN
	028108 FT	028108 FT	2 0 31094 0 00 0160+26
		S 0130/0000	LENGTH(AH 1179 BK 2501)
			015 "DIA CIRC CONCR
		0120/2428	LEN=0031 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0120/1725	LEN=0048 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0120/1427	LEN=0050 INSTALLED 1997
			015 "DIA CIRC CONCR
		0120/1203	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/0916	LEN=0092 INSTALLED UNKN
	025607 FT	025607 FT	2 0 31094 0 00 0135+25
		S 0120/0000	LENGTH(AH 2501 BK 3599)
			015 "DIA CIR PLASTIC
		0110/3440	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/3200	LEN=0030 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0110/3094	LEN=0040 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0110/2372	LEN=0042 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0110/2049	LEN=0036 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0110/1820	LEN=0039 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/1040	LEN=0045 INSTALLED UNKN
PLEASANT VIEW DR (PRDR)	0110/0860		
			027 "DIA CIRC CONCR
		0110/0312	LEN=0040 INSTALLED UNKN
	022008 FT	022008 FT	2 0 31094 0 00 0098+76
		S 0110/0000	LENGTH(AH 3599 BK 2559)
			030 "DIA CIR PLASTIC
		0100/2518	LEN=0060 INSTALLED 1997
			015 "DIA CIR PLASTIC
		0100/2144	LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 9.784 MI. DIST: 09-5 SR: 3019
LEFT MUN: TODD T RIGHT MUN: TODD T

```
                                        0100/1810 LEN=0055 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0100/1381 LEN=0055 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                        0100/0860 LEN=0050 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0100/0525 LEN=0040 INSTALLED UNKN
019449 FT                               019449 FT 2 0 31094 0 00 0073+23
                                      S 0100/0000 LENGTH(AH 2559 BK 2435)
                                                  015 "DIA CIR PLASTIC
                                        0090/2254 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                        0090/1864 LEN=0035 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                        0090/1404 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                        0090/1115 LEN=0035 INSTALLED UNKN


                                                  060 "DIA CIRC CONCR
                                        0090/0020 LEN=0040 INSTALLED UNKN
017014 FT                               017014 FT 2 0 31094 0 00 0048+77
                                      S 0090/0000 LENGTH(AH 2435 BK 2507)
                                                  018 "DIA CIRC CONCR
                                        0080/2381 LEN=0008 INSTALLED 2005
                                                  018 "DIA CIRC CONCR
                                        0080/2217 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0080/2110 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0080/1860 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0080/1653 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0080/1595 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                        0080/1326 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0080/0834 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                        0080/0481 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                        0080/0230 LEN=0030 INSTALLED UNKN
014507 FT                               014507 FT 2 0 31094 0 00 0023+35
                                      S 0080/0000 LENGTH(AH 2507 BK 2335)
                                                  018 "DIA CIR PLASTIC
                                        0070/2209 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0070/1813 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 9.784 MI. DIST: 09-5 SR: 3019
LEFT MUN: TODD T RIGHT MUN: TODD T

```
                                                  0070/1665 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0070/0978 LEN=0040 INSTALLED 2000
                                                            072 "DIA CIR CONCR
                                                  0070/0281 LEN=0036 INSTALLED 1997
                        012172 FT                 012172 FT 2 0 31094 0 00 0000+30
                                                            VILLAGE: COOKS
                                                            OLD PLANK RD
                                                            (SR0994 SEG 0330/0000)
                                                            TODD
                                                            WOOD T
                                                  5 0070/0000 LENGTH(AH 2335 BK 1543)

                                                            024 "DIA CIR METAL
                                                  0060/0470 LEN=0035 INSTALLED UNKN
2 0 31013 0 00 0106+59  010629 FT                 010629 FT WOOD
BOLLINGER RD                                                TODD T
(T339)                   0060/0000                5 0060/0000 LENGTH(AH 1543 BK 1787)
                                                            015 "DIA CIR CONCR
                                                  0050/1761 LEN=0050 INSTALLED UNKN
LC FOR BOLLINGER RD
(CONN)                   0050/1624

                                                            024 "DIA CIR METAL
                                                  0050/1605 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0050/0920 LEN=0030 INSTALLED UNKN

                        008842 FT                 008842 FT 2 0 31013 0 00 0088+72
                                                  5 0050/0000 LENGTH(AH 1787 BK 1871)
                                                            018 "DIA CIR PLASTIC
                                                  0040/1810 LEN=0060 INSTALLED UNKN
                                                            TODD
                                                  0040/1667 WOOD T
                                                            015 "DIA CIR METAL
                                                  0040/1508 LEN=0036 INSTALLED UNKN
                                                            015 "DIA CIR METAL
                                                  0040/1252 LEN=0036 INSTALLED UNKN
                                                            015 "DIA CIR METAL
                                                  0040/0842 LEN=0035 INSTALLED UNKN

                                                            015 "DIA CIR METAL
                                                  0040/0232 LEN=0036 INSTALLED UNKN
                        006971 FT                 006971 FT 2 0 31013 0 00 0069+83
                                                  5 0040/0000 LENGTH(AH 1871 BK 2024)
                                                            015 "DIA CIR METAL
```

DIR: B TOTAL LEN: 9.784 MI. DIST: 09-5 SR: 3019
LEFT MUN: WOOD T RIGHT MUN: WOOD T

```
                                        0030/1909 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0030/1621 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0030/1299 LEN=0035 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0030/0987 LEN=0036 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0030/0734 LEN=0036 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0030/0579 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0030/0403 LEN=0045 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0030/0056 LEN=0035 INSTALLED UNKN
004947 FT                               004947 FT 2 0 31013 0 00 0049+59
                                      S 0030/0000 LENGTH(AH 2024 BK 2638)
                                                  018 "DIA CIRC METAL
                                        0020/2324 LEN=0040 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0020/1454 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0020/1230 LEN=0020 INSTALLED 2005

                                                  018 "DIA CIRC METAL
                                        0020/0610 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/0410 LEN=0040 INSTALLED UNKN
002309 FT                               002309 FT 2 0 31013 0 00 0023+21
                                                  TRIB GREAT TROUGH CREEK
                                                  STRUCTURE LENGTH 16 FT
                                                  BMSID 31/3019/0020/0000
                                      S 0020/0000 LENGTH(AH 2638 BK 2309)
                                                  018 "DIA CIRC CONCR
                                        0010/1842 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0010/1473 LEN=0045 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0010/0750 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0010/0412 LEN=0045 INSTALLED UNKN
000000 FT                               000000 FT 2 0 31013 0 00 0000+00
                                                  VILLAGE: ROBERTSDALE
                                            NC COOKS RD
                                                  MAIN ST
                                                  (SR0913 SEG 0190/0000)
                                                  MFC BEGIN = D
                                      S 0010/0000 LENGTH(AH 2309 BK 0000)
```

DIR: B TOTAL LEN: .657 MI. DIST: 09-5 SR: 3018
LEFT MUN: JUNIATA T RIGHT MUN: JUNIATA T

003470 FT

003470 FT
REF-AHD U.S. GOVNT BOUNDARY RD
0010/3470 (GOVT)
015 "DIA CIRC CONCR
0010/3203 LEN=0038 INSTALLED UNKN

NC PARKS RD
PINEY RIDGE RD
2 0 31117 0 00 0000+00 000000 FT 000000 FT (SR3033 SEG 0080/0000)
PINEY RIDGE RD MFC BEGIN = E
(SR3033 SEG 0080/0000) 0010/0000 0010/0000 LENGTH(AH 3470 BK 0000)

DIR: B TOTAL LEN: 5.530 MI. DIST: 09-5 SR: 3017
LEFT MUN: TODD T RIGHT MUN: TODD T

SHADY MAPLE RD
(T370)

029198 FT
0160/0551
028182 FT
027614 FT
025138 FT



```
029198 FT OLD PLANK RD
0160/1016 (SR0994 SEG 0280/0000)
          048 "DIA CIRC METAL
0160/0728 LEN=0038 INSTALLED UNKN

          015 "DIA CIR PLASTIC
0160/0366 LEN=0028 INSTALLED UNKN
028182 FT 2 0 31103 0 00 0081+00
S 0160/0000 LENGTH(AH 1016 BK 0568)
          015 "DIA CIRC METAL
0150/0383 LEN=0036 INSTALLED UNKN
          018 "DIA CIRC CONCR
0150/0150 LEN=0044 INSTALLED UNKN
027614 FT 2 0 31103 0 00 0074+75
S 0150/0000 LENGTH(AH 0568 BK 2476)

          015 "DIA CIR PLASTIC
0140/1608 LEN=0042 INSTALLED UNKN
          024 "DIA CIR PLASTIC
0140/1073 LEN=0050 INSTALLED UNKN

          015 "DIA CIRC CONCR
0140/0461 LEN=0040 INSTALLED UNKN
          015 "DIA CIR PLASTIC
0140/0117 LEN=0040 INSTALLED UNKN
025138 FT 2 0 31103 0 00 0049+47
S 0140/0000 LENGTH(AH 2476 BK 2744)
          030 "DIA CIR PLASTIC
0130/2259 LEN=0042 INSTALLED UNKN
          015 "DIA CIR PLASTIC
0130/1799 LEN=0048 INSTALLED UNKN
```

DIR: B TOTAL LEN: 5.530 MI. DIST: 09-5 SR: 3017
LEFT MUN: TODD T RIGHT MUN: TODD T

		024 "DIA CIRC CONCR
	0130/0862	LEN=0032 INSTALLED 2006
		024 "DIA CIRC CONCR
	0130/0358	LEN=0032 INSTALLED 2006
022394 FT	022394 FT	2 0 31103 0 00 0022+53
		TODD
		WOOD T
	S 0130/0000	LENGTH(AH 2744 BK 2221)
		015 "DIA CIRC CONCR
	0120/1807	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0120/1446	LEN=0028 INSTALLED UNKN
		030 "DIA CIRC CONCR
	0120/0626	LEN=0024 INSTALLED UNKN
		015 "DIA CIRC METAL
	0120/0348	LEN=0034 INSTALLED UNKN
020173 FT	020173 FT	2 0 31103 0 00 0000+00
	S 0120/0000	LENGTH(AH 2221 BK 1948)
		015 "DIA CIRC CONCR
	0110/1887	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0110/1514	LEN=0030 INSTALLED 2005
		015 "DIA CIRC CONCR
	0110/0915	LEN=0056 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0110/0268	LEN=0032 INSTALLED UNKN
018225 FT	018225 FT	1 1 04973 0 00 0095+63
	S 0110/0000	LENGTH(AH 1948 BK 1706)
		024 "DIA CIRC CONCR
	0100/1682	LEN=0036 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0100/1364	LEN=0034 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0100/0799	LEN=0050 INSTALLED UNKN
016519 FT	016519 FT	1 1 04973 0 00 0078+57
	S 0100/0000	LENGTH(AH 1706 BK 1217)
		015 "DIA CIRC CONCR
	0090/0993	LEN=0038 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/0064	LEN=0016 INSTALLED 2006
015302 FT	015302 FT	1 1 04973 0 00 0066+40
		WOOD
		CARBON T
	S 0090/0000	LENGTH(AH 1217 BK 2315)

DIR: B TOTAL LEN: 5.530 MI. DIST: 09-5 SR: 3017
LEFT MUN: CARBON T RIGHT MUN: CARBON T

			0080/1709	015 "DIA CIRC CONCR LEN=0042 INSTALLED UNKN
			0080/1023	015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
			0080/0633	015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
	012987 FT		012987 FT	1 1 04973 0 00 0043+34 NC SR 3017 SH
			5 0080/0000	LENGTH(AH 2315 BK 1989) CARBON
			0070/1791	BROAD TOP CITY B
			0070/1719	015 "DIA CIRC METAL LEN=0030 INSTALLED UNKN
ADAMS DR (BORO)	0070/1387			
			0070/0476	CHESTNUT ST (BORO)
			0070/0105	018 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
			0070/0017	030 "DIA CIRC CONCR LEN=0072 INSTALLED UNKN
	010998 FT		010998 FT	1 1 04973 0 00 0023+43 RAILROAD AV (SR0913 SEG 0160/0000)
			5 0070/0000	LENGTH(AH 1989 BK 1768) WALNUT ST
			0060/1270	(BORO) SPRUCE ST
			0060/0834	(BORO) LOCUST ST
			0060/0472	(BORO)
	009230 FT		009230 FT	1 1 04973 0 00 0005+77 (APRA) CAR DON SALES DR WATER ST (BORO)
		POI	5 0060/0000	LENGTH(AH 1768 BK 1845) BARN ST
			0050/1444	(BORO)
			0050/0848	015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
			0050/0479	015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
	007385 FT		007385 FT	2 0 31012 0 00 0073+77 NC BROAD ST BROAD TOP CITY

DIR: B TOTAL LEN: 5.530 MI. DIST: 09-5 SR: 3017
LEFT MUN: BROAD TOP CITY B RIGHT MUN: BROAD TOP CITY B

		CARBON T
	S 0050/0000	LENGTH(AH 1845 BK 1263)
		PENNDOT STOCKPILE # 10
	0040/1058	(GOVT)
		015 "DIA CIRC CONCR
	0040/0952	LEN=0176 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0040/0330	LEN=0032 INSTALLED UNKN
006122 FT	006122 FT	2 0 31012 0 00 0061+14
	S 0040/0000	LENGTH(AH 1263 BK 2054)
		015 "DIA CIRC CONCR
	0030/1683	LEN=0034 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/1050	LEN=0034 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/0543	LEN=0038 INSTALLED UNKN
004068 FT	004068 FT	2 0 31012 0 00 0040+60
	S 0030/0000	LENGTH(AH 2054 BK 2700)
		015 "DIA CIR PLASTIC
	0020/2298	LEN=0026 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/1337	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0020/0676	LEN=0034 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/0273	LEN=0034 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/0034	LEN=0044 INSTALLED UNKN
001368 FT	001368 FT	2 0 31012 0 00 0013+76
		HIGH ST
		(SR3006 SEG 0010/0000)
	S 0020/0000	LENGTH(AH 2700 BK 1368)
		015 "DIA CIRC CONCR
	0010/0937	LEN=0036 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0010/0664	LEN=0040 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0010/0113	LEN=0026 INSTALLED UNKN
000000 FT	000000 FT	2 0 31012 0 00 0000+00
	NC SR 3017 SH	
	* REF-BK	SIX MILE RUN
		(SR1036 SEG 0130/2805)
		MFC BEGIN = D
		BK-BEDFORD (05)
	S 0010/0000	LENGTH(AH 1368 BK 0000)

DIR: B TOTAL LEN: .018 MI. DIST: 09-5 SR: 3016
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T

000093 FT

000000 FT

000000 FT



```
  000093 FT
  7014/0000 LENGTH(AH 2420 BK 0093)
            BMSEN 31/3016/0012/0000
* REF-AHD   PINEY RIDGE RD
  0012/0093 (T565)
  000000 FT 2 0 31041 0 00 0008+33
        NC PINEY RIDGE RD
* REF-BK    PINEY RIDGE RD
            (T565)
            CROOKED CREEK
            BMSBG 31/3016/0012/0000
5 0012/0000 LENGTH(AH 0093 BK 0870)
  000000 FT
  7010/0000 LENGTH(AH 0870 BK 0000)
```

DIR: B TOTAL LEN: 1.146 MI. DIST: 09-5 SR: 3015
LEFT MUN: DUDLEY B RIGHT MUN: DUDLEY B

006053 FT



006053 FT BROAD TOP MTN RD
0030/2644 (SR0913 SEG 0120/0348)
060 "DIA CIRC METAL
0030/2610 LEN=0060 INSTALLED UNKN
024 "DIA CIR PLASTIC
0030/2328 LEN=0036 INSTALLED UNKN
024 "DIA CIR PLASTIC
0030/1985 LEN=0030 INSTALLED UNKN
015 "DIA CIRC METAL
0030/1627 LEN=0034 INSTALLED UNKN
024 "DIA CIRC CONCR
0030/1494 LEN=0062 INSTALLED UNKN
FRONT ST
0030/1471 (BORO)

DIR: B TOTAL LEN: 1.146 MI. DIST: 09-5 SR: 3015
LEFT MUN: DUDLEY B RIGHT MUN: DUDLEY B

			SECOND ST
		0030/1105	(BORO)
			018 "DIA CIRC CONCR
		0030/1048	LEN=0060 INSTALLED 1999
			PAPS LN
		0030/0916	(BORO)
			015 "DIA CIRC CONCR
		0030/0800	LEN=0032 INSTALLED UNKN
			THIRD ST
		0030/0545	(BORO)
			FOURTH ST
		0030/0364	(BORO)
			024 "DIA CIRC CONCR
		0030/0315	LEN=0028 INSTALLED UNKN
CHARLIE FESSLER RD (BORO)	0030/0171		
	003409 FT	003409 FT	2 0 31014 0 00 0034+10
			NC WASHINGTON ST
			FIFTH ST
FIFTH ST (BORO)			(BORO)
	0030/0000	0030/0000	LENGTH(AH 2644 BK 1442)
			DUDLEY
		0020/1418	CARBON T
			LC TO FIFTH ST
		0020/1357	(CONN)
			018 "DIA CIR PLASTIC
		0020/1309	LEN=0026 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0020/0666	LEN=0028 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/0185	LEN=0050 INSTALLED UNKN
	001967 FT	001967 FT	2 0 31014 0 00 0019+90
		0020/0000	LENGTH(AH 1442 BK 1967)
			015 "DIA CIR PLASTIC
		0010/1686	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/1357	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/1012	LEN=0028 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/0697	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0010/0441	LEN=0030 INSTALLED UNKN
	000000 FT	000000 FT	2 0 31014 0 00 0000+00
			NC WASHINGTON ST ET
		REF-BK	DUDLEY RD
			(T123)
			MFC BEGIN = D
		0010/0000	LENGTH(AH 1967 BK 0000)

DIR: B TOTAL LEN: 3.639 MI. DIST: 09-5 SR: 3014
LEFT MUN: PORTER T RIGHT MUN: WALKER T

019216 FT



019216 FT HARTSLOG VALLEY RD
0070/1884 (SR3039 SEG 0080/0000)
024 "DIA CIR PLASTIC
0070/1341 LEN=0075 INSTALLED UNKN
0070/0995 BMSEN 31/3014/0070/0976
2 0 31086 0 00 0182+82
BR.CROOKED C
0070/0976 BMSBG 31/3014/0070/0976
024 "DIA CIRC METAL

DIR: B TOTAL LEN: 3.639 MI. DIST: 09-5 SR: 3014
LEFT MUN: PORTER T RIGHT MUN: WALKER T

```
                                                  0070/0523 LEN=0045 INSTALLED UNKN
2 0 31086 0 00 0173+03 017332 FT                  017332 FT
HARTSLOG RD
(T461)
PORTER
WALKER T                0070/0000                 S 0070/0000 LENGTH(AH 1884 BK 3760)
                                                            024 "DIA CIRC METAL
                                                  0060/3681 LEN=0067 INSTALLED UNKN

                                                            015 "DIA CIRC CONCR
                                                  0060/2978 LEN=0048 INSTALLED 2002

                                                            015 "DIA CIRC METAL
                                                  0060/2300 LEN=0050 INSTALLED 2003



                                                            015 "DIA CIR PLASTIC
                                                  0060/0505 LEN=0060 INSTALLED 2003
                                                            015 "DIA CIRC METAL
                                                  0060/0057 LEN=0050 INSTALLED UNKN
                        013572 FT                 013572 FT 2 0 31086 0 00 0135+00
                                                            WALKER
                                                            PORTER T
                                                  S 0060/0000 LENGTH(AH 3760 BK 3614)
                                                            015 "DIA CIRC METAL
                                                  0050/3380 LEN=0039 INSTALLED UNKN
                                                            024 "DIA CIRC METAL
                                                  0050/2886 LEN=0042 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0050/2482 LEN=0051 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0050/2257 LEN=0050 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0050/1796 LEN=0050 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0050/1382 LEN=0046 INSTALLED UNKN

                                                            015 "DIA CIRC METAL
                                                  0050/0761 LEN=0053 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0050/0282 LEN=0052 INSTALLED UNKN
                        009958 FT                 009958 FT 2 0 31086 0 00 0099+00
                                                  S 0050/0000 LENGTH(AH 3614 BK 2433)
                                                            015 "DIA CIRC CONCR
                                                  0040/2034 LEN=0047 INSTALLED UNKN

                                                            015 "DIA CIR PLASTIC
                                                  0040/1311 LEN=0046 INSTALLED UNKN
```

DIR: B TOTAL LEN: 3.639 MI. DIST: 09-5 SR: 3014
LEFT MUN: PORTER T RIGHT MUN: PORTER T

```
                                                  015 "DIA CIRC METAL
                                  0040/0875 LEN=0050 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                  0040/0458 LEN=0046 INSTALLED UNKN
007525 FT                         007525 FT 2 0 31086 0 00 0074+54
                                S 0040/0000 LENGTH(AH 2433 BK 2491)
                                                  015 "DIA CIRC METAL
                                  0030/2055 LEN=0047 INSTALLED UNKN

                                                  015 "DIA CIRC METAL
                                  0030/1437 LEN=0048 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                  0030/0881 LEN=0063 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                  0030/0371 LEN=0051 INSTALLED UNKN
005034 FT                         005034 FT 2 0 31086 0 00 0050+00
                                S 0030/0000 LENGTH(AH 2491 BK 2469)
                                                  015 "DIA CIRC METAL
                                  0020/2352 LEN=0060 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                  0020/1999 LEN=0063 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                  0020/1588 LEN=0053 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                  0020/1033 LEN=0042 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                  0020/0527 LEN=0042 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                  0020/0025 LEN=0051 INSTALLED UNKN
002565 FT                         002565 FT 2 0 31086 0 00 0025+31
                                S 0020/0000 LENGTH(AH 2469 BK 2565)
                                                  015 "DIA CIRC METAL
                                  0010/2078 LEN=0042 INSTALLED UNKN

                                                  LC FOR FIRE TOWER RD
                                  0010/1330 (CONN)
                                                  FIRE TOWER RD
                                  0010/1212 (FRST)

                                                  015 "DIA CIRC METAL
                                  0010/0499 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                  0010/0209 LEN=0038 INSTALLED UNKN
000000 FT                         000000 FT 2 0 31086 0 00 0000+00
                                        NC WILLIAMSBURG MOUNTAIN RD
                                * REF-BK      COVEDALE RD
                                                  (SR2013 SEG 0110/2976)
                                                  MFC BEGIN = D
                                                   BK-BLAIR          (07)
                                S 0010/0000 LENGTH(AH 2565 BK 0000)
```

DIR: B TOTAL LEN: .562 MI. DIST: 09-5 SR: 3013
LEFT MUN: COALMONT B RIGHT MUN: COALMONT B

	002968 FT	002968 FT	BROAD TOP MTN RD
		0010/2968	(SR0913 SEG 0070/0096)
			015 "DIA CIRC CONCR
		0010/2837	LEN=0035 INSTALLED UNKN
AL (BORO)	0010/2761		
			SCHELL ST
		0010/2733	(BORO)
WATSON ST (BORO)	0010/2369		
		0010/2368	BMSEN 31/3013/0010/2349
			2 0 31096 0 00 0023+62
			TRIB SHOUPS RUN
		0010/2349	BMSBG 31/3013/0010/2349
			WATSON ST
		0010/2345	(BORO)
			036 "DIA CIR PLASTIC
		0010/1840	LEN=0035 INSTALLED UNKN
			COALMONT
		0010/1576	CARBON T
			015 "DIA CIRC CONCR
		0010/1312	LEN=0046 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/1093	LEN=0044 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/0617	LEN=0048 INSTALLED UNKN
	000000 FT	000000 FT	2 0 31096 0 00 0000+00
			018 "DIA CIR PLASTIC
			LEN=0036 INSTALLED UNKN
			NC HICKORY HILL RD
		REF-BK	HICKORY HILL RD
			(T121)
			MFC BEGIN = D
		0010/0000	LENGTH(AH 2968 BK 0000)

DIR: B TOTAL LEN: .428 MI. DIST: 09-5 SR: 3012
LEFT MUN: PENN T RIGHT MUN: PENN T

```
002259 FT                    002259 FT
                           * REF-AHD    CUL-DE-SAC RD
                             0010/2259  (GOVT)
                                        018 "DIA CIRC CONCR
                             0010/1794  LEN=0032 INSTALLED UNKN

                                        024 "DIA CIR PLASTIC
                             0010/0750  LEN=0040 INSTALLED UNKN
000000 FT                    000000 FT  2 0 31036 0 00 0000+00
                                  NC GARNER RD
                                        RAYSTOWN RD
                                        (SR0026 SEG 0180/0000)
                                        MFC BEGIN = E
                           S 0010/0000  LENGTH(AH 2259 BK 0000)
```

DIR: B TOTAL LEN: 2.954 MI. DIST: 09-5 SR: 3011
LEFT MUN: PENN T RIGHT MUN: PENN T

015595 FT

FROM 0026/0240 SH
(CONN)

0120/0825

014586 FT



015595 FT
INTER-AHD RACE TRACK RD
(T429)
RAYSTOWN RD
(SR0026 SEG 0250/0000)
0120/1009

0120/0026 BMSEN 31/3011/0120/0000
014586 FT 2 0 31037 0 03 0126+64
T CROOKED CK
BMSBG 31/3011/0120/0000
S 0120/0000 LENGTH(AH 1009 BK 2350)
018 "DIA CIRC CONCR
0110/2035 LEN=0065 INSTALLED 1998
018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 2.954 MI. DIST: 09-5 SR: 3011
LEFT MUN: PENN T RIGHT MUN: PENN T

		0110/1582	LEN=0065 INSTALLED 1988
			024 "DIA CIRC METAL
		0110/0798	LEN=0065 INSTALLED 1988
2 0 31037 0 03 0100+29 012236 FT		012236 FT	TURKEY FARM RD
STATES RD			(SR3037 SEG 0040/0000)
(T427) 0110/0000		S 0110/0000	LENGTH(AH 2350 BK 1230)
			036 "DIA CIRC METAL
		0100/0864	LEN=0065 INSTALLED 1988
			GRAFTON RD
		0100/0275	(T424)
			T CROOKED CK
			STRUCTURE LENGTH 17 FT
		0100/0038	BMSID 31/3011/0100/0038
2 0 31034 0 00 0262+35 011006 FT		011006 FT	
BACKBONE RD			
(T452) 0100/0000		S 0100/0000	LENGTH(AH 1230 BK 2012)
			024 "DIA CIRC CONCR
		0090/1976	LEN=0171 INSTALLED 1988
			036 "DIA CIRC CONCR
		0090/1452	LEN=0085 INSTALLED 1988
008994 FT		008994 FT	2 0 31037 0 02 0081+67
		S 0090/0000	LENGTH(AH 2012 BK 2167)
			018 "DIA CIRC CONCR
		0080/1727	LEN=0076 INSTALLED 1988
			018 "DIA CIRC CONCR
		0080/1360	LEN=0130 INSTALLED 1988
			018 "DIA CIRC METAL
		0080/1107	LEN=0085 INSTALLED 1988
			018 "DIA CIRC CONCR
		0080/0681	LEN=0036 INSTALLED 1988
			018 "DIA CIRC CONCR
		0080/0026	LEN=0034 INSTALLED 1988
2 0 31037 0 02 0056+63 006827 FT		006827 FT	PINEY RIDGE RD
SCHOOLHOUSE RD			(SR3033 SEG 0010/0000)
(T423) 0080/0000		S 0080/0000	LENGTH(AH 2167 BK 2757)
			024 "DIA CIRC CONCR
		0070/2162	LEN=0088 INSTALLED 1988
			018 "DIA CIRC CONCR
		0070/1890	LEN=0088 INSTALLED 1988
JIMS ANCHORAGE RD			
(T402) 0070/1794			
			024 "DIA CIRC CONCR
		0070/1557	LEN=0088 INSTALLED 1988
			RIDGEWOOD DR

DIR: B TOTAL LEN: 2.954 MI. DIST: 09-5 SR: 3011
LEFT MUN: PENN T RIGHT MUN: PENN T

		0070/1262	(TWP)
			018 "DIA CIRC CONCR
		0070/0665	LEN=0040 INSTALLED 1988
			PLEASANT HILLS DR
		0070/0358	(PRDR)
2 0 31037 0 02 0026+50	004070 FT	004070 FT	
SCHOOLHOUSE RD			
(T423)	0070/0000	0070/0000	LENGTH(AH 2757 BK 2559)
			LAKELAND DR
		0060/2315	(PRDR)
			018 "DIA CIRC CONCR
		0060/2252	LEN=0070 INSTALLED 1988
			PRIMROSE DR
		0060/1581	(PRDR)
ROSENBERRY LN			
(PRDR)	0060/1364		
			PRIMROSE DR
		0060/0457	(PRDR)
	001511 FT	001511 FT	2 0 31037 0 02 0000+00
			BAKER'S HOLLOW RD
			(T430)
		0060/0000	LENGTH(AH 2559 BK 1511)
			018 "DIA CIRC CONCR
		0050/1465	LEN=0289 INSTALLED 1988
			018 "DIA CIRC CONCR
		0050/1076	LEN=0100 INSTALLED 1988
BUNKER HILL RD			
(T417)	0050/0632		
			ADMIN BUILDING RD
		0050/0393	(GOVT)
UPPER CORNERS RD			
(T450)	0050/0068		
	000000 FT	000000 FT	2 0 31037 0 01 0367+89
			018 "DIA CIRC METAL
			LEN=0043 INSTALLED 1988
			NC SEVEN POINTS RD
		REF-BK	SEVEN POINTS RD
			(GOVT)
		0050/0000	LENGTH(AH 1511 BK 0833)
	000000 FT	000000 FT	
		7040/0000	LENGTH(AH 0833 BK 2995)
	000000 FT	000000 FT	
		7030/0000	LENGTH(AH 2995 BK 1981)
	000000 FT	000000 FT	
		7020/0000	LENGTH(AH 1981 BK 2875)
	000000 FT	000000 FT	
		7010/0000	LENGTH(AH 2875 BK 0000)

DIR: B TOTAL LEN: .328 MI. DIST: 09-5 SR: 3010
LEFT MUN: MARKLESBURG B RIGHT MUN: MARKLESBURG B

001732 FT

000000 FT



001732 FT
REF-AHD US GOVNT BOUNDARY RD
0010/1732 (GOVT)
030"H 60"W CONC STRUCT
0010/1556 LEN=0030 INSTALLED UNKN
015 "DIA CIRC CONCR
0010/0813 LEN=0032 INSTALLED UNKN
FULTON ST
0010/0381 (BORO)
DIAMOND ST
0010/0198 (BORO)
000000 FT 2 0 31079 0 00 0000+00
NC AITCH RD
RAYSTOWN RD
(SR0026 SEG 0150/2122)
INTER-BK CHESTNUT ST
(BORO)
MFC BEGIN = D
0010/0000 LENGTH(AH 1732 BK 0000)

DIR: B TOTAL LEN: 1.764 MI. DIST: 09-5 SR: 3009
LEFT MUN: LINCOLN T RIGHT MUN: LINCOLN T

FOUSES CROSSING RD
(T405)

009313 FT
0040/1769



009313 FT
INTER-AHD JAMES CREEK BT LAUNCH R
0040/1769 (PARK)
018 "DIA CIR PLASTIC
0040/1727 LEN=0036 INSTALLED 2001
012 "DIA CIRC CONCR
0040/1483 LEN=0028 INSTALLED UNKN
015 "DIA CIRC CONCR
0040/1058 LEN=0028 INSTALLED UNKN
015 "DIA CIRC CONCR
0040/0835 LEN=0028 INSTALLED UNKN
024 "DIA CIR PLASTIC
0040/0348 LEN=0026 INSTALLED UNKN

DIR: B TOTAL LEN: 1.764 MI. DIST: 09-5 SR: 3009
LEFT MUN: LINCOLN T RIGHT MUN: LINCOLN T

	007544 FT	007544 FT 2 0 31037 0 00 0075+31
		S 0040/0000 LENGTH(AH 1769 BK 2564)
		018 "DIA CIRC CONCR
		0030/1952 LEN=0040 INSTALLED UNKN
		036 "DIA CIR PLASTIC
		0030/0068 LEN=0033 INSTALLED 2001
	004980 FT	004980 FT 2 0 31037 0 00 0049+80
		S 0030/0000 LENGTH(AH 2564 BK 2410)
		024 "DIA CIRC CONCR
		0020/1965 LEN=0037 INSTALLED UNKN
TUSSEY LN (PRDR)	0020/1930	
		024 "DIA CIRC CONCR
		0020/1896 LEN=0028 INSTALLED UNKN
		015 "DIA CAST IRON
		0020/1600 LEN=0028 INSTALLED UNKN
		015 "DIA CIR PLASTIC
		0020/1205 LEN=0035 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0020/0990 LEN=0034 INSTALLED UNKN
		015 "DIA CIRC CONCR
		0020/0856 LEN=0032 INSTALLED UNKN
	002570 FT	002570 FT 2 0 31037 0 00 0025+70
		S 0020/0000 LENGTH(AH 2410 BK 2570)
		030 "DIA CIRC CONCR
		0010/2236 LEN=0030 INSTALLED UNKN
		015 "DIA CIR PLASTIC
		0010/1723 LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0010/1596 LEN=0032 INSTALLED 2001
		018 "DIA CIR PLASTIC
		0010/1244 LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0010/0801 LEN=0026 INSTALLED UNKN
		018 "DIA CIRC CONCR
		0010/0050 LEN=0048 INSTALLED UNKN
	000000 FT	000000 FT 2 0 31037 0 00 0000+00
		NC JAMES CREEK RD
		OLD PLANK RD
		(SR0994 SEG 0040/0000)
		MFC BEGIN = D
		S 0010/0000 LENGTH(AH 2570 BK 0000)

DIR: B TOTAL LEN: 1.334 MI. DIST: 09-5 SR: 3008
LEFT MUN: CASS T RIGHT MUN: CASS T

```
007046 FT                    007046 FT SEMINARY ST
                             0030/3011 (SR3019 SEG 0230/0000)

                                       PENNDOT STOCKPILE #9
                             0030/2368 (PRDR)

                                       018 "DIA CIR PLASTIC
                             0030/1745 LEN=0034 INSTALLED UNKN

                                       018 "DIA CIR PLASTIC
                             0030/1036 LEN=0034 INSTALLED 1988

                                       018 "DIA CIR PLASTIC
                             0030/0242 LEN=0028 INSTALLED 1988
                                       018 "DIA CIR PLASTIC
                             0030/0092 LEN=0025 INSTALLED 1988
004035 FT                    004035 FT 2 0 31028 0 01 0040+49
                           S 0030/0000 LENGTH(AH 3011 BK 2380)

                             0020/0126 BMSEN 31/3008/0020/0000
001655 FT                    001655 FT 2 0 31028 0 00 0016+72
                                       LITTLE TROUGH CREEK
                                       BMSBG 31/3008/0020/0000
                           S 0020/0000 LENGTH(AH 2380 BK 1655)
                                       024 "DIA CIRC CONCR
                             0010/1106 LEN=0032 INSTALLED 1988
                                       018 "DIA CIR PLASTIC
                             0010/0847 LEN=0032 INSTALLED 1988
                                       018 "DIA CIR PLASTIC
                             0010/0358 LEN=0032 INSTALLED 1988
000000 FT                    000000 FT 2 0 31028 0 00 0000+00
                                  NC CASSVILLE RD
                                       BEAVERTOWN RD
                                       (SR3027 SEG 0070/0000)
                             INTER-BK  PARADISE RD
                                       (T385)
                                       MFC BEGIN = E
                           S 0010/0000 LENGTH(AH 1655 BK 0000)
```

DIR: B TOTAL LEN: .352 MI. DIST: 09-5 SR: 3007
LEFT MUN: HOPEWELL T RIGHT MUN: HOPEWELL T

POWER PLANT RD 001861 FT
(SR3003 SEG 0020/0000) 0010/1861

000000 FT



001861 FT POWER PLANT RD
0010/1861 (SR3003 SEG 0020/0000)
018 "DIA CIR PLASTIC
0010/1624 LEN=0038 INSTALLED 1988
018 "DIA CIR PLASTIC
0010/1420 LEN=0038 INSTALLED 1988

024 "DIA CIR PLASTIC
0010/0571 LEN=0040 INSTALLED 1988
000000 FT 2 0 31018 0 00 0000+00
NC WEAVER FALLS RD
BARNETT PK
(SR0913 SEG 0020/0000)
MFC BEGIN = E
S 0010/0000 LENGTH(AH 1861 BK 0000)

DIR: B TOTAL LEN: 2.479 MI. DIST: 09-5 SR: 3006
LEFT MUN: WOOD T RIGHT MUN: WOOD T

013090 FT

013090 FT
INTER-AHD MAIN ST
(SR0913 SEG 0200/0000)

DIR: B TOTAL LEN: 2.479 MI. DIST: 09-5 SR: 3006
LEFT MUN: WOOD T RIGHT MUN: WOOD T

			NEW GRENADA RD
		0060/2926	(SR0913 SEG 0200/0000)
REALITY ST (T558)	0060/2885		
			015 "DIA CIRC CONCR
		0060/2849	LEN=0050 INSTALLED UNKN
			BEECH ST
		0060/2444	(T560)
			015 "DIA CIRC CONCR
		0060/1945	LEN=0034 INSTALLED UNKN
			048"H 48"W CONC STRUCT
		0060/1673	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/1355	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/1143	LEN=0034 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/0579	LEN=0070 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0060/0292	LEN=0044 INSTALLED UNKN
	010164 FT	010164 FT	2 0 31011 0 00 0101+50
			VILLAGE: ROBERTSDALE
			015 "DIA CIRC CONCR
			LEN=0044 INSTALLED UNKN
		S 0060/0000	LENGTH(AH 2926 BK 1911)
			018 "DIA CIR PLASTIC
		0050/1154	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0050/1025	LEN=0034 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0050/0805	LEN=0038 INSTALLED UNKN
	008253 FT	008253 FT	2 0 31011 0 00 0081+73
			015 "DIA CIR PLASTIC
			LEN=0034 INSTALLED UNKN
		S 0050/0000	LENGTH(AH 1911 BK 1883)
			015 "DIA CIR PLASTIC
		0040/1635	LEN=0080 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0040/1439	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0040/0760	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/0428	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/0245	LEN=0038 INSTALLED UNKN
			TROUT RD
			(T571)

DIR: B TOTAL LEN: 2.479 MI. DIST: 09-5 SR: 3006
LEFT MUN: WOOD T RIGHT MUN: WOOD T

			EAST FULTON ST
		0040/0141	(T572)
		0040/0033	BMSEN 31/3006/0040/0000
006370 FT		006370 FT	2 0 31011 0 00 0063+58
			VILLAGE: WOOD
			GREAT TROUGH CREEK
			BMSBG 31/3006/0040/0000
	S	0040/0000	LENGTH(AH 1883 BK 2060)
			015 "DIA CIR PLASTIC
		0030/1722	LEN=0040 INSTALLED UNKN
			BEDFORD ST
		0030/1594	(T527)
			015 "DIA CIR PLASTIC
		0030/1481	LEN=0040 INSTALLED 1999
			012"H 24"W ELLIP CONC
		0030/1206	LEN=0034 INSTALLED UNKN
			SCHOOL LN
		0030/0766	(T524)
			PINE ST
		0030/0395	(T523)
			015 "DIA CIR PLASTIC
		0030/0349	LEN=0075 INSTALLED UNKN
004310 FT		004310 FT	2 0 31011 0 00 0043+60
			ELM ST
			(T575)
	S	0030/0000	LENGTH(AH 2060 BK 1923)
		NC	NORTH ST
			HICKORY ST
		0020/1633	(T520)
002387 FT		002387 FT	2 0 31011 0 00 0024+00
			018 "DIA CIRC CONCR
			LEN=0032 INSTALLED UNKN
	S	0020/0000	LENGTH(AH 1923 BK 2387)
			WOOD
		0010/0500	CARBON T
000000 FT		000000 FT	2 0 31011 0 00 0000+00
		NC	HIGH ST
			SR 3017 SH
			(SR3017 SEG 0020/0000)
			MFC BEGIN = D
	S	0010/0000	LENGTH(AH 2387 BK 0000)

DIR: B TOTAL LEN: 2.257 MI. DIST: 09-5 SR: 3005
LEFT MUN: LINCOLN T RIGHT MUN: LINCOLN T

011917 FT



011917 FT OLD PLANK RD
0050/3272 (SR0994 SEG 0024/2543)
0050/3044 BMSEN 31/3005/0050/3018
2 0 31019 0 01 0499+82
COFFEE RUN
0050/3018 BMSBG 31/3005/0050/3018
018 "DIA CIR PLASTIC
0050/2675 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0050/2475 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0050/2000 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0050/1607 LEN=0033 INSTALLED 2009
018 "DIA CIR PLASTIC
0050/0954 LEN=0033 INSTALLED 2009

DIR: B TOTAL LEN: 2.257 MI. DIST: 09-5 SR: 3005
LEFT MUN: LINCOLN T RIGHT MUN: LINCOLN T

```
008645 FT                    008645 FT 2 0 31019 0 01 0499+82
                           S 0050/0000 LENGTH(AH 3272 BK 2894)
                                       018 "DIA CIR PLASTIC
                             0040/2214 LEN=0035 INSTALLED 2009

005751 FT                    005751 FT 2 0 31019 0 01 0471+22
                           S 0040/0000 LENGTH(AH 2894 BK 2098)
                                       018 "DIA CIR PLASTIC
                             0030/1327 LEN=0030 INSTALLED 2009

                                       018 "DIA CIR PLASTIC
                             0030/0343 LEN=0040 INSTALLED 2009
003653 FT                    003653 FT 2 0 31019 0 01 0450+24
                                       018 "DIA CIR PLASTIC
                                       LEN=0028 INSTALLED 2009
                           S 0030/0000 LENGTH(AH 2098 BK 2222)

                                       018 "DIA CIRC CONCR
                             0020/1240 LEN=0028 INSTALLED UNKN

001431 FT                    001431 FT 2 0 31019 0 01 0428+02
                                       LINCOLN
                                       HOPEWELL T
                           S 0020/0000 LENGTH(AH 2222 BK 1431)
                                       018 "DIA CIR PLASTIC
                             0010/1427 LEN=0026 INSTALLED UNKN

                                       015 "DIA CIR PLASTIC
                             0010/0807 LEN=0034 INSTALLED 2009
                                       018 "DIA CIR PLASTIC
                             0010/0420 LEN=0033 INSTALLED 2009
000000 FT                    000000 FT 2 0 31019 0 01 0420+15
                                 NC CLAPPERS RIDGE RD
                           * REF-BK    CUL-DE-SAC RD
                                       (GOVT)
                                       MFC BEGIN = E
                           S 0010/0000 LENGTH(AH 1431 BK 0000)
```

DIR: B TOTAL LEN: .912 MI. DIST: 09-5 SR: 3004
LEFT MUN: HOPEWELL T RIGHT MUN: HOPEWELL T

```
004814 FT                    004814 FT SHY BEAVER RD
                             0020/2508 (SR3002 SEG 0040/0000)

                                       015 "DIA CIRC CONCR
                             0020/1195 LEN=0032 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0020/0940 LEN=0048 INSTALLED 2002
                                       015 "DIA CIRC CONCR
                             0020/0660 LEN=0032 INSTALLED 2002
                                       018 "DIA CIRC CONCR
                             0020/0295 LEN=0048 INSTALLED 2002
002306 FT                    002306 FT 2 0 31026 0 00 0023+50
                                       036 "DIA CIRC METAL
                                       LEN=0053 INSTALLED 2002
                           5 0020/0000 LENGTH(AH 2508 BK 2306)
                                       015 "DIA CIRC METAL
                             0010/1857 LEN=0030 INSTALLED 2002
                                       036 "DIA CIRC METAL
                             0010/1536 LEN=0068 INSTALLED 2002
                                       015 "DIA CIRC CONCR
                             0010/1491 LEN=0028 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0010/0917 LEN=0040 INSTALLED 2002
                                       TRIPLE C DR
                             0010/0842 (PRDR)

000000 FT                    000000 FT 2 0 31026 0 00 0000+00
                                       VILLAGE: RUSSELLVILLE
                                  NC DOGTOWN RD
                                       RAYSTOWN RD
                                       (SR0026 SEG 0050/0000)
                                       MFC BEGIN = E
                           5 0010/0000 LENGTH(AH 2306 BK 0000)
```

DIR: B TOTAL LEN: 3.705 MI. DIST: 09-5 SR: 3003
LEFT MUN: HOPEWELL T RIGHT MUN: HOPEWELL T

019561 FT

017468 FT

019561 FT	
* REF-AHD	CUL-DE-SAC CR
0090/2093	(TWP)
	018 "DIA CIRC CONCR
0090/1925	LEN=0030 INSTALLED 1988
	018 "DIA CIR PLASTIC
0090/1777	LEN=0030 INSTALLED 1988
	018 "DIA CIRC CONCR
0090/0658	LEN=0032 INSTALLED 1988
	018 "DIA CIR PLASTIC
0090/0491	LEN=0030 INSTALLED 1988
017468 FT	2 0 31019 0 00 0176+73
S 0090/0000	LENGTH(AH 2093 BK 3192)
	015 "DIA CIR PLASTIC
0080/2380	LEN=0040 INSTALLED 1999
	015 "DIA CIR PLASTIC
0080/2198	LEN=0040 INSTALLED 1999
	015 "DIA CIR PLASTIC
0080/1960	LEN=0035 INSTALLED 1988
	015 "DIA CIRC CONCR
0080/1564	LEN=0026 INSTALLED 1988
	015 "DIA CIR PLASTIC
0080/1384	LEN=0040 INSTALLED 1999

DIR: B TOTAL LEN: 3.705 MI. DIST: 09-5 SR: 3003
LEFT MUN: HOPEWELL T RIGHT MUN: HOPEWELL T

			015 "DIA CIR PLASTIC
		0080/0839	LEN=0034 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0080/0557	LEN=0034 INSTALLED 1988
			015 "DIA CIRC CONCR
		0080/0155	LEN=0003 INSTALLED 1999
	014276 FT	014276 FT	2 0 31019 0 00 0144+66
		S 0080/0000	LENGTH(AH 3192 BK 1714)
			018"H 00"W **UNKNOWN**
		0070/1046	LEN=0065 INSTALLED 1988
			024 "DIA CIR PLASTIC
		0070/0510	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0043	LEN=0040 INSTALLED 2001
2 0 31019 0 00 0127+80	012562 FT	012562 FT	
PINE RIDGE RD (T639)	0070/0000	S 0070/0000	LENGTH(AH 1714 BK 1605)
			024 "DIA CIR PLASTIC
		0060/0999	LEN=0042 INSTALLED 1988
	010957 FT	010957 FT	2 0 31019 0 00 0111+00
			024 "DIA CIR PLASTIC
			LEN=0038 INSTALLED 1988
		S 0060/0000	LENGTH(AH 1605 BK 2050)
			018 "DIA CIR PLASTIC
		0050/1640	LEN=0034 INSTALLED 1988
			024 "DIA CIR PLASTIC
		0050/1313	LEN=0034 INSTALLED 1988
			024 "DIA CIR PLASTIC
		0050/0886	LEN=0036 INSTALLED 1988
			024 "DIA CIR PLASTIC
		0050/0614	LEN=0032 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0050/0270	LEN=0036 INSTALLED 1988
	008907 FT	008907 FT	2 0 31019 0 00 0089+94
		S 0050/0000	LENGTH(AH 2050 BK 2208)
			018 "DIA CIR PLASTIC
		0040/2162	LEN=0048 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0040/1455	LEN=0048 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0040/0937	LEN=0030 INSTALLED 1988
RIVER RD (T359)	0040/0545		
			018 "DIA CIRC CONCR
		0040/0440	LEN=0021 INSTALLED UNKN

DIR: B TOTAL LEN: 3.705 MI. DIST: 09-5 SR: 3003
LEFT MUN: HOPEWELL T RIGHT MUN: HOPEWELL T

```
                                    0040/0396 BMSEN 31/3003/0040/0000
006699 FT                           006699 FT 2 0 31019 0 00 0068+41
                                              RAYSTOWN LAKE
                                              BMSBG 31/3003/0040/0000
                                  S 0040/0000 LENGTH(AH 2208 BK 1665)
                                              018 "DIA CIRC CONCR
                                    0030/1643 LEN=0042 INSTALLED 1988
                                              024 "DIA CIR PLASTIC
                                    0030/1177 LEN=0052 INSTALLED 1988
                                              024 "DIA CIR PLASTIC
                                    0030/0628 LEN=0042 INSTALLED 1988
                                              018 "DIA CIR PLASTIC
                                    0030/0295 LEN=0055 INSTALLED 1988
005034 FT                           005034 FT 2 0 31019 0 00 0050+31
                                  S 0030/0000 LENGTH(AH 1665 BK 2011)
                                              018 "DIA CIR PLASTIC
                                    0020/1924 LEN=0044 INSTALLED 1988
                                              018 "DIA CIR PLASTIC
                                    0020/1510 LEN=0040 INSTALLED 1988
                                              018 "DIA CIR PLASTIC
                                    0020/1017 LEN=0040 INSTALLED 1988
                                              024 "DIA CIR PLASTIC
                                    0020/0573 LEN=0048 INSTALLED 1988
003023 FT                           003023 FT 2 0 31019 0 00 0029+97
                                              WEAVER FALLS RD
                                              (SR3007 SEG 0010/1861)
                                  S 0020/0000 LENGTH(AH 2011 BK 3023)
                                              015 "DIA CIR PLASTIC
                                    0010/2945 LEN=0034 INSTALLED 1988
                                              018 "DIA CIR PLASTIC
                                    0010/2429 LEN=0038 INSTALLED 1988
                                              018 "DIA CIR PLASTIC
                                    0010/2129 LEN=0040 INSTALLED 1988
                                              WOODSIDE LN
                                    0010/1556 (PRDR)
                                              018 "DIA CIRC CONCR
                                    0010/0999 LEN=0036 INSTALLED 1988
                                              018 "DIA CIRC CONCR
                                    0010/0720 LEN=0045 INSTALLED 1988
                                              015 "DIA CIRC CONCR
                                    0010/0400 LEN=0032 INSTALLED 1988
                                              018 "DIA CIR PLASTIC
                                    0010/0026 LEN=0030 INSTALLED 1988
000000 FT                           000000 FT 2 0 31019 0 00 0000+00
                                          NC POWER PLANT RD
                                  * REF-BK    SR 1040 SH
                                              (SR1040 SEG 0010/1331)
                                              MFC BEGIN = E
                                               BK-BEDFORD        (05)
                                  S 0010/0000 LENGTH(AH 3023 BK 0000)
```

DIR: B TOTAL LEN: 1.574 MI. DIST: 09-5 SR: 3002
LEFT MUN: HOPEWELL T RIGHT MUN: HOPEWELL T

008310 FT

2 0 31025 0 00 0066+36 006597 FT
DOGTOWN RD
(SR3004 SEG 0020/2508) 0040/0000



008310 FT
REF-AHD SHY BEAVER BOAT LAUNCH
0040/1713 (GOVT)
015 "DIA CIR PLASTIC
0040/1323 LEN=0038 INSTALLED UNKN
TIMBERLAKE DR
0040/1119 (PRDR)
018 "DIA CIR PLASTIC
0040/1076 LEN=0038 INSTALLED UNKN
SHAW LN
0040/0783 (PRDR)
015 "DIA CIRC METAL
0040/0721 LEN=0048 INSTALLED UNKN
015 "DIA CIRC CONCR
0040/0222 LEN=0048 INSTALLED 2002
036 "DIA CIRC METAL
0040/0055 LEN=0050 INSTALLED UNKN
006597 FT
0040/0000 LENGTH(AH 1713 BK 2197)
0030/2129 BMSEN 31/3002/0030/2112
2 0 31025 0 00 0065+29
HUMMEL CREEK

DIR: B TOTAL LEN: 1.574 MI. DIST: 09-5 SR: 3002
LEFT MUN: HOPEWELL T RIGHT MUN: HOPEWELL T

			0030/2112 BMSBG 31/3002/0030/2112
			015 "DIA CIRC CONCR
			0030/1689 LEN=0048 INSTALLED 2002
			015 "DIA CIRC CONCR
			0030/1492 LEN=0040 INSTALLED 2002
			015 "DIA CIRC CONCR
			0030/1252 LEN=0040 INSTALLED 2002
			015 "DIA CIRC METAL
			0030/1031 LEN=0034 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0030/0318 LEN=0040 INSTALLED 2002
	004400 FT		004400 FT 2 0 31025 0 00 0044+07
			LOWER RIDGE RD
			(T374)
			S 0030/0000 LENGTH(AH 2197 BK 1826)
			018 "DIA CIRC METAL
			0020/1751 LEN=0035 INSTALLED UNKN
MILLER LN (T373)	0020/1697		
			024 "DIA CIRC METAL
			0020/1652 LEN=0036 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0020/1152 LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0020/0713 LEN=0042 INSTALLED UNKN
	002574 FT		002574 FT 2 0 31025 0 00 0025+81
			S 0020/0000 LENGTH(AH 1826 BK 2574)
			015 "DIA CIRC CONCR
			0010/2510 LEN=0050 INSTALLED UNKN
			015 "DIA CIRC METAL
			0010/2374 LEN=0038 INSTALLED UNKN
			042 "DIA CIRC METAL
			0010/1829 LEN=0052 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0010/0898 LEN=0042 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0010/0576 LEN=0054 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0010/0374 LEN=0056 INSTALLED 2002
	000000 FT		000000 FT 2 0 31025 0 00 0000+00
			VILLAGE: SHY BEAVER
			NC SHY BEAVER RD
			RAYSTOWN RD
			(SR0026 SEG 0040/0000)
			MFC BEGIN = E
			S 0010/0000 LENGTH(AH 2574 BK 0000)

DIR: B TOTAL LEN: 6.417 MI. DIST: 09-5 SR: 3001
LEFT MUN: TODD T RIGHT MUN: TODD T

	033881 FT		033881 FT
			INTER-AHD LITTLE VALLEY RD
			(SR3031 SEG 0010/0000)
OLD PLANK RD			OLD PLANK RD
(SR0994 SEG 0140/0000)	0140/3154		0140/3154 (SR0994 SEG 0140/0000)
			024"H 36"W ELLIP CONC
			0140/3095 LEN=0054 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0140/2891 LEN=0038 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0140/2282 LEN=0028 INSTALLED UNKN
			048 "DIA CIRC METAL
			0140/1888 LEN=0150 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0140/1578 LEN=0035 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0140/0644 LEN=0030 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0140/0347 LEN=0050 INSTALLED UNKN
			024 "DIA CIRC CONCR
			0140/0020 LEN=0065 INSTALLED UNKN
	030727 FT		030727 FT 2 0 31020 0 02 0310+00
			S 0140/0000 LENGTH(AH 3154 BK 2520)
			036 "DIA CIRC CONCR

DIR: B TOTAL LEN: 6.417 MI. DIST: 09-5 SR: 3001
LEFT MUN: TODD T RIGHT MUN: TODD T

	0130/2167	LEN=0065 INSTALLED 1997
		024 "DIA CIRC METAL
	0130/1395	LEN=0050 INSTALLED 1997
		036 "DIA CIRC CONCR
	0130/1082	LEN=0050 INSTALLED 1997
028207 FT	028207 FT	2 0 31020 0 02 0285+00
	S 0130/0000	LENGTH(AH 2520 BK 2380)
		048 "DIA CIRC CONCR
	0120/2326	LEN=0050 INSTALLED 1997
		030 "DIA CIRC CONCR
	0120/1698	LEN=0050 INSTALLED 1988
		030 "DIA CIRC CONCR
	0120/1604	LEN=0050 INSTALLED 1988
		024 "DIA CIRC CONCR
	0120/0388	LEN=0035 INSTALLED 1998
025827 FT	025827 FT	2 0 31020 0 01 0256+74
	S 0120/0000	LENGTH(AH 2380 BK 2970)
		018 "DIA CIRC CONCR
	0110/2545	LEN=0035 INSTALLED UNKN
		012 "DIA CIR PLASTIC
	0110/1537	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0110/1406	LEN=0040 INSTALLED 2002
		012 "DIA CIR PLASTIC
	0110/1276	LEN=0035 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0110/0915	LEN=0035 INSTALLED 1998
		042"H 72"W ELLIP METAL
	0110/0910	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0110/0267	LEN=0035 INSTALLED UNKN
022857 FT	022857 FT	2 0 31020 0 01 0227+04
		018 "DIA CIRC CONCR
		LEN=0035 INSTALLED 1997
	S 0110/0000	LENGTH(AH 2970 BK 0659)
		018 "DIA CIRC CONCR
	0100/0457	LEN=0035 INSTALLED 1998
		018 "DIA CIRC CONCR
	0100/0229	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 6.417 MI. DIST: 09-5 SR: 3001
LEFT MUN: TODD T RIGHT MUN: TODD T

		0100/0040	LEN=0060 INSTALLED 1998
	022198 FT	022198 FT	2 0 31020 0 01 0220+20
			BUNN MOUNTAIN RD
			(T378)
		S 0100/0000	LENGTH(AH 0659 BK 2461)
			018 "DIA CIRC CONCR
		0090/2450	LEN=0050 INSTALLED 1998
			018 "DIA CIRC CONCR
		0090/2165	LEN=0042 INSTALLED 1998
			018 "DIA CIRC CONCR
		0090/1679	LEN=0042 INSTALLED 1998
LAUREL SUMMIT DR (PRDR)	0090/1552		
			018 "DIA CIR PLASTIC
		0090/1241	LEN=0036 INSTALLED 1998
			048 "DIA CIRC METAL
		0090/0945	LEN=0045 INSTALLED 1998
	019737 FT	019737 FT	2 0 31020 0 01 0195+86
		S 0090/0000	LENGTH(AH 2461 BK 2810)
			018 "DIA CIRC CONCR
		0080/2712	LEN=0036 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0080/2533	LEN=0040 INSTALLED 1988
			024 "DIA CIRC CONCR
		0080/2100	LEN=0100 INSTALLED 1988
			018 "DIA CIRC CONCR
		0080/1535	LEN=0045 INSTALLED 1988
			024 "DIA CIRC CONCR
		0080/1100	LEN=0038 INSTALLED 1988
			018 "DIA CIRC CONCR
		0080/0597	LEN=0045 INSTALLED 1988
			018 "DIA CIRC CONCR
		0080/0327	LEN=0042 INSTALLED 1988
			018 "DIA CIRC CONCR
		0080/0048	LEN=0045 INSTALLED 1988
	016927 FT	016927 FT	2 0 31020 0 01 0167+76
		S 0080/0000	LENGTH(AH 2810 BK 2361)
			018 "DIA CIRC CONCR
		0070/2118	LEN=0050 INSTALLED 1988
			018 "DIA CIRC CONCR
		0070/1519	LEN=0060 INSTALLED 1988
			018 "DIA CIRC CONCR
		0070/0985	LEN=0045 INSTALLED 1988
			018 "DIA CIRC CONCR
		0070/0573	LEN=0045 INSTALLED 1988
	014566 FT	014566 FT	2 0 31020 0 01 0146+15
			TODD
			CARBON T

DIR: B TOTAL LEN: 6.417 MI. DIST: 09-5 SR: 3001
LEFT MUN: TODD T RIGHT MUN: TODD T

```
                                          5 0070/0000 LENGTH(AH 2361 BK 2159)

                                                      018 "DIA CIRC CONCR
                                            0060/1158 LEN=0055 INSTALLED 1988

                                                      TILLAMOOK LN
                                        ==  0060/0199 (PRDR)
012407 FT                                   012407 FT 2 0 31020 0 01 0123+71
                                          5 0060/0000 LENGTH(AH 2159 BK 1908)

                                                      024 "DIA CIRC CONCR
                                            0050/0959 LEN=0060 INSTALLED 1988
                                                      018 "DIA CIR PLASTIC
                                            0050/0604 LEN=0040 INSTALLED 1988
                                                      018 "DIA CIRC CONCR
                                            0050/0357 LEN=0040 INSTALLED 1988
                                                      018 "DIA CIRC CONCR
                                            0050/0007 LEN=0040 INSTALLED 1988
010499 FT                                   010499 FT 2 0 31020 0 01 0104+68
                                                      STATE GAME LANDS RD
                                                      (FRST)
                                        ==  5 0050/0000 LENGTH(AH 1908 BK 3610)
                                                      018 "DIA CIRC CONCR
                                            0040/3307 LEN=0040 INSTALLED 1988
                                                      024 "DIA CIR PLASTIC
                                            0040/3157 LEN=0035 INSTALLED 1988
                                                      WILDLIFE LN
                                        ==  0040/2866 (PRDR)
                                                      018 "DIA CIRC CONCR
                                            0040/2852 LEN=0030 INSTALLED 1988
                                                      018 "DIA CIRC CONCR
                                            0040/2277 LEN=0045 INSTALLED 1988
                                                      018 "DIA CIRC CONCR
                                            0040/1808 LEN=0040 INSTALLED 1988

                                                      036 "DIA CIRC CONCR
                                            0040/1060 LEN=0040 INSTALLED 1988

006889 FT                                   006889 FT 2 0 31020 0 00 0069+39
                                          5 0040/0000 LENGTH(AH 3610 BK 1960)
                                                      024 "DIA CIRC CONCR
                                            0030/1462 LEN=0060 INSTALLED 1988
                                                      036 "DIA CIRC CONCR
                                            0030/1348 LEN=0035 INSTALLED 1988
                                                      018 "DIA CIRC CONCR
                                            0030/1227 LEN=0040 INSTALLED 1988
```

DIR: B TOTAL LEN: 6.417 MI. DIST: 09-5 SR: 3001
LEFT MUN: CARBON T RIGHT MUN: CARBON T

```
                                                  LEMIN HILL DR
                                                  (PRDR)
                                  0030/1050       01B "DIA CIR PLASTIC
                                  0030/0658       LEN=0055 INSTALLED 1988
                                                  01B "DIA CIRC CONCR
                                  0030/0531       LEN=0040 INSTALLED 1988
                                  0030/0013       BMSEN 31/3001/0030/0000
004929 FT                         004929 FT       2 0 31020 0 00 0049+30
                                                  HOUSE RUN
                                                  BMSBG 31/3001/0030/0000
                                  5 0030/0000     LENGTH(AH 1960 BK 3274)
                                                  01B "DIA CIRC CONCR
                                  0020/3146       LEN=0035 INSTALLED 1988
                                                  01B "DIA CIRC CONCR
                                  0020/2653       LEN=0055 INSTALLED 1988
                                                  01B "DIA CIRC CONCR
                                  0020/2365       LEN=0055 INSTALLED 1988
                                                  01B "DIA CIRC CONCR
                                  0020/1918       LEN=0050 INSTALLED 1988
                                                  01B "DIA CIRC CONCR
                                  0020/1813       LEN=0035 INSTALLED 1988

                                                  STAPLETON LN
                                  0020/0990       (PRDR)
                                                  01B "DIA CIR PLASTIC
                                  0020/0959       LEN=0040 INSTALLED 1988

001655 FT                         001655 FT       2 0 31020 0 00 0016+33
                                                  LYTLE LN
                                                  (T403)
                                  5 0020/0000     LENGTH(AH 3274 BK 1655)
                                                  01B "DIA CIRC CONCR
                                  0010/1517       LEN=0053 INSTALLED 1998
                                                  01B "DIA CIR PLASTIC
                                  0010/1352       LEN=0060 INSTALLED 1998
                                                  01B "DIA CIRC CONCR
                                  0010/1115       LEN=0031 INSTALLED 1998
                                                  01B "DIA CIRC CONCR
                                  0010/0890       LEN=0130 INSTALLED 1998

                                                  01B "DIA CIRC CONCR
                                  0010/0118       LEN=0045 INSTALLED 1998
000000 FT                         000000 FT       2 0 31020 0 00 0000+00
                                                  VILLAGE: MIDDLETOWN
                                        NC LITTLE VALLEY RD
                                                  BROAD TOP MTN RD
                                                  (SR0913 SEG 0030/3239)
                                                  MFC BEGIN = D
                                  5 0010/0000     LENGTH(AH 1655 BK 0000)
```

DIR: B TOTAL LEN: .066 MI. DIST: 09-5 SR: 2028
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

```
000348 FT                    000348 FT BEACON LODGE RD
                             0010/0348 (SR0103 SEG 0020/0000)
                             0010/0060 (AAR 003185*)#TRKS 01
                                       030 "DIA CIRC METAL
                             0010/0030 LEN=0055 INSTALLED UNKN
000000 FT                    000000 FT 2 0 31035 1 00 0000+00
                                  NC EXTRACT RD
                                       CROGHAN RD
                                       (SR0522 SEG 0400/0311)
                             INTER-BK  EXTRACT RD
                                       (T412)
                                       MFC BEGIN = E
                             S 0010/0000 LENGTH(AH 0348 BK 0000)
```

DIR: B TOTAL LEN: .590 MI. DIST: 09-5 SR: 2026
LEFT MUN: MOUNT UNION B RIGHT MUN: MOUNT UNION B

003116 FT

003116 FT AH-MIFFLIN (44)
REF-AHD COUNTRY CLUB RD
0010/3116 (SR3017 SEG 0010/0000)

NC FRANKLIN ST
FRANKLIN ST
0010/1649 (BORO)
PENNSYLVANIA AV
0010/1610 (BORO)

ROBIN ST
(BORO)

0010/1421

015 "DIA CIRC CONCR
0010/1411 LEN=0020 INSTALLED UNKN

015 "DIA CIRC METAL
0010/0508 LEN=0040 INSTALLED UNKN
DIVISION ST
0010/0490 (BORO)
000000 FT

000000 FT 2 0 44018 6 00 0000+00
NC WATER ST
JEFFERSON ST
(SR0747 SEG 0330/0000)
INTER-BK WATER ST
(BORO)
MFC BEGIN = E
0010/0000 LENGTH(AH 3116 BK 0000)

DIR: B TOTAL LEN: .856 MI. DIST: 09-5 SR: 2025
LEFT MUN: MOUNT UNION B RIGHT MUN: MOUNT UNION B

004521 FT

004521 FT
INTER-AHD SHIRLEY ST

DIR: B TOTAL LEN: .856 MI. DIST: 09-5 SR: 2025
LEFT MUN: MOUNT UNION B RIGHT MUN: MOUNT UNION B

				(SR0747 SEG 0310/0000)
DIVISION ST				DIVISION ST
(SR0747 SEG 0310/0000)	0030/2031		0030/2031	(BORO)
SHAVER ST				
(BORO)	0030/1368			
				SMALL ST
			0030/1214	(BORO)
				KISTLER ST
			0030/1018	(BORO)
				010 "DIA CIRC METAL
			0030/0990	LEN=0033 INSTALLED UNKN
GREENE ST				
(BORO)	0030/0844			
				RETAINING WALL END
			0030/0830	BMSID 31/2025/0030/0488
				RETAINING WALL BEGIN
			0030/0488	BMSID 31/2025/0030/0488
				018 "DIA CIRC CONCR
			0030/0348	LEN=0078 INSTALLED UNKN
1 0 00121 0 02 1137+12	002490 FT		002490 FT	
MOORE AV				
(BORO)	0030/0000		0030/0000	LENGTH(AH 2031 BK 0997)
				018 "DIA CIRC CONCR
			0020/0235	LEN=0050 INSTALLED UNKN
LIVERPOOL ST				
(BORO)	0020/0187			
				MOUNT UNION
			0020/0133	SHIRLEY T
			0020/0062	BMSEN 31/2025/0020/0000
	001493 FT		001493 FT	1 0 00121 0 02 1127+27
				HILL VALLEY
				BMSBG 31/2025/0020/0000
			0020/0000	LENGTH(AH 0997 BK 1493)
				018 "DIA CIRC CONCR
			0010/1162	LEN=0054 INSTALLED UNKN
WRANGLETOWN RD				
(T394)	0010/0450			
				FROM 0522/0414 SH
			0010/0107	(CONN)
	000000 FT		000000 FT	0 0 00000 0 00 0000+00
			NC	SHIRLEY ST
				CROGHAN PK
				(SR0522 SEG 0414/1396)
				MFC BEGIN = B
			0010/0000	LENGTH(AH 1493 BK 0000)

DIR: B TOTAL LEN: 1.708 MI. DIST: 09-5 SR: 2024
LEFT MUN: CLAY T RIGHT MUN: CLAY T

SELEA HOLLOW RD 009017 FT
(SR2001 SEG 0020/0000) 0050/1457



009017 FT SELEA HOLLOW RD
0050/1457 (SR2001 SEG 0020/0000)
015 "DIA CIR PLASTIC
0050/1392 LEN=0038 INSTALLED UNKN
015 "DIA CIR PLASTIC
0050/1104 LEN=0020 INSTALLED UNKN
015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 1.708 MI. DIST: 09-5 SR: 2024
LEFT MUN: CLAY T RIGHT MUN: CLAY T

		0050/0728	LEN=0026 INSTALLED UNKN
	007560 FT	007560 FT	2 0 31005 0 00 0014+46
		0050/0000	LENGTH(AH 1457 BK 2517)
			024"H 00"W MULT PLSTIC
		0040/2491	LEN=0038 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0040/1838	LEN=0022 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0040/0444	LEN=0025 INSTALLED 2006
	005043 FT	005043 FT	2 0 31005 0 00 0039+88
		0040/0000	LENGTH(AH 2517 BK 1377)
			015 "DIA CIR PLASTIC
		0030/1345	LEN=0035 INSTALLED 2006
			018 "DIA CIR PLASTIC
		0030/0279	LEN=0030 INSTALLED 2006
	003666 FT	003666 FT	2 0 31005 0 00 0053+33
		0030/0000	LENGTH(AH 1377 BK 2109)
			024 "DIA CIRC METAL
		0020/0191	LEN=0048 INSTALLED 1988
		0020/0115	BMSEN 31/2024/0020/0000
	001557 FT	001557 FT	2 0 31005 0 00 0074+42
			SIDELING HILL CREEK
			BMSBG 31/2024/0020/0000
		0020/0000	LENGTH(AH 2109 BK 1557)
BLACK HOLLOW RD (T326)	0010/1491		
			015 "DIA CIRC METAL
		0010/0382	LEN=0028 INSTALLED 1988
			CRAMER RD
		0010/0286	(T318)
	000000 FT	000000 FT	2 0 31005 1 00 0091+96
			WATERFALL RD
			(SR0655 SEG 0030/0000)
			NC FORDING RD
			MFC BEGIN = E
WATERFALL RD (SR0655 SEG 0030/0000)	0010/0000	0010/0000	LENGTH(AH 1557 BK 0000)

DIR: B TOTAL LEN: 1.776 MI. DIST: 09-5 SR: 2023
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

MEADOW GAP RD 009377 FT
(SR2004 SEG 0070/0000) 0040/1947

009377 FT MEADOW GAP RD
0040/1947 (SR2004 SEG 0070/0000)
015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 1.776 MI. DIST: 09-5 SR: 2023
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

```
                                                  0040/1382 LEN=0024 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/0876 LEN=0026 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0040/0037 LEN=0030 INSTALLED UNKN
                        007430 FT                 007430 FT 2 0 31078 0 00 0074+32
                                                5 0040/0000 LENGTH(AH 1947 BK 2285)

                                                            024 "DIA CIRC CONCR
                                                  0030/1661 LEN=0052 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0030/1148 LEN=0030 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0030/0555 LEN=0022 INSTALLED UNKN
2 0 31078 0 00 0051+47 005145 FT                  005145 FT
MT CARMEL RD
(T325)                  0030/0000                 0030/0000 LENGTH(AH 2285 BK 3342)

                                                            018 "DIA CIR PLASTIC
                                                  0020/2541 LEN=0010 INSTALLED 2000
                                                            WIBLE REUNION RD
                                                  0020/2203 (T324)
                                                            018 "DIA CIR PLASTIC
                                                  0020/1636 LEN=0005 INSTALLED 2001
                                                            PINE RIDGE DR
                                                  0020/1568 (TWP )
                                                            018 "DIA CIRC METAL
                                                  0020/1006 LEN=0024 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0020/0441 LEN=0022 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0020/0126 LEN=0030 INSTALLED UNKN
                        001803 FT                 001803 FT 2 0 31078 0 00 0018+00
                                                5 0020/0000 LENGTH(AH 3342 BK 1803)

                                                            018 "DIA CIRC CONCR
                                                  0010/1097 LEN=0036 INSTALLED UNKN

                                                  0010/0063 BMSEN 31/2023/0010/0046
                                                            2 0 31078 0 00 0000+58
                                                            ELLIOTTS RUN
                                                  0010/0046 BMSBG 31/2023/0010/0046
                        000000 FT                 000000 FT 2 0 31078 0 00 0000+00
                                                        NC GRISSINGER RD
                                                            ELLIOTS RUN RD
                                                            (SR2005 SEG 0070/0000)
                                                            MFC BEGIN = E
                                                5 0010/0000 LENGTH(AH 1803 BK 0000)
```

DIR: B TOTAL LEN: 1.707 MI. DIST: 09-5 SR: 2022
LEFT MUN: SALTILLO B RIGHT MUN: SALTILLO B

```
                                                   009014 FT MAIN ST
                    009014 FT                      0030/3091 (SR0655 SEG 0140/0000)
                                                             FISHER ST
                                                   0030/2837 (BORO)
                                                             018 "DIA CIRC CONCR
                                                   0030/2780 LEN=0024 INSTALLED UNKN
                                                             PINE ST
                                                   0030/2626 (BORO)
                                                             CHURCH ST
                                                   0030/2587 (BORO)
OLD TANNERY RD
(BORO)              0030/2402
                                                             015 "DIA CIRC CONCR
                                                   0030/2400 LEN=0075 INSTALLED UNKN
                                                             UTTLEY ST
                                                   0030/2131 (BORO)
                                                             018 "DIA CIRC CONCR
                                                   0030/2115 LEN=0090 INSTALLED UNKN
                                                             015 "DIA CIRC CONCR
                                                   0030/1901 LEN=0045 INSTALLED UNKN
                                                             015 "DIA CIRC CONCR
                                                   0030/1750 LEN=0040 INSTALLED UNKN
                                                             015 "DIA CIRC CONCR
                                                   0030/1233 LEN=0040 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                                   0030/0790 LEN=0040 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                                   0030/0474 LEN=0050 INSTALLED UNKN
OLD TANNERY RD
(BORO)              0030/0399
                                                             018 "DIA CIRC CONCR
                                                   0030/0353 LEN=0042 INSTALLED UNKN
                                                             018 "DIA CAST IRON
                                                   0030/0131 LEN=0048 INSTALLED UNKN
                                                             STATE GAME LAND RD
                                                   0030/0109 (FRST)
                    005923 FT                      005923 FT 1 0 00192 0 06 0443+23
                                                        NC OAK ST
                                                 S 0030/0000 LENGTH(AH 3091 BK 3395)
                                                             SALTILLO
                                                   0020/3301 CLAY T
                                                             015 "DIA CIRC CONCR
                                                   0020/2976 LEN=0045 INSTALLED UNKN
```

DIR: B TOTAL LEN: 1.707 MI. DIST: 09-5 SR: 2022
LEFT MUN: CLAY T RIGHT MUN: CLAY T

			015 "DIA CIRC CONCR
		0020/2364	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/2086	LEN=0035 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/1715	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1338	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0952	LEN=0010 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0509	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0204	LEN=0200 INSTALLED UNKN
	002528 FT		002528 FT 1 0 00192 0 06 0409+28
			NC SR 2022 SH
		S 0020/0000	LENGTH(AH 3395 BK 2528)
			CLAY
		0010/2470	THREE SPRINGS B
			018 "DIA CIRC CONCR
		0010/2340	LEN=0030 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0010/1980	LEN=0048 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0010/1665	LEN=0035 INSTALLED UNKN
			STONE QUARRY RD
		0010/1621	(BORO)
			BELLE ST
		0010/1340	(BORO)
			018 "DIA CIRC CONCR
		0010/1224	LEN=0756 INSTALLED UNKN
ASHMAN ST (BORO)	0010/0940		
			018 "DIA CIRC CONCR
		0010/0854	LEN=0322 INSTALLED UNKN
			RESERVOIR ST
		0010/0836	(BORO)
			018 "DIA CIRC CONCR
		0010/0532	LEN=0030 INSTALLED UNKN
FIX ST (BORO)	0010/0151		
	000000 FT		000000 FT 1 0 00192 0 06 0384+39
			NC HUDSON ST
			CHURCH ST
			(SR0747 SEG 0010/0000)
		INTER-BK	HUDSON ST
			(SR0994 SEG 0490/0000)
CHURCH ST (SR0994 SEG 0490/0000)	0010/0000		MFC BEGIN = D
		S 0010/0000	LENGTH(AH 2528 BK 0000)

DIR: B TOTAL LEN: 2.004 MI. DIST: 09-5 SR: 2021
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

GERMAN VALLEY RD	010580 FT		010580 FT GERMAN VALLEY RD
(SR2019 SEG 0050/0000)	0040/2498		0040/2498 (SR2019 SEG 0050/0000)
FOR SR 2019 AND 2021			
(CONN)	0040/2305		
			0040/2117 BMSEN 31/2021/0040/2084
			2 0 31082 0 00 0101+91
			FORT RUN
			0040/2084 BMSBG 31/2021/0040/2084
			018 "DIA CIRC CONCR
			0040/1430 LEN=0024 INSTALLED UNKN
			ROLES RD
			0040/1187 (T418)
			LC TO ROLES RD
			0040/1115 (CONN)
			015 "DIA CIR PLASTIC
			0040/0719 LEN=0024 INSTALLED UNKN
			036 "DIA CIRC METAL
			0040/0304 LEN=0026 INSTALLED UNKN
	008082 FT		008082 FT 2 0 31082 0 00 0081+16

DIR: B TOTAL LEN: 2.004 MI. DIST: 09-5 SR: 2021
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

			GROVE RD
			(T501)
		==	S 0040/0000 LENGTH(AH 2498 BK 2091)
			015 "DIA CIRC CONCR
			0030/2075 LEN=0048 INSTALLED 2006
			015 "DIA CIR PLASTIC
			0030/1470 LEN=0025 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0030/0783 LEN=0032 INSTALLED 2006
	005991 FT		005991 FT 2 0 31082 0 00 0060+25
			024 "DIA CIRC CONCR
			LEN=0032 INSTALLED UNKN
			S 0030/0000 LENGTH(AH 2091 BK 2392)
			MYERS RD
		==	0020/1373 (T415)
			036 "DIA CIR PLASTIC
			0020/1166 LEN=0030 INSTALLED UNKN
			030 "DIA CIR PLASTIC
			0020/1154 LEN=0030 INSTALLED UNKN
	003599 FT		003599 FT 2 0 31082 0 00 0036+07
			LOVE'S VALLEY RD
			(T366)
		==	S 0020/0000 LENGTH(AH 2392 BK 3599)
			015 "DIA CIRC CONCR
			0010/1478 LEN=0025 INSTALLED UNKN
			036 "DIA CIRC METAL
			0010/0140 LEN=0030 INSTALLED UNKN
TO 2019/0020 SH (CONN)	0010/0111	==	
			NC LOOP RD
			GERMANY VALLEY RD
2 0 31082 0 00 0000+00	000000 FT		000000 FT (T509)
GERMAN VALLEY RD			MFC BEGIN = E
(SR2019 SEG 0020/0000)	0010/0000		S 0010/0000 LENGTH(AH 3599 BK 0000)

DIR: B TOTAL LEN: .807 MI. DIST: 09-5 SR: 2020
LEFT MUN: BRADY T RIGHT MUN: BRADY T

```
WILLIAM PENN HW          004261 FT                  004261 FT WILLIAM PENN HW
(SR0022 SEG 0460/0000)    0020/1394                 0020/1394 (SR0022 SEG 0460/0000)
                                                            015 "DIA CIR PLASTIC
                                                    0020/1035 LEN=0040 INSTALLED 1998

                         002867 FT                  002867 FT 2 0 31084 0 01 0044+71
                                                            024 "DIA CIRC CONCR
                                                            LEN=0040 INSTALLED UNKN
                                                         NC SR 2020 SH
                                                  S 0020/0000 LENGTH(AH 1394 BK 2867)
                                                            015 "DIA CIR PLASTIC
                                                    0010/2600 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                    0010/2166 LEN=0050 INSTALLED 2000
                                                            015 "DIA CIRC CONCR
                                                    0010/1656 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                    0010/1193 LEN=0040 INSTALLED UNKN

                                                            015 "DIA CIRC OTHER
                                                    0010/0557 LEN=0033 INSTALLED UNKN
                         000000 FT                  000000 FT 2 0 31084 0 01 0016+33
                                                         NC ORISKANY RD
                                                            BRIDGE ST
                                                            (SR0655 SEG 0470/0000)
                                                     INTER-BK ORISKANY RD
                                                            (SR0655 SEG 0470/0000)
                                                            MFC BEGIN = D
                                                  S 0010/0000 LENGTH(AH 2867 BK 0000)
```

DIR: B TOTAL LEN: 3.722 MI. DIST: 09-5 SR: 2019
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

```
019651 FT                    019651 FT BEACON LODGE RD
                             0090/2505 (SR0103 SEG 0110/0000)
                                       018 "DIA CIRC METAL
                             0090/2180 LEN=0042 INSTALLED UNKN
                             0090/1849 BMSEN 31/2019/0090/1821
                                       2 0 31030 0 01 0278+85
                                       LICKING CREEK
                             0090/1821 BMSBG 31/2019/0090/1821
                                       015 "DIA CIR PLASTIC
                             0090/1460 LEN=0036 INSTALLED 1998
                                       BLACKLOG MOUNTAIN RD
                             0090/1095 (SR2012 SEG 0010/0000)
                                       015 "DIA CIRC METAL
                             0090/0737 LEN=0030 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0090/0409 LEN=0035 INSTALLED 1998
                                       036 "DIA CIR PLASTIC
                             0090/0173 LEN=0033 INSTALLED 2006
017146 FT                    017146 FT 2 0 31030 0 01 0260+22
                           S 0090/0000 LENGTH(AH 2505 BK 2470)
                                       015 "DIA CIRC CONCR
                             0080/2391 LEN=0032 INSTALLED UNKN

                                       015 "DIA CIRC CONCR
                             0080/1737 LEN=0032 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0080/1604 LEN=0036 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0080/1413 LEN=0030 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0080/0875 LEN=0031 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0080/0507 LEN=0030 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0080/0034 LEN=0028 INSTALLED UNKN
014676 FT                    014676 FT 2 0 31030 0 01 0235+52
                           S 0080/0000 LENGTH(AH 2470 BK 2598)
```

DIR: B TOTAL LEN: 3.722 MI. DIST: 09-5 SR: 2019
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

```
                                                  018 "DIA CIRC CONCR
                                  0070/2271 LEN=0034 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0070/1723 LEN=0036 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0070/1450 LEN=0030 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                  0070/0952 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0070/0426 LEN=0032 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                  0070/0097 LEN=0035 INSTALLED UNKN
012078 FT                         012078 FT 2 0 31030 0 00 0209+54
                                S 0070/0000 LENGTH(AH 2598 BK 2458)


                                                  036 "DIA CIR PLASTIC
                                  0060/0637 LEN=0035 INSTALLED 2006

009620 FT                         009620 FT 2 0 31030 0 00 0186+25
                                                  SALT RD
                                                  (T367)
                                S 0060/0000 LENGTH(AH 2458 BK 2720)
                                                  015 "DIA CIRC CONCR
                                  0050/2700 LEN=0034 INSTALLED 2003

                                                  018 "DIA CIRC CONCR
                                  0050/1828 LEN=0034 INSTALLED 2002
                                                  030 "DIA CIR PLASTIC
                                  0050/1407 LEN=0040 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                  0050/0833 LEN=0034 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0050/0658 LEN=0033 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                  0050/0246 LEN=0032 INSTALLED UNKN
006900 FT                         006900 FT 2 0 31030 0 00 0157+25
                                                  LOOP RD
                                                  (SR2021 SEG 0040/2498)
                                S 0050/0000 LENGTH(AH 2720 BK 1261)
                                                  FOR SR 2019 AND 2021
                                  0040/1047 (CONN)


                                  0040/0021 BMSEN 31/2019/0040/0000
005639 FT                         005639 FT 2 0 31030 0 00 0146+34
                                                  FORT RUN
```

DIR: B TOTAL LEN: 3.722 MI. DIST: 09-5 SR: 2019
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

AUGHWICK MILLS RD
(T403)

		BMSBG 31/2019/0040/0000
		S 0040/0000 LENGTH(AH 1261 BK 1956)
0030/1625		
		015 "DIA CIR PLASTIC
		0030/1420 LEN=0030 INSTALLED 1998
		015 "DIA CIR PLASTIC
		0030/0767 LEN=0035 INSTALLED 1998
		036 "DIA CIR PLASTIC
		0030/0395 LEN=0030 INSTALLED UNKN
003683 FT		003683 FT 2 0 31030 0 00 0126+78
		S 0030/0000 LENGTH(AH 1956 BK 3665)
		018 "DIA CIRC CONCR
		0020/2787 LEN=0031 INSTALLED UNKN
		015 "DIA CIRC METAL
		0020/1100 LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
		0020/0824 LEN=0030 INSTALLED UNKN
		015 "DIA CIR PLASTIC
		0020/0289 LEN=0040 INSTALLED UNKN
		FROM 2021/0010 SH
		0020/0170 (CONN)
000018 FT		000018 FT 2 0 31030 0 00 0090+70
		LOOP RD
		(SR2021 SEG 0010/0000)
		NC GERMAN VALLEY RD
		INTER-BK GERMANY VALLEY RD
		(T509)
		S 0020/0000 LENGTH(AH 3665 BK 1308)
000018 FT		000018 FT
		7014/0000 LENGTH(AH 1308 BK 0018)
		BMSEN 31/2019/0010/0000
		* REF-AHD GERMANY VALLEY RD
		0010/0018 (T509)
000000 FT		000000 FT 2 0 31030 0 00 0076+67
		NC SR 2019 SH
		* REF-BK GERMANY VALLEY RD
		(T509)
		TRIB FORT RUN
		BMSBG 31/2019/0010/0000
		MFC BEGIN = E
		S 0010/0000 LENGTH(AH 0018 BK 0100)
000000 FT		000000 FT
		7008/0000 LENGTH(AH 0100 BK 0000)

DIR: B TOTAL LEN: 1.955 MI. DIST: 09-5 SR: 2018
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

010322 FT



010322 FT AH-FRANKLIN (28)
* REF-AHD BURNT CABINS RD
0040/2932 (SR4004 SEG 0010/0000)
015 "DIA CIRC METAL
0040/2537 LEN=0048 INSTALLED UNKN
015 "DIA CIRC METAL
0040/1940 LEN=0052 INSTALLED UNKN
015 "DIA CIRC METAL
0040/1492 LEN=0050 INSTALLED UNKN
015 "DIA CIRC METAL
0040/1189 LEN=0046 INSTALLED UNKN
015 "DIA CIRC METAL
0040/0879 LEN=0046 INSTALLED UNKN
018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 1.955 MI. DIST: 09-5 SR: 2018
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

```
                                                  0040/0519 LEN=0060 INSTALLED 2000
                                                            015 "DIA CIR PLASTIC
                                                  0040/0027 LEN=0050 INSTALLED UNKN
                          007390 FT               007390 FT 2 0 31077 0 00 0070+00
                                                S 0040/0000 LENGTH(AH 2932 BK 2598)

                                                            028"H 44"W ELLIP METAL
                                                  0030/1843 LEN=0056 INSTALLED UNKN

                                                            015 "DIA CIR PLASTIC
                                                  0030/1201 LEN=0055 INSTALLED 1999
                                                            015 "DIA CIR PLASTIC
                                                  0030/0759 LEN=0054 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0030/0233 LEN=0040 INSTALLED UNKN
2 0 31077 0 00 0044+05 004792 FT                  004792 FT
LOCKE RD
(T300)                     0030/0000            S 0030/0000 LENGTH(AH 2598 BK 3252)
                                                            015 "DIA CIRC CONCR
                                                  0020/3100 LEN=0056 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0020/3040 LEN=0060 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0020/2545 LEN=0048 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0020/2124 LEN=0063 INSTALLED 2000
                                                            015 "DIA CIR PLASTIC
                                                  0020/1912 LEN=0038 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0020/1670 LEN=0060 INSTALLED 2000


                                                            018 "DIA CIR PLASTIC
                                                  0020/0692 LEN=0050 INSTALLED 1999
                                                            018 "DIA CIR PLASTIC
                                                  0020/0145 LEN=0050 INSTALLED 2000
2 0 31077 0 00 0010+58 001540 FT                  001540 FT
TOWER RD
(T308)                     0020/0000            S 0020/0000 LENGTH(AH 3252 BK 1540)

                                                            048 "DIA CIRC METAL
                                                  0010/0726 LEN=0066 INSTALLED UNKN

                          000000 FT               000000 FT 2 0 31077 0 00 0000+00
                                                        NC FANNETTSBURG PK
                                                * REF-BK    GRIST MILL RD
                                                            (SR1010 SEG 0030/2432)
                                                            MFC BEGIN = D
                                                             BK-FULTON          (29)
                                                S 0010/0000 LENGTH(AH 1540 BK 0000)
```

DIR: B TOTAL LEN: 11.663 MI. DIST: 09-5 SR: 2017
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

061579 FT

058907 FT

061579 FT	
* REF-AHD	BLACKLOG VALLEY RD
0250/2672	(T371)
	018 "DIA CIRC CONCR
0250/2450	LEN=0034 INSTALLED 2017
	018 "DIA CIRC CONCR
0250/2124	LEN=0032 INSTALLED 2017
	018 "DIA CIR PLASTIC
0250/1339	LEN=0035 INSTALLED 1999
	024 "DIA CIRC CONCR
0250/1015	LEN=0027 INSTALLED UNKN
	015 "DIA CIRC CONCR
0250/0694	LEN=0029 INSTALLED UNKN
	018 "DIA CIR PLASTIC
0250/0397	LEN=0027 INSTALLED UNKN
	024 "DIA CIRC CONCR
0250/0225	LEN=0026 INSTALLED UNKN
058907 FT	2 0 31049 0 01 0589+81
S 0250/0000	LENGTH(AH 2672 BK 2356)
	018 "DIA CIRC CONCR
0240/2287	LEN=0028 INSTALLED UNKN
	024 "DIA CIRC CONCR
0240/1523	LEN=0032 INSTALLED UNKN

DIR: B TOTAL LEN: 11.663 MI. DIST: 09-5 SR: 2017
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

```
056551 FT                    056551 FT 2 0 31049 0 01 0566+53
                                       030 "DIA CIRC CONCR
                                       LEN=0032 INSTALLED 2017
                             5 0240/0000 LENGTH(AH 2356 BK 2660)

                                       024 "DIA CIRC CONCR
                             0230/1172 LEN=0032 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0230/0451 LEN=0030 INSTALLED 2017
                                       024 "DIA CIRC CONCR
                             0230/0297 LEN=0034 INSTALLED UNKN
053891 FT                    053891 FT 2 0 31049 0 01 0539+93
                             5 0230/0000 LENGTH(AH 2660 BK 2641)
                                       018 "DIA CIRC CONCR
                             0220/2419 LEN=0032 INSTALLED 2017

                                       024 "DIA CIRC CONCR
                             0220/1609 LEN=0038 INSTALLED 2017
                                       024 "DIA CIRC CONCR
                             0220/1065 LEN=0040 INSTALLED 2017

                             0220/0041 BMSEN 31/2017/0220/0000
051250 FT                    051250 FT 2 0 31049 0 01 0513+76
                                       SPRUCE RUN
                                       BMSBG 31/2017/0220/0000
                             5 0220/0000 LENGTH(AH 2641 BK 1871)

                                       024"H 00"W MULT PLSTIC
                             0210/0834 LEN=0033 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0210/0542 LEN=0032 INSTALLED 2006
                                       018 "DIA CIR PLASTIC
                             0210/0172 LEN=0080 INSTALLED 1999
049379 FT                    049379 FT 2 0 31049 0 01 0494+68
                             5 0210/0000 LENGTH(AH 1871 BK 1993)
                                       024 "DIA CIRC CONCR
                             0200/1838 LEN=0033 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0200/1481 LEN=0032 INSTALLED UNKN

                                       015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 11.663 MI. DIST: 09-5 SR: 2017
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

		0200/0836	LEN=0030 INSTALLED UNKN 015 "DIA CIRC CONCR
		0200/0379	LEN=0035 INSTALLED UNKN
	047386 FT	047386 FT	2 0 31049 0 01 0474+75
		S 0200/0000	LENGTH(AH 1993 BK 3425) 030 "DIA CIR PLASTIC
		0190/2865	LEN=0032 INSTALLED 1996 018 "DIA CIRC CONCR
		0190/2338	LEN=0030 INSTALLED 2017 018 "DIA CIRC CONCR
		0190/2189	LEN=0032 INSTALLED UNKN 018 "DIA CIRC CONCR
		0190/1817	LEN=0032 INSTALLED 2017 018 "DIA CIRC CONCR
		0190/1657	LEN=0032 INSTALLED 2017 018 "DIA CIRC CONCR
		0190/1415	LEN=0064 INSTALLED 2017
			030 "DIA CIRC CONCR
		0190/0027	LEN=0040 INSTALLED 2017
2 0 31049 0 01 0441+00 BLACK LOG MOUNTAIN RD (SR2012 SEG 0110/2390)	043961 FT 0190/0000	043961 FT S 0190/0000	LENGTH(AH 3425 BK 2269)
			036 "DIA CIRC CONCR
		0180/1563	LEN=0034 INSTALLED UNKN 015 "DIA CIRC CONCR
		0180/1000	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0180/0300	LEN=0036 INSTALLED UNKN 018 "DIA CIRC CONCR
		0180/0186	LEN=0043 INSTALLED UNKN
	041692 FT	041692 FT	2 0 31049 0 01 0418+27
		S 0180/0000	LENGTH(AH 2269 BK 2421) 018 "DIA CIRC CONCR
		0170/2044	LEN=0031 INSTALLED UNKN 015 "DIA CIRC CONCR
		0170/1583	LEN=0031 INSTALLED UNKN
			050 "DIA CIR PLASTIC
		0170/0744	LEN=0025 INSTALLED UNKN
	039271 FT	039271 FT	2 0 31049 0 01 0393+66 015 "DIA CIRC METAL LEN=0031 INSTALLED UNKN
		S 0170/0000	LENGTH(AH 2421 BK 3144) 018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 11.663 MI. DIST: 09-5 SR: 2017
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

```
                                        0160/2744 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0160/2449 LEN=0028 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0160/2070 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0160/1722 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0160/1215 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0160/1023 LEN=0025 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0160/0737 LEN=0029 INSTALLED UNKN
                                                  030 "DIA CIRC CONCR
                                        0160/0180 LEN=0034 INSTALLED UNKN
036127 FT                               036127 FT 2 0 31049 0 01 0362+00
                                      S 0160/0000 LENGTH(AH 3144 BK 2519)
                                                  018 "DIA CIRC CONCR
                                        0150/2050 LEN=0027 INSTALLED UNKN


                                                  018 "DIA CIRC CONCR
                                        0150/0670 LEN=0027 INSTALLED UNKN

033608 FT                               033608 FT 2 0 31049 0 01 0336+00
                                                  015 "DIA CIRC CONCR
                                                  LEN=0030 INSTALLED UNKN
                                      S 0150/0000 LENGTH(AH 2519 BK 2098)
                                                  018 "DIA CIR PLASTIC
                                        0140/1814 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0140/1600 LEN=0025 INSTALLED UNKN
                                                  015 "DIA CIR PLASTIC
                                        0140/1200 LEN=0026 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0140/0632 LEN=0034 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0140/0604 LEN=0032 INSTALLED UNKN

031510 FT                               031510 FT 2 0 31049 0 00 0312+42
                                      S 0140/0000 LENGTH(AH 2098 BK 2510)
                                                  018 "DIA CIRC CONCR
                                        0130/2510 LEN=0040 INSTALLED UNKN
                                                  030 "DIA CIRC CONCR
                                        0130/2230 LEN=0070 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0130/1960 LEN=0058 INSTALLED 2006
                                                  018 "DIA CIRC CONCR
                                        0130/1670 LEN=0036 INSTALLED UNKN
```

DIR: B TOTAL LEN: 11.663 MI. DIST: 09-5 SR: 2017
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

		018 "DIA CIRC CONCR
	0130/0753	LEN=0025 INSTALLED UNKN
029000 FT	029000 FT	2 0 31049 0 00 0287+00
	S 0130/0000	LENGTH(AH 2510 BK 2541)
		018 "DIA CIRC CONCR
	0120/2420	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0120/2048	LEN=0065 INSTALLED 2017
		015 "DIA CIR PLASTIC
	0120/1710	LEN=0024 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0120/1563	LEN=0032 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0120/1052	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0120/0580	LEN=0046 INSTALLED UNKN
		SHIRLEY
	0120/0268	CROMWELL T
026459 FT	026459 FT	2 0 31049 0 00 0261+59
	S 0120/0000	LENGTH(AH 2541 BK 1209)
		018 "DIA CIR PLASTIC
	0110/1086	LEN=0033 INSTALLED UNKN
		030 "DIA CIRC CONCR
	0110/0908	LEN=0034 INSTALLED UNKN
		030 "DIA CIRC CONCR
	0110/0544	LEN=0033 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0110/0216	LEN=0033 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0110/0100	LEN=0033 INSTALLED UNKN
025250 FT	025250 FT	2 0 31049 0 00 0249+50
	S 0110/0000	LENGTH(AH 1209 BK 2483)
		018 "DIA CIRC CONCR
	0100/2178	LEN=0034 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0100/1890	LEN=0049 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0100/1760	LEN=0037 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0100/0961	LEN=0034 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0100/0730	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0100/0656	LEN=0085 INSTALLED 1997
		018 "DIA CIR PLASTIC
	0100/0543	LEN=0035 INSTALLED 2005

DIR: B TOTAL LEN: 11.663 MI. DIST: 09-5 SR: 2017
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

```
022767 FT                    022767 FT 2 0 31049 0 00 0224+44
                           S 0100/0000 LENGTH(AH 2483 BK 2604)
                                       018 "DIA CIRC CONCR
                             0090/2335 LEN=0034 INSTALLED UNKN
                                       036 "DIA CIRC CONCR
                             0090/2290 LEN=0037 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0090/1815 LEN=0043 INSTALLED UNKN

                                       015 "DIA CIRC CONCR
                             0090/1100 LEN=0035 INSTALLED UNKN


                                       018 "DIA CIR PLASTIC
                             0090/0199 LEN=0036 INSTALLED 2017
020163 FT                    020163 FT 2 0 31049 0 00 0198+60
                           S 0090/0000 LENGTH(AH 2604 BK 2458)
                                       024 "DIA CIR PLASTIC
                             0080/2385 LEN=0041 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0080/2175 LEN=0031 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0080/1890 LEN=0031 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0080/1638 LEN=0030 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0080/1590 LEN=0030 INSTALLED 2018
                                       028 "DIA CIR PLASTIC
                             0080/1003 LEN=0030 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0080/0826 LEN=0030 INSTALLED UNKN

017705 FT                    017705 FT 2 0 31049 0 00 0174+00
                           S 0080/0000 LENGTH(AH 2458 BK 2534)
                                       015 "DIA CIRC CONCR
                             0070/2331 LEN=0031 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0070/1942 LEN=0031 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0070/1681 LEN=0032 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0070/1513 LEN=0031 INSTALLED UNKN
                                       030 "DIA CIRC CONCR
                             0070/1348 LEN=0041 INSTALLED UNKN


                                       018 "DIA CIRC CONCR
                             0070/0214 LEN=0030 INSTALLED UNKN
015171 FT                    015171 FT 2 0 31049 0 00 0148+53
                           S 0070/0000 LENGTH(AH 2534 BK 2704)
```

DIR: B TOTAL LEN: 11.663 MI. DIST: 09-5 SR: 2017
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

		036 "DIA CIR PLASTIC
	0060/2321	LEN=0034 INSTALLED 1998
		015 "DIA CIRC CONCR
	0060/2135	LEN=0031 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0060/1941	LEN=0032 INSTALLED UNKN
		016 "DIA CIRC CONCR
	0060/1768	LEN=0033 INSTALLED UNKN
012467 FT	012467 FT	2 0 31049 0 00 0121+90
	0060/0000	LENGTH(AH 2704 BK 2428)
		018 "DIA CIRC CONCR
	0050/2275	LEN=0035 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0050/1966	LEN=0033 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/1442	LEN=0035 INSTALLED UNKN
		028 "DIA CIRC CONCR
	0050/1250	LEN=0032 INSTALLED UNKN
		SHEETS DR
	0050/1180	(TWP)
		018 "DIA CIRC CONCR
	0050/0965	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0050/0788	LEN=0033 INSTALLED UNKN
010039 FT	010039 FT	2 0 31049 0 00 0097+18
	0050/0000	LENGTH(AH 2428 BK 2494)
		024 "DIA CIRC CONCR
	0040/1846	LEN=0033 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0040/1189	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/0889	LEN=0036 INSTALLED 2018
		015 "DIA CIRC CONCR
	0040/0722	LEN=0030 INSTALLED UNKN
007545 FT	007545 FT	2 0 31049 0 00 0072+45
		018 "DIA CIR PLASTIC
		LEN=0030 INSTALLED UNKN
	0040/0000	LENGTH(AH 2494 BK 2480)
		018 "DIA CIR PLASTIC
	0030/2194	LEN=0030 INSTALLED 1997
		016 "DIA CIRC CONCR
	0030/2030	LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 11.663 MI. DIST: 09-5 SR: 2017
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

```
                                                018 "DIA CIR PLASTIC
                                  0030/1694 LEN=0030 INSTALLED UNKN
                                                036 "DIA CIRC CONCR
                                  0030/1565 LEN=0040 INSTALLED UNKN
                                                016 "DIA CIRC CONCR
                                  0030/1472 LEN=0040 INSTALLED UNKN
                                                016 "DIA CIRC CONCR
                                  0030/0963 LEN=0030 INSTALLED UNKN
                                                015 "DIA CIR PLASTIC
                                  0030/0467 LEN=0031 INSTALLED UNKN
005065 FT                         005065 FT 2 0 31049 0 00 0047+65
                                S 0030/0000 LENGTH(AH 2480 BK 2165)
                                                015 "DIA CIRC CONCR
                                  0020/2090 LEN=0036 INSTALLED UNKN
                                                018 "DIA CIR PLASTIC
                                  0020/1946 LEN=0032 INSTALLED 2017

                                                030 "DIA CIR PLASTIC
                                  0020/1090 LEN=0035 INSTALLED 1997
                                                015 "DIA CIRC CONCR
                                  0020/0800 LEN=0030 INSTALLED UNKN
                                                015 "DIA CIR PLASTIC
                                  0020/0483 LEN=0035 INSTALLED UNKN
                                                018 "DIA CIR PLASTIC
                                  0020/0123 LEN=0040 INSTALLED 2017
002900 FT                         002900 FT 2 0 31049 0 00 0026+00
                                                PETERSON RD
                                                (T360)
                                S 0020/0000 LENGTH(AH 2165 BK 2900)

                                                018 "DIA CIRC CONCR
                                  0010/2265 LEN=0034 INSTALLED UNKN
                                                024 "DIA CIR PLASTIC
                                  0010/2109 LEN=0027 INSTALLED UNKN

                                                016 "DIA CIRC CONCR
                                  0010/1436 LEN=0036 INSTALLED UNKN

                                                018 "DIA CIR PLASTIC
                                  0010/0707 LEN=0080 INSTALLED 1997
                                                015 "DIA CIRC CONCR
                                  0010/0452 LEN=0036 INSTALLED UNKN
                                                018 "DIA CIRC CONCR
                                  0010/0291 LEN=0041 INSTALLED UNKN
000000 FT                         000000 FT 2 0 31049 0 00 0000+00
                                        NC BLACKLOG VALLEY RD
                                                CROGHAN PK
                                                (SR0522 SEG 0200/0000)
                                                MFC BEGIN = E
                                S 0010/0000 LENGTH(AH 2900 BK 0000)
```

DIR: B TOTAL LEN: 3.281 MI. DIST: 09-5 SR: 2016
LEFT MUN: ROCKHILL B RIGHT MUN: ROCKHILL B

	017322 FT	017322 FT	
		INTER-AHD	VALLEY ST
			(SR0994 SEG 0600/0000)
MEADOW ST			MEADOW ST
(SR0994 SEG 0600/0000)	0070/1355	0070/1355	(BORO)
			HICKORY ST
		0070/1155	(BORO)
			OAK ST
		0070/0891	(BORO)
			CHERRY ST
		0070/0447	(BORO)
	015967 FT	015967 FT	2 0 31023 0 00 0013+55
		NC	VALLEY ST
			NORTH ST
			(BORO)
		0070/0000	LENGTH(AH 1355 BK 3527)
			015 "DIA CIRC CONCR
		0060/3326	LEN=0104 INSTALLED 1988
			ROCKHILL
		0060/3209	CROMWELL T
			015 "DIA CIRC CONCR
		0060/3152	LEN=0034 INSTALLED 1988
			018 "DIA CIRC CONCR
		0060/3040	LEN=0150 INSTALLED 1988
			015 "DIA CIRC CONCR
		0060/2835	LEN=0032 INSTALLED 1988
			015 "DIA CIRC CONCR
		0060/2514	LEN=0036 INSTALLED 1988
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 3.281 MI. DIST: 09-5 SR: 2016
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

			0060/1795 LEN=0036 INSTALLED 1988
			015 "DIA CIRC CONCR
			0060/1441 LEN=0034 INSTALLED 1988
			015 "DIA CIRC CONCR
			0060/0830 LEN=0034 INSTALLED 1988
			018 "DIA CIR PLASTIC
			0060/0562 LEN=0035 INSTALLED 1997
			BEERS RD
			0060/0259 (T346)
			0060/0155 BMSEN 31/2016/0060/0000
	012440 FT		012440 FT 2 0 31023 0 00 0048+61
			BLACK LOG CREEK
			BMSBG 31/2016/0060/0000
			S 0060/0000 LENGTH(AH 3527 BK 1811)
ENYEART RD (T365)	0050/1678		
CLARK RD (T555)	0050/1397		
			024 "DIA CIRC CONCR
			0050/1370 LEN=0042 INSTALLED 1988
			015 "DIA CIRC CONCR
			0050/0860 LEN=0040 INSTALLED 1988
			0050/0228 BMSEN 31/2016/0050/0000
	010629 FT		010629 FT 2 0 31023 0 01 0065+22
			AUGHWICK CR.
			BMSBG 31/2016/0050/0000
			S 0050/0000 LENGTH(AH 1811 BK 2766)
MCCLURE RD (T378)	0040/2393		
			015 "DIA CIR PLASTIC
			0040/0878 LEN=0032 INSTALLED 1988
	007863 FT		007863 FT 2 0 31023 0 01 0092+80
			MONROE VALLEY RD
			(T362)
			S 0040/0000 LENGTH(AH 2766 BK 2524)
			015 "DIA CIR PLASTIC
			0030/2494 LEN=0032 INSTALLED 1988
			015 "DIA CIRC CONCR
			0030/2359 LEN=0032 INSTALLED 1988
			015 "DIA CIR PLASTIC
			0030/1798 LEN=0030 INSTALLED 1988
			015 "DIA CIR PLASTIC
			0030/1370 LEN=0030 INSTALLED 1988

DIR: B TOTAL LEN: 3.281 MI. DIST: 09-5 SR: 2016
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

		015 "DIA CIR PLASTIC
	0030/1030	LEN=0030 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0030/0787	LEN=0030 INSTALLED 1988
		024 "DIA CIR PLASTIC
	0030/0386	LEN=0032 INSTALLED 1988
	0030/0038	BMSEN 31/2016/0030/0000
005339 FT	005339 FT	2 0 31023 0 01 0118+16
		OLD WOMAN RN
		BMSBG 31/2016/0030/0000
	0030/0000	LENGTH(AH 2524 BK 2102)
		015 "DIA CIR PLASTIC
	0020/1121	LEN=0032 INSTALLED 1988
		015 "DIA CIRC CONCR
	0020/0902	LEN=0040 INSTALLED 1988
		036 "DIA CIR PLASTIC
	0020/0262	LEN=0040 INSTALLED 1988
003237 FT	003237 FT	2 0 31023 0 02 0139+53
		GABERT RD
		(T368)
	0020/0000	LENGTH(AH 2102 BK 3237)
		015 "DIA CIRC CONCR
	0010/3188	LEN=0030 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0010/2390	LEN=0032 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0010/1630	LEN=0038 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0010/1489	LEN=0032 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0010/0702	LEN=0042 INSTALLED 1988
		CAROTHERS RUN RD
	0010/0634	(T374)
		048"H 00"W MULT CONCR
	0010/0489	LEN=0075 INSTALLED 1997
		CAROTHERS GA
		STRUCTURE LENGTH 9 FT
	0010/0476	BMSID 31/2016/0010/0476
000000 FT	000000 FT	2 0 31023 0 02 0172+02
		NC CHESTER FURNACE RD
		HILL VALLEY RD
		(SR0747 SEG 0110/0000)
		MFC BEGIN = D
	0010/0000	LENGTH(AH 3237 BK 0000)

DIR: B TOTAL LEN: 5.564 MI. DIST: 09-5 SR: 2015
LEFT MUN: TELL T RIGHT MUN: TELL T

029380 FT

026802 FT



```
029380 FT  TUSCARORA CREEK RD
0140/2578  (T409)

           036 "DIA CIRC METAL
0140/1885  LEN=0033 INSTALLED UNKN

           015 "DIA CIRC CONCR
0140/1175  LEN=0025 INSTALLED UNKN
           018 "DIA CIRC CONCR
0140/0670  LEN=0030 INSTALLED UNKN

0140/0015  BMSEN 31/2015/0140/0000
026802 FT  2 0 31021 0 00 0266+75
           TR TUSCARO C
           BMSBG 31/2015/0140/0000
5 0140/0000 LENGTH(AH 2578 BK 2168)
           018 "DIA CIRC CONCR
0130/1616  LEN=0030 INSTALLED UNKN
           018 "DIA CIRC CONCR
0130/1300  LEN=0034 INSTALLED UNKN
           018 "DIA CIRC CONCR
0130/0892  LEN=0036 INSTALLED UNKN
```

DIR: B TOTAL LEN: 5.564 MI. DIST: 09-5 SR: 2015
LEFT MUN: TELL T RIGHT MUN: TELL T

JEFFRIES RD
(T353)

0130/0847	==			
				015 "DIA CIRC CONCR
			0130/0296	LEN=0008 INSTALLED 2005
024634 FT			024634 FT	2 0 31021 0 00 0244+88
			S 0130/0000	LENGTH(AH 2168 BK 2026)
				018 "DIA CIRC CONCR
			0120/1923	LEN=0030 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0120/1648	LEN=0030 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0120/1035	LEN=0030 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0120/0638	LEN=0038 INSTALLED UNKN
				018 "DIA CIRC METAL
			0120/0100	LEN=0032 INSTALLED UNKN
022608 FT			022608 FT	2 0 31021 0 00 0224+27
			S 0120/0000	LENGTH(AH 2026 BK 1298)
				030 "DIA CIR PLASTIC
			0110/1270	LEN=0032 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0110/0946	LEN=0040 INSTALLED 1998
				018 "DIA CIRC CONCR
			0110/0460	LEN=0041 INSTALLED UNKN
021310 FT			021310 FT	2 0 31021 0 00 0211+85
			S 0110/0000	LENGTH(AH 1298 BK 3489)
				015 "DIA CIRC CONCR
			0100/3211	LEN=0032 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0100/3083	LEN=0030 INSTALLED UNKN
				030 "DIA CIRC METAL
			0100/1597	LEN=0032 INSTALLED UNKN
				030 "DIA CIR PLASTIC
			0100/0912	LEN=0035 INSTALLED 2006
				CENTER RD
		==	0100/0119	(T357)
				024 "DIA CIRC CONCR
			0100/0106	LEN=0033 INSTALLED UNKN
017821 FT			017821 FT	2 0 31021 0 00 0176+80
			S 0100/0000	LENGTH(AH 3489 BK 2635)
				018 "DIA CIRC METAL
			0090/2446	LEN=0033 INSTALLED UNKN

DIR: B TOTAL LEN: 5.564 MI. DIST: 09-5 SR: 2015
LEFT MUN: TELL T RIGHT MUN: TELL T

		018 "DIA CIRC CONCR
	0090/1038	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/0538	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/0191	LEN=0030 INSTALLED UNKN
015186 FT	015186 FT	2 0 31021 0 00 0150+34
	S 0090/0000	LENGTH(AH 2635 BK 2149)
		018 "DIA CIRC CONCR
	0080/0914	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/0445	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0080/0079	LEN=0030 INSTALLED UNKN
013037 FT	013037 FT	2 0 31021 0 00 0129+55
		BEECH SLICK RD
		(T355)
	S 0080/0000	LENGTH(AH 2149 BK 1382)
		018 "DIA CIR PLASTIC
	0070/1328	LEN=0045 INSTALLED 2006
011655 FT	011655 FT	2 0 31021 0 00 0115+73
	S 0070/0000	LENGTH(AH 1382 BK 2384)
		018 "DIA CIRC CONCR
	0060/2361	LEN=0033 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/1563	LEN=0038 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/0845	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0060/0167	LEN=0028 INSTALLED UNKN
009271 FT	009271 FT	2 0 31021 0 00 0091+75
		MOORE RD
		(T343)
	S 0060/0000	LENGTH(AH 2384 BK 1270)
		030 "DIA CIR PLASTIC
	0050/0660	LEN=0050 INSTALLED 2006
008001 FT	008001 FT	2 0 31021 0 00 0080+00
	S 0050/0000	LENGTH(AH 1270 BK 2246)

DIR: B TOTAL LEN: 5.564 MI. DIST: 09-5 SR: 2015
LEFT MUN: TELL T RIGHT MUN: TELL T

			018 "DIA CIRC CONCR
		0040/1818	LEN=0033 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/0372	LEN=0032 INSTALLED UNKN
2 0 31021 0 00 0058+40	005755 FT		005755 FT
BLOCKS HOLLOW RD			
(T347)	0040/0000	S 0040/0000	LENGTH(AH 2246 BK 1206)
			MCMULLEN RD
		0030/1059	(T346)
			018 "DIA CIRC CONCR
		0030/0970	LEN=0035 INSTALLED UNKN
			LC TO MCMULLEN RD
		0030/0964	(CONN)
			036 "DIA CIR PLASTIC
		0030/0265	LEN=0040 INSTALLED 2006
2 0 31021 0 00 0044+90	004549 FT		004549 FT
RIDGE LN			
(T356)	0030/0000	S 0030/0000	LENGTH(AH 1206 BK 2484)
			018 "DIA CIR PLASTIC
		0020/2164	LEN=0040 INSTALLED 2004
			018 "DIA CIRC CONCR
		0020/1490	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0953	LEN=0031 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0558	LEN=0030 INSTALLED UNKN
	002065 FT		002065 FT 2 0 31021 0 00 0020+06
			018 "DIA CIRC CONCR
			LEN=0030 INSTALLED UNKN
		S 0020/0000	LENGTH(AH 2484 BK 2065)
			018 "DIA CIRC CONCR
		0010/1801	LEN=0028 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1619	LEN=0028 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1125	LEN=0028 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0438	LEN=0060 INSTALLED UNKN
	000000 FT		000000 FT 2 0 31021 0 00 0000+00
			NC RESORT RD
			SHADE VALLEY RD
			(SR0035 SEG 0090/0000)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 2065 BK 0000)

DIR: B TOTAL LEN: .215 MI. DIST: 09-5 SR: 2014
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

```
001136 FT                 001136 FT
                          7024/0000 LENGTH(AH 0100 BK 0018)
                        * REF-AHD   KEYSTONE RD
                          0020/0018 (T507)
001118 FT                 001118 FT 2 0 31029 0 01 0141+00
                                    TRIB AUGHWICK CREEK
                                    STRUCTURE LENGTH  18 FT
                                    BMSID 31/2014/0020/0000
                        * REF-BK    KEYSTONE RD
                                    (T507)
                        S 0020/0000 LENGTH(AH 0018 BK 0100)
001118 FT                 001118 FT
                          7014/0000 LENGTH(AH 0100 BK 1118)
                        * REF-AHD   KEYSTONE RD
                                    (T507)
                          0010/1118 CROMWELL T
                                    SUGAR RUN
                                    STRUCTURE LENGTH  34 FT
                          0010/1084 BMSID 31/2014/0010/1084

000000 FT                 000000 FT 2 0 31029 0 00 0000+00
                                NC KEYSTONE RD
                                    HILL VALLEY RD
                                    (SR0747 SEG 0150/0000)
                                    MFC BEGIN = E
                        S 0010/0000 LENGTH(AH 1118 BK 0000)
```

DIR: B TOTAL LEN: 3.541 MI. DIST: 09-5 SR: 2013
LEFT MUN: TELL T RIGHT MUN: TELL T

018699 FT



018699 FT TUSCARORA CREEK RD
0090/2765 (T409)
018 "DIA CIRC CONCR
0090/2299 LEN=0039 INSTALLED UNKN
018 "DIA CIR PLASTIC
0090/1818 LEN=0037 INSTALLED UNKN
018 "DIA CIR PLASTIC
0090/1221 LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 3.541 MI. DIST: 09-5 SR: 2013
LEFT MUN: TELL T RIGHT MUN: TELL T

			018 "DIA CIR PLASTIC
		0090/0582	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/0080	LEN=0036 INSTALLED UNKN
	015934 FT	015934 FT	2 0 31016 0 00 0160+17
		S 0090/0000	LENGTH(AH 2765 BK 1975)
			048 "DIA CIR PLASTIC
		0080/1730	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/0900	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/0740	LEN=0049 INSTALLED UNKN
			048 "DIA CIR PLASTIC
		0080/0437	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/0172	LEN=0040 INSTALLED UNKN
	013959 FT	013959 FT	2 0 31016 0 00 0140+21
		S 0080/0000	LENGTH(AH 1975 BK 2330)
			018 "DIA CIRC CONCR
		0070/1806	LEN=0034 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/1545	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/1016	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0442	LEN=0040 INSTALLED UNKN
2 0 31016 0 00 0116+91	011629 FT	011629 FT	
PHILLIPS RD			
(T349)	0070/0000	S 0070/0000	LENGTH(AH 2330 BK 3229)
			018 "DIA CIRC CONCR
		0060/3170	LEN=0043 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/1075	LEN=0041 INSTALLED UNKN
			WINDY ACRES LN
		0060/0877	(PRDR)
			018 "DIA CIR PLASTIC
		0060/0606	LEN=0028 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/0228	LEN=0037 INSTALLED UNKN
	008400 FT	008400 FT	2 0 31016 0 00 0084+62
		S 0060/0000	LENGTH(AH 3229 BK 1633)
			018 "DIA CIR PLASTIC
		0050/1470	LEN=0028 INSTALLED UNKN

DIR: B TOTAL LEN: 3.541 MI. DIST: 09-5 SR: 2013
LEFT MUN: TELL T RIGHT MUN: TELL T

			018 "DIA CIRC CONCR
		0050/0614	LEN=0033 INSTALLED UNKN
	006767 FT	006767 FT	2 0 31016 0 00 0067+74
		S 0050/0000	LENGTH(AH 1633 BK 2658)
			015 "DIA CIR PLASTIC
		0040/2639	LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/2315	LEN=0031 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0040/1415	LEN=0038 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0040/1107	LEN=0038 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0040/0617	LEN=0037 INSTALLED UNKN
			016 "DIA CIRC CONCR
		0040/0047	LEN=0041 INSTALLED UNKN
2 0 31016 0 00 0040+50	004109 FT	004109 FT	TELL
HARPERS RD			DUBLIN T
(T408)	0040/0000	S 0040/0000	LENGTH(AH 2658 BK 2642)
			024 "DIA CIR PLASTIC
		0030/2295	LEN=0035 INSTALLED UNKN
			042 "DIA CIR PLASTIC
		0030/2040	LEN=0037 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/1688	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0030/1240	LEN=0038 INSTALLED UNKN
			020 "DIA CIRC CONCR
		0030/0292	LEN=0033 INSTALLED UNKN
	001467 FT	001467 FT	2 0 31016 0 00 0014+62
		S 0030/0000	LENGTH(AH 2642 BK 0682)
			018 "DIA CIR PLASTIC
		0020/0626	LEN=0037 INSTALLED UNKN
	000785 FT	000785 FT	2 0 31016 0 00 0007+80
		S 0020/0000	LENGTH(AH 0682 BK 0785)
			018 "DIA CIRC CONCR
		0010/0344	LEN=0025 INSTALLED UNKN
	000000 FT	000000 FT	2 0 31016 0 00 0000+00
			NC PARSONS FARM RD
			SAWMILL RD
			(SR2006 SEG 0060/0000)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 0785 BK 0000)

DIR: B TOTAL LEN: 4.257 MI. DIST: 09-5 SR: 2012
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

BLACKLOG VALLEY RD (SR2017 SEG 0190/0000)	022479 FT 0110/2390		022479 FT 0110/2390	BLACKLOG VALLEY RD (SR2017 SEG 0190/0000)
			0110/1593	015 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
			0110/0969	015 "DIA CIRC METAL LEN=0040 INSTALLED UNKN
			0110/0590	018 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
			0110/0270	015 "DIA CIR PLASTIC LEN=0060 INSTALLED UNKN
			0110/0033	024 "DIA CIR PLASTIC LEN=0020 INSTALLED 2000
	020089 FT		020089 FT	2 0 31097 0 00 0024+80
		S	0110/0000	LENGTH(AH 2390 BK 2615)
			0100/2563	015 "DIA CIRC METAL LEN=0035 INSTALLED UNKN
			0100/2388	015 "DIA CIRC CONCR LEN=0033 INSTALLED UNKN
			0100/2085	015 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
			0100/1709	018 "DIA CIR PLASTIC LEN=0044 INSTALLED 2000
			0100/0716	015 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN
			0100/0183	015 "DIA CIR PLASTIC LEN=0030 INSTALLED UNKN
	017474 FT		017474 FT	2 0 31097 0 00 0051+00
		S	0100/0000	LENGTH(AH 2615 BK 2558)
			0090/2087	015 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
			0090/1814	015 "DIA CIRC CONCR LEN=0033 INSTALLED UNKN
			0090/0263	018 "DIA CIR PLASTIC LEN=0035 INSTALLED 2006
	014916 FT		014916 FT	2 0 31097 0 00 0077+44
		S	0090/0000	LENGTH(AH 2558 BK 3585)

DIR: B TOTAL LEN: 4.257 MI. DIST: 09-5 SR: 2012
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

			018 "DIA CIR PLASTIC
		0080/1864	LEN=0005 INSTALLED 2005
			015 "DIA CIR PLASTIC
		0080/1497	LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/1271	LEN=0040 INSTALLED 2005
			018 "DIA CIR PLASTIC
		0080/1021	LEN=0027 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0080/0680	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/0600	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0080/0191	LEN=0040 INSTALLED UNKN
	011331 FT	011331 FT	2 0 31097 0 00 0113+51
		S 0080/0000	LENGTH(AH 3585 BK 1358)
			015 "DIA CIRC CONCR
		0070/0621	LEN=0033 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0070/0198	LEN=0030 INSTALLED UNKN
	009973 FT	009973 FT	2 0 31097 0 00 0127+09
		S 0070/0000	LENGTH(AH 1358 BK 1422)
			015 "DIA CIRC CONCR
		0060/1384	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/0821	LEN=0040 INSTALLED UNKN
	008551 FT	008551 FT	2 0 31097 0 00 0141+31
			SALT RD
			(T367)
		S 0060/0000	LENGTH(AH 1422 BK 2858)
			015 "DIA CIRC CONCR
		0050/2755	LEN=0030 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0050/2038	LEN=0037 INSTALLED 2005
			018 "DIA CIR PLASTIC
		0050/1446	LEN=0035 INSTALLED 1997
			018 "DIA CIRC CONCR
		0050/1279	LEN=0024 INSTALLED UNKN
			036 "DIA CIRC METAL
		0050/0695	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0050/0032	LEN=0042 INSTALLED UNKN
2 0 31097 0 00 0170+06	005693 FT	005693 FT	
BELL FURNACE RD			
(FRST)	0050/0000	S 0050/0000	LENGTH(AH 2858 BK 0541)

DIR: B TOTAL LEN: 4.257 MI. DIST: 09-5 SR: 2012
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

```
                                                          LICKING CREEK
                                                          STRUCTURE LENGTH   21 FT
                                                0040/0494 BMSID 31/2012/0040/0494
                                                          015 "DIA CIRC CONCR
                                                0040/0308 LEN=0030 INSTALLED UNKN
LICKING CREEK RD
(FRST)                    0040/0299
2 0 31097 0 00 0175+45 005152 FT                005152 FT
LICKING CREEK RD
(FRST)                    0040/0000           S 0040/0000 LENGTH(AH 0541 BK 1522)
                                                          015 "DIA CIRC CONCR
                                                0030/1495 LEN=0036 INSTALLED UNKN
                                                          018 "DIA CIRC CONCR
                                                0030/1135 LEN=0045 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0030/0577 LEN=0036 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0030/0237 LEN=0036 INSTALLED UNKN
                          003630 FT             003630 FT 2 0 31097 0 00 0190+95
                                                S 0030/0000 LENGTH(AH 1522 BK 1500)
                                                          018 "DIA CIRC CONCR
                                                0020/1330 LEN=0040 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0020/0924 LEN=0045 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0020/0625 LEN=0250 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0020/0333 LEN=0030 INSTALLED UNKN
                                                          018 "DIA CIRC CONCR
                                                0020/0029 LEN=0033 INSTALLED UNKN
2 0 31097 0 00 0205+95 002130 FT                002130 FT
GIFFORD RD
(FRST)                    0020/0000           S 0020/0000 LENGTH(AH 1500 BK 2130)
                                                          024 "DIA CIR PLASTIC
                                                0010/1847 LEN=0037 INSTALLED UNKN

                                                          018 "DIA CIRC CONCR
                                                0010/0866 LEN=0027 INSTALLED 1989

                                                0010/0062 BMSEN 31/2012/0010/0024
                                                          2 0 31097 0 00 0226+92
                                                          LICKING CREEK
                                                0010/0024 BMSBG 31/2012/0010/0024
                          000000 FT             000000 FT 2 0 31097 0 00 0227+25
                                                      NC BLACKLOG MOUNTAIN RD
                                                          GERMANY VALLEY RD
                                                          (SR2019 SEG 0090/1095)
                                                          MFC BEGIN = E
                                                S 0010/0000 LENGTH(AH 2130 BK 0000)
```

DIR: B TOTAL LEN: .355 MI. DIST: 09-5 SR: 2011
LEFT MUN: TELL T RIGHT MUN: TELL T

001875 FT

HOTEL RD
(T407)

0010/0165
000000 FT

BLAIRS MILLS RD
(T410)

0010/0000



001875 FT AH-JUNIATA (34)
REF-AHD BRICK CHURCH RD
0010/1875 (SR3027 SEG 0020/3023)
042 "DIA CIRC CONCR
0010/1318 LEN=0030 INSTALLED UNKN

0010/0262 BMSEN 31/2011/0010/0201
2 0 31116 0 00 0002+00
NARROWS CREEK
0010/0201 BMSBG 31/2011/0010/0201

000000 FT 2 0 31116 0 00 0000+00
VILLAGE: BLAIR MILLS
BLAIRS MILLS RD
(T410)
NC BRICK CHURCH RD
MFC BEGIN = E
0010/0000 LENGTH(AH 1875 BK 0000)

DIR: B TOTAL LEN: 3.156 MI. DIST: 09-5 SR: 2010
LEFT MUN: TELL T RIGHT MUN: TELL T

TUSCARORA CREEK RD 016663 FT
(T409) 0070/2096

016663 FT TUSCARORA CREEK RD
0070/2096 (T409)
0070/1997 BMSEN 31/2010/0070/1983

DIR: B TOTAL LEN: 3.156 MI. DIST: 09-5 SR: 2010
LEFT MUN: TELL T RIGHT MUN: TELL T

			2 0 31031 0 00 0165+32
			TR.TUSC.CR.
		0070/1983	BMSBG 31/2010/0070/1983
			018 "DIA CIR PLASTIC
		0070/1779	LEN=0047 INSTALLED 2016
			036 "DIA CIRC METAL
		0070/1220	LEN=0036 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0070/0776	LEN=0008 INSTALLED 2005
	014567 FT	014567 FT	2 0 31031 0 00 0145+35
			018 "DIA CIRC METAL
			LEN=0040 INSTALLED 2016
		S 0070/0000	LENGTH(AH 2096 BK 2133)
			018 "DIA CIR PLASTIC
		0060/1800	LEN=0046 INSTALLED 2016
			018 "DIA CIR PLASTIC
		0060/1385	LEN=0044 INSTALLED 2016
	012434 FT	012434 FT	2 0 31031 0 00 0123+89
			MT ZION RD
			(T377)
		S 0060/0000	LENGTH(AH 2133 BK 2299)
			018 "DIA CIR PLASTIC
		0050/1893	LEN=0040 INSTALLED 2016
			018 "DIA CIR PLASTIC
		0050/1711	LEN=0036 INSTALLED 2016
			015 "DIA CIRC METAL
		0050/0968	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/0201	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0050/0059	LEN=0040 INSTALLED UNKN
	010135 FT	010135 FT	2 0 31031 0 00 0101+39
			CROWS RD
			(T382)
		S 0050/0000	LENGTH(AH 2299 BK 1957)
CROWE HOLLOW RD (T382)	0040/1789		
			040 "DIA CIRC METAL
		0040/1647	LEN=0036 INSTALLED UNKN
			012 "DIA CIRC METAL
		0040/1185	LEN=0038 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/0974	LEN=0040 INSTALLED 2016
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 3.156 MI. DIST: 09-5 SR: 2010
LEFT MUN: TELL T RIGHT MUN: TELL T

```
                                                 0040/0497 LEN=0040 INSTALLED 2016
                                                           018 "DIA CIRC METAL
                                                 0040/0054 LEN=0038 INSTALLED UNKN
                        008178 FT                008178 FT 2 0 31031 0 00 0081+57
                                                 0040/0000 LENGTH(AH 1957 BK 2655)

                                                           018 "DIA CIRC METAL
                                                 0030/1784 LEN=0048 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                 0030/1461 LEN=0048 INSTALLED UNKN


                        005523 FT                005523 FT 2 0 31031 0 00 0055+10
                                                 0030/0000 LENGTH(AH 2655 BK 2241)
                                                           018 "DIA CIR PLASTIC
                                                 0020/1810 LEN=0045 INSTALLED 2016

                                                           015 "DIA CIRC CONCR
                                                 0020/1201 LEN=0038 INSTALLED UNKN
                                                           FULTZ HOLLOW RD
                                                 0020/0649 (T348)
                                                           030 "DIA CIR PLASTIC
                                                 0020/0358 LEN=0032 INSTALLED UNKN
                                                           048 "DIA CIRC METAL
                                                 0020/0142 LEN=0032 INSTALLED UNKN
2 0 31031 0 00 0032+70  003282 FT                003282 FT
LC FOR HOG HOLLOW RD
(CONN)                   0020/0000               0020/0000 LENGTH(AH 2241 BK 3282)
HOG HOLLOW RD
(T386)                   0010/3169

                                                           018 "DIA CIR PLASTIC
                                                 0010/3000 LEN=0040 INSTALLED 2016
                                                           018 "DIA CIR PLASTIC
                                                 0010/2850 LEN=0050 INSTALLED 2016
                                                           018 "DIA CIR PLASTIC
                                                 0010/2483 LEN=0030 INSTALLED 2016
                                                           036 "DIA CIRC CONCR
                                                 0010/1960 LEN=0034 INSTALLED UNKN


                        000000 FT                000000 FT 2 0 31031 0 00 0000+00
                                                       NC ALLISON RD
                                                           SHADE VALLEY RD
                                                           (SR0035 SEG 0270/0000)
                                                           MFC BEGIN = E
                                                 0010/0000 LENGTH(AH 3282 BK 0000)
```

DIR: B TOTAL LEN: .080 MI. DIST: 09-5 SR: 2009
LEFT MUN: TELL T RIGHT MUN: TELL T

000420 FT
000420 FT
000366 FT



000420 FT
7450/0000 LENGTH(AH 3761 BK 3067)
000420 FT
7442/0000 LENGTH(AH 3067 BK 0054)
BMSEN 31/2009/0440/0000
* REF-AHD TUSCARORA CREEK RD
0440/0054 (T409)
000366 FT 1 0 00193 4 01 0195+43
* REF-BK TUSCARORA CREEK RD
(T409)

DIR: B TOTAL LEN: .080 MI. DIST: 09-5 SR: 2009
LEFT MUN: TELL T RIGHT MUN: TELL T



		TUSCARORA CR
		BMSBG 31/2009/0440/0000
	S 0440/0000	LENGTH(AH 0054 BK 3488)
000366 FT	000366 FT	
	7430/0000	LENGTH(AH 3488 BK 2946)
000366 FT	000366 FT	
	7426/0000	LENGTH(AH 2946 BK 0050)
		BMSEN 31/2009/0424/0000
	* REF-AHD	TUSCARORA CREEK RD
	0424/0050	(T409)
000316 FT	000316 FT	0 0 00000 0 00 0000+00
	* REF-BK	TUSCARORA CREEK RD
		(T409)
		TROUGH SP BR
		BMSBG 31/2009/0424/0000
	S 0424/0000	LENGTH(AH 0050 BK 0143)
000316 FT	000316 FT	
	7422/0000	LENGTH(AH 0143 BK 0050)
		BMSEN 31/2009/0420/0000
	* REF-AHD	TUSCARORA CREEK RD
	0420/0050	(T409)
000266 FT	000266 FT	2 0 31001 0 02 0902+22
	* REF-BK	TUSCARORA CREEK RD
		(T409)
		TUSCARORA CK
		BMSBG 31/2009/0420/0000
		MFC BEGIN = D
	S 0420/0000	LENGTH(AH 0050 BK 2737)
000266 FT	000266 FT	
	7412/0000	LENGTH(AH 2737 BK 0015)
	* REF-AHD	TUSCARORA CREEK RD
	0410/0015	(T409)
000251 FT	000251 FT	2 0 31001 0 03 0874+72
		TR TUSCARORA CREEK
		STRUCTURE LENGTH 15 FT
		BMSID 31/2009/0410/0000
	* REF-BK	TUSCARORA CREEK RD
		(T409)
	S 0410/0000	LENGTH(AH 0015 BK 2610)
000251 FT	000251 FT	
	7400/0000	LENGTH(AH 2610 BK 2396)
000251 FT	000251 FT	
	7390/0000	LENGTH(AH 2396 BK 1510)
000251 FT	000251 FT	
	7384/0000	LENGTH(AH 1510 BK 0062)
		BMSEN 31/2009/0382/0000
	* REF-AHD	TUSCARORA CREEK RD
	0382/0062	(T409)
000189 FT	000189 FT	0 0 00000 0 00 0000+00
	REF-BK	TUSCARORA CREEK RD

DIR: B TOTAL LEN: .080 MI. DIST: 09-5 SR: 2009
LEFT MUN: TELL T RIGHT MUN: TELL T



	*	(T409)
		TUSCARORA CREEK
		BMSBG 31/2009/0382/0000
	S 0382/0000	LENGTH(AH 0062 BK 0606)
000189 FT	000189 FT	
	7380/0000	LENGTH(AH 0606 BK 0025)
000189 FT	000189 FT	
	7374/0000	LENGTH(AH 0025 BK 0015)
		BMSEN 31/2009/0372/0000
	* REF-AHD	TUSCARORA CREEK RD
	0372/0015	(T409)
000174 FT	000174 FT	0 0 00000 0 00 0000+00
	* REF-BK	TUSCARORA CREEK RD
		(T409)
		TRIB TUSCARORA CREEK
		BMSBG 31/2009/0372/0000
	S 0372/0000	LENGTH(AH 0015 BK 1270)
000174 FT	000174 FT	
	7370/0000	LENGTH(AH 1270 BK 2279)
000174 FT	000174 FT	
	7362/0000	LENGTH(AH 2279 BK 0044)
		BMSEN 31/2009/0360/0000
	* REF-AHD	TUSCARORA CREEK RD
	0360/0044	(T409)
000130 FT	000130 FT	2 0 31001 0 03 0766+68
	* REF-BK	TUSCARORA CREEK RD
		(T409)
		TUSCARORA CR
		BMSBG 31/2009/0360/0000
	S 0360/0000	LENGTH(AH 0044 BK 1036)
000130 FT	000130 FT	
	7350/0000	LENGTH(AH 1036 BK 2688)
000130 FT	000130 FT	
	7340/0000	LENGTH(AH 2688 BK 2219)
000130 FT	000130 FT	
	7332/0000	LENGTH(AH 2219 BK 0040)
		BMSEN 31/2009/0330/0000
	* REF-AHD	TUSCARORA CREEK RD
	0330/0040	(T409)
000090 FT	000090 FT	2 0 31001 0 03 0706+82
		VILLAGE: NOSSVILLE
	* REF-BK	TUSCARORA CREEK RD
		(T409)
		TUSCARORA CREEK
		BMSBG 31/2009/0330/0000
	S 0330/0000	LENGTH(AH 0040 BK 1935)
000090 FT	000090 FT	
	7322/0000	LENGTH(AH 1935 BK 0018)
		BMSEN 31/2009/0320/0000
	REF-AHD	TUSCARORA CREEK RD

DIR: B TOTAL LEN: .080 MI. DIST: 09-5 SR: 2009
LEFT MUN: TELL T RIGHT MUN: TELL T



	*	0320/0018 (T409)
000072 FT		000072 FT 2 0 31001 0 03 0687+18
	*	REF-BK TUSCARORA CREEK RD
		(T409)
		BEECH LICK CREEK
		BMSBG 31/2009/0320/0000
	S	0320/0000 LENGTH(AH 0018 BK 1665)
000072 FT		000072 FT
		7310/0000 LENGTH(AH 1665 BK 2565)
000072 FT		000072 FT
		7300/0000 LENGTH(AH 2565 BK 1465)
000072 FT		000072 FT
		7292/0000 LENGTH(AH 1465 BK 0023)
		BMSEN 31/2009/0290/0000
	*	REF-AHD TUSCARORA CREEK RD
		0290/0023 (T409)
000049 FT		000049 FT 2 0 31001 0 03 0629+76
	*	REF-BK TUSCARORA CREEK RD
		(T409)
		PARSONS RUN
		BMSBG 31/2009/0290/0000
	S	0290/0000 LENGTH(AH 0023 BK 0835)
000049 FT		000049 FT
		7282/0000 LENGTH(AH 0835 BK 0032)
		BMSEN 31/2009/0280/0000
	*	REF-AHD TUSCARORA CREEK RD
		0280/0032 (T409)
000017 FT		000017 FT 2 0 31001 0 02 0615+20
		NC TUSCARORA CREEK RD
	*	REF-BK TUSCARORA CREEK RD
		(T409)
		TUSCARORA CREEK
		BMSBG 31/2009/0280/0000
		MFC BEGIN = E
	S	0280/0000 LENGTH(AH 0032 BK 2418)
000017 FT		000017 FT
		7270/0000 LENGTH(AH 2418 BK 1686)
000017 FT		000017 FT
		7260/0000 LENGTH(AH 1686 BK 2411)
000017 FT		000017 FT
		7250/0000 LENGTH(AH 2411 BK 2155)
000017 FT		000017 FT
		7240/0000 LENGTH(AH 2155 BK 1858)
000017 FT		000017 FT
		7230/0000 LENGTH(AH 1858 BK 1979)
000017 FT		000017 FT
		7220/0000 LENGTH(AH 1979 BK 2604)
000017 FT		000017 FT
		7210/0000 LENGTH(AH 2604 BK 2901)
000017 FT		000017 FT

DIR: B TOTAL LEN: .080 MI. DIST: 09-5 SR: 2009
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

		7200/0000 LENGTH(AH 2901 BK 2458)
000017 FT		000017 FT
		7190/0000 LENGTH(AH 2458 BK 2386)
000017 FT		000017 FT
		7180/0000 LENGTH(AH 2386 BK 0963)
000017 FT		000017 FT
		7170/0000 LENGTH(AH 0963 BK 2557)
000017 FT		000017 FT
		7160/0000 LENGTH(AH 2557 BK 2465)
000017 FT		000017 FT
		7150/0000 LENGTH(AH 2465 BK 3034)
000017 FT		000017 FT
		7140/0000 LENGTH(AH 3034 BK 2484)
000017 FT		000017 FT
		7130/0000 LENGTH(AH 2484 BK 2018)
000017 FT		000017 FT
		7120/0000 LENGTH(AH 2018 BK 2002)
000017 FT		000017 FT
		7110/0000 LENGTH(AH 2002 BK 2104)
000017 FT		000017 FT
		7102/0000 LENGTH(AH 2104 BK 0017)
		BMSEN 31/2009/0100/0000
	*	REF-AHD DECORUM RD
		(TWP)
		0100/0017 DUBLIN T
000000 FT		000000 FT 2 0 31001 0 00 0208+77
		NC DECORUM RD
	*	REF-BK DECORUM RD
		(TWP)
		T N BR AUG C
		BMSBG 31/2009/0100/0000
	5	0100/0000 LENGTH(AH 0017 BK 2806)
000000 FT		000000 FT
		7090/0000 LENGTH(AH 2806 BK 2082)
000000 FT		000000 FT
		7080/0000 LENGTH(AH 2082 BK 2807)
000000 FT		000000 FT
		7070/0000 LENGTH(AH 2807 BK 1103)
000000 FT		000000 FT
		7060/0000 LENGTH(AH 1103 BK 2991)
000000 FT		000000 FT
		7050/0000 LENGTH(AH 2991 BK 1527)
000000 FT		000000 FT
		7040/0000 LENGTH(AH 1527 BK 3289)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 3289 BK 2188)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 2188 BK 2079)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 2079 BK 0000)

DIR: B TOTAL LEN: 2.510 MI. DIST: 09-5 SR: 2008
LEFT MUN: TELL T RIGHT MUN: TELL T

013252 FT

TUSCORORA CREEK RD
(T409)
LC FOR TUSCORORA CREE
(CONN)

0050/2721

0050/2615



013252 FT
INTER-AHD HARRY RD
(T375)
TUSCORORA CREEK RD
0050/2721 (T409)

018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 2.510 MI. DIST: 09-5 SR: 2008
LEFT MUN: TELL T RIGHT MUN: TELL T

```
                                        0050/2400 LEN=0060 INSTALLED 2005
                                                  015 "DIA CIRC CONCR
                                        0050/1833 LEN=0038 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0050/1248 LEN=0032 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/0982 LEN=0033 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0050/0523 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0050/0402 LEN=0032 INSTALLED UNKN
010531 FT                               010531 FT 1 0 00193 4 00 0103+50
                                      S 0050/0000 LENGTH(AH 2721 BK 2793)
                                                  015 "DIA CIRC CONCR
                                        0040/2655 LEN=0032 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0040/2412 LEN=0034 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0040/2304 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0040/1726 LEN=0034 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0040/1633 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0040/1414 LEN=0032 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0040/0865 LEN=0038 INSTALLED UNKN
                                                  036 "DIA CIRC CONCR
                                        0040/0811 LEN=0036 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0040/0535 LEN=0032 INSTALLED UNKN
                                                  020 "DIA CIRC CONCR
                                        0040/0371 LEN=0032 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0040/0266 LEN=0032 INSTALLED UNKN
007738 FT                               007738 FT 1 0 00193 4 00 0075+03
                                                  018 "DIA CIR PLASTIC
                                                  LEN=0036 INSTALLED UNKN
                                      S 0040/0000 LENGTH(AH 2793 BK 2181)
                                                  018 "DIA CIRC CONCR
                                        0030/1894 LEN=0036 INSTALLED UNKN
                                                  016 "DIA CIRC CONCR
                                        0030/1661 LEN=0033 INSTALLED UNKN
                                                  048 "DIA CIRC CONCR
                                        0030/1118 LEN=0032 INSTALLED UNKN

                                                  015 "DIA CIRC CONCR
                                        0030/0414 LEN=0032 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0030/0194 LEN=0032 INSTALLED UNKN
```

DIR: B TOTAL LEN: 2.510 MI. DIST: 09-5 SR: 2008
LEFT MUN: TELL T RIGHT MUN: TELL T

	005557 FT	005557 FT	1 0 00193 4 00 0053+22
		S 0030/0000	LENGTH(AH 2181 BK 2566)
			024 "DIA CIR PLASTIC
		0020/2494	LEN=0040 INSTALLED 2005
			018 "DIA CIRC CONCR
		0020/2031	LEN=0048 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/1617	LEN=0035 INSTALLED 2005
			015 "DIA CIRC CONCR
		0020/1065	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0768	LEN=0032 INSTALLED UNKN
1 0 00193 4 00 0027+31	002991 FT	002991 FT	
FULTZ HOLLOW RD			
(T346)	0020/0000	S 0020/0000	LENGTH(AH 2566 BK 2991)
			036 "DIA CIRC CONCR
		0010/2905	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/2585	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0010/1907	LEN=0035 INSTALLED 2005
			015 "DIA CIR PLASTIC
		0010/1750	LEN=0035 INSTALLED UNKN
			BLOCKS HOLLOW RD
		0010/1570	(T346)
			015 "DIA CIR PLASTIC
		0010/1475	LEN=0031 INSTALLED 2005
			018 "DIA CIR PLASTIC
		0010/1400	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/1272	LEN=0038 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/1126	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0010/0827	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/0568	LEN=0033 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/0233	LEN=0032 INSTALLED UNKN
			FOR SR 0035 AND 2008
		0010/0145	(CONN)
	000000 FT	000000 FT	1 0 00193 4 00 0000+00
			VILLAGE: RICHVALE
			SHADE VALLEY RD
			(SR0035 SEG 0200/0000)
			NC RICHVALE RD
SHADE VALLEY RD			MFC BEGIN = D
(SR0035 SEG 0200/0000)	0010/0000	S 0010/0000	LENGTH(AH 2991 BK 0000)

DIR: B TOTAL LEN: .013 MI. DIST: 09-5 SR: 2007
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

000068 FT		000068 FT
		7110/0000 LENGTH(AH 2276 BK 2351)
000068 FT		000068 FT
		7100/0000 LENGTH(AH 2351 BK 2743)
000068 FT		000068 FT
		7090/0000 LENGTH(AH 2743 BK 1961)
000068 FT		000068 FT
		7080/0000 LENGTH(AH 1961 BK 2506)
000068 FT		000068 FT
		7070/0000 LENGTH(AH 2506 BK 2600)
000068 FT		000068 FT
		7062/0000 LENGTH(AH 2600 BK 0029)
		BMSEN 31/2007/0060/0000
	*	REF-AHD PLEASANT HILL RD
		0060/0029 (TWP)
000039 FT		000039 FT 1 0 31002 0 00 0083+47
	*	REF-BK PLEASANT HILL RD
		(TWP)
		BR.AUGHWICK
		BMSBG 31/2007/0060/0000
	S	0060/0000 LENGTH(AH 0029 BK 0986)
000039 FT		000039 FT
		7052/0000 LENGTH(AH 0986 BK 0039)
		BMSEN 31/2007/0050/0000
	*	REF-AHD PLEASANT HILL RD
		0050/0039 (TWP)
000000 FT		000000 FT 2 0 31002 0 00 0073+24
		NC PLEASANT HILL RD
	*	REF-BK PLEASANT HILL RD
		(TWP)
		L AUGHWK CRK
		BMSBG 31/2007/0050/0000
	S	0050/0000 LENGTH(AH 0039 BK 1775)
000000 FT		000000 FT
		7040/0000 LENGTH(AH 1775 BK 2300)
000000 FT		000000 FT
		7030/0000 LENGTH(AH 2300 BK 1372)
000000 FT		000000 FT
		7020/0000 LENGTH(AH 1372 BK 1897)
000000 FT		000000 FT
		7010/0000 LENGTH(AH 1897 BK 0000)

DIR: B TOTAL LEN: 3.397 MI. DIST: 09-5 SR: 2006
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

017851 FT

017851 FT MOUNTAIN FOOT RD
0070/3434 (T311)
015 "DIA CIR PLASTIC
0070/3273 LEN=0036 INSTALLED UNKN
015 "DIA CIR PLASTIC
0070/3125 LEN=0035 INSTALLED UNKN
030 "DIA CIRC CONCR
0070/2900 LEN=0035 INSTALLED UNKN
015 "DIA CIR PLASTIC
0070/2590 LEN=0035 INSTALLED UNKN

015 "DIA CIR PLASTIC
0070/1850 LEN=0041 INSTALLED UNKN
018 "DIA CIR PLASTIC
0070/1385 LEN=0041 INSTALLED UNKN

024 "DIA CIR PLASTIC
0070/0215 LEN=0030 INSTALLED UNKN
014417 FT

2 0 31015 0 01 0145+65 014417 FT
VAN BUREN RD
(T336) 0070/0000

S 0070/0000 LENGTH(AH 3517 BK 2826)
018 "DIA CIR PLASTIC
0060/2639 LEN=0031 INSTALLED UNKN
018 "DIA CIRC CONCR
0060/2406 LEN=0041 INSTALLED UNKN

015 "DIA CIR PLASTIC
0060/1390 LEN=0034 INSTALLED UNKN

018 "DIA CIR PLASTIC
0060/0746 LEN=0034 INSTALLED UNKN

011591 FT

2 0 31015 0 01 0117+32 011591 FT
PARSONS FARM RD
(SR2013 SEG 0010/0000) 0060/0000

S 0060/0000 LENGTH(AH 2826 BK 1784)

009807 FT

009807 FT 2 0 31015 0 01 0100+12

DIR: B TOTAL LEN: 3.397 MI. DIST: 09-5 SR: 2006
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

	S 0050/0000	LENGTH(AH 1784 BK 2425)
		015 "DIA CIRC METAL
	0040/1315	LEN=0031 INSTALLED UNKN
		015 "DIA CIRC METAL
	0040/0560	LEN=0037 INSTALLED UNKN
007382 FT	007382 FT	2 0 31015 0 01 0075+65
		015 "DIA CIRC CONCR
		LEN=0041 INSTALLED UNKN
	S 0040/0000	LENGTH(AH 2425 BK 3104)
		015 "DIA CIRC CONCR
	0030/2730	LEN=0041 INSTALLED UNKN
		015 "DIA CIRC METAL
	0030/1150	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC METAL
	0030/0042	LEN=0040 INSTALLED UNKN
004278 FT	004278 FT	2 0 31015 0 01 0044+39
	S 0030/0000	LENGTH(AH 3104 BK 2324)
		015 "DIA CIR PLASTIC
	0020/1273	LEN=0050 INSTALLED UNKN
001954 FT	001954 FT	2 0 31015 0 01 0020+58
		024 "DIA CIR PLASTIC
		LEN=0035 INSTALLED UNKN
	S 0020/0000	LENGTH(AH 2324 BK 1954)
	0010/0517	BMSEN 31/2006/0010/0453
		2 0 31015 0 00 0004+49
		SHADE CREEK
	0010/0453	BMSBG 31/2006/0010/0453
000000 FT	000000 FT	2 0 31015 0 00 0000+00
		NC SAWMILL RD
		SHADE VALLEY RD
		(SR0035 SEG 0030/0000)
		MFC BEGIN = E
	S 0010/0000	LENGTH(AH 1954 BK 0000)

DIR: B TOTAL LEN: 6.911 MI. DIST: 09-5 SR: 2005
LEFT MUN: THREE SPRINGS B RIGHT MUN: THREE SPRINGS B

```
036492 FT                    036492 FT HUDSON ST
                             0170/1383 (SR0994 SEG 0490/1472)
                                       THREE SPRINGS
                             0170/1308 CLAY T
                             0170/1266 BMSEN 31/2005/0170/1207
                                       2 0 31010 0 01 0292+37
                                       THR.SPRNG.CR
                             0170/1207 BMSBG 31/2005/0170/1207
                                       FIRST AV
                             0170/0935 (T567)

                                       FIRST AV
                             0170/0241 (T568)
                                       040 "DIA CIRC CONCR
                             0170/0080 LEN=0038 INSTALLED 1988
035109 FT                    035109 FT 2 0 31010 0 01 0280+00
                                       MAIN ST
                                       (T569)
                           S 0170/0000 LENGTH(AH 1383 BK 2472)
                                       018 "DIA CIRC CONCR
                             0160/2214 LEN=0030 INSTALLED 1988
                                       015 "DIA CIRC CONCR
                             0160/1950 LEN=0035 INSTALLED 1988

                                       018 "DIA CIRC CONCR
                             0160/1298 LEN=0038 INSTALLED 1988
                                       018 "DIA CIRC CONCR
                             0160/0888 LEN=0036 INSTALLED 1988
                                       015 "DIA CIRC CONCR
                             0160/0418 LEN=0060 INSTALLED 1988
032637 FT                    032637 FT 2 0 31010 0 01 0254+51
                           S 0160/0000 LENGTH(AH 2472 BK 3440)
                                       015 "DIA CIRC CONCR
                             0150/3361 LEN=0040 INSTALLED 1988
                                       018 "DIA CIR PLASTIC
                             0150/3042 LEN=0050 INSTALLED 1988
                                       018 "DIA CIRC CONCR
                             0150/2485 LEN=0050 INSTALLED 1988
                                       018 "DIA CIRC CONCR
                             0150/2098 LEN=0034 INSTALLED 1988


                                       015 "DIA CIRC CONCR
                             0150/1178 LEN=0035 INSTALLED 1988
                                       018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 6.911 MI. DIST: 09-5 SR: 2005
LEFT MUN: CLAY T RIGHT MUN: CLAY T

```
                                        0150/0715 LEN=0038 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0150/0531 LEN=0036 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0150/0080 LEN=0035 INSTALLED 1988
                                                  036 "DIA CIRC CONCR
                                        0150/0008 LEN=0052 INSTALLED 1988
029197 FT                               029197 FT 2 0 31010 0 01 0220+28
                                                  SPRINGHILL DR
                                                  (TWP )
                                      S 0150/0000 LENGTH(AH 3440 BK 2269)
                                                  018 "DIA CIRC CONCR
                                        0140/1950 LEN=0035 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0140/1634 LEN=0030 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0140/1458 LEN=0030 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0140/1214 LEN=0036 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0140/0980 LEN=0030 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0140/0890 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0140/0733 LEN=0032 INSTALLED 1988
                                                  015 "DIA CIRC CONCR
                                        0140/0425 LEN=0033 INSTALLED 1988
026928 FT                               026928 FT 2 0 31010 0 01 0197+59
                                      S 0140/0000 LENGTH(AH 2269 BK 1556)
                                                  018 "DIA CIRC CONCR
                                        0130/1531 LEN=0030 INSTALLED 1988
                                                  018 "DIA CIR PLASTIC
                                        0130/1273 LEN=0050 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0130/1211 LEN=0032 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0130/0917 LEN=0032 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0130/0634 LEN=0034 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0130/0317 LEN=0032 INSTALLED 1988
                                                  015 "DIA CIRC CONCR
                                        0130/0033 LEN=0030 INSTALLED 1988
025372 FT                               025372 FT 2 0 31010 0 01 0182+22
                                      S 0130/0000 LENGTH(AH 1556 BK 2473)
                                                  018 "DIA CIRC CONCR
                                        0120/2397 LEN=0036 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0120/2049 LEN=0032 INSTALLED 1988
                                                  015 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 6.911 MI. DIST: 09-5 SR: 2005
LEFT MUN: CLAY T RIGHT MUN: CLAY T

			0120/1711 LEN=0032 INSTALLED 1988
GREENROAD RD (T331)	0120/1373		
			ELLIOTTS RUN STRUCTURE LENGTH 11 FT
			0120/0063 BMSID 31/2005/0120/0063
2 0 31010 0 00 0157+70	022899 FT		022899 FT
CHERRY GROVE CHURCH RD (SR2002 SEG 0040/3276)	0120/0000		S 0120/0000 LENGTH(AH 2473 BK 2433)
			018 "DIA CIR PLASTIC
			0110/2332 LEN=0040 INSTALLED 1999
			018 "DIA CIR PLASTIC
			0110/1800 LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0110/1582 LEN=0030 INSTALLED 1988
			036"H 60"W ELLIP CONC
			0110/1052 LEN=0100 INSTALLED 1988
			018 "DIA CIR PLASTIC
			0110/0817 LEN=0040 INSTALLED 1999
			015 "DIA CIR PLASTIC
			0110/0600 LEN=0086 INSTALLED 2006
			015 "DIA CIR PLASTIC
			0110/0453 LEN=0037 INSTALLED 1999
			015 "DIA CIR PLASTIC
			0110/0220 LEN=0030 INSTALLED 1988
	020466 FT		020466 FT 2 0 31009 0 00 0024+71
			S 0110/0000 LENGTH(AH 2433 BK 1594)
			ELLIOTTS RUN STRUCTURE LENGTH 21 FT
			0100/0750 BMSID 31/2005/0100/0750
	018872 FT		018872 FT 2 0 31009 0 00 0040+76
			S 0100/0000 LENGTH(AH 1594 BK 1077)
			CLAY
			0090/1058 SPRINGFIELD T
			018 "DIA CIRC CONCR
			0090/0875 LEN=0037 INSTALLED 1988
			OWL HOLLOW RD
			0090/0621 (T332)
			018 "DIA CIRC CONCR
			0090/0588 LEN=0035 INSTALLED 2001
			018 "DIA CIRC CONCR
			0090/0249 LEN=0032 INSTALLED 1988
			060"H 72"W METAL ARCH
			0090/0155 LEN=0030 INSTALLED 1988
	017795 FT		017795 FT 2 0 31009 0 00 0051+59

DIR: B TOTAL LEN: 6.911 MI. DIST: 09-5 SR: 2005
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

```
SELEA HOLLOW RD                                    VILLAGE: SELEA
(SR2001 SEG 0080/1032)  0090/0000                 5 0090/0000 LENGTH(AH 1077 BK 2396)
                                                    SELEA HOLLOW RD
                                                    0080/2298 (T330)
                                                    018 "DIA CIR PLASTIC
                                                    0080/2006 LEN=0034 INSTALLED 1999
                                                    018 "DIA CIR PLASTIC
                                                    0080/1805 LEN=0034 INSTALLED 2001
                                                    018 "DIA CIR PLASTIC
                                                    0080/1486 LEN=0034 INSTALLED 2001
                                                    018 "DIA CIR PLASTIC
                                                    0080/1258 LEN=0044 INSTALLED 2001
                                                    036 "DIA CIR PLASTIC
                                                    0080/0906 LEN=0030 INSTALLED 1988
                                                    015 "DIA CIR PLASTIC
                                                    0080/0890 LEN=0034 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                                    0080/0343 LEN=0032 INSTALLED 1988
                                                    018 "DIA CIR PLASTIC
                                                    0080/0189 LEN=0040 INSTALLED 2001
                                                    018 "DIA CIR PLASTIC
                                                    0080/0060 LEN=0052 INSTALLED 2001
                        015399 FT                   015399 FT 2 0 31009 0 01 0075+30
                                                  5 0080/0000 LENGTH(AH 2396 BK 2455)
                                                    018 "DIA CIR PLASTIC
                                                    0070/2098 LEN=0050 INSTALLED 2001
                                                    015 "DIA CIRC CONCR
                                                    0070/1996 LEN=0030 INSTALLED 1988
                                                    018 "DIA CIRC CONCR
                                                    0070/1520 LEN=0035 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                                    0070/1418 LEN=0040 INSTALLED 2001
                                                    018 "DIA CIR PLASTIC
                                                    0070/1237 LEN=0035 INSTALLED 2001
                                                    015 "DIA CIR PLASTIC
                                                    0070/0979 LEN=0038 INSTALLED 1988
                                                    018 "DIA CIR PLASTIC
                                                    0070/0627 LEN=0035 INSTALLED 2001
                                                    015 "DIA CIR PLASTIC
                                                    0070/0243 LEN=0033 INSTALLED 1988
                        012944 FT                   012944 FT 2 0 31009 0 01 0099+85
                                                    GRISSINGER RD
                                                    (SR2023 SEG 0010/0000)
                                                  5 0070/0000 LENGTH(AH 2455 BK 1680)
                                                    015 "DIA CIR PLASTIC
                                                    0060/1300 LEN=0040 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                                    0060/1276 LEN=0062 INSTALLED 2001
                                                    018 "DIA CIR PLASTIC
                                                    0060/0805 LEN=0060 INSTALLED 1999
```

DIR: B TOTAL LEN: 6.911 MI. DIST: 09-5 SR: 2005
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

		018 "DIA CIR PLASTIC
	0060/0235	LEN=0036 INSTALLED 2001
	0060/0018	BMSEN 31/2005/0060/0000
011264 FT	011264 FT	2 0 31009 0 01 0116+72
		ELLIOTS RUN
		BMSBG 31/2005/0060/0000
	S 0060/0000	LENGTH(AH 1680 BK 2376)
		015 "DIA CIR PLASTIC
	0050/1750	LEN=0035 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0050/1457	LEN=0034 INSTALLED 2001
		024 "DIA CIR PLASTIC
	0050/0483	LEN=0040 INSTALLED 2001
		015 "DIA CIR PLASTIC
	0050/0373	LEN=0033 INSTALLED 2001
008888 FT	008888 FT	2 0 31009 0 01 0140+45
	S 0050/0000	LENGTH(AH 2376 BK 1877)
		015 "DIA CIR PLASTIC
	0040/1660	LEN=0032 INSTALLED 2001
		015 "DIA CIR PLASTIC
	0040/1408	LEN=0032 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0040/1272	LEN=0035 INSTALLED 2001
		015 "DIA CIR PLASTIC
	0040/1114	LEN=0027 INSTALLED 1988
		024 "DIA CIRC METAL
	0040/0988	LEN=0036 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0040/0479	LEN=0035 INSTALLED 2001
		018 "DIA CIR PLASTIC
	0040/0205	LEN=0034 INSTALLED 2001
007011 FT	007011 FT	2 0 31009 0 01 0159+20
		048"H 00"W MULT CONCR
		LEN=0030 INSTALLED 2001
		TR.SDLNG.CR.
		STRUCTURE LENGTH 16 FT
		BMSID 31/2005/0040/0000
	S 0040/0000	LENGTH(AH 1877 BK 3009)
		018 "DIA CIR PLASTIC
	0030/2662	LEN=0028 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0030/2623	LEN=0035 INSTALLED 2001
		018 "DIA CIR PLASTIC
	0030/1968	LEN=0030 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0030/1730	LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 6.911 MI. DIST: 09-5 SR: 2005
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

			015 "DIA CIR PLASTIC
		0030/1517	LEN=0030 INSTALLED 1988
			036 "DIA CIRC CONCR
		0030/0796	LEN=0040 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0030/0489	LEN=0030 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0030/0230	LEN=0030 INSTALLED 1988
	004002 FT	004002 FT	2 0 31009 0 01 0189+30
			WIBLE REUNION RD
			(T324)
		S 0030/0000	LENGTH(AH 3009 BK 2342)
			015 "DIA CIR PLASTIC
		0020/2133	LEN=0030 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0020/1886	LEN=0030 INSTALLED 1988
			LC FOR LANE RD
		0020/1874	(CONN)
			LANE RD
		0020/1712	(T314)
			018 "DIA CIRC CONCR
		0020/0784	LEN=0030 INSTALLED 1988
2 0 31009 0 01 0214+80	001660 FT	001660 FT	
WALNUT GROVE RD			
(T313)	0020/0000	S 0020/0000	LENGTH(AH 2342 BK 1660)
			015 "DIA CIR PLASTIC
		0010/1060	LEN=0035 INSTALLED 1988
		0010/0850	BMSEN 31/2005/0010/0715
			2 0 31009 0 01 0222+36
			SIDELING HILL CREEK
		0010/0715	BMSBG 31/2005/0010/0715
			018 "DIA CIRC CONCR
		0010/0700	LEN=0024 INSTALLED 1988
			015 "DIA CIRC METAL
		0010/0683	LEN=0035 INSTALLED 2001
	000000 FT	000000 FT	2 0 31009 0 02 0231+54
			VILLAGE: MADDENVILLE
		NC	ELLIOTS RUN RD
			MADDENSVILLE PK
			(SR0475 SEG 0070/0000)
		INTER-BK	MADDENSVILLE PK
			(SR0475 SEG 0070/0000)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 1660 BK 0000)

DIR: B TOTAL LEN: 4.376 MI. DIST: 09-5 SR: 2004
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

```
023103 FT                    023103 FT MADDENSVILLE PK
                             0110/1604 (SR0475 SEG 0140/0000)
                                       CREEKVIEW LN
                             0110/1350 (PRDR)
                             0110/1203 BMSEN 31/2004/0110/1045
                                       2 0 31006 0 00 0005+60
                                       AUGHWICK CREEK
                             0110/1045 BMSBG 31/2004/0110/1045

                                       015 "DIA CIR PLASTIC
                             0110/0127 LEN=0052 INSTALLED 2004
                             0110/0046 BMSEN 31/2004/0110/0000
021499 FT                    021499 FT 2 0 31006 0 01 0016+40
                                       VILLAGE: MEADOW GAP
                                       LICK RUN
                                       BMSBG 31/2004/0110/0000
                             0110/0000 LENGTH(AH 1604 BK 2936)
                                       018 "DIA CIR PLASTIC
                             0100/2619 LEN=0038 INSTALLED UNKN
```

DIR: B TOTAL LEN: 4.376 MI. DIST: 09-5 SR: 2004
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

			018 "DIA CIR PLASTIC
		0100/2081	LEN=0048 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0100/0871	LEN=0030 INSTALLED UNKN
	018563 FT	018563 FT	2 0 31006 0 01 0045+20
			COVERT RD
			(T322)
		S 0100/0000	LENGTH(AH 2936 BK 1563)
			015 "DIA CIR PLASTIC
		0090/1500	LEN=0040 INSTALLED 2004
			LC FOR COVERT RD
		0090/1342	(CONN)
			015 "DIA CIR PLASTIC
		0090/1334	LEN=0040 INSTALLED 2004
			015 "DIA CIR PLASTIC
		0090/1109	LEN=0040 INSTALLED 2004
			015 "DIA CIR PLASTIC
		0090/0811	LEN=0040 INSTALLED 2004
			015 "DIA CIR PLASTIC
		0090/0525	LEN=0046 INSTALLED 2004
		0090/0038	BMSEN 31/2004/0090/0000
	017000 FT	017000 FT	2 0 31006 0 01 0061+72
			LICK RUN
			BMSBG 31/2004/0090/0000
		S 0090/0000	LENGTH(AH 1563 BK 2361)
			015 "DIA CIR PLASTIC
		0080/1986	LEN=0040 INSTALLED 2004
			018 "DIA CIR PLASTIC
		0080/1602	LEN=0040 INSTALLED 2004
			015 "DIA CIR PLASTIC
		0080/1106	LEN=0036 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0080/0801	LEN=0040 INSTALLED 2004
			015 "DIA CIR PLASTIC
		0080/0510	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0080/0235	LEN=0040 INSTALLED 2004
2 0 31006 0 01 0085+41	014639 FT	014639 FT	
FLECK RD			
(T334)	0080/0000	S 0080/0000	LENGTH(AH 2361 BK 2875)
			036 "DIA CIR PLASTIC
		0070/2506	LEN=0060 INSTALLED UNKN
			012 "DIA CIR PLASTIC
		0070/2204	LEN=0036 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0070/1950	LEN=0038 INSTALLED UNKN

DIR: B TOTAL LEN: 4.376 MI. DIST: 09-5 SR: 2004
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

				015 "DIA CIR PLASTIC
			0070/1520	LEN=0030 INSTALLED UNKN
				015 "DIA CIR PLASTIC
			0070/1135	LEN=0040 INSTALLED 2004
				015 "DIA CIR PLASTIC
			0070/0832	LEN=0040 INSTALLED UNKN
				012 "DIA CIR PLASTIC
			0070/0568	LEN=0030 INSTALLED UNKN
				015 "DIA CIR PLASTIC
			0070/0270	LEN=0040 INSTALLED 2004
				018 "DIA CIR PLASTIC
			0070/0033	LEN=0048 INSTALLED 2004
	011764 FT		011764 FT	2 0 31006 0 01 0114+46
				GRISSINGER RD
				(SR2023 SEG 0040/1947)
			S 0070/0000	LENGTH(AH 2875 BK 2145)
				036 "DIA CIRC CONCR
			0060/2124	LEN=0045 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0060/1827	LEN=0040 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0060/1542	LEN=0040 INSTALLED 2004
				036 "DIA CIR PLASTIC
			0060/1212	LEN=0060 INSTALLED 2004
				015 "DIA CIR PLASTIC
			0060/0319	LEN=0040 INSTALLED 2004
	009619 FT		009619 FT	2 0 31006 0 02 0138+26
				MOUNT CARMEL RD
				(T324)
			S 0060/0000	LENGTH(AH 2145 BK 2006)
				024 "DIA CIR PLASTIC
			0050/1974	LEN=0040 INSTALLED 2004
				015 "DIA CIR PLASTIC
			0050/1568	LEN=0040 INSTALLED 2004
				ANDERSON LN
			0050/1313	(T565)
				036 "DIA CIR PLASTIC
			0050/1175	LEN=0060 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0050/0669	LEN=0040 INSTALLED 2004
				024 "DIA CIR PLASTIC
			0050/0365	LEN=0048 INSTALLED 2004
2 0 31006 0 02 0158+50	007613 FT		007613 FT	SELEA HOLLOW RD
BAPTIST CHURCH RD				(T330)
(T331)	0050/0000		S 0050/0000	LENGTH(AH 2006 BK 1259)
				018 "DIA CIR PLASTIC
			0040/1073	LEN=0032 INSTALLED 2004
				015 "DIA CIR PLASTIC
			0040/0827	LEN=0040 INSTALLED 2004

DIR: B TOTAL LEN: 4.376 MI. DIST: 09-5 SR: 2004
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

		036 "DIA CIR PLASTIC
	0040/0345	LEN=0060 INSTALLED 2004
		015 "DIA CIR PLASTIC
	0040/0222	LEN=0036 INSTALLED 2004
006354 FT	006354 FT	2 0 31006 0 02 0171+09
		SPRINGFIELD
		CLAY T
	S 0040/0000	LENGTH(AH 1259 BK 2343)
		015 "DIA CIR PLASTIC
	0030/2340	LEN=0030 INSTALLED 2004
		018 "DIA CIR PLASTIC
	0030/2105	LEN=0040 INSTALLED 2004
		015 "DIA CIR PLASTIC
	0030/1428	LEN=0040 INSTALLED 2004
		018 "DIA CIR PLASTIC
	0030/0953	LEN=0040 INSTALLED 2004
		018 "DIA CIR PLASTIC
	0030/0484	LEN=0040 INSTALLED 2004
		018 "DIA CIR PLASTIC
	0030/0150	LEN=0055 INSTALLED 2005
004011 FT	004011 FT	2 0 31006 0 02 0194+73
	S 0030/0000	LENGTH(AH 2343 BK 1895)
		018 "DIA CIR PLASTIC
	0020/1871	LEN=0070 INSTALLED 2005
		018 "DIA CIR PLASTIC
	0020/1503	LEN=0045 INSTALLED 2005
		024 "DIA CIR PLASTIC
	0020/0880	LEN=0071 INSTALLED 2005
		OWL HOLLOW RD
	0020/0563	(T332)
	0020/0019	BMSEN 31/2004/0020/0000
002116 FT	002116 FT	2 0 31006 0 02 0214+09
		THR.SPRGS.CR
		BMSBG 31/2004/0020/0000
	S 0020/0000	LENGTH(AH 1895 BK 2116)
		015 "DIA CIR PLASTIC
	0010/1750	LEN=0040 INSTALLED 2005
		015 "DIA CIR PLASTIC
	0010/1301	LEN=0040 INSTALLED 2005
000000 FT	000000 FT	2 0 31006 0 02 0235+10
		NC MEADOW GAP RD
		HUDSON ST
		(SR0994 SEG 0500/0555)
		MFC BEGIN = D
	S 0010/0000	LENGTH(AH 2116 BK 0000)

DIR: B TOTAL LEN: 1.884 MI. DIST: 09-5 SR: 2003
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

009945 FT



009945 FT MADDENSVILLE PK
0040/2418 (SR0475 SEG 0090/0000)
060 "DIA CIRC CONCR
0040/2378 LEN=0036 INSTALLED UNKN
RHOADES LN
0040/2097 (PRDR)

DIR: B TOTAL LEN: 1.884 MI. DIST: 09-5 SR: 2003
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

```
                                                        018 "DIA CIRC METAL
                                                0040/1020 LEN=0030 INSTALLED UNKN

                          007527 FT                 007527 FT 2 0 31080 0 00 0077+00
                                                S 0040/0000 LENGTH(AH 2418 BK 2287)

                                                        015 "DIA CIRC CONCR
                                                0030/1447 LEN=0036 INSTALLED UNKN
                                                        015 "DIA CIR PLASTIC
                                                0030/0930 LEN=0038 INSTALLED UNKN

                                                        018 "DIA CIR PLASTIC
                                                0030/0263 LEN=0052 INSTALLED UNKN
2 0 31080 0 00 0053+15 005240 FT                 005240 FT
RAMSEY RD
(T309)                     0030/0000            S 0030/0000 LENGTH(AH 2287 BK 2875)
                                                        036 "DIA CIRC METAL
                                                0020/2472 LEN=0048 INSTALLED UNKN
                                                        024 "DIA CIRC METAL
                                                0020/2266 LEN=0036 INSTALLED UNKN

                                                        015 "DIA CIRC METAL
                                                0020/1567 LEN=0040 INSTALLED UNKN
                                                        015 "DIA CIRC METAL
                                                0020/1242 LEN=0040 INSTALLED UNKN
                                                        015 "DIA CIRC METAL
                                                0020/0847 LEN=0036 INSTALLED UNKN
                          002365 FT                 002365 FT 2 0 31080 0 00 0024+00
                                                S 0020/0000 LENGTH(AH 2875 BK 2365)

                                                        015 "DIA CIRC METAL
                                                0010/1748 LEN=0042 INSTALLED UNKN
                                                        024 "DIA CIRC METAL
                                                0010/1428 LEN=0046 INSTALLED UNKN

                                                        015 "DIA CIRC CONCR
                                                0010/0819 LEN=0030 INSTALLED UNKN
                                                        015 "DIA CIRC METAL
                                                0010/0519 LEN=0030 INSTALLED UNKN
                          000000 FT                 000000 FT 2 0 31080 0 00 0000+00
                                                      NC FORT LITTLETON RD
                                                * REF-BK    SINOQUIPE RD
                                                            (SR1011 SEG 0070/2293)
                                                            MFC BEGIN = E
                                                             BK-FULTON          (29)
                                                S 0010/0000 LENGTH(AH 2365 BK 0000)
```

DIR: B TOTAL LEN: 1.877 MI. DIST: 09-5 SR: 2002
LEFT MUN: CLAY T RIGHT MUN: CLAY T

009911 FT



DUG HILL RD
(T323)

0040/0769

009911 FT ELLIOTS RUN RD
0040/3276 (SR2005 SEG 0120/0000)
018 "DIA CIR PLASTIC
0040/2824 LEN=0030 INSTALLED 2000
015 "DIA CIR PLASTIC
0040/2256 LEN=0030 INSTALLED 1999
015 "DIA CIR PLASTIC
0040/2054 LEN=0030 INSTALLED UNKN
SCOTTISH DR
0040/1609 (PRDR)
018 "DIA CIRC CONCR
0040/1235 LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 1.877 MI. DIST: 09-5 SR: 2002
LEFT MUN: CLAY T RIGHT MUN: CLAY T

```
                                                  015 "DIA CIR PLASTIC
                                        0040/0751 LEN=0030 INSTALLED 1988
006635 FT                               006635 FT 2 0 31010 0 00 0125+30
                                                  BLACK HOLLOW RD
                                                  (T328)
                                        0040/0000 LENGTH(AH 3276 BK 1859)
                                                  015 "DIA CIRC CONCR
                                        0030/1833 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0030/1680 LEN=0032 INSTALLED UNKN

004776 FT                               004776 FT 2 0 31010 0 00 0106+71
                                        0030/0000 LENGTH(AH 1859 BK 2599)
                                                  015 "DIA CIRC CONCR
                                        0020/2236 LEN=0038 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/1973 LEN=0036 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/1517 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0020/1323 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/1152 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0020/1042 LEN=0036 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0020/0745 LEN=0050 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0020/0238 LEN=0032 INSTALLED UNKN
002177 FT                               002177 FT 2 0 31010 0 00 0080+48
                                        0020/0000 LENGTH(AH 2599 BK 2177)
                                                  015 "DIA CIRC CONCR
                                        0010/1854 LEN=0040 INSTALLED UNKN

                                                  LIME KILN RD
                                        0010/0896 (PRDR)

                                                  015 "DIA CIRC CONCR
                                        0010/0035 LEN=0034 INSTALLED UNKN
000000 FT                               000000 FT 2 0 31010 0 00 0058+33
                                              NC CHERRY GROVE CHURCH RD
                                                  WATERFALL RD
                                                  (SR0655 SEG 0060/0000)
                                                  MFC BEGIN = E
                                        0010/0000 LENGTH(AH 2177 BK 0000)
```

DIR: B TOTAL LEN: 2.977 MI. DIST: 09-5 SR: 2001
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

015720 FT

014688 FT



```
015720 FT  ELLIOTS RUN RD
0080/1032  (SR2005 SEG 0090/0000)
           018 "DIA CIRC CONCR
0080/1006  LEN=0056 INSTALLED 1988
           015 "DIA CIR PLASTIC
0080/0651  LEN=0030 INSTALLED 1998

           018 "DIA CIR PLASTIC
0080/0026  LEN=0034 INSTALLED 1988
014688 FT  2 0 31004 0 00 0146+95
S 0080/0000 LENGTH(AH 1032 BK 2385)
           018 "DIA CIR PLASTIC
0070/1923  LEN=0035 INSTALLED 1999
           018 "DIA CIR PLASTIC
0070/1496  LEN=0030 INSTALLED 1988
```

DIR: B TOTAL LEN: 2.977 MI. DIST: 09-5 SR: 2001
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

		015 "DIA CIR PLASTIC
	0070/1222	LEN=0035 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0070/0790	LEN=0035 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0070/0520	LEN=0040 INSTALLED 1999
		018 "DIA CIRC CONCR
	0070/0058	LEN=0034 INSTALLED 1988
012303 FT	012303 FT	2 0 31004 0 00 0122+80
		SPRINGFIELD
		CLAY T
	S 0070/0000	LENGTH(AH 2385 BK 2279)
		015 "DIA CIRC CONCR
	0060/1392	LEN=0038 INSTALLED 1988
		015 "DIA CIRC CONCR
	0060/0972	LEN=0032 INSTALLED 1988
		024 "DIA CIR PLASTIC
	0060/0707	LEN=0005 INSTALLED 1999
		015 "DIA CIRC CONCR
	0060/0426	LEN=0038 INSTALLED 1988
010024 FT	010024 FT	2 0 31004 0 00 0099+50
	S 0060/0000	LENGTH(AH 2279 BK 2694)
		015 "DIA CIRC CONCR
	0050/2547	LEN=0034 INSTALLED 1988
		015 "DIA CIRC CONCR
	0050/2302	LEN=0034 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0050/1899	LEN=0035 INSTALLED 1999
		015 "DIA CIR PLASTIC
	0050/1789	LEN=0035 INSTALLED 1999
		015 "DIA CIR PLASTIC
	0050/1643	LEN=0035 INSTALLED 1999
		015 "DIA CIR PLASTIC
	0050/1110	LEN=0035 INSTALLED 1999
		015 "DIA CIR PLASTIC
	0050/0950	LEN=0035 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0050/0781	LEN=0035 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0050/0070	LEN=0040 INSTALLED 1999
007330 FT	007330 FT	2 0 31004 0 00 0072+46
		CROMWELL RD
		(T317)
	S 0050/0000	LENGTH(AH 2694 BK 2296)
		015 "DIA CIR PLASTIC
	0040/2276	LEN=0040 INSTALLED 1999
		024 "DIA CIRC CONCR
	0040/1762	LEN=0034 INSTALLED 1988

DIR: B TOTAL LEN: 2.977 MI. DIST: 09-5 SR: 2001
LEFT MUN: CLAY T RIGHT MUN: CLAY T

STARR RD (T321)	0040/1484		HOLLOW RD
		0040/1437	(T320)
			018 "DIA CIR PLASTIC
		0040/0683	LEN=0035 INSTALLED 1999
			015 "DIA CIR PLASTIC
		0040/0221	LEN=0038 INSTALLED 1999
	005034 FT	005034 FT	2 0 31004 0 00 0050+00
		S 0040/0000	LENGTH(AH 2296 BK 2030)
			018 "DIA CIR PLASTIC
		0030/1813	LEN=0034 INSTALLED 1988
			018 "DIA CIRC CONCR
		0030/1394	LEN=0030 INSTALLED 1988
			018 "DIA CIRC CONCR
		0030/1017	LEN=0030 INSTALLED 1988
			015 "DIA CIRC CONCR
		0030/0569	LEN=0032 INSTALLED 1988
	003004 FT	003004 FT	2 0 31004 0 00 0029+92
			015 "DIA CIR PLASTIC
			LEN=0030 INSTALLED 1988
		S 0030/0000	LENGTH(AH 2030 BK 2267)
			015 "DIA CIR PLASTIC
		0020/1613	LEN=0030 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0020/1163	LEN=0035 INSTALLED 1999
2 0 31004 0 00 0007+25	000737 FT	000737 FT	
FORDING RD (SR2024 SEG 0050/1457)	0020/0000	S 0020/0000	LENGTH(AH 2267 BK 0737)
			018 "DIA CIRC CONCR
		0010/0737	LEN=0038 INSTALLED 1988
			015 "DIA CIRC CONCR
		0010/0348	LEN=0036 INSTALLED 1988
			BRATTON RD
		0010/0205	(T453)
		0010/0176	BMSEN 31/2001/0010/0090
			2 0 31004 0 00 0000+93
			SIDELING HILL CREEK
		0010/0090	BMSBG 31/2001/0010/0090
	000000 FT	000000 FT	2 0 31004 0 00 0000+00
			NC SELEA HOLLOW RD
		* REF-BK	DUBLIN MILLS RD
			(SR4008 SEG 0080/1444)
			MFC BEGIN = E
			BK-FULTON (29)
		S 0010/0000	LENGTH(AH 0737 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 09-5 SR: 1031
LEFT MUN: BARREE T RIGHT MUN: BARREE T

000000 FT
000000 FT
000000 FT
000000 FT
LTH AH 000100 BK 000373 7031/0000
000000 FT
000000 FT
LENGTH(AH 1460 BK 0000) 7011/0000



000000 FT
7060/0000 LENGTH(AH 2594 BK 2217)
000000 FT
7050/0000 LENGTH(AH 2217 BK 3192)
000000 FT
7040/0000 LENGTH(AH 3192 BK 1170)
000000 FT
7030/0000 LENGTH(AH 1170 BK 0373)
000000 FT
7020/0000 LTH AH 000373 BK 000509
000000 FT
7010/0000 LTH AH 000509 BK 000000

DIR: B TOTAL LEN: 5.946 MI. DIST: 09-5 SR: 1029
LEFT MUN: BARREE T RIGHT MUN: BARREE T

031395 FT



031395 FT MCALEVYS FORT RD
0160/2476 (SR0026 SEG 0760/0000)
015 "DIA CIRC CONCR
0160/2335 LEN=0040 INSTALLED UNKN
018 "DIA CIR PLASTIC
0160/2215 LEN=0034 INSTALLED 2014
024 "DIA CIR PLASTIC
0160/1868 LEN=0030 INSTALLED 2014
018 "DIA CIR PLASTIC
0160/1745 LEN=0030 INSTALLED 2014
018 "DIA CIR PLASTIC
0160/1520 LEN=0032 INSTALLED UNKN
018 "DIA CIR PLASTIC
0160/1415 LEN=0036 INSTALLED 2014

018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.946 MI. DIST: 09-5 SR: 1029
LEFT MUN: BARREE T RIGHT MUN: BARREE T

	0160/0748	LEN=0030 INSTALLED UNKN 024 "DIA CIR PLASTIC
	0160/0540	LEN=0032 INSTALLED 2014 018 "DIA CIR PLASTIC
	0160/0432	LEN=0030 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0160/0194	LEN=0034 INSTALLED UNKN
028919 FT	028919 FT	2 0 31067 0 00 0290+00 018 "DIA CIR PLASTIC LEN=0032 INSTALLED 2014
	S 0160/0000	LENGTH(AH 2476 BK 2013) 018 "DIA CIR PLASTIC
	0150/1713	LEN=0030 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0150/1622	LEN=0032 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0150/0966	LEN=0032 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0150/0813	LEN=0030 INSTALLED UNKN 024 "DIA CIR PLASTIC
	0150/0477	LEN=0036 INSTALLED UNKN 015 "DIA CIR PLASTIC
	0150/0093	LEN=0032 INSTALLED UNKN
026906 FT	026906 FT	2 0 31067 0 00 0270+00
	S 0150/0000	LENGTH(AH 2013 BK 2440) 018 "DIA CIR PLASTIC
	0140/2407	LEN=0032 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0140/1941	LEN=0038 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0140/1464	LEN=0050 INSTALLED 1997 018 "DIA CIR PLASTIC
	0140/1182	LEN=0032 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0140/0871	LEN=0038 INSTALLED UNKN 012 "DIA CIRC METAL
	0140/0689	LEN=0030 INSTALLED UNKN 018 "DIA CIR PLASTIC
	0140/0468	LEN=0042 INSTALLED UNKN 015 "DIA CIR PLASTIC
	0140/0189	LEN=0040 INSTALLED UNKN
024466 FT	024466 FT	2 0 31067 0 00 0245+63
	S 0140/0000	LENGTH(AH 2440 BK 2217) 029"H 42"W ELLIP METAL
	0130/2119	LEN=0040 INSTALLED 2014 015 "DIA CIR PLASTIC
	0130/1460	LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 5.946 MI. DIST: 09-5 SR: 1029
LEFT MUN: BARREE T RIGHT MUN: BARREE T

			038"H 57"W ELLIP METAL
		0130/0752	LEN=0028 INSTALLED 2014
	022249 FT	022249 FT	2 0 31067 0 00 0223+46
			RED ROSE RD
			(T539)
		S 0130/0000	LENGTH(AH 2217 BK 1383)
			031"H 41"W ELLIP METAL
		0120/1264	LEN=0034 INSTALLED 2014
			015 "DIA CIR PLASTIC
		0120/0077	LEN=0034 INSTALLED UNKN
	020866 FT	020866 FT	2 0 31067 0 00 0209+50
		S 0120/0000	LENGTH(AH 1383 BK 1930)
SCOTT LN (PRDR)	0110/1279		
			043"H 64"W ELLIP METAL
		0110/1218	LEN=0030 INSTALLED 2014
	018936 FT	018936 FT	2 0 31067 0 00 0189+83
		S 0110/0000	LENGTH(AH 1930 BK 2064)
			018 "DIA CIR PLASTIC
		0100/1702	LEN=0032 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0100/0989	LEN=0036 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0100/0409	LEN=0032 INSTALLED UNKN
			064"H 43"W METAL ARCH
		0100/0023	LEN=0040 INSTALLED 2004
	016872 FT	016872 FT	2 0 31067 0 00 0168+59
		S 0100/0000	LENGTH(AH 2064 BK 2005)
			018 "DIA CIR PLASTIC
		0090/1555	LEN=0038 INSTALLED UNKN
			038"H 57"W ELLIP METAL
		0090/1075	LEN=0030 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0090/0722	LEN=0036 INSTALLED 2014
			038"H 57"W ELLIP METAL
		0090/0152	LEN=0048 INSTALLED 2014
	014867 FT	014867 FT	2 0 31067 0 00 0148+54
			LODGE LN
			(T537)
		S 0090/0000	LENGTH(AH 2005 BK 1303)
			024 "DIA CIR PLASTIC
		0080/1256	LEN=0032 INSTALLED 2014

DIR: B TOTAL LEN: 5.946 MI. DIST: 09-5 SR: 1029
LEFT MUN: BARREE T RIGHT MUN: BARREE T

		015 "DIA CIR PLASTIC
	0080/0595	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0080/0031	LEN=0032 INSTALLED 2014
013564 FT	013564 FT	2 0 31067 0 00 0135+21
	S 0080/0000	LENGTH(AH 1303 BK 1036)
		MASSEYSBURG RD
	0070/0994	(T536)
	0070/0870	BMSEN 31/1029/0070/0851
		2 0 31067 0 00 0133+69
		BR.SHAVERS C
	0070/0851	BMSBG 31/1029/0070/0851
		060 "DIA CIRC CONCR
	0070/0057	LEN=0032 INSTALLED UNKN
012528 FT	012528 FT	2 0 31067 0 00 0125+75
	S 0070/0000	LENGTH(AH 1036 BK 1514)
		015 "DIA CIR PLASTIC
	0060/1396	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0060/0906	LEN=0034 INSTALLED 2014
		018 "DIA CIR PLASTIC
	0060/0382	LEN=0032 INSTALLED 2014
		018 "DIA CIR PLASTIC
	0060/0035	LEN=0032 INSTALLED 2014
011014 FT	011014 FT	2 0 31067 0 00 0110+00
	S 0060/0000	LENGTH(AH 1514 BK 2039)
		018 "DIA CIR PLASTIC
	0050/1063	LEN=0038 INSTALLED 2014
		015 "DIA CIR PLASTIC
	0050/0372	LEN=0032 INSTALLED UNKN
008975 FT	008975 FT	2 0 31067 0 00 0090+00
	S 0050/0000	LENGTH(AH 2039 BK 2903)
		018 "DIA CIR PLASTIC
	0040/2535	LEN=0030 INSTALLED 2014
		024 "DIA CIR PLASTIC
	0040/2158	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/1871	LEN=0030 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0040/1607	LEN=0034 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/1310	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/1164	LEN=0032 INSTALLED 2014
		024 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.946 MI. DIST: 09-5 SR: 1029
LEFT MUN: BARREE T RIGHT MUN: BARREE T

```
                                        0040/0910 LEN=0036 INSTALLED UNKN
                                                  COTTAGE LN
                                        0040/0772 (PRDR)
                                                  018 "DIA CIR PLASTIC
                                        0040/0220 LEN=0032 INSTALLED 2014
006072 FT                               006072 FT 2 0 31067 0 00 0063+31
                                                  HUTCHINSON RD
                                                  (T524)
                                      S 0040/0000 LENGTH(AH 2903 BK 2750)

                                                  018 "DIA CIR PLASTIC
                                        0030/1954 LEN=0030 INSTALLED UNKN


                                                  018 "DIA CIRC METAL
                                        0030/0627 LEN=0032 INSTALLED UNKN

                                        0030/0019 BMSEN 31/1029/0030/0000
003322 FT                               003322 FT 2 0 31067 0 00 0033+23
                                                  PHRANTON RUN
                                                  BMSBG 31/1029/0030/0000
                                                  BARREE
                                                  WEST T
                                      S 0030/0000 LENGTH(AH 2750 BK 1196)

                                                  018 "DIA CIRC METAL
                                        0020/0326 LEN=0032 INSTALLED UNKN
002126 FT                               002126 FT 2 0 31067 0 00 0021+26
                                      S 0020/0000 LENGTH(AH 1196 BK 2126)
                                                  018 "DIA CIR PLASTIC
                                        0010/1958 LEN=0032 INSTALLED 2014
                                                  018 "DIA CIRC METAL
                                        0010/1559 LEN=0085 INSTALLED UNKN


                                                  018 "DIA CIR PLASTIC
                                        0010/0079 LEN=0030 INSTALLED 2014
                                                  015 "DIA CIRC METAL
                                        0010/0034 LEN=0036 INSTALLED UNKN
000000 FT                               000000 FT 2 0 31067 0 00 0000+00
                                                  VILLAGE: MOORESVILLE
                                                  GREENWOOD RD
                                                  (SR0305 SEG 0280/1124)
                                            NC CHARTER OAK RD
                                        INTER-BK  SHAVERS CREEK RD
                                                  (SR0305 SEG 0280/1124)
                                                  MFC BEGIN = D
                                      S 0010/0000 LENGTH(AH 2126 BK 0000)
```

DIR: B TOTAL LEN: 1.334 MI. DIST: 09-5 SR: 1027
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

MCALEVYS FORT RD 007045 FT
(SR0026 SEG 0710/0337) 0140/2218



007045 FT MCALEVYS FORT RD
0140/2218 (SR0026 SEG 0710/0337)

018 "DIA CIRC CONCR
0140/1614 LEN=0032 INSTALLED UNKN

018 "DIA CIRC CONCR
0140/0582 LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 1.334 MI. DIST: 09-5 SR: 1027
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

	004827 FT		004827 FT 2 0 31065 0 00 0256+50
		S	0140/0000 LENGTH(AH 2218 BK 2073)
			018 "DIA CIRC CONCR
			0130/1178 LEN=0034 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0130/0440 LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0130/0125 LEN=0032 INSTALLED UNKN
	002754 FT		002754 FT 2 0 31065 0 00 0234+78
			018 "DIA CIR PLASTIC
			LEN=0046 INSTALLED UNKN
		S	0130/0000 LENGTH(AH 2073 BK 2754)
			018 "DIA CIRC CONCR
			0120/1849 LEN=0046 INSTALLED UNKN
SASSAFRAS RD (T540)	0120/0561	==	
	000000 FT		000000 FT 2 0 31065 0 00 0207+24
			NC WINCHESTER RD
		*	REF-BK WINCHESTER RD
			(T539)
		S	0120/0000 LENGTH(AH 2754 BK 2186)
	000000 FT		000000 FT
			7110/0000 LENGTH(AH 2186 BK 2431)
	000000 FT		000000 FT
			7100/0000 LENGTH(AH 2431 BK 2407)
	000000 FT		000000 FT
			7090/0000 LENGTH(AH 2407 BK 2097)
	000000 FT		000000 FT
			7080/0000 LENGTH(AH 2097 BK 2679)
	000000 FT		000000 FT
			7070/0000 LENGTH(AH 2679 BK 1193)
	000000 FT		000000 FT
			7060/0000 LENGTH(AH 1193 BK 1716)
	000000 FT		000000 FT
			7050/0000 LENGTH(AH 1716 BK 2964)
	000000 FT		000000 FT
			7040/0000 LENGTH(AH 2964 BK 1170)
	000000 FT		000000 FT
			7030/0000 LENGTH(AH 1170 BK 1005)
	000000 FT		000000 FT
			7020/0000 LENGTH(AH 1005 BK 0971)
	000000 FT		000000 FT
			7010/0000 LENGTH(AH 0971 BK 0000)

DIR: B TOTAL LEN: 2.052 MI. DIST: 09-5 SR: 1025
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
010832 FT                    010832 FT ALAN SEEGER RD
                             0070/1784 (SR1023 SEG 0040/0491)
                                       036 "DIA CIR PLASTIC
                             0070/1471 LEN=0055 INSTALLED 2004
                                       015 "DIA CIR PLASTIC
                             0070/1371 LEN=0032 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0070/1098 LEN=0040 INSTALLED 2004

                                       015 "DIA CIRC METAL
                             0070/0345 LEN=0028 INSTALLED UNKN
009048 FT                    009048 FT 2 0 31089 0 00 0091+00
                           S 0070/0000 LENGTH(AH 1784 BK 2496)
                                       015 "DIA CIR PLASTIC
                             0060/2417 LEN=0024 INSTALLED UNKN


                                       015 "DIA CIR PLASTIC
                             0060/1337 LEN=0040 INSTALLED 2004
                                       015 "DIA CIRC CONCR
                             0060/0904 LEN=0038 INSTALLED UNKN

                                       015 "DIA CIRC CONCR
                             0060/0284 LEN=0028 INSTALLED UNKN
006552 FT                    006552 FT 2 0 31089 0 00 0065+14
                           S 0060/0000 LENGTH(AH 2496 BK 2457)

                                       018 "DIA CIR PLASTIC
                             0050/1768 LEN=0035 INSTALLED 2004
                                       CONEMAUGH LN
                             0050/1723 (PRDR)
                                       015 "DIA CIR PLASTIC
                             0050/1407 LEN=0040 INSTALLED 2004
                                       015 "DIA CIRC CONCR
                             0050/1114 LEN=0032 INSTALLED 2004
                                       024 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 2.052 MI. DIST: 09-5 SR: 1025
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

		0050/0748	LEN=0034 INSTALLED UNKN 015 "DIA CIRC CONCR
		0050/0198	LEN=0026 INSTALLED UNKN 018 "DIA CIRC METAL
		0050/0017	LEN=0042 INSTALLED UNKN
2 0 31089 0 00 0040+28	004095 FT	INTER-BK	GREENWOOD RD (SR0305 SEG 0500/0000)
GREENWOOD RD (SR0305 SEG 0500/0000)	0050/0000 004095 FT	S 0050/0000 004095 FT	LTH AH 002457 BK 000064
		7042/0000 INTER-AHD	LTH AH 000064 BK 001069 GREENWOOD RD (SR0305 SEG 0500/0064)
		0040/1069	GREENWOOD RD (SR0305 SEG 0500/0064) 012 "DIA CIRC METAL
		0040/1050	LEN=0028 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0040/0478	LEN=0036 INSTALLED UNKN 015 "DIA CIRC CONCR
		0040/0284	LEN=0026 INSTALLED UNKN
	003026 FT	003026 FT	2 0 31089 0 00 0030+00 015 "DIA CIR PLASTIC LEN=0034 INSTALLED UNKN
		S 0040/0000	LENGTH(AH 1069 BK 0525) 015 "DIA CIR PLASTIC
		0030/0223	LEN=0034 INSTALLED UNKN
	002501 FT	002501 FT S 0030/0000	2 0 31089 0 00 0025+00 LENGTH(AH 0525 BK 1966) 015 "DIA CIR PLASTIC
		0020/1727	LEN=0040 INSTALLED 2006 036 "DIA CIRC METAL
		0020/0779	LEN=0038 INSTALLED UNKN 015 "DIA CIR PLASTIC
		0020/0592	LEN=0030 INSTALLED UNKN 018 "DIA CIRC METAL
		0020/0249	LEN=0034 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0020/0093	LEN=0034 INSTALLED UNKN
	000535 FT	000535 FT S 0020/0000	2 0 31089 0 00 0005+33 LENGTH(AH 1966 BK 0535) 036"H 00"W MULT METAL
		0010/0196	LEN=0026 INSTALLED UNKN
	000000 FT	000000 FT NC WEILER RD	2 0 31089 0 00 0000+00 EAST BRANCH RD (SR1019 SEG 0130/0000) MFC BEGIN = E
		S 0010/0000	LENGTH(AH 0535 BK 0000)

DIR: B TOTAL LEN: 5.061 MI. DIST: 09-5 SR: 1023
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

026722 FT



026722 FT
REF-AHD FORESTRY RD
0110/3298 (FRST)
0110/3007 BMSEN 31/1023/0110/2942
2 0 31068 0 00 0261+59
STANDING STONE CREEK
0110/2942 BMSBG 31/1023/0110/2942
036 "DIA CIR PLASTIC
0110/2099 LEN=0032 INSTALLED UNKN

DIR: B TOTAL LEN: 5.061 MI. DIST: 09-5 SR: 1023
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

			015 "DIA CIR PLASTIC
		0110/1187	LEN=0024 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/0694	LEN=0026 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/0510	LEN=0026 INSTALLED UNKN
	023424 FT	023424 FT	2 0 31068 0 00 0233+45
		S 0110/0000	LENGTH(AH 3298 BK 3210)
			015 "DIA CIRC CONCR
		0100/2870	LEN=0026 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0100/2609	LEN=0032 INSTALLED 2002
			015 "DIA CIRC CONCR
		0100/2106	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC METAL
		0100/1803	LEN=0034 INSTALLED UNKN
SILVER PINE RD (T544)	0100/1521		
			015 "DIA CIRC CONCR
		0100/0567	LEN=0032 INSTALLED 2002
			018 "DIA CIR PLASTIC
		0100/0006	LEN=0028 INSTALLED UNKN
	020214 FT	020214 FT	2 0 31068 0 00 0200+76
		S 0100/0000	LENGTH(AH 3210 BK 2561)
			015 "DIA CIRC CONCR
		0090/2139	LEN=0032 INSTALLED 2002
			015 "DIA CIRC CONCR
		0090/1889	LEN=0032 INSTALLED 2002
			015 "DIA CIRC CONCR
		0090/1373	LEN=0032 INSTALLED 2002
			015 "DIA CIRC CONCR
		0090/1033	LEN=0032 INSTALLED 2002
			036 "DIA CIRC METAL
		0090/0600	LEN=0030 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0090/0553	LEN=0028 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0090/0448	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0090/0309	LEN=0035 INSTALLED UNKN
	017653 FT	017653 FT	2 0 31068 0 00 0175+15
		S 0090/0000	LENGTH(AH 2561 BK 2404)
			018 "DIA CIR PLASTIC
		0080/2057	LEN=0022 INSTALLED UNKN
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 5.061 MI. DIST: 09-5 SR: 1023
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

			0080/1251	LEN=0032 INSTALLED 2002
				018 "DIA CIRC CONCR
			0080/0481	LEN=0034 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0080/0023	LEN=0048 INSTALLED 2002
2 0 31068 0 00 0150+87	015249 FT		015249 FT	
SLATE HILL RD				
(T525)	0080/0000	==	S 0080/0000	LENGTH(AH 2404 BK 0887)
				018 "DIA CIRC METAL
			0070/0589	LEN=0030 INSTALLED UNKN
				BROAD MOUNTAIN RD
		==	0070/0428	(T531)
			0070/0019	BMSEN 31/1023/0070/0000
	014362 FT		014362 FT	2 0 31068 0 00 0143+32
				BLACKLICK RN
				BMSBG 31/1023/0070/0000
			S 0070/0000	LENGTH(AH 0887 BK 3665)
				015 "DIA CIRC METAL
			0060/3147	LEN=0034 INSTALLED UNKN
				015 "DIA CIRC METAL
			0060/3033	LEN=0034 INSTALLED UNKN
				036 "DIA CIRC METAL
			0060/2373	LEN=0028 INSTALLED UNKN
				015 "DIA CIRC METAL
			0060/1628	LEN=0028 INSTALLED UNKN
				015 "DIA CIR PLASTIC
			0060/0760	LEN=0050 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0060/0349	LEN=0050 INSTALLED UNKN
	010697 FT		010697 FT	2 0 31068 0 00 0106+00
			S 0060/0000	LENGTH(AH 3665 BK 2512)
				015 "DIA CIR PLASTIC
			0050/2302	LEN=0026 INSTALLED UNKN
				015 "DIA CIR PLASTIC
			0050/2105	LEN=0032 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0050/1113	LEN=0036 INSTALLED UNKN
				024 "DIA CIRC METAL
			0050/0108	LEN=0034 INSTALLED UNKN
	008185 FT		008185 FT	2 0 31068 0 00 0080+97
			S 0050/0000	LENGTH(AH 2512 BK 2795)
				015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 5.061 MI. DIST: 09-5 SR: 1023
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
                                                 0040/2333 LEN=0050 INSTALLED UNKN
                                                           024 "DIA CIRC METAL
                                                 0040/2035 LEN=0060 INSTALLED UNKN

                                                           024 "DIA CIRC METAL
                                                 0040/1084 LEN=0050 INSTALLED UNKN
                                                           015 "DIA CIR PLASTIC
                                                 0040/0655 LEN=0028 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0040/0518 LEN=0050 INSTALLED UNKN
                                                           WEILER RD
                                                 0040/0491 (SR1025 SEG 0070/1784)
                                                 0040/0103 BMSEN 31/1023/0040/0000
                     005390 FT                   005390 FT 2 0 31068 0 00 0052+43
                                                           STANDING STONE CREEK
                                                           BMSBG 31/1023/0040/0000
                                                 S 0040/0000 LENGTH(AH 2795 BK 2637)
                                                           015 "DIA CIR PLASTIC
                                                 0030/2057 LEN=0040 INSTALLED UNKN
POWELLS RD
(T530)               0030/1750

                                                           015 "DIA CIR PLASTIC
                                                 0030/1734 LEN=0060 INSTALLED UNKN
                                                           015 "DIA CIR PLASTIC
                                                 0030/1292 LEN=0038 INSTALLED UNKN

                                                           024 "DIA CIR PLASTIC
                                                 0030/0338 LEN=0045 INSTALLED UNKN
                     002753 FT                   002753 FT 2 0 31068 0 00 0025+84
                                                 S 0030/0000 LENGTH(AH 2637 BK 1710)
                                                           030 "DIA CIR PLASTIC
                                                 0020/1355 LEN=0045 INSTALLED UNKN

                                                           015 "DIA CIR PLASTIC
                                                 0020/0620 LEN=0040 INSTALLED UNKN

                     001043 FT                   001043 FT 2 0 31068 0 00 0008+52
                                                 S 0020/0000 LENGTH(AH 1710 BK 1043)

FOR SR 0026 AND 1023
(CONN)               0010/0164

                                                           018 "DIA CIR PLASTIC
                                                 0010/0070 LEN=0060 INSTALLED UNKN
                                                       NC ALAN SEEGER RD
                                                           MCALEVYS FORT RD
2 0 31068 1 00 0000+00 000000 FT                 000000 FT (SR0026 SEG 0680/0000)
MCALEVYS FORT RD                                           MFC BEGIN = E
(SR0026 SEG 0680/0000)  0010/0000                S 0010/0000 LENGTH(AH 1043 BK 0000)
```

DIR: B TOTAL LEN: 1.935 MI. DIST: 09-5 SR: 1021
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

010215 FT



010215 FT GREENWOOD RD
0040/3229 (SR0305 SEG 0480/0000)
018 "DIA CIR PLASTIC
0040/2850 LEN=0060 INSTALLED UNKN
036 "DIA CIR PLASTIC
0040/2800 LEN=0050 INSTALLED 2018
015 "DIA CIR PLASTIC
0040/2280 LEN=0032 INSTALLED UNKN
024 "DIA CIR PLASTIC
0040/1560 LEN=0032 INSTALLED 1990
015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 1.935 MI. DIST: 09-5 SR: 1021
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
                                                  0040/1530 LEN=0030 INSTALLED UNKN

                                                            015 "DIA CIR PLASTIC
                                                  0040/0682 LEN=0032 INSTALLED 1990

                        006986 FT                 006986 FT 2 0 31062 0 00 0071+35
                                                            DAVIS RD
                                                            (T517)
                                              ==  S 0040/0000 LENGTH(AH 3229 BK 2062)
                                                            015 "DIA CIR PLASTIC
                                                  0030/2049 LEN=0038 INSTALLED 1990


                                                            015 "DIA CIRC METAL
                                                  0030/1005 LEN=0047 INSTALLED 2006
                                                            018 "DIA CIRC METAL
                                                  0030/0686 LEN=0046 INSTALLED 2006

2 0 31062 0 00 0049+44  004924 FT                 004924 FT
RIDGE RD
(T509)                   0030/0000            ==  S 0030/0000 LENGTH(AH 2062 BK 2375)
                                                            018 "DIA CIR PLASTIC
                                                  0020/2370 LEN=0030 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0020/1790 LEN=0030 INSTALLED UNKN
                                                            024"H 00"W MULT CONCR
                                                  0020/1410 LEN=0036 INSTALLED 2006
                                                            036 "DIA CIRC CONCR
                                                  0020/1313 LEN=0030 INSTALLED UNKN
                                                            030 "DIA CIR PLASTIC
                                                  0020/0764 LEN=0040 INSTALLED 2006

                                                            015 "DIA CIR PLASTIC
                                                  0020/0062 LEN=0034 INSTALLED 1990
                        002549 FT                 002549 FT 2 0 31062 0 00 0025+31
                                                  S 0020/0000 LENGTH(AH 2375 BK 2549)
                                                            024 "DIA CIR PLASTIC
                                                  0010/2121 LEN=0038 INSTALLED 1988


                                                            015 "DIA CIR PLASTIC
                                                  0010/0870 LEN=0030 INSTALLED UNKN

                        000000 FT                 000000 FT 2 0 31062 0 00 0000+00
                                                       NC BARR RD
                                                            EAST BRANCH RD
                                                            (SR1019 SEG 0090/0000)
                                                            MFC BEGIN = E
                                                  S 0010/0000 LENGTH(AH 2549 BK 0000)
```

DIR: B TOTAL LEN: 5.623 MI. DIST: 09-5 SR: 1019
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

GREENWOOD RD 029689 FT
(SR0305 SEG 0530/0000) 0140/2956



029689 FT GREENWOOD RD
0140/2956 (SR0305 SEG 0530/0000)
018 "DIA CIR PLASTIC
0140/2485 LEN=0036 INSTALLED UNKN

015 "DIA CIR PLASTIC
0140/1865 LEN=0032 INSTALLED UNKN

DIR: B TOTAL LEN: 5.623 MI. DIST: 09-5 SR: 1019
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

			015 "DIA CIRC CONCR
		0140/1581	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0140/1386	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0140/0870	LEN=0032 INSTALLED UNKN
			012 "DIA CIR PLASTIC
		0140/0467	LEN=0030 INSTALLED UNKN
	026733 FT	026733 FT	2 0 31056 0 04 0269+74
		S 0140/0000	LENGTH(AH 2956 BK 2257)
			018 "DIA CIRC CONCR
		0130/1591	LEN=0040 INSTALLED 2003
			015 "DIA CIR PLASTIC
		0130/1271	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0130/1091	LEN=0032 INSTALLED 2003
			015 "DIA CIR PLASTIC
		0130/0034	LEN=0034 INSTALLED UNKN
2 0 31056 0 04 0247+17	024476 FT	024476 FT	
WEILER RD			
(SR1025 SEG 0010/0000)	0130/0000	S 0130/0000	LENGTH(AH 2257 BK 2230)
			030 "DIA CIRC METAL
		0120/2004	LEN=0034 INSTALLED UNKN
			036 "DIA CIRC METAL
		0120/1663	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0120/1505	LEN=0036 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0120/1282	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0120/1065	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0120/0618	LEN=0038 INSTALLED UNKN
			048 "DIA CIRC METAL
		0120/0514	LEN=0040 INSTALLED UNKN
		0120/0068	BMSEN 31/1019/0120/0000
	022246 FT	022246 FT	2 0 31056 0 03 0223+97
			E BR STANDING STONE CK.
			BMSBG 31/1019/0120/0000
		S 0120/0000	LENGTH(AH 2230 BK 1457)
			030 "DIA CIRC METAL
		0110/1180	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/0797	LEN=0040 INSTALLED 2003
			030 "DIA CIRC METAL
		0110/0210	LEN=0036 INSTALLED UNKN
	020789 FT	020789 FT	2 0 31056 0 03 0209+73

DIR: B TOTAL LEN: 5.623 MI. DIST: 09-5 SR: 1019
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
                                                  S 0110/0000 LENGTH(AH 1457 BK 2090)
                                                            018 "DIA CIRC CONCR
                                                    0100/1653 LEN=0040 INSTALLED 2003
                                                            030 "DIA CIR PLASTIC
                                                    0100/1215 LEN=0028 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                    0100/0680 LEN=0050 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                    0100/0295 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                    0100/0149 LEN=0032 INSTALLED UNKN
2 0 31056 0 03 0188+30 018699 FT                    018699 FT
DAVIS RD
(T517)                 0100/0000                  S 0100/0000 LENGTH(AH 2090 BK 2879)
                                                            018 "DIA CIR PLASTIC
                                                    0090/2619 LEN=0046 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                    0090/2410 LEN=0046 INSTALLED UNKN

                                                            015 "DIA CIRC CONCR
                                                    0090/1617 LEN=0040 INSTALLED 2003
                                                    0090/1056 BMSEN 31/1019/0090/1029
                                                            2 0 31056 0 03 0169+72
                                                            E BR STANDING STONE CRK
                                                    0090/1029 BMSBG 31/1019/0090/1029
                                                            015 "DIA CIRC CONCR
                                                    0090/0871 LEN=0040 INSTALLED 2003

                                                            018 "DIA CIR PLASTIC
                                                    0090/0047 LEN=0058 INSTALLED UNKN
2 0 31056 0 03 0159+46 015820 FT                    015820 FT
BARR RD
(SR1021 SEG 0010/0000)  0090/0000                  S 0090/0000 LENGTH(AH 2879 BK 2470)
                                                            018 "DIA CIR PLASTIC
                                                    0080/2450 LEN=0035 INSTALLED UNKN
                                                            036 "DIA CIR PLASTIC
                                                    0080/2311 LEN=0044 INSTALLED UNKN
                                                            036 "DIA CIRC METAL
                                                    0080/2146 LEN=0048 INSTALLED UNKN


                                                            018 "DIA CIRC METAL
                                                    0080/0963 LEN=0035 INSTALLED UNKN

                                                    0080/0092 BMSEN 31/1019/0080/0000
                       013350 FT                    013350 FT 2 0 31056 0 02 0133+80
                                                            E BR STANDING STONE CRE
                                                            BMSBG 31/1019/0080/0000
                                                  S 0080/0000 LENGTH(AH 2470 BK 1554)
O'BRYAN RD
```

DIR: B TOTAL LEN: 5.623 MI. DIST: 09-5 SR: 1019
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
(T601)                    0070/0995
                                                          024 "DIA CIRC CONCR
                                                0070/0801 LEN=0032 INSTALLED UNKN

                                                          015 "DIA CIR PLASTIC
                                                0070/0033 LEN=0038 INSTALLED UNKN
                          011796 FT             011796 FT 2 0 31056 0 02 0118+04
                                                          036 "DIA CIRC METAL
                                                          LEN=0024 INSTALLED UNKN
                                                S 0070/0000 LENGTH(AH 1554 BK 2539)

                                                          018 "DIA CIRC CONCR
                                                0060/1794 LEN=0034 INSTALLED UNKN

                                                          015 "DIA CIR PLASTIC
                                                0060/1043 LEN=0036 INSTALLED UNKN
                                                          LC FOR ALLENSVILLE RD
                                                0060/0822 (CONN)
                                                          024 "DIA CIR PLASTIC
                                                0060/0814 LEN=0040 INSTALLED 2002
                                                          ALLENSVILLE RD
                                                0060/0694 (T508)
                                                RBR
                                                0060/0073 BMSEN 31/1019/0060/0000
                          009257 FT             009257 FT 2 0 31056 0 01 0092+76
                                                          P3
                                                          E BR STANDING STONE CRK
                                                RBR       BMSBG 31/1019/0060/0000
                                                S 0060/0000 LENGTH(AH 2539 BK 1591)
                                                          024 "DIA CIRC METAL
                                                0050/1479 LEN=0038 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0050/1060 LEN=0034 INSTALLED UNKN
                                                          015 "DIA CIRC CONCR
                                                0050/0615 LEN=0032 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                0050/0317 LEN=0040 INSTALLED UNKN
                          007666 FT             007666 FT 2 0 31056 0 01 0076+81
                                                S 0050/0000 LENGTH(AH 1591 BK 2739)
                                                          JACKSON
                                                0040/2655 MILLER T

                                                          018 "DIA CIRC CONCR
                                                0040/1919 LEN=0040 INSTALLED 2003
                                                          018 "DIA CIR PLASTIC
                                                0040/1601 LEN=0036 INSTALLED UNKN
                                                          018 "DIA CIR PLASTIC
                                                0040/1419 LEN=0036 INSTALLED UNKN
                                                          024 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 5.623 MI. DIST: 09-5 SR: 1019
LEFT MUN: MILLER T RIGHT MUN: MILLER T

		0040/0968	LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0040/0524	LEN=0046 INSTALLED UNKN
	004927 FT	004927 FT	2 0 31056 0 01 0049+60
		S 0040/0000	LENGTH(AH 2739 BK 1927)
			015 "DIA CIRC CONCR
		0030/1412	LEN=0028 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/1321	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0030/1063	LEN=0036 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0030/0709	LEN=0030 INSTALLED UNKN
	003000 FT	003000 FT	2 0 31056 0 01 0029+56
			018 "DIA CIRC CONCR
			LEN=0034 INSTALLED UNKN
		S 0030/0000	LENGTH(AH 1927 BK 2036)
			018 "DIA CIRC CONCR
		0020/0632	LEN=0054 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/0128	LEN=0030 INSTALLED UNKN
	000964 FT	000964 FT	2 0 31056 0 01 0009+20
			GEISLER RUN RD
			(T486)
		S 0020/0000	LENGTH(AH 2036 BK 0964)
			LC TO GEISLER RUN RD
		0010/0925	(CONN)
			015 "DIA CIR PLASTIC
		0010/0653	LEN=0030 INSTALLED UNKN
TUCKER'S LN (PRDR)	0010/0352		
		0010/0311	BMSEN 31/1019/0010/0185
			2 0 31056 0 00 0002+12
			P3
			STANDING STONE CREEK
		0010/0185	BMSBG 31/1019/0010/0185
	000000 FT	000000 FT	2 0 31056 0 00 0000+00
			VILLAGE: JACKSON CORNER
			NC EAST BRANCH RD
			STANDING STONE RD
			(SR0026 SEG 0600/0000)
			MFC BEGIN = E
		S 0010/0000	LENGTH(AH 0964 BK 0000)

DIR: B TOTAL LEN: 1.068 MI. DIST: 09-5 SR: 1017
LEFT MUN: MILLER T RIGHT MUN: MILLER T

	005640 FT	005640 FT	STANDING STONE RD
		0020/3112	(SR0026 SEG 0590/0000)
			024 "DIA CIR PLASTIC
		0020/2273	LEN=0048 INSTALLED 2006
OLD TOWN RD (T560)	0020/1760		
			015 "DIA CIR PLASTIC
		0020/1258	LEN=0040 INSTALLED 2006
			024 "DIA CIR PLASTIC
		0020/1027	LEN=0040 INSTALLED 2006
			015 "DIA CIR PLASTIC
		0020/0920	LEN=0040 INSTALLED 2006
			024 "DIA CIR PLASTIC
		0020/0570	LEN=0048 INSTALLED 2006
			015 "DIA CIR PLASTIC
		0020/0418	LEN=0032 INSTALLED 1988
			030 "DIA CIR PLASTIC
		0020/0219	LEN=0040 INSTALLED 1988
			036 "DIA CIR PLASTIC
		0020/0046	LEN=0028 INSTALLED 1988
	002528 FT	002528 FT	2 0 31112 0 00 0025+34
		0020/0000	LENGTH(AH 3112 BK 2528)
			015 "DIA CIR PLASTIC
		0010/2386	LEN=0040 INSTALLED 2006
			018 "DIA CIR PLASTIC
		0010/2160	LEN=0040 INSTALLED 2006
			018 "DIA CIRC METAL
		0010/1936	LEN=0030 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0010/1631	LEN=0040 INSTALLED 2006
			015 "DIA CIR PLASTIC
		0010/1140	LEN=0030 INSTALLED 1988
			015 "DIA CIRC CONCR
		0010/0179	LEN=0036 INSTALLED 1988
TONER CAMP RD (T487)	0010/0123		
		0010/0086	BMSEN 31/7935/5105/0010
			2 0 31112 0 00 0000+00
			STANDING STONE CREEK
		0010/0029	BMSBG 31/7935/5105/0010
	000000 FT	000000 FT	2 0 31112 0 00 0000+00
			NC MARTIN GAP RD
			GEISLER RUN RD
			(T486)
			MFC BEGIN = E
		0010/0000	LENGTH(AH 2528 BK 0000)

DIR: B TOTAL LEN: 2.672 MI. DIST: 09-5 SR: 1015
LEFT MUN: BARREE T RIGHT MUN: BARREE T

GREENWOOD RD 014108 FT
(SR0305 SEG 0390/0000) 0070/2048
FOR SR 0305 AND 1015
(CONN) 0070/1646



014108 FT GREENWOOD RD
0070/2048 (SR0305 SEG 0390/0000)

0070/1536 BMSEN 31/1015/0070/1526
2 0 31054 0 01 0236+05
TR.OAK RUN
0070/1526 BMSBG 31/1015/0070/1526
015 "DIA CIR PLASTIC
0070/1286 LEN=0030 INSTALLED 2000

DIR: B TOTAL LEN: 2.672 MI. DIST: 09-5 SR: 1015
LEFT MUN: BARREE T RIGHT MUN: BARREE T

			015 "DIA CIR PLASTIC
		0070/1098	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0070/0721	LEN=0034 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0070/0512	LEN=0034 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0070/0316	LEN=0033 INSTALLED 2000
		0070/0189	BMSEN 31/1015/0070/0167
			2 0 31054 0 01 0222+03
			GIBBONEYS RN
		0070/0167	BMSBG 31/1015/0070/0167
2 0 31054 0 01 0220+50 012060 FT			012060 FT
FRANKS RD			
(T513) 0070/0000	==	S 0070/0000	LENGTH(AH 2048 BK 2233)
			015 "DIA CIR PLASTIC
		0060/2213	LEN=0040 INSTALLED 1997
			060 "DIA CIRC METAL
		0060/1777	LEN=0038 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0060/1237	LEN=0034 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0060/0993	LEN=0040 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0060/0731	LEN=0040 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0060/0498	LEN=0035 INSTALLED 2000
			BARREE
		0060/0244	MILLER T
			015 "DIA CIR PLASTIC
		0060/0145	LEN=0033 INSTALLED 2000
009827 FT		009827 FT	2 0 31054 0 01 0198+11
			036 "DIA CIRC METAL
			LEN=0038 INSTALLED UNKN
			HORNING WOODS RD
			(T513)
		S 0060/0000	LENGTH(AH 2233 BK 2281)
			015 "DIA CIR PLASTIC
		0050/2270	LEN=0035 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0050/1947	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0050/1325	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0050/1059	LEN=0033 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0050/0930	LEN=0029 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0050/0514	LEN=0035 INSTALLED 1999

DIR: B TOTAL LEN: 2.672 MI. DIST: 09-5 SR: 1015
LEFT MUN: MILLER T RIGHT MUN: MILLER T

```
                                                  030 "DIA CIR PLASTIC
                                     0050/0170 LEN=0045 INSTALLED 1999
007546 FT                            007546 FT 2 0 31054 0 00 0174+69
                                     0050/0000 LENGTH(AH 2281 BK 2015)
                                                  018 "DIA CIR PLASTIC
                                     0040/1904 LEN=0050 INSTALLED 1999
                                                  024 "DIA CIR PLASTIC
                                     0040/1540 LEN=0040 INSTALLED 1999


                                                  015 "DIA CIR PLASTIC
                                     0040/0322 LEN=0036 INSTALLED UNKN
005531 FT                            005531 FT 2 0 31054 0 00 0154+54
                                                  SUMMIT SCHOOL RD
                                                  (T517)
                                     0040/0000 LENGTH(AH 2015 BK 2324)

                                                  015 "DIA CIR PLASTIC
                                     0030/1620 LEN=0040 INSTALLED 2000

                                                  015 "DIA CIRC CONCR
                                     0030/0841 LEN=0050 INSTALLED 1999
                                                  015 "DIA CIR PLASTIC
                                     0030/0363 LEN=0050 INSTALLED 1999
003207 FT                            003207 FT 2 0 31054 0 00 0130+98
                                                  CHANEY SPRING RD
                                                  (T509)
                                     0030/0000 LENGTH(AH 2324 BK 1032)
                                                  036 "DIA CIRC METAL
                                     0020/0592 LEN=0050 INSTALLED 1999
                                                  018 "DIA CIR PLASTIC
                                     0020/0053 LEN=0050 INSTALLED 1999
002175 FT                            002175 FT 2 0 31054 0 00 0121+09
                                     0020/0000 LENGTH(AH 1032 BK 2175)
                                                  015 "DIA CIR PLASTIC
                                     0010/1707 LEN=0055 INSTALLED 2000


                                                  015 "DIA CIR PLASTIC
                                     0010/0785 LEN=0040 INSTALLED 2000

                                                  015 "DIA CIRC METAL
                                     0010/0022 LEN=0032 INSTALLED UNKN
000000 FT                            000000 FT 2 0 31054 0 00 0099+80
                                           NC WESLEY CHAPEL RD
                                                  STANDING STONE RD
                                                  (SR0026 SEG 0590/0050)
                                                  MFC BEGIN = E
                                     0010/0000 LENGTH(AH 2175 BK 0000)
```

DIR: B TOTAL LEN: 5.155 MI. DIST: 09-5 SR: 1013
LEFT MUN: BARREE T RIGHT MUN: BARREE T

GREENWOOD RD (SR0305 SEG 0350/0449)	027219 FT 0120/2143	027219 FT 0120/2143 0120/1809 0120/1794	GREENWOOD RD (SR0305 SEG 0350/0449) BMSEN 31/1013/0120/1794 2 0 31055 0 01 0269+92 HENRYS RUN BMSBG 31/1013/0120/1794
		0120/0227	015 "DIA CIRC METAL LEN=0025 INSTALLED UNKN
	025076 FT	025076 FT	2 0 31055 0 01 0250+00 VILLAGE: MANOR HILL CLAAR RD (T515)
		0120/0000	LENGTH(AH 2143 BK 2144)
		0110/2135	015 "DIA CIRC CONCR LEN=0065 INSTALLED UNKN
		0110/1785	038"H 55"W ELLIP METAL LEN=0045 INSTALLED UNKN
		0110/1660	015 "DIA CIRC CONCR LEN=0030 INSTALLED UNKN
	022932 FT	022932 FT	2 0 31055 0 01 0228+56 018 "DIA CIR PLASTIC LEN=0032 INSTALLED UNKN

DIR: B TOTAL LEN: 5.155 MI. DIST: 09-5 SR: 1013
LEFT MUN: BARREE T RIGHT MUN: BARREE T

		S	0110/0000 LENGTH(AH 2144 BK 2819)
			018 "DIA CIRC METAL
			0100/1180 LEN=0028 INSTALLED UNKN
	020113 FT		020113 FT 2 0 31055 0 01 0202+52
			BARREE
			WEST T
		S	0100/0000 LENGTH(AH 2819 BK 2254)
			015 "DIA CIR PLASTIC
			0090/1350 LEN=0060 INSTALLED 1999
2 0 31055 0 01 0179+88	017859 FT		017859 FT
HARPER HILL RD			
(T518)			
MYTON RD			015 "DIA CIR PLASTIC
(SR1008 SEG 0050/3420) 0090/0000			LEN=0050 INSTALLED 2003
		S	0090/0000 LENGTH(AH 2254 BK 2566)
			042 "DIA CIR PLASTIC
			0080/2530 LEN=0032 INSTALLED UNKN
			012 "DIA CIRC CONCR
			0080/1855 LEN=0025 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0080/1175 LEN=0025 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0080/1080 LEN=0033 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0080/0499 LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0080/0031 LEN=0040 INSTALLED UNKN
	015293 FT		015293 FT 2 0 31055 0 00 0153+50
			CLAAR RD
			(T513)
		S	0080/0000 LENGTH(AH 2566 BK 1717)
			015 "DIA CIR PLASTIC
			0070/1690 LEN=0036 INSTALLED UNKN
			048"H 00"W MULT CONCR
			0070/1550 LEN=0042 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0070/1090 LEN=0032 INSTALLED UNKN
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 5.155 MI. DIST: 09-5 SR: 1013
LEFT MUN: WEST T RIGHT MUN: WEST T

```
                                                  0070/0845 LEN=0032 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0070/0450 LEN=0032 INSTALLED UNKN
2 0 31055 0 00 0135+00 013576 FT                  013576 FT
SCHILLING LN
(T601)                 0070/0000                S 0070/0000 LENGTH(AH 1717 BK 2601)
LC FOR SCHILLING LN
(CONN)                 0060/2419
                                                            042 "DIA CIRC METAL
                                                  0060/2405 LEN=0033 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0060/1855 LEN=0048 INSTALLED UNKN
                                                            024"H 00"W MULT CONCR
                                                  0060/1500 LEN=0045 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0060/1165 LEN=0042 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0060/0810 LEN=0033 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0060/0470 LEN=0034 INSTALLED UNKN
                       010975 FT                  010975 FT 2 0 31055 0 00 0108+99
                                                            042 "DIA CIR PLASTIC
                                                            LEN=0070 INSTALLED UNKN
                                                  S 0060/0000 LENGTH(AH 2601 BK 2437)
                                                            015 "DIA CIRC CONCR
                                                  0050/2025 LEN=0032 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0050/1790 LEN=0030 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0050/1636 LEN=0037 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0050/1240 LEN=0038 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0050/0965 LEN=0038 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0050/0880 LEN=0030 INSTALLED UNKN

                       008538 FT                  008538 FT 2 0 31055 0 00 0085+35
                                                            KYPER RD
                                                            (T501)
                                                  S 0050/0000 LENGTH(AH 2437 BK 2519)
                                                            018 "DIA CIRC CONCR
                                                  0040/2391 LEN=0024 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0040/2308 LEN=0036 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0040/2150 LEN=0025 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/1840 LEN=0028 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 5.155 MI. DIST: 09-5 SR: 1013
LEFT MUN: WEST T RIGHT MUN: WEST T

```
                                                  0040/1645 LEN=0028 INSTALLED UNKN

                                                            024 "DIA CIRC CONCR
                                                  0040/0785 LEN=0035 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/0425 LEN=0028 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0040/0230 LEN=0030 INSTALLED UNKN
                        006019 FT                 006019 FT 2 0 31055 0 00 0060+16
                                                S 0040/0000 LENGTH(AH 2519 BK 3567)

                                                            036 "DIA CIRC METAL
                                                  0030/2474 LEN=0025 INSTALLED UNKN

                                                            015 "DIA CIRC CONCR
                                                  0030/1415 LEN=0043 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0030/0877 LEN=0030 INSTALLED UNKN

                                                            015 "DIA CIR PLASTIC
                                                  0030/0164 LEN=0034 INSTALLED UNKN
HAWN RD
(T602)                   0030/0151
2 0 31055 0 00 0024+64 002452 FT                  002452 FT
LC TO HAWN RD
(CONN)                   0030/0000              S 0030/0000 LENGTH(AH 3567 BK 0929)
                                                            015 "DIA CIRC CONCR
                                                  0020/0525 LEN=0032 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0020/0251 LEN=0032 INSTALLED UNKN
                        001523 FT                 001523 FT 2 0 31055 0 00 0015+35
                                                S 0020/0000 LENGTH(AH 0929 BK 1523)
                                                            015 "DIA CIRC CONCR
                                                  0010/1445 LEN=0032 INSTALLED UNKN
                                                            WEST
                                                  0010/1216 LOGAN T

                                                            015 "DIA CIR PLASTIC
                                                  0010/0048 LEN=0035 INSTALLED UNKN
                        000000 FT                 000000 FT 2 0 31055 0 00 0000+00
                                                        NC EWING RD
                                                            CHILCOTE HOLLOW RD
                                                            (SR1006 SEG 0060/0000)
                                                  INTER-BK  CHILCOTE HOLLOW RD
                                                            (SR1006 SEG 0060/0000)
                                                            MFC BEGIN = E
                                                S 0010/0000 LENGTH(AH 1523 BK 0000)
```

DIR: B TOTAL LEN: 4.643 MI. DIST: 09-5 SR: 1011
LEFT MUN: MILLER T RIGHT MUN: MILLER T

STONE CREEK RIDGE RD 024515 FT
(SR1001 SEG 0270/0000) 0100/2740



024515 FT STONE CREEK RIDGE RD
0100/2740 (SR1001 SEG 0270/0000)
048 "DIA CIRC CONCR
0100/2546 LEN=0038 INSTALLED 1988
024 "DIA CIRC CONCR
0100/2137 LEN=0040 INSTALLED 1988
018 "DIA CIR PLASTIC
0100/2075 LEN=0030 INSTALLED 1988
018 "DIA CIR PLASTIC
0100/1557 LEN=0030 INSTALLED 1988
018 "DIA CIR PLASTIC
0100/1357 LEN=0046 INSTALLED 1988
024 "DIA CIRC CONCR
0100/1209 LEN=0028 INSTALLED 1988
018 "DIA CIR PLASTIC
0100/0925 LEN=0053 INSTALLED 2006
015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 4.643 MI. DIST: 09-5 SR: 1011
LEFT MUN: MILLER T RIGHT MUN: MILLER T

```
                                        0100/0509 LEN=0034 INSTALLED 1988
                                                  030 "DIA CIR PLASTIC
                                        0100/0012 LEN=0042 INSTALLED 1988
021775 FT                               021775 FT 2 0 31111 0 01 0218+07
                                      S 0100/0000 LENGTH(AH 2740 BK 2525)

                                                  015 "DIA CIR PLASTIC
                                        0090/1792 LEN=0050 INSTALLED 1988
                                                  015 "DIA CIR PLASTIC
                                        0090/1380 LEN=0054 INSTALLED 1988


                                                  018 "DIA CIR PLASTIC
                                        0090/0472 LEN=0036 INSTALLED 1988
                                                  018 "DIA CIR PLASTIC
                                        0090/0024 LEN=0008 INSTALLED 2006
019250 FT                               019250 FT 2 0 31111 0 01 0192+82
                                      S 0090/0000 LENGTH(AH 2525 BK 2182)

                                                  015 "DIA CIR PLASTIC
                                        0080/1438 LEN=0030 INSTALLED 1988

                                                  024 "DIA CIRC CONCR
                                        0080/0822 LEN=0034 INSTALLED 1988
                                                  018 "DIA CIR PLASTIC
                                        0080/0701 LEN=0028 INSTALLED 1988
                                                  015 "DIA CIR PLASTIC
                                        0080/0422 LEN=0028 INSTALLED 1988
                                                  MILLER
                                        0080/0244 ONEIDA T
017068 FT                               017068 FT 2 0 31111 0 01 0171+00
                                                  SUNRISE CAMP RD
                                                  (T486)
                                                  018 "DIA CIR PLASTIC
                                                  LEN=0030 INSTALLED 1988
                                      S 0080/0000 LENGTH(AH 2182 BK 1613)
                                                  018 "DIA CIR PLASTIC
                                        0070/1226 LEN=0030 INSTALLED 1988
                                                  024 "DIA CIR PLASTIC
                                        0070/1082 LEN=0030 INSTALLED 2019
                                                  018 "DIA CIRC CONCR
                                        0070/0750 LEN=0028 INSTALLED 1988
                                                  018 "DIA CIR PLASTIC
                                        0070/0290 LEN=0030 INSTALLED 1988
                                                  018 "DIA CIR PLASTIC
                                        0070/0015 LEN=0030 INSTALLED 1988
015455 FT                               015455 FT 2 0 31111 0 01 0154+94
                                      S 0070/0000 LENGTH(AH 1613 BK 2543)
                                                  018 "DIA CIR PLASTIC
                                        0060/1995 LEN=0034 INSTALLED 1988
```

DIR: B TOTAL LEN: 4.643 MI. DIST: 09-5 SR: 1011
LEFT MUN: ONEIDA T RIGHT MUN: ONEIDA T

		018 "DIA CIR PLASTIC
	0060/1680	LEN=0030 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0060/1216	LEN=0040 INSTALLED 2006
		015 "DIA CIRC CONCR
	0060/0773	LEN=0024 INSTALLED 1988
		015 "DIA CIRC CONCR
	0060/0620	LEN=0028 INSTALLED 1988
		015 "DIA CIRC CONCR
	0060/0426	LEN=0028 INSTALLED 1988
012912 FT	012912 FT	2 0 31111 0 01 0129+51
	S 0060/0000	LENGTH(AH 2543 BK 2369)
		015 "DIA CIRC CONCR
	0050/2250	LEN=0032 INSTALLED 1988
		018 "DIA CIRC CONCR
	0050/2075	LEN=0032 INSTALLED 1988
		015 "DIA CIRC CONCR
	0050/1834	LEN=0028 INSTALLED 1988
		015 "DIA CIRC CONCR
	0050/1290	LEN=0026 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0050/0715	LEN=0034 INSTALLED 2006
		015 "DIA CIRC CONCR
	0050/0356	LEN=0030 INSTALLED 1988
		018 "DIA CIRC CONCR
	0050/0041	LEN=0032 INSTALLED 2005
010543 FT	010543 FT	2 0 31111 0 01 0105+82
	S 0050/0000	LENGTH(AH 2369 BK 3083)
		018 "DIA CIRC CONCR
	0040/2575	LEN=0032 INSTALLED 2005
		015 "DIA CIRC CONCR
	0040/2203	LEN=0032 INSTALLED 1988
		018 "DIA CIRC CONCR
	0040/1734	LEN=0032 INSTALLED 2005
		015 "DIA CIR PLASTIC
	0040/1411	LEN=0032 INSTALLED 2005
		018 "DIA CIRC CONCR
	0040/1257	LEN=0043 INSTALLED 2005
		015 "DIA CIRC CONCR
	0040/0884	LEN=0028 INSTALLED 1988
		024 "DIA CIRC CONCR
	0040/0423	LEN=0032 INSTALLED 1988
007460 FT	007460 FT	2 0 31111 0 01 0074+79
	S 0040/0000	LENGTH(AH 3083 BK 2414)
		015 "DIA CIR PLASTIC
	0030/2298	LEN=0024 INSTALLED 1988
		015 "DIA CIRC CONCR
	0030/2053	LEN=0032 INSTALLED 1988
		024 "DIA CIRC CONCR
	0030/1870	LEN=0032 INSTALLED 1988

DIR: B TOTAL LEN: 4.643 MI. DIST: 09-5 SR: 1011
LEFT MUN: ONEIDA T RIGHT MUN: ONEIDA T

			015 "DIA CIR PLASTIC
		0030/1679	LEN=0026 INSTALLED 1988
			018 "DIA CIRC CONCR
		0030/1542	LEN=0030 INSTALLED 2005
			018 "DIA CIRC CONCR
		0030/1036	LEN=0032 INSTALLED 2005
			018 "DIA CIRC CONCR
		0030/0574	LEN=0032 INSTALLED 2005
	005046 FT	005046 FT	2 0 31111 0 01 0050+99
		S 0030/0000	LENGTH(AH 2414 BK 2431)
			024 "DIA CIRC CONCR
		0020/1731	LEN=0030 INSTALLED 1988
			018 "DIA CIRC CONCR
		0020/1518	LEN=0046 INSTALLED 1988
			018 "DIA CIRC CONCR
		0020/1350	LEN=0040 INSTALLED 2005
			018 "DIA CIR PLASTIC
		0020/0430	LEN=0032 INSTALLED 2005
	002615 FT	002615 FT	2 0 31111 0 01 0026+56
			WIKES RD
			(T483)
		S 0020/0000	LENGTH(AH 2431 BK 2615)
			018 "DIA CIRC CONCR
		0010/2279	LEN=0032 INSTALLED 2005
			015 "DIA CIR PLASTIC
		0010/1830	LEN=0026 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0010/0903	LEN=0036 INSTALLED 1988
		0010/0518	BMSEN 31/1011/0010/0475
			2 0 31111 0 01 0004+75
			MURRAYS RUN
		0010/0475	BMSBG 31/1011/0010/0475
			018 "DIA CIR PLASTIC
		0010/0351	LEN=0030 INSTALLED 1988
FOR SR 0026 AND 1011 (CONN)	0010/0157		
			036 "DIA CIR PLASTIC
		0010/0112	LEN=0060 INSTALLED 1988
	000000 FT	000000 FT	2 0 31111 0 00 0000+00
			VILLAGE: CENTER UNION
			NC MURRAY RUN RD
			STANDING STONE PY
			(SR0026 SEG 0490/0000)
STANDING STONE PY (SR0026 SEG 0490/0000)	0010/0000		MFC BEGIN = E
		S 0010/0000	LENGTH(AH 2615 BK 0000)

DIR: B TOTAL LEN: .284 MI. DIST: 09-5 SR: 1010
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

```
                                                                  001502 FT WILLIAM PENN HW
                                                                  0032/1395 (SR0022 SEG 0290/0770)

WILLIAM PENN HW
(SR0022 SEG 0290/0000)  0033/0575

                                                                  018 "DIA CIRC CONCR
                                                                  0032/0550 LEN=0060 INSTALLED 2000
                                                                  024 "DIA CIRC CONCR
                                                                  0032/0530 LEN=0030 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                                  0032/0525 LEN=0025 INSTALLED 2018
                                                                          SR 0022
                                                                  0032/0473 OP ID 31/0022/0280/0000
                                                                  024 "DIA CIRC METAL
                                                                  0032/0360 LEN=0170 INSTALLED UNKN
1 0 00033 0 00 0031+18 000107 FT                                  000107 FT 1 0 00033 0 00 0031+18
PENN ST                 REF-BK                                    REF-BK    PENN ST
(BORO)                                                                      (BORO)
MFC BEGIN = B                                                               MFC BEGIN = B
LENGTH(AH 0575 BK 0315) 0033/0000                                 0032/0000 LENGTH(AH 1395 BK 0315)
                        000107 FT                                 000107 FT
LENGTH(AH 0315 BK 1352) 7031/0000                                 7030/0000 LENGTH(AH 0315 BK 1352)
                        000107 FT                                 000107 FT
                                                                  7022/0000 LENGTH(AH 1352 BK 0107)
                                                                            BMSEN 31/1010/0020/0000
                                                                  REF-AHD   PENN ST
                                                                            (BORO)
HUNTINGDON B            0020/0107                                 0020/0107 HUNTINGDON B
                        000000 FT                                 000000 FT 1 0 00033 0 00 0013+40
                                                                        NC PENN ST
                                                                  REF-BK    PENN ST
                                                                            (BORO)
                                                                            STANDING STONE CREEK
                                                                            BMSBG 31/1010/0020/0000
                                                                            MFC BEGIN = B
                                                                  0020/0000 LENGTH(AH 0107 BK 1050)
                        000000 FT                                 000000 FT
                                                                  7010/0000 LENGTH(AH 1050 BK 0000)
```



DIR: B TOTAL LEN: 4.137 MI. DIST: 09-5 SR: 1009
LEFT MUN: ONEIDA T RIGHT MUN: ONEIDA T

	021845 FT	021845 FT	STANDING STONE RD
		0150/2432	(SR0026 SEG 0510/0000)
			015 "DIA CIRC METAL
		0150/2145	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC METAL
		0150/1811	LEN=0042 INSTALLED UNKN
			015 "DIA CIRC METAL
		0150/1549	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC METAL
		0150/1445	LEN=0036 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0150/1047	LEN=0030 INSTALLED UNKN
GRACE LN			
(PRDR)	0150/0443		
CHILCOTE HOLLOW RD			
(SR1006 SEG 0130/1085)	0150/0161		
		0150/0034	BMSEN 31/1009/0150/0000
	019413 FT	019413 FT	2 0 31048 0 00 0146+47
			CHILCOTE RUN
			BMSBG 31/1009/0150/0000
		S 0150/0000	LENGTH(AH 2432 BK 2965)
			015 "DIA CIRC METAL
		0140/2651	LEN=0050 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0140/2395	LEN=0045 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0140/1942	LEN=0045 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0140/1606	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC METAL
		0140/1363	LEN=0048 INSTALLED UNKN
			015 "DIA CIRC METAL
		0140/1130	LEN=0048 INSTALLED UNKN
			015 "DIA CIRC METAL
		0140/0983	LEN=0048 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0140/0683	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0140/0414	LEN=0048 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0140/0210	LEN=0061 INSTALLED UNKN
	016448 FT	016448 FT	2 0 31048 0 00 0116+81
			015 "DIA CIRC METAL
			LEN=0050 INSTALLED UNKN
		S 0140/0000	LENGTH(AH 2965 BK 2159)
			015 "DIA CIRC METAL
		0130/1675	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC METAL
		0130/1110	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 4.137 MI. DIST: 09-5 SR: 1009
LEFT MUN: ONEIDA T RIGHT MUN: ONEIDA T

			024 "DIA CIRC METAL
		0130/0705	LEN=0048 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0130/0135	LEN=0048 INSTALLED UNKN
014289 FT		014289 FT	2 0 31048 0 00 0094+68
		S 0130/0000	LENGTH(AH 2159 BK 2001)
			024 "DIA CIR PLASTIC
		0120/1803	LEN=0042 INSTALLED UNKN
			015 "DIA CIRC METAL
		0120/1396	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC METAL
		0120/1050	LEN=0041 INSTALLED UNKN
			015 "DIA CIRC METAL
		0120/0853	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0120/0567	LEN=0042 INSTALLED UNKN
OAKWOOD ACRES RD (PRDR)	0120/0497		
			024 "DIA CIR PLASTIC
		0120/0358	LEN=0032 INSTALLED UNKN
012288 FT		012288 FT	2 0 31048 0 00 0074+98
		S 0120/0000	LENGTH(AH 2001 BK 2563)
			015 "DIA CIRC METAL
		0110/2534	LEN=0048 INSTALLED UNKN
			015 "DIA CIRC METAL
		0110/2317	LEN=0042 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0110/2022	LEN=0036 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0110/1923	LEN=0042 INSTALLED UNKN
			015 "DIA CIRC METAL
		0110/1631	LEN=0045 INSTALLED UNKN
			024 "DIA CIRC METAL
		0110/1094	LEN=0042 INSTALLED UNKN
			036 "DIA CIRC METAL
		0110/0615	LEN=0042 INSTALLED UNKN
009725 FT		009725 FT	2 0 31048 0 00 0049+48
			015 "DIA CIRC METAL
			LEN=0045 INSTALLED UNKN
		S 0110/0000	LENGTH(AH 2563 BK 2448)
			018 "DIA CIR PLASTIC
		0100/2071	LEN=0049 INSTALLED UNKN
			024"H 36"W ELLIP METAL
		0100/1804	LEN=0048 INSTALLED UNKN
			015 "DIA CIRC METAL
		0100/1584	LEN=0044 INSTALLED UNKN
			015 "DIA CIRC METAL
		0100/1197	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC METAL

DIR: B TOTAL LEN: 4.137 MI. DIST: 09-5 SR: 1009
LEFT MUN: ONEIDA T RIGHT MUN: ONEIDA T

```
                                                  0100/1010 LEN=0048 INSTALLED UNKN
                                                            036 "DIA CIRC METAL
                                                  0100/0490 LEN=0040 INSTALLED UNKN
                          007277 FT               007277 FT 2 0 31048 0 00 0024+74
                                                S 0100/0000 LENGTH(AH 2448 BK 2498)
                                                            024"H 48"W ELLIP METAL
                                                  0090/2366 LEN=0032 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0090/2088 LEN=0039 INSTALLED UNKN
                                                            032"H 60"W ELLIP METAL
                                                  0090/2010 LEN=0032 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0090/1675 LEN=0033 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0090/1140 LEN=0040 INSTALLED UNKN

                          004779 FT               004779 FT 2 0 31048 0 00 0000+00
                                                S 0090/0000 LENGTH(AH 2498 BK 1384)
                                                            036 "DIA CIRC CONCR
                                                  0080/1135 LEN=0042 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0080/0635 LEN=0040 INSTALLED 1999
LEWIS LN                                                    VALLEY VIEW RD
(PRDR)                     0080/0383        ==  0080/0383 (T608)
                          003395 FT               003395 FT 1 0 00759 0 00 0142+18
                                                            SUNNY MEAD RD
                                                            (T601)
                                               == S 0080/0000 LENGTH(AH 1384 BK 2761)
                                                            030 "DIA CIR PLASTIC
                                                  0070/2457 LEN=0052 INSTALLED UNKN
WILDFLOWER LN
(PRDR)                     0070/1915        ==

                                                            036 "DIA CIR PLASTIC
                                                  0070/1090 LEN=0048 INSTALLED UNKN
                                                            036"H 36"W CONC STRUCT
                                                  0070/0620 LEN=0030 INSTALLED UNKN
                                                            SHIVELY RD
                                               == 0070/0424 (T602)
1 0 00759 0 00 0115+43 000634 FT                  000634 FT
PETERSBURG PK                                               MFC BEGIN = D
(SR4007 SEG 0010/0000)     0070/0000            S 0070/0000 LENGTH(AH 2761 BK 0560)
                                                            018 "DIA CIR PLASTIC
                                                  0062/0220 LEN=0040 INSTALLED UNKN
                          000074 FT               000074 FT 1 0 00759 0 00 0109+85
                                                        NC COLD SPRINGS RD
                                                * REF-BK    COLD SPRINGS RD
                                                            (BORO)
                                                S 0062/0000 LENGTH(AH 0560 BK 1000)
```

DIR: B TOTAL LEN: 4.137 MI. DIST: 09-5 SR: 1009
LEFT MUN: HUNTINGDON B RIGHT MUN: HUNTINGDON B

```
000074 FT                    000074 FT
                             7060/0000 LENGTH(AH 1000 BK 2880)
000074 FT                    000074 FT
                             7050/0000 LENGTH(AH 2880 BK 1766)
000074 FT                    000074 FT
                             7040/0000 LENGTH(AH 1766 BK 2680)
000074 FT                    000074 FT
                             7030/0000 LENGTH(AH 2680 BK 0327)
000074 FT                    000074 FT
                             7024/0000 LENGTH(AH 0327 BK 0013)
                           * REF-AHD   MOORE ST
                                       (BORO)
                             0022/0013 HUNTINGDON B
000061 FT                    000061 FT 1 0 00759 0 00 0022+69
                                       MUDDY RUN
                                       STRUCTURE LENGTH  13 FT
                                       BMSID 31/1009/0022/0000
                           * REF-BK    MOORE ST
                                       (BORO)
                           S 0022/0000 LENGTH(AH 0013 BK 0565)
000061 FT                    000061 FT
                             7020/0000 LENGTH(AH 0565 BK 0545)
000061 FT                    000061 FT
                             7018/0000 LENGTH(AH 0545 BK 0028)
                           * REF-AHD   MOORE ST
                                       (BORO)
                             0016/0028 BRIDGE POSTED (TONS)
000033 FT                    000033 FT 1 0 00759 0 00 0011+93
                                       MUDDY RUN
                                       STRUCTURE LENGTH  28 FT
                                       BMSID 31/1009/0016/0000
                           * REF-BK    MOORE ST
                                       (BORO)
                           S 0016/0000 LENGTH(AH 0028 BK 0756)
000033 FT                    000033 FT
                             7014/0000 LENGTH(AH 0756 BK 0033)
                           * REF-AHD   MOORE ST
                                       (BORO)
                             0012/0033 BRIDGE POSTED (TONS)
000000 FT                    000000 FT 1 0 00759 0 00 0003+33
                                   NC MOORE ST
                                       MUDDY RUN
                                       STRUCTURE LENGTH  33 FT
                                       BMSID 31/1009/0012/0000
                           * REF-BK    MOORE ST
                                       (BORO)
                                       MFC BEGIN = C
                           S 0012/0000 LENGTH(AH 0033 BK 0430)
000000 FT                    000000 FT
                             7010/0000 LENGTH(AH 0430 BK 0000)
```

DIR: B TOTAL LEN: 2.035 MI. DIST: 09-5 SR: 1008
LEFT MUN: WEST T RIGHT MUN: WEST T

	010743 FT		010743 FT
			INTER-AHD EWING RD
			(SR1013 SEG 0090/0000)
HARPER HILL RD			EWING RD
(T518)	0050/3420		0050/3420 (SR1013 SEG 0090/0000)
			018 "DIA CIR PLASTIC
			0050/2870 LEN=0025 INSTALLED 1988
			015 "DIA CIR PLASTIC
			0050/2635 LEN=0065 INSTALLED 1999
			HUGHES RD
			0050/2463 (T600)
			LC TO HUGHES RD
			0050/2368 (CONN)
			015 "DIA CIR PLASTIC
			0050/1945 LEN=0030 INSTALLED 1999
			015 "DIA CIRC CONCR
			0050/1803 LEN=0032 INSTALLED 1988
			018 "DIA CIR PLASTIC
			0050/1635 LEN=0040 INSTALLED 1988
			018 "DIA CIR PLASTIC
			0050/1499 LEN=0025 INSTALLED 1988
			0050/0018 BMSEN 31/1008/0050/0000
	007323 FT		007323 FT 2 0 31064 0 00 0073+20

DIR: B TOTAL LEN: 2.035 MI. DIST: 09-5 SR: 1008
LEFT MUN: WEST T RIGHT MUN: WEST T

		GREGORY RUN
		BMSBG 31/1008/0050/0000
	S 0050/0000	LENGTH(AH 3420 BK 1288)
		015 "DIA CIRC CONCR
	0040/0156	LEN=0030 INSTALLED 1988
		RBR
	0040/0088	BMSEN 31/1008/0040/0000
006035 FT	006035 FT	2 0 31064 0 00 0060+37
		P3
		SHAVER CREEK
		RBR
		BMSBG 31/1008/0040/0000
	S 0040/0000	LENGTH(AH 1288 BK 2244)
		036 "DIA CIR PLASTIC
	0030/0805	LEN=0040 INSTALLED 1999
		018 "DIA CIR PLASTIC
	0030/0384	LEN=0035 INSTALLED 1999
		015 "DIA CIR PLASTIC
	0030/0020	LEN=0035 INSTALLED 1999
003791 FT	003791 FT	2 0 31064 0 00 0037+91
	S 0030/0000	LENGTH(AH 2244 BK 2046)
		015 "DIA CIRC CONCR
	0020/1700	LEN=0030 INSTALLED 1988
	0020/0028	BMSEN 31/1008/0020/0000
001745 FT	001745 FT	2 0 31064 0 00 0017+55
		GLOBE RUN
		BMSBG 31/1008/0020/0000
	S 0020/0000	LENGTH(AH 2046 BK 1745)
		MCMAHON RD
	0010/1242	(T511)
000000 FT	000000 FT	2 0 31064 0 00 0000+00
		VILLAGE: COTTAGE
		NC MYTON RD
		SHAVERS CREEK RD
		(SR0305 SEG 0240/0000)
		MFC BEGIN = E
	S 0010/0000	LENGTH(AH 1745 BK 0000)

DIR: B TOTAL LEN: 2.663 MI. DIST: 09-5 SR: 1007
LEFT MUN: BRADY T RIGHT MUN: BRADY T

014058 FT

014058 FT AH-MIFFLIN (44)
REF-AHD FRONT MOUNTAIN RD
0060/3073 (SR4004 SEG 0010/0000)

036 "DIA CIR PLASTIC
0060/0998 LEN=0040 INSTALLED 1999
018 "DIA CIRC CONCR
0060/0553 LEN=0028 INSTALLED UNKN
024 "DIA CIRC CONCR
0060/0280 LEN=0030 INSTALLED UNKN
010985 FT 010985 FT 2 0 31043 0 00 0108+46
0060/0000 LENGTH(AH 3073 BK 1988)
015 "DIA CIRC CONCR
0050/1462 LEN=0030 INSTALLED UNKN

015 "DIA CIR PLASTIC
0050/0801 LEN=0030 INSTALLED 1999

018 "DIA CIRC CONCR
0050/0009 LEN=0029 INSTALLED UNKN
2 0 31043 0 00 0088+86 008997 FT 008997 FT
METZTOWN RD
(SR1002 SEG 0020/1532) 0050/0000 0050/0000 LENGTH(AH 1988 BK 1700)

DIR: B TOTAL LEN: 2.663 MI. DIST: 09-5 SR: 1007
LEFT MUN: BRADY T RIGHT MUN: BRADY T

		015 "DIA CIRC CONCR
	0040/1071	LEN=0030 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0040/0620	LEN=0030 INSTALLED UNKN
007297 FT	007297 FT	2 0 31043 0 00 0073+87
	S 0040/0000	LENGTH(AH 1700 BK 2229)
		018 "DIA CIRC CONCR
	0030/2146	LEN=0032 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0030/0743	LEN=0040 INSTALLED 1999
005068 FT	005068 FT	2 0 31043 0 00 0051+58
	S 0030/0000	LENGTH(AH 2229 BK 1911)
		018 "DIA CIR PLASTIC
	0020/1911	LEN=0040 INSTALLED 1999
		018 "DIA CIRC CONCR
	0020/1296	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/1215	LEN=0028 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/0534	LEN=0032 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0020/0069	LEN=0084 INSTALLED UNKN
003157 FT	003157 FT	2 0 31043 0 00 0031+57
		WISHMERE DR
		(TWP)
	S 0020/0000	LENGTH(AH 1911 BK 3157)
		060 "DIA CIRC CONCR
	0010/2377	LEN=0042 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0010/0699	LEN=0034 INSTALLED UNKN
000000 FT	000000 FT	2 0 31043 0 00 0000+00
		NC FRONT MOUNTAIN RD
		BIG VALLEY PK
		(SR0655 SEG 0620/0000)
		MFC BEGIN = E
	S 0010/0000	LENGTH(AH 3157 BK 0000)

DIR: B TOTAL LEN: 5.762 MI. DIST: 09-5 SR: 1006
LEFT MUN: ONEIDA T RIGHT MUN: ONEIDA T

```
030422 FT                    030422 FT COLD SPRINGS RD
                             0130/1085 (SR1009 SEG 0150/0161)
                                       015 "DIA CIR PLASTIC
                             0130/0975 LEN=0028 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0130/0667 LEN=0028 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0130/0401 LEN=0032 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0130/0027 LEN=0030 INSTALLED UNKN
029337 FT                    029337 FT 2 0 31050 0 01 0293+80
                           S 0130/0000 LENGTH(AH 1085 BK 2437)
                                       015 "DIA CIR PLASTIC
                             0120/2075 LEN=0040 INSTALLED 1997

                                       018 "DIA CIR PLASTIC
                             0120/1471 LEN=0032 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0120/0916 LEN=0040 INSTALLED 1997
                                       018 "DIA CIR PLASTIC
                             0120/0514 LEN=0036 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0120/0076 LEN=0028 INSTALLED UNKN
026900 FT                    026900 FT 2 0 31050 0 00 0269+51
                           S 0120/0000 LENGTH(AH 2437 BK 2771)

                                       015 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 5.762 MI. DIST: 09-5 SR: 1006
LEFT MUN: ONEIDA T RIGHT MUN: ONEIDA T

```
                                          0110/1931 LEN=0040 INSTALLED 1997
                                                    015 "DIA CIRC CONCR
                                          0110/1534 LEN=0028 INSTALLED UNKN

                                                    015 "DIA CIR PLASTIC
                                          0110/0915 LEN=0028 INSTALLED UNKN

                                                    018 "DIA CIR PLASTIC
                                          0110/0052 LEN=0040 INSTALLED 1997
024129 FT                                 024129 FT 2 0 31050 0 00 0241+80
                                                    ONEIDA
                                                    LOGAN T
                                        S 0110/0000 LENGTH(AH 2771 BK 1517)
                                                    018 "DIA CIR PLASTIC
                                          0100/1420 LEN=0038 INSTALLED UNKN

                                                    015 "DIA CIR PLASTIC
                                          0100/0538 LEN=0050 INSTALLED 1997
                                                    018 "DIA CIR PLASTIC
                                          0100/0150 LEN=0038 INSTALLED UNKN
022612 FT                                 022612 FT 2 0 31050 0 00 0227+04
                                        S 0100/0000 LENGTH(AH 1517 BK 1924)
                                                    018 "DIA CIRC CONCR
                                          0090/1912 LEN=0048 INSTALLED UNKN

                                                    015 "DIA CIR PLASTIC
                                          0090/1039 LEN=0040 INSTALLED 1997

                                                    015 "DIA CIRC CONCR
                                          0090/0256 LEN=0035 INSTALLED 1999
020688 FT                                 020688 FT 2 0 31050 0 00 0207+58
                                        S 0090/0000 LENGTH(AH 1924 BK 3033)
                                                    036"H 00"W MULT CONCR
                                          0080/3017 LEN=0046 INSTALLED UNKN


                                                    018 "DIA CIR PLASTIC
                                          0080/2093 LEN=0032 INSTALLED UNKN
                                                    015 "DIA CIR PLASTIC
                                          0080/1846 LEN=0030 INSTALLED UNKN
                                                    030 "DIA CIR PLASTIC
                                          0080/1437 LEN=0050 INSTALLED 1997
                                                    015 "DIA CIRC CONCR
                                          0080/0970 LEN=0030 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                          0080/0743 LEN=0030 INSTALLED UNKN
                                                    015 "DIA CIR PLASTIC
                                          0080/0483 LEN=0026 INSTALLED UNKN
                                                    018 "DIA CIR PLASTIC
                                          0080/0071 LEN=0040 INSTALLED 1997
```

DIR: B TOTAL LEN: 5.762 MI. DIST: 09-5 SR: 1006
LEFT MUN: LOGAN T RIGHT MUN: LOGAN T

	017655 FT	017655 FT	2 0 31050 0 00 0176+94
		S 0080/0000	LENGTH(AH 3033 BK 2487)
			018 "DIA CIR PLASTIC
		0070/2225	LEN=0038 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0070/1970	LEN=0048 INSTALLED 1997
			015 "DIA CIR PLASTIC
		0070/1744	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0070/1438	LEN=0040 INSTALLED 1997
			015 "DIA CIR PLASTIC
		0070/0481	LEN=0026 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0076	LEN=0040 INSTALLED 1997
	015168 FT	015168 FT	2 0 31050 0 00 0151+78
		S 0070/0000	LENGTH(AH 2487 BK 2796)
			018 "DIA CIR PLASTIC
		0060/2564	LEN=0028 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/2147	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0060/1913	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0060/1767	LEN=0032 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0060/1264	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0060/0777	LEN=0028 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/0151	LEN=0040 INSTALLED UNKN
2 0 31050 0 00 0124+09	012372 FT	012372 FT	
EWING RD			
(SR1013 SEG 0010/0000)	0060/0000	S 0060/0000	LENGTH(AH 2796 BK 1411)
	010961 FT	010961 FT	2 0 31050 0 00 0109+47
		S 0050/0000	LENGTH(AH 1411 BK 2668)
			015 "DIA CIRC CONCR
		0040/2202	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0040/1127	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 5.762 MI. DIST: 09-5 SR: 1006
LEFT MUN: LOGAN T RIGHT MUN: LOGAN T

		0040/0130	LEN=0024 INSTALLED UNKN
		008293 FT	
2 0 31050 0 00 0082+61 008293 FT			
IRVIN RD			
(T477)	0040/0000	5 0040/0000	LENGTH(AH 2668 BK 3335)
			GROVES RD
		0030/3294	(T476)
			015 "DIA CIR PLASTIC
		0030/2763	LEN=0040 INSTALLED 1997
			015 "DIA CIRC CONCR
		0030/2575	LEN=0028 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0030/1033	LEN=0034 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0030/0395	LEN=0036 INSTALLED UNKN
	004958 FT	004958 FT	2 0 31050 0 00 0049+95
		5 0030/0000	LENGTH(AH 3335 BK 2442)
			015 "DIA CIR PLASTIC
		0020/2238	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0020/1939	LEN=0032 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0020/1667	LEN=0030 INSTALLED UNKN
	002516 FT	002516 FT	2 0 31050 0 00 0025+16
		5 0020/0000	LENGTH(AH 2442 BK 2516)
			015 "DIA CIRC CONCR
		0010/1670	LEN=0028 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/1026	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/0923	LEN=0030 INSTALLED UNKN
	000000 FT	000000 FT	2 0 31050 0 00 0000+00
			VILLAGE: RIBOT
			NC CHILCOTE HOLLOW RD
			SHAVERS CREEK RD
			(SR0305 SEG 0150/0000)
SHAVERS CREEK RD			MFC BEGIN = D
(SR0305 SEG 0150/0000)	0010/0000	5 0010/0000	LENGTH(AH 2516 BK 0000)

DIR: B TOTAL LEN: 3.195 MI. DIST: 09-5 SR: 1005
LEFT MUN: MILLER T RIGHT MUN: MILLER T

```
016871 FT                    016871 FT STONE CREEK RIDGE RD
                             0190/2894 (SR1001 SEG 0240/0636)
                                       018 "DIA CIR PLASTIC
                             0190/2780 LEN=0040 INSTALLED UNKN

                                       015 "DIA CIR PLASTIC
                             0190/1838 LEN=0032 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0190/1374 LEN=0034 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                             0190/1080 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0190/0706 LEN=0044 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0190/0435 LEN=0036 INSTALLED UNKN
013977 FT                    013977 FT 2 0 31040 0 04 0363+00
                           S 0190/0000 LENGTH(AH 2894 BK 2276)

                                       015 "DIA CIR PLASTIC
                             0180/1611 LEN=0039 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0180/1212 LEN=0045 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0180/0815 LEN=0032 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0180/0313 LEN=0036 INSTALLED UNKN
011701 FT                    011701 FT 2 0 31040 0 04 0339+73
                           S 0180/0000 LENGTH(AH 2276 BK 2187)
                                       015 "DIA CIR PLASTIC
                             0170/2130 LEN=0035 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0170/1842 LEN=0034 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0170/1571 LEN=0038 INSTALLED UNKN

                                       018 "DIA CIR PLASTIC
                             0170/0949 LEN=0034 INSTALLED UNKN

                                       015 "DIA CIR PLASTIC
                             0170/0296 LEN=0042 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0170/0149 LEN=0034 INSTALLED UNKN
```

DIR: B TOTAL LEN: 3.195 MI. DIST: 09-5 SR: 1005
LEFT MUN: MILLER T RIGHT MUN: MILLER T

	009514 FT	009514 FT	2 0 31040 0 04 0318+53
			MILLER
			HENDERSON T
		0170/0000	LENGTH(AH 2187 BK 2854)
			018 "DIA CIR PLASTIC
		0160/2715	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0160/2254	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0160/1641	LEN=0038 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0160/1111	LEN=0042 INSTALLED UNKN
			048 "DIA CIRC CONCR
		0160/0697	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0160/0111	LEN=0040 INSTALLED UNKN
	006660 FT	006660 FT	2 0 31040 0 04 0290+26
		0160/0000	LENGTH(AH 2854 BK 2260)
			015 "DIA CIR PLASTIC
		0150/1731	LEN=0034 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0150/1585	LEN=0038 INSTALLED UNKN
			060 "DIA CIR PLASTIC
		0150/0864	LEN=0040 INSTALLED UNKN
			072 "DIA CIRC METAL
		0150/0115	LEN=0040 INSTALLED UNKN
2 0 31040 0 04 0267+35	004400 FT	004400 FT	
STATE GAMELAND RD			
(T474)	0150/0000	0150/0000	LENGTH(AH 2260 BK 1447)
			018 "DIA CIR PLASTIC
		0140/0790	LEN=0028 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0140/0485	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0140/0030	LEN=0030 INSTALLED UNKN
	002953 FT	002953 FT	2 0 31040 0 04 0253+10
		0140/0000	LENGTH(AH 1447 BK 2053)
			024"H 34"W ELLIP METAL
		0130/1723	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0130/1096	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0130/0938	LEN=0028 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0130/0757	LEN=0042 INSTALLED UNKN

DIR: B TOTAL LEN: 3.195 MI. DIST: 09-5 SR: 1005
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

		018 "DIA CIR PLASTIC
	0130/0386	LEN=0032 INSTALLED UNKN
	0130/0050	BMSEN 31/1005/0130/0000
000900 FT	000900 FT	2 0 31040 0 03 0232+41
		MILL CREEK
		BMSBG 31/1005/0130/0000
	S 0130/0000	LENGTH(AH 2053 BK 0643)
		018 "DIA CIR PLASTIC
	0124/0483	LEN=0099 INSTALLED 2001
		018 "DIA CIR PLASTIC
	0124/0229	LEN=0040 INSTALLED 2001
		018 "DIA CIR PLASTIC
	0124/0025	LEN=0035 INSTALLED 2001
000257 FT	000257 FT	2 0 31040 0 03 0219+74
	* REF-BK	MILL CREEK HOLLOW RD
		(TWP)
	S 0124/0000	LENGTH(AH 0643 BK 0664)
000257 FT	000257 FT	
	7122/0000	LENGTH(AH 0664 BK 0051)
		BMSEN 31/1005/0120/0000
	* REF-AHD	MILL CREEK HOLLOW RD
		(TWP)
	0120/0051	BRADY T
000206 FT	000206 FT	2 0 31040 0 03 0212+58
	* REF-BK	MILL CREEK HOLLOW RD
		(TWP)
		MILL CREEK
		BMSBG 31/1005/0120/0000
	S 0120/0000	LENGTH(AH 0051 BK 1567)
000206 FT	000206 FT	
	7112/0000	LENGTH(AH 1567 BK 0046)
		BMSEN 31/1005/0110/0000
	* REF-AHD	MILL CREEK HOLLOW RD
	0110/0046	(TWP)
000160 FT	000160 FT	2 0 31040 0 02 0195+75
	* REF-BK	MILL CREEK HOLLOW RD
		(TWP)
		MILL CREEK
		BMSBG 31/1005/0110/0000
	S 0110/0000	LENGTH(AH 0046 BK 1766)
000160 FT	000160 FT	
	7100/0000	LENGTH(AH 1766 BK 2091)
000160 FT	000160 FT	
	7090/0000	LENGTH(AH 2091 BK 1733)
000160 FT	000160 FT	
	7082/0000	LENGTH(AH 1733 BK 0057)
		BMSEN 31/1005/0080/0000
	* REF-AHD	MILL CREEK HOLLOW RD
	0080/0057	(TWP)
000103 FT	000103 FT	2 0 31040 0 02 0139+53

DIR: B TOTAL LEN: 3.195 MI. DIST: 09-5 SR: 1005
LEFT MUN: BRADY T RIGHT MUN: BRADY T



```
                                    * REF-BK      MILL CREEK HOLLOW RD
                                                  (TWP  )
                                                  MILL CREEK
                                                  BMSBG 31/1005/0080/0000
                                    S 0080/0000   LENGTH(AH 0057 BK 1810)
000103 FT                             000103 FT
                                      7070/0000   LENGTH(AH 1810 BK 2146)
000103 FT                             000103 FT
                                      7062/0000   LENGTH(AH 2146 BK 0011)
                                    * REF-AHD     MILL CREEK HOLLOW RD
                                      0060/0011   (TWP  )
000092 FT                             000092 FT   2 0 31040 0 01 0098+59
                                                  TR.MILL CRK.
                                                  STRUCTURE LENGTH  11 FT
                                                  BMSID 31/1005/0060/0000
                                    * REF-BK      MILL CREEK HOLLOW RD
                                                  (TWP  )
                                    S 0060/0000   LENGTH(AH 0011 BK 1336)
000092 FT                             000092 FT
                                      7052/0000   LENGTH(AH 1336 BK 0040)
                                                  BMSEN 31/1005/0050/0000
                                    * REF-AHD     MILL CREEK HOLLOW RD
                                      0050/0040   (TWP  )
000052 FT                             000052 FT   2 0 31040 0 01 0084+77
                                    * REF-BK      MILL CREEK HOLLOW RD
                                                  (TWP  )
                                                  MILL CREEK
                                                  BMSBG 31/1005/0050/0000
                                    S 0050/0000   LENGTH(AH 0040 BK 1498)
000052 FT                             000052 FT
                                      7040/0000   LENGTH(AH 1498 BK 2480)
000052 FT                             000052 FT
                                      7030/0000   LENGTH(AH 2480 BK 2321)
000052 FT                             000052 FT
                                      7020/0000   LENGTH(AH 2321 BK 1857)
000052 FT                             000052 FT
                                      7014/0000   LENGTH(AH 1857 BK 0052)
                                                  BMSEN 31/1005/0012/0000
                                    * REF-AHD     MILL CREEK HOLLOW RD
                                      0012/0052   (TWP  )
000000 FT                             000000 FT   2 0 31040 0 00 0001+57
                                                  VILLAGE: FOUSETOWN
                                          NC MILL CREEK HOLLOW RD
                                    * REF-BK      MILL CREEK HOLLOW RD
                                                  (TWP  )
                                                  SADDLERS RUN
                                                  BMSBG 31/1005/0012/0000
                                    S 0012/0000   LENGTH(AH 0052 BK 0159)
000000 FT                             000000 FT
                                      7010/0000   LENGTH(AH 0159 BK 0000)
```

DIR: B TOTAL LEN: .629 MI. DIST: 09-5 SR: 1004
LEFT MUN: BRADY T RIGHT MUN: BRADY T

003320 FT

002603 FT

000000 FT



003320 FT AH-MIFFLIN (44)
REF-AHD SHARPSBURG RD
0020/0717 (SR4002 SEG 0010/0000)

048"H 00"W MULT CONCR
0020/0015 LEN=0030 INSTALLED UNKN
002603 FT 2 0 31047 0 00 0026+13
SADDLERS RUN
STRUCTURE LENGTH 9 FT
BMSID 31/1004/0020/0000
0020/0000 LENGTH(AH 0717 BK 2603)

000000 FT 2 0 31047 0 00 0000+00
NC SHARPSBURG RD
BIG VALLEY PK
(SR0655 SEG 0660/0000)
MFC BEGIN = E
0010/0000 LENGTH(AH 2603 BK 0000)

DIR: B TOTAL LEN: 5.657 MI. DIST: 09-5 SR: 1003
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

```
029869 FT                    029869 FT STONE CREEK RIDGE RD
                             0140/1002 (SR1001 SEG 0150/0968)
                                       015 "DIA CIRC CONCR
                             0140/0930 LEN=0030 INSTALLED UNKN

028867 FT                    028867 FT 2 0 31113 0 00 0288+73
                           S 0140/0000 LENGTH(AH 1002 BK 0614)
                                       012 "DIA CIRC METAL
                             0130/0340 LEN=0030 INSTALLED UNKN
028253 FT                    028253 FT 2 0 31113 0 00 0282+59
                           S 0130/0000 LENGTH(AH 0614 BK 3578)
                                       015 "DIA CIRC CONCR
                             0120/3485 LEN=0028 INSTALLED UNKN

                                       015 "DIA CIR PLASTIC
                             0120/2719 LEN=0040 INSTALLED 1999
                                       015 "DIA CIR PLASTIC
                             0120/2292 LEN=0040 INSTALLED 2000
                                       015 "DIA CIRC CONCR
                             0120/1940 LEN=0030 INSTALLED UNKN

024675 FT                    024675 FT 2 0 31113 0 00 0246+81
                           S 0120/0000 LENGTH(AH 3578 BK 2098)
                                       015 "DIA CIRC CONCR
                             0110/1552 LEN=0028 INSTALLED UNKN

                                       015 "DIA CIRC CONCR
                             0110/0725 LEN=0024 INSTALLED UNKN
                                       HENDERSON
                             0110/0528 BRADY T
                                       015 "DIA CIRC METAL
                             0110/0068 LEN=0024 INSTALLED UNKN
022577 FT                    022577 FT 2 0 31113 0 00 0226+18
                                       FRAIN RD
```

DIR: B TOTAL LEN: 5.657 MI. DIST: 09-5 SR: 1003
LEFT MUN: BRADY T RIGHT MUN: BRADY T

		(T452)
	S 0110/0000	LENGTH(AH 2098 BK 1759)
		BRADY
	0100/1231	HENDERSON T
		015 "DIA CIRC METAL
	0100/0806	LEN=0028 INSTALLED UNKN
		015 "DIA CIRC METAL
	0100/0125	LEN=0030 INSTALLED UNKN
020818 FT	020818 FT	2 0 31113 0 00 0208+59
	S 0100/0000	LENGTH(AH 1759 BK 2922)
		015 "DIA CIRC METAL
	0090/2885	LEN=0038 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0090/2530	LEN=0036 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0090/1640	LEN=0030 INSTALLED UNKN
017896 FT	017896 FT	2 0 31113 0 00 0179+37
	S 0090/0000	LENGTH(AH 2922 BK 1349)
		015 "DIA CIRC CONCR
	0080/1310	LEN=0028 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0080/1079	LEN=0034 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0080/0631	LEN=0030 INSTALLED UNKN
016547 FT	016547 FT	2 0 31113 0 00 0166+61
		VILLAGE: UNION CHURCH
	S 0080/0000	LENGTH(AH 1349 BK 2204)
		015 "DIA CIRC CONCR
	0070/2013	LEN=0030 INSTALLED UNKN
		015 "DIA CIRC METAL
	0070/1570	LEN=0022 INSTALLED UNKN
014343 FT	014343 FT	2 0 31113 0 00 0144+09
	S 0070/0000	LENGTH(AH 2204 BK 2889)
		024 "DIA CIRC CONCR
	0060/2860	LEN=0030 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0060/2445	LEN=0038 INSTALLED UNKN
		030 "DIA CIRC METAL
	0060/1890	LEN=0046 INSTALLED UNKN

DIR: B TOTAL LEN: 5.657 MI. DIST: 09-5 SR: 1003
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

				015 "DIA CIRC METAL
			0060/1460	LEN=0030 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0060/1015	LEN=0032 INSTALLED 1996
				036 "DIA CIRC METAL
			0060/0447	LEN=0042 INSTALLED UNKN
				024 "DIA CIRC CONCR
			0060/0050	LEN=0040 INSTALLED 2006
2 0 31113 0 00 0114+82	011454 FT			011454 FT
NO NAME RD				
(TWP)	0060/0000	==	S 0060/0000	LENGTH(AH 2889 BK 2216)
				018 "DIA CIR PLASTIC
			0050/2216	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0050/1852	LEN=0036 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0050/0952	LEN=0034 INSTALLED UNKN
				030 "DIA CIRC CONCR
			0050/0814	LEN=0032 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0050/0705	LEN=0034 INSTALLED UNKN
				030 "DIA CIRC CONCR
			0050/0560	LEN=0032 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0050/0262	LEN=0036 INSTALLED UNKN
				015 "DIA CIRC METAL
			0050/0046	LEN=0034 INSTALLED UNKN
2 0 31113 0 00 0092+66	009238 FT			009238 FT
PENN WOODS RD				
(T570)	0050/0000	==	S 0050/0000	LENGTH(AH 2216 BK 1705)
				024 "DIA CIR PLASTIC
			0040/1292	LEN=0034 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0040/1128	LEN=0034 INSTALLED UNKN
				015 "DIA CIRC METAL
			0040/0421	LEN=0028 INSTALLED UNKN
	007533 FT			007533 FT 2 0 31113 0 00 0075+37
				015 "DIA CIRC CONCR
				LEN=0032 INSTALLED UNKN
			S 0040/0000	LENGTH(AH 1705 BK 2452)
				015 "DIA CIRC CONCR
			0030/2082	LEN=0030 INSTALLED UNKN
				036 "DIA CIRC CONCR
			0030/1743	LEN=0036 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0030/1628	LEN=0032 INSTALLED UNKN

DIR: B TOTAL LEN: 5.657 MI. DIST: 09-5 SR: 1003
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

```
                                                  015 "DIA CIRC CONCR
                                  0030/1005 LEN=0028 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                  0030/0780 LEN=0024 INSTALLED 2003
                                                  024 "DIA CIRC CONCR
                                  0030/0494 LEN=0028 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0030/0270 LEN=0024 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0030/0074 LEN=0028 INSTALLED UNKN
005081 FT                         005081 FT 2 0 31113 0 00 0050+85
                                S 0030/0000 LENGTH(AH 2452 BK 2478)
                                                  018 "DIA CIR PLASTIC
                                  0020/2049 LEN=0024 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0020/1450 LEN=0036 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0020/1144 LEN=0026 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0020/0837 LEN=0028 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                  0020/0689 LEN=0034 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0020/0542 LEN=0032 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0020/0427 LEN=0028 INSTALLED UNKN
002603 FT                         002603 FT 2 0 31113 0 00 0026+07
                                                  015 "DIA CIRC CONCR
                                                  LEN=0032 INSTALLED UNKN
                                S 0020/0000 LENGTH(AH 2478 BK 2603)
                                                  015 "DIA CIRC CONCR
                                  0010/2262 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0010/1703 LEN=0030 INSTALLED UNKN
                                                  012 "DIA CIR PLASTIC
                                  0010/1498 LEN=0032 INSTALLED UNKN


                                                  015 "DIA CIRC CONCR
                                  0010/0525 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                  0010/0164 LEN=0024 INSTALLED UNKN
000000 FT                         000000 FT 2 0 31113 0 00 0000+00
                                                  036 "DIA CIRC CONCR
                                                  LEN=0024 INSTALLED UNKN
                                        NC SUGAR GROVE RD
                                * REF-BK          SUGAR GROVE RD
                                                  (T442)
                                                  MFC BEGIN = E
                                S 0010/0000 LENGTH(AH 2603 BK 0000)
```

DIR: B TOTAL LEN: .839 MI. DIST: 09-5 SR: 1002
LEFT MUN: BRADY T RIGHT MUN: BRADY T

```
004429 FT                    004429 FT FRONT MOUNTAIN RD
                             0020/1532 (SR1007 SEG 0050/0000)

                                       024 "DIA CIR PLASTIC
                             0020/0912 LEN=0025 INSTALLED 1990
                                       015 "DIA CIR PLASTIC
                             0020/0624 LEN=0024 INSTALLED 1990

                             0020/0017 BMSEN 31/1002/0020/0000
002897 FT                    002897 FT 2 0 31045 0 00 0028+95
                                       SADDLER RUN
                                       BMSBG 31/1002/0020/0000
                           5 0020/0000 LENGTH(AH 1532 BK 2897)

000000 FT                    000000 FT 2 0 31045 0 00 0000+00
                                  NC METZTOWN RD
                                       BIG VALLEY PK
                                       (SR0655 SEG 0640/1498)
                             INTER-BK  HICKORY LN
                                       (TWP )
                                       MFC BEGIN = E
                           5 0010/0000 LENGTH(AH 2897 BK 0000)
```

DIR: B TOTAL LEN: 12.755 MI. DIST: 09-5 SR: 1001
LEFT MUN: MILLER T RIGHT MUN: MILLER T

```
067348 FT                    067348 FT STANDING STONE RD
                             0310/1765 (SR0026 SEG 0570/0000)

                                       OLD TOWN RD
                             0310/0203 (T560)
                             0310/0144 BMSEN 31/1001/0310/0000
065583 FT                    065583 FT 2 0 31042 0 00 0664+42
                                       STANDING STONE CREEK
                                       BMSBG 31/1001/0310/0000
                           S 0310/0000 LENGTH(AH 1765 BK 2658)

                                       048 "DIA CIRC METAL
                             0300/1924 LEN=0095 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0300/1518 LEN=0034 INSTALLED UNKN
                                       015 "DIA CIR PLASTIC
                             0300/0963 LEN=0028 INSTALLED UNKN

                                       018 "DIA CIR PLASTIC
                             0300/0193 LEN=0032 INSTALLED UNKN
062925 FT                    062925 FT 2 0 31042 0 00 0638+17
```

DIR: B TOTAL LEN: 12.755 MI. DIST: 09-5 SR: 1001
LEFT MUN: MILLER T RIGHT MUN: MILLER T

CARRIAGE HILL RD (T561)	0300/0000		VILLAGE: CORNPRSPT MILL
		S 0300/0000	LENGTH(AH 2658 BK 2071)
			015 "DIA CIR PLASTIC
		0290/2071	LEN=0025 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0290/1222	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0290/0584	LEN=0036 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0290/0410	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0290/0017	LEN=0080 INSTALLED UNKN
2 0 31042 0 00 0617+38	060854 FT		060854 FT
CARRIAGE HILL RD (T561)	0290/0000	S 0290/0000	LENGTH(AH 2071 BK 1207)
			018 "DIA CIRC CONCR
		0280/0036	LEN=0034 INSTALLED UNKN
	059647 FT		059647 FT 2 0 31042 0 00 0605+24
			015 "DIA CIRC CONCR
			LEN=0036 INSTALLED UNKN
			CREEK CROSSING RD
			(T563)
		S 0280/0000	LENGTH(AH 1207 BK 3308)
			018 "DIA CIRC CONCR
		0270/2481	LEN=0032 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0270/1766	LEN=0010 INSTALLED 2007
			018 "DIA CIR PLASTIC
		0270/1282	LEN=0034 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0270/0321	LEN=0032 INSTALLED UNKN
2 0 31042 0 00 0571+99	056339 FT		056339 FT
MURRAY RUN RD (SR1011 SEG 0100/2740)	0270/0000	S 0270/0000	LENGTH(AH 3308 BK 2515)
			048 "DIA CIR PLASTIC
		0260/2474	LEN=0058 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0260/1576	LEN=0036 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0260/1241	LEN=0050 INSTALLED 1997

DIR: B TOTAL LEN: 12.755 MI. DIST: 09-5 SR: 1001
LEFT MUN: MILLER T RIGHT MUN: MILLER T

			015 "DIA CIRC CONCR
		0260/0347	LEN=0028 INSTALLED UNKN
	053824 FT	053824 FT	2 0 31042 0 00 0546+70
		0260/0000	LENGTH(AH 2515 BK 2505)
			015 "DIA CIR PLASTIC
		0250/1991	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0250/1387	LEN=0032 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0250/0913	LEN=0038 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0250/0413	LEN=0028 INSTALLED UNKN
	051319 FT	051319 FT	2 0 31042 0 00 0521+65
		0250/0000	LENGTH(AH 2505 BK 2878)
			015 "DIA CIR PLASTIC
		0240/2454	LEN=0032 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0240/0958	LEN=0048 INSTALLED 2007
			MILL CREEK HOLLOW RD
		0240/0636	(SR1005 SEG 0190/2894)
			018 "DIA CIR PLASTIC
		0240/0426	LEN=0032 INSTALLED UNKN
2 0 31042 0 00 0492+65	048441 FT	048441 FT	
SUNRISE CAMP RD			
(T485)	0240/0000	0240/0000	LENGTH(AH 2878 BK 1813)
			024 "DIA CIRC CONCR
		0230/1779	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0230/1246	LEN=0024 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0230/0621	LEN=0036 INSTALLED UNKN
	046628 FT	046628 FT	2 0 31042 0 00 0474+52
		0230/0000	LENGTH(AH 1813 BK 2432)
			MILLER
		0220/2295	HENDERSON T
			018 "DIA CIR PLASTIC
		0220/2199	LEN=0032 INSTALLED UNKN
			YESHUA WY
		0220/0534	(PRDR)
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 12.755 MI. DIST: 09-5 SR: 1001
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

			0220/0058 LEN=0030 INSTALLED UNKN
2 0 31042 0 00 0450+00 044196 FT			044196 FT
BUMGARDNER RD			
(T488)	0220/0000	==	S 0220/0000 LENGTH(AH 2432 BK 1324)
			015 "DIA CIR PLASTIC
			0210/0410 LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0210/0114 LEN=0028 INSTALLED UNKN
	042872 FT		042872 FT 2 0 31042 0 00 0436+76
			S 0210/0000 LENGTH(AH 1324 BK 2651)
			018 "DIA CIRC CONCR
			0200/2010 LEN=0028 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0200/1693 LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0200/0547 LEN=0028 INSTALLED UNKN
2 0 31042 0 00 0410+29 040221 FT			040221 FT
MCCALLS HILL RD			
(T486)	0200/0000	==	S 0200/0000 LENGTH(AH 2651 BK 1492)
			015 "DIA CIRC CONCR
			0190/1478 LEN=0020 INSTALLED UNKN
	038729 FT		038729 FT 2 0 31042 0 00 0395+37
			030 "DIA CIRC CONCR
			LEN=0032 INSTALLED UNKN
			S 0190/0000 LENGTH(AH 1492 BK 2495)
			015 "DIA CIRC CONCR
			0180/2251 LEN=0032 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0180/1350 LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0180/0984 LEN=0028 INSTALLED UNKN
	036234 FT		036234 FT 2 0 31042 0 00 0370+42
			015 "DIA CIR PLASTIC
			LEN=0032 INSTALLED 1999
			S 0180/0000 LENGTH(AH 2495 BK 2113)

DIR: B TOTAL LEN: 12.755 MI. DIST: 09-5 SR: 1001
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

			015 "DIA CIRC CONCR
		0170/0475	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0170/0290	LEN=0032 INSTALLED UNKN
	034121 FT	034121 FT	2 0 31042 0 00 0349+12
			STATE GAMELANDS RD
			(T474)
		S 0170/0000	LENGTH(AH 2113 BK 1686)
			015 "DIA CIR PLASTIC
		0160/0781	LEN=0030 INSTALLED UNKN
	032435 FT	032435 FT	2 0 31042 0 00 0332+18
			VILLAGE: UNION CHURCH
			024 "DIA CIRC METAL
PONDEROSA RD (T473)	0160/0000		LEN=0030 INSTALLED UNKN
		S 0160/0000	LENGTH(AH 1686 BK 2779)
			024 "DIA CIR PLASTIC
		0150/2762	LEN=0028 INSTALLED UNKN
GIBBONEY LN (PRDR)	0150/1323		
			SUGAR GROVE RD
		0150/0968	(SR1003 SEG 0140/1002)
			024 "DIA CIR PLASTIC
		0150/0692	LEN=0060 INSTALLED 1997
			015 "DIA CIRC CONCR
		0150/0341	LEN=0034 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0150/0126	LEN=0036 INSTALLED UNKN
	029656 FT	029656 FT	2 0 31042 0 00 0305+00
			SCHOOL HOUSE HOLLOW RD
			(T448)
		S 0150/0000	LENGTH(AH 2779 BK 0943)
			015 "DIA CIRC CONCR
		0140/0756	LEN=0044 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0140/0198	LEN=0036 INSTALLED UNKN
	028713 FT	028713 FT	2 0 31042 0 00 0295+57
		S 0140/0000	LENGTH(AH 0943 BK 2272)
			015 "DIA CIRC CONCR
		0130/1816	LEN=0044 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0130/1360	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0130/0841	LEN=0046 INSTALLED UNKN

DIR: B TOTAL LEN: 12.755 MI. DIST: 09-5 SR: 1001
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

	026441 FT	026441 FT	2 0 31042 0 00 0272+85
			015 "DIA CIRC METAL
			LEN=0030 INSTALLED UNKN
		S 0130/0000	LENGTH(AH 2272 BK 2692)
			015 "DIA CIRC METAL
		0120/2055	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0120/1411	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0120/0717	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0120/0190	LEN=0030 INSTALLED UNKN
	023749 FT	023749 FT	2 0 31042 0 00 0244+47
		S 0120/0000	LENGTH(AH 2692 BK 2220)
			018 "DIA CIRC CONCR
		0110/1218	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/0113	LEN=0032 INSTALLED UNKN
	021529 FT	021529 FT	2 0 31042 0 00 0195+35
			BARK RIDGE RD
			(T462)
		S 0110/0000	LENGTH(AH 2220 BK 2592)
			015 "DIA CIRC CONCR
		0100/2012	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0100/1702	LEN=0042 INSTALLED UNKN
	018937 FT	018937 FT	2 0 31042 0 00 0181+30
			030 "DIA CIR PLASTIC
GORSUCH RD			LEN=0100 INSTALLED 2006
(T464)	0100/0000	S 0100/0000	LENGTH(AH 2592 BK 1565)
			018 "DIA CIRC METAL
		0090/0682	LEN=0062 INSTALLED UNKN
	017372 FT	017372 FT	2 0 31042 0 00 0171+00
		S 0090/0000	LENGTH(AH 1565 BK 1590)
			015 "DIA CIRC METAL
		0080/1495	LEN=0038 INSTALLED UNKN

DIR: B TOTAL LEN: 12.755 MI. DIST: 09-5 SR: 1001
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

		012 "DIA CIRC METAL
	0080/0752	LEN=0036 INSTALLED UNKN
		012 "DIA CIRC METAL
	0080/0469	LEN=0034 INSTALLED UNKN
015782 FT	015782 FT	2 0 31042 0 00 0161+60
	S 0080/0000	LENGTH(AH 1590 BK 2540)
		015 "DIA CIRC METAL
	0070/2086	LEN=0038 INSTALLED UNKN
		012 "DIA CIRC METAL
	0070/0169	LEN=0034 INSTALLED UNKN
013242 FT	013242 FT	2 0 31042 0 00 0137+10
	S 0070/0000	LENGTH(AH 2540 BK 2449)
		012 "DIA CIRC METAL
	0060/2287	LEN=0038 INSTALLED UNKN
		015 "DIA CIRC METAL
	0060/1104	LEN=0036 INSTALLED UNKN
010793 FT	010793 FT	2 0 31042 0 00 0113+60
	S 0060/0000	LENGTH(AH 2449 BK 2531)
		012 "DIA CIRC METAL
	0050/1514	LEN=0032 INSTALLED UNKN
		012 "DIA CIRC METAL
	0050/1247	LEN=0036 INSTALLED UNKN
		018 "DIA CIRC METAL
	0050/0950	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC METAL
	0050/0457	LEN=0030 INSTALLED UNKN
008262 FT	008262 FT	2 0 31042 0 00 0089+60
	S 0050/0000	LENGTH(AH 2531 BK 2606)
		018 "DIA CIRC METAL
	0040/2082	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC METAL
	0040/1778	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC METAL
	0040/1436	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC METAL
	0040/1037	LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 12.755 MI. DIST: 09-5 SR: 1001
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

		018 "DIA CIRC METAL
	0040/0077	LEN=0034 INSTALLED UNKN
005656 FT	005656 FT	2 0 31042 0 00 0064+50
		BARK RIDGE RD
		(T462)
	0040/0000	LENGTH(AH 2606 BK 2844)
		018 "DIA CIRC METAL
	0030/2201	LEN=0030 INSTALLED UNKN
		HOOVERS HILL RD
	0030/1834	(T602)
		015 "DIA CIRC CONCR
	0030/1787	LEN=0044 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0030/1433	LEN=0032 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/1060	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/0719	LEN=0048 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/0420	LEN=0044 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0030/0011	LEN=0040 INSTALLED UNKN
002812 FT	002812 FT	2 0 31042 0 00 0035+91
	0030/0000	LENGTH(AH 2844 BK 2812)
		015 "DIA CIRC CONCR
	0020/2491	LEN=0048 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/2214	LEN=0044 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0020/1411	LEN=0044 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/1021	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/0576	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0020/0288	LEN=0036 INSTALLED UNKN
		SWAINS HILL RD
	0020/0221	(T463)
		015 "DIA CIRC CONCR
	0020/0160	LEN=0030 INSTALLED UNKN
000000 FT	000000 FT	2 0 31042 0 00 0007+57
		NC STONE CREEK RIDGE RD
	REF-BK	FIRST ST
		(BORO)
		MFC BEGIN = E
	0020/0000	LENGTH(AH 2812 BK 0757)
000000 FT	000000 FT	
	7010/0000	LENGTH(AH 0757 BK 0000)

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: ORBISONIA B RIGHT MUN: ORBISONIA B

144655 FT

WATER ST
(BORO)

0600/2308

CUMMINS ST



144655 FT
INTER-AHD ELLIOT ST
(BORO)
RIDGELY ST
(SR0522 SEG 0230/0000)
0600/2669
018 "DIA CIRC CONCR
0600/2624 LEN=0030 INSTALLED 1990
DIVISION ST
0600/2513 (BORO)
024 "DIA CIRC CONCR
0600/2500 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0600/2419 LEN=0036 INSTALLED 1990
WATER ST
0600/2369 (BORO)

ORBISONIA
0600/2284 CROMWELL T
0600/2195 BMSEN 31/0994/0600/2005
1 0 00431 0 01 0360+29
BLACK LOG CREEK
0600/2005 BMSBG 31/0994/0600/2005
CUMMINS ST
0600/1836 (BORO)
CROMWELL
0600/1829 ROCKHILL B

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

(BORO)	0600/1822		
			FURNACE RD
		0600/1673	(BORO)
			018 "DIA CAST IRON
		0600/1636	LEN=0037 INSTALLED 1990
CENTER ST			
(BORO)	0600/1281		
			024 "DIA CIR PLASTIC
		0600/1263	LEN=0034 INSTALLED 1990
		0600/0871	(AAR 845091T)#TRKS 07
IRON ST			
(BORO)	0600/0718		
		0600/0455	BMSEN 31/0994/0600/0436
			1 0 00431 0 01 0344+56
			JORDANS CRK.
		0600/0436	BMSBG 31/0994/0600/0436
CULVERT ST			
(BORO)	0600/0361		
			FROM 0994/0590 SH
		0600/0081	(CONN)
1 0 00431 0 01 0340+05	141986 FT		141986 FT
VALLEY ST			
(SR2016 SEG 0070/1355)			
MEADOW ST			
			NC MEADOWS ST
(BORO)	0600/0000	5 0600/0000	LENGTH(AH 2669 BK 2373)
			TO 0994/0600 SH
		0590/2265	(CONN)
HILL ST			
(BORO)	0590/1924		
			018 "DIA CIRC CONCR
		0590/1828	LEN=0038 INSTALLED 1990
			018 "DIA CIRC CONCR
		0590/1525	LEN=0056 INSTALLED 1990
SPRING ST			
(BORO)	0590/1471		
			018 "DIA CIRC CONCR
		0590/1275	LEN=0033 INSTALLED 1990
			018 "DIA CIR PLASTIC
		0590/1099	LEN=0038 INSTALLED 1990
			RESEVOIR ST
			(BORO)
			ROCKHILL
		0590/1049	CROMWELL T
			015 "DIA CIRC CONCR
		0590/0373	LEN=0029 INSTALLED 1990
			015 "DIA CIR PLASTIC
		0590/0160	LEN=0030 INSTALLED 1990
	139613 FT		139613 FT 1 0 00431 0 01 0315+80
			NC VALLEY ST

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

			ODD FELLOWS CEMETERY RD (T375)
		5 0590/0000	LENGTH(AH 2373 BK 2218) 015 "DIA CIRC CONCR
		0580/2150	LEN=0030 INSTALLED 1990 015 "DIA CIRC CONCR
		0580/1783	LEN=0030 INSTALLED 1990 015 "DIA CIR PLASTIC
		0580/1378	LEN=0029 INSTALLED 1990 024 "DIA CIR PLASTIC
		0580/1007	LEN=0033 INSTALLED 1990 015 "DIA CIRC CONCR
		0580/0544	LEN=0028 INSTALLED 1990 015 "DIA CIRC CONCR
		0580/0336	LEN=0030 INSTALLED 1990 024 "DIA CIRC CONCR
		0580/0112	LEN=0029 INSTALLED 1990
137395 FT		137395 FT	1 0 00431 0 01 0294+00
			MADDENSVILLE PK (SR0475 SEG 0250/2915)
		5 0580/0000	LENGTH(AH 2218 BK 2268) 015 "DIA CIRC CONCR
		0570/2005	LEN=0030 INSTALLED 1990 024 "DIA CIRC CONCR
		0570/1788	LEN=0020 INSTALLED 2000 015 "DIA CIRC CONCR
		0570/1668	LEN=0028 INSTALLED 1990 018 "DIA CIRC CONCR
		0570/1554	LEN=0029 INSTALLED 1990 018 "DIA CIRC CONCR
		0570/1362	LEN=0028 INSTALLED 1990 018 "DIA CIRC CONCR
		0570/1112	LEN=0028 INSTALLED 1990 015 "DIA CIRC CONCR
		0570/0765	LEN=0028 INSTALLED 1990 015 "DIA CIRC CONCR
		0570/0418	LEN=0028 INSTALLED 1990 015 "DIA CIRC CONCR
		0570/0267	LEN=0028 INSTALLED 1990
135127 FT		135127 FT	1 0 00431 0 01 0270+80
		5 0570/0000	LENGTH(AH 2268 BK 3674) 015 "DIA CIRC CONCR
		0560/3567	LEN=0029 INSTALLED 1990 015 "DIA CIRC CONCR
		0560/3334	LEN=0029 INSTALLED 1990 015 "DIA CIRC CONCR
		0560/2986	LEN=0029 INSTALLED 1990 015 "DIA CIRC CONCR
		0560/2703	LEN=0029 INSTALLED 1990
			JORDAN CEMETERY RD

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

			0560/2491	(T341)
				015 "DIA CIRC CONCR
			0560/2275	LEN=0034 INSTALLED 1990
				012 "DIA CIRC CONCR
			0560/1936	LEN=0028 INSTALLED 1990
				018 "DIA CIRC METAL
			0560/1588	LEN=0040 INSTALLED 1990
				036 "DIA CIRC CONCR
			0560/0808	LEN=0049 INSTALLED 1990
BEERS RD (T348)	0560/0789			
				030 "DIA CIRC CONCR
			0560/0201	LEN=0044 INSTALLED 1990
	131453 FT		131453 FT	1 0 00431 0 01 0234+72
				MCCOY RD
				(T349)
			5 0560/0000	LENGTH(AH 3674 BK 3658)
				015 "DIA CIR PLASTIC
			0550/3518	LEN=0045 INSTALLED 1990
				018 "DIA CIR PLASTIC
			0550/3152	LEN=0031 INSTALLED 1990
				024 "DIA CIR PLASTIC
			0550/2751	LEN=0008 INSTALLED 1999
				015 "DIA CIRC CONCR
			0550/2452	LEN=0029 INSTALLED 1990
				015 "DIA CIRC CONCR
			0550/1988	LEN=0045 INSTALLED 1990
				015 "DIA CIRC METAL
			0550/1513	LEN=0044 INSTALLED 1990
				018 "DIA CIRC METAL
			0550/1017	LEN=0035 INSTALLED 1990
				JEFFERSON SCHOOL RD
			0550/0846	(T341)
				018 "DIA CIRC METAL
			0550/0730	LEN=0036 INSTALLED 1990
			0550/0145	BMSEN 31/0994/0550/0000
	127795 FT		127795 FT	1 0 00431 0 00 0197+97
				AUGHWICK CREEK
				BMSBG 31/0994/0550/0000
			5 0550/0000	LENGTH(AH 3658 BK 3804)
WILSON RD (T573)	0540/3577			
				MCKENDREE CHURCH RD
			0540/2822	(T334)
SPRING CREEK RD (T342)	0540/2271			
				015 "DIA CIRC CONCR
			0540/2223	LEN=0027 INSTALLED 1990

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

		024 "DIA CIRC CONCR
	0540/1859	LEN=0056 INSTALLED 1990
		015 "DIA CIRC CONCR
	0540/1670	LEN=0029 INSTALLED 1990
		015 "DIA CIRC CONCR
	0540/1202	LEN=0040 INSTALLED 1990
		015 "DIA CIRC CONCR
	0540/0607	LEN=0029 INSTALLED 1990
		015 "DIA CIRC CONCR
	0540/0307	LEN=0030 INSTALLED 1990
		018 "DIA CIRC METAL
	0540/0020	LEN=0040 INSTALLED 1990
123991 FT	123991 FT	1 0 00431 0 00 0159+88
		VILLAGE: POGUE
	S 0540/0000	LENGTH(AH 3804 BK 3407)
		036 "DIA CIRC CONCR
	0530/3168	LEN=0048 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0530/2753	LEN=0030 INSTALLED 1988
		030 "DIA CIRC CONCR
	0530/2226	LEN=0034 INSTALLED 1988
		024 "DIA CIRC CONCR
	0530/2005	LEN=0032 INSTALLED 1988
		015 "DIA CIRC CONCR
	0530/1812	LEN=0032 INSTALLED 1988
		018 "DIA CIRC CONCR
	0530/1447	LEN=0045 INSTALLED 1988
		072"H 72"W CONCR ARCH
	0530/1370	LEN=0068 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0530/0806	LEN=0032 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0530/0534	LEN=0029 INSTALLED 1988
		024 "DIA CIR PLASTIC
	0530/0297	LEN=0018 INSTALLED 1997
		024 "DIA CIRC CONCR
	0530/0124	LEN=0033 INSTALLED 1988
120584 FT	120584 FT	1 0 00431 0 00 0125+45
	S 0530/0000	LENGTH(AH 3407 BK 3582)
		030 "DIA CIRC CONCR
	0520/2845	LEN=0045 INSTALLED 1988
		030 "DIA CIR PLASTIC
	0520/2767	LEN=0029 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0520/2665	LEN=0028 INSTALLED 1988
		030 "DIA CIRC CONCR
	0520/2521	LEN=0028 INSTALLED 1988
		024 "DIA CIRC CONCR
	0520/2304	LEN=0032 INSTALLED 1988

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

				018 "DIA CIR PLASTIC
			0520/1968	LEN=0028 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0520/1745	LEN=0028 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0520/1288	LEN=0032 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0520/0955	LEN=0028 INSTALLED 1988
				024 "DIA CIRC CONCR
			0520/0737	LEN=0038 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0520/0347	LEN=0010 INSTALLED 2006
				018 "DIA CIR PLASTIC
			0520/0130	LEN=0033 INSTALLED 1988
	117002 FT		117002 FT	1 0 00431 0 00 0089+47
				048"H 76"W ELLIP CONC
				LEN=0030 INSTALLED 2006
			S 0520/0000	LENGTH(AH 3582 BK 3433)
				CROMWELL
			0510/3270	CLAY T
				015 "DIA CIRC CONCR
			0510/3096	LEN=0028 INSTALLED 1988
SPRING CREEK RD (T341)	0510/2580	==		NC POGUE RD
				018 "DIA CIR PLASTIC
			0510/2536	LEN=0027 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0510/2239	LEN=0027 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0510/1495	LEN=0028 INSTALLED 1988
				015 "DIA CIR PLASTIC
			0510/0888	LEN=0032 INSTALLED 1988
				015 "DIA CIRC CONCR
			0510/0170	LEN=0028 INSTALLED 1988
	113569 FT		113569 FT	1 0 00431 0 00 0055+36
				018 "DIA CIR PLASTIC
				LEN=0040 INSTALLED 1988
			S 0510/0000	LENGTH(AH 3433 BK 3274)
				024 "DIA CIRC CONCR
			0500/2993	LEN=0030 INSTALLED 2006
				024 "DIA CIRC CONCR
			0500/2800	LEN=0030 INSTALLED UNKN
				048 "DIA CIRC CONCR
			0500/2238	LEN=0028 INSTALLED 1988
				018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: CLAY T RIGHT MUN: CLAY T

		0500/1043	LEN=0035 INSTALLED 1988 018 "DIA CIRC CONCR
		0500/0740	LEN=0047 INSTALLED 1988 MEADOW GAP RD
		0500/0555	(SR2004 SEG 0010/0000) 015 "DIA CIRC CONCR
		0500/0522	LEN=0025 INSTALLED 1988
		0500/0063	BMSEN 31/0994/0500/0000
	110295 FT	110295 FT	1 0 00431 0 00 0023+00 THREE SPRINGS CREEK BMSBG 31/0994/0500/0000
		5 0500/0000	LENGTH(AH 3274 BK 2283) CLAY
		0490/2049	THREE SPRINGS B 036"H 60"W CONC STRUCT
		0490/2005	LEN=0052 INSTALLED 1988 018 "DIA CIRC CONCR
		0490/1525	LEN=0099 INSTALLED 1988 ELLIOTS RUN RD
		0490/1472	(SR2005 SEG 0170/1383) 018 "DIA CIRC METAL
		0490/1226	LEN=0099 INSTALLED 1988
			RIO GRANDE ST
		0490/0568	(BORO) FREEDOM ST
		0490/0276	(BORO) 015 "DIA CIRC CONCR
1 0 00431 0 00 0000+00	108012 FT	0490/0257	LEN=0030 INSTALLED 1988 108012 FT
CHURCH ST (SR0747 SEG 0010/0000) HUDSON ST (SR2022 SEG 0010/0000)	0490/0000		NC HUDSON ST
		5 0490/0000	LENGTH(AH 2283 BK 3687) ASHMAN ST
		0480/3552	(BORO) FURMAN ST
		0480/3364	(BORO) 018 "DIA CIRC CONCR
		0480/3208	LEN=0040 INSTALLED 1988 RAILROAD ST
		0480/3193	(BORO) 018 "DIA CIRC CONCR
		0480/3085	LEN=0030 INSTALLED 2002
		0480/3021	BMSEN 31/0994/0480/2965 0 0 00000 0 00 0000+00 N.SPRING CRK
		0480/2965	BMSBG 31/0994/0480/2965 018 "DIA CIRC CONCR
		0480/2910	LEN=0040 INSTALLED 2002

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: THREE SPRINGS B RIGHT MUN: THREE SPRINGS B

		018 "DIA CIRC CONCR
	0480/2820	LEN=0044 INSTALLED 2002
		018 "DIA CIRC CONCR
	0480/2700	LEN=0040 INSTALLED 2002
		018 "DIA CIR PLASTIC
	0480/2521	LEN=0030 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0480/1915	LEN=0040 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0480/1745	LEN=0030 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0480/1525	LEN=0035 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0480/1275	LEN=0042 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0480/0795	LEN=0100 INSTALLED 1988
104325 FT	104325 FT	1 0 00192 0 05 0347+17
	S 0480/0000	LENGTH(AH 3687 BK 3342)
		THREE SPRINGS
	0470/3082	CLAY T
		015 "DIA CIR PLASTIC
	0470/2939	LEN=0030 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0470/2490	LEN=0030 INSTALLED 1988
		015 "DIA CIR PLASTIC
	0470/1777	LEN=0030 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0470/1405	LEN=0030 INSTALLED 1988
		024 "DIA CIR PLASTIC
	0470/1115	LEN=0035 INSTALLED 1988
		024 "DIA CIRC CONCR
	0470/0415	LEN=0035 INSTALLED 1988
100983 FT	100983 FT	1 0 00192 0 05 0313+83
		WATERFALL RD
		(SR0655 SEG 0110/0000)
		NC CHURCH ST
	INTER-BK	WATERFALL RD
		(SR0655 SEG 0110/0000)
	S 0470/0000	LTH AH 003342 BK 000529
100983 FT	100983 FT	
	7464/0000	LTH AH 000529 BK 001565
WATERFALL RD	INTER-AHD	WATERFALL RD
(SR0655 SEG 0120/0000) 0460/1565	0460/1565	(SR0655 SEG 0120/0000)
		T.THR.SP.CR.
		STRUCTURE LENGTH 11 FT

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: CLAY T RIGHT MUN: CLAY T

		0460/0957	BMSID 31/0994/0460/0957
		0460/0013	BMSEN 31/0994/0460/0000
099418 FT		099418 FT	2 0 31008 0 00 0330+03
			T.TH.SPR.CRK
			BMSBG 31/0994/0460/0000
		S 0460/0000	LENGTH(AH 1565 BK 2500)
			015 "DIA CIR PLASTIC
		0450/2102	LEN=0060 INSTALLED 2001
			015 "DIA CIR PLASTIC
		0450/1665	LEN=0040 INSTALLED 2001
			015 "DIA CIR PLASTIC
		0450/1300	LEN=0045 INSTALLED 1988
		0450/0940	BMSEN 31/0994/0450/0922
			2 0 31008 0 00 0317+14
			T.SPRING CRK
		0450/0922	BMSBG 31/0994/0450/0922
			018 "DIA CIR PLASTIC
		0450/0246	LEN=0050 INSTALLED 2001
2 0 31008 0 00 0308+11 096918 FT		096918 FT	
MILL ST			
(T334)			
LUCIANNA BOTTOM RD			
(T343) 0450/0000		S 0450/0000	LENGTH(AH 2500 BK 2125)
			018 "DIA CIR PLASTIC
		0440/2039	LEN=0065 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0440/1703	LEN=0060 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0440/1396	LEN=0045 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0440/0585	LEN=0040 INSTALLED 2000
094793 FT		094793 FT	2 0 31008 0 00 0286+38
			HALL RD
			(T330)
	==	S 0440/0000	LENGTH(AH 2125 BK 2691)
			018 "DIA CIR PLASTIC
		0430/2574	LEN=0040 INSTALLED 2000
			018 "DIA CIRC CONCR
		0430/2492	LEN=0036 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0430/2032	LEN=0040 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0430/1634	LEN=0040 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0430/1478	LEN=0040 INSTALLED 2000
			015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: CLAY T RIGHT MUN: CLAY T

		0430/1037	LEN=0040 INSTALLED 2000 024 "DIA CIR PLASTIC
		0430/0625	LEN=0050 INSTALLED 2000
092102 FT		092102 FT	2 0 31008 0 00 0259+45 018 "DIA CIR PLASTIC LEN=0040 INSTALLED 2000
		S 0430/0000	LENGTH(AH 2691 BK 2584) 018 "DIA CIR PLASTIC
		0420/2130	LEN=0039 INSTALLED 1988 018 "DIA CIR PLASTIC
		0420/1419	LEN=0040 INSTALLED 2000 015 "DIA CIR PLASTIC
		0420/1130	LEN=0040 INSTALLED 2000 015 "DIA CIR PLASTIC
		0420/0823	LEN=0040 INSTALLED 2000 036 "DIA CIR PLASTIC
		0420/0625	LEN=0040 INSTALLED 2000 018 "DIA CIR PLASTIC
		0420/0153	LEN=0040 INSTALLED 1999
089518 FT		089518 FT	2 0 31008 0 00 0233+61 SHORE VALLEY RD (SR3023 SEG 0090/3279)
		S 0420/0000	LENGTH(AH 2584 BK 1657) 015 "DIA CIR PLASTIC
		0410/1531	LEN=0040 INSTALLED 1999 018 "DIA CIR PLASTIC
		0410/1138	LEN=0030 INSTALLED 1988 018 "DIA CIR PLASTIC
		0410/0892	LEN=0040 INSTALLED 1999 024 "DIA CIR PLASTIC
		0410/0592	LEN=0040 INSTALLED 1999
LC FOR FAIRVIEW CHURCH (TWP) 0410/0115 2 0 31081 0 02 0212+25 087861 FT FAIRVIEW CHURCH RD (T342) 0410/0000		087861 FT	
		S 0410/0000	LENGTH(AH 1657 BK 3299) 024 "DIA CIR PLASTIC
		0400/3255	LEN=0054 INSTALLED 1988 015 "DIA CIRC CONCR
		0400/2825	LEN=0039 INSTALLED 1988 015 "DIA CIR PLASTIC
		0400/2469	LEN=0040 INSTALLED 1999 015 "DIA CIR PLASTIC
		0400/2230	LEN=0040 INSTALLED 1999 015 "DIA CIR PLASTIC
		0400/1861	LEN=0040 INSTALLED 1999 015 "DIA CIR PLASTIC
		0400/1357	LEN=0040 INSTALLED 2001

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: CLAY T RIGHT MUN: CLAY T

			015 "DIA CIR PLASTIC
		0400/0738	LEN=0040 INSTALLED 1999
			015 "DIA CIR PLASTIC
		0400/0222	LEN=0060 INSTALLED 1999
084562 FT		084562 FT	2 0 31081 0 02 0178+58
			(AAR 003200*)#TRKS 01
		S 0400/0000	LENGTH(AH 3299 BK 3539)
			018 "DIA CIR PLASTIC
		0390/3138	LEN=0030 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0390/2808	LEN=0026 INSTALLED 1999
			015 "DIA CIR PLASTIC
		0390/2262	LEN=0040 INSTALLED 1999
			015 "DIA CIRC METAL
		0390/1921	LEN=0036 INSTALLED 1988
			CLAY
		0390/1637	TODD T
			015 "DIA CIR PLASTIC
		0390/1144	LEN=0040 INSTALLED 1999
			015 "DIA CIR PLASTIC
		0390/0925	LEN=0040 INSTALLED 1999
			015 "DIA CIR PLASTIC
		0390/0610	LEN=0040 INSTALLED 1999
			015 "DIA CIR PLASTIC
		0390/0060	LEN=0040 INSTALLED 1999
081023 FT		081023 FT	2 0 31081 0 02 0142+69
		S 0390/0000	LENGTH(AH 3539 BK 1675)
			015 "DIA CIR PLASTIC
		0380/1557	LEN=0040 INSTALLED 1999
		0380/1232	BMSEN 31/0994/0380/1214
			2 0 31081 0 02 0138+10
			ROARING RUN
		0380/1214	BMSBG 31/0994/0380/1214
			015 "DIA CIRC CONCR
		0380/0801	LEN=0033 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0380/0520	LEN=0042 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0380/0426	LEN=0060 INSTALLED 1999
COLES VALLEY RD (T340)	0380/0393		
			015 "DIA CIRC METAL
		0380/0287	LEN=0045 INSTALLED 1999
			018 "DIA CIRC CONCR
		0380/0022	LEN=0050 INSTALLED 1988
079348 FT		079348 FT	2 0 31081 0 02 0125+55
			COLES VALLEY RD
			(SR3021 SEG 0110/2288)
		S 0380/0000	LENGTH(AH 1675 BK 2985)

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: TODD T RIGHT MUN: TODD T

		0370/2644	018 "DIA CIRC CONCR LEN=0036 INSTALLED 1988
		0370/2485	018 "DIA CIRC CONCR LEN=0039 INSTALLED 1988
		0370/2071	018 "DIA CIRC CONCR LEN=0037 INSTALLED 1988
		0370/1967	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
		0370/1850	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 1988
		0370/1730	015 "DIA CIRC CONCR LEN=0036 INSTALLED 1988
		0370/1370	018 "DIA CIR PLASTIC LEN=0039 INSTALLED 1988
		0370/1275	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
		0370/1065	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
		0370/0878	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
		0370/0706	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
		0370/0500	018 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
		0370/0260	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
076363 FT		076363 FT	2 0 31081 0 02 0095+57
	S	0370/0000	LENGTH(AH 2985 BK 3422)
		0360/3319	015 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
		0360/2208	015 "DIA CIR PLASTIC LEN=0030 INSTALLED 1988
		0360/1745	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1988
		0360/1580	018 "DIA CIR PLASTIC LEN=0033 INSTALLED 1988
		0360/1380	024 "DIA CIRC CONCR LEN=0008 INSTALLED 2003
		0360/1165	015 "DIA CIRC CONCR LEN=0008 INSTALLED 2003
		0360/0201	024 "DIA CIR PLASTIC LEN=0040 INSTALLED 1999
072941 FT		072941 FT	2 0 31081 0 01 0058+92
	S	0360/0000	LENGTH(AH 3422 BK 1308)

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: TODD T RIGHT MUN: TODD T

			018 "DIA CIR PLASTIC
		0350/0380	LEN=0033 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0350/0185	LEN=0033 INSTALLED 1988
	071633 FT	071633 FT	2 0 31081 0 01 0045+84
		S 0350/0000	LENGTH(AH 1308 BK 2889)
			015 "DIA CIRC CONCR
		0340/2740	LEN=0045 INSTALLED 1988
			015 "DIA CIRC CONCR
		0340/2155	LEN=0040 INSTALLED 1988
			018 "DIA CIRC CONCR
		0340/1730	LEN=0033 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0340/1550	LEN=0048 INSTALLED 1988
			030"H 42"W ELLIP CONC
		0340/1213	LEN=0030 INSTALLED 1998
			015 "DIA CIR PLASTIC
		0340/0686	LEN=0030 INSTALLED 1998
	068744 FT	068744 FT	2 0 31081 0 01 0016+95
		S 0340/0000	LENGTH(AH 2889 BK 1520)
			018 "DIA CIR PLASTIC
		0330/1500	LEN=0030 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0330/1142	LEN=0039 INSTALLED 1988
			018 "DIA CIRC METAL
		0330/0922	LEN=0045 INSTALLED 1998
		0330/0796	BMSEN 31/0994/0330/0744
			2 0 31081 0 00 0007+59
			GT.TROUGH CK
		0330/0744	BMSBG 31/0994/0330/0744
			015 "DIA CIRC METAL
		0330/0079	LEN=0051 INSTALLED 1998
	067224 FT	067224 FT	2 0 31081 0 00 0000+00
			COOKS RD
			(SR3019 SEG 0070/0000)
		S 0330/0000	LENGTH(AH 1520 BK 1035)
		0320/0850	BMSEN 31/0994/0320/0830
			2 0 31013 0 00 0231+73
			TR.GR.TRH.CK
		0320/0830	BMSBG 31/0994/0320/0830
	066189 FT	066189 FT	2 0 31013 0 00 0131+34
MARTINS LN			VILLAGE: COOKS
(T360)	0320/0000	S 0320/0000	LENGTH(AH 1035 BK 1938)
			018 "DIA CIRC CONCR
		0310/1436	LEN=0040 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0310/1175	LEN=0042 INSTALLED 1998

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: TODD T RIGHT MUN: TODD T

```
                                                  018 "DIA CIRC CONCR
                                     0310/0750 LEN=0045 INSTALLED 1988

064251 FT                            064251 FT 2 0 31013 0 00 0150+72
                                   S 0310/0000 LENGTH(AH 1938 BK 2367)
                                                  018 "DIA CIR PLASTIC
                                     0300/2103 LEN=0042 INSTALLED 1998
                                                  024 "DIA CIR PLASTIC
                                     0300/1544 LEN=0042 INSTALLED 1988
                                                  018 "DIA CIR PLASTIC
                                     0300/1192 LEN=0050 INSTALLED 1988
                                                  036 "DIA CIRC CONCR
                                     0300/0850 LEN=0050 INSTALLED 1988
                                                  015 "DIA CIRC CONCR
                                     0300/0280 LEN=0045 INSTALLED 1988
                                                  015 "DIA CIR PLASTIC
                                     0300/0015 LEN=0048 INSTALLED 1988
061884 FT                            061884 FT 2 0 31013 0 00 0174+85
                                   S 0300/0000 LENGTH(AH 2367 BK 1996)
                                                  024"H 36"W ELLIPTICAL*
                                     0290/1672 LEN=0042 INSTALLED 1988
                                                  015 "DIA CIR PLASTIC
                                     0290/1545 LEN=0055 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                     0290/1410 LEN=0055 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                     0290/0942 LEN=0042 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                     0290/0495 LEN=0036 INSTALLED 1988
                                                  018 "DIA CIRC METAL
                                     0290/0100 LEN=0036 INSTALLED 1988
059888 FT                            059888 FT 2 0 31013 0 00 0195+04
                                   S 0290/0000 LENGTH(AH 1996 BK 1556)
                                                  015 "DIA CIRC METAL
                                     0280/1065 LEN=0050 INSTALLED 1998
                                                  018 "DIA CIR PLASTIC
                                     0280/0810 LEN=0070 INSTALLED 1998
                                                  018 "DIA CIRC METAL
                                     0280/0532 LEN=0058 INSTALLED 1998
                                                  015 "DIA CIR PLASTIC
                                     0280/0197 LEN=0065 INSTALLED 1998
                                                  024 "DIA CIR PLASTIC
                                     0280/0031 LEN=0032 INSTALLED 1998
058332 FT                            058332 FT 2 0 31013 0 00 0210+85
                                                  SR 3017 SH
                                                  (SR3017 SEG 0160/1016)
                                   S 0280/0000 LENGTH(AH 1556 BK 1892)

                                                  018 "DIA CIR PLASTIC
                                     0270/1090 LEN=0042 INSTALLED 1988
```

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: TODD T RIGHT MUN: TODD T

				036 "DIA CIRC METAL
			0270/0520	LEN=0040 INSTALLED 1998
				015 "DIA CIR PLASTIC
			0270/0196	LEN=0065 INSTALLED 1998
	056440 FT		056440 FT	2 0 31013 0 00 0229+63
				VILLAGE: EAGLE FOUNDRY
				015 "DIA CIR PLASTIC
SUGAR RUN RD				LEN=0050 INSTALLED 1998
(SR3025 SEG 0010/0000)	0270/0000		S 0270/0000	LENGTH(AH 1892 BK 2477)
			0260/2283	BMSEN 31/0994/0260/2246
				2 0 31013 0 00 0231+73
				SUGAR CREEK
			0260/2246	BMSBG 31/0994/0260/2246
				036 "DIA CIR PLASTIC
			0260/2112	LEN=0040 INSTALLED 1988
				018 "DIA CIRC CONCR
			0260/1434	LEN=0036 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0260/1286	LEN=0036 INSTALLED 1988
TWP 313 RT				
(T313)	0260/1274			
	053963 FT		053963 FT	2 0 31013 0 00 0254+14
			S 0260/0000	LENGTH(AH 2477 BK 1906)
				036 "DIA CIRC CONCR
			0250/1882	LEN=0032 INSTALLED 1988
				036 "DIA CIR PLASTIC
			0250/1746	LEN=0054 INSTALLED 1988
2 0 31013 0 00 0273+20	052057 FT		052057 FT	
NEW FORDING RD				
(T368)	0250/0000		S 0250/0000	LENGTH(AH 1906 BK 2575)
LC FOR NEW FORDING RD				
(CONN)	0240/2497			
				036 "DIA CIR PLASTIC
			0240/2466	LEN=0030 INSTALLED 1998
				015 "DIA CIR PLASTIC
			0240/2026	LEN=0045 INSTALLED 1988
				036 "DIA CIR PLASTIC
			0240/1437	LEN=0040 INSTALLED 1988
				015 "DIA CIR PLASTIC
			0240/0835	LEN=0035 INSTALLED 1988
				036 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: TODD T RIGHT MUN: TODD T

			0240/0696	LEN=0032 INSTALLED 1998
				018 "DIA CIR PLASTIC
			0240/0380	LEN=0040 INSTALLED 1998
				036 "DIA CIR PLASTIC
			0240/0032	LEN=0040 INSTALLED 1988
	049482 FT		049482 FT	2 0 31013 0 00 0299+05
			S 0240/0000	LENGTH(AH 2575 BK 1892)
				018 "DIA CIR PLASTIC
			0230/1051	LEN=0040 INSTALLED 1988
				015 "DIA CIRC CONCR
			0230/0256	LEN=0033 INSTALLED 1988
				024 "DIA CIR PLASTIC
			0230/0060	LEN=0030 INSTALLED 1988
2 0 31013 0 00 0317+97	047590 FT		047590 FT	SHADY MAPLE RD
CHESTNUT GROVE RD				(T370)
(T371)	0230/0000	== ==	S 0230/0000	LENGTH(AH 1892 BK 2033)
				018 "DIA CIR PLASTIC
			0220/1273	LEN=0050 INSTALLED 1998
				015 "DIA CIR PLASTIC
			0220/0649	LEN=0030 INSTALLED 1988
	045557 FT		045557 FT	2 0 31013 0 00 0338+51
			S 0220/0000	LENGTH(AH 2033 BK 2920)
				015 "DIA CIRC CONCR
			0210/2774	LEN=0042 INSTALLED 1988
				015 "DIA CIR PLASTIC
			0210/2445	LEN=0040 INSTALLED 1988
				015 "DIA CIRC CONCR
			0210/2230	LEN=0034 INSTALLED 1988
				030 "DIA CIR PLASTIC
			0210/1797	LEN=0036 INSTALLED 1988
2 0 31013 0 00 0367+53	042637 FT		042637 FT	
GRANGE HALL RD				
(T363)	0210/0000	==	S 0210/0000	LENGTH(AH 2920 BK 1932)
				024 "DIA CIR PLASTIC
			0200/1797	LEN=0032 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0200/1369	LEN=0032 INSTALLED 1988
				024 "DIA CIRC CONCR
			0200/0823	LEN=0032 INSTALLED 1988
				015 "DIA CIRC CONCR
			0200/0300	LEN=0032 INSTALLED 2003

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: TODD T RIGHT MUN: TODD T

	040705 FT	040705 FT	2 0 31013 0 00 0387+50
		0200/0000	LENGTH(AH 1932 BK 2160)
			018 "DIA CIR PLASTIC
		0190/2034	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0190/0617	LEN=0045 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0190/0174	LEN=0045 INSTALLED 1988
2 0 31013 0 00 0409+79	038545 FT	038545 FT	
NEWBURG PARK RD			
(T377)	0190/0000	0190/0000	LENGTH(AH 2160 BK 1796)
			024 "DIA CIRC CONCR
		0180/1593	LEN=0033 INSTALLED UNKN
			048"H 95"W ELLIP METAL
		0180/0260	LEN=0033 INSTALLED 1988
			HAW RUN
			STRUCTURE LENGTH 9 FT
		0180/0236	BMSID 31/0994/0180/0236
	036749 FT	036749 FT	2 0 31013 0 00 0427+64
			NEWBURG SCHOOL RD
			(T361)
		0180/0000	LENGTH(AH 1796 BK 2439)
PARADISE RD			
(T379)	0170/2391		
			042 "DIA CIRC METAL
		0170/1799	LEN=0035 INSTALLED 1988
			018 "DIA CIRC CONCR
		0170/1419	LEN=0032 INSTALLED 1988
			018 "DIA CIRC METAL
		0170/1064	LEN=0036 INSTALLED 1988
	034310 FT	034310 FT	2 0 31013 0 00 0451+17
			VILLAGE: NEWBURG
			BUN MT RD
			(T378)
		0170/0000	LENGTH(AH 2439 BK 2370)
			018 "DIA CIRC CONCR
		0160/1940	LEN=0040 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0160/1611	LEN=0040 INSTALLED 2006
			024 "DIA CIRC CONCR
		0160/1470	LEN=0001 INSTALLED 2007
			036 "DIA CIRC METAL

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: TODD T RIGHT MUN: TODD T

		0160/0980	LEN=0030 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0160/0650	LEN=0040 INSTALLED 2006
			015 "DIA CIRC CONCR
		0160/0468	LEN=0051 INSTALLED 1988
	031940 FT	031940 FT	2 0 31013 0 00 0474+87
			018 "DIA CIR PLASTIC
			LEN=0040 INSTALLED 2006
		S 0160/0000	LENGTH(AH 2370 BK 2441)
			018 "DIA CIRC CONCR
		0150/2100	LEN=0008 INSTALLED 2005
			048 "DIA CIRC CONCR
		0150/1606	LEN=0045 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0150/1370	LEN=0040 INSTALLED 1998
			048 "DIA CIRC CONCR
		0150/0947	LEN=0045 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0150/0386	LEN=0039 INSTALLED 1988
	029499 FT	029499 FT	2 0 31013 0 00 0499+54
		S 0150/0000	LENGTH(AH 2441 BK 2168)
			015 "DIA CIR PLASTIC
		0140/1784	LEN=0045 INSTALLED 1988
			015 "DIA CIR PLASTIC
		0140/1213	LEN=0030 INSTALLED 1988
			018 "DIA CIR PLASTIC
		0140/0420	LEN=0042 INSTALLED 2005
			024"H 36"W CONC STRUCT
		0140/0025	LEN=0075 INSTALLED 1988
2 0 31013 0 00 0521+87	027331 FT	027331 FT	LITTLE VALLEY RD
LITTLE VALLEY RD			(SR3001 SEG 0140/3154)
(SR3031 SEG 0010/0000)	0140/0000	S 0140/0000	LENGTH(AH 2168 BK 0927)
			018 "DIA CIRC CONCR
		0130/0498	LEN=0100 INSTALLED UNKN
		0130/0020	BMSEN 31/0994/0130/0000
	026404 FT	026404 FT	2 0 31013 0 01 0531+30
			TATMAN RUN
			BMSBG 31/0994/0130/0000
		S 0130/0000	LENGTH(AH 0927 BK 1111)
			018 "DIA CIRC METAL
		0120/0446	LEN=0040 INSTALLED 1988
	025293 FT	025293 FT	2 0 31013 0 01 0542+42
		S 0120/0000	LENGTH(AH 1111 BK 0987)
TATMAN RUN RD			
(PRDR)	0110/0154		
		0110/0040	BMSEN 31/0994/0110/0000
	024306 FT	024306 FT	2 0 31013 0 01 0552+30

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: TODD T RIGHT MUN: TODD T

		TATMAN RUN
		BMSBG 31/0994/0110/0000
	S 0110/0000	LENGTH(AH 0987 BK 3218)
		TODD
	0100/2711	LINCOLN T
		018 "DIA CIRC METAL
	0100/2568	LEN=0036 INSTALLED 1988
		018 "DIA CIRC METAL
	0100/2386	LEN=0036 INSTALLED 1988
		018 "DIA CIRC METAL
	0100/2226	LEN=0036 INSTALLED 1988
		018 "DIA CIRC METAL
	0100/2081	LEN=0036 INSTALLED 1988
		018 "DIA CIRC METAL
	0100/1658	LEN=0032 INSTALLED 1988
		018 "DIA CIRC METAL
	0100/1396	LEN=0036 INSTALLED 1988
		018 "DIA CIRC METAL
	0100/1024	LEN=0048 INSTALLED 1988
		018 "DIA CIRC METAL
	0100/0724	LEN=0035 INSTALLED 1988
		018 "DIA CIRC METAL
	0100/0154	LEN=0042 INSTALLED 1988
021088 FT	021088 FT	2 0 31013 0 02 0584+91
		LAKE RAYSTOWN RESORT RD
		(PRDR)
	S 0100/0000	LENGTH(AH 3218 BK 3475)
		018 "DIA CIRC CONCR
	0090/2785	LEN=0063 INSTALLED 1988
	0090/0390	BMSEN 31/0994/0090/0000
017613 FT	017613 FT	2 0 31013 0 02 0619+66
		RAYSTOWN LAKE-MAIN CHAN
		BMSBG 31/0994/0090/0000
	S 0090/0000	LENGTH(AH 3475 BK 2010)
		RAYSTOWN PARKING LT
	0080/1852	(PARK)
		024 "DIA CIRC METAL
	0080/1534	LEN=0110 INSTALLED 1988
		024 "DIA CIRC CONCR
	0080/0988	LEN=0099 INSTALLED 1988
		048 "DIA CIRC METAL
	0080/0350	LEN=0099 INSTALLED 1988

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: LINCOLN T RIGHT MUN: LINCOLN T

	015603 FT	015603 FT	2 0 31013 0 02 0639+36
		S 0080/0000	LENGTH(AH 2010 BK 2362)
			030 "DIA CIRC CONCR
		0070/1894	LEN=0065 INSTALLED 1988
			030 "DIA CIRC CONCR
		0070/1893	LEN=0065 INSTALLED 1988
			024 "DIA CIRC METAL
		0070/1083	LEN=0080 INSTALLED 1988
		0070/0390	BMSEN 31/0994/0070/0000
	013241 FT	013241 FT	2 0 31013 0 02 0663+34
			RAYSTOWN LAKE,COFFEE RU
			BMSBG 31/0994/0070/0000
		S 0070/0000	LENGTH(AH 2362 BK 2142)
			036 "DIA CIRC METAL
		0060/0011	LEN=0070 INSTALLED 1988
	011099 FT	011099 FT	2 0 31013 0 02 0685+26
		S 0060/0000	LENGTH(AH 2142 BK 1971)
			018 "DIA CIRC METAL
		0050/1541	LEN=0070 INSTALLED 1988
	009128 FT	009128 FT	2 0 31013 0 02 0704+41
		S 0050/0000	LENGTH(AH 1971 BK 1559)
			060 "DIA CIRC CONCR
		0040/1110	LEN=0080 INSTALLED 1988
			TR.COFFEE RN
			STRUCTURE LENGTH 12 FT
		0040/0362	BMSID 31/0994/0040/0362
2 0 31013 0 02 0720+16	007569 FT	007569 FT	
JAMES CREEK RD			
(SR3009 SEG 0010/0000)	0040/0000	S 0040/0000	LENGTH(AH 1559 BK 2016)
			024 "DIA CIRC CONCR
		0034/1960	LEN=0100 INSTALLED 1988
			018 "DIA CIRC CONCR
		0034/1380	LEN=0060 INSTALLED 1988
			024 "DIA CIRC METAL
		0034/1140	LEN=0070 INSTALLED 1988
			024 "DIA CIRC METAL
		0034/0834	LEN=0075 INSTALLED 1988

DIR: B TOTAL LEN: 27.397 MI. DIST: 09-5 SR: 994
LEFT MUN: LINCOLN T RIGHT MUN: LINCOLN T

			024 "DIA CIRC METAL
		0034/0661	LEN=0060 INSTALLED 1988
			024 "DIA CIRC METAL
		0034/0200	LEN=0060 INSTALLED UNKN
005553 FT		005553 FT	0 0 00000 0 00 0000+00
			036 "DIA CIRC METAL
			LEN=0060 INSTALLED 1988
		5 0034/0000	LENGTH(AH 2016 BK 2843)
			CLAPPERS RIDGE RD
		0024/2543	(SR3005 SEG 0050/3272)
			036 "DIA CIRC METAL
		0024/2501	LEN=0060 INSTALLED 1992
			018 "DIA CIRC CONCR
		0024/2144	LEN=0060 INSTALLED 1992
			018 "DIA CIRC CONCR
		0024/1473	LEN=0060 INSTALLED 1992
			038 "DIA CIRC CONCR
		0024/1175	LEN=0060 INSTALLED 1992
			018 "DIA CIRC CONCR
		0024/0747	LEN=0060 INSTALLED 1992
			018 "DIA CIRC CONCR
		0024/0540	LEN=0060 INSTALLED 1992
			018 "DIA CIRC CONCR
		0024/0328	LEN=0050 INSTALLED 1992
			018 "DIA CIRC CONCR
		0024/0159	LEN=0050 INSTALLED 1992
			018 "DIA CIRC CONCR
		0024/0020	LEN=0065 INSTALLED 1992
0 0 00000 0 00 0000+00	002710 FT	002710 FT	ENTRIKEN CEMETARY RD
ENTRIKEN RD			(T400)
(T406)	0024/0000	5 0024/0000	LENGTH(AH 2843 BK 2710)
			COFFEE RUN
			STRUCTURE LENGTH 22 FT
		0014/2343	BMSID 31/0994/0014/2343
			018 "DIA CIRC CONCR
		0014/1575	LEN=0065 INSTALLED 1992
			018 "DIA CIRC CONCR
		0014/1360	LEN=0050 INSTALLED 1992
			024 "DIA CIRC CONCR
		0014/0512	LEN=0100 INSTALLED 1992
000000 FT		000000 FT	0 0 00000 0 00 0000+00
		NC	OLD PLANK RD
			RAYSTOWN RD
			(SR0026 SEG 0090/0794)
			MFC BEGIN = D
		5 0014/0000	LENGTH(AH 2710 BK 0000)

DIR: B TOTAL LEN: 12.659 MI. DIST: 09-5 SR: 913
LEFT MUN: CLAY T RIGHT MUN: CLAY T

066839 FT

064963 FT

064963 FT

062410 FT



066839 FT AH-FULTON (29)
REF-AHD NEW GRENADA HW
0250/1876 (SR0913 SEG 0060/0000)

048 "DIA CIRC CONCR
0250/1180 LEN=0065 INSTALLED UNKN
015 "DIA CIR PLASTIC
0250/0918 LEN=0045 INSTALLED UNKN
015 "DIA CIRC METAL
0250/0543 LEN=0075 INSTALLED UNKN
CLAY
0250/0309 WOOD T
018 "DIA CIRC CONCR
0250/0263 LEN=0135 INSTALLED UNKN
064963 FT 1 0 00430 0 00 0439+12
NC NEW GRENADA HW
REF-BK NEW GRENADA HW
(SR0913 SEG 0050/1698)
BK-FULTON (29)
0250/0000 LTH AH 001876 BK 010485
064963 FT AH-FULTON (29)
7242/0000 LTH AH 010485 BK 002553
REF-AHD NEW GRENADA HW
0240/2553 (SR0913 SEG 0010/0000)
018 "DIA CIRC METAL
0240/2430 LEN=0032 INSTALLED UNKN
015 "DIA CIRC METAL
0240/2399 LEN=0071 INSTALLED UNKN
015 "DIA CIRC METAL
0240/2071 LEN=0042 INSTALLED UNKN
015 "DIA CIRC METAL
0240/1857 LEN=0060 INSTALLED UNKN
015 "DIA CIRC METAL
0240/1647 LEN=0069 INSTALLED UNKN
015 "DIA CIRC METAL
0240/1125 LEN=0060 INSTALLED UNKN
015 "DIA CIRC METAL
0240/0847 LEN=0052 INSTALLED UNKN
024 "DIA CIRC METAL
0240/0427 LEN=0120 INSTALLED UNKN
062410 FT 1 0 00721 0 01 0625+31
0240/0000 LENGTH(AH 2553 BK 2192)
015 "DIA CIRC METAL
0230/2000 LEN=0050 INSTALLED UNKN
015 "DIA CIRC METAL
0230/1805 LEN=0050 INSTALLED UNKN

DIR: B TOTAL LEN: 12.659 MI. DIST: 09-5 SR: 913
LEFT MUN: WOOD T RIGHT MUN: WOOD T

		015 "DIA CIRC METAL
	0230/1540	LEN=0032 INSTALLED UNKN
		015 "DIA CIRC METAL
	0230/1334	LEN=0051 INSTALLED UNKN
		015 "DIA CIRC METAL
	0230/1100	LEN=0051 INSTALLED UNKN
		015 "DIA CIRC METAL
	0230/0904	LEN=0051 INSTALLED UNKN
		015 "DIA CIRC METAL
	0230/0717	LEN=0042 INSTALLED UNKN
		015 "DIA CIRC METAL
	0230/0397	LEN=0049 INSTALLED UNKN
		015 "DIA CIRC METAL
	0230/0087	LEN=0060 INSTALLED UNKN
060218 FT	060218 FT	1 0 00721 0 01 0602+84
	S 0230/0000	LENGTH(AH 2192 BK 3362)
		018 "DIA CIRC METAL
	0220/3126	LEN=0045 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0220/2673	LEN=0039 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0220/2285	LEN=0036 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0220/0717	LEN=0042 INSTALLED UNKN
		015 "DIA CIRC METAL
	0220/0397	LEN=0042 INSTALLED UNKN
056856 FT	056856 FT	1 0 00721 0 01 0569+74
	S 0220/0000	LENGTH(AH 3362 BK 3474)
		015 "DIA CIRC METAL
	0210/3385	LEN=0035 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0210/2955	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC METAL
	0210/2461	LEN=0036 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0210/2020	LEN=0036 INSTALLED UNKN
		TROUT RD
	0210/1940	(T571)
		015 "DIA CIRC CONCR
	0210/1511	LEN=0036 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0210/1051	LEN=0036 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0210/0784	LEN=0035 INSTALLED UNKN
		015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 12.659 MI. DIST: 09-5 SR: 913
LEFT MUN: WOOD T RIGHT MUN: WOOD T

	053382 FT		0210/0031 LEN=0035 INSTALLED UNKN
			053382 FT 1 0 00721 0 01 0534+89
			S 0210/0000 LENGTH(AH 3474 BK 3667)
			015 "DIA CIRC CONCR
			0200/3311 LEN=0045 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0200/2792 LEN=0036 INSTALLED UNKN
			015 "DIA CIRC METAL
			0200/2372 LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0200/1899 LEN=0048 INSTALLED UNKN
			024 "DIA CIRC CONCR
			0200/1144 LEN=0054 INSTALLED UNKN
WOOD ST (T563)	0200/0324		WOOD ST
			0200/0324 (T563)
			ALLEY
			0200/0194 (TWP)
			024 "DIA CIRC METAL
			0200/0142 LEN=0045 INSTALLED UNKN
	049715 FT		049715 FT 1 0 00721 0 01 0497+69
			VILLAGE: ROBERTSDALE
			NORTH ST
			(SR3006 SEG 0060/2926)
			NC NEW GRENADA RD
			REALITY ST
			(T558)
			S 0200/0000 LENGTH(AH 3667 BK 2635)
			MORGAN ST
			0190/2213 (T559)
LINCOLN ST (T570)	0190/2052		
			0190/1929 BMSEN 31/0913/0190/1896
			1 0 00721 0 01 0489+95
			GREAT TROUGH CREEK
			0190/1896 BMSBG 31/0913/0190/1896
E.RAILROAD ST (T579)	0190/1694		
			ALLEY
			0190/1661 (TWP)
			015 "DIA CIRC CONCR
			0190/1589 LEN=0039 INSTALLED UNKN
			018 "DIA CIRC METAL
			LEN=0057 INSTALLED UNKN
			CHURCH ST
			0190/1345 (T565)
ALLEY (TWP)	0190/0897		
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 12.659 MI. DIST: 09-5 SR: 913
LEFT MUN: WOOD T RIGHT MUN: WOOD T

			0190/0893 LEN=0258 INSTALLED UNKN
EAST ST (T566)	0190/0652		
BIRCH ST (T567)	0190/0607		
			HILL ST
			0190/0481 (T567)
			CHERRY ST
			0190/0125 (T568)
			036 "DIA CIRC METAL
			0190/0110 LEN=0045 INSTALLED UNKN
	047080 FT		047080 FT 1 0 00721 0 01 0471+07
COOKS RD (SR3019 SEG 0010/0000)	0190/0000		NC MAIN ST
		S	0190/0000 LENGTH(AH 2635 BK 3637)
			018 "DIA CIRC METAL
			0180/2287 LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0180/1988 LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0180/1406 LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
			0180/0975 LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0180/0477 LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0180/0151 LEN=0040 INSTALLED UNKN
	043443 FT		043443 FT 1 0 00721 0 01 0434+88
		S	0180/0000 LENGTH(AH 3637 BK 3553)
			018 "DIA CIRC CONCR
			0170/3275 LEN=0016 INSTALLED 2005
			018 "DIA CIRC CONCR
			0170/3013 LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0170/2740 LEN=0045 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0170/2400 LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0170/2006 LEN=0008 INSTALLED 2005
			018 "DIA CIRC METAL
			0170/1767 LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
			0170/1367 LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0170/0975 LEN=0045 INSTALLED UNKN
	039890 FT		039890 FT 1 0 00721 0 01 0399+11

DIR: B TOTAL LEN: 12.659 MI. DIST: 09-5 SR: 913
LEFT MUN: WOOD T RIGHT MUN: WOOD T

				018 "DIA CIRC CONCR
				LEN=0032 INSTALLED UNKN
			S 0170/0000	LENGTH(AH 3553 BK 2444)
				WOOD
			0160/2317	BROAD TOP CITY B
				018 "DIA CIRC CONCR
			0160/1925	LEN=0036 INSTALLED UNKN
				015 "DIA CIRC METAL
			0160/1611	LEN=0036 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0160/1331	LEN=0039 INSTALLED UNKN
ELM ST (BORO)	0160/1103			
SERVICE ST (BORO)	0160/0925			
PINE ST (BORO)	0160/0747			
				015 "DIA CIRC CONCR
			0160/0719	LEN=0120 INSTALLED UNKN
LINN ST (BORO)	0160/0562			
				CHERRY ST
			0160/0367	(BORO)
				LAUREL ST
			0160/0201	(BORO)
				015 "DIA CIRC CONCR
			0160/0075	LEN=0050 INSTALLED UNKN
	037446 FT		037446 FT	1 0 00721 0 01 0374+41
				BROAD ST
				(SR3017 SEG 0070/0000)
			S 0160/0000	LENGTH(AH 2444 BK 2388)
				HAZEL ST
			0150/2195	(BORO)
				024 "DIA CIRC CONCR
			0150/2150	LEN=0040 INSTALLED 1963
				OAK ST
			0150/2010	(BORO)
				018 "DIA CIRC CONCR
			0150/2000	LEN=0040 INSTALLED 1963
				ALDER ST
			0150/1824	(BORO)
				CEDAR ST
			0150/1695	(BORO)
				018 "DIA CIRC CONCR
			0150/1690	LEN=0040 INSTALLED 1963
CEDAR ST (BORO)	0150/1633			
				018 "DIA CIRC CONCR
			0150/1600	LEN=0040 INSTALLED 1963
				018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 12.659 MI. DIST: 09-5 SR: 913
LEFT MUN: BROAD TOP CITY B RIGHT MUN: BROAD TOP CITY B

```
                                          0150/1100 LEN=0040 INSTALLED 1963
                                                    018 "DIA CIRC CONCR
                                          0150/0820 LEN=0040 INSTALLED 1963
                                                    018 "DIA CIRC CONCR
                                          0150/0420 LEN=0040 INSTALLED 1963
                                          0150/0011 BMSEN 31/0913/0150/0000
035058 FT                                 035058 FT 1 0 00721 0 01 0345+00
                                               NC RAILROAD AV
                                                    TRIB SHOUPS RUN
                                                    BMSBG 31/0913/0150/0000
                                        5 0150/0000 LENGTH(AH 2388 BK 3606)
                                                    018 "DIA CIRC CONCR
                                          0140/3450 LEN=0032 INSTALLED UNKN
                                                    024 "DIA CIRC CONCR
                                          0140/3040 LEN=0033 INSTALLED 1980
                                                    BROAD TOP CITY
                                          0140/2989 CARBON T
                                                    018 "DIA CIRC CONCR
                                          0140/2705 LEN=0036 INSTALLED UNKN
                                          0140/2411 BMSEN 31/0913/0140/2398
                                                    1 0 00721 0 01 0338+91
                                                    SHOUPS RUN
                                          0140/2398 BMSBG 31/0913/0140/2398
                                                    018 "DIA CIRC CONCR
                                          0140/2025 LEN=0036 INSTALLED 1980


                                                    015 "DIA CIRC METAL
                                          0140/0917 LEN=0031 INSTALLED UNKN
                                                    048"H 60"W CONC STRUCT
                                          0140/0662 LEN=0036 INSTALLED UNKN
                                                    015 "DIA CAST IRON
                                          0140/0285 LEN=0042 INSTALLED UNKN
031452 FT                                 031452 FT 1 0 00721 0 01 0315+02
                                        5 0140/0000 LENGTH(AH 3606 BK 3586)
                                                    015 "DIA CAST IRON
                                          0130/3535 LEN=0036 INSTALLED UNKN
                                                    018 "DIA CAST IRON
                                          0130/3056 LEN=0048 INSTALLED UNKN
                                                    015 "DIA CAST IRON
                                          0130/2926 LEN=0045 INSTALLED UNKN
                                                    SHOUP RUN
                                                    STRUCTURE LENGTH 23 FT
                                          0130/2628 BMSID 31/0913/0130/2628
                                                    015 "DIA CAST IRON
                                          0130/2161 LEN=0048 INSTALLED UNKN
                                                    015 "DIA CAST IRON
                                          0130/1725 LEN=0036 INSTALLED UNKN
GREEN GARDEN RD
(T553)                    0130/1460
```

DIR: B TOTAL LEN: 12.659 MI. DIST: 09-5 SR: 913
LEFT MUN: CARBON T RIGHT MUN: CARBON T

			015 "DIA CAST IRON
		0130/1354	LEN=0045 INSTALLED UNKN
		0130/1069	BMSEN 31/0913/0130/1050
			1 0 00721 0 01 0289+47
			SHOUPS RUN
		0130/1050	BMSBG 31/0913/0130/1050
			015 "DIA CAST IRON
		0130/0635	LEN=0042 INSTALLED UNKN
			015 "DIA CAST IRON
		0130/0398	LEN=0045 INSTALLED UNKN
	027866 FT	027866 FT	1 0 00721 0 01 0279+13
			CARBON
			DUDLEY B
		S 0130/0000	LENGTH(AH 3586 BK 2844)
			018 "DIA CAST IRON
		0120/2820	LEN=0032 INSTALLED UNKN
			015 "DIA CAST IRON
		0120/2590	LEN=0060 INSTALLED UNKN
GREEN GARDEN RD (BORO)	0120/2506		
			060"H 95"W CON BOX CUL
		0120/2090	LEN=0084 INSTALLED UNKN
			TRIB SHOUPS RUN
			STRUCTURE LENGTH 8 FT
		0120/2050	BMSID 31/0913/0120/2050
			OAK ST
		0120/2000	(BORO)
			015 "DIA CAST IRON
		0120/1813	LEN=0045 INSTALLED UNKN
			015 "DIA CAST IRON
		0120/1470	LEN=0045 INSTALLED UNKN
			015 "DIA CAST IRON
		0120/1133	LEN=0045 INSTALLED UNKN
			SCHOOL ST
CLAPPER RD (BORO)	0120/0621	0120/1124	(BORO)
			WASHINGTON ST
		0120/0348	(SR3015 SEG 0030/2644)
			072"H 95"W CON BOX CUL
		0120/0311	LEN=0064 INSTALLED UNKN
			SULPHUR RUN
			STRUCTURE LENGTH 8 FT
		0120/0253	BMSID 31/0913/0120/0253
	025022 FT	025022 FT	1 0 00721 0 01 0250+78
			DUDLEY
			CARBON T
		S 0120/0000	LENGTH(AH 2844 BK 1288)
BLACKS DR (T339)	0110/0851		

DIR: B TOTAL LEN: 12.659 MI. DIST: 09-5 SR: 913
LEFT MUN: CARBON T RIGHT MUN: CARBON T

			SHOUPS RUN
			STRUCTURE LENGTH 28 FT
		0110/0805	BMSID 31/0913/0110/0805
			015 "DIA CIRC CONCR
		0110/0343	LEN=0036 INSTALLED UNKN
			020 "DIA CAST IRON
		0110/0015	LEN=0045 INSTALLED UNKN
1 0 00721 0 01 0237+75	023734 FT	023734 FT	
HORTON ST			
(T342)	0110/0000	0110/0000	LENGTH(AH 1288 BK 3318)
			020 "DIA CAST IRON
		0100/3053	LEN=0050 INSTALLED UNKN
ANDERSON ST			
(T345)	0100/2928		
			015 "DIA CAST IRON
		0100/2900	LEN=0032 INSTALLED UNKN
			018 "DIA CAST IRON
		0100/2626	LEN=0078 INSTALLED UNKN
CRAWFORD ST			
(T554)	0100/2607		
		0100/2505	BMSEN 31/0913/0100/2433
			1 0 00721 0 01 0229+01
			SHOUPS RUN
		0100/2433	BMSBG 31/0913/0100/2433
MINERSVILLE RD			
(T354)	0100/2357		
			MINNICKS DR
		0100/0551	(T343)
			018 "DIA CAST IRON
		0100/0247	LEN=0048 INSTALLED UNKN
	020416 FT	020416 FT	1 0 00721 0 01 0205+18
		0100/0000	LENGTH(AH 3318 BK 3583)
			018 "DIA CAST IRON
		0090/3444	LEN=0045 INSTALLED UNKN
			018 "DIA CAST IRON
		0090/3263	LEN=0045 INSTALLED UNKN
			015 "DIA CAST IRON
		0090/3056	LEN=0045 INSTALLED UNKN
			015 "DIA CAST IRON
		0090/2725	LEN=0042 INSTALLED UNKN
			MINNICKS DR
		0090/2709	(T343)
			018 "DIA CAST IRON
		0090/2417	LEN=0055 INSTALLED UNKN
			018 "DIA CAST IRON

DIR: B TOTAL LEN: 12.659 MI. DIST: 09-5 SR: 913
LEFT MUN: CARBON T RIGHT MUN: CARBON T

	0090/2145	LEN=0042 INSTALLED UNKN 018 "DIA CAST IRON
	0090/1865	LEN=0048 INSTALLED UNKN 018 "DIA CAST IRON
	0090/1584	LEN=0045 INSTALLED UNKN 018 "DIA CAST IRON
	0090/1238	LEN=0052 INSTALLED UNKN 015 "DIA CAST IRON
	0090/0663	LEN=0048 INSTALLED UNKN 015 "DIA CAST IRON
	0090/0294	LEN=0050 INSTALLED UNKN
016833 FT	016833 FT	1 0 00721 0 01 0169+59
	5 0090/0000	LENGTH(AH 3583 BK 0783) CARBON
	0080/0745	COALMONT B 024 "DIA CIRC CONCR
	0080/0165	LEN=0045 INSTALLED UNKN
016050 FT	016050 FT	1 0 00721 0 01 0161+76 STRONG ST (TWP)
	5 0080/0000	LENGTH(AH 0783 BK 1621) STRONG ST
	0070/1453	(BORO) 024 "DIA CIRC CONCR
	0070/1351	LEN=0055 INSTALLED UNKN 048"H 60"W CON BOX CUL
	0070/1204	LEN=0039 INSTALLED UNKN DAUGHERTY ST
	0070/0815	(BORO) KING ST
	0070/0440	(BORO)
	0070/0244	BMSEN 31/0913/0070/0222 1 0 00721 0 01 0147+15 COAL BANK RUN
	0070/0222	BMSBG 31/0913/0070/0222 HICKORY HILL RD
	0070/0096	(SR3013 SEG 0010/2968)
	0070/0082	BMSEN 31/0913/0070/0000
014429 FT	014429 FT	1 0 00721 0 01 0144+84 SHOUP RUN BMSBG 31/0913/0070/0000
	5 0070/0000	LENGTH(AH 1621 BK 1719) 024 "DIA CIRC CONCR
	0060/1525	LEN=0069 INSTALLED 2015 018 "DIA CIRC CONCR
	0060/1110	LEN=0060 INSTALLED UNKN 015 "DIA CIRC CONCR
	0060/0445	LEN=0032 INSTALLED UNKN COALMONT

DIR: B TOTAL LEN: 12.659 MI. DIST: 09-5 SR: 913
LEFT MUN: COALMONT B RIGHT MUN: COALMONT B

		0060/0416	CARBON T
	012710 FT	012710 FT	1 0 00721 0 01 0127+82
		0060/0000	LENGTH(AH 1719 BK 1701)
			015 "DIA CIR PLASTIC
		0050/1621	LEN=0045 INSTALLED UNKN
		0050/0017	BMSEN 31/0913/0050/0000
	011009 FT	011009 FT	1 0 00721 0 01 0110+58
			SUGAR CAMP RUN
			BMSBG 31/0913/0050/0000
		0050/0000	LENGTH(AH 1701 BK 2936)
RISBONS LN (T402)	0040/2876		
			015 "DIA CIR PLASTIC
		0040/2480	LEN=0039 INSTALLED UNKN
			015 "DIA CIRC METAL
		0040/2243	LEN=0039 INSTALLED UNKN
			SHOUP RUN CT
		0040/1760	(PRDR)
			015 "DIA CIRC METAL
		0040/1263	LEN=0008 INSTALLED 2002
			MUNICIPAL DR
		0040/0714	(TWP)
			036 "DIA CIRC METAL
		0040/0410	LEN=0042 INSTALLED UNKN
		0040/0017	BMSEN 31/0913/0040/0000
	008073 FT	008073 FT	1 0 00721 0 01 0081+24
			HOUSE RUN
			BMSBG 31/0913/0040/0000
		0040/0000	LENGTH(AH 2936 BK 3466)
BROAD TOP MTN RD (SR3001 SEG 0010/0000)	0030/3239		
			015 "DIA CIRC CONCR
		0030/3195	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0030/2825	LEN=0038 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0030/2500	LEN=0042 INSTALLED UNKN
			015 "DIA CIRC METAL
		0030/1660	LEN=0046 INSTALLED 2001
			015 "DIA CIRC METAL
		0030/1270	LEN=0038 INSTALLED UNKN
			015 "DIA CIRC METAL
		0030/0962	LEN=0038 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0030/0605	LEN=0036 INSTALLED UNKN

DIR: B TOTAL LEN: 12.659 MI. DIST: 09-5 SR: 913
LEFT MUN: CARBON T RIGHT MUN: CARBON T

			015 "DIA CIR PLASTIC
		0030/0020	LEN=0040 INSTALLED UNKN
	004607 FT	004607 FT	1 0 00721 0 01 0046+55
			VILLAGE: MIDDLETOWN
			CARBON
			HOPEWELL T
		0030/0000	LENGTH(AH 3466 BK 1669)
			015 "DIA CIRC METAL
		0020/1230	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC METAL
		0020/0890	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC METAL
		0020/0632	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0210	LEN=0040 INSTALLED UNKN
1 0 00721 0 01 0030+25	002938 FT	002938 FT	
WEAVER FALLS RD			
(SR3007 SEG 0010/0000)	0020/0000	0020/0000	LENGTH(AH 1669 BK 2938)
		0010/2740	BMSEN 31/0913/0010/2638
			1 0 00721 0 01 0026+40
			SHOUPS RUN
		0010/2638	BMSBG 31/0913/0010/2638
			024 "DIA CIR PLASTIC
		0010/2170	LEN=0032 INSTALLED 2001
			SHERLOCK RD
		0010/1952	(T362)
			015 "DIA CIR PLASTIC
		0010/1870	LEN=0007 INSTALLED 2001
PENBROKE LN			
(PRDR)	0010/1819		
			015 "DIA CIR PLASTIC
		0010/1670	LEN=0030 INSTALLED 2001
			018 "DIA CIR PLASTIC
		0010/1497	LEN=0035 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0010/1118	LEN=0032 INSTALLED 2001
			BAKER RD
		0010/0541	(T364)
			018 "DIA CIR PLASTIC
		0010/0500	LEN=0035 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0010/0127	LEN=0050 INSTALLED UNKN
	000000 FT	000000 FT	1 0 00721 0 00 0000+00
			VILLAGE: PUTTSTOWN
			NC BROAD TOP MTN RD
		REF-BK	SIXTH ST
			(SR0913 SEG 0050/2977)
			MFC BEGIN = C
			BK-BEDFORD (05)
		0010/0000	LENGTH(AH 2938 BK 0000)

DIR: B TOTAL LEN: 17.037 MI. DIST: 09-5 SR: 829
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

089954 FT



089954 FT WILLIAM PENN HW
(SR0022 SEG 0370/0000)
0420/1509
MAIN ST
0420/1298 (T444)
0420/1152 (AAR 506534T)#TRKS 02

DIR: B TOTAL LEN: 17.037 MI. DIST: 09-5 SR: 829
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

		0420/0470	BMSEN 31/0829/0420/0000
			HENDERSON
		0420/0231	UNION T
088445 FT		088445 FT	1 0 00192 0 08 1480+31
			JUNIATA RIV.
			BMSBG 31/0829/0420/0000
	S	0420/0000	LENGTH(AH 1509 BK 1481)
			018 "DIA CIRC CONCR
		0410/1465	LEN=0055 INSTALLED 2000
			TR.JUN.RIV.
			STRUCTURE LENGTH 14 FT
		0410/1333	BMSID 31/0829/0410/1333
			015 "DIA CIRC CONCR
		0410/0765	LEN=0042 INSTALLED UNKN
			TRIB JUNIATA RIVER
			STRUCTURE LENGTH 14 FT
		0410/0573	BMSID 31/0829/0410/0573
			024 "DIA CIRC CONCR
		0410/0083	LEN=0050 INSTALLED UNKN
086964 FT		086964 FT	1 0 00192 0 08 1464+80
	S	0410/0000	LENGTH(AH 1481 BK 2360)
			018 "DIA CIRC CONCR
		0400/2181	LEN=0035 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0400/1650	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0400/1421	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0400/1172	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0400/0928	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0400/0680	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0400/0427	LEN=0058 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0400/0140	LEN=0058 INSTALLED UNKN
084604 FT		084604 FT	1 0 00192 0 08 1441+46
	S	0400/0000	LENGTH(AH 2360 BK 2780)
			018 "DIA CIRC CONCR
		0390/2641	LEN=0040 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0390/2353	LEN=0060 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0390/1950	LEN=0049 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0390/1665	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0390/1321	LEN=0060 INSTALLED UNKN

DIR: B TOTAL LEN: 17.037 MI. DIST: 09-5 SR: 829
LEFT MUN: UNION T RIGHT MUN: UNION T

			018 "DIA CIRC CONCR
		0390/1170	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0390/0977	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0390/0760	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0390/0503	LEN=0045 INSTALLED UNKN
	081824 FT	081824 FT	1 0 00192 0 08 1414+07
			POLECAT HOLLOW RD
			(SR3049 SEG 0020/3723)
		S 0390/0000	LENGTH(AH 2780 BK 1902)
			018 "DIA CIRC CONCR
		0380/1723	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0380/1470	LEN=0035 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0380/1221	LEN=0042 INSTALLED UNKN
SUNRISE ACRES RD (T454)	0380/1160		
			018 "DIA CIRC CONCR
		0380/0558	LEN=0055 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0380/0261	LEN=0052 INSTALLED UNKN
	079922 FT	079922 FT	1 0 00192 0 08 1394+66
		S 0380/0000	LENGTH(AH 1902 BK 1603)
			018 "DIA CIRC CONCR
		0370/1420	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0370/1120	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0370/0723	LEN=0046 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0370/0426	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0370/0128	LEN=0048 INSTALLED UNKN
	078319 FT	078319 FT	1 0 00192 0 08 1378+63
			SLOAN RD
			(T402)
		S 0370/0000	LENGTH(AH 1603 BK 3423)
			018 "DIA CIRC CONCR
		0360/3312	LEN=0074 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0360/3018	LEN=0047 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0360/2764	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0360/2515	LEN=0047 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 17.037 MI. DIST: 09-5 SR: 829
LEFT MUN: UNION T RIGHT MUN: UNION T

```
                                        0360/2266 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0360/1918 LEN=0046 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0360/1720 LEN=0047 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0360/1480 LEN=0050 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0360/1249 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0360/0999 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0360/0754 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0360/0500 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0360/0284 LEN=0060 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0360/0041 LEN=0050 INSTALLED UNKN
074896 FT                               074896 FT 1 0 00192 0 08 1344+40
                                      S 0360/0000 LENGTH(AH 3423 BK 2520)
                                                  018 "DIA CIRC CONCR
                                        0350/2292 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0350/2043 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0350/1793 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0350/1542 LEN=0008 INSTALLED 2005
                                                  018 "DIA CIRC CONCR
                                        0350/1290 LEN=0008 INSTALLED 2005
                                                  018 "DIA CIRC CONCR
                                        0350/1052 LEN=0045 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0350/0798 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0350/0552 LEN=0008 INSTALLED 2005
                                                  015 "DIA CIRC CONCR
                                        0350/0305 LEN=0040 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0350/0055 LEN=0040 INSTALLED UNKN
072376 FT                               072376 FT 1 0 00192 0 08 1320+00
                                      S 0350/0000 LENGTH(AH 2520 BK 2284)
                                                  018 "DIA CIRC CONCR
                                        0340/2100 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0340/1840 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0340/1595 LEN=0040 INSTALLED 2005
                                                  018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 17.037 MI. DIST: 09-5 SR: 829
LEFT MUN: UNION T RIGHT MUN: UNION T

		0340/1334	LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR
		0340/1080	LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR
		0340/0871	LEN=0016 INSTALLED 2005 018 "DIA CIRC CONCR
		0340/0690	LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR
		0340/0455	LEN=0040 INSTALLED UNKN
1 0 00192 0 08 1296+62 070092 FT SMITH RD (T423)	0340/0000	070092 FT S 0340/0000	LENGTH(AH 2284 BK 3208) 015 "DIA CIRC CONCR
		0330/2652	LEN=0030 INSTALLED 2000 015 "DIA CIRC CONCR
		0330/2130	LEN=0030 INSTALLED 2000 015 "DIA CIRC CONCR
		0330/1861	LEN=0030 INSTALLED 2000 015 "DIA CIRC CONCR
		0330/1550	LEN=0030 INSTALLED 2000 015 "DIA CIRC CONCR
		0330/1292	LEN=0030 INSTALLED 2000 015 "DIA CIRC CONCR
		0330/1040	LEN=0030 INSTALLED 2000 015 "DIA CIRC CONCR
		0330/0796	LEN=0030 INSTALLED 2000 015 "DIA CIRC CONCR
		0330/0547	LEN=0030 INSTALLED 2000 015 "DIA CIRC CONCR
		0330/0300	LEN=0030 INSTALLED 2000
	066884 FT	066884 FT	1 0 00192 0 08 1264+86 015 "DIA CIRC CONCR LEN=0040 INSTALLED 2000
		S 0330/0000	LENGTH(AH 3208 BK 2516) 015 "DIA CIRC CONCR
		0320/2269	LEN=0040 INSTALLED UNKN 015 "DIA CIRC CONCR
		0320/1662	LEN=0060 INSTALLED UNKN 015 "DIA CIRC CONCR
		0320/1368	LEN=0055 INSTALLED UNKN 015 "DIA CIRC CONCR
		0320/1002	LEN=0060 INSTALLED UNKN 018 "DIA CIRC CONCR
		0320/0750	LEN=0050 INSTALLED UNKN 015 "DIA CIRC CONCR
		0320/0448	LEN=0050 INSTALLED UNKN 015 "DIA CIRC CONCR
		0320/0158	LEN=0050 INSTALLED UNKN
	064368 FT	064368 FT	1 0 00192 0 08 1239+81

DIR: B TOTAL LEN: 17.037 MI. DIST: 09-5 SR: 829
LEFT MUN: UNION T RIGHT MUN: UNION T

		S	0320/0000 LENGTH(AH 2516 BK 2032)
			015 "DIA CIRC CONCR
			0310/1877 LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0310/1580 LEN=0065 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0310/0986 LEN=0055 INSTALLED UNKN
			030 "DIA CIRC CONCR
			0310/0302 LEN=0060 INSTALLED UNKN
1 0 00192 0 08 1219+49	062336 FT		062336 FT
HAWNS BRIDGE RD			
(SR3051 SEG 0010/0000)	0310/0000	S	0310/0000 LENGTH(AH 2032 BK 1952)
			030 "DIA CIRC CONCR
			0300/1690 LEN=0048 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0300/1430 LEN=0050 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0300/1030 LEN=0054 INSTALLED UNKN
SCOTT RD			
(T427)	0300/0993		
			015 "DIA CIRC CONCR
			0300/0604 LEN=0040 INSTALLED UNKN
			024 "DIA CIR PLASTIC
			0300/0260 LEN=0035 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0300/0056 LEN=0030 INSTALLED UNKN
	060384 FT		060384 FT 1 0 00192 0 08 1200+00
LONGHORN RD			VILLAGE: COLFAX
(T409)	0300/0000	S	0300/0000 LENGTH(AH 1952 BK 1985)
			015 "DIA CIRC CONCR
			0290/1828 LEN=0034 INSTALLED UNKN
			030 "DIA CIR PLASTIC
			0290/1129 LEN=0040 INSTALLED 1997
			015 "DIA CIR PLASTIC
			0290/0758 LEN=0033 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0290/0642 LEN=0032 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0290/0110 LEN=0033 INSTALLED UNKN
	058399 FT		058399 FT 1 0 00192 0 08 1179+60
		S	0290/0000 LENGTH(AH 1985 BK 1960)
			015 "DIA CIR PLASTIC
			0280/1848 LEN=0040 INSTALLED 2001
			030 "DIA CIRC CONCR
			0280/1638 LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0280/1224 LEN=0030 INSTALLED UNKN
			030 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 17.037 MI. DIST: 09-5 SR: 829
LEFT MUN: UNION T RIGHT MUN: UNION T

		0280/0842	LEN=0033 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0280/0519	LEN=0030 INSTALLED UNKN
1 0 00192 0 08 1160+00 056439 FT		056439 FT	
FOSTER RD			
(T403)	0280/0000	S 0280/0000	LENGTH(AH 1960 BK 2521)
			030 "DIA CIR PLASTIC
		0270/2250	LEN=0040 INSTALLED 1999
			015 "DIA CIR PLASTIC
		0270/1982	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0270/1681	LEN=0034 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0270/1473	LEN=0036 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0270/0864	LEN=0040 INSTALLED 2001
			015 "DIA CIRC CONCR
		0270/0597	LEN=0033 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0270/0339	LEN=0033 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0270/0161	LEN=0035 INSTALLED UNKN
1 0 00192 0 08 1135+00 053918 FT		053918 FT	
HAPPY HILLS RD			
(T408)	0270/0000	S 0270/0000	LENGTH(AH 2521 BK 1527)
			015 "DIA CIRC CONCR
		0260/1343	LEN=0038 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0260/1046	LEN=0035 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0260/0864	LEN=0040 INSTALLED 2001
			048 "DIA CIR PLASTIC
		0260/0495	LEN=0035 INSTALLED UNKN
	052391 FT	052391 FT	1 0 00192 0 08 1120+00
			015 "DIA CIRC CONCR
			LEN=0034 INSTALLED UNKN
		S 0260/0000	LENGTH(AH 1527 BK 2553)
			015 "DIA CIR PLASTIC
		0250/2248	LEN=0040 INSTALLED 2001
			015 "DIA CIR PLASTIC
		0250/2171	LEN=0040 INSTALLED 2001
			024 "DIA CIRC METAL
		0250/1949	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0250/1634	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/1058	LEN=0036 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0250/0806	LEN=0040 INSTALLED 2001

DIR: B TOTAL LEN: 17.037 MI. DIST: 09-5 SR: 829
LEFT MUN: UNION T RIGHT MUN: UNION T

			024 "DIA CIR PLASTIC
		0250/0432	LEN=0040 INSTALLED 2001
	049838 FT	049838 FT	1 0 00192 0 08 1094+48
		0250/0000	LENGTH(AH 2553 BK 1527)
			036 "DIA CIRC CONCR
		0240/1394	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0240/0806	LEN=0051 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0240/0574	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0240/0279	LEN=0040 INSTALLED UNKN
1 0 00192 0 08 1079+55	048311 FT	048311 FT	
MORGANS RD			
(T411)	0240/0000	0240/0000	LENGTH(AH 1527 BK 3308)
			024 "DIA CIRC CONCR
		0230/3296	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0230/2979	LEN=0042 INSTALLED UNKN
			060"H 72"W CONC STRUCT
		0230/2449	LEN=0045 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0230/1874	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0230/1659	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0230/1493	LEN=0045 INSTALLED UNKN
			048"H 60"W CONC STRUCT
		0230/1319	LEN=0042 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0230/0558	LEN=0200 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0230/0313	LEN=0150 INSTALLED UNKN
1 0 00192 0 08 1045+10	045003 FT	045003 FT	
LORRY RD			
(T408)	0230/0000	0230/0000	LENGTH(AH 3308 BK 2642)
			072"H 72"W CON BOX CUL
		0220/2534	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0220/1609	LEN=0063 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0220/1388	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0220/1232	LEN=0200 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0220/1053	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 17.037 MI. DIST: 09-5 SR: 829
LEFT MUN: UNION T RIGHT MUN: UNION T

			0220/0773 LEN=0040 INSTALLED UNKN
			COLBERT RD
		==	0220/0712 (T455)
			036"H 60"W BOX CULVRT*
			0220/0460 LEN=0052 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0220/0041 LEN=0100 INSTALLED UNKN
1 0 00192 0 08 1018+52	042361 FT		042361 FT
HARMONY CHURCH RD			
(T392)	0220/0000	==	S 0220/0000 LENGTH(AH 2642 BK 1968)
			SPORTSMANS CLUB RD
		==	0210/1883 (T393)
			018 "DIA CIRC CONCR
			0210/1676 LEN=0042 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0210/1223 LEN=0037 INSTALLED UNKN
			018 "DIA CAST IRON
			0210/0845 LEN=0045 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0210/0375 LEN=0036 INSTALLED UNKN
			UNION
			0210/0135 CASS T
	040393 FT		040393 FT 1 0 00192 0 08 0999+90
			VILLAGE: CALVIN
			S 0210/0000 LENGTH(AH 1968 BK 1995)
			018 "DIA CIRC CONCR
			0200/1850 LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0200/1444 LEN=0048 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0200/1030 LEN=0060 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0200/0779 LEN=0140 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0200/0549 LEN=0040 INSTALLED UNKN
			0200/0013 BMSEN 31/0829/0200/0000
	038398 FT		038398 FT 1 0 00192 0 08 0979+95
			TR.L.TRGH.CR
			BMSBG 31/0829/0200/0000
			S 0200/0000 LENGTH(AH 1995 BK 2275)
			018 "DIA CIRC CONCR
			0190/2099 LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0190/1765 LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0190/1175 LEN=0045 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0190/0679 LEN=0054 INSTALLED UNKN
			015 "DIA CIRC CONCR
			0190/0473 LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 17.037 MI. DIST: 09-5 SR: 829
LEFT MUN: CASS T RIGHT MUN: CASS T

			036"H 48"W ELLIP CONC
		0190/0210	LEN=0045 INSTALLED UNKN
			072"H 72"W CONCR ARCH
		0190/0100	LEN=0051 INSTALLED 1930
1 0 00192 0 08 0957+81	036123 FT	036123 FT	
BEAVERTOWN RD			
(SR3027 SEG 0110/1820)	0190/0000	0190/0000	LENGTH(AH 2275 BK 0786)
	035337 FT	035337 FT	1 0 00192 0 08 0949+30
		0180/0000	LENGTH(AH 0786 BK 3421)
			060"H 72"W CONC STRUCT
		0170/3386	LEN=0073 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0170/2840	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0170/2545	LEN=0045 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0170/2081	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0170/1685	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0170/0440	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0170/0082	LEN=0054 INSTALLED UNKN
	031916 FT	031916 FT	1 0 00192 0 08 0915+09
		0170/0000	LENGTH(AH 3421 BK 2111)
			015 "DIA CIRC CONCR
		0160/1826	LEN=0045 INSTALLED UNKN
WRIGHT RD			
(T387)	0160/1587		
			TR.L.TRGH.CR
			STRUCTURE LENGTH 10 FT
		0160/1202	BMSID 31/0829/0160/1202
			015 "DIA CIRC CONCR
		0160/0730	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0160/0417	LEN=0042 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0160/0255	LEN=0037 INSTALLED UNKN
		0160/0020	BMSEN 31/0829/0160/0000
	029805 FT	029805 FT	1 0 00192 0 08 0893+82
			T.L.TRGH.CR.
			BMSBG 31/0829/0160/0000
		0160/0000	LENGTH(AH 2111 BK 1375)
			CASS
		0150/1032	CASSVILLE B
			030 "DIA CIRC CONCR

DIR: B TOTAL LEN: 17.037 MI. DIST: 09-5 SR: 829
LEFT MUN: CASSVILLE B RIGHT MUN: CASSVILLE B

		0150/0944	LEN=0070 INSTALLED UNKN 015 "DIA CIRC CONCR
		0150/0653	LEN=0042 INSTALLED UNKN 015 "DIA CIRC CONCR
		0150/0425	LEN=0042 INSTALLED UNKN
	028430 FT	028430 FT	1 0 00192 0 08 0879+69 SPORTSMANS CLUB RD (T392)
		NC	TROUGH CREEK VALLEY PK
		S 0150/0000	LENGTH(AH 1375 BK 2423) 015 "DIA CIRC CONCR
		0140/2388	LEN=0036 INSTALLED UNKN 018 "DIA CIRC CONCR
		0140/1865	LEN=0060 INSTALLED UNKN 024 "DIA CIR PLASTIC
		0140/1545	LEN=0060 INSTALLED UNKN 018 "DIA CIRC CONCR
		0140/1271	LEN=0045 INSTALLED UNKN 024 "DIA CIRC CONCR
		0140/1048	LEN=0045 INSTALLED UNKN DIRT MOUNTAIN RD
		0140/0644	(T386) 024 "DIA CIRC CONCR
		0140/0485	LEN=0040 INSTALLED UNKN
1 0 00192 0 08 0855+58	026007 FT	026007 FT	
CHERRY ST (BORO)	0140/0000	S 0140/0000	LENGTH(AH 2423 BK 2348) CHERRY ST
		0130/2335	(BORO) 015 "DIA CIRC METAL
		0130/2328	LEN=0027 INSTALLED UNKN 018 "DIA CIRC METAL
		0130/1832	LEN=0175 INSTALLED UNKN SEMINARY ST
SEMINARY ST (SR3019 SEG 0240/1996)	0130/1826	0130/1826	(BORO) 015 "DIA CIRC METAL
		0130/1817	LEN=0045 INSTALLED UNKN
MAIN ST (BORO)	0130/1575		
			018 "DIA CIR PLASTIC
		0130/0725	LEN=0040 INSTALLED 2005 018 "DIA CIRC METAL
		0130/0262	LEN=0036 INSTALLED UNKN CASSVILLE
		0130/0118	CASS T CASS
		0130/0016	CASSVILLE B
	023659 FT	023659 FT	1 0 00192 0 07 0832+05
LUCYANNA ST		NC	WATER ST

DIR: B TOTAL LEN: 17.037 MI. DIST: 09-5 SR: 829
LEFT MUN: CASSVILLE B RIGHT MUN: CASSVILLE B

(BORO)

0130/0000	0130/0000	LENGTH(AH 2348 BK 2155)
		030 "DIA CIRC CONCR
	0120/2135	LEN=0098 INSTALLED UNKN
		CASSVILLE
	0120/1559	CASS T
		018 "DIA CIRC CONCR
	0120/1329	LEN=0052 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0120/0593	LEN=0040 INSTALLED UNKN
021504 FT	021504 FT	1 0 00192 0 07 0810+50
	0120/0000	LENGTH(AH 2155 BK 1970)
		018 "DIA CIR PLASTIC
	0110/1762	LEN=0036 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0110/1195	LEN=0040 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0110/0360	LEN=0040 INSTALLED UNKN
019534 FT	019534 FT	1 0 00192 0 07 0790+47
	0110/0000	LENGTH(AH 1970 BK 2579)
		015 "DIA CIR PLASTIC
	0100/2495	LEN=0036 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0100/1911	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC METAL
	0100/1414	LEN=0036 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0100/0773	LEN=0039 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0100/0182	LEN=0036 INSTALLED UNKN
016955 FT	016955 FT	1 0 00192 0 07 0764+25
	0100/0000	LENGTH(AH 2579 BK 2025)
		018 "DIA CIR PLASTIC
	0090/1710	LEN=0045 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0090/1402	LEN=0042 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0090/0895	LEN=0033 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0090/0300	LEN=0033 INSTALLED UNKN
014930 FT	014930 FT	1 0 00192 0 07 0744+00
		SMITH VALLEY RD
		(SR3029 SEG 0010/0000)
		ZINOBILE RD
		(SR3020 SEG 0010/0000)
	0090/0000	LENGTH(AH 2025 BK 1632)
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 17.037 MI. DIST: 09-5 SR: 829
LEFT MUN: CASS T RIGHT MUN: CASS T



```
                                    0080/1010 LEN=0036 INSTALLED UNKN
                                              018 "DIA CIR PLASTIC
                                    0080/0657 LEN=0040 INSTALLED 1998
                                              018 "DIA CIR PLASTIC
                                    0080/0475 LEN=0040 INSTALLED 1998
                                              018 "DIA CIR PLASTIC
                                    0080/0255 LEN=0040 INSTALLED 1998
013298 FT                           013298 FT 1 0 00192 0 07 0727+42
                                  S 0080/0000 LENGTH(AH 1632 BK 2486)
                                              018 "DIA CIR PLASTIC
                                    0070/2318 LEN=0040 INSTALLED 1998
                                              018 "DIA CIR PLASTIC
                                    0070/1869 LEN=0040 INSTALLED 1998
                                              015 "DIA CIRC CONCR
                                    0070/1380 LEN=0030 INSTALLED UNKN
                                              024 "DIA CIR PLASTIC
                                    0070/1241 LEN=0040 INSTALLED 1998

                                              018 "DIA CIR PLASTIC
                                    0070/0629 LEN=0040 INSTALLED 1998
                                              018 "DIA CIR PLASTIC
                                    0070/0106 LEN=0035 INSTALLED UNKN
010812 FT                           010812 FT 1 0 00192 0 07 0702+24
                                  S 0070/0000 LENGTH(AH 2486 BK 1958)
                                              018 "DIA CIRC CONCR
                                    0060/1907 LEN=0040 INSTALLED 1998
                                              015 "DIA CIR PLASTIC
                                    0060/1663 LEN=0036 INSTALLED UNKN
                                              024 "DIA CIR PLASTIC
                                    0060/1190 LEN=0040 INSTALLED 2006

                                              024 "DIA CIR PLASTIC
                                    0060/0339 LEN=0040 INSTALLED UNKN
008854 FT                           008854 FT 1 0 00192 0 07 0682+30
                                  S 0060/0000 LENGTH(AH 1958 BK 2650)
                                              018 "DIA CIR PLASTIC
                                    0050/2200 LEN=0040 INSTALLED 1998
                                              030 "DIA CIRC METAL
                                    0050/1981 LEN=0036 INSTALLED UNKN
                                              018 "DIA CIR PLASTIC
                                    0050/1737 LEN=0040 INSTALLED 1998


                                              018 "DIA CIR PLASTIC
                                    0050/0716 LEN=0040 INSTALLED 2006
                                              024 "DIA CIR PLASTIC
                                    0050/0482 LEN=0040 INSTALLED 1998
                                    0050/0013 BMSEN 31/0829/0050/0000
006204 FT                           006204 FT 1 0 00192 0 07 0655+93
                                              SMITH VAL RN
```

DIR: B TOTAL LEN: 17.037 MI. DIST: 09-5 SR: 829
LEFT MUN: CASS T RIGHT MUN: CASS T

			BMSBG 31/0829/0050/0000
		S 0050/0000	LENGTH(AH 2650 BK 1851)
			030 "DIA CIR PLASTIC
		0040/1630	LEN=0040 INSTALLED 1998
			024 "DIA CIR PLASTIC
		0040/1100	LEN=0048 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0040/0580	LEN=0040 INSTALLED 1998
			036 "DIA CIRC CONCR
		0040/0347	LEN=0056 INSTALLED UNKN
FAIRVIEW CHURCH RD (T342)	0040/0076		
		0040/0017	BMSEN 31/0829/0040/0000
	004353 FT	004353 FT	1 0 00192 0 07 0636+63
			SMITH VAL RN
			BMSBG 31/0829/0040/0000
		S 0040/0000	LENGTH(AH 1851 BK 1526)
			015 "DIA CIR PLASTIC
		0030/1361	LEN=0040 INSTALLED 1998
			015 "DIA CIR PLASTIC
		0030/0749	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0030/0264	LEN=0040 INSTALLED 1998
	002827 FT	002827 FT	1 0 00192 0 07 0620+88
		S 0030/0000	LENGTH(AH 1526 BK 1859)
			024 "DIA CIR PLASTIC
		0020/1714	LEN=0040 INSTALLED 1998
			018 "DIA CIR PLASTIC
		0020/1654	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0855	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0020/0707	LEN=0040 INSTALLED 1998
	000968 FT	000968 FT	1 0 00192 0 07 0601+96
		S 0020/0000	LENGTH(AH 1859 BK 0968)
			024 "DIA CIR PLASTIC
		0010/0906	LEN=0048 INSTALLED UNKN
		0010/0310	BMSEN 31/0829/0010/0285
			1 0 00192 0 07 0595+43
			NORTH SPRING CREEK
		0010/0285	BMSBG 31/0829/0010/0285
	000000 FT	000000 FT	1 0 00192 0 06 0591+72
			HARES VALLEY RD
			(SR0655 SEG 0190/0000)
		NC SR	0829 SH
			MFC BEGIN = D
HARES VALLEY RD (SR0655 SEG 0190/0000)	0010/0000	S 0010/0000	LENGTH(AH 0968 BK 0000)

DIR: B TOTAL LEN: 15.295 MI. DIST: 09-5 SR: 747
LEFT MUN: MOUNT UNION B RIGHT MUN: MOUNT UNION B

080756 FT



```
080756 FT   AH-MIFFLIN                (44)
            BMSEN 31/0747/0330/2237
REF-AHD     JEFFERSON ST
0330/2951   (SR0747 SEG 0010/0000)

            01B "DIA CIRC CONCR
0330/2250   LEN=0040 INSTALLED 2000
            1 0 00121 0 03 1180+05
            JUNIATA RIV.
0330/2237   BMSBG 31/0747/0330/2237
            SHERMAN ST
0330/2181   (BORO)
            01B "DIA CIRC CONCR
0330/2020   LEN=0030 INSTALLED 2000
            JUNIPER ST
            (BORO)
            AL
0330/2007   (BORO)
            GRANT ST
0330/1855   (BORO)
            01B "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 15.295 MI. DIST: 09-5 SR: 747
LEFT MUN: MOUNT UNION B RIGHT MUN: MOUNT UNION B

```
                                                  0330/1778 LEN=0400 INSTALLED UNKN
                                                            LOCUST ST
                                                  0330/1702 (BORO)
                                                            PINE ST
                                                  0330/1546 (BORO)
                                                            MAPLE ST
                                                  0330/1390 (BORO)
                                                            024 "DIA CIRC CONCR
                                                  0330/1341 LEN=0027 INSTALLED UNKN
                                                            CHESTNUT ST
                                                  0330/1196 (BORO)
                                                            024 "DIA CIRC CONCR
                                                  0330/1104 LEN=0025 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0330/1054 LEN=0025 INSTALLED UNKN
                                                            VINE ST
                                                  0330/0998 (BORO)
                                                            018 "DIA CIRC CONCR
                                                  0330/0934 LEN=0025 INSTALLED UNKN
                                                            WALNUT ST
                                                  0330/0803 (BORO)
                                                            018 "DIA CIRC CONCR
                                                  0330/0714 LEN=0035 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0330/0631 LEN=0025 INSTALLED UNKN
                                                            FILBERT ST
                                                  0330/0609 (BORO)
                                                            POPLAR ST
                                                  0330/0415 (BORO)
                                                            CONSOLIDATED RAIL CORPO
                                                  0330/0245 OVERPASS IS RR X-ING
                                                            012 "DIA CIRC METAL
                                                  0330/0207 LEN=0033 INSTALLED UNKN
                                                            018 "DIA CIRC OTHER
                                                  0330/0084 LEN=0033 INSTALLED UNKN
1 0 00121 0 03 1177+60 077805 FT                  077805 FT WATER ST
WATER ST                                                    (SR2026 SEG 0010/0000)
(BORO)                    0330/0000               0330/0000 LENGTH(AH 2951 BK 0767)
CENTER ST
(BORO)                    0320/0614
                                                            CENTER ST
                                                  0320/0585 (BORO)
                                                            PENNSYLVANIA AV WEST
                                                  0320/0459 (BORO)
                                                  0320/0384 (AAR 506467B)#TRKS 02
                                                            PENNSYLVANIA AV WEST
                                                  0320/0378 (BORO)
                                                            012 "DIA CIRC OTHER
                                                  0320/0205 LEN=0033 INSTALLED UNKN
                                                            SMALL ST
```

DIR: B TOTAL LEN: 15.295 MI. DIST: 09-5 SR: 747
LEFT MUN: MOUNT UNION B RIGHT MUN: MOUNT UNION B

1 0 00121 0 03 1169+94	077038 FT		0320/0193 (BORO)
SHIRLEY ST			077038 FT
(BORO)			
JEFFERSON ST			NC JEFFERSON ST
(BORO)	0320/0000	S	0320/0000 LENGTH(AH 0767 BK 0501)
			018 "DIA CIR PLASTIC
			0310/0489 LEN=0025 INSTALLED 2015
	076537 FT		076537 FT 1 0 00121 0 03 1164+94
			DIVISION ST
			(BORO)
			NC SHIRLEY ST
			SHIRLEY ST
			(SR2025 SEG 0030/2031)
			MFC BEGIN = B
		S	0310/0000 LENGTH(AH 0501 BK 0757)
			ACADEMIA ST
			0300/0586 (BORO)
			MARKET ST
			0300/0391 (BORO)
			015 "DIA CIRC OTHER
			0300/0354 LEN=0005 INSTALLED UNKN
			WILLOW ST
			0300/0195 (BORO)
			015 "DIA CIRC OTHER
			0300/0172 LEN=0003 INSTALLED UNKN
	075780 FT		075780 FT 2 0 31017 0 05 0767+64
			MILFORD ST
			(BORO)
		S	0300/0000 LENGTH(AH 0757 BK 0955)
			015 "DIA CIRC OTHER
			0290/0952 LEN=0004 INSTALLED UNKN
DAVIS ST			
(BORO)	0290/0756		
			GARBER ST
			0290/0564 (BORO)
			GAYTON ST
			0290/0369 (BORO)
			015 "DIA CIRC OTHER
			0290/0177 LEN=0001 INSTALLED UNKN
			HALLEY ST
			0290/0175 (BORO)
	074825 FT		074825 FT 2 0 31017 0 05 0758+14
			HARRISON ST
			(BORO)
		S	0290/0000 LENGTH(AH 0955 BK 1335)
			VANDEVENDER ST
			0280/1157 (BORO)
VANDEVENDER ST			

DIR: B TOTAL LEN: 15.295 MI. DIST: 09-5 SR: 747
LEFT MUN: MOUNT UNION B RIGHT MUN: MOUNT UNION B

```
(BORO)                    0280/1141     ==
                                                          TYLER ST
                                                ==  0280/0977 (BORO)
                                                          MAXWELL ST
                                                ==  0280/0807 (BORO)

                                                          01B "DIA CIR PLASTIC
                                                    0280/0200 LEN=0035 INSTALLED UNKN
                                                          MOUNT UNION
                                                    0280/0056 SHIRLEY T
                          073490 FT                 073490 FT 2 0 31017 0 04 0740+00
JONES ST                                                NC SOUTH DIVISION ST
(T414)                    0280/0000     ==      S 0280/0000 LENGTH(AH 1335 BK 1075)
                                                          024 "DIA CIR PLASTIC
                                                    0270/0500 LEN=0049 INSTALLED 1988
VALLEY VIEW CR
(TWP )                    0270/0241
                                                    0270/0062 BMSEN 31/0747/0270/0000
                          072415 FT                 072415 FT 2 0 31017 0 04 0733+16
                                                          HILL VALLEY CREEK
                                                          BMSBG 31/0747/0270/0000
                                                    0270/0000 LENGTH(AH 1075 BK 1959)
                                                          01B "DIA CIRC CONCR
                                                    0260/1616 LEN=0040 INSTALLED 1988
                                                          CHRISTOFF AV
                                                ==  0260/1443 (T505)
                                                          01B "DIA CIRC METAL
                                                    0260/1430 LEN=0040 INSTALLED 1988
                                                          01B "DIA CIRC CONCR
                                                    0260/1315 LEN=0040 INSTALLED 1988
                                                          015 "DIA CIRC METAL
                                                    0260/1176 LEN=0050 INSTALLED 1988
                                                          01B "DIA CIRC CONCR
                                                    0260/0911 LEN=0040 INSTALLED 1988
                                                          01B "DIA CIRC METAL
                                                    0260/0729 LEN=0036 INSTALLED 1988
                                                          01B "DIA CIRC METAL
                                                    0260/0642 LEN=0036 INSTALLED 1988
                                                          01B "DIA CIRC METAL
                                                    0260/0412 LEN=0040 INSTALLED 1988
                          070456 FT                 070456 FT 2 0 31017 0 03 0711+09
                                                          CHRISTOFF AV
                                                          (T505)
                                                ==  S 0260/0000 LENGTH(AH 1959 BK 2646)

                                                          01B "DIA CIR PLASTIC
                                                    0250/1754 LEN=0034 INSTALLED 1988

                                                          01B "DIA CIRC METAL
                                                    0250/1117 LEN=0032 INSTALLED 1988
```

DIR: B TOTAL LEN: 15.295 MI. DIST: 09-5 SR: 747
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

				015 "DIA CIRC CONCR
			0250/0825	LEN=0045 INSTALLED 1988
			0250/0039	BMSEN 31/0747/0250/0000
	067810 FT		067810 FT	2 0 31017 0 03 0686+82
				HL VLY CR
				BMSBG 31/0747/0250/0000
			S 0250/0000	LENGTH(AH 2646 BK 2088)
				015 "DIA CIR PLASTIC
			0240/1923	LEN=0042 INSTALLED 2000
				015 "DIA CIR PLASTIC
			0240/1106	LEN=0040 INSTALLED 2000
STATE GAME LAND (TWP)	0240/0575	==		
				T.HL VLY CR
				STRUCTURE LENGTH 11 FT
			0240/0403	BMSID 31/0747/0240/0403
			0240/0039	BMSEN 31/0747/0240/0000
	065722 FT		065722 FT	2 0 31017 0 02 0664+28
				HILL VALLEY CREEK
				BMSBG 31/0747/0240/0000
			S 0240/0000	LENGTH(AH 2088 BK 2060)
				018 "DIA CIR PLASTIC
			0230/1208	LEN=0035 INSTALLED 1988
SWOPE LN (PRDR)	0230/0800	==		
				018 "DIA CIR PLASTIC
			0230/0481	LEN=0035 INSTALLED 1988
	063662 FT		063662 FT	2 0 31017 0 02 0643+62
			S 0230/0000	LENGTH(AH 2060 BK 1064)
				015 "DIA CIR PLASTIC
			0220/0601	LEN=0034 INSTALLED 1988
				018 "DIA CIRC CONCR
			0220/0420	LEN=0050 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0220/0310	LEN=0046 INSTALLED 1988
	062598 FT		062598 FT	2 0 31017 0 01 0629+24
			S 0220/0000	LENGTH(AH 1064 BK 3415)
				018 "DIA CIRC CONCR
			0210/2946	LEN=0038 INSTALLED 1988
				018 "DIA CIRC CONCR
			0210/2339	LEN=0055 INSTALLED 1988
				018 "DIA CIRC CONCR
			0210/1641	LEN=0039 INSTALLED 1988
				018 "DIA CIRC CONCR
			0210/1311	LEN=0039 INSTALLED 1988

DIR: B TOTAL LEN: 15.295 MI. DIST: 09-5 SR: 747
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

SUCHAN LN
(PRDR)

0210/0873		
		018 "DIA CIRC CONCR
	0210/0783	LEN=0034 INSTALLED 1988
		024 "DIA CIRC CONCR
	0210/0710	LEN=0040 INSTALLED 1988
		024 "DIA CIRC CONCR
	0210/0668	LEN=0048 INSTALLED 1988
059183 FT	059183 FT	2 0 31017 0 01 0595+09
	S 0210/0000	LENGTH(AH 3415 BK 3531)
		018 "DIA CIRC CONCR
	0200/3327	LEN=0048 INSTALLED 1988
		018 "DIA CIRC CONCR
	0200/2962	LEN=0048 INSTALLED 1988
		018 "DIA CIRC CONCR
	0200/2400	LEN=0038 INSTALLED 1988
		018 "DIA CIRC METAL
	0200/1900	LEN=0034 INSTALLED 1988
		018 "DIA CIRC CONCR
	0200/1707	LEN=0038 INSTALLED 1988
		018 "DIA CIRC CONCR
	0200/1047	LEN=0030 INSTALLED 1988
		018 "DIA CIRC CONCR
	0200/0717	LEN=0030 INSTALLED 1988
		018 "DIA CIRC CONCR
	0200/0560	LEN=0040 INSTALLED 1988
055652 FT	055652 FT	2 0 31017 0 01 0559+78
	S 0200/0000	LENGTH(AH 3531 BK 3023)
		020"H 40"W ELLIP CONC
	0190/2355	LEN=0044 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0190/2155	LEN=0045 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0190/1050	LEN=0040 INSTALLED 1988
		018 "DIA CIR PLASTIC
	0190/0458	LEN=0028 INSTALLED 1988
		RIDGE RD
	0190/0437	(T381)
	0190/0021	BMSEN 31/0747/0190/0000
052629 FT	052629 FT	2 0 31017 0 01 0529+60
		HILL VALLEY
		BMSBG 31/0747/0190/0000
	S 0190/0000	LENGTH(AH 3023 BK 3724)

DIR: B TOTAL LEN: 15.295 MI. DIST: 09-5 SR: 747
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

		0180/2440	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 1988
		0180/1670	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 1988
		0180/1236	BMSEN 31/0747/0180/1222 2 0 31017 0 01 0504+46 SNGRS GP RUN
		0180/1222	BMSBG 31/0747/0180/1222
		0180/0929	BMSEN 31/0747/0180/0915 2 0 31017 0 01 0501+40 SNGRS GP RN
		0180/0915	BMSBG 31/0747/0180/0915
		0180/0425	015 "DIA CIRC METAL LEN=0045 INSTALLED 1988
2 0 31017 0 01 0492+31 048905 FT SINGERS GAP RD (T393)	0180/0000	048905 FT	
		0180/0000	LENGTH(AH 3724 BK 3624)
		0170/3599	018 "DIA CIR PLASTIC LEN=0038 INSTALLED 1988
		0170/2925	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 1988
		0170/1463	018 "DIA CIR PLASTIC LEN=0046 INSTALLED 1988
		0170/0325	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 1988
2 0 31017 0 01 0456+05 045281 FT MEADOW RD (T510)	0170/0000	045281 FT	
		0170/0000	LENGTH(AH 3624 BK 3965)
		0160/3925	018 "DIA CIR PLASTIC LEN=0030 INSTALLED 1988
		0160/3439	018 "DIA CIR PLASTIC LEN=0036 INSTALLED 1988
		0160/2959	018 "DIA CIR PLASTIC LEN=0039 INSTALLED 1988
		0160/2545	018 "DIA CIRC METAL LEN=0037 INSTALLED 1988
		0160/1761	018 "DIA CIRC METAL LEN=0039 INSTALLED 1988
		0160/1498	018 "DIA CIRC METAL LEN=0046 INSTALLED 1988
			018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 15.295 MI. DIST: 09-5 SR: 747
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

```
                                        0160/1194 LEN=0039 INSTALLED 1988

                                                  060"H 72"W ELLIP METAL
                                        0160/0517 LEN=0038 INSTALLED 1988
                                        0160/0015 BMSEN 31/0747/0160/0000
041316 FT                               041316 FT 2 0 31017 0 01 0416+39
                                                  SUGAR RUN
                                                  BMSBG 31/0747/0160/0000
                                                  SHIRLEY
                                                  CROMWELL T
                                      S 0160/0000 LENGTH(AH 3965 BK 0533)
                                                  018 "DIA CIRC METAL
                                        0150/0035 LEN=0047 INSTALLED 1988
040783 FT                               040783 FT 2 0 31017 0 01 0411+02
                                                  KEYSTONE RD
                                                  (SR2014 SEG 0010/0000)
                                      S 0150/0000 LENGTH(AH 0533 BK 0477)
040306 FT                               040306 FT 2 0 31017 0 01 0405+71
                                                  VILLAGE: CORA
                                      S 0140/0000 LENGTH(AH 0477 BK 3519)
                                                  018 "DIA CIR PLASTIC
                                        0130/3083 LEN=0036 INSTALLED 1988
                                                  018 "DIA CIR PLASTIC
                                        0130/2846 LEN=0036 INSTALLED 1988
                                                  018 "DIA CIR PLASTIC
                                        0130/2254 LEN=0050 INSTALLED 2000
                                                  018 "DIA CIR PLASTIC
                                        0130/1751 LEN=0036 INSTALLED 1988
                                                  018 "DIA CIRC METAL
                                        0130/1561 LEN=0060 INSTALLED 1988

                                                  T.SUGAR RUN
                                                  STRUCTURE LENGTH 9 FT
                                        0130/0840 BMSID 31/0747/0130/0840
                                                  072 "DIA CIRC METAL
                                        0130/0805 LEN=0056 INSTALLED 1988

036787 FT                               036787 FT 2 0 31017 0 01 0370+79
                                      S 0130/0000 LENGTH(AH 3519 BK 3529)

                                                  024 "DIA CIRC METAL
                                        0120/2656 LEN=0058 INSTALLED 1988


                                                  COLGATE RD
                                        0120/1718 (T379)
                                                  BEECH RUN
                                                  STRUCTURE LENGTH 17 FT
                                        0120/1244 BMSID 31/0747/0120/1244
```

DIR: B TOTAL LEN: 15.295 MI. DIST: 09-5 SR: 747
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

				018 "DIA CIRC METAL
			0120/0551	LEN=0037 INSTALLED 1988
				018 "DIA CIRC METAL
			0120/0339	LEN=0041 INSTALLED 1988
				018 "DIA CIRC METAL
			0120/0037	LEN=0045 INSTALLED 1988
	033258 FT		033258 FT	2 0 31017 0 01 0335+77
		S	0120/0000	LENGTH(AH 3529 BK 3759)
				018 "DIA CIR PLASTIC
			0110/3395	LEN=0045 INSTALLED 1988
				018 "DIA CIRC METAL
			0110/3027	LEN=0043 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0110/2312	LEN=0042 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0110/1924	LEN=0040 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0110/1517	LEN=0036 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0110/0768	LEN=0042 INSTALLED 1988
				072 "DIA CIRC METAL
			0110/0114	LEN=0045 INSTALLED 1988
				OLD WOMNS RN
				STRUCTURE LENGTH 10 FT
			0110/0091	BMSID 31/0747/0110/0091
	029499 FT		029499 FT	2 0 31017 0 01 0298+25
				CHESTER FURNACE RD
				(SR2016 SEG 0010/0000)
		S	0110/0000	LENGTH(AH 3759 BK 2229)
				024 "DIA CIR PLASTIC
			0100/1692	LEN=0030 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0100/0832	LEN=0040 INSTALLED 1988
				CAROTHERS RUN RD
			0100/0580	(T374)
				024 "DIA CIR PLASTIC
			0100/0266	LEN=0030 INSTALLED 1988
WHITE RD				GABERT RD
(T367)	0100/0115		0100/0115	(T368)
			0100/0021	BMSEN 31/0747/0100/0000
	027270 FT		027270 FT	2 0 31017 0 00 0272+56
				OLD WMNS RUN
				BMSBG 31/0747/0100/0000
		S	0100/0000	LENGTH(AH 2229 BK 0790)
				018 "DIA CIRC CONCR
			0090/0410	LEN=0050 INSTALLED 1988

DIR: B TOTAL LEN: 15.295 MI. DIST: 09-5 SR: 747
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

			018 "DIA CIRC CONCR
		0090/0260	LEN=0050 INSTALLED 1988
	026480 FT	026480 FT	2 0 31017 0 00 0265+03
		S 0090/0000	LENGTH(AH 0790 BK 3462)
			018 "DIA CIRC CONCR
		0080/3152	LEN=0036 INSTALLED 1988
			015 "DIA CIRC CONCR
		0080/2781	LEN=0045 INSTALLED 1988
			018 "DIA CIRC CONCR
		0080/2455	LEN=0040 INSTALLED 1988
			015 "DIA CIRC CONCR
		0080/1939	LEN=0040 INSTALLED 1988
			018 "DIA CIRC CONCR
		0080/1469	LEN=0040 INSTALLED 1988
			018 "DIA CIRC CONCR
		0080/1158	LEN=0033 INSTALLED 1988
			LOGAN RUN
			STRUCTURE LENGTH 12 FT
		0080/0812	BMSID 31/0747/0080/0812
	023018 FT	023018 FT	2 0 31017 0 00 0230+37
		S 0080/0000	LENGTH(AH 3462 BK 3412)
			015 "DIA CIRC CONCR
		0070/3350	LEN=0042 INSTALLED 1988
			018 "DIA CIRC CONCR
		0070/2774	LEN=0045 INSTALLED 1988
			018 "DIA CIRC CONCR
		0070/1909	LEN=0045 INSTALLED 1988
			015 "DIA CIRC CONCR
		0070/1522	LEN=0044 INSTALLED 1988
			036 "DIA CIRC CONCR
		0070/1125	LEN=0048 INSTALLED 1988
WILLOW SPRINGS LN (PRDR)	0070/1056	==	
			018 "DIA CIRC CONCR
		0070/1031	LEN=0045 INSTALLED 1988
			015 "DIA CIRC CONCR
		0070/0649	LEN=0045 INSTALLED 1988
			015 "DIA CIRC CONCR
		0070/0232	LEN=0057 INSTALLED 1988
	019606 FT	019606 FT	2 0 31017 0 00 0195+96
		S 0070/0000	LENGTH(AH 3412 BK 3775)
			015 "DIA CIRC CONCR
		0060/3711	LEN=0030 INSTALLED 1988
			015 "DIA CIRC CONCR
		0060/3453	LEN=0150 INSTALLED 1988
PRICE RD (T352)	0060/2903	==	
			015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 15.295 MI. DIST: 09-5 SR: 747
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

```
                                        0060/2861 LEN=0042 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0060/2413 LEN=0045 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0060/2125 LEN=0057 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0060/1690 LEN=0045 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0060/1437 LEN=0040 INSTALLED 1988
                                                  015 "DIA CIRC CONCR
                                        0060/1010 LEN=0045 INSTALLED 1988
                                                  LAUREL HOLLOW RD
                                     ==
                                        0060/0998 (T351)
                                                  015 "DIA CIRC CONCR
                                        0060/0734 LEN=0100 INSTALLED 1988
                                                  024 "DIA CIRC CONCR
                                        0060/0330 LEN=0068 INSTALLED 1988
                                                  WYE LN
                                     ==
                                        0060/0283 (PRDR)
015831 FT                               015831 FT 2 0 31017 0 00 0159+16
                                      S 0060/0000 LENGTH(AH 3775 BK 3320)
                                                  018 "DIA CIRC CONCR
                                        0050/3035 LEN=0036 INSTALLED 1988
                                                  015 "DIA CIRC CONCR
                                        0050/2729 LEN=0027 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0050/2685 LEN=0036 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0050/2336 LEN=0068 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0050/2000 LEN=0045 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0050/1780 LEN=0036 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0050/1433 LEN=0042 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0050/1223 LEN=0048 INSTALLED 1988


                                                  018 "DIA CIRC CONCR
                                        0050/0163 LEN=0050 INSTALLED 1988
012511 FT                               012511 FT 2 0 31017 0 00 0125+05
                                      S 0050/0000 LENGTH(AH 3320 BK 3510)
                                                  018 "DIA CIRC CONCR
                                        0040/3354 LEN=0048 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0040/3059 LEN=0075 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0040/2790 LEN=0048 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 15.295 MI. DIST: 09-5 SR: 747
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

```
                                        0040/2479 LEN=0042 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0040/2174 LEN=0036 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0040/1938 LEN=0045 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0040/1610 LEN=0042 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0040/1304 LEN=0040 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0040/1005 LEN=0042 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0040/0694 LEN=0040 INSTALLED 1988
                                                  048"H 95"W ELLIP METAL
                                                  LEN=0055 INSTALLED 1988
                                                  TR.THR.SPRNG
                                                  STRUCTURE LENGTH  10 FT
                                        0040/0254 BMSID 31/0747/0040/0254
009001 FT                               009001 FT 2 0 31017 0 00 0090+12
                                                  SUGAR GROVE RD
                                                  (T347)
                                      S 0040/0000 LENGTH(AH 3510 BK 3913)
                                                  036 "DIA CIRC CONCR
                                        0030/3835 LEN=0035 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
                                        0030/3570 LEN=0035 INSTALLED 1988


                                                  GARTLAND HILL RD
                                        0030/2450 (T345)
                                                  036 "DIA CIRC CONCR
                                        0030/2218 LEN=0060 INSTALLED 1988
                                                  CROMWELL
                                        0030/1837 CLAY T
                                                  018 "DIA CIRC CONCR
                                        0030/1438 LEN=0075 INSTALLED 1988
                                                  015 "DIA CIRC CONCR
                                        0030/0903 LEN=0042 INSTALLED 1988
                                                  015 "DIA CIRC CONCR
                                        0030/0314 LEN=0028 INSTALLED 1988
                                                  030 "DIA CIRC CONCR
                                        0030/0007 LEN=0065 INSTALLED 1988
005088 FT                               005088 FT 2 0 31017 0 00 0051+09
                                              NC HILL VALLEY RD
                                                  CLAY
                                                  THREE SPRINGS B
                                      S 0030/0000 LENGTH(AH 3913 BK 1789)
                                                  018 "DIA CIRC CONCR
                                        0020/1446 LEN=0054 INSTALLED 1988
                                                  018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 15.295 MI. DIST: 09-5 SR: 747
LEFT MUN: THREE SPRINGS B RIGHT MUN: THREE SPRINGS B

			0020/1139	LEN=0046 INSTALLED 1988 018 "DIA CIRC CONCR
			0020/0790	LEN=0060 INSTALLED 1988 018 "DIA CIRC CONCR
			0020/0340	LEN=0036 INSTALLED 1988 015 "DIA CIRC CONCR
			0020/0092	LEN=0045 INSTALLED 1988
	003299 FT		003299 FT	2 0 31017 0 00 0032+99 NO NAME RD (BORO)
		==	S 0020/0000	LENGTH(AH 1789 BK 3299) 015 "DIA CIRC CONCR
			0010/3079	LEN=0033 INSTALLED 1988 048"H 95"W ELLIP METAL
			0010/2526	LEN=0100 INSTALLED 1988 T.THR.SPR.C. STRUCTURE LENGTH 10 FT
			0010/2482	BMSID 31/0747/0010/2482 018 "DIA CIRC CONCR
			0010/2296	LEN=0066 INSTALLED 1988 015 "DIA CIRC CONCR
			0010/1618	LEN=0036 INSTALLED 1988 015 "DIA CIRC CONCR
			0010/1169	LEN=0042 INSTALLED 1988 018 "DIA CIRC CONCR
			0010/0923	LEN=0035 INSTALLED 1988
SALEM ST (BORO)	0010/0897	==		
			0010/0772	015 "DIA CIRC CONCR LEN=0027 INSTALLED 1988 018 "DIA CIRC METAL
			0010/0568	LEN=0030 INSTALLED 1988 SCHOOL ST
		==	0010/0521	(BORO)
MCCLAIN DR (PRDR)	0010/0336	==		
		==	0010/0254	SUGAR ST (BORO)
		==	0010/0134	AL (BORO)
	000000 FT		000000 FT	2 0 31017 0 00 0000+00 NC CHURCH ST HUDSON ST (SR0994 SEG 0490/0000)
			INTER-BK	CHURCH ST (SR0994 SEG 0490/0000) MFC BEGIN = D
HUDSON ST (SR2022 SEG 0010/0000)	0010/0000		S 0010/0000	LENGTH(AH 3299 BK 0000)

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: BRADY T RIGHT MUN: BRADY T

```
165504 FT                    165504 FT  AH-MIFFLIN          (44)
                           * REF-AHD   MAIN ST
                             0660/1929 (SR0655 SEG 0010/0000)

                                       072 "DIA CIRC CONCR
                             0660/0385 LEN=0040 INSTALLED UNKN
163575 FT                    163575 FT 1 0 00192 0 10 1949+79
                                       SHARPSBURG RD
                                       (SR1004 SEG 0010/0000)
                           S 0660/0000 LENGTH(AH 1929 BK 2096)
                                       015 "DIA CIRC CONCR
                             0650/1660 LEN=0040 INSTALLED UNKN

                                       015 "DIA CIRC CONCR
                             0650/0896 LEN=0030 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0650/0045 LEN=0035 INSTALLED UNKN
161479 FT                    161479 FT 1 0 00192 0 10 1928+83
                           S 0650/0000 LENGTH(AH 2096 BK 3569)
```

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: BRADY T RIGHT MUN: BRADY T

				018 "DIA CIRC CONCR
			0640/2027	LEN=0030 INSTALLED UNKN
HICKORY LN				METZTOWN RD
(TWP)	0640/1498		0640/1498	(SR1002 SEG 0010/0000)
			0640/1306	BMSEN 31/0655/0640/1295
				1 0 00192 0 10 1906+04
				TBSADDLER RN
			0640/1295	BMSBG 31/0655/0640/1295
				048"H 70"W CONC STRUCT
			0640/1287	LEN=0027 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0640/0045	LEN=0030 INSTALLED UNKN
	157910 FT		157910 FT	1 0 00192 0 10 1893+11
			5 0640/0000	LENGTH(AH 3569 BK 3810)
				024 "DIA CIRC CONCR
			0630/3572	LEN=0050 INSTALLED 1999
				015 "DIA CIRC CONCR
			0630/3347	LEN=0030 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0630/1437	LEN=0035 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0630/0987	LEN=0030 INSTALLED UNKN
	154100 FT		154100 FT	1 0 00192 0 10 1855+01
			5 0630/0000	LENGTH(AH 3810 BK 2795)
				018 "DIA CIR PLASTIC
			0620/2388	LEN=0030 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0620/1817	LEN=0037 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0620/1201	LEN=0030 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0620/1027	LEN=0036 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0620/0525	LEN=0036 INSTALLED UNKN
				015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: BRADY T RIGHT MUN: BRADY T

```
                                          0620/0102 LEN=0040 INSTALLED UNKN
151305 FT                                 151305 FT 1 0 00192 0 10 1826+83
                                                    FRONT MOUNTAIN RD
                                                    (SR1007 SEG 0010/0000)
                                        S 0620/0000 LENGTH(AH 2795 BK 1637)
                                                    015 "DIA CIR PLASTIC
                                          0610/1540 LEN=0030 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                          0610/1330 LEN=0030 INSTALLED UNKN

149668 FT                                 149668 FT 1 0 00192 0 10 1810+46
                                        S 0610/0000 LENGTH(AH 1637 BK 2609)
                                                    018 "DIA CIRC CONCR
                                          0600/2231 LEN=0033 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                          0600/2000 LEN=0032 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                          0600/1650 LEN=0032 INSTALLED UNKN

                                                    015 "DIA CIRC CONCR
                                          0600/1046 LEN=0030 INSTALLED UNKN
                                                    015 "DIA CIRC CONCR
                                          0600/0863 LEN=0030 INSTALLED UNKN
147059 FT                                 147059 FT 1 0 00192 0 10 1784+44
                                                    BROWN RD
                                                    (T454)
                                        S 0600/0000 LENGTH(AH 2609 BK 1483)
                                                    015 "DIA CIRC CONCR
                                          0594/1463 LEN=0036 INSTALLED UNKN

145576 FT                                 145576 FT 1 0 00192 0 10 1769+27
                                                    VILLAGE: AIRYDALE
                                        S 0594/0000 LENGTH(AH 1483 BK 2551)
                                                    015 "DIA CIRC CONCR
                                          0590/2460 LEN=0030 INSTALLED UNKN
                                                    024 "DIA CIRC CONCR
                                          0590/2071 LEN=0038 INSTALLED UNKN

                                                    024 "DIA CIRC CONCR
                                          0590/0957 LEN=0040 INSTALLED UNKN
                                                    018 "DIA CIRC CONCR
                                          0590/0494 LEN=0042 INSTALLED UNKN
143025 FT                                 143025 FT 1 0 00192 0 10 1743+76
                                        S 0590/0000 LENGTH(AH 2551 BK 3908)
```

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: BRADY T RIGHT MUN: BRADY T

		018 "DIA CIRC CONCR
	0580/3693	LEN=0046 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0580/3046	LEN=0048 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0580/2724	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0580/1953	LEN=0042 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0580/1185	LEN=0046 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0580/0393	LEN=0046 INSTALLED UNKN
139117 FT	139117 FT	1 0 00192 0 09 1704+63
	S 0580/0000	LENGTH(AH 3908 BK 3479)
		015 "DIA CIRC CONCR
	0570/3082	LEN=0048 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0570/2893	LEN=0060 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0570/2176	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0570/1919	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0570/1734	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC METAL
	0570/1145	LEN=0050 INSTALLED UNKN
		024 "DIA CIRC METAL
	0570/0930	LEN=0062 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0570/0533	LEN=0010 INSTALLED 2006
		018 "DIA CIRC CONCR
	0570/0175	LEN=0045 INSTALLED UNKN
135638 FT	135638 FT	1 0 00192 0 09 1669+84
	S 0570/0000	LENGTH(AH 3479 BK 0740)
		018 "DIA CIRC CONCR
	0560/0338	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0560/0078	LEN=0038 INSTALLED UNKN
134898 FT	134898 FT	1 0 00192 0 09 1662+44
	S 0560/0000	LENGTH(AH 0740 BK 2790)
		015 "DIA CIRC CONCR
	0550/2545	LEN=0042 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0550/2148	LEN=0039 INSTALLED UNKN
		015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: BRADY T RIGHT MUN: BRADY T

```
                                        0550/1760 LEN=0050 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0550/1484 LEN=0055 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0550/1195 LEN=0035 INSTALLED 2006
                                                  024 "DIA CIR PLASTIC
                                        0550/0868 LEN=0006 INSTALLED 2006
                                                  015 "DIA CIR PLASTIC
                                        0550/0636 LEN=0044 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0550/0335 LEN=0055 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0550/0037 LEN=0042 INSTALLED UNKN
132108 FT                               132108 FT 1 0 00192 0 09 1634+54
                                      S 0550/0000 LENGTH(AH 2790 BK 2027)
                                                  015 "DIA CIRC CONCR
                                        0540/1430 LEN=0060 INSTALLED UNKN
                                        0540/0622 BMSEN 31/0655/0540/0533
                                                  1 0 00192 0 09 1619+63
                                                  P3
                                                  SADDLERS CREEK
                                        0540/0533 BMSBG 31/0655/0540/0533
                                                  BEATTY RD
                                        0540/0403 (T446)
130081 FT                               130081 FT 1 0 00192 0 09 1614+46
                                                  015 "DIA CIRC CONCR
                                                  LEN=0059 INSTALLED UNKN
                                      S 0540/0000 LENGTH(AH 2027 BK 3169)
                                                  018 "DIA CIRC CONCR
                                        0530/2724 LEN=0042 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0530/2670 LEN=0046 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0530/2529 LEN=0032 INSTALLED UNKN
                                                  (APRA) U.S. SILICA
                                                  SAND PLANT RD
                                                  (PRDR)
                                        0530/2488
                                                  023 "DIA CIRC CONCR
                                        0530/2420 LEN=0060 INSTALLED 1999
                                                  015 "DIA CIRC CONCR
                                        0530/2158 LEN=0042 INSTALLED UNKN
                                                  030 "DIA CIRC CONCR
                                        0530/1896 LEN=0048 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                        0530/1187 LEN=0027 INSTALLED 1999
```

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: BRADY T RIGHT MUN: BRADY T

			018 "DIA CIR PLASTIC
		0530/0458	LEN=0034 INSTALLED UNKN
1 0 00192 0 09 1582+77 126912 FT		126912 FT	
MILL CREEK HOLLOW RD			
(T504) 0530/0000		S 0530/0000	LENGTH(AH 3169 BK 2728)
			018 "DIA CIR PLASTIC
		0520/2723	LEN=0050 INSTALLED UNKN
			WALL ST
		0520/2429	(T501)
			015 "DIA CIRC CONCR
		0520/2348	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0520/2035	LEN=0038 INSTALLED UNKN
			WALL ST
		0520/1406	(T501)
			036 "DIA CIRC METAL
		0520/1324	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0520/0345	LEN=0035 INSTALLED 1999
			018 "DIA CIRC CONCR
		0520/0200	LEN=0038 INSTALLED UNKN
124184 FT		124184 FT	1 0 00192 0 09 1555+52
			VILLAGE: FOUSETOWN
		S 0520/0000	LENGTH(AH 2728 BK 2621)
			015 "DIA CIRC CONCR
		0510/2235	LEN=0040 INSTALLED 1999
			018 "DIA CIRC CONCR
		0510/1675	LEN=0022 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0510/1075	LEN=0024 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0510/0548	LEN=0034 INSTALLED UNKN
		0510/0487	BMSEN 31/0655/0510/0475
			1 0 00192 0 09 1534+06
			TBIB MILL CREEK
		0510/0475	BMSBG 31/0655/0510/0475
MILL STONE DR			
(PRDR) 0510/0285			
		0510/0019	BMSEN 31/0655/0510/0000
121563 FT		121563 FT	1 0 00192 0 09 1529+31
			FLUSH RUN
			BMSBG 31/0655/0510/0000
			BRADY
			MILL CREEK B
		S 0510/0000	LENGTH(AH 2621 BK 2611)

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: MILL CREEK B RIGHT MUN: MILL CREEK B

```
                                                                  MOUNTAIN RD
                                                     0500/1575    (BORO)
                                                                  048"H 48"W CON BOX CUL
                                                     0500/1388    LEN=0038 INSTALLED UNKN
                                                                  TECHNOLOGY DR
                                                     0500/1259    (BORO)
                                                                  VALLEY ST
                                                     0500/0866    (BORO)
                                                                  018 "DIA CIR PLASTIC
                                                     0500/0517    LEN=0032 INSTALLED 2006
                                                                  015 "DIA CIR PLASTIC
                                                     0500/0243    LEN=0032 INSTALLED 2006
                                                                  015 "DIA CIR METAL
                                                     0500/0040    LEN=0038 INSTALLED UNKN
1 0 00192 0 09 1503+20 118952 FT                        NC BIG VALLEY PK
WILLIAM PENN HW                                      INTER-BK     WILLIAM PENN HW
(SR0022 SEG 0390/0000)                                            (SR0022 SEG 0390/0000)
WALNUT ST                                                         MFC BEGIN = C
(BORO)                 0500/0000                   S 0500/0000    LTH AH 002611 BK 007409
                      118952 FT                      118952 FT
                                                     7494/0000    LTH AH 007409 BK 002594
                                                     INTER-AHD    WILLIAM PENN HW
                                                                  (SR0022 SEG 0420/0000)
                                                                  WILLIAM PENN HW
                                                                  (SR0022 SEG 0420/0000)
                                                     0490/2594    BRADY T
                                                                  015 "DIA CIR METAL
                                                     0490/2402    LEN=0060 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                     0490/2086    LEN=0034 INSTALLED UNKN
                                                                  036 "DIA CIRC CONCR
                                                     0490/1615    LEN=0046 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                     0490/1298    LEN=0040 INSTALLED UNKN
                                                                  018 "DIA CIRC CONCR
                                                     0490/0984    LEN=0036 INSTALLED UNKN

                                                                  030 "DIA CIRC CONCR
                                                     0490/0275    LEN=0038 INSTALLED UNKN
                      116358 FT                      116358 FT    2 0 31084 7 00 0062+40
                                                   S 0490/0000    LENGTH(AH 2594 BK 3668)

U.S. SILICA PLANT
(PRDR)                 0480/2275                    0480/2275    (APRA) U.S. SILICA PLAN
                                                                  CONVEYOR
                                                     0480/2096    OP ID 31/0655/0480/2096
                                                                  015 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: BRADY T RIGHT MUN: BRADY T

```
                                  0480/1686 LEN=0030 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0480/1283 LEN=0030 INSTALLED UNKN
                                                PRIVATE ROAD
                                  0480/1058 OP ID 31/0655/0480/1058
                                            018 "DIA CIRC CONCR
                                  0480/0944 LEN=0040 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0480/0498 LEN=0040 INSTALLED UNKN
                                            024 "DIA CIRC CONCR
                                  0480/0063 LEN=0042 INSTALLED UNKN
112690 FT                         112690 FT 2 0 31084 7 00 0025+72
                                S 0480/0000 LENGTH(AH 3668 BK 2665)
                                            024 "DIA CIRC CONCR
                                  0470/2214 LEN=0040 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0470/2056 LEN=0040 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0470/1655 LEN=0040 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0470/1364 LEN=0040 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0470/0984 LEN=0040 INSTALLED UNKN
                                            015 "DIA CIRC CONCR
                                  0470/0658 LEN=0041 INSTALLED UNKN
                                            018 "DIA CIRC CONCR
                                  0470/0262 LEN=0045 INSTALLED UNKN
110025 FT                         110025 FT 2 0 31084 7 00 0000+00
                                       NC ORISKANY RD
                                            SR 2020 SH
                                            (SR2020 SEG 0010/0000)
                                S 0470/0000 LENGTH(AH 2665 BK 0779)
                                            018 "DIA CIRC CONCR
                                  0460/0750 LEN=0050 INSTALLED 2001
                                  0460/0709 BMSEN 31/0655/0460/0338
                                            BRADY
                                  0460/0382 MAPLETON B
                                            0 0 00000 0 00 0000+00
                                            JUNIATA RIVER
                                  0460/0338 BMSBG 31/0655/0460/0338
                                            018 "DIA CIRC CONCR
                                  0460/0300 LEN=0050 INSTALLED 2001
                                            RAILROAD ST
                                  0460/0200 (BORO)
                                            018 "DIA CIRC CONCR
                                  0460/0070 LEN=0030 INSTALLED 2001
109246 FT                         109246 FT 2 0 31084 0 00 0007+00
                                            NORFOLK SOUTHERN
                                            OVERPASS IS RR X-ING
                                S 0460/0000 LENGTH(AH 0779 BK 0701)
```

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: MAPLETON B RIGHT MUN: MAPLETON B

			018 "DIA CIRC CONCR
		0450/0650	LEN=0040 INSTALLED 2001
			BRIDGE ST
		0450/0502	(BORO)
			MAIN ST
			(BORO)
			NC BRIDGE ST
TANNERY LOOP			
(BORO)	0450/0317		
SHERIDAN ST			
(BORO)	0450/0179		
TANNERY LOOP			
(BORO)	0450/0044		
	108545 FT		108545 FT 2 0 31084 0 00 0000+00
MAIN ST			NC MAIN ST
(SR3029 SEG 0260/1209)	0450/0000		S 0450/0000 LENGTH(AH 0701 BK 1239)
			018 "DIA CIRC CONCR
		0440/1217	LEN=0061 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0440/0755	LEN=0034 INSTALLED UNKN
			BASS LN
		0440/0313	(PRDR)
			018 "DIA CIRC METAL
		0440/0196	LEN=0028 INSTALLED UNKN
			MAPLETON
		0440/0175	UNION T
	107306 FT		107306 FT 2 0 31022 0 01 0601+40
			NC CAMPBELL ST
			S 0440/0000 LENGTH(AH 1239 BK 1987)
			036 "DIA CIRC METAL
		0430/1621	LEN=0042 INSTALLED UNKN
CALLOWHILL RD			
(T419)	0430/1535		
			015 "DIA CIRC CONCR
		0430/1409	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0430/0944	LEN=0034 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0430/0698	LEN=0042 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0430/0366	LEN=0033 INSTALLED UNKN
	105319 FT		105319 FT 2 0 31022 0 01 0580+65
			S 0430/0000 LENGTH(AH 1987 BK 2260)
			018 "DIA CIR PLASTIC
		0420/0584	LEN=0030 INSTALLED UNKN
2 0 31022 0 01 0557+35	103059 FT		103059 FT

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: UNION T RIGHT MUN: UNION T

KYLERS RD
(T420)

0420/0000	S 0420/0000	LENGTH(AH 2260 BK 2883)
		015 "DIA CIRC CONCR
	0410/2725	LEN=0042 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0410/2681	LEN=0032 INSTALLED UNKN
		015 "DIA CIRC METAL
	0410/2361	LEN=0040 INSTALLED 2003
		036 "DIA CIRC CONCR
	0410/1554	LEN=0045 INSTALLED UNKN
		015 "DIA CIRC METAL
	0410/1440	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0410/1126	LEN=0032 INSTALLED 2003
		018 "DIA CIR PLASTIC
	0410/0486	LEN=0032 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0410/0385	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0410/0056	LEN=0032 INSTALLED 2003
100176 FT	100176 FT	2 0 31022 0 01 0529+20
	S 0410/0000	LENGTH(AH 2883 BK 2429)
		018 "DIA CIR PLASTIC
	0400/2332	LEN=0032 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0400/1905	LEN=0037 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0400/1661	LEN=0032 INSTALLED 2003
		015 "DIA CIRC CONCR
	0400/1369	LEN=0031 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0400/1004	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0400/0827	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0400/0048	LEN=0040 INSTALLED 2003
097747 FT	097747 FT	2 0 31022 0 01 0505+03
	S 0400/0000	LENGTH(AH 2429 BK 2452)
		030 "DIA CIR PLASTIC
	0390/2026	LEN=0040 INSTALLED 2003
		018 "DIA CIR PLASTIC
	0390/1590	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0390/1351	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0390/0876	LEN=0035 INSTALLED 1999
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: UNION T RIGHT MUN: UNION T

```
                                        0390/0465 LEN=0031 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0390/0391 LEN=0040 INSTALLED 2003
                                                  018 "DIA CIRC CONCR
                                        0390/0261 LEN=0035 INSTALLED UNKN
095295 FT                               095295 FT 2 0 31022 0 01 0480+21
                                      S 0390/0000 LENGTH(AH 2452 BK 2659)
                                                  018 "DIA CIRC CONCR
                                        0380/2600 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0380/2440 LEN=0045 INSTALLED UNKN


                                                  018 "DIA CIRC CONCR
                                        0380/1287 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0380/0961 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0380/0789 LEN=0030 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                        0380/0033 LEN=0030 INSTALLED UNKN
092636 FT                               092636 FT 2 0 31022 0 01 0453+62
                                      S 0380/0000 LENGTH(AH 2659 BK 2464)
                                                  036 "DIA CIRC METAL
                                        0370/2384 LEN=0040 INSTALLED 1998
                                                  015 "DIA CIRC CONCR
                                        0370/1920 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0370/1812 LEN=0040 INSTALLED 2003
                                                  015 "DIA CIR PLASTIC
                                        0370/1475 LEN=0035 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0370/1258 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0370/0701 LEN=0030 INSTALLED UNKN

090172 FT                               090172 FT 2 0 31022 0 01 0428+69
                                      S 0370/0000 LENGTH(AH 2464 BK 1806)
                                                  018 "DIA CIR PLASTIC
                                        0360/1581 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0360/0994 LEN=0030 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0360/0435 LEN=0042 INSTALLED UNKN
                                        0360/0019 BMSEN 31/0655/0360/0000
088366 FT                               088366 FT 2 0 31022 0 00 0401+02
                                                  ENGLISHMN RN
                                                  BMSBG 31/0655/0360/0000
                                      S 0360/0000 LENGTH(AH 1806 BK 2283)
```

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: UNION T RIGHT MUN: UNION T

			018 "DIA CIRC CONCR
		0350/1605	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0350/1401	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0350/0595	LEN=0034 INSTALLED UNKN
	086083 FT	086083 FT	2 0 31022 0 00 0376+66
		S 0350/0000	LENGTH(AH 2283 BK 1818)
			018 "DIA CIRC CONCR
		0340/1623	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0340/1336	LEN=0038 INSTALLED UNKN
			PARKS RD
		0340/1180	(T450)
			030 "DIA CIRC CONCR
		0340/0923	LEN=0053 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0340/0319	LEN=0050 INSTALLED UNKN
	084265 FT	084265 FT	2 0 31022 0 00 0360+48
			PARKS RD
			(T450)
		S 0340/0000	LENGTH(AH 1818 BK 3003)
			015 "DIA CIRC CONCR
		0330/2665	LEN=0055 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0330/2397	LEN=0050 INSTALLED UNKN
	081262 FT	081262 FT	2 0 31022 0 00 0330+35
			018 "DIA CIRC CONCR
BECKWITH RD			LEN=0038 INSTALLED UNKN
(T452)	0330/0000	S 0330/0000	LENGTH(AH 3003 BK 2411)
			015 "DIA CIRC CONCR
		0320/2040	LEN=0031 INSTALLED UNKN
			UNION
		0320/1818	CASS T
BECKWITH RD			
(T452)	0320/1648		
			036 "DIA CIRC CONCR
		0320/1639	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0320/1355	LEN=0041 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: CASS T RIGHT MUN: CASS T

```
                                                  0320/1053 LEN=0042 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0320/0681 LEN=0039 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0320/0313 LEN=0045 INSTALLED UNKN
2 0 31022 0 00 0306+20 078851 FT                  078851 FT
BARNEYTOWN RD
(T396)                 0320/0000                S 0320/0000 LENGTH(AH 2411 BK 1764)
                                                            018 "DIA CIRC CONCR
                                                  0310/1712 LEN=0042 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0310/1504 LEN=0042 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0310/1207 LEN=0030 INSTALLED UNKN
                                                            042 "DIA CIRC METAL
                                                  0310/0907 LEN=0040 INSTALLED UNKN
                                                            JACKS MOUNTAIN RD
                                                  0310/0804 (T398)
                                                            024 "DIA CIRC CONCR
                                                  0310/0678 LEN=0045 INSTALLED UNKN
BARNEYTOWN RD
(T396)                 0310/0657

                                                            018 "DIA CIRC CONCR
                                                  0310/0407 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0310/0094 LEN=0040 INSTALLED UNKN
                       077087 FT                  077087 FT 2 0 31022 0 00 0288+43
RIDGE RD                                                    VILLAGE: BARNEYTOWN
(T390)                 0310/0000                S 0310/0000 LENGTH(AH 1764 BK 1842)
                                                            018 "DIA CIRC CONCR
                                                  0300/1595 LEN=0048 INSTALLED UNKN
                                                            036 "DIA CIRC CONCR
                                                  0300/1372 LEN=0050 INSTALLED 1997
                                                            018 "DIA CIRC CONCR
                                                  0300/1032 LEN=0038 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0300/0759 LEN=0038 INSTALLED UNKN
                                                            036 "DIA CIRC CONCR
                                                  0300/0352 LEN=0044 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0300/0077 LEN=0034 INSTALLED UNKN
                       075245 FT                  075245 FT 2 0 31022 0 00 0269+76
                                                S 0300/0000 LENGTH(AH 1842 BK 2046)

                                                            018 "DIA CIRC CONCR
                                                  0290/1403 LEN=0044 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0290/1113 LEN=0038 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0290/0737 LEN=0042 INSTALLED UNKN
```

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: CASS T RIGHT MUN: CASS T

			018 "DIA CIRC CONCR
		0290/0439	LEN=0050 INSTALLED UNKN
	073199 FT	073199 FT	2 0 31022 0 00 0249+45
			TR.HARES CR.
			STRUCTURE LENGTH 10 FT
			BMSID 31/0655/0290/0000
		S 0290/0000	LENGTH(AH 2046 BK 2524)
			018 "DIA CIRC CONCR
		0280/2121	LEN=0034 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0280/1672	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0280/1352	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0280/1019	LEN=0046 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0280/0477	LEN=0042 INSTALLED UNKN
	070675 FT	070675 FT	2 0 31022 0 00 0225+20
			018 "DIA CIRC CONCR
			LEN=0030 INSTALLED UNKN
		S 0280/0000	LENGTH(AH 2524 BK 2325)
			036 "DIA CIRC CONCR
		0270/2010	LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0270/1365	LEN=0040 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0270/1041	LEN=0042 INSTALLED UNKN
			030 "DIA CIR PLASTIC
		0270/0053	LEN=0039 INSTALLED UNKN
2 0 31022 0 00 0202+45	068350 FT	068350 FT	
GARLOCK RD			
(T383)	0270/0000	S 0270/0000	LENGTH(AH 2325 BK 2144)
			024 "DIA CIR PLASTIC
		0260/1943	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/1327	LEN=0040 INSTALLED 2003
			024 "DIA CIR PLASTIC
		0260/0408	LEN=0054 INSTALLED UNKN
	066206 FT	066206 FT	2 0 31022 0 00 0180+65
		S 0260/0000	LENGTH(AH 2144 BK 1992)
			018 "DIA CIRC METAL
		0250/1992	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: CASS T RIGHT MUN: CASS T

		0250/1200	LEN=0032 INSTALLED UNKN 015 "DIA CIRC METAL
		0250/0823	LEN=0032 INSTALLED UNKN 060 "DIA CIRC METAL
		0250/0340	LEN=0038 INSTALLED UNKN
	064214 FT	064214 FT	2 0 31022 0 00 0161+25
		5 0250/0000	LENGTH(AH 1992 BK 2649) 015 "DIA CIRC METAL
		0240/2148	LEN=0040 INSTALLED UNKN 015 "DIA CIRC METAL
		0240/1753	LEN=0036 INSTALLED UNKN 015 "DIA CIR PLASTIC
		0240/1276	LEN=0036 INSTALLED UNKN 015 "DIA CIRC METAL
		0240/0821	LEN=0038 INSTALLED UNKN 015 "DIA CIR PLASTIC
2 0 31022 0 00 0134+69 061565 FT DOWNIN LN (PRDR) 0240/0000		0240/0047 061565 FT	LEN=0032 INSTALLED UNKN WINDY SUMMIT LN (PRDR)
		5 0240/0000	LENGTH(AH 2649 BK 2351) 015 "DIA CIRC METAL
		0230/1570	LEN=0032 INSTALLED UNKN 015 "DIA CIRC METAL
		0230/0990	LEN=0032 INSTALLED UNKN 015 "DIA CIR PLASTIC
		0230/0511	LEN=0038 INSTALLED UNKN 036 "DIA CIR PLASTIC
		0230/0026	LEN=0033 INSTALLED UNKN
	059214 FT	059214 FT	2 0 31022 0 00 0111+18
		5 0230/0000	LENGTH(AH 2351 BK 2596) 030 "DIA CIRC METAL
		0220/2249	LEN=0030 INSTALLED UNKN 015 "DIA CIR PLASTIC
		0220/1358	LEN=0032 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0220/1051	LEN=0038 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0220/0710	LEN=0032 INSTALLED UNKN 015 "DIA CIR PLASTIC
2 0 31022 0 00 0085+22 056618 FT ZINOBILE RD (SR3020 SEG 0030/1632) 0220/0000		0220/0048 056618 FT	LEN=0038 INSTALLED UNKN
		5 0220/0000	LENGTH(AH 2596 BK 2336) 036 "DIA CIR PLASTIC
		0210/2213	LEN=0040 INSTALLED 2001

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: CASS T RIGHT MUN: CASS T

		030 "DIA CIR PLASTIC
	0210/1408	LEN=0040 INSTALLED 2001
		018 "DIA CIR PLASTIC
	0210/0804	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0210/0347	LEN=0040 INSTALLED UNKN
	0210/0023	BMSEN 31/0655/0210/0000
054282 FT	054282 FT	2 0 31022 0 00 0061+76
		N.SPRING CR.
		BMSBG 31/0655/0210/0000
	S 0210/0000	LENGTH(AH 2336 BK 3501)
		018 "DIA CIRC CONCR
	0200/2598	LEN=0030 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0200/2570	LEN=0040 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0200/2261	LEN=0036 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0200/2160	LEN=0032 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0200/1769	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0200/1055	LEN=0038 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0200/0871	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0200/0433	LEN=0040 INSTALLED UNKN
	0200/0015	BMSEN 31/0655/0200/0000
050781 FT	050781 FT	2 0 31022 0 00 0026+85
		ROARING RUN
		BMSBG 31/0655/0200/0000
	S 0200/0000	LENGTH(AH 3501 BK 2708)
		015 "DIA CIRC METAL
	0190/1961	LEN=0033 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0190/1655	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0190/1018	LEN=0010 INSTALLED 1999
		018 "DIA CIRC CONCR
	0190/0778	LEN=0032 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0190/0112	LEN=0030 INSTALLED UNKN
2 0 31022 0 00 0000+00 048073 FT	048073 FT	

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: CASS T RIGHT MUN: CASS T

SR 0829 SH
(SR0829 SEG 0010/0000) 0190/0000

CASTLE MOUNTAIN LN
(PRDR) 0180/1957

045825 FT

042857 FT

5 0190/0000	LENGTH(AH 2708 BK 2248)
	042 "DIA CIRC CONCR
0180/1977	LEN=0040 INSTALLED UNKN
	015 "DIA CIRC CONCR
0180/1600	LEN=0045 INSTALLED UNKN
	015 "DIA CIRC METAL
0180/1210	LEN=0060 INSTALLED UNKN
	018 "DIA CIRC CONCR
0180/0484	LEN=0048 INSTALLED UNKN
	CASS
0180/0231	CLAY T
	036 "DIA CIRC CONCR
0180/0193	LEN=0072 INSTALLED UNKN
	018 "DIA CIRC METAL
0180/0109	LEN=0042 INSTALLED UNKN
045825 FT	1 0 00192 0 06 0569+85
5 0180/0000	LENGTH(AH 2248 BK 2968)
	018 "DIA CIRC CONCR
0170/2617	LEN=0040 INSTALLED UNKN
	024 "DIA CIRC CONCR
0170/2291	LEN=0045 INSTALLED UNKN
	018 "DIA CIRC CONCR
0170/1990	LEN=0048 INSTALLED UNKN
	018 "DIA CIRC CONCR
0170/1760	LEN=0048 INSTALLED UNKN
	018 "DIA CIRC CONCR
0170/1343	LEN=0042 INSTALLED UNKN
	018 "DIA CIRC CONCR
0170/0997	LEN=0040 INSTALLED UNKN
	030 "DIA CIRC CONCR
0170/0322	LEN=0062 INSTALLED UNKN
042857 FT	1 0 00192 0 06 0540+17
5 0170/0000	LENGTH(AH 2968 BK 2094)
	018 "DIA CIRC CONCR
0160/1978	LEN=0050 INSTALLED UNKN
	018 "DIA CIRC CONCR
0160/1693	LEN=0083 INSTALLED UNKN
	018 "DIA CIRC CONCR
0160/1256	LEN=0048 INSTALLED UNKN
	018 "DIA CIRC CONCR
0160/0564	LEN=0064 INSTALLED UNKN
	036 "DIA CIRC CONCR
0160/0420	LEN=0052 INSTALLED UNKN
	018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: CLAY T RIGHT MUN: CLAY T

```
                                                    0160/0072 LEN=0048 INSTALLED UNKN
1 0 00192 0 06 0519+23 040763 FT                    040763 FT
PINE GROVE RD
(T353)                 0160/0000                 S 0160/0000 LENGTH(AH 2094 BK 2166)
                                                           018 "DIA CIRC CONCR
                                                    0150/1790 LEN=0035 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                    0150/1452 LEN=0050 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                    0150/1239 LEN=0048 INSTALLED UNKN
                                                           036 "DIA CIRC CONCR
                                                    0150/1142 LEN=0054 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                    0150/0837 LEN=0070 INSTALLED UNKN

                       038597 FT                    038597 FT 1 0 00192 0 06 0497+67
                                                           015 "DIA CIR PLASTIC
                                                           LEN=0040 INSTALLED UNKN
                                                        NC HARES VALLEY RD
                                                           CLAY
                                                           SALTILLO B
                                                         S 0150/0000 LENGTH(AH 2166 BK 2335)
                                                           024 "DIA CIRC CONCR
                                                    0140/1747 LEN=0200 INSTALLED UNKN
                                                           018 "DIA CIRC METAL
                                                    0140/1432 LEN=0105 INSTALLED UNKN
OLD MILL RD
(BORO)                 0140/1171

                                                           015 "DIA CIRC METAL
                                                    0140/1109 LEN=0100 INSTALLED UNKN
                                                           CLAY ST
                                                    0140/1092 (BORO)
                                                           015 "DIA CIRC METAL
                                                    0140/1002 LEN=0125 INSTALLED UNKN

                                                           CROSS ST
                                                    0140/0319 (BORO)
                                                           018 "DIA CIRC METAL
                                                    0140/0288 LEN=0025 INSTALLED UNKN
RAILROAD ST
(BORO)                 0140/0182

                                                           036 "DIA CIRC METAL
                                                    0140/0054 LEN=0030 INSTALLED UNKN
                       036262 FT                    036262 FT 1 0 00192 0 06 0474+52
                                                           OAK ST
                                                           (SR2022 SEG 0030/3091)
                                                         S 0140/0000 LENGTH(AH 2335 BK 3048)
                                                           EBT STATION RD
                                                    0130/2764 (BORO)
RAILROAD ST
```

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: SALTILLO B RIGHT MUN: SALTILLO B

(BORO)	0130/2697		
		0130/2304	BMSEN 31/0655/0130/2262
			SALTILLO
		0130/2287	CLAY T
			SALTILLO CEMETERY RD
		0130/2276	(T333)
			1 0 00432 0 00 0052+06
			N.SPRING CRK
		0130/2262	BMSBG 31/0655/0130/2262
			018 "DIA CIR PLASTIC
		0130/1857	LEN=0050 INSTALLED 1999
			018 "DIA CIR PLASTIC
		0130/1265	LEN=0050 INSTALLED 1999
			015 "DIA CIR PLASTIC
		0130/0963	LEN=0060 INSTALLED 1999
			015 "DIA CIR PLASTIC
		0130/0230	LEN=0040 INSTALLED 2000
	033214 FT	033214 FT	1 0 00432 0 00 0029+42
			NC MAIN ST
		S 0130/0000	LENGTH(AH 3048 BK 2404)
			015 "DIA CIR PLASTIC
		0120/2306	LEN=0040 INSTALLED 2000
			018 "DIA CIR PLASTIC
		0120/1727	LEN=0032 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0120/1285	LEN=0040 INSTALLED 1999
			018 "DIA CIRC METAL
		0120/0806	LEN=0032 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0120/0401	LEN=0040 INSTALLED 2000
			018 "DIA CIRC METAL
		0120/0059	LEN=0034 INSTALLED UNKN
1 0 00432 0 00 0005+91	030810 FT	030810 FT	
OLD PLANK RD			
(SR0994 SEG 0460/1565)	0120/0000	S 0120/0000	LENGTH(AH 2404 BK 0529)
	030281 FT	030281 FT	1 0 00432 0 00 0000+00
			CHURCH ST
			(SR0994 SEG 0470/0000)
		S 0110/0000	LENGTH(AH 0529 BK 3057)
		0100/2489	BMSEN 31/0655/0100/2454
			1 0 00192 0 04 0306+59
			SPRING CREEK
		0100/2454	BMSBG 31/0655/0100/2454
			018 "DIA CIRC METAL
		0100/1843	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC METAL
		0100/1693	LEN=0033 INSTALLED UNKN
			018 "DIA CIRC METAL

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: CLAY T RIGHT MUN: CLAY T

		0100/1503	LEN=0034 INSTALLED UNKN 015 "DIA CIRC CONCR
		0100/1362	LEN=0037 INSTALLED UNKN 015 "DIA CIRC METAL
		0100/0985	LEN=0030 INSTALLED UNKN 015 "DIA CIRC CONCR
		0100/0560	LEN=0044 INSTALLED UNKN
	027224 FT	027224 FT	1 0 00192 0 04 0282+10 DUG HILL RD (T323)
		5 0100/0000	LENGTH(AH 3057 BK 2739) 018 "DIA CIRC METAL
		0090/2410	LEN=0040 INSTALLED UNKN TR.SPRG CRK. STRUCTURE LENGTH 10 FT
		0090/2047	BMSID 31/0655/0090/2047 018 "DIA CIRC CONCR
		0090/1602	LEN=0040 INSTALLED UNKN 018 "DIA CIRC CONCR
		0090/1552	LEN=0030 INSTALLED UNKN 018 "DIA CIRC CONCR
		0090/1026	LEN=0030 INSTALLED UNKN
	024485 FT	024485 FT	1 0 00192 0 04 0254+48 018 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
HALL RD (T330)	0090/0000	5 0090/0000	LENGTH(AH 2739 BK 3411) 015 "DIA CIRC CONCR
		0080/2996	LEN=0030 INSTALLED UNKN 018 "DIA CIRC CONCR
		0080/2302	LEN=0040 INSTALLED UNKN 015 "DIA CIRC CONCR
		0080/2100	LEN=0030 INSTALLED UNKN 015 "DIA CIRC CONCR
		0080/1737	LEN=0030 INSTALLED UNKN SKI SLOPE RD
		0080/1585	(T329) 018 "DIA CIRC CONCR
		0080/1438	LEN=0070 INSTALLED 2000
		0080/1195	BMSEN 31/0655/0080/1151 1 0 00192 0 03 0231+72 TR SPRING CR
WATERFALL HILL RD (PRDR)	0080/0648	0080/1151	BMSBG 31/0655/0080/1151 018 "DIA CIRC CONCR
		0080/0464	LEN=0050 INSTALLED UNKN
	021074 FT	021074 FT	1 0 00192 0 03 0220+19

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: CLAY T RIGHT MUN: CLAY T

```
                                          5 0080/0000 LENGTH(AH 3411 BK 3515)
                                                      018 "DIA CIRC CONCR
                                            0070/3239 LEN=0030 INSTALLED UNKN
                                                      018 "DIA CIRC CONCR
                                            0070/2946 LEN=0032 INSTALLED UNKN
                                                      018 "DIA CIR PLASTIC
                                            0070/2360 LEN=0032 INSTALLED UNKN
                                                      018 "DIA CIRC CONCR
                                            0070/2100 LEN=0038 INSTALLED UNKN
                                                      015 "DIA CIR PLASTIC
                                            0070/1757 LEN=0030 INSTALLED UNKN

                                                      036 "DIA CIRC CONCR
                                            0070/1148 LEN=0030 INSTALLED UNKN
                                                      036 "DIA CIRC CONCR
                                            0070/0659 LEN=0038 INSTALLED UNKN
                                                      030 "DIA CIRC METAL
                                            0070/0282 LEN=0030 INSTALLED UNKN
                                                      024 "DIA CIRC CONCR
                                            0070/0158 LEN=0034 INSTALLED UNKN
017559 FT                                   017559 FT 1 0 00192 0 03 0184+58
                                          5 0070/0000 LENGTH(AH 3515 BK 2489)
                                                      018 "DIA CIRC CONCR
                                            0060/2343 LEN=0030 INSTALLED UNKN
                                                      018 "DIA CIRC CONCR
                                            0060/2070 LEN=0038 INSTALLED UNKN
                                                      040 "DIA CIRC CONCR
                                            0060/1903 LEN=0040 INSTALLED UNKN
                                                      018 "DIA CIRC CONCR
                                            0060/1505 LEN=0030 INSTALLED UNKN

                                                      018 "DIA CIR PLASTIC
                                            0060/0862 LEN=0030 INSTALLED UNKN
                                                      018 "DIA CIR PLASTIC
                                            0060/0687 LEN=0030 INSTALLED UNKN
                                                      040 "DIA CIRC CONCR
                                            0060/0088 LEN=0038 INSTALLED UNKN
015070 FT                                   015070 FT 1 0 00192 0 02 0152+33
                                                      CHERRY GROVE CHURCH RD
                                                      (SR2002 SEG 0010/0000)
                                          5 0060/0000 LENGTH(AH 2489 BK 2249)


                                                      015 "DIA CIRC CONCR
                                            0050/0994 LEN=0034 INSTALLED UNKN
                                                      015 "DIA CIRC CONCR
                                            0050/0699 LEN=0031 INSTALLED UNKN
                                                      015 "DIA CIRC CONCR
                                            0050/0155 LEN=0030 INSTALLED UNKN
```

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: CLAY T RIGHT MUN: CLAY T

```
012821 FT                    012821 FT 1 0 00192 0 02 0130+33
                           S 0050/0000 LENGTH(AH 2249 BK 3408)
                                       015 "DIA CIRC CONCR
                             0040/3171 LEN=0038 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0040/2942 LEN=0036 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0040/2410 LEN=0040 INSTALLED UNKN

                                       015 "DIA CIRC CONCR
                             0040/1805 LEN=0035 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0040/1512 LEN=0035 INSTALLED 2004
                                       015 "DIA CIRC CONCR
                             0040/1390 LEN=0034 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0040/0999 LEN=0032 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0040/0769 LEN=0034 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0040/0657 LEN=0038 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0040/0316 LEN=0038 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0040/0055 LEN=0037 INSTALLED 1997
009413 FT                    009413 FT 1 0 00192 0 02 0096+19
                           S 0040/0000 LENGTH(AH 3408 BK 3603)
                                       015 "DIA CIRC CONCR
                             0030/3354 LEN=0036 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0030/2927 LEN=0038 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0030/2842 LEN=0042 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0030/2301 LEN=0039 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                             0030/2081 LEN=0046 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                             0030/1432 LEN=0050 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0030/1092 LEN=0040 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0030/0768 LEN=0039 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                             0030/0306 LEN=0038 INSTALLED UNKN
005810 FT                    005810 FT 1 0 00192 0 02 0060+57
                                       FORDING RD
                                       (SR2024 SEG 0010/0000)
                           S 0030/0000 LENGTH(AH 3603 BK 3007)
```

DIR: B TOTAL LEN: 31.345 MI. DIST: 09-5 SR: 655
LEFT MUN: CLAY T RIGHT MUN: CLAY T

```
                                                 0020/2935 BMSEN 31/0655/0020/2916
                                                           1 0 00192 0 01 0057+42
                                                           T.SIDELNG HL
                                                 0020/2916 BMSBG 31/0655/0020/2916
                                                           018 "DIA CIRC CONCR
                                                 0020/2578 LEN=0050 INSTALLED UNKN
                                                           CRAMER RD
                                                 0020/2532 (T318)

SHORE VALLEY RD
(SR3023 SEG 0010/0000)   0020/1674
                                                           018 "DIA CIRC CONCR
                                                 0020/1655 LEN=0066 INSTALLED 2001
                                                 0020/1643 BMSEN 31/0655/0020/1607
                                                           0 0 00000 0 00 0000+00
                                                           T.SIDELNG HL
                                                 0020/1607 BMSBG 31/0655/0020/1607
                                                           018 "DIA CIRC CONCR
                                                 0020/1579 LEN=0034 INSTALLED 2001

                                                           018 "DIA CIRC CONCR
                                                 0020/0966 LEN=0036 INSTALLED UNKN
                                                           018 "DIA CIR PLASTIC
                                                 0020/0414 LEN=0042 INSTALLED UNKN
                                                 0020/0012 BMSEN 31/0655/0020/0000
                         002803 FT               002803 FT 1 0 00192 0 01 0028+00
                                                           T.SIDELNG HL
                                                           BMSBG 31/0655/0020/0000
                                               S 0020/0000 LENGTH(AH 3007 BK 2803)

                                                           018 "DIA CIRC METAL
                                                 0010/2086 LEN=0040 INSTALLED UNKN

                                                           024 "DIA CIRC CONCR
                                                 0010/1255 LEN=0032 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0010/1128 LEN=0044 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0010/0758 LEN=0038 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0010/0574 LEN=0039 INSTALLED UNKN
                         000000 FT               000000 FT 1 0 00192 0 00 0000+00
                                                           018 "DIA CIRC CONCR
                                                           LEN=0036 INSTALLED 2001
                                                     NC WATERFALL RD
                                               * REF-BK    WATERFALL RD
                                                           (SR0655 SEG 0640/2047)
                                                           MFC BEGIN = D
                                                            BK-FULTON          (29)
                                               S 0010/0000 LENGTH(AH 2803 BK 0000)
```

DIR: B TOTAL LEN: 5.473 MI. DIST: 09-5 SR: 641
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

```
028895 FT                    028895 FT  AH-FRANKLIN          (28)
                           * REF-AHD    TIMMONS RD
                             0140/2498  (SR0641 SEG 0010/0000)
                                        015 "DIA CIRC METAL
                             0140/2189  LEN=0050 INSTALLED 1990
                                        015 "DIA CIRC METAL
                             0140/1625  LEN=0051 INSTALLED 1990
                                        015 "DIA CIRC METAL
                             0140/1264  LEN=0043 INSTALLED 1990
                                        015 "DIA CIRC METAL
                             0140/0994  LEN=0044 INSTALLED 1990
                                        015 "DIA CIRC METAL
                             0140/0774  LEN=0045 INSTALLED 1990
                                        015 "DIA CIRC METAL
                             0140/0194  LEN=0048 INSTALLED 1990
026397 FT                    026397 FT  1 0 00121 0 00 0024+80
                           S 0140/0000  LENGTH(AH 2498 BK 2453)
                                        015 "DIA CIR PLASTIC
                             0130/2326  LEN=0043 INSTALLED 1990
                                        015 "DIA CIRC METAL
                             0130/1962  LEN=0048 INSTALLED 1990
                                        015 "DIA CIRC METAL
                             0130/1538  LEN=0049 INSTALLED 1990
                                        018 "DIA CIRC METAL
                             0130/1276  LEN=0042 INSTALLED 1990
                                        018 "DIA CIR PLASTIC
                             0130/0965  LEN=0045 INSTALLED 1990
                                        015 "DIA CAST IRON
                             0130/0669  LEN=0060 INSTALLED 1990
                                        015 "DIA CIR PLASTIC
                             0130/0119  LEN=0042 INSTALLED 1990
023944 FT                    023944 FT  1 0 00121 0 00 0049+00
                           S 0130/0000  LENGTH(AH 2453 BK 2566)


                                        018 "DIA CIR PLASTIC
                             0120/1236  LEN=0052 INSTALLED 1990
                                        018 "DIA CAST IRON
                             0120/0803  LEN=0048 INSTALLED 1990
                                        018 "DIA CIR PLASTIC
                             0120/0507  LEN=0055 INSTALLED 1990
                                        018 "DIA CIR PLASTIC
                             0120/0148  LEN=0049 INSTALLED 1990
021378 FT                    021378 FT  1 0 00121 0 00 0074+65
                           S 0120/0000  LENGTH(AH 2566 BK 1945)
                                        018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 5.473 MI. DIST: 09-5 SR: 641
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

		0110/1617	LEN=0051 INSTALLED 1990 018 "DIA CIR PLASTIC
		0110/1298	LEN=0051 INSTALLED 1990 024 "DIA CAST IRON
		0110/0867	LEN=0037 INSTALLED 1990 024 "DIA CIR PLASTIC
		0110/0673	LEN=0055 INSTALLED 1990 018 "DIA CIR PLASTIC
		0110/0315	LEN=0051 INSTALLED 1990
	019433 FT	019433 FT	1 0 00121 0 00 0094+10 036 "DIA CAST IRON LEN=0042 INSTALLED 1990
		S 0110/0000	LENGTH(AH 1945 BK 1865) 018 "DIA CIR PLASTIC
		0100/1529	LEN=0051 INSTALLED 1990 018 "DIA CIR PLASTIC
		0100/1258	LEN=0051 INSTALLED 1990 018 "DIA CIR PLASTIC
		0100/0722	LEN=0054 INSTALLED 1990 048 "DIA CIRC METAL
		0100/0368	LEN=0081 INSTALLED 1990 024 "DIA CIR PLASTIC
		0100/0042	LEN=0075 INSTALLED 1990
	017568 FT	017568 FT	1 0 00121 0 00 0113+12 VILLAGE: NEELYTON DECORUM RD (T311)
		S 0100/0000	LENGTH(AH 1865 BK 2213) 018 "DIA CIR PLASTIC
		0090/2163	LEN=0070 INSTALLED UNKN 015 "DIA CIR PLASTIC
		0090/1742	LEN=0037 INSTALLED 1990 015 "DIA CAST IRON
		0090/1385	LEN=0042 INSTALLED 1990
WILEY ST (TWP)	0090/0991		
WILEY ST (TWP)	0090/0610		
			FLEMING ST
		0090/0599	(T412)
	015355 FT	015355 FT	1 0 00121 0 00 0135+25 SHADE CREEK STRUCTURE LENGTH 16 FT BMSID 31/0641/0090/0000
		S 0090/0000	LENGTH(AH 2213 BK 1443)
			015 "DIA CIRC CONCR
		0080/0660	LEN=0040 INSTALLED 2002 015 "DIA CIRC CONCR
		0080/0409	LEN=0040 INSTALLED 2002

DIR: B TOTAL LEN: 5.473 MI. DIST: 09-5 SR: 641
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

	013912 FT		013912 FT 1 0 00121 0 00 0149+65 HOLLOW RD (T310)
			0080/0000 LENGTH(AH 1443 BK 2705) 018 "DIA CIRC METAL
			0070/2650 LEN=0057 INSTALLED 1990 036 "DIA CIRC METAL
			0070/2507 LEN=0042 INSTALLED 1990 018 "DIA CIRC CONCR
			0070/2120 LEN=0066 INSTALLED 1990 018 "DIA CIRC CONCR
			0070/1897 LEN=0036 INSTALLED 1990 018 "DIA CIRC METAL
			0070/1521 LEN=0060 INSTALLED 1990 018 "DIA CAST IRON
			0070/0949 LEN=0075 INSTALLED 1990 018 "DIA CIRC METAL
			0070/0290 LEN=0040 INSTALLED UNKN 048"H 60"W CON BOX CUL
			0070/0149 LEN=0041 INSTALLED 1990
1 0 00121 0 00 0176+72 CREEK RD (T315)	011207 FT 0070/0000		011207 FT 0070/0000 LENGTH(AH 2705 BK 2659) GIFFORD RD (T314)
			0060/2385 018 "DIA CIRC METAL
			0060/2322 LEN=0045 INSTALLED 1990 018 "DIA CIR PLASTIC
			0060/2133 LEN=0048 INSTALLED 1990 060 "DIA CIR PLASTIC
			0060/1787 LEN=0042 INSTALLED 1990 018 "DIA CIR PLASTIC
			0060/1558 LEN=0045 INSTALLED 1990 018 "DIA CIR PLASTIC
			0060/1298 LEN=0048 INSTALLED 1990 018 "DIA CIRC CONCR
			0060/0720 LEN=0042 INSTALLED 1990 024 "DIA CIR PLASTIC
			0060/0385 LEN=0033 INSTALLED 1990 024 "DIA CIR PLASTIC
			0060/0083 LEN=0040 INSTALLED 2002
1 0 00121 0 00 0203+00 APPLEBY RD (T316)	008548 FT 0060/0000		008548 FT 0060/0000 LENGTH(AH 2659 BK 2044) 018 "DIA CIRC METAL
			0050/1500 LEN=0050 INSTALLED 1990 018 "DIA CIRC METAL
			0050/1303 LEN=0066 INSTALLED 1990 015 "DIA CIRC CONCR

DIR: B TOTAL LEN: 5.473 MI. DIST: 09-5 SR: 641
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

		0050/1075	LEN=0040 INSTALLED 2002
	006504 FT	006504 FT	1 0 00121 0 00 0223+87
			015 "DIA CIRC METAL
			LEN=0030 INSTALLED 1990
		S 0050/0000	LENGTH(AH 2044 BK 2175)
			015 "DIA CIRC CONCR
		0040/1898	LEN=0040 INSTALLED 2002
			018 "DIA CIR PLASTIC
		0040/1547	LEN=0040 INSTALLED 1990
		0040/0019	BMSEN 31/0641/0040/0000
	004329 FT	004329 FT	1 0 00121 0 00 0245+62
			BR.SHADE CR
			BMSBG 31/0641/0040/0000
		S 0040/0000	LENGTH(AH 2175 BK 0910)
DELL RD (T319)	0030/0296		
		0030/0023	BMSEN 31/0641/0030/0000
	003419 FT	003419 FT	1 0 00121 0 00 0254+73
			T. SHADE CRK
			BMSBG 31/0641/0030/0000
		S 0030/0000	LENGTH(AH 0910 BK 2615)
			018 "DIA CIR PLASTIC
		0020/1620	LEN=0040 INSTALLED 1998
	000804 FT	000804 FT	1 0 00121 0 00 0281+95
			SHADE VALLEY RD
			(SR0035 SEG 0020/0000)
		S 0020/0000	LENGTH(AH 2615 BK 0804)
			042 "DIA CIR PLASTIC
		0010/0453	LEN=0060 INSTALLED 1998
			024"H 30"W ELLIP CONC
		0010/0126	LEN=0060 INSTALLED 1998
	000000 FT	000000 FT	1 0 00121 7 00 0007+15
			NC NEELYTON RD
			CROGHAN PK
			(SR0522 SEG 0130/0787)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 0804 BK 0000)

DIR: B TOTAL LEN: 8.793 MI. DIST: 09-5 SR: 550
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

046426 FT

042911 FT

041333 FT



046426 FT AH-CENTRE (14)
REF-AHD BUFFALO RUN RD
0180/3515 (SR0550 SEG 0010/0000)
015 "DIA CIRC METAL
0180/3075 LEN=0040 INSTALLED UNKN

015 "DIA CIR PLASTIC
0180/2450 LEN=0040 INSTALLED UNKN
024 "DIA CIR PLASTIC
0180/2080 LEN=0050 INSTALLED UNKN
015 "DIA CIR UNKNOWN
0180/1640 LEN=0080 INSTALLED UNKN
015 "DIA CIRC CONCR
0180/1390 LEN=0035 INSTALLED UNKN
015 "DIA CIRC METAL
0180/0890 LEN=0030 INSTALLED UNKN

0180/0012 BMSEN 31/0550/0180/0000
042911 FT 1 0 00346 0 04 0562+91
BR.WAR.MK.RN
BMSBG 31/0550/0180/0000
0180/0000 LENGTH(AH 3515 BK 1578)

041333 FT 1 0 00346 0 04 0547+12
036 "DIA CIRC METAL
LEN=0044 INSTALLED UNKN
0170/0000 LENGTH(AH 1578 BK 2359)

DIR: B TOTAL LEN: 8.793 MI. DIST: 09-5 SR: 550
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

			030 "DIA CIRC METAL
		0160/0066	LEN=0050 INSTALLED 1996
	038974 FT	038974 FT	1 0 00346 0 04 0523+41
RIDGE RD			NC HALF MOON VALLEY RD
(SR4025 SEG 0120/1569)	0160/0000	S 0160/0000	LENGTH(AH 2359 BK 1163)
			024 "DIA CIRC CONCR
		0150/0491	LEN=0065 INSTALLED UNKN
	037811 FT	037811 FT	1 0 00346 0 04 0511+78
			018 "DIA CIR PLASTIC
			LEN=0042 INSTALLED UNKN
		S 0150/0000	LENGTH(AH 1163 BK 2571)
			018 "DIA CIRC CONCR
		0140/1917	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC METAL
		0140/1781	LEN=0064 INSTALLED UNKN
		0140/0561	BMSEN 31/0550/0140/0540
			0 0 00000 0 00 0000+00
			E.BR.WRS MRK
		0140/0540	BMSBG 31/0550/0140/0540
	035240 FT	035240 FT	1 0 00346 0 04 0485+75
			DUNGARVIN RD
			(SR4008 SEG 0010/0000)
		S 0140/0000	LENGTH(AH 2571 BK 2227)
			E.BR.WRS.MK.
			STRUCTURE LENGTH 35 FT
		0130/2131	BMSID 31/0550/0130/2131
			018 "DIA CIRC METAL
		0130/0064	LEN=0066 INSTALLED UNKN
	033013 FT	033013 FT	1 0 00346 0 04 0463+35
			STATION RD
			(T603)
		S 0130/0000	LENGTH(AH 2227 BK 2249)
			024 "DIA CIR PLASTIC
		0120/2208	LEN=0039 INSTALLED UNKN
			012 "DIA CIR PLASTIC
		0120/1789	LEN=0045 INSTALLED UNKN

DIR: B TOTAL LEN: 8.793 MI. DIST: 09-5 SR: 550
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

			018 "DIA CIR PLASTIC
		0120/0549	LEN=0038 INSTALLED UNKN
			FIREHOUSE RD
		0120/0209	(T604)
	030764 FT	030764 FT	1 0 00346 0 04 0440+86
		S 0120/0000	LENGTH(AH 2249 BK 2488)
			MEADOW WOOD LN
		0110/1396	(T573)
			018 "DIA CIR PLASTIC
		0110/1070	LEN=0035 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/0860	LEN=0100 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0110/0653	LEN=0031 INSTALLED UNKN
			018 "DIA CIRC METAL
		0110/0054	LEN=0033 INSTALLED UNKN
	028276 FT	028276 FT	1 0 00346 0 04 0416+00
			VILLAGE: WARRIORS MARK
		NC CENTRE LINE RD	
			WARRIORS MARK PATH RD
			(SR0350 SEG 0080/0000)
		S 0110/0000	LENGTH(AH 2488 BK 3621)
		0100/3461	BMSEN 31/0550/0100/3445
			018 "DIA CIRC METAL
		0100/3449	LEN=0100 INSTALLED UNKN
			1 0 00056 0 01 0281+93
			TR.WARS.MK R
		0100/3445	BMSBG 31/0550/0100/3445
			018"H 24"W BOX CULVRT*
		0100/3340	LEN=0059 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0100/1542	LEN=0037 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0100/0990	LEN=0042 INSTALLED UNKN
DEERFIELD CR (PRDR)	0100/0444		
	024655 FT	024655 FT	1 0 00056 0 01 0247+07
		S 0100/0000	LENGTH(AH 3621 BK 2732)
			024 "DIA CIRC CONCR
		0090/2523	LEN=0036 INSTALLED UNKN
DEERFIELD CR (PRDR)			DIAMOND DR
	0090/2175	0090/2175	(PRDR)

DIR: B TOTAL LEN: 8.793 MI. DIST: 09-5 SR: 550
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

			024 "DIA CIRC CONCR
		0090/2121	LEN=0037 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0090/1695	LEN=0036 INSTALLED UNKN
			RED FOX LN
	==	0090/1239	(PRDR)
			024 "DIA CIRC CONCR
		0090/0952	LEN=0047 INSTALLED UNKN
021923 FT		021923 FT	1 0 00056 0 01 0219+75
			BURKET RD
			(T541)
			HUNDRED SPRINGS RD
			(SR4023 SEG 0110/2627)
	==	S 0090/0000	LENGTH(AH 2732 BK 2083)
			024 "DIA CIRC CONCR
		0080/1991	LEN=0057 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0080/0398	LEN=0048 INSTALLED UNKN
019840 FT		019840 FT	1 0 00056 0 01 0199+03
		S 0080/0000	LENGTH(AH 2083 BK 3465)
			024 "DIA CIR PLASTIC
		0070/2542	LEN=0037 INSTALLED 2005
			024 "DIA CIR PLASTIC
		0070/2299	LEN=0007 INSTALLED 2005
			018 "DIA CIRC CONCR
		0070/1451	LEN=0039 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0916	LEN=0006 INSTALLED 2005
			018 "DIA CIRC CONCR
		0070/0291	LEN=0034 INSTALLED UNKN
016375 FT		016375 FT	1 0 00056 0 01 0164+40
		S 0070/0000	LENGTH(AH 3465 BK 2081)
			018 "DIA CIRC CONCR
		0060/1795	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/1470	LEN=0043 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/1049	LEN=0038 INSTALLED UNKN

DIR: B TOTAL LEN: 8.793 MI. DIST: 09-5 SR: 550
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

	014294 FT	014294 FT	1 0 00056 0 01 0143+58
			DRAINAGE
			STRUCTURE LENGTH 8 FT
			BMSID 31/0550/0060/0000
		S 0060/0000	LENGTH(AH 2081 BK 2302)
			EYER STATION LN
		0050/2197	(T545)
			018 "DIA CIRC CONCR
		0050/2064	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/1835	LEN=0045 INSTALLED UNKN
STIVER RD (T544)	0050/1669		
			018 "DIA CIRC CONCR
		0050/1158	LEN=0041 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/0861	LEN=0039 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/0502	LEN=0033 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/0260	LEN=0037 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/0011	LEN=0045 INSTALLED UNKN
	011992 FT	011992 FT	1 0 00056 0 01 0120+17
		S 0050/0000	LENGTH(AH 2302 BK 3744)
			036 "DIA CIRC CONCR
		0040/2805	LEN=0043 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0040/1930	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0040/1661	LEN=0039 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0040/0945	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0040/0526	LEN=0042 INSTALLED UNKN
		0040/0032	BMSEN 31/0550/0040/0000
	008248 FT	008248 FT	1 0 00056 0 01 0083+07
			LOGAN SPRING RUN
			BMSBG 31/0550/0040/0000
		S 0040/0000	LENGTH(AH 3744 BK 3143)
			018 "DIA CIRC CONCR
		0030/2422	LEN=0037 INSTALLED UNKN
			015 "DIA CIR UNKNOWN
		0030/2240	LEN=0032 INSTALLED UNKN
			024 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 8.793 MI. DIST: 09-5 SR: 550
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

```
                                                  0030/1800 LEN=0040 INSTALLED UNKN

                                                            015 "DIA CIRC CONCR
                                                  0030/0522 LEN=0039 INSTALLED UNKN
                                                            064"H 72"W CONC STRUCT
                                                  0030/0440 LEN=0030 INSTALLED 2004
                                                            018 "DIA CIRC CONCR
                                                  0030/0228 LEN=0068 INSTALLED UNKN
1 0 00056 0 01 0052+10 005105 FT                  005105 FT
RIDGE RD
(SR4025 SEG 0010/0000)  0030/0000               S 0030/0000 LENGTH(AH 3143 BK 1871)
                                                            (APRA) NES&LCO TYRONE P
                                                            PRIVATE DR
                                                  0020/1817 (PRDR)
                                                            015 "DIA CIRC CONCR
                                                  0020/1380 LEN=0060 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/1071 LEN=0051 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/0735 LEN=0045 INSTALLED UNKN
                                                  0020/0460 BMSEN 31/0550/0020/0453
                                                            0 0 00000 0 00 0000+00
                                                            060"H 84"W CONC STRUCT
                                                            LEN=0045 INSTALLED UNKN
                                                            TR LOGAN SPRINGS
                                                  0020/0453 BMSBG 31/0550/0020/0453
1 0 00056 0 01 0033+64 003234 FT                  003234 FT
STOVER LN
(T572)                  0020/0000               S 0020/0000 LENGTH(AH 1871 BK 3234)

                                                            036 "DIA CIRC CONCR
                                                  0010/2450 LEN=0071 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0010/1300 LEN=0040 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0010/1188 LEN=0035 INSTALLED UNKN

                                                            018 "DIA CIRC CONCR
                                                  0010/0318 LEN=0055 INSTALLED UNKN
                        000000 FT                 000000 FT 1 0 00056 0 00 0000+00
                                                        NC PENNINGTON RD
                                                  * REF-BK  PENNINGTON RD
                                                            (SR0550 SEG 0010/2497)
                                                            MFC BEGIN = D
                                                             BK-BLAIR          (07)
                                                  S 0010/0000 LENGTH(AH 3234 BK 0000)
```

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: MOUNT UNION B RIGHT MUN: MOUNT UNION B

127897 FT



```
127897 FT   AH-MIFFLIN                (44)
            BMSEN 31/0522/0444/1833
* REF-AHD   CROGHAN PK
0444/2402   (SR0522 SEG 0012/0000)
            0 0 00000 0 00 0000+00
            JUNIATA RIVR
0444/1833   BMSBG 31/0522/0444/1833
            018 "DIA CIRC CONCR
0444/1820   LEN=0046 INSTALLED 1999

            024 "DIA CIRC CONCR
0444/1088   LEN=0120 INSTALLED 1999

            030 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: MOUNT UNION B RIGHT MUN: MOUNT UNION B

		0444/0445	LEN=0105 INSTALLED 1999
0 0 00000 0 00 0000+00	125495 FT	125495 FT	ACCESS RD
CHESTNUT ST			(BORO)
(BORO)	0444/0000	5 0444/0000	LENGTH(AH 2402 BK 1116)
			024 "DIA CIRC CONCR
		0434/0926	LEN=0088 INSTALLED 1999
			018 "DIA CIRC CONCR
		0434/0720	LEN=0032 INSTALLED 1999
			030 "DIA CIRC CONCR
		0434/0630	LEN=0105 INSTALLED 1999
			024 "DIA CIRC CONCR
		0434/0369	LEN=0090 INSTALLED 1999
			048 "DIA CIRC CONCR
		0434/0194	LEN=0100 INSTALLED 1999
	124379 FT	124379 FT	0 0 00000 0 00 0000+00
			CONSOLIDATED RAIL CORPO
			OVERPASS IS RR X-ING
		5 0434/0000	LENGTH(AH 1116 BK 2742)
			036 "DIA CIRC CONCR
		0424/2659	LEN=0081 INSTALLED 1999
			018 "DIA CIRC CONCR
		0424/2618	LEN=0100 INSTALLED 1999
			LR 44018
		0424/2311	OP ID 44/3017/0010/0000
			024 "DIA CIRC CONCR
		0424/2162	LEN=0074 INSTALLED 1999
			024 "DIA CIRC CONCR
		0424/0985	LEN=0065 INSTALLED 1999
			024 "DIA CIRC CONCR
		0424/0342	LEN=0098 INSTALLED 1999
			018 "DIA CIRC CONCR
		0424/0095	LEN=0042 INSTALLED 1999
		0424/0074	BMSEN 31/0522/0424/0000
			MOUNT UNION
		0424/0036	SHIRLEY T
	121637 FT	121637 FT	0 0 00000 0 00 0000+00
			HILL VALLEY CREEK
			BMSBG 31/0522/0424/0000
		5 0424/0000	LENGTH(AH 2742 BK 1792)
			030 "DIA CIRC CONCR
		0414/1767	LEN=0068 INSTALLED 1999
TO 2025/0010 SH			
(CONN)	0414/1523		
SHIRLEY ST			
(SR2025 SEG 0010/0000)	0414/1396	0414/1396	
			018 "DIA CIRC CONCR
		0414/1379	LEN=0022 INSTALLED 1999

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

EAST AV (T548)	0414/0722			
SPRING AV (T549)	0414/0552			
TWP RD RT (TWP)	0414/0397			
JUNIATA AV (T546)	0414/0242			
				042 "DIA CIRC CONCR
			0414/0215	LEN=0038 INSTALLED 1999
	119845 FT		119845 FT	0 0 00000 0 00 0000+00
				018 "DIA CIRC CONCR
				LEN=0010 INSTALLED 1999
		S	0414/0000	LENGTH(AH 1792 BK 0386)
				018 "DIA CIRC CONCR
			0410/0290	LEN=0100 INSTALLED UNKN
1 0 00121 0 02 1094+70	119459 FT		119459 FT	BEACON LODGE RD
BEACON LODGE RD				(SR0103 SEG 0010/0000)
(T415)	0410/0000	S	0410/0000	LENGTH(AH 0386 BK 1773)
				018 "DIA CIRC CONCR
			0400/1734	LEN=0052 INSTALLED UNKN
				015 "DIA CIRC METAL
			0400/1400	LEN=0030 INSTALLED UNKN
				015 "DIA CIRC METAL
			0400/0870	LEN=0057 INSTALLED UNKN
GREEN AV (T550)	0400/0579			
				018 "DIA CIRC CONCR
			0400/0336	LEN=0054 INSTALLED UNKN
EXTRACT RD				EXTRACT RD
(T412)	0400/0311		0400/0311	(SR2028 SEG 0010/0000)
				BARNES RUN
				STRUCTURE LENGTH 14 FT
			0400/0140	BMSID 31/0522/0400/0140
				024 "DIA CIRC CONCR
			0400/0030	LEN=0072 INSTALLED UNKN
1 0 00121 0 02 1076+90	117686 FT		117686 FT	
JEANNE ST (T414)	0400/0000	S	0400/0000	LENGTH(AH 1773 BK 3409)
				(APRA) CONTAINMENT SOLU
				CONTAINMENT SOLUTIONS R
			0390/2719	(PRDR)
				015 "DIA CIRC METAL
			0390/2630	LEN=0054 INSTALLED UNKN
				(APRA) CONTAINMENT SOLU
				CONTAINMENT SOLUTIONS R
			0390/1997	(PRDR)

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

			015 "DIA CIRC METAL
		0390/1725	LEN=0076 INSTALLED UNKN
			LENAPE RD
		0390/1055	(T555)
			015 "DIA CIRC METAL
		0390/0835	LEN=0076 INSTALLED UNKN
			032 "DIA CIRC METAL
		0390/0380	LEN=0081 INSTALLED UNKN
	114277 FT	114277 FT	1 0 00121 0 02 1042+55
		S 0390/0000	LENGTH(AH 3409 BK 1352)
			018 "DIA CIRC METAL
		0380/1287	LEN=0078 INSTALLED UNKN
			015 "DIA CIRC METAL
		0380/0170	LEN=0040 INSTALLED UNKN
	112925 FT	112925 FT	1 0 00121 0 02 1021+90
			SHIRLEY -AYR RD
			(TWP)
		S 0380/0000	LENGTH(AH 1352 BK 2870)
			060"H 36"W CON BOX CUL
		0370/2870	LEN=0044 INSTALLED UNKN
JEANNE ST			
(T503)	0370/2175		
			018 "DIA CIRC CONCR
		0370/2050	LEN=0072 INSTALLED UNKN
			018 "DIA CIRC METAL
		0370/1390	LEN=0066 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0370/1061	LEN=0051 INSTALLED UNKN
			048"H 84"W CONC STRUCT
		0370/0803	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0370/0010	LEN=0075 INSTALLED UNKN
1 0 00121 0 02 1000+64	110055 FT	110055 FT	
NEBO RD			
(T409)	0370/0000	S 0370/0000	LENGTH(AH 2870 BK 3112)
			072"H 72"W CON BOX CUL
		0360/3033	LEN=0050 INSTALLED UNKN
		0360/3009	BMSEN 31/0522/0360/3002
			1 0 00121 0 02 0969+35
			BARNES RUN
		0360/3002	BMSBG 31/0522/0360/3002
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

	0360/1968	LEN=0060 INSTALLED UNKN 042 "DIA CIRC CONCR
	0360/1718	LEN=0084 INSTALLED UNKN 018 "DIA CIRC CONCR
	0360/1523	LEN=0057 INSTALLED UNKN 018 "DIA CIRC CONCR
	0360/1133	LEN=0063 INSTALLED UNKN 018 "DIA CIRC METAL
	0360/0298	LEN=0080 INSTALLED UNKN
106943 FT	106943 FT	1 0 00121 0 02 0969+35 AUGHWICK MILLS RD (T403)
==	S 0360/0000	LENGTH(AH 3112 BK 3615) 015 "DIA CIRC CONCR
	0350/3368	LEN=0048 INSTALLED UNKN 018 "DIA CIRC CONCR
	0350/3218	LEN=0070 INSTALLED UNKN 018 "DIA CIRC CONCR
	0350/3068	LEN=0048 INSTALLED UNKN 024 "DIA CIRC METAL
	0350/2929	LEN=0060 INSTALLED UNKN 036 "DIA CIRC CONCR
	0350/2561	LEN=0111 INSTALLED UNKN 018 "DIA CIRC CONCR
	0350/2287	LEN=0039 INSTALLED UNKN
		042 "DIA CIRC CONCR
	0350/0760	LEN=0066 INSTALLED UNKN 024 "DIA CIRC METAL
	0350/0050	LEN=0060 INSTALLED UNKN
103328 FT	103328 FT	1 0 00121 0 02 0932+69
	S 0350/0000	LENGTH(AH 3615 BK 2679) 024 "DIA CIRC CONCR
	0340/2500	LEN=0060 INSTALLED UNKN 048 "DIA CIRC METAL
	0340/2025	LEN=0090 INSTALLED UNKN 036 "DIA CIRC CONCR
	0340/1600	LEN=0088 INSTALLED UNKN 024 "DIA CIRC CONCR
	0340/1000	LEN=0093 INSTALLED UNKN 048 "DIA CIRC CONCR
	0340/0760	LEN=0075 INSTALLED UNKN
1 0 00121 0 02 0905+90 100649 FT	100649 FT	

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

HOGAN RD (T397)	0340/0000	0340/0000	LENGTH(AH 2679 BK 3756)
			042 "DIA CIRC METAL
		0330/3356	LEN=0053 INSTALLED 1988
			042 "DIA CIRC METAL
		0330/2942	LEN=0042 INSTALLED 1988
			018 "DIA CIRC CONCR
		0330/2468	LEN=0053 INSTALLED 1988
			018 "DIA CIRC METAL
		0330/2127	LEN=0075 INSTALLED 1988
			036 "DIA CIRC METAL
		0330/1777	LEN=0105 INSTALLED 1998
			038 "DIA CIRC CONCR
		0330/0831	LEN=0094 INSTALLED 1988
			024 "DIA CIRC CONCR
		0330/0656	LEN=0075 INSTALLED 1988
1 0 00121 0 02 0854+25	096893 FT	096893 FT	
KEYSTONE RD (T507)	0330/0000	0330/0000	LENGTH(AH 3756 BK 3421)
			018 "DIA CIRC CONCR
		0320/3142	LEN=0040 INSTALLED UNKN
		0320/3106	BMSEN 31/0522/0320/1965
			0 0 00000 0 00 0000+00
			TWP.RD.396
		0320/1965	BMSBG 31/0522/0320/1965
			018 "DIA CIRC CONCR
		0320/1861	LEN=0072 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0320/0776	LEN=0090 INSTALLED UNKN
	093472 FT	093472 FT	1 0 00121 0 02 0826+11
		0320/0000	LENGTH(AH 3421 BK 3322)
			BARBS CROSSING
		0310/3176	(TWP)
PUMP STATION RD (T396)	0310/2895		
			FORT RUN
			STRUCTURE LENGTH 21 FT
			BMSID 31/0522/0310/2836
			SHIRLEY
		0310/2836	SHIRLEYSBURG B
			018 "DIA CIRC CONCR
		0310/2661	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: SHIRLEYSBURG B RIGHT MUN: SHIRLEYSBURG B

				FIRST ST
			0310/2435	(BORO)
				01B "DIA CIRC CONCR
			0310/2381	LEN=0060 INSTALLED UNKN
SECOND ST				GERMANY VALLEY RD
(BORO)	0310/2124		0310/2124	(BORO)
				01B "DIA CIRC CONCR
			0310/2021	LEN=0040 INSTALLED 1989
				THIRD ST
			0310/1400	(BORO)
			0310/1393	BMSEN 31/0522/0310/1383
0 0 00000 0 00 0000+00				
THIRD ST				T.AUGHWICK C
(BORO)	0310/1383		0310/1383	BMSBG 31/0522/0310/1383
				01B "DIA CIRC CONCR
			0310/1307	LEN=0045 INSTALLED UNKN
				FOURTH ST
			0310/0920	(BORO)
W FIFTH ST				
(BORO)	0310/0617			
				01B "DIA CIRC METAL
			0310/0249	LEN=0039 INSTALLED UNKN
			0310/0235	BMSEN 31/0522/0310/0226
				030 "DIA CIRC CONCR
			0310/0234	LEN=0040 INSTALLED 1998
				1 0 00121 0 02 0799+46
				POOR HSE RN
			0310/0226	BMSBG 31/0522/0310/0226
	090150 FT		090150 FT	1 0 00121 0 02 0796+66
				COUNTRY VIEW LN
				(BORO)
			S 0310/0000	LENGTH(AH 3322 BK 1861)
BOOKS LN				
(BORO)	0300/1646			
				01B "DIA CIRC CONCR
			0300/1636	LEN=0030 INSTALLED 1998
				SHIRLEYSBURG
			0300/1630	SHIRLEY T
				024 "DIA CIRC CONCR
			0300/0960	LEN=0040 INSTALLED 1989
				024 "DIA CIRC CONCR
			0300/0410	LEN=0040 INSTALLED 1989
	088289 FT		088289 FT	1 0 00121 0 02 0778+27
				CLAYSPUR RD
				(T378)
			S 0300/0000	LENGTH(AH 1861 BK 2576)
				036 "DIA CIRC CONCR
			0290/2360	LEN=0080 INSTALLED 1998

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

			018 "DIA CIRC CONCR
		0290/2033	LEN=0074 INSTALLED 1998
			030 "DIA CIRC CONCR
		0290/1764	LEN=0095 INSTALLED 1998
	085713 FT	085713 FT	1 0 00121 0 02 0752+12
			BATTISTELLA RD
			(T502)
		S 0290/0000	LENGTH(AH 2576 BK 1816)
			060 "DIA CIRC CONCR
		0280/1171	LEN=0080 INSTALLED 1998
			024 "DIA CIRC CONCR
		0280/0196	LEN=0082 INSTALLED 1998
1 0 00121 0 02 0733+96	083897 FT	083897 FT	
RUNK RD			
(T373)	0280/0000	S 0280/0000	LENGTH(AH 1816 BK 3616)
			030 "DIA CIRC CONCR
		0270/3561	LEN=0131 INSTALLED 1998
			018 "DIA CIRC CONCR
		0270/3266	LEN=0084 INSTALLED 1998
			024 "DIA CIRC CONCR
		0270/2704	LEN=0067 INSTALLED 1998
			036 "DIA CIRC CONCR
		0270/2052	LEN=0078 INSTALLED 1998
			036 "DIA CIRC CONCR
		0270/1600	LEN=0085 INSTALLED 1989
			SHIRLEY
		0270/1543	CROMWELL T
			042 "DIA CIRC CONCR
		0270/1010	LEN=0074 INSTALLED 1998
	080281 FT	080281 FT	1 0 00121 0 02 0697+99
			030 "DIA CIRC METAL
			LEN=0096 INSTALLED 1998
		S 0270/0000	LENGTH(AH 3616 BK 3214)
			042 "DIA CIRC CONCR
		0260/2900	LEN=0074 INSTALLED 1998
			036 "DIA CIRC CONCR
		0260/2250	LEN=0074 INSTALLED 1998
			036"H 00"W MULT CONCR
		0260/2081	LEN=0074 INSTALLED 1998

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

	077067 FT		077067 FT 1 0 00121 0 02 0665+85
			027 "DIA CIRC CONCR
			LEN=0090 INSTALLED 1998
			5 0260/0000 LENGTH(AH 3214 BK 2969)
			027 "DIA CIRC METAL
			0250/2293 LEN=0073 INSTALLED 1998
			036 "DIA CIRC CONCR
			0250/1936 LEN=0081 INSTALLED 1998
			024 "DIA CIRC CONCR
			0250/1619 LEN=0062 INSTALLED 1998
			036 "DIA CIRC CONCR
			0250/1187 LEN=0074 INSTALLED 1998
			018 "DIA CIRC METAL
			0250/0850 LEN=0115 INSTALLED 1998
1 0 00121 0 02 0636+16	074098 FT		074098 FT
ENYEART RD			
(T365)	0250/0000		5 0250/0000 LENGTH(AH 2969 BK 2873)
			024 "DIA CIRC CONCR
			0240/2423 LEN=0084 INSTALLED 1998
			036 "DIA CIRC CONCR
			0240/1608 LEN=0058 INSTALLED 1998
			018 "DIA CIRC CONCR
			0240/1204 LEN=0040 INSTALLED 1998
			024 "DIA CIRC CONCR
			0240/0465 LEN=0045 INSTALLED UNKN
			CROMWELL ST
			0240/0464 (T330)
			0240/0219 BMSEN 31/0522/0240/0203
			1 0 00121 0 02 0609+44
			CHAMBERS CRK
			0240/0203 BMSBG 31/0522/0240/0203
	071225 FT		071225 FT 1 0 00121 0 02 0607+11
			NC CROGHAN PK
			CROMWELL
WATER ST			ORBISONIA B
(TWP)	0240/0000		5 0240/0000 LENGTH(AH 2873 BK 1433)
			AL
			0230/1153 (BORO)
			ASHMAN ST
			0230/0477 (BORO)

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: ORBISONIA B RIGHT MUN: ORBISONIA B

			018 "DIA CIRC CONCR
		0230/0040	LEN=0045 INSTALLED UNKN
	069792 FT	069792 FT	1 0 00121 0 02 0592+99
			ELLIOT ST
			(BORO)
MEADOW ST			
(SR0994 SEG 0600/2669)	0230/0000	S 0230/0000	LENGTH(AH 1433 BK 1589)
			024 "DIA CIRC CONCR
		0220/1160	LEN=0050 INSTALLED UNKN
			WINCHESTER ST
		0220/1114	(BORO)
			018 "DIA CIRC CONCR
		0220/0675	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0220/0440	LEN=0040 INSTALLED UNKN
			ERWIN ST
		0220/0409	(BORO)
			018 "DIA CIRC CONCR
		0220/0251	LEN=0050 INSTALLED UNKN
	068203 FT	068203 FT	1 0 00121 0 02 0577+19
		NC	RIDGLEY ST
			ORBISONIA
PALMER ST			CROMWELL T
(BORO)	0220/0000	S 0220/0000	LENGTH(AH 1589 BK 1540)
			018 "DIA CIRC CONCR
		0210/1500	LEN=0034 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0210/0689	LEN=0072 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0210/0290	LEN=0088 INSTALLED UNKN
	066663 FT	066663 FT	1 0 00121 0 02 0561+56
		S 0210/0000	LENGTH(AH 1540 BK 3695)
			018 "DIA CIRC CONCR
		0200/3597	LEN=0071 INSTALLED UNKN
			SHEPARD RD
		0200/3573	(T361)
			018 "DIA CIRC CONCR
		0200/3325	LEN=0090 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0200/3093	LEN=0123 INSTALLED UNKN
			027 "DIA CIRC CONCR
		0200/2675	LEN=0064 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0200/2507	LEN=0072 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0200/2290	LEN=0082 INSTALLED UNKN
			027 "DIA CIRC CONCR
		0200/1695	LEN=0059 INSTALLED UNKN
			024 "DIA CIRC CONCR

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

```
                                        0200/1525 LEN=0076 INSTALLED UNKN

                                                  024 "DIA CIRC CONCR
                                        0200/0615 LEN=0076 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0200/0375 LEN=0072 INSTALLED UNKN
                                                  036 "DIA CIRC CONCR
                                        0200/0175 LEN=0055 INSTALLED UNKN
062968 FT                               062968 FT 1 0 00121 0 02 0000+00
                                             NC CROGHAN PK
                                                  BLACKLOG VALLEY RD
                                                  (SR2017 SEG 0010/0000)
                                      S 0200/0000 LENGTH(AH 3695 BK 3428)
                                        0190/3424 BMSEN 31/0522/0190/3285
                                                  0 0 00000 0 00 0000+00
                                                  BLACKLOG CR.
                                        0190/3285 BMSBG 31/0522/0190/3285
                                                  021 "DIA CIRC CONCR
                                        0190/3130 LEN=0109 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0190/2180 LEN=0082 INSTALLED UNKN
                                                  (APRA) NES&LCO ORBISONI
                                                  QUARRY RD
                                        0190/2015 (T359)
                                                  022"H 34"W ELLIP CONC
                                        0190/1810 LEN=0094 INSTALLED UNKN

                                                  024 "DIA CIRC CONCR
                                        0190/1093 LEN=0116 INSTALLED UNKN
                                                  PENNDOT STOCKPILE #11
                                        0190/0685 (PRDR)
                                                  036 "DIA CIRC CONCR
                                        0190/0580 LEN=0078 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0190/0424 LEN=0089 INSTALLED UNKN
                                             NC SR 0522 SH
059540 FT                               059540 FT 1 0 00121 0 01 0480+96
                                      S 0190/0000 LENGTH(AH 3428 BK 3540)

                                                  018 "DIA CIRC CONCR
                                        0180/2790 LEN=0060 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0180/2445 LEN=0068 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0180/2150 LEN=0064 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0180/1865 LEN=0065 INSTALLED UNKN
```

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

		018 "DIA CIRC CONCR
	0180/1861	LEN=0060 INSTALLED UNKN
		030 "DIA CIRC CONCR
	0180/1561	LEN=0093 INSTALLED UNKN
		036 "DIA CIRC CONCR
	0180/0706	LEN=0076 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0180/0550	LEN=0042 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0180/0291	LEN=0045 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0180/0020	LEN=0046 INSTALLED UNKN
056000 FT	056000 FT	1 0 00121 0 01 0444+93
	S 0180/0000	LENGTH(AH 3540 BK 3286)
		018 "DIA CIRC CONCR
	0170/2988	LEN=0045 INSTALLED UNKN
		032 "DIA CIRC METAL
	0170/2468	LEN=0200 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0170/1846	LEN=0082 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0170/0788	LEN=0096 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0170/0480	LEN=0045 INSTALLED UNKN
		030 "DIA CIRC CONCR
	0170/0116	LEN=0072 INSTALLED UNKN
052714 FT	052714 FT	1 0 00121 0 01 0412+35
		COVERED BRIDGE RD
		(T358)
	S 0170/0000	LENGTH(AH 3286 BK 2220)
		018 "DIA CIRC CONCR
	0160/2000	LEN=0080 INSTALLED UNKN
		060 "DIA CIRC CONCR
	0160/1530	LEN=0102 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0160/1111	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0160/0846	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0160/0588	LEN=0040 INSTALLED UNKN
050494 FT	050494 FT	1 0 00121 0 01 0389+83
	S 0160/0000	LENGTH(AH 2220 BK 3235)
		054 "DIA CIRC CONCR
	0150/3116	LEN=0061 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0150/2710	LEN=0061 INSTALLED UNKN

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

				018 "DIA CIRC CONCR
			0150/2350	LEN=0070 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0150/1850	LEN=0445 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0150/1650	LEN=0082 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0150/1400	LEN=0077 INSTALLED UNKN
PENNDOT REST AREA PT (PARK)	0150/1042	==		
				018 "DIA CIRC CONCR
			0150/1015	LEN=0114 INSTALLED UNKN
STARR FARM RD (T401)	0150/0889	==		
				054 "DIA CIRC CONCR
			0150/0620	LEN=0131 INSTALLED UNKN
			0150/0049	BMSEN 31/0522/0150/0000
	047259 FT		047259 FT	1 0 00121 0 01 0357+60
				CRAIG RUN
				BMSBG 31/0522/0150/0000
			S 0150/0000	LENGTH(AH 3235 BK 3875)
LC TO STARR FARM RD (CONN)	0140/2468	==		
				030 "DIA CIRC CONCR
			0140/2430	LEN=0070 INSTALLED UNKN
STARR FARM RD (T401)	0140/2197	==		
				018 "DIA CIRC CONCR
			0140/2053	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0140/1780	LEN=0050 INSTALLED UNKN
LOCKE VALLEY RD (T329)	0140/1309	==		
				018 "DIA CIRC CONCR
			0140/1293	LEN=0070 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0140/0900	LEN=0082 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0140/0545	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0140/0445	LEN=0078 INSTALLED UNKN
				COVERED BRIDGE RD
		==	0140/0301	(T358)
	043384 FT		043384 FT	1 0 00121 0 01 0318+71
			S 0140/0000	LENGTH(AH 3875 BK 3697)
				018 "DIA CIRC CONCR
			0130/3420	LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

LEFT		RIGHT	
			015 "DIA CIRC METAL
		0130/3157	LEN=0070 INSTALLED UNKN
			015 "DIA CIRC METAL
		0130/2855	LEN=0080 INSTALLED UNKN
			CROMWELL
		0130/2649	DUBLIN T
			018 "DIA CIRC CONCR
		0130/2541	LEN=0105 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0130/2287	LEN=0200 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0130/1971	LEN=0067 INSTALLED UNKN
MAIN ST (T408)	0130/1945		
			018 "DIA CIRC CONCR
		0130/1698	LEN=0125 INSTALLED UNKN
BANK ST (T411)	0130/0990		
			024 "DIA CIRC CONCR
		0130/0951	LEN=0110 INSTALLED UNKN
			NEELYTON RD
		0130/0787	(SR0641 SEG 0010/0000)
			024 "DIA CIRC CONCR
		0130/0491	LEN=0088 INSTALLED UNKN
			048 "DIA CIRC CONCR
		0130/0147	LEN=0080 INSTALLED UNKN
	039687 FT	039687 FT	1 0 00121 0 01 0281+74
			SHADE VALLEY RD
TOWN HILL ST (T409)	0130/0000		(SR0035 SEG 0010/0000)
		5 0130/0000	LENGTH(AH 3697 BK 3192)
			018 "DIA CIRC CONCR
		0120/1420	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/1160	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/0890	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0120/0245	LEN=0040 INSTALLED UNKN
1 0 00193 0 00 0364+96	036495 FT	036495 FT	
INTERFOREST LUMBER (PRDR)	0120/0000	5 0120/0000	LENGTH(AH 3192 BK 3510)
			018 "DIA CIRC CONCR
		0110/3445	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

			0110/3144	LEN=0124 INSTALLED UNKN
AUXILIARY RD (T413)	0110/2970	==		
				048 "DIA CIRC CONCR
			0110/1932	LEN=0082 INSTALLED UNKN
MAIN ST (T408)	0110/1433	==		
				TANNERY RUN
				STRUCTURE LENGTH 23 FT
			0110/1281	BMSID 31/0522/0110/1281
				018 "DIA CIRC CONCR
			0110/0743	LEN=0081 INSTALLED UNKN
				018 "DIA CIRC METAL
			0110/0455	LEN=0088 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0110/0142	LEN=0065 INSTALLED UNKN
	032985 FT		032985 FT	1 0 00193 0 00 0330+00
			S 0110/0000	LENGTH(AH 3510 BK 3566)
				018 "DIA CIRC CONCR
			0100/3425	LEN=0060 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0100/3175	LEN=0058 INSTALLED UNKN
				MILLER RD
		==	0100/2953	(T318)
				018 "DIA CIRC CONCR
			0100/2925	LEN=0070 INSTALLED UNKN
				018 "DIA CIRC METAL
			0100/2700	LEN=0086 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0100/1640	LEN=0077 INSTALLED UNKN
	029419 FT		029419 FT	1 0 00193 0 00 0295+24
			S 0100/0000	LENGTH(AH 3566 BK 3421)
				PLEASANT HILL RD
		==	0090/1746	(T312)

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

	025998 FT		025998 FT 1 0 00193 0 00 0260+65
			S 0090/0000 LENGTH(AH 3421 BK 3539)
			018 "DIA CIRC CONCR
			0080/2406 LEN=0064 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0080/1480 LEN=0065 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0080/1041 LEN=0086 INSTALLED UNKN
	022459 FT		022459 FT 1 0 00193 0 00 0224+81
			S 0080/0000 LENGTH(AH 3539 BK 3464)
			018 "DIA CIRC CONCR
			0070/2910 LEN=0088 INSTALLED UNKN
MILLS HILL RD (T306)	0070/2180	==	
			024 "DIA CIRC METAL
			0070/1770 LEN=0162 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0070/1095 LEN=0041 INSTALLED UNKN
			018 "DIA CIRC METAL
			0070/0700 LEN=0091 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0070/0100 LEN=0059 INSTALLED UNKN
	018995 FT		018995 FT 1 0 00193 0 00 0189+77
			S 0070/0000 LENGTH(AH 3464 BK 3785)
PIPER LN (T407)	0060/3427	==	
			018 "DIA CIRC CONCR
			0060/2948 LEN=0084 INSTALLED UNKN
MENTZER RD (T406)	0060/2669	==	
			018 "DIA CIRC CONCR
			0060/2596 LEN=0074 INSTALLED UNKN
MENTZER RD (T406)	0060/1357	==	
			JOHNSON LN
		==	0060/1228 (T405)
			018 "DIA CIRC CONCR
			0060/0998 LEN=0122 INSTALLED UNKN

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

			018 "DIA CIRC CONCR
		0060/0274	LEN=0067 INSTALLED UNKN
	015210 FT	015210 FT	1 0 00193 0 00 0152+10
			JOHNSON LN
			(T405)
		S 0060/0000	LENGTH(AH 3785 BK 3652)
			018 "DIA CIRC METAL
		0050/3638	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC METAL
		0050/1845	LEN=0147 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/1154	LEN=0086 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0050/0640	LEN=0126 INSTALLED UNKN
	011558 FT	011558 FT	1 0 00193 0 00 0114+93
		S 0050/0000	LENGTH(AH 3652 BK 3423)
WILSON LN (T402)	0040/2926		
			018 "DIA CIRC CONCR
		0040/2556	LEN=0071 INSTALLED UNKN
			030 "DIA CIRC METAL
		0040/1981	LEN=0176 INSTALLED UNKN
WILSON LN (T402)	0040/1586		
			018 "DIA CIRC CONCR
		0040/1292	LEN=0064 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/0806	LEN=0065 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/0117	LEN=0074 INSTALLED UNKN
	008135 FT	008135 FT	1 0 00193 0 00 0080+04
		S 0040/0000	LENGTH(AH 3423 BK 3252)
			018 "DIA CIRC CONCR
		0030/3156	LEN=0045 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0030/2995	LEN=0096 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/2710	LEN=0045 INSTALLED UNKN
			048 "DIA CIRC METAL
		0030/2240	LEN=0156 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/1920	LEN=0064 INSTALLED UNKN

DIR: B TOTAL LEN: 24.223 MI. DIST: 09-5 SR: 522
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

			018 "DIA CIRC CONCR
		0030/1615	LEN=0070 INSTALLED UNKN
MATHIAS LN (T401)	0030/1410		
			TR.N BR AGWK
			STRUCTURE LENGTH 17 FT
		0030/1258	BMSID 31/0522/0030/1258
			018 "DIA CIRC CONCR
		0030/0815	LEN=0050 INSTALLED UNKN
			WATTERS RD
		0030/0191	(T305)
MATHIAS LN (T401)	0030/0168		
		0030/0063	BMSEN 31/0522/0030/0000
	004883 FT	004883 FT	1 0 00193 0 00 0048+85
			NB.L.AUG.CR.
			BMSBG 31/0522/0030/0000
		5 0030/0000	LENGTH(AH 3252 BK 3002)
			024 "DIA CIRC CONCR
		0020/2270	LEN=0075 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/1690	LEN=0075 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0906	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0326	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0020/0057	LEN=0050 INSTALLED UNKN
1 0 00193 0 00 0018+75	001881 FT	001881 FT	
TANNERY RD (T304)	0020/0000	5 0020/0000	LENGTH(AH 3002 BK 1881)
			018 "DIA CIRC CONCR
		0010/1659	LEN=0066 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/1376	LEN=0058 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/0706	LEN=0058 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0010/0387	LEN=0083 INSTALLED UNKN
	000000 FT	000000 FT	1 0 00193 0 00 0000+00
		NC	CROGHAN PK
		* REF-BK	CROGHAN PK
			(SR0522 SEG 0750/1049)
			MFC BEGIN = B
			BK-FULTON (29)
		5 0010/0000	LENGTH(AH 1881 BK 0000)

DIR: B TOTAL LEN: 10.691 MI. DIST: 09-5 SR: 475
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

056446 FT



056446 FT	HUDSON ST
0250/2915	(SR0994 SEG 0580/0000)
	015 "DIA CIR PLASTIC
0250/2844	LEN=0036 INSTALLED UNKN
	048"H 00"W MULT METAL
0250/2707	LEN=0032 INSTALLED UNKN
	BRODBECK RD
0250/2597	(T376)
	015 "DIA CIRC METAL
0250/2200	LEN=0030 INSTALLED UNKN
	015 "DIA CIR PLASTIC
0250/1644	LEN=0030 INSTALLED UNKN
	048 "DIA CIRC METAL
0250/1576	LEN=0048 INSTALLED UNKN
	BRODBECK RD
0250/1113	(T376)
	018 "DIA CIR PLASTIC
0250/0729	LEN=0040 INSTALLED UNKN
	015 "DIA CIR PLASTIC
0250/0484	LEN=0035 INSTALLED UNKN
053531 FT	

2 0 31003 0 04 0416+76 053531 FT

DIR: B TOTAL LEN: 10.691 MI. DIST: 09-5 SR: 475
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

JORDAN CEMETERY RD (T343)	0250/0000	S 0250/0000	LENGTH(AH 2915 BK 2715)
			015 "DIA CIR PLASTIC
		0240/1872	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0240/1535	LEN=0035 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0240/1206	LEN=0032 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0240/0573	LEN=0040 INSTALLED 2004
			COMPANY ORCHARD LN
		0240/0439	(PRDR)
			015 "DIA CIR PLASTIC
		0240/0379	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0240/0138	LEN=0034 INSTALLED UNKN
	050816 FT	050816 FT	2 0 31003 0 04 0389+53
		S 0240/0000	LENGTH(AH 2715 BK 2420)
			015 "DIA CIR PLASTIC
		0230/1938	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0230/1665	LEN=0030 INSTALLED UNKN
			012 "DIA CIR PLASTIC
		0230/1372	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0230/1031	LEN=0030 INSTALLED UNKN
			036 "DIA CIR PLASTIC
		0230/0691	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0230/0466	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0230/0152	LEN=0030 INSTALLED UNKN
	048396 FT	048396 FT	2 0 31003 0 04 0365+34
		S 0230/0000	LENGTH(AH 2420 BK 2127)
			015 "DIA CIRC METAL
		0220/1976	LEN=0060 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0220/1768	LEN=0030 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0220/0731	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0220/0369	LEN=0030 INSTALLED UNKN
2 0 31003 0 04 0343+85	046269 FT	046269 FT	
JEFFERSON SCHOOL RD (T341)	0220/0000	S 0220/0000	LENGTH(AH 2127 BK 2439)
			048 "DIA CIRC METAL

DIR: B TOTAL LEN: 10.691 MI. DIST: 09-5 SR: 475
LEFT MUN: CROMWELL T RIGHT MUN: CROMWELL T

```
                                        0210/2337 LEN=0040 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0210/0939 LEN=0040 INSTALLED UNKN
                                                  024 "DIA CIRC CONCR
                                        0210/0043 LEN=0032 INSTALLED UNKN
043830 FT                               043830 FT 2 0 31003 0 04 0319+85
                                      5 0210/0000 LENGTH(AH 2439 BK 1832)
                                                  018 "DIA CIRC CONCR
                                        0200/1233 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0200/1023 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0200/0523 LEN=0032 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0200/0032 LEN=0034 INSTALLED UNKN
041998 FT                               041998 FT 2 0 31003 0 04 0301+53
                                      5 0200/0000 LENGTH(AH 1832 BK 2469)
                                                  036 "DIA CIRC CONCR
                                        0190/2039 LEN=0052 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0190/1707 LEN=0034 INSTALLED UNKN
                                                  036 "DIA CIRC METAL
                                        0190/1515 LEN=0034 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0190/1385 LEN=0034 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0190/1162 LEN=0038 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0190/0949 LEN=0030 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0190/0807 LEN=0034 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0190/0479 LEN=0048 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0190/0142 LEN=0034 INSTALLED UNKN
039529 FT                               039529 FT 2 0 31003 0 04 0276+85
                                      5 0190/0000 LENGTH(AH 2469 BK 2535)
                                                  CROMWELL
                                        0180/2441 SPRINGFIELD T
                                                  018 "DIA CIRC CONCR
                                        0180/1693 LEN=0030 INSTALLED UNKN
                                                  036 "DIA CIRC CONCR
                                        0180/1375 LEN=0037 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 10.691 MI. DIST: 09-5 SR: 475
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

		0180/0790	LEN=0033 INSTALLED UNKN 018 "DIA CIRC CONCR
		0180/0479	LEN=0032 INSTALLED UNKN 018 "DIA CIRC CONCR
		0180/0045	LEN=0042 INSTALLED UNKN
2 0 31003 0 04 0251+50	036994 FT	036994 FT	
MATTHEWS BRIDGE RD (T333)	0180/0000	S 0180/0000	LENGTH(AH 2535 BK 1742)
LC FROM MATTHEWS BR RD (TWP)	0170/1600		
			018 "DIA CIRC CONCR
		0170/1074	LEN=0039 INSTALLED UNKN 036 "DIA CIRC CONCR
		0170/0514	LEN=0038 INSTALLED UNKN 018 "DIA CIRC CONCR
		0170/0309	LEN=0042 INSTALLED UNKN 018 "DIA CIRC CONCR
		0170/0126	LEN=0038 INSTALLED UNKN 036 "DIA CIRC CONCR
		0170/0048	LEN=0040 INSTALLED UNKN
	035252 FT	035252 FT	2 0 31003 0 04 0234+51
		S 0170/0000	LENGTH(AH 1742 BK 2530)
			018 "DIA CIRC CONCR
		0160/2083	LEN=0038 INSTALLED UNKN 018 "DIA CIRC CONCR
		0160/1877	LEN=0040 INSTALLED UNKN 024 "DIA CIRC CONCR
		0160/1727	LEN=0040 INSTALLED UNKN 024 "DIA CIRC CONCR
		0160/1441	LEN=0046 INSTALLED UNKN 030 "DIA CIRC CONCR
		0160/1253	LEN=0030 INSTALLED UNKN 030 "DIA CIRC CONCR
		0160/0742	LEN=0032 INSTALLED UNKN 030 "DIA CIRC CONCR
		0160/0464	LEN=0038 INSTALLED UNKN 024 "DIA CIRC CONCR
		0160/0024	LEN=0042 INSTALLED UNKN
	032722 FT	032722 FT	2 0 31003 0 04 0209+21
		S 0160/0000	LENGTH(AH 2530 BK 1877)
			015 "DIA CIRC CONCR
		0150/1286	LEN=0048 INSTALLED UNKN 018 "DIA CIRC CONCR
		0150/0818	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0150/0143	LEN=0044 INSTALLED UNKN
	030845 FT	030845 FT	2 0 31003 0 04 0190+09
		S 0150/0000	LENGTH(AH 1877 BK 2533)

DIR: B TOTAL LEN: 10.691 MI. DIST: 09-5 SR: 475
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

		0140/1794	015 "DIA CIRC CONCR LEN=0040 INSTALLED UNKN
		0140/1113	024 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
		0140/0801	015 "DIA CIRC CONCR LEN=0032 INSTALLED UNKN
		0140/0724	015 "DIA CIRC CONCR LEN=0038 INSTALLED UNKN
		0140/0388	018 "DIA CIRC CONCR LEN=0034 INSTALLED UNKN
		0140/0113	048 "DIA CIRC CONCR LEN=0052 INSTALLED UNKN
	028312 FT	028312 FT	2 0 31003 0 03 0164+47
MEADOW GAP RD (SR2004 SEG 0110/1604)	0140/0000	S 0140/0000	VILLAGE: MEADOW GAP LENGTH(AH 2533 BK 1285)
		0130/0410	024 "DIA CIR PLASTIC LEN=0075 INSTALLED UNKN
		0130/0035	015 "DIA CIR PLASTIC LEN=0035 INSTALLED 2006
	027027 FT	027027 FT	2 0 31003 0 03 0151+00
		S 0130/0000	LOCKES VALLEY RD (T329) LENGTH(AH 1285 BK 2934)
		0120/2572	018 "DIA CIR PLASTIC LEN=0032 INSTALLED 2006
		0120/1780	018 "DIA CIRC CONCR LEN=0025 INSTALLED UNKN
		0120/1392	015 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
		0120/1121	015 "DIA CIR PLASTIC LEN=0029 INSTALLED UNKN
		0120/0906	015 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
		0120/0544	036 "DIA CIRC METAL LEN=0054 INSTALLED UNKN
		0120/0476	015 "DIA CIRC CONCR LEN=0033 INSTALLED UNKN
		0120/0150	015 "DIA CIRC METAL LEN=0025 INSTALLED UNKN
		0120/0014	030 "DIA CIR PLASTIC LEN=0040 INSTALLED 2006
	024093 FT	024093 FT	2 0 31003 0 02 0121+66
		S 0120/0000	LENGTH(AH 2934 BK 2479)
		0110/2406	018 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
		0110/2005	018 "DIA CIR PLASTIC LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 10.691 MI. DIST: 09-5 SR: 475
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

```
                                                 015 "DIA CIRC CONCR
                                  0110/1880 LEN=0039 INSTALLED UNKN
                                                 015 "DIA CIR PLASTIC
                                  0110/1673 LEN=0040 INSTALLED UNKN
                                                 015 "DIA CIR PLASTIC
                                  0110/1478 LEN=0040 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                  0110/1084 LEN=0054 INSTALLED UNKN
                                                 018 "DIA CIRC CONCR
                                  0110/0962 LEN=0033 INSTALLED UNKN
                                                 015 "DIA CIRC CONCR
                                  0110/0790 LEN=0032 INSTALLED UNKN
                                                 015 "DIA CIR PLASTIC
                                  0110/0524 LEN=0040 INSTALLED UNKN
                                                 015 "DIA CIR PLASTIC
                                  0110/0269 LEN=0040 INSTALLED UNKN
                                                 018 "DIA CIR PLASTIC
                                  0110/0088 LEN=0045 INSTALLED UNKN
021614 FT                         021614 FT 2 0 31003 0 02 0096+53
                                S 0110/0000 LENGTH(AH 2479 BK 2488)
                                                 015 "DIA CIRC CONCR
                                  0100/1938 LEN=0036 INSTALLED UNKN
                                                 015 "DIA CIR PLASTIC
                                  0100/1450 LEN=0045 INSTALLED UNKN
                                                 015 "DIA CIR PLASTIC
                                  0100/1016 LEN=0045 INSTALLED 1996

                                                 030 "DIA CIRC CONCR
                                  0100/0121 LEN=0056 INSTALLED UNKN
019126 FT                         019126 FT 2 0 31003 0 01 0073+24
                                S 0100/0000 LENGTH(AH 2488 BK 2578)
                                                 015 "DIA CIRC CONCR
                                  0090/2173 LEN=0030 INSTALLED UNKN
                                                 018 "DIA CIRC CONCR
                                  0090/1708 LEN=0030 INSTALLED UNKN
                                                 018 "DIA CIRC CONCR
                                  0090/1256 LEN=0030 INSTALLED UNKN


016548 FT                         016548 FT 2 0 31003 0 01 0047+46
                                                 FORT LITTLETON RD
                                                 (SR2003 SEG 0040/2418)
                                S 0090/0000 LENGTH(AH 2578 BK 3181)
                                                 015 "DIA CIR PLASTIC
                                  0080/2768 LEN=0035 INSTALLED UNKN

                                                 039"H 48"W ELLIP METAL
                                  0080/2027 LEN=0040 INSTALLED UNKN
                                                 039"H 48"W ELLIP METAL
```

DIR: B TOTAL LEN: 10.691 MI. DIST: 09-5 SR: 475
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

	0080/1964	LEN=0040 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0080/1266	LEN=0035 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0080/0890	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0080/0165	LEN=0042 INSTALLED UNKN
2 0 31003 0 00 0009+25 013367 FT		013367 FT
ANDERSON HOLLOW RD		
(T310) 0080/0000	5 0080/0000	LENGTH(AH 3181 BK 0897)
	0070/0342	BMSEN 31/0475/0070/0228
		2 0 31003 0 00 0002+41
		LITTLE AUGHWICK CREEK
	0070/0228	BMSBG 31/0475/0070/0228
2 0 31003 0 00 0000+00 012470 FT		012470 FT
ELLIOTS RUN RD		
(SR2005 SEG 0010/0000) 0070/0000	5 0070/0000	LENGTH(AH 0897 BK 0331)
012139 FT	012139 FT	2 0 31009 0 02 0233+75
	5 0060/0000	LENGTH(AH 0331 BK 1362)
		018 "DIA CIR PLASTIC
	0050/0928	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0050/0697	LEN=0030 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0050/0481	LEN=0028 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0050/0097	LEN=0061 INSTALLED UNKN
010777 FT	010777 FT	2 0 31076 0 00 0108+00
		VILLAGE: MADDENSVILLE
		PARKS RD
		(T308)
	5 0050/0000	LENGTH(AH 1362 BK 3448)
		018 "DIA CIR PLASTIC
	0040/3187	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/2475	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/2226	LEN=0040 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/1918	LEN=0030 INSTALLED UNKN
		015 "DIA CIR PLASTIC
	0040/1680	LEN=0032 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/1410	LEN=0030 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0040/1250	LEN=0040 INSTALLED UNKN
		015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 10.691 MI. DIST: 09-5 SR: 475
LEFT MUN: SPRINGFIELD T RIGHT MUN: SPRINGFIELD T

```
                                                  0040/0913 LEN=0025 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0040/0415 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0040/0050 LEN=0032 INSTALLED UNKN
                         007329 FT                007329 FT 2 0 31076 0 00 0073+78
                                                S 0040/0000 LENGTH(AH 3448 BK 2370)

                                                            015 "DIA CIRC CONCR
                                                  0030/1762 LEN=0034 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0030/1187 LEN=0035 INSTALLED 2006
                                                            SQUIRREL HILL LN
                                                  0030/0898 (PRDR)

                         004959 FT                004959 FT 2 0 31076 0 00 0049+75
                                                S 0030/0000 LENGTH(AH 2370 BK 2539)
                                                            018 "DIA CIRC CONCR
                                                  0020/2030 LEN=0032 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0020/1851 LEN=0032 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0020/1425 LEN=0026 INSTALLED UNKN
                                                            015 "DIA CIR PLASTIC
                                                  0020/0945 LEN=0027 INSTALLED UNKN

2 0 31076 0 00 0024+36 002420 FT                  002420 FT
HAR-DON LN
(PRDR)                  0020/0000               S 0020/0000 LENGTH(AH 2539 BK 2420)
                                                            018 "DIA CIR PLASTIC
                                                  0010/2375 LEN=0030 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0010/1943 LEN=0030 INSTALLED UNKN
                                                            018 "DIA CIR PLASTIC
                                                  0010/1600 LEN=0030 INSTALLED UNKN
CROMWELL CHURCH RD
(T307)                  0010/1328

                                                            018 "DIA CIR PLASTIC
                                                  0010/0526 LEN=0030 INSTALLED UNKN
                                                            015 "DIA CIRC METAL
                                                  0010/0241 LEN=0025 INSTALLED UNKN
                         000000 FT                000000 FT 2 0 31076 0 00 0000+00
                                                       NC MADDENSVILLE PK
                                                * REF-BK    NORTH CLEAR RIDGE RD
                                                            (SR0475 SEG 0190/3354)
                                                            MFC BEGIN = D
                                                             BK-FULTON          (29)
                                                S 0010/0000 LENGTH(AH 2420 BK 0000)
```

DIR: B TOTAL LEN: 5.973 MI. DIST: 09-5 SR: 453
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

	031538 FT	031538 FT	AH-BLAIR (07)
		REF-AHD	BIRMINGHAM PK
		0110/3705	(SR0453 SEG 0040/0000)
			018 "DIA CAST IRON
		0110/3514	LEN=0045 INSTALLED UNKN
SILVER BARN RD			
(SR1017 SEG 0070/2786)	0110/3414		
			018 "DIA CAST IRON
		0110/3313	LEN=0046 INSTALLED UNKN
			015 "DIA CAST IRON
		0110/2958	LEN=0045 INSTALLED UNKN
			HUNDRED SPRINGS RD
		0110/2788	(SR4023 SEG 0010/0000)
			015 "DIA CAST IRON
		0110/2732	LEN=0045 INSTALLED UNKN
			060"H 72"W CONC STRUCT
		0110/2300	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC METAL
		0110/1926	LEN=0050 INSTALLED UNKN
			HUNDRED SPRINGS RD
		0110/1710	(T536)
			015 "DIA CAST IRON
		0110/1706	LEN=0048 INSTALLED UNKN
			015 "DIA CAST IRON
		0110/1531	LEN=0046 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0110/1331	LEN=0040 INSTALLED UNKN
			015 "DIA CAST IRON
		0110/1042	LEN=0046 INSTALLED UNKN
			015 "DIA CAST IRON
		0110/0275	LEN=0048 INSTALLED UNKN
IRISH FLATS LN			
(T512)	0110/0227		
	027833 FT	027833 FT	1 0 00055 0 00 0038+29
			TYRONE ST
			(SR4012 SEG 0010/0000)

DIR: B TOTAL LEN: 5.973 MI. DIST: 09-5 SR: 453
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

		S 0110/0000	LENGTH(AH 3705 BK 1538)
			036 "DIA CAST IRON
		0100/1359	LEN=0061 INSTALLED UNKN
			WARRIORS MARK
		0100/0973	BIRMINGHAM B
			015 "DIA CAST IRON
		0100/0650	LEN=0065 INSTALLED UNKN
			015 "DIA CAST IRON
		0100/0444	LEN=0049 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0100/0072	LEN=0055 INSTALLED UNKN
	026295 FT	026295 FT	1 0 00055 0 00 0054+80
		S 0100/0000	LENGTH(AH 1538 BK 3763)
			BIRMINGHAM
		0090/3521	WARRIORS MARK T
			015 "DIA CAST IRON
		0090/3509	LEN=0044 INSTALLED UNKN
			018 "DIA CAST IRON
		0090/3077	LEN=0045 INSTALLED UNKN
			015 "DIA CAST IRON
		0090/2356	LEN=0054 INSTALLED UNKN
			015 "DIA CIRC METAL
		0090/1656	LEN=0051 INSTALLED UNKN
			015 "DIA CIRC METAL
		0090/1441	LEN=0057 INSTALLED UNKN
			015 "DIA CAST IRON
		0090/1176	LEN=0045 INSTALLED UNKN
			015 "DIA CAST IRON
		0090/0882	LEN=0054 INSTALLED UNKN
			015 "DIA CAST IRON
		0090/0526	LEN=0045 INSTALLED UNKN
			015 "DIA CAST IRON
		0090/0234	LEN=0051 INSTALLED UNKN
	022532 FT	022532 FT	1 0 00055 0 00 0093+51
		S 0090/0000	LENGTH(AH 3763 BK 1667)
			015 "DIA CAST IRON
		0080/1559	LEN=0052 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0080/0470	LEN=0054 INSTALLED UNKN
SHOENBERGER RD (T519)	0080/0439		
			024 "DIA CIRC CONCR
		0080/0210	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0080/0055	LEN=0045 INSTALLED UNKN
	020865 FT	020865 FT	1 0 00055 0 00 0110+18

DIR: B TOTAL LEN: 5.973 MI. DIST: 09-5 SR: 453
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

			HUNTINGDON FURNACE RD
			(SR4013 SEG 0010/0000)
		S 0080/0000	LENGTH(AH 1667 BK 2957)
			018 "DIA CIRC CONCR
		0070/2907	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/2707	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/2479	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/2234	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/1988	LEN=0037 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/1246	LEN=0037 INSTALLED UNKN
LC TO LIME STONE RD (CONN)	0070/1103		
			018 "DIA CIRC CONCR
		0070/0970	LEN=0037 INSTALLED UNKN
LIME STONE RD (TBC)	0070/0815		
			018 "DIA CIRC CONCR
		0070/0781	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/0559	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/0335	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0070/0060	LEN=0039 INSTALLED UNKN
	017908 FT	017908 FT	1 0 00055 0 00 0139+83
		* REF-BK	BIRMINGHAM PK
			(SR0453 SEG 0030/2049)
			BK-BLAIR (07)
		S 0070/0000	LTH AH 002957 BK 005827
	017908 FT	017908 FT	AH-BLAIR (07)
		7064/0000	LTH AH 005827 BK 001879
		* REF-AHD	BIRMINGHAM PK
			(SR0453 SEG 0010/0000)
		0060/1879	MORRIS T
NICHOLS RD (T601)	0060/0515		
			018 "DIA CIRC CONCR
		0060/0100	LEN=0053 INSTALLED UNKN
	016029 FT	016029 FT	1 0 00055 0 00 0162+84
			SHOVEL WORKS RD
			(SR4006 SEG 0010/0000)

DIR: B TOTAL LEN: 5.973 MI. DIST: 09-5 SR: 453
LEFT MUN: MORRIS T RIGHT MUN: MORRIS T

```
                                                   S 0060/0000 LENGTH(AH 1879 BK 3826)
                                                             018 "DIA CIRC CONCR
                                                     0050/3694 LEN=0112 INSTALLED UNKN
ANNIE'S LN
(PRDR)                0050/3373
                                                             030 "DIA CIRC CONCR
                                                     0050/3311 LEN=0042 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                                     0050/2963 LEN=0064 INSTALLED UNKN
                                                             018 "DIA CIRC CONCR
                                                     0050/2611 LEN=0064 INSTALLED UNKN
HILLTOP RD
(PRDR)                0050/2130
                                                             036 "DIA CIRC CONCR
                                                     0050/2032 LEN=0120 INSTALLED UNKN

                                                             JUDGES LN
                                                     0050/0530 (PRDR)
                      012203 FT                      012203 FT 1 0 00055 0 01 0280+14
                                                   S 0050/0000 LENGTH(AH 3826 BK 3518)
MARTIN'S GARDEN CENTER
(PRDR)                0040/3280

                                                             018 "DIA CIRC CONCR
                                                     0040/2318 LEN=0054 INSTALLED UNKN
GARDEN RD
(PRDR)                0040/2035
KOOKEN LN
(PRDR)                0040/1560
                                                             018 "DIA CIRC CONCR
                                                     0040/1440 LEN=0056 INSTALLED UNKN

                                                             024 "DIA CIRC CONCR
                                                     0040/0793 LEN=0064 INSTALLED UNKN

                                                             018 "DIA CIRC CONCR
                                                     0040/0167 LEN=0056 INSTALLED UNKN
                      008685 FT                      008685 FT 1 0 00055 0 01 0316+13
                                                   S 0040/0000 LENGTH(AH 3518 BK 3498)
                                                             018 "DIA CIRC CONCR
                                                     0030/3174 LEN=0051 INSTALLED UNKN
                                                             030 "DIA CIRC CONCR
                                                     0030/2647 LEN=0064 INSTALLED UNKN
                                                             HAWTHORNE RD
                                                     0030/2518 (T512)
HUNGRY HOLLOW RD
```

DIR: B TOTAL LEN: 5.973 MI. DIST: 09-5 SR: 453
LEFT MUN: MORRIS T RIGHT MUN: MORRIS T

(SR4001 SEG 0030/2844) 0030/2434

005187 FT

003901 FT

000000 FT



SIGN: SHAPE OR TUBE
0030/0271 BMSID 31/0453/0030/0271
005187 FT 1 0 00055 0 01 0352+03
S 0030/0000 LENGTH(AH 3498 BK 1286)
024 "DIA CIRC CONCR
0020/0791 LEN=0140 INSTALLED UNKN
042 "DIA CIRC CONCR
0020/0437 LEN=0128 INSTALLED UNKN
024 "DIA CIRC CONCR
0020/0249 LEN=0123 INSTALLED UNKN
FROM 0045/0010 SH
0020/0070 (CONN)
003901 FT 1 0 00055 0 01 0366+35
SPRUCE CREEK RD
(SR0045 SEG 0010/0000)
S 0020/0000 LENGTH(AH 1286 BK 3901)
018 "DIA CIRC CONCR
0010/3766 LEN=0130 INSTALLED UNKN
TO 0045/0010 SH
0010/3580 (CONN)

036 "DIA CIRC CONCR
0010/2685 LEN=0174 INSTALLED UNKN

084 "DIA CIRC CONCR
0010/1950 LEN=0250 INSTALLED UNKN

036 "DIA CIRC CONCR
0010/0100 LEN=0120 INSTALLED 2001
000000 FT 1 0 00000 0 00 0000+00
VILLAGE: WATER STREET
NC BIRMINGHAM PK
WILLIAM PENN HW
(SR0022 SEG 0078/0000)

INTER-BK SHAFFERSVILLE RD
(SR4016 SEG 0030/1634)
MFC BEGIN = C
S 0010/0000 LENGTH(AH 3901 BK 0000)

DIR: B TOTAL LEN: .000 MI. DIST: 09-5 SR: 422
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

000000 FT

000000 FT BK-BLAIR (07)
7014/0000 LTH AH 000100 BK 000000

DIR: B TOTAL LEN: 6.225 MI. DIST: 09-5 SR: 350
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

```
                                032866 FT                          032866 FT  AH-BLAIR                (07)
                                                                 * REF-AHD   SEVEN STARS RD
                                                                   0110/1553 (SR0350 SEG 0010/0000)
                                                                             015 "DIA CIRC CONCR
                                                                   0110/1179 LEN=0055 INSTALLED 1988
                                                                             LAUREL LN
                                                                   0110/0885 (PRDR)
                                                                             024 "DIA CIR PLASTIC
                                                                   0110/0556 LEN=0049 INSTALLED 1988
MOUNTAIN LAUREL CT
(PRDR)                           0110/0285
                                                                             015 "DIA CIRC CONCR
                                                                   0110/0138 LEN=0045 INSTALLED 1988
                                031313 FT                          031313 FT 1 0 00524 0 00 0020+02
                                                                 S 0110/0000 LENGTH(AH 1553 BK 2798)
                                                                             018 "DIA CIRC CONCR
                                                                   0100/2699 LEN=0042 INSTALLED 1988
                                                                             015 "DIA CIRC CONCR
                                                                   0100/2442 LEN=0042 INSTALLED 1988
                                                                             018 "DIA CIRC CONCR
                                                                   0100/2194 LEN=0036 INSTALLED 1988
                                                                             015 "DIA CIRC CONCR
                                                                   0100/1907 LEN=0045 INSTALLED 1988
                                                                             015 "DIA CIRC CONCR
                                                                   0100/1639 LEN=0038 INSTALLED 1988
                                                                             018 "DIA CIRC CONCR
                                                                   0100/1167 LEN=0041 INSTALLED 1988
                                                                             015 "DIA CIRC CONCR
                                                                   0100/0800 LEN=0038 INSTALLED 1988
                                                                             018 "DIA CIRC CONCR
                                                                   0100/0590 LEN=0035 INSTALLED 1988
                                                                   0100/0014 BMSEN 31/0350/0100/0000
                                028515 FT                          028515 FT 1 0 00524 0 00 0048+43
                                                                             WAR.MRK.RUN
                                                                             BMSBG 31/0350/0100/0000
                                                                 S 0100/0000 LENGTH(AH 2798 BK 2451)
                                                                             015 "DIA CIRC METAL
```

DIR: B TOTAL LEN: 6.225 MI. DIST: 09-5 SR: 350
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

```
                                                  0090/2270 LEN=0090 INSTALLED 1988
                                                            RIDGE RD
                                                  0090/2241 (SR4025 SEG 0100/0000)
                                                            015 "DIA CIRC CONCR
                                                  0090/2012 LEN=0031 INSTALLED 1988
                                                            015 "DIA CIRC CONCR
                                                  0090/1612 LEN=0034 INSTALLED 1988
                                                            015 "DIA CIR PLASTIC
                                                  0090/1320 LEN=0025 INSTALLED 1988
                                                            015 "DIA CIRC CONCR
                                                  0090/1099 LEN=0030 INSTALLED 1988
                                                            015 "DIA CIRC CONCR
                                                  0090/0711 LEN=0031 INSTALLED 1988
                                                  0090/0219 BMSEN 31/0350/0090/0195
                                                            1 0 00524 0 00 0070+98
                                                            TRIB WARRIORS MARK RUN
                                                  0090/0195 BMSBG 31/0350/0090/0195
                                                  0090/0027 BMSEN 31/0350/0090/0000
                026064 FT                         026064 FT 1 0 00524 0 00 0073+06
                                                            VILLAGE: SPRING MOUNT
                                                            TR WARRIORS MARK RUN
                                                            BMSBG 31/0350/0090/0000
                                                S 0090/0000 LENGTH(AH 2451 BK 3219)
                                                            015 "DIA CIRC CONCR
                                                  0080/2821 LEN=0031 INSTALLED 1988
                                                            015 "DIA CIRC CONCR
                                                  0080/2456 LEN=0030 INSTALLED 1988

                                                            018 "DIA CIR PLASTIC
                                                  0080/1586 LEN=0036 INSTALLED 2001
                                                            015 "DIA CIRC CONCR
                                                  0080/1365 LEN=0031 INSTALLED 1988
                                                            015 "DIA CIRC CONCR
                                                  0080/0920 LEN=0036 INSTALLED 1988
                                                            015 "DIA CIRC CONCR
                                                  0080/0337 LEN=0030 INSTALLED 1988
                                                            015 "DIA CIRC METAL
                                                  0080/0069 LEN=0034 INSTALLED 1988
                022845 FT                         022845 FT 1 0 00524 0 00 0105+05
                                                            VILLAGE: WARRIORS MARK
                                                            CENTER LINE RD
PENNINGTON RD                                               (SR0550 SEG 0110/0000)
(SR0550 SEG 0110/0000)  0080/0000               S 0080/0000 LENGTH(AH 3219 BK 3566)
                                                            030 "DIA CIRC METAL
                                                  0070/3513 LEN=0050 INSTALLED 1988
                                                            018 "DIA CIRC METAL
                                                  0070/3172 LEN=0026 INSTALLED 1988

                                                            024 "DIA CIRC METAL
                                                  0070/2311 LEN=0065 INSTALLED 1988
```

DIR: B TOTAL LEN: 6.225 MI. DIST: 09-5 SR: 350
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

```
                                                 STATION RD
                                          ==     0070/2279 (T603)
                                                           018 "DIA CIRC METAL
                                                 0070/1971 LEN=0058 INSTALLED 1988
                                                           018 "DIA CIRC METAL
                                                 0070/1681 LEN=0052 INSTALLED 1988
                                                           018 "DIA CIRC METAL
                                                 0070/1398 LEN=0038 INSTALLED 1988
HARSHBERGER LN
(PRDR)                0070/1188   ==
                                                           018 "DIA CIRC METAL
                                                 0070/1179 LEN=0094 INSTALLED 1988
                                                           015 "DIA CIRC METAL
                                                 0070/0776 LEN=0065 INSTALLED 1988
                                                           015 "DIA CIRC METAL
                                                 0070/0489 LEN=0039 INSTALLED 1988
                                                 0070/0158 BMSEN 31/0350/0070/0108
                                                           1 0 00056 0 02 0318+26
                                                           WAR.MARK RUN
                                                 0070/0108 BMSBG 31/0350/0070/0108
                      019279 FT                  019279 FT 1 0 00056 0 02 0319+45
                                                           NEFF RD
                                                           (T602)
                                          ==   5 0070/0000 LENGTH(AH 3566 BK 3888)
BURKET RD
(T541)                0060/3868   ==
                                                           018 "DIA CIRC METAL
                                                 0060/3673 LEN=0049 INSTALLED 1988
                                                           018 "DIA CIRC METAL
                                                 0060/3211 LEN=0050 INSTALLED 1988
                                                           018 "DIA CIRC METAL
                                                 0060/2838 LEN=0062 INSTALLED 1988
                                                           018 "DIA CIRC METAL
                                                 0060/2515 LEN=0048 INSTALLED 1988
                                                           015 "DIA CIRC METAL
                                                 0060/2131 LEN=0062 INSTALLED 1988
BICKLE RD
(TWP )                0060/1769   ==
                                                           018 "DIA CIRC METAL
                                                 0060/1734 LEN=0066 INSTALLED 1988

                                                           024 "DIA CIRC METAL
                                                 0060/0907 LEN=0052 INSTALLED 1988
BICKLE RD
(TWP )                0060/0899   ==

                                                 0060/0042 BMSEN 31/0350/0060/0000
                      015391 FT                  015391 FT 1 0 00056 0 02 0358+36
                                                           WRRS.MK.RUN
                                                           BMSBG 31/0350/0060/0000
```

DIR: B TOTAL LEN: 6.225 MI. DIST: 09-5 SR: 350
LEFT MUN: WARRIORS MARK T RIGHT MUN: WARRIORS MARK T

		0060/0000	LENGTH(AH 3888 BK 3938)
			018 "DIA CIRC METAL
		0050/3385	LEN=0045 INSTALLED 1988
			024"H 48"W ELLIP CONC
		0050/3244	LEN=0044 INSTALLED 1988
			015 "DIA CIRC METAL
		0050/2920	LEN=0052 INSTALLED 1988
			018 "DIA CIRC METAL
		0050/2279	LEN=0061 INSTALLED 1988
			018 "DIA CIRC METAL
		0050/1660	LEN=0066 INSTALLED 1988
			WARRIORS MARK
		0050/1275	FRANKLIN T
			018 "DIA CIRC METAL
		0050/1179	LEN=0066 INSTALLED 1988
COX RD (T541)	0050/0367		
	011453 FT	011453 FT	1 0 00056 0 02 0397+35
		0050/0000	LENGTH(AH 3938 BK 3714)
			072"H 72"W CON BOX CUL
		0040/3712	LEN=0045 INSTALLED 1988
			024 "DIA CIRC METAL
		0040/3110	LEN=0052 INSTALLED 1988
COX RD (T541)	0040/2643		
		0040/2501	BMSEN 31/0350/0040/2430
			1 0 00056 0 02 0410+35
			WARRIORS MARK RUN
		0040/2430	BMSBG 31/0350/0040/2430
			DRY HOLLOW RD
		0040/1966	(T534)
			018 "DIA CIRC METAL
		0040/1944	LEN=0045 INSTALLED 1988
			015 "DIA CIRC METAL
		0040/1710	LEN=0047 INSTALLED 1988
			018 "DIA CIRC CONCR
		0040/0380	LEN=0050 INSTALLED 1988
	007739 FT	007739 FT	1 0 00056 0 02 0434+81
		0040/0000	LENGTH(AH 3714 BK 3548)
			036 "DIA CIRC METAL
		0030/3532	LEN=0056 INSTALLED 1988
			040"H 65"W ELLIP METAL
		0030/3396	LEN=0060 INSTALLED 1988

DIR: B TOTAL LEN: 6.225 MI. DIST: 09-5 SR: 350
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

			048 "DIA CIRC METAL
		0030/2969	LEN=0060 INSTALLED UNKN
OLD MILL RD (SR4013 SEG 0150/1292)	0030/2887		
			024 "DIA CIRC METAL
		0030/2200	LEN=0054 INSTALLED 1988
			015 "DIA CIRC METAL
		0030/1619	LEN=0057 INSTALLED 1988
			015 "DIA CIRC METAL
		0030/1035	LEN=0066 INSTALLED 1988
			015 "DIA CIRC METAL
		0030/0500	LEN=0048 INSTALLED 1988
	004191 FT	004191 FT	1 0 00056 0 02 0470+19
			015 "DIA CIRC METAL
			LEN=0048 INSTALLED 1988
		S 0030/0000	LENGTH(AH 3548 BK 3072)
			018 "DIA CIRC METAL
		0020/2605	LEN=0045 INSTALLED 1988
			018 "DIA CIRC METAL
		0020/1946	LEN=0056 INSTALLED 1988
			015 "DIA CIRC METAL
		0020/1510	LEN=0045 INSTALLED 1988
			018 "DIA CIRC CONCR
		0020/1192	LEN=0051 INSTALLED 1988
			018 "DIA CIRC METAL
		0020/0760	LEN=0041 INSTALLED 1988
	001119 FT	001119 FT	1 0 00056 0 02 0500+91
		S 0020/0000	LENGTH(AH 3072 BK 1119)
			024 "DIA CIRC CONCR
		0010/1119	LEN=0070 INSTALLED 1988
			024 "DIA CIRC METAL
		0010/0629	LEN=0047 INSTALLED 1988
			030 "DIA CIRC METAL
		0010/0424	LEN=0048 INSTALLED 1988
TO 0045/0160 SH (CONN)	0010/0092		
			FROM 0045/0170 SH
		0010/0086	(CONN)
			054"H 72"W CON BOX CUL
		0010/0080	LEN=0076 INSTALLED 1988
	000000 FT	000000 FT	1 0 00056 0 02 0512+47
			VILLAGE: SEVEN STARS
			NC WARRIORS MARK PATH RD
			SPRUCE CREEK RD
			(SR0045 SEG 0170/0000)
			MFC BEGIN = D
		S 0010/0000	LENGTH(AH 1119 BK 0000)

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

129605 FT

127953 FT

129605 FT	AH-MIFFLIN (44)
* REF-AHD	GREENWOOD RD
0600/1652	(SR0305 SEG 0010/0000)
	MOUNTAIN TOP RD
0600/1428	(PRDR)
	018 "DIA CIR PLASTIC
0600/1170	LEN=0051 INSTALLED 2014
	018 "DIA CIR PLASTIC
0600/0760	LEN=0048 INSTALLED 2014
	018 "DIA CIR PLASTIC
0600/0400	LEN=0045 INSTALLED 2014
	018 "DIA CIR PLASTIC
0600/0120	LEN=0043 INSTALLED 2014
127953 FT	1 0 00261 0 02 1204+99
S 0600/0000	LENGTH(AH 1652 BK 2485)
	018 "DIA CIR PLASTIC
0590/2325	LEN=0046 INSTALLED 2014
	018 "DIA CIR PLASTIC
0590/1975	LEN=0043 INSTALLED 2014
	018 "DIA CIR PLASTIC
0590/1512	LEN=0047 INSTALLED 2014
	015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

		0590/1200	LEN=0041 INSTALLED 2014 018 "DIA CIR PLASTIC
		0590/0770	LEN=0050 INSTALLED 2014 018 "DIA CIR PLASTIC
		0590/0430	LEN=0045 INSTALLED 2014 018 "DIA CIR PLASTIC
		0590/0214	LEN=0045 INSTALLED 2014
	125468 FT	125468 FT	1 0 00261 0 02 1180+14
		S 0590/0000	LENGTH(AH 2485 BK 2158) 018 "DIA CIRC METAL
		0580/2050	LEN=0050 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0580/1820	LEN=0045 INSTALLED 2014 018 "DIA CIR PLASTIC
		0580/1570	LEN=0049 INSTALLED 2014 018 "DIA CIR PLASTIC
		0580/1210	LEN=0050 INSTALLED 2014 018 "DIA CIR PLASTIC
		0580/0790	LEN=0044 INSTALLED 2014 018 "DIA CIR PLASTIC
		0580/0500	LEN=0045 INSTALLED 2014 018 "DIA CIRC METAL
		0580/0431	LEN=0049 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0580/0257	LEN=0050 INSTALLED 2014 018 "DIA CIR PLASTIC
		0580/0160	LEN=0049 INSTALLED 2014
	123310 FT	123310 FT	1 0 00261 0 02 1158+29
		S 0580/0000	LENGTH(AH 2158 BK 3116) 018 "DIA CIR PLASTIC
		0570/3017	LEN=0035 INSTALLED 2014 018 "DIA CIR PLASTIC
		0570/2708	LEN=0048 INSTALLED 2014 018 "DIA CIR PLASTIC
		0570/2245	LEN=0045 INSTALLED 2014
BARRVILLE RD (FRST)	0570/1780		018 "DIA CIR PLASTIC
		0570/1774	LEN=0048 INSTALLED 2014 018 "DIA CIR PLASTIC
		0570/1369	LEN=0054 INSTALLED 2014 018 "DIA CIR PLASTIC
		0570/1016	LEN=0052 INSTALLED UNKN
RAG HOLLOW RD (FRST)	0570/0370		
	120194 FT	120194 FT	1 0 00261 0 02 1126+65 TR STANDING STONE CREEK STRUCTURE LENGTH 15 FT BMSID 31/0305/0570/0000

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

		S 0570/0000	LENGTH(AH 3116 BK 2905)
			018 "DIA CIR PLASTIC
		0560/2403	LEN=0042 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0560/1795	LEN=0048 INSTALLED 2014
BROAD MOUNTAIN RD (T531)	0560/1709		
			018 "DIA CIR PLASTIC
		0560/1417	LEN=0042 INSTALLED 2014
			018 "DIA CIRC METAL
		0560/1080	LEN=0047 INSTALLED UNKN
		0560/0028	BMSEN 31/0305/0560/0000
	117289 FT	117289 FT	1 0 00261 0 02 1097+65
			VILLAGE: GREENWOOD FURN
			E.BR.STANDING STONE CR.
			BMSBG 31/0305/0560/0000
		S 0560/0000	LENGTH(AH 2905 BK 3313)
			018 "DIA CIR PLASTIC
		0550/2907	LEN=0049 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0550/2484	LEN=0049 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0550/1549	LEN=0049 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0550/1169	LEN=0045 INSTALLED 2014
			015 "DIA CIRC METAL
		0550/0630	LEN=0435 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0550/0349	LEN=0042 INSTALLED 2014
	113976 FT	113976 FT	1 0 00261 0 02 1064+51
		S 0550/0000	LENGTH(AH 3313 BK 2500)
			018 "DIA CIR PLASTIC
		0540/2390	LEN=0040 INSTALLED 2014
			018 "DIA CIRC CONCR
		0540/1900	LEN=0056 INSTALLED 2002
			015 "DIA CIRC CONCR
		0540/1686	LEN=0040 INSTALLED 2002
			018 "DIA CIRC CONCR
		0540/1520	LEN=0048 INSTALLED 2002
			018 "DIA CIRC CONCR
		0540/0785	LEN=0056 INSTALLED 2002
			015 "DIA CIRC CONCR
		0540/0474	LEN=0040 INSTALLED 2002
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

```
                                        0540/0250 LEN=0041 INSTALLED UNKN
111476 FT                               111476 FT 1 0 00261 0 02 1039+65
                                      S 0540/0000 LENGTH(AH 2500 BK 2479)
                                                  018 "DIA CIR PLASTIC
                                        0530/2444 LEN=0037 INSTALLED 2014

                                                  018 "DIA CIR PLASTIC
                                        0530/1770 LEN=0037 INSTALLED 2014

                                                  018 "DIA CIR PLASTIC
                                        0530/1019 LEN=0049 INSTALLED 2014
                                                  018 "DIA CIRC METAL
                                        0530/0655 LEN=0045 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0530/0429 LEN=0056 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0530/0015 LEN=0056 INSTALLED 2002
108997 FT                               108997 FT 1 0 00261 0 02 1014+60
                                                  EAST BRANCH RD
                                                  (SR1019 SEG 0140/2956)
                                      S 0530/0000 LENGTH(AH 2479 BK 1884)
                                                  018 "DIA CIR PLASTIC
                                        0520/1435 LEN=0049 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0520/0939 LEN=0041 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
                                        0520/0799 LEN=0048 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
                                        0520/0662 LEN=0044 INSTALLED UNKN

107113 FT                               107113 FT 1 0 00261 0 02 0995+61
                                                  018 "DIA CIRC CONCR
                                                  LEN=0052 INSTALLED UNKN
                                      S 0520/0000 LENGTH(AH 1884 BK 2479)
                                                  018 "DIA CIRC CONCR
                                        0510/2100 LEN=0056 INSTALLED 2002
                                                  018 "DIA CIRC METAL
                                        0510/1700 LEN=0068 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0510/1313 LEN=0051 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                        0510/0600 LEN=0044 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
                                        0510/0461 LEN=0046 INSTALLED 2014
104634 FT                               104634 FT 1 0 00261 0 02 0970+45
                                      S 0510/0000 LENGTH(AH 2479 BK 2578)
                                                  018 "DIA CIR PLASTIC
                                        0500/2285 LEN=0046 INSTALLED 2014
                                                  018 "DIA CIR PLASTIC
```

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

		0500/1935	LEN=0045 INSTALLED 2014 018 "DIA CIR PLASTIC
		0500/1660	LEN=0044 INSTALLED 2014 018 "DIA CIR PLASTIC
		0500/1310	LEN=0044 INSTALLED 2014 018 "DIA CIR PLASTIC
		0500/0993	LEN=0050 INSTALLED 2014 018 "DIA CIR PLASTIC
		0500/0687	LEN=0045 INSTALLED UNKN 018 "DIA CIRC CONCR
		0500/0387	LEN=0040 INSTALLED 2002 WEILER RD
		0500/0064	(SR1025 SEG 0040/1069) 102056 FT
1 0 00261 0 02 0945+24 102056 FT WEILER RD (SR1025 SEG 0050/0000) 0500/0000		S 0500/0000	LENGTH(AH 2578 BK 2973) 018 "DIA CIR PLASTIC
		0490/2790	LEN=0043 INSTALLED 2014 038"H 57"W ELLIP METAL
		0490/2480	LEN=0042 INSTALLED 2014 018 "DIA CIR PLASTIC
		0490/2260	LEN=0043 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0490/1910	LEN=0046 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0490/1375	LEN=0080 INSTALLED 2014 018 "DIA CIR PLASTIC
		0490/1000	LEN=0046 INSTALLED 2014 018 "DIA CIR PLASTIC
		0490/0308	LEN=0060 INSTALLED UNKN
	099083 FT	099083 FT	1 0 00261 0 02 0915+36
		S 0490/0000	LENGTH(AH 2973 BK 2633) 018 "DIA CIR PLASTIC
		0480/2384	LEN=0042 INSTALLED UNKN 018 "DIA CIR PLASTIC
		0480/1720	LEN=0045 INSTALLED 2003 018 "DIA CIR PLASTIC
		0480/0435	LEN=0036 INSTALLED 2014 018 "DIA CIRC METAL
		0480/0061	LEN=0058 INSTALLED UNKN
	096450 FT	096450 FT	1 0 00261 0 02 0889+40 BARR RD (SR1021 SEG 0040/3229)
		S 0480/0000	LENGTH(AH 2633 BK 3425) 018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

		0470/2991	LEN=0051 INSTALLED 2014
			018 "DIA CIR PLASTIC
		0470/2549	LEN=0051 INSTALLED 2014
			018 "DIA CIRC METAL
		0470/1225	LEN=0054 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0470/0877	LEN=0054 INSTALLED 2014
			015 "DIA CIRC CONCR
		0470/0475	LEN=0060 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0470/0075	LEN=0057 INSTALLED 2018
	093025 FT	093025 FT	1 0 00261 0 02 0854+79
			VILLAGE: MCALEVEYS FORT
		INTER-BK	MCALEVYS FORT RD
MCALEVYS FORT RD			(SR0026 SEG 0670/0000)
(SR0026 SEG 0670/0000)	0470/0000	5 0470/0000	LTH AH 003425 BK 004545
	093025 FT	093025 FT	
		7464/0000	LTH AH 004545 BK 000841
		INTER-AHD	MCALEVYS FORT RD
			(SR0026 SEG 0650/0000)
			STANDING STONE RD
		0460/0841	(SR0026 SEG 0650/0000)
			FOR SR 0026 AND 0305
		0460/0629	(CONN)
			015 "DIA CIR PLASTIC
		0460/0044	LEN=0040 INSTALLED 2000
	092184 FT	092184 FT	1 0 00352 0 00 0896+77
			VILLAGE: ENNISVILLE
		5 0460/0000	LENGTH(AH 0841 BK 2036)
			015 "DIA CIR PLASTIC
		0450/1615	LEN=0040 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0450/0070	LEN=0050 INSTALLED 2000
	090148 FT	090148 FT	1 0 00352 0 00 0876+02
		5 0450/0000	LENGTH(AH 2036 BK 2441)
			015 "DIA CIR PLASTIC
		0440/1823	LEN=0040 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0440/1412	LEN=0040 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0440/1162	LEN=0040 INSTALLED 2000

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

			015 "DIA CIR PLASTIC
		0440/0318	LEN=0040 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0440/0020	LEN=0040 INSTALLED 2000
	087707 FT	087707 FT	1 0 00352 0 00 0851+35
		S 0440/0000	LENGTH(AH 2441 BK 2667)
			015 "DIA CIR PLASTIC
		0430/2318	LEN=0032 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0430/2008	LEN=0040 INSTALLED 2000
			015 "DIA CIR PLASTIC
		0430/1680	LEN=0035 INSTALLED 2000
		0430/0812	BMSEN 31/0305/0430/0783
			1 0 00352 0 00 0832+28
			HEROD RUN
		0430/0783	BMSBG 31/0305/0430/0783
			YODER RD
		0430/0721	(T532)
GUYER RD (T533)	0430/0543		
			018 "DIA CIR PLASTIC
		0430/0507	LEN=0052 INSTALLED UNKN
			JACKSON
		0430/0051	BARREE T
	085040 FT	085040 FT	1 0 00352 0 00 0824+53
		S 0430/0000	LENGTH(AH 2667 BK 2486)
			024 "DIA CIRC METAL
		0420/2241	LEN=0043 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0420/1769	LEN=0045 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0420/1452	LEN=0044 INSTALLED 2000
			016 "DIA CIR PLASTIC
		0420/0550	LEN=0025 INSTALLED UNKN
	082554 FT	082554 FT	1 0 00352 0 00 0800+28
		S 0420/0000	LENGTH(AH 2486 BK 2911)
			024 "DIA CIR PLASTIC
		0410/2856	LEN=0045 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0410/2500	LEN=0042 INSTALLED UNKN
			024 "DIA CIR PLASTIC
		0410/2154	LEN=0042 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0410/2051	LEN=0042 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0410/1777	LEN=0042 INSTALLED UNKN
			015 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: BARREE T RIGHT MUN: BARREE T

		0410/1657	LEN=0042 INSTALLED UNKN 048 "DIA CIRC METAL
		0410/1220	LEN=0041 INSTALLED UNKN
		0410/0387	BMSEN 31/0305/0410/0380 060"H 84"W CONC STRUCT
		0410/0381	LEN=0026 INSTALLED UNKN 0 0 00000 0 00 0000+00 TRIB OAK RUN
		0410/0380	BMSBG 31/0305/0410/0380
079643 FT		079643 FT	1 0 00352 0 00 0771+06 048"H 84"W CONC STRUCT LEN=0030 INSTALLED UNKN
	S	0410/0000	LENGTH(AH 2911 BK 2434) 015 "DIA CIRC CONCR
		0400/1995	LEN=0031 INSTALLED UNKN 015 "DIA CIRC CONCR
		0400/1600	LEN=0031 INSTALLED UNKN 015 "DIA CIRC CONCR
		0400/1000	LEN=0046 INSTALLED UNKN 015 "DIA CIRC CONCR
		0400/0726	LEN=0031 INSTALLED UNKN 015 "DIA CIR PLASTIC
		0400/0100	LEN=0035 INSTALLED 2000
077209 FT		077209 FT	1 0 00352 0 00 0746+17
	S	0400/0000	LENGTH(AH 2434 BK 0972) 024 "DIA CIR PLASTIC
		0390/0719	LEN=0040 INSTALLED 2000 048 "DIA CIRC CONCR
		0390/0083	LEN=0056 INSTALLED UNKN
076237 FT		076237 FT	1 0 00352 0 00 0736+73 WESLEY CHAPEL RD (SR1015 SEG 0070/2048)
	S	0390/0000	LENGTH(AH 0972 BK 2589) FOR SR 0305 AND 1015
		0380/2113	(CONN) 015 "DIA CIR PLASTIC
		0380/2060	LEN=0040 INSTALLED 2000 015 "DIA CIR PLASTIC
		0380/1320	LEN=0040 INSTALLED 2000 024 "DIA CIRC CONCR
		0380/0922	LEN=0041 INSTALLED UNKN
		0380/0012	BMSEN 31/0305/0380/0000
073648 FT		073648 FT	1 0 00352 0 00 0710+87

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: BARREE T RIGHT MUN: BARREE T

			OAK RUN
			BMSBG 31/0305/0380/0000
		S 0380/0000	LENGTH(AH 2589 BK 2219)
			036 "DIA CIR PLASTIC
		0370/1390	LEN=0060 INSTALLED 2000
			015 "DIA CIRC CONCR
		0370/1290	LEN=0034 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0370/0894	LEN=0036 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0370/0115	LEN=0032 INSTALLED UNKN
	071429 FT	071429 FT	1 0 00352 0 00 0688+95
		S 0370/0000	LENGTH(AH 2219 BK 2431)
			015 "DIA CIR PLASTIC
		0360/2345	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0360/1621	LEN=0020 INSTALLED 1999
			024 "DIA CIRC METAL
		0360/1255	LEN=0032 INSTALLED UNKN
			015 "DIA CIRC METAL
		0360/0986	LEN=0030 INSTALLED UNKN
			015 "DIA CIRC METAL
		0360/0578	LEN=0028 INSTALLED UNKN
MANOR HILL RD			
(T496)	0360/0055		
	068998 FT	068998 FT	1 0 00352 0 00 0665+27
			018 "DIA CIR PLASTIC
			LEN=0050 INSTALLED 1999
			FRANKS RD
			(T513)
		S 0360/0000	LENGTH(AH 2431 BK 1105)
			015 "DIA CIR PLASTIC
		0350/0820	LEN=0029 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0350/0518	LEN=0031 INSTALLED UNKN
			EWING RD
		0350/0449	(SR1013 SEG 0120/2143)
			015 "DIA CIR PLASTIC
		0350/0290	LEN=0029 INSTALLED UNKN
		0350/0012	BMSEN 31/0305/0350/0000
	067893 FT	067893 FT	1 0 00352 0 00 0654+29
			VILLAGE: MANOR HILL
			TRIB HENRYS RUN
			BMSBG 31/0305/0350/0000
		S 0350/0000	LENGTH(AH 1105 BK 2549)
			015 "DIA CIR PLASTIC
		0340/2229	LEN=0028 INSTALLED UNKN

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: BARREE T RIGHT MUN: BARREE T

				015 "DIA CIRC METAL
			0340/1580	LEN=0028 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0340/1316	LEN=0036 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0340/0700	LEN=0036 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0340/0515	LEN=0036 INSTALLED UNKN
	065344 FT		065344 FT	1 0 00352 0 00 0628+82
				042 "DIA CIR PLASTIC
				LEN=0028 INSTALLED UNKN
			S 0340/0000	LENGTH(AH 2549 BK 1939)
				015"H 10"W BOX CULVRT*
			0330/1426	LEN=0040 INSTALLED 1999
				015"H 12"W STRUCTURE *
			0330/1050	LEN=0050 INSTALLED 1999
				015 "DIA CIRC CONCR
			0330/0628	LEN=0036 INSTALLED UNKN
				024 "DIA CIRC CONCR
			0330/0274	LEN=0037 INSTALLED UNKN
	063405 FT		063405 FT	1 0 00352 0 00 0609+43
			S 0330/0000	LENGTH(AH 1939 BK 2034)
				018 "DIA CIRC CONCR
			0320/1941	LEN=0039 INSTALLED UNKN
				015 "DIA CIR PLASTIC
			0320/1804	LEN=0036 INSTALLED UNKN
				015 "DIA CIR PLASTIC
			0320/1456	LEN=0030 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0320/1324	LEN=0037 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0320/0680	LEN=0036 INSTALLED UNKN
1 0 00352 0 00 0589+76	061371 FT		061371 FT	
WINCHESTER RD				
(T539)	0320/0000		S 0320/0000	LENGTH(AH 2034 BK 1547)
			0310/0978	BMSEN 31/0305/0310/0907
				1 0 00352 0 00 0583+32
				SHAVERS CREEK
			0310/0907	BMSBG 31/0305/0310/0907
HUTCHISON RD				
(T524)	0310/0679			
				018 "DIA CIRC CONCR
			0310/0413	LEN=0045 INSTALLED UNKN
			0310/0012	BMSEN 31/0305/0310/0000
	059824 FT		059824 FT	1 0 00352 0 00 0574+36
				TRIB HENRYS RUN

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: BARREE T RIGHT MUN: BARREE T

			BMSBG 31/0305/0310/0000
		0310/0000	LENGTH(AH 1547 BK 1943)
			015 "DIA CIR PLASTIC
		0300/1560	LEN=0034 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0300/1137	LEN=0038 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0300/0562	LEN=0037 INSTALLED UNKN
		0300/0020	BMSEN 31/0305/0300/0000
	057881 FT	057881 FT	1 0 00352 0 00 0554+84
			PHRANTONS RUN
			BMSBG 31/0305/0300/0000
			BARREE
			WEST T
		0300/0000	LENGTH(AH 1943 BK 1543)
			015 "DIA CIR PLASTIC
		0290/0870	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0290/0340	LEN=0035 INSTALLED UNKN
			LC TO HARPER HILL RD
		0290/0332	(CONN)
	056338 FT	056338 FT	1 0 00352 0 00 0540+29
			HARPER HILL RD
			(T518)
		0290/0000	LENGTH(AH 1543 BK 2864)
			015 "DIA CIRC CONCR
		0280/2750	LEN=0035 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0280/1921	LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0280/1511	LEN=0030 INSTALLED UNKN
CHARTER OAK RD			
(SR1029 SEG 0010/0000)	0280/1124		
PLAYHOUSE RD			
(T519)	0280/0867		
		0280/0020	BMSEN 31/0305/0280/0000
	053474 FT	053474 FT	1 0 00352 0 00 0511+65
			VILLAGE: MOORESVILLE
		NC	GREENWOOD RD
			GARNERS RUN
			BMSBG 31/0305/0280/0000
		0280/0000	LENGTH(AH 2864 BK 1470)
			015 "DIA CIRC METAL
		0270/1350	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC METAL
		0270/1148	LEN=0050 INSTALLED UNKN
CHESNEY RD			

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: WEST T RIGHT MUN: WEST T

(T522)	0270/0992		015 "DIA CIRC METAL
		0270/0850	LEN=0034 INSTALLED UNKN
		0270/0014	BMSEN 31/0305/0270/0000
	052004 FT	052004 FT	1 0 00352 0 00 0497+11
			VILLAGE: NEFF MILLS
			TRIB GARNER RUN
			BMSBG 31/0305/0270/0000
		S 0270/0000	LENGTH(AH 1470 BK 1644)
			024"H 90"W CON BOX CUL
		0260/1210	LEN=0032 INSTALLED UNKN
		0260/1202	BMSEN 31/0305/0260/1192
			1 0 00352 0 00 0492+39
			TRIB GARNER RUN
		0260/1192	BMSBG 31/0305/0260/1192
			015 "DIA CIRC CONCR
		0260/1132	LEN=0048 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0260/1049	LEN=0042 INSTALLED UNKN
			030 "DIA CIRC METAL
		0260/0261	LEN=0050 INSTALLED UNKN
	050360 FT	050360 FT	1 0 00352 0 00 0480+46
		S 0260/0000	LENGTH(AH 1644 BK 2671)
			018 "DIA CIRC CONCR
		0250/2083	LEN=0042 INSTALLED UNKN
1 0 00352 0 00 0453+39	047689 FT	047689 FT	
GLOBE RUN RD			
(T520)	0250/0000	S 0250/0000	LENGTH(AH 2671 BK 1306)
		0240/0999	BMSEN 31/0305/0240/0946
			1 0 00352 0 00 0451+24
			GLOBE RUN
		0240/0946	BMSBG 31/0305/0240/0946
	046383 FT	046383 FT	1 0 00352 0 00 0440+60
			VILLAGE: COTTAGE
			MYTON RD
			(SR1008 SEG 0010/0000)
		S 0240/0000	LENGTH(AH 1306 BK 2518)
			015 "DIA CIRC METAL
		0230/2440	LEN=0062 INSTALLED UNKN
			015 "DIA CIRC METAL

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: WEST T RIGHT MUN: WEST T

		0230/1678	LEN=0038 INSTALLED UNKN 015 "DIA CIRC METAL
		0230/1409	LEN=0040 INSTALLED UNKN 015 "DIA CIRC METAL
		0230/0908	LEN=0039 INSTALLED UNKN 015 "DIA CIRC METAL
		0230/0529	LEN=0030 INSTALLED UNKN 015 "DIA CIRC METAL
		0230/0230	LEN=0030 INSTALLED UNKN
	043865 FT	043865 FT	1 0 00352 0 00 0415+45
		S 0230/0000	LENGTH(AH 2518 BK 2370) 018 "DIA CIRC METAL
		0220/2295	LEN=0037 INSTALLED UNKN 030 "DIA CIR PLASTIC
		0220/1426	LEN=0042 INSTALLED UNKN
EBERLE RD (T521)	0220/0064		
		0220/0012	BMSEN 31/0305/0220/0000
	041495 FT	041495 FT	1 0 00352 0 00 0391+52 TRIB SHAVERS CREEK BMSBG 31/0305/0220/0000
		S 0220/0000	LENGTH(AH 2370 BK 2236)
1 0 00352 0 00 0369+14	039259 FT	039259 FT	
BETHEL RD (SR4009 SEG 0080/2732)	0210/0000	S 0210/0000	LENGTH(AH 2236 BK 1242)
		0200/0901	BMSEN 31/0305/0200/0790 1 0 00352 0 00 0364+53 SHAVERS CREEK
		0200/0790	BMSBG 31/0305/0200/0790 MCMAHON RD
		0200/0632	(T511)
		0200/0012	BMSEN 31/0305/0200/0000
	038017 FT	038017 FT	1 0 00352 0 00 0356+64 TB.SHAVERS C BMSBG 31/0305/0200/0000
		S 0200/0000	LENGTH(AH 1242 BK 1388) WEST
		0190/1156	LOGAN T

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: WEST T RIGHT MUN: WEST T

	036629 FT		036629 FT 1 0 00352 0 00 0343+11
			S 0190/0000 LENGTH(AH 1388 BK 1637)
			036 "DIA CIRC CONCR
			0180/0587 LEN=0068 INSTALLED UNKN
	034992 FT		034992 FT 1 0 00352 0 00 0326+74
			S 0180/0000 LENGTH(AH 1637 BK 2143)
			015 "DIA CIRC CONCR
			0170/1249 LEN=0033 INSTALLED UNKN
			024 "DIA CIR PLASTIC
			0170/1091 LEN=0033 INSTALLED UNKN
			072 "DIA CIRC METAL
			0170/0412 LEN=0042 INSTALLED UNKN
	032849 FT		032849 FT 1 0 00352 0 00 0305+49
			S 0170/0000 LENGTH(AH 2143 BK 1985)
			015 "DIA CIRC METAL
			0160/1985 LEN=0042 INSTALLED UNKN
			015 "DIA CIRC METAL
			0160/1720 LEN=0042 INSTALLED UNKN
			015 "DIA CIRC METAL
			0160/1129 LEN=0030 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0160/0624 LEN=0030 INSTALLED UNKN
	030864 FT		030864 FT 1 0 00352 0 00 0285+34
			S 0160/0000 LENGTH(AH 1985 BK 3153)
			015 "DIA CIRC METAL
			0150/2623 LEN=0040 INSTALLED 2000
			015 "DIA CIRC METAL
			0150/1239 LEN=0045 INSTALLED UNKN
			015 "DIA CIRC METAL
			0150/1110 LEN=0050 INSTALLED UNKN
MILL RD (T505)	0150/0512		
	027711 FT		027711 FT 1 0 00352 0 00 0253+08
			VILLAGE: RIBOT
			CHILCOTE HOLLOW RD
			(SR1006 SEG 0010/0000)
			S 0150/0000 LENGTH(AH 3153 BK 2041)
			030 "DIA CIRC METAL
			0140/1855 LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: LOGAN T RIGHT MUN: LOGAN T

			024 "DIA CIRC CONCR
		0140/0836	LEN=0040 INSTALLED 2002
			018 "DIA CIRC METAL
		0140/0319	LEN=0038 INSTALLED UNKN
	025670 FT	025670 FT	1 0 00352 0 00 0231+53
		S 0140/0000	LENGTH(AH 2041 BK 1934)
			018 "DIA CIRC CONCR
		0130/0194	LEN=0040 INSTALLED 2002
	023736 FT	023736 FT	1 0 00352 0 00 0211+03
		S 0130/0000	LENGTH(AH 1934 BK 1241)
1 0 00352 0 00 0198+03	022495 FT	022495 FT	
DIAMOND VALLEY RD			
(SR4009 SEG 0010/0000)	0120/0000	S 0120/0000	LENGTH(AH 1241 BK 2629)
			024 "DIA CIRC METAL
		0110/2293	LEN=0038 INSTALLED UNKN
			JUNIATA VILLAGE RD
		0110/1532	(TWP)
			NC SHAVERS CREEK RD
			LOGAN
		0110/1342	PETERSBURG B
			018 "DIA CIRC METAL
		0110/1339	LEN=0034 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0110/1010	LEN=0034 INSTALLED UNKN
WASHINGTON ST			
(BORO)	0110/1005		
			TECHNITROL RD
		0110/0764	(PRDR)
			GATE ST
		0110/0570	(BORO)
SHAVER ST			
(BORO)	0110/0528		
			015 "DIA CIR PLASTIC
		0110/0515	LEN=0025 INSTALLED UNKN
			015 "DIA CIRC METAL
		0110/0010	LEN=0120 INSTALLED UNKN
	019866 FT	019866 FT	1 0 00352 0 00 0171+34
			SAINT PETERS ST
			(BORO)
		S 0110/0000	LENGTH(AH 2629 BK 1780)
			TOWER ST
		0100/1394	(BORO)

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: PETERSBURG B RIGHT MUN: PETERSBURG B

			PETERSBURG PK
			(SR4007 SEG 0140/3753)
		NC KING ST	
			KING ST
		0100/0629	(BORO)
WASHINGTON ST			
(BORO)	0100/0426		
LONG ST			
(BORO)	0100/0249		
		NC DIAMOND ST	
			PETERSBURG
		0100/0147	LOGAN T
		0100/0144	BMSEN 31/0305/0100/0000
	018086 FT	018086 FT	1 0 00352 0 00 0154+94
			SHAVERS CREEK
			BMSBG 31/0305/0100/0000
		S 0100/0000	LENGTH(AH 1780 BK 1978)
			015"H 24"W ELLIP METAL
		0090/1594	LEN=0035 INSTALLED 2000
	016108 FT	016108 FT	1 0 00352 0 00 0135+30
		S 0090/0000	LENGTH(AH 1978 BK 2351)
			015 "DIA CIRC CONCR
		0080/2281	LEN=0036 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0080/1750	LEN=0048 INSTALLED UNKN
			018 "DIA CIRC METAL
		0080/1264	LEN=0042 INSTALLED UNKN
			030 "DIA CIRC METAL
		0080/0590	LEN=0048 INSTALLED UNKN
MOUNTAIN RD			
(SR4004 SEG 0120/2476)	0080/0173		
		0080/0060	BMSEN 31/0305/0080/0000
	013757 FT	013757 FT	1 0 00352 0 00 0112+53
			NORFOLK SOUTHERN RAI RR
			BMSBG 31/0305/0080/0000
		S 0080/0000	LENGTH(AH 2351 BK 1842)
			015 "DIA CIRC CONCR
		0070/1838	LEN=0040 INSTALLED UNKN
			TR.JUN.RIV.
			STRUCTURE LENGTH 9 FT
		0070/1370	BMSID 31/0305/0070/1370
			065 "DIA CIRC METAL
		0070/1365	LEN=0080 INSTALLED UNKN

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: LOGAN T RIGHT MUN: LOGAN T

		0070/0294	BMSEN 31/0305/0070/0000
	011915 FT	011915 FT	1 0 00352 0 00 0095+58
			L.JUNIATA R.
			BMSBG 31/0305/0070/0000
			LOGAN
			PORTER T
		S 0070/0000	LENGTH(AH 1842 BK 2178)
ALLISON RD			RIVER RD
(T480)	0060/1989	0060/1989	(T618)
			015 "DIA CIR PLASTIC
		0060/1094	LEN=0030 INSTALLED 1998
			SCHOOL LN
		0060/0865	(T612)
	009737 FT	009737 FT	1 0 00352 0 00 0070+07
		S 0060/0000	LENGTH(AH 2178 BK 2071)
			018 "DIA CIRC METAL
		0050/0652	LEN=0026 INSTALLED 1999
	007666 FT	007666 FT	1 0 00352 0 00 0049+36
		S 0050/0000	LENGTH(AH 2071 BK 1942)
			015 "DIA CIRC METAL
		0040/0427	LEN=0032 INSTALLED UNKN
	005724 FT	005724 FT	1 0 00352 0 00 0029+89
		S 0040/0000	LENGTH(AH 1942 BK 1894)
			015 "DIA CIRC METAL
		0030/1035	LEN=0080 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0030/0623	LEN=0052 INSTALLED UNKN
SHELTON AV			
(T493)	0030/0443		
	003830 FT	003830 FT	1 0 00352 0 00 0011+35
			ALEXANDRIA PK
			(SR4005 SEG 0150/2458)
			NC SR 0305 SH
		S 0030/0000	LENGTH(AH 1894 BK 1135)
			018 "DIA CIR PLASTIC
		0020/1116	LEN=0042 INSTALLED UNKN
			DERRY RUN
			STRUCTURE LENGTH 10 FT

DIR: B TOTAL LEN: 24.546 MI. DIST: 09-5 SR: 305
LEFT MUN: PORTER T RIGHT MUN: PORTER T

			0020/0919 BMSID 31/0305/0020/0919
			PORTER
			0020/0777 ALEXANDRIA B
HIGH ST			
(BORO)	0020/0526		
			015 "DIA CIRC METAL
			0020/0469 LEN=0050 INSTALLED 1999
			015 "DIA CIRC METAL
			0020/0010 LEN=0032 INSTALLED UNKN
1 0 00352 0 00 0000+00 002695 FT			002695 FT
SECOND ST			
(BORO)			
MAIN ST			NC MAIN ST
(SR4004 SEG 0010/0000)	0020/0000		5 0020/0000 LENGTH(AH 1135 BK 2695)
			018 "DIA CIRC CONCR
			0010/2605 LEN=0035 INSTALLED 2000
			018 "DIA CIRC CONCR
			0010/2517 LEN=0035 INSTALLED UNKN
			0010/2489 BMSEN 31/0305/0010/2230
			ALEXANDRIA
			0010/2480 PORTER T
			0 0 00000 0 00 0000+00
			FB.JUN.RIV.
			0010/2230 BMSBG 31/0305/0010/2230
			018 "DIA CIRC CONCR
			0010/2199 LEN=0025 INSTALLED UNKN
JUNIATA ST			
(T489)	0010/2154		
			GRANGE HALL RD
			0010/2100 (T564)
			018 "DIA CIRC CONCR
			0010/2080 LEN=0025 INSTALLED UNKN
DELMAR ST			
(T487)	0010/1876		
CLINTON ST			
(T486)	0010/1515		
			030 "DIA CIRC CONCR
			0010/1145 LEN=0126 INSTALLED UNKN
			0010/0404 BMSEN 31/0305/0010/0384
			2 0 31051 0 00 0003+76
			TR.JUN.RIV.
			0010/0384 BMSBG 31/0305/0010/0384
FOR SR 0022 AND 0305			
(CONN)	0010/0329		
			NC BRIDGE ST
			WILLIAM PENN HW
2 0 31051 0 00 0000+00 000000 FT			000000 FT (SR0022 SEG 0120/0426)
WILLIAM PENN HW			MFC BEGIN = D
(SR0022 SEG 0120/0426)	0010/0000		5 0010/0000 LENGTH(AH 2695 BK 0000)

DIR: B TOTAL LEN: 4.153 MI. DIST: 09-5 SR: 103
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

021926 FT

020369 FT

021926 FT AH-MIFFLIN (44)
REF-AHD BLIND CAMP RD
0120/1557 (SR0103 SEG 0010/0000)

018 "DIA CIRC CONCR
0120/0900 LEN=0032 INSTALLED 2000
018 "DIA CIRC CONCR
0120/0774 LEN=0032 INSTALLED 2002
018 "DIA CIRC CONCR
0120/0526 LEN=0032 INSTALLED 2002
018 "DIA CIRC CONCR
0120/0468 LEN=0032 INSTALLED 2002
018 "DIA CIRC METAL
0120/0201 LEN=0033 INSTALLED UNKN
020369 FT 2 0 31035 0 02 0170+00
S 0120/0000 LENGTH(AH 1557 BK 2280)
012 "DIA CIR PLASTIC
0110/2210 LEN=0030 INSTALLED UNKN
015 "DIA CIRC CONCR
0110/2010 LEN=0032 INSTALLED 2002

DIR: B TOTAL LEN: 4.153 MI. DIST: 09-5 SR: 103
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

		015 "DIA CIRC CONCR
	0110/1770	LEN=0036 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0110/1448	LEN=0010 INSTALLED 2004
		018 "DIA CIR PLASTIC
	0110/1030	LEN=0010 INSTALLED 2004
		015 "DIA CIRC CONCR
	0110/0850	LEN=0035 INSTALLED 2000
		012 "DIA CIR PLASTIC
	0110/0635	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC METAL
	0110/0388	LEN=0035 INSTALLED UNKN
018089 FT	018089 FT	2 0 31035 0 01 0146+96
		GERMAN VALLEY RD
		(SR2019 SEG 0090/2505)
	S 0110/0000	LENGTH(AH 2280 BK 2669)
		LICKING CR
		STRUCTURE LENGTH 36 FT
	0100/2622	BMSID 31/0103/0100/2622
		018 "DIA CIRC METAL
	0100/2480	LEN=0041 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0100/2197	LEN=0040 INSTALLED UNKN
		018 "DIA CIRC METAL
	0100/1684	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC METAL
	0100/1415	LEN=0050 INSTALLED UNKN
		018 "DIA CIRC METAL
	0100/0797	LEN=0038 INSTALLED UNKN
		018 "DIA CIRC METAL
	0100/0520	LEN=0040 INSTALLED 2000
		018 "DIA CIRC METAL
	0100/0250	LEN=0040 INSTALLED 2000
015420 FT	015420 FT	2 0 31035 0 01 0120+24
	S 0100/0000	LENGTH(AH 2669 BK 2759)
		018 "DIA CIR PLASTIC
	0090/2592	LEN=0029 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0090/2349	LEN=0031 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/2130	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/1680	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/1415	LEN=0030 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0090/1063	LEN=0032 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0090/0858	LEN=0025 INSTALLED UNKN

DIR: B TOTAL LEN: 4.153 MI. DIST: 09-5 SR: 103
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

			018 "DIA CIRC METAL
		0090/0715	LEN=0030 INSTALLED UNKN
			BILGER RD
		0090/0180	(T410)
		0090/0127	BMSEN 31/0103/0090/0000
012661 FT		012661 FT	2 0 31035 0 01 0092+17
			AUGHWICK CRK
			BMSBG 31/0103/0090/0000
		S 0090/0000	LENGTH(AH 2759 BK 1693)
			018 "DIA CIRC CONCR
		0080/1685	LEN=0040 INSTALLED 2001
010968 FT		010968 FT	2 0 31035 0 01 0075+74
		S 0080/0000	LENGTH(AH 1693 BK 2541)
			015 "DIA CIRC CONCR
		0070/1830	LEN=0035 INSTALLED 2000
			015 "DIA CIRC CONCR
		0070/1515	LEN=0034 INSTALLED 2002
			015 "DIA CIR PLASTIC
		0070/1377	LEN=0025 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0070/1145	LEN=0025 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0070/0990	LEN=0045 INSTALLED UNKN
008427 FT		008427 FT	2 0 31035 0 01 0049+99
			018 "DIA CIR PLASTIC
			LEN=0025 INSTALLED UNKN
		S 0070/0000	LENGTH(AH 2541 BK 1573)
			018 "DIA CIR PLASTIC
		0060/0825	LEN=0024 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/0520	LEN=0025 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/0370	LEN=0024 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0060/0296	LEN=0025 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0060/0120	LEN=0038 INSTALLED UNKN
006854 FT		006854 FT	2 0 31035 0 01 0034+26
		S 0060/0000	LENGTH(AH 1573 BK 1438)
			018 "DIA CIR PLASTIC
		0050/1378	LEN=0050 INSTALLED UNKN
			024 "DIA CIRC METAL

DIR: B TOTAL LEN: 4.153 MI. DIST: 09-5 SR: 103
LEFT MUN: SHIRLEY T RIGHT MUN: SHIRLEY T

```
                                        0050/1039 LEN=0056 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                        0050/0335 LEN=0045 INSTALLED UNKN
005416 FT                               005416 FT 2 0 31035 0 00 0019+72
                                                  060 "DIA CIRC CONCR
                                                  LEN=0042 INSTALLED UNKN
                                      S 0050/0000 LENGTH(AH 1438 BK 1928)
                                                  ARROWHEAD WY
                                        0040/1854 (T554)


                                                  012 "DIA CIR PLASTIC
                                        0040/0440 LEN=0030 INSTALLED UNKN
                                                  072 "DIA CIRC CONCR
                                        0040/0178 LEN=0041 INSTALLED UNKN
003488 FT                               003488 FT 2 0 31035 0 00 0000+00
                                      S 0040/0000 LENGTH(AH 1928 BK 1531)
                                                  018 "DIA CIRC CONCR
                                        0030/1502 LEN=0035 INSTALLED UNKN


                                                  BMSEN 31/0103/0030/0000
                                        0030/0019 BRIDGE POSTED (TONS)
001957 FT                               001957 FT 2 0 31035 1 00 0007+13
                                                  SGL       30 COMB      38
                                                  BARNES RUN
                                                  BMSBG 31/0103/0030/0000
                                      S 0030/0000 LENGTH(AH 1531 BK 0357)
                                                  012 "DIA CIR PLASTIC
                                        0020/0140 LEN=0035 INSTALLED UNKN
001600 FT                               001600 FT 2 0 31035 1 00 0003+60
                                                  EXTRACT RD
                                                  (SR2028 SEG 0010/0348)
                                      S 0020/0000 LENGTH(AH 0357 BK 1600)
                                                  012 "DIA CIR PLASTIC
                                        0010/1097 LEN=0040 INSTALLED UNKN
                                                  012 "DIA CIR PLASTIC
                                        0010/0516 LEN=0024 INSTALLED UNKN
                                        0010/0038 (AAR 003210*)#TRKS 01
000000 FT                               000000 FT 2 0 31100 0 00 0016+09
                                             NC BEACON LODGE RD
                                                  CROGHAN PK
                                                  (SR0522 SEG 0410/0000)
                                        INTER-BK  MILLERS ST
                                                  (T547)
                                                  MFC BEGIN = D
                                      S 0010/0000 LENGTH(AH 1600 BK 0000)
```

DIR: B TOTAL LEN: 13.709 MI. DIST: 09-5 SR: 45
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

072386 FT

072386 FT AH-CENTRE (14)
* REF-AHD PINE GROVE RD
0260/2414 (SR0045 SEG 0010/0000)

1 0 00056 0 02 0802+22 069972 FT
WHITEHALL RD
(SR4010 SEG 0010/0000) 0260/0000

069972 FT
S 0260/0000 LENGTH(AH 2414 BK 2355)

030 "DIA CIRC CONCR
0250/1700 LEN=0043 INSTALLED UNKN

MARENGO RD
(SR4031 SEG 0010/0000) 0250/1353

024 "DIA CIRC CONCR
0250/1350 LEN=0076 INSTALLED UNKN

067617 FT

067617 FT 1 0 00056 0 02 0779+33
S 0250/0000 LENGTH(AH 2355 BK 3262)
018 "DIA CIRC CONCR
0240/3140 LEN=0051 INSTALLED UNKN

018 "DIA CIRC CONCR
0240/2020 LEN=0054 INSTALLED UNKN

064355 FT

064355 FT 1 0 00056 0 02 0745+87
S 0240/0000 LENGTH(AH 3262 BK 3420)
018 "DIA CIRC CONCR
0230/2986 LEN=0041 INSTALLED UNKN

018 "DIA CIRC CONCR
0230/2171 LEN=0095 INSTALLED UNKN

FOWLER RUN
STRUCTURE LENGTH 25 FT

DIR: B TOTAL LEN: 13.709 MI. DIST: 09-5 SR: 45
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

```
                                                  0230/1332 BMSID 31/0045/0230/1332
FOWLER RUN LN
(TWP )                  0230/1041 ==
                                                            018 "DIA CIRC CONCR
                                                  0230/0721 LEN=0046 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0230/0316 LEN=0045 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0230/0026 LEN=0046 INSTALLED UNKN
1 0 00056 0 02 0711+22 060935 FT                  060935 FT
GRAYSVILLE MILL RD
(T548)                  0230/0000 ==            S 0230/0000 LENGTH(AH 3420 BK 3771)
                                                            018 "DIA CIRC CONCR
                                                  0220/3450 LEN=0036 INSTALLED UNKN
                                                            018 "DIA CIRC CONCR
                                                  0220/3220 LEN=0059 INSTALLED UNKN
GRAYSVILLE CEMETERY RD
(T549)                  0220/3040 ==
                                                  0220/2590 BMSEN 31/0045/0220/2502
                                                            1 0 00056 0 02 0698+92
                                                            SPRUCE CREEK
                                                  0220/2502 BMSBG 31/0045/0220/2502
                                                            024 "DIA CIRC CONCR
                                                  0220/2070 LEN=0046 INSTALLED UNKN

                                                            024 "DIA CIRC CONCR
                                                  0220/1470 LEN=0042 INSTALLED UNKN
                                                            024 "DIA CIRC CONCR
                                                  0220/0970 LEN=0073 INSTALLED UNKN

                        057164 FT                 057164 FT 1 0 00056 0 02 0673+87
                                                            RELILEF W/W
                                                            STRUCTURE LENGTH 18 FT
                                                            BMSID 31/0045/0220/0000
                                                  S 0220/0000 LENGTH(AH 3771 BK 2869)

                                                            018 "DIA CIRC CONCR
                                                  0210/2146 LEN=0045 INSTALLED UNKN

                        054295 FT                 054295 FT 1 0 00056 0 02 0645+18
                                                  S 0210/0000 LENGTH(AH 2869 BK 3561)

                                                            060 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 13.709 MI. DIST: 09-5 SR: 45
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

```
                                        0200/2430 LEN=0071 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0200/1940 LEN=0047 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0200/0595 LEN=0038 INSTALLED UNKN
050734 FT                               050734 FT 1 0 00056 0 02 0610+14
                                      S 0200/0000 LENGTH(AH 3561 BK 2393)

                                                  018 "DIA CIRC CONCR
                                        0190/1235 LEN=0060 INSTALLED UNKN

048341 FT                               048341 FT 1 0 00056 0 02 0586+21
                                      S 0190/0000 LENGTH(AH 2393 BK 3631)
                                                  018 "DIA CIRC CONCR
                                        0180/3600 LEN=0045 INSTALLED UNKN

                                        0180/1986 BMSEN 31/0045/0180/1971
                                                  1 0 00056 0 02 0568+99
                                                  BR.SPRUCE CR
                                        0180/1971 BMSBG 31/0045/0180/1971

                                                  018 "DIA CIRC CONCR
                                        0180/1189 LEN=0050 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0180/0565 LEN=0045 INSTALLED UNKN
044710 FT                               044710 FT 1 0 00056 0 02 0549+27
                                      S 0180/0000 LENGTH(AH 3631 BK 3694)
                                                  018 "DIA CIRC CONCR
                                        0170/3600 LEN=0060 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0170/3350 LEN=0049 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0170/1780 LEN=0049 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 13.709 MI. DIST: 09-5 SR: 45
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

			0170/0861 LEN=0042 INSTALLED UNKN
			024 "DIA CIRC CONCR
			0170/0250 LEN=0068 INSTALLED UNKN
TO 0350/0010 SH (CONN)	0170/0161 041016 FT		041016 FT 1 0 00056 0 02 0512+47
WARRIORS MARK PATH RD (SR0350 SEG 0010/0000) FROM 0350/0010 SH (CONN)	0170/0000		VILLAGE: SEVEN STARS
		S	0170/0000 LENGTH(AH 3694 BK 2651)
	0160/2547		
			BR.SPRUCE CR
			STRUCTURE LENGTH 8 FT
			0160/2362 BMSID 31/0045/0160/2362
			018"H 72"W METAL STRUC
			0160/2340 LEN=0056 INSTALLED UNKN
			018 "DIA CIRC METAL
			0160/1800 LEN=0068 INSTALLED UNKN
			018 "DIA CIRC METAL
			0160/1380 LEN=0064 INSTALLED UNKN
			018 "DIA CIRC METAL
			0160/0565 LEN=0043 INSTALLED UNKN
			024 "DIA CIRC METAL
			0160/0430 LEN=0040 INSTALLED 2002
	038365 FT		038365 FT 1 0 00346 0 03 0385+20
		S	0160/0000 LENGTH(AH 2651 BK 2075)
			018 "DIA CIRC METAL
			0150/1620 LEN=0045 INSTALLED UNKN
			018 "DIA CIRC METAL
			0150/1250 LEN=0041 INSTALLED UNKN
			015 "DIA CIRC METAL
			0150/0385 LEN=0048 INSTALLED UNKN
	036290 FT		036290 FT 1 0 00346 0 03 0364+00
		S	0150/0000 LENGTH(AH 2075 BK 2537)
			024 "DIA CIRC METAL
			0140/2478 LEN=0010 INSTALLED UNKN
			030 "DIA CIRC METAL
			0140/0762 LEN=0058 INSTALLED UNKN
	033753 FT		033753 FT 1 0 00346 0 03 0339+56
		S	0140/0000 LENGTH(AH 2537 BK 3228)
FRANKLINVILLE CEMETERY (T533)	0130/3212		

DIR: B TOTAL LEN: 13.709 MI. DIST: 09-5 SR: 45
LEFT MUN: FRANKLIN T RIGHT MUN: FRANKLIN T

			018 "DIA CIRC METAL
		0130/2179	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC METAL
		0130/1170	LEN=0045 INSTALLED UNKN
			018 "DIA CIRC METAL
		0130/0570	LEN=0150 INSTALLED UNKN
		0130/0139	BMSEN 31/0045/0130/0046
			1 0 00346 0 03 0307+44
			WARRIORS MARK RUN
		0130/0046	BMSBG 31/0045/0130/0046
	030525 FT	030525 FT	1 0 00346 0 03 0306+80
HUNTINGDON FURNACE RD			VILLAGE: FRANKLINVILLE
(SR4015 SEG 0010/0000)	0130/0000	S 0130/0000	LENGTH(AH 3228 BK 3282)
			018 "DIA CIRC METAL
		0120/2290	LEN=0033 INSTALLED UNKN
			018 "DIA CIRC METAL
		0120/1990	LEN=0042 INSTALLED UNKN
			018 "DIA CIRC METAL
		0120/1680	LEN=0038 INSTALLED UNKN
			018 "DIA CIRC METAL
		0120/1505	LEN=0037 INSTALLED UNKN
			018 "DIA CIRC METAL
		0120/1129	LEN=0047 INSTALLED UNKN
			048 "DIA CIRC CONCR
		0120/0722	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC METAL
		0120/0262	LEN=0053 INSTALLED UNKN
	027243 FT	027243 FT	1 0 00346 0 03 0274+30
		S 0120/0000	LENGTH(AH 3282 BK 2187)
			018 "DIA CIRC METAL
		0110/1359	LEN=0043 INSTALLED UNKN
			018 "DIA CIRC METAL
		0110/0854	LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
		0110/0426	LEN=0042 INSTALLED UNKN
			024 "DIA CIRC METAL
		0110/0172	LEN=0052 INSTALLED UNKN
	025056 FT	025056 FT	1 0 00346 0 03 0253+27
			FRANKLIN
			SPRUCE CREEK T
		S 0110/0000	LENGTH(AH 2187 BK 3431)
			054 "DIA CIRC METAL

DIR: B TOTAL LEN: 13.709 MI. DIST: 09-5 SR: 45
LEFT MUN: SPRUCE CREEK T RIGHT MUN: SPRUCE CREEK T

			0100/2754	LEN=0038 INSTALLED UNKN
				018 "DIA CIRC METAL
			0100/2154	LEN=0037 INSTALLED UNKN
				024 "DIA CIRC METAL
			0100/1609	LEN=0040 INSTALLED UNKN
				024 "DIA CIRC METAL
			0100/1179	LEN=0030 INSTALLED UNKN
				018 "DIA CIRC METAL
			0100/0650	LEN=0040 INSTALLED UNKN
	021625 FT		021625 FT	1 0 00346 0 03 0218+92
				CREEK SIDE LN
				(T602)
		==	S 0100/0000	LENGTH(AH 3431 BK 2703)
				024 "DIA CIRC METAL
			0090/2663	LEN=0115 INSTALLED UNKN
				018 "DIA CIRC METAL
			0090/1660	LEN=0035 INSTALLED UNKN
				018 "DIA CIRC METAL
			0090/0451	LEN=0040 INSTALLED UNKN
			0090/0073	BMSEN 31/0045/0090/0041
				1 0 00346 0 03 0191+33
				BR.SPRUCE CR
			0090/0041	BMSBG 31/0045/0090/0041
1 0 00346 0 03 0191+00	018922 FT		018922 FT	
TURNPIKE RD				
(T512)	0090/0000	==	S 0090/0000	LENGTH(AH 2703 BK 3426)
				015 "DIA CIRC METAL
			0080/2500	LEN=0045 INSTALLED UNKN
				018 "DIA CIRC METAL
			0080/2265	LEN=0043 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0080/1880	LEN=0043 INSTALLED UNKN
				TROUT RUN LN
		==	0080/1676	(T515)
				018 "DIA CIRC METAL
			0080/1550	LEN=0043 INSTALLED UNKN
				015 "DIA CIRC METAL
			0080/1392	LEN=0040 INSTALLED UNKN
				015 "DIA CIRC METAL
			0080/1000	LEN=0040 INSTALLED UNKN
				015 "DIA CIRC METAL

DIR: B TOTAL LEN: 13.709 MI. DIST: 09-5 SR: 45
LEFT MUN: SPRUCE CREEK T RIGHT MUN: SPRUCE CREEK T

			0080/0865 LEN=0040 INSTALLED UNKN
	015496 FT		015496 FT 1 0 00346 0 03 0156+74
			5 0080/0000 LENGTH(AH 3426 BK 1240)
ISSET RD (T603)	0070/0796		
			015 "DIA CIR PLASTIC
			0070/0785 LEN=0001 INSTALLED UNKN
			RIVERSIDE DR
			0070/0296 (T513)
			018 "DIA CIRC METAL
			0070/0278 LEN=0001 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0070/0218 LEN=0001 INSTALLED UNKN
EDEN HILL RD (SR4017 SEG 0010/0000)	0070/0167		
			0070/0127 BMSEN 31/0045/0070/0000
	014256 FT		014256 FT 1 0 00346 0 02 0144+20
			VILLAGE: SPRUCE CREEK
			L.JUNIATA R.
			BMSBG 31/0045/0070/0000
			5 0070/0000 LENGTH(AH 1240 BK 1646)
			018 "DIA CIRC CONCR
			0060/0977 LEN=0081 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0060/0803 LEN=0058 INSTALLED UNKN
			018 "DIA CIRC CONCR
			0060/0583 LEN=0056 INSTALLED UNKN
			018 "DIA CIR PLASTIC
			0060/0145 LEN=0037 INSTALLED UNKN
1 0 00346 0 02 0128+58	012610 FT		012610 FT
UNION FURNACE RD (SR4006 SEG 0050/0926)	0060/0000		5 0060/0000 LENGTH(AH 1646 BK 2066)
			CONSOLIDATED RAIL CORPO
			0050/1901 OVERPASS IS RR X-ING
			015 "DIA CIR PLASTIC
			0050/0979 LEN=0027 INSTALLED UNKN
	010544 FT		010544 FT 1 0 00346 0 01 0107+00
			5 0050/0000 LENGTH(AH 2066 BK 3528)
			018 "DIA CIRC METAL
			0040/3528 LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL
			0040/3357 LEN=0033 INSTALLED UNKN
			024 "DIA CIRC METAL
			0040/2868 LEN=0034 INSTALLED UNKN

DIR: B TOTAL LEN: 13.709 MI. DIST: 09-5 SR: 45
LEFT MUN: SPRUCE CREEK T RIGHT MUN: SPRUCE CREEK T

```
                                                  018 "DIA CIR PLASTIC
                                        0040/2091 LEN=0040 INSTALLED 2001

                                                  018 "DIA CIR PLASTIC
                                        0040/1383 LEN=0040 INSTALLED 2001

                                                  018 "DIA CIR PLASTIC
                                        0040/0743 LEN=0040 INSTALLED 2001
                                                  018 "DIA CIR PLASTIC
                                        0040/0254 LEN=0047 INSTALLED UNKN
                  007016 FT             007016 FT 1 0 00346 0 01 0071+00
                                      S 0040/0000 LENGTH(AH 3528 BK 2751)
                                                  018 "DIA CIRC CONCR
                                        0030/2231 LEN=0032 INSTALLED UNKN
                                                  012 "DIA CIRC METAL
                                        0030/1758 LEN=0035 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0030/1079 LEN=0033 INSTALLED UNKN

                                                  SPRUCE CREEK
                                        0030/0085 MORRIS T
                  004265 FT             004265 FT 1 0 00346 0 01 0043+05
                                      S 0030/0000 LENGTH(AH 2751 BK 1776)

                                                  018 "DIA CIR PLASTIC
                                        0020/0310 LEN=0035 INSTALLED UNKN
                  002489 FT             002489 FT 1 0 00346 0 01 0025+29
                                      S 0020/0000 LENGTH(AH 1776 BK 2489)

                                                  018 "DIA CIRC CONCR
                                        0010/1600 LEN=0035 INSTALLED UNKN

                                                  018 "DIA CIR PLASTIC
                                        0010/0440 LEN=0035 INSTALLED UNKN
                                                  FROM 0453/0010 SH
                                        0010/0230 (CONN)
TO 0453/0020 SH
(CONN)
                  0010/0110
                  000000 FT             000000 FT 1 0 00346 0 00 0000+00
                                              NC SPRUCE CREEK RD
                                                  BIRMINGHAM PK
                                                  (SR0453 SEG 0020/0000)
                                                  MFC BEGIN = C
                                      S 0010/0000 LENGTH(AH 2489 BK 0000)
```

DIR: B TOTAL LEN: 12.835 MI. DIST: 09-5 SR: 35
LEFT MUN: TELL T RIGHT MUN: TELL T

067771 FT

067771 FT AH-JUNIATA (34)
* REF-AHD SR 0035 SH
0280/3643 (SR0035 SEG 0010/0000)
TB GEORGE CR
STRUCTURE LENGTH 8 FT
0280/3311 BMSID 31/0035/0280/3311

018 "DIA CIRC METAL

DIR: B TOTAL LEN: 12.835 MI. DIST: 09-5 SR: 35
LEFT MUN: TELL T RIGHT MUN: TELL T

			0280/2531 LEN=0042 INSTALLED UNKN
MEFFORD RD (T405)	0280/1364		
			060 "DIA CIRC METAL
			0280/0195 LEN=0084 INSTALLED UNKN
1 0 00193 0 02 1057+93	064128 FT		064128 FT
MEFFORD RD (T405)	0280/0000		S 0280/0000 LENGTH(AH 3643 BK 3433)
			024 "DIA CIRC METAL
			0270/2430 LEN=0068 INSTALLED UNKN
			018 "DIA CIRC METAL
			0270/1630 LEN=0031 INSTALLED UNKN
			048 "DIA CIRC METAL
			0270/0916 LEN=0054 INSTALLED UNKN
	060695 FT		060695 FT 1 0 00193 0 02 1023+36
			ALLISON RD
			(SR2010 SEG 0010/0000)
			S 0270/0000 LENGTH(AH 3433 BK 3017)
			018 "DIA CIRC METAL
			0260/2937 LEN=0068 INSTALLED UNKN
			024 "DIA CIRC METAL
			0260/1300 LEN=0054 INSTALLED UNKN
	057678 FT		057678 FT 1 0 00193 0 02 0993+40
			054 "DIA CIRC METAL
			LEN=0058 INSTALLED 1957
			S 0260/0000 LENGTH(AH 3017 BK 1839)
			018 "DIA CIRC METAL
			0250/1390 LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
			0250/1041 LEN=0030 INSTALLED UNKN
			018 "DIA CIRC METAL
			0250/0812 LEN=0035 INSTALLED UNKN
			018 "DIA CIRC METAL

DIR: B TOTAL LEN: 12.835 MI. DIST: 09-5 SR: 35
LEFT MUN: TELL T RIGHT MUN: TELL T

		0250/0360	LEN=0043 INSTALLED UNKN
	055839 FT	055839 FT	1 0 00193 0 02 0974+80
		0250/0000	LENGTH(AH 1839 BK 2733)
			054 "DIA CIRC METAL
		0240/0340	LEN=0096 INSTALLED UNKN
1 0 00193 0 02 0947+36	053106 FT	053106 FT	GOSHORN RD
SUMMIT VISTA LN			(T406)
(PRDR)	0240/0000	0240/0000	LENGTH(AH 2733 BK 1471)
			024 "DIA CIRC CONCR
		0230/1200	LEN=0050 INSTALLED 2001
			GOSHORN RD
		0230/0736	(T406)
			018 "DIA CIRC METAL
		0230/0187	LEN=0056 INSTALLED UNKN
	051635 FT	051635 FT	1 0 00193 0 02 0932+50
			MT ZION RD
			(T377)
		0230/0000	LENGTH(AH 1471 BK 2818)
			018 "DIA CIRC METAL
		0220/2653	LEN=0056 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0220/2366	LEN=0045 INSTALLED 2001
			018 "DIA CIRC METAL
		0220/1961	LEN=0054 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0220/1642	LEN=0045 INSTALLED 2001
			018 "DIA CIRC METAL
		0220/1170	LEN=0044 INSTALLED UNKN
			018 "DIA CIRC METAL
		0220/0841	LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0220/0278	LEN=0045 INSTALLED 2001
	048817 FT	048817 FT	1 0 00193 0 02 0904+69
		0220/0000	LENGTH(AH 2818 BK 2487)
			018 "DIA CIRC METAL
		0210/2132	LEN=0064 INSTALLED UNKN
			018 "DIA CIRC METAL
		0210/1050	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC METAL
		0210/0655	LEN=0058 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0210/0188	LEN=0050 INSTALLED 2001

DIR: B TOTAL LEN: 12.835 MI. DIST: 09-5 SR: 35
LEFT MUN: TELL T RIGHT MUN: TELL T

```
046330 FT                    046330 FT 1 0 00193 0 02 0879+44
                           S 0210/0000 LENGTH(AH 2487 BK 2695)

                                       018 "DIA CIRC METAL
                             0200/1698 LEN=0036 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0200/1286 LEN=0065 INSTALLED UNKN

                                       018 "DIA CIRC METAL
                             0200/0443 LEN=0041 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                             0200/0205 LEN=0035 INSTALLED UNKN
043635 FT                    043635 FT 1 0 00193 0 02 0852+18
                                       RICHVALE RD
                                       (SR2008 SEG 0010/0000)
                           S 0200/0000 LENGTH(AH 2695 BK 2458)
                                       FOR SR 0035 AND 2008
                             0190/2338 (CONN)
                             0190/2168 BMSEN 31/0035/0190/2142
                                       1 0 00193 0 02 0849+67
                                       TR TROUGH SP BR TUSCARO
                             0190/2142 BMSBG 31/0035/0190/2142
                             0190/1837 BMSEN 31/0035/0190/1800
                                       1 0 00193 0 02 0846+30
                                       TROUGH SP BR TUSCARORA
                             0190/1800 BMSBG 31/0035/0190/1800
                                       018 "DIA CIR PLASTIC
                             0190/1720 LEN=0053 INSTALLED UNKN
                                       018 "DIA CIR PLASTIC
                             0190/1172 LEN=0038 INSTALLED 2001
                                       024 "DIA CIRC METAL
                             0190/0764 LEN=0036 INSTALLED UNKN

                             0190/0035 BMSEN 31/0035/0190/0000
041177 FT                    041177 FT 1 0 00193 0 02 0829+82
                                       VILLAGE: RICHVALE
                                       TROUGH SPRING BRANCH
                                       BMSBG 31/0035/0190/0000
                           S 0190/0000 LENGTH(AH 2458 BK 2113)

                                       018 "DIA CIR PLASTIC
                             0180/1265 LEN=0035 INSTALLED UNKN
                                       024"H 35"W ELLIP METAL
                             0180/1043 LEN=0040 INSTALLED UNKN

039064 FT                    039064 FT 1 0 00193 0 02 0807+96
                           S 0180/0000 LENGTH(AH 2113 BK 2000)
```

DIR: B TOTAL LEN: 12.835 MI. DIST: 09-5 SR: 35
LEFT MUN: TELL T RIGHT MUN: TELL T

		018 "DIA CIR PLASTIC
	0170/0049	LEN=0030 INSTALLED UNKN
037064 FT	037064 FT	1 0 00193 0 01 0787+61
	S 0170/0000	LENGTH(AH 2000 BK 0816)
		TRIB TROUGH SPRING BRAN
		STRUCTURE LENGTH 13 FT
	0160/0471	BMSID 31/0035/0160/0471
036248 FT	036248 FT	1 0 00193 0 01 0779+69
	S 0160/0000	LENGTH(AH 0816 BK 3483)
		018 "DIA CIRC METAL
	0150/2856	LEN=0042 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0150/1175	LEN=0035 INSTALLED UNKN
		018 "DIA CIRC METAL
	0150/0024	LEN=0035 INSTALLED UNKN
032765 FT	032765 FT	1 0 00193 0 01 0744+59
	S 0150/0000	LENGTH(AH 3483 BK 2947)
029818 FT	029818 FT	1 0 00193 0 01 0715+02
	S 0140/0000	LENGTH(AH 2947 BK 2449)
		018 "DIA CIR PLASTIC
	0130/2141	LEN=0040 INSTALLED 2000
		018 "DIA CIRC METAL
	0130/0880	LEN=0040 INSTALLED UNKN
027369 FT	027369 FT	1 0 00193 0 01 0690+26
	S 0130/0000	LENGTH(AH 2449 BK 2970)
		072 "DIA CIRC CONCR
	0120/2541	LEN=0056 INSTALLED UNKN

DIR: B TOTAL LEN: 12.835 MI. DIST: 09-5 SR: 35
LEFT MUN: TELL T RIGHT MUN: TELL T

		030 "DIA CIR PLASTIC
	0120/2218	LEN=0048 INSTALLED UNKN
		036 "DIA CIRC METAL
	0120/1535	LEN=0050 INSTALLED UNKN
		060 "DIA CIRC CONCR
	0120/1475	LEN=0072 INSTALLED UNKN
		018 "DIA CIRC METAL
	0120/1000	LEN=0040 INSTALLED UNKN
024399 FT	024399 FT	1 0 00193 0 01 0660+56
	S 0120/0000	LENGTH(AH 2970 BK 2427)
		015 "DIA CIRC METAL
	0110/2330	LEN=0035 INSTALLED UNKN
		015 "DIA CIRC METAL
	0110/1786	LEN=0046 INSTALLED UNKN
		015 "DIA CIRC METAL
	0110/1110	LEN=0040 INSTALLED UNKN
		015 "DIA CIRC METAL
	0110/0623	LEN=0037 INSTALLED UNKN
021972 FT	021972 FT	1 0 00193 0 01 0636+29
		018 "DIA CIRC METAL
		LEN=0031 INSTALLED UNKN
	S 0110/0000	LENGTH(AH 2427 BK 2515)
		018 "DIA CIRC METAL
	0100/2001	LEN=0031 INSTALLED UNKN
		018 "DIA CIRC METAL
	0100/1150	LEN=0031 INSTALLED UNKN
019457 FT	019457 FT	1 0 00193 0 01 0611+14
		RIDGE LN
		(T355)
	S 0100/0000	LENGTH(AH 2515 BK 3305)
		018 "DIA CIR PLASTIC
	0090/2728	LEN=0031 INSTALLED UNKN
		024 "DIA CIR PLASTIC
	0090/1051	LEN=0035 INSTALLED UNKN
		018 "DIA CIR PLASTIC
	0090/0294	LEN=0035 INSTALLED 2001
		018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 12.835 MI. DIST: 09-5 SR: 35
LEFT MUN: TELL T RIGHT MUN: TELL T

```
                                        0090/0030 LEN=0031 INSTALLED UNKN
016152 FT                               016152 FT 1 0 00193 0 01 0578+17
                                                  RESORT RD
                                                  (SR2015 SEG 0010/0000)
                                      S 0090/0000 LENGTH(AH 3305 BK 1246)

014906 FT                               014906 FT 1 0 00193 0 01 0565+71
                                                  024 "DIA CIR PLASTIC
                                                  LEN=0032 INSTALLED UNKN
                                      S 0080/0000 LENGTH(AH 1246 BK 3545)

                                                  018 "DIA CIR PLASTIC
                                        0070/0960 LEN=0037 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0070/0612 LEN=0031 INSTALLED UNKN
011361 FT                               011361 FT 1 0 00193 0 01 0530+26
                                      S 0070/0000 LENGTH(AH 3545 BK 2876)

                                                  018 "DIA CIR PLASTIC
                                        0060/2110 LEN=0035 INSTALLED UNKN

                                                  024 "DIA CIR PLASTIC
                                        0060/0677 LEN=0031 INSTALLED UNKN
                                                  018 "DIA CIR PLASTIC
                                        0060/0185 LEN=0031 INSTALLED UNKN
008485 FT                               008485 FT 1 0 00193 0 01 0501+53
                                      S 0060/0000 LENGTH(AH 2876 BK 2523)
                                                  TELL
                                        0050/2372 DUBLIN T

                                                  LC TO HARPERS RD
                                        0050/0071 (CONN)
005962 FT                               005962 FT 1 0 00193 0 01 0476+60
                                                  HARPERS RD
```

DIR: B TOTAL LEN: 12.835 MI. DIST: 09-5 SR: 35
LEFT MUN: DUBLIN T RIGHT MUN: DUBLIN T

			(T344)
			S 0050/0000 LENGTH(AH 2523 BK 3041)
			018 "DIA CIR PLASTIC
			0040/2849 LEN=0034 INSTALLED UNKN
			015 "DIA CIR PLASTIC
			0040/0118 LEN=0060 INSTALLED UNKN
	002921 FT		002921 FT 1 0 00193 0 01 0446+06
			S 0040/0000 LENGTH(AH 3041 BK 0872)
			018 "DIA CIR PLASTIC
			0030/0702 LEN=0060 INSTALLED UNKN
TAYLOR RD (T415)	0030/0594		
			0030/0235 BMSEN 31/0035/0030/0168
			1 0 00193 0 01 0438+68
			SHADE CREEK
			0030/0168 BMSBG 31/0035/0030/0168
	002049 FT		002049 FT 1 0 00193 0 01 0437+08
			SAWMILL RD
			(SR2006 SEG 0010/0000)
			S 0030/0000 LENGTH(AH 0872 BK 1425)
			018 "DIA CIR PLASTIC
			0020/0780 LEN=0054 INSTALLED UNKN
			0020/0575 MFC BEGIN = D
			018 "DIA CIR PLASTIC
			0020/0534 LEN=0054 INSTALLED UNKN
			018 "DIA CIRC METAL
			0020/0265 LEN=0045 INSTALLED UNKN
	000624 FT		000624 FT 1 0 00193 0 01 0422+80
			NEELYTON RD
			(SR0641 SEG 0020/0000)
			S 0020/0000 LENGTH(AH 1425 BK 0624)
			036 "DIA CIRC CONCR
			0010/0023 LEN=0062 INSTALLED UNKN
			NC SHADE VALLEY RD
			CROGHAN PK
			(SR0522 SEG 0130/0000)
			INTER-BK TOWN HILL ST
1 0 00193 0 01 0416+50	000000 FT		000000 FT (T409)
CROGHAN PK			MFC BEGIN = E
(SR0522 SEG 0130/0000)	0010/0000		S 0010/0000 LENGTH(AH 0624 BK 0000)

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: BARREE T RIGHT MUN: BARREE T

237362 FT

234162 FT

237331 FT	AH-CENTRE	(14)
* REF-AHD	WATER ST	
0790/3200	(SR0026 SEG 0010/0000)	
	018 "DIA CIRC CONCR	
0790/2905	LEN=0100 INSTALLED UNKN	
	018 "DIA CIR PLASTIC	
0790/2550	LEN=0042 INSTALLED 2012	
	018 "DIA CIR PLASTIC	
0790/2155	LEN=0048 INSTALLED 2012	
	018 "DIA CIR PLASTIC	
0790/1725	LEN=0048 INSTALLED 2012	
	018 "DIA CIR PLASTIC	
0790/1295	LEN=0043 INSTALLED 2012	
	018 "DIA CIR PLASTIC	
0790/0755	LEN=0045 INSTALLED 2012	
	015 "DIA CIR PLASTIC	
0790/0455	LEN=0045 INSTALLED 2012	
	015 "DIA CIR PLASTIC	
0790/0125	LEN=0043 INSTALLED 2012	
234131 FT	1 0 00352 0 00 1265+27	
S 0790/0000	LENGTH(AH 3200 BK 3485)	
	018 "DIA CIR PLASTIC	
0780/3320	LEN=0044 INSTALLED 2012	
	018 "DIA CIR PLASTIC	
0780/3005	LEN=0045 INSTALLED 2012	
	018 "DIA CIR PLASTIC	
0780/2490	LEN=0045 INSTALLED 2012	
	015 "DIA CIRC CONCR	

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: BARREE T RIGHT MUN: BARREE T

		0780/2020	LEN=0042 INSTALLED UNKN 048"H 60"W CONCR ARCH
		0780/1330	LEN=0086 INSTALLED UNKN
FORESTRY RD (FRST)	0780/1130		
		0780/0905	015 "DIA CIR PLASTIC LEN=0045 INSTALLED 2012
		0780/0470	018 "DIA CIR PLASTIC LEN=0042 INSTALLED 2012
		0780/0030	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2012
	230677 FT	230646 FT	1 0 00352 0 00 1230+06
		S 0780/0000	LENGTH(AH 3485 BK 3353)
		0770/3045	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2012
		0770/2765	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2012
		0770/2310	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2012
		0770/1980	018 "DIA CIR PLASTIC LEN=0045 INSTALLED UNKN
		0770/1620	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2012
		0770/1395	018 "DIA CIR PLASTIC LEN=0045 INSTALLED 2012
		0770/0950	018 "DIA CIRC CONCR LEN=0045 INSTALLED 2012
		0770/0805	FOREST RD (T548)
		0770/0540	024 "DIA CIRC CONCR LEN=0045 INSTALLED UNKN
	227324 FT	227293 FT	1 0 00352 0 00 1196+36
			FOREST RD (T548)
			012 "DIA CIR PLASTIC LEN=0050 INSTALLED UNKN
		S 0770/0000	LENGTH(AH 3353 BK 0792)
1 0 00352 0 00 1187+92 CHARTER OAK RD (SR1029 SEG 0160/2476)	226532 FT 0760/0000	226501 FT	
		S 0760/0000	LENGTH(AH 0792 BK 3233)
		0750/2583	BMSEN 31/0026/0750/2563 1 0 00352 0 00 1156+03
		0750/2563	SHAVER CREEK BMSBG 31/0026/0750/2563 024 "DIA CIR PLASTIC
		0750/2466	LEN=0041 INSTALLED 1988 018 "DIA CIR PLASTIC

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: BARREE T RIGHT MUN: BARREE T

			0750/2172	LEN=0040 INSTALLED 1988
				018 "DIA CIR PLASTIC
			0750/1790	LEN=0050 INSTALLED 1997
				BARREE
			0750/1673	JACKSON T
PENNDOT STOCKPILE #05 (PRDR)	0750/1553	==		
				015 "DIA CIR PLASTIC
			0750/1447	LEN=0040 INSTALLED 1988
				015 "DIA CIR PLASTIC
			0750/1022	LEN=0040 INSTALLED 1988
	223299 FT		223268 FT	1 0 00352 0 00 1156+03
			5 0750/0000	LENGTH(AH 3233 BK 3795)
				018 "DIA CIRC CONCR
			0740/3750	LEN=0040 INSTALLED 2012
				CAMP RD
		==	0740/2839	(T546)
				015 "DIA CIRC CONCR
			0740/1590	LEN=0045 INSTALLED UNKN
				018 "DIA CIR PLASTIC
			0740/1270	LEN=0040 INSTALLED 1997
				018 "DIA CIR PLASTIC
			0740/0900	LEN=0040 INSTALLED 1997
				018 "DIA CIR PLASTIC
			0740/0530	LEN=0050 INSTALLED 1997
	219504 FT		219473 FT	1 0 00352 0 00 1117+74
			5 0740/0000	LENGTH(AH 3795 BK 3775)
				030 "DIA CIRC CONCR
			0730/3640	LEN=0045 INSTALLED 2012
RED ROSE RD (T539)	0730/3621	==		
				030 "DIA CIRC CONCR
			0730/2950	LEN=0041 INSTALLED UNKN
				WHIPPLE DAM RD
		==	0730/2583	(T541)
				018 "DIA CIR PLASTIC
			0730/2308	LEN=0040 INSTALLED UNKN
SASSAFRAS RD (T540)	0730/2281	==		
				030 "DIA CIRC CONCR

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

		0730/1360	LEN=0090 INSTALLED UNKN
			018 "DIA CAST IRON
		0730/0480	LEN=0068 INSTALLED UNKN
	215729 FT	215698 FT	1 0 00352 0 00 1079+00
		S 0730/0000	LENGTH(AH 3775 BK 3274)
			018 "DIA CIRC CONCR
		0720/3050	LEN=0060 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0720/2500	LEN=0050 INSTALLED 1997
			024 "DIA CIR PLASTIC
		0720/2383	LEN=0038 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0720/1973	LEN=0050 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0720/1625	LEN=0050 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0720/1355	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0720/0423	LEN=0050 INSTALLED UNKN
1 0 00352 0 00 1046+03	212455 FT	212424 FT	
SCARE POND RD			
(T537)	0720/0000	S 0720/0000	LENGTH(AH 3274 BK 2531)
			015 "DIA CIR PLASTIC
		0710/1200	LEN=0042 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0710/0632	LEN=0060 INSTALLED 1997
WINCHESTER RD			
(SR1027 SEG 0140/2218)	0710/0337		
	209924 FT	209893 FT	1 0 00352 0 00 1020+72
			MILLER RD
			(T529)
		S 0710/0000	LENGTH(AH 2531 BK 3611)
			018 "DIA CIR PLASTIC
		0700/3514	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0700/2654	LEN=0050 INSTALLED 1997
			015 "DIA CIR PLASTIC
		0700/2424	LEN=0038 INSTALLED UNKN
			015 "DIA CIR PLASTIC
		0700/1958	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

		0700/0885	LEN=0063 INSTALLED 2012
GUYER RD (T533)	0700/0860	0700/0860	SAWMILL RD (T528)
			015 "DIA CIRC METAL
		0700/0455	LEN=0060 INSTALLED UNKN
	206313 FT	206282 FT	1 0 00352 0 00 0986+22
		S 0700/0000	LENGTH(AH 3611 BK 3405)
			018 "DIA CIR PLASTIC
		0690/3190	LEN=0040 INSTALLED 1997
			015 "DIA CIRC METAL
		0690/2944	LEN=0080 INSTALLED UNKN
			018 "DIA CIR PLASTIC
		0690/2600	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0690/2200	LEN=0082 INSTALLED UNKN
			SAWMILL RD
		0690/1239	(T528)
		0690/0514	BMSEN 31/0026/0690/0392
			1 0 00352 0 00 0951+64
			LAUREL RUN
		0690/0392	BMSBG 31/0026/0690/0392
	202908 FT	202877 FT	1 0 00352 0 00 0951+64
		S 0690/0000	LENGTH(AH 3405 BK 3822)
			018 "DIA CIR PLASTIC
		0680/3780	LEN=0040 INSTALLED 1997
			018 "DIA CIR PLASTIC
		0680/3230	LEN=0040 INSTALLED 1997
PEACHY RD (T526)	0680/2974		
			024 "DIA CIRC CONCR
		0680/2535	LEN=0045 INSTALLED 2012
			018 "DIA CIR PLASTIC
		0680/1262	LEN=0040 INSTALLED 1997
			FOR SR 0026 AND 1023
		0680/0155	(CONN)
	199086 FT	199055 FT	1 0 00352 0 00 0912+26
			ALAN SEEGER RD
			(SR1023 SEG 0010/0000)
		S 0680/0000	LENGTH(AH 3822 BK 0846)
			024 "DIA CIRC CONCR
		0670/0451	LEN=0060 INSTALLED UNKN
		0670/0356	BMSEN 31/0026/0670/0222

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

			1 0 00352 0 00 0903+75
			STANDING STONE CREEK
		0670/0222	BMSBG 31/0026/0670/0222
	198240 FT	198209 FT	1 0 00352 0 00 0903+75
			VILLAGE: MCALEVYS FORT
			GREENWOOD RD
			(SR0305 SEG 0470/0000)
		S 0670/0000	LENGTH(AH 0846 BK 3789)
			018 "DIA CIRC CONCR
		0660/3695	LEN=0045 INSTALLED 2018
			084"H 84"W CONC STRUCT
		0660/3628	LEN=0030 INSTALLED 1930
			012 "DIA CAST IRON
		0660/3140	LEN=0051 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0660/2310	LEN=0025 INSTALLED 2012
			015 "DIA CIR PLASTIC
		0660/1280	LEN=0030 INSTALLED UNKN
			036 "DIA CIRC CONCR
		0660/0980	LEN=0032 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0660/0705	LEN=0028 INSTALLED 2012
			024 "DIA CIRC CONCR
		0660/0175	LEN=0050 INSTALLED UNKN
		0660/0146	BMSEN 31/0026/0660/0000
	194451 FT	194420 FT	1 0 00261 0 02 0816+51
			STANDING STONE CREEK
			BMSBG 31/0026/0660/0000
		S 0660/0000	LENGTH(AH 3789 BK 0713)
	193738 FT	193707 FT	1 0 00261 0 02 0809+39
GREENWOOD RD			VILLAGE: ENNISVILLE
(SR0305 SEG 0460/0841)	0650/0000	S 0650/0000	LENGTH(AH 0713 BK 3945)
		NC MCALEVYS FORT RD	
			015 "DIA CIRC METAL
		0640/3765	LEN=0054 INSTALLED UNKN
FOR SR 0026 AND 0305			
(CONN)	0640/3714		
			018 "DIA CIRC CONCR
		0640/2675	LEN=0040 INSTALLED UNKN
			015 "DIA CIRC METAL
		0640/2171	LEN=0036 INSTALLED UNKN
			036 "DIA CIRC METAL
		0640/1467	LEN=0041 INSTALLED UNKN

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: JACKSON T RIGHT MUN: JACKSON T

			0640/1275	015 "DIA CIRC METAL LEN=0041 INSTALLED UNKN
			0640/0749	018 "DIA CIRC METAL LEN=0041 INSTALLED UNKN
			0640/0035	015 "DIA CIRC METAL LEN=0041 INSTALLED UNKN
	189793 FT		189762 FT	1 0 00261 0 02 0769+70
			S 0640/0000	LENGTH(AH 3945 BK 3283)
			0630/2910	015 "DIA CIRC METAL LEN=0037 INSTALLED UNKN
			0630/2350	015 "DIA CIRC METAL LEN=0041 INSTALLED UNKN
			0630/2075	015 "DIA CIRC METAL LEN=0036 INSTALLED UNKN
		==	0630/1605	CUNNINGHAM RD (T602)
			0630/1500	015 "DIA CIRC METAL LEN=0046 INSTALLED UNKN
			0630/1278	BMSEN 31/0026/0630/1249
				1 0 00261 0 02 0749+22
				HERODS RUN
			0630/1249	BMSBG 31/0026/0630/1249
YODER RD (T532)	0630/0970	==		
				BR STANDING STONE CREEK
				STRUCTURE LENGTH 9 FT
			0630/0752	BMSID 31/0026/0630/0752
				JACKSON
			0630/0536	MILLER T
	186510 FT		186479 FT	1 0 00261 0 02 0736+70
			S 0630/0000	LENGTH(AH 3283 BK 3586)
				030 "DIA CIRC CONCR
			0620/3163	LEN=0068 INSTALLED UNKN
				RETAINING WALL END
			0620/3025	BMSID 31/0026/0620/2946
				RETAINING WALL BEGIN
			0620/2946	BMSID 31/0026/0620/2946
				060"H 72"W CONCR ARCH
			0620/2043	LEN=0046 INSTALLED UNKN
SUMMIT SCHOOL RD (T517)	0620/1936	==		
				015 "DIA CIRC METAL
			0620/1638	LEN=0036 INSTALLED UNKN
				CUMMINSVILLE LN
		==	0620/0974	(T516)
				015 "DIA CIRC METAL

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: MILLER T RIGHT MUN: MILLER T

```
                                        0620/0745 LEN=0046 INSTALLED UNKN
                                                  015 "DIA CIRC CONCR
                                        0620/0430 LEN=0035 INSTALLED UNKN
182924 FT                               182893 FT 1 0 00261 0 02 0700+45
                                      S 0620/0000 LENGTH(AH 3586 BK 3536)
                                                  015 "DIA CIRC METAL
                                        0610/3536 LEN=0037 INSTALLED UNKN
                                                  015 "DIA CIRC METAL
                                        0610/2961 LEN=0037 INSTALLED UNKN
                                                  018 "DIA CIRC CONCR
                                        0610/2405 LEN=0037 INSTALLED 2012

                                                  024 "DIA CIRC CONCR
                                        0610/1740 LEN=0038 INSTALLED 2012
                                                  018 "DIA CIRC CONCR
                                        0610/1290 LEN=0045 INSTALLED 2012
                                                  024 "DIA CIRC CONCR
                                        0610/0770 LEN=0035 INSTALLED 2012
                                                  024 "DIA CIRC CONCR
                                        0610/0610 LEN=0045 INSTALLED 2012
                                                  018 "DIA CIRC CONCR
                                        0610/0310 LEN=0035 INSTALLED 2012
                                                  018 "DIA CAST IRON
                                        0610/0144 LEN=0045 INSTALLED UNKN
179388 FT                               179357 FT 1 0 00261 0 02 0665+09
                                      S 0610/0000 LENGTH(AH 3536 BK 3540)
                                                  018 "DIA CIRC METAL
                                        0600/3333 LEN=0052 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0600/3107 LEN=0052 INSTALLED UNKN

                                                  018 "DIA CIRC CONCR
                                        0600/2330 LEN=0035 INSTALLED 2012
                                                  018 "DIA CIRC CONCR
                                        0600/2059 LEN=0035 INSTALLED 2012
                                                  018 "DIA CIRC CONCR
                                        0600/1743 LEN=0035 INSTALLED UNKN
                                                  042 "DIA CIRC CONCR
                                        0600/1645 LEN=0035 INSTALLED 2012
                                                  018 "DIA CIRC CONCR
                                        0600/1531 LEN=0035 INSTALLED 2012
                                                  018 "DIA CIRC CONCR
                                        0600/1068 LEN=0047 INSTALLED UNKN
                                                  015 "DIA CIR UNKNOWN
                                        0600/0731 LEN=0036 INSTALLED UNKN

175848 FT                               175817 FT 1 0 00261 0 02 0629+75
                                                  EAST BRANCH RD
                                                  (SR1019 SEG 0010/0000)
                                      S 0600/0000 LENGTH(AH 3540 BK 3673)
```

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: MILLER T RIGHT MUN: MILLER T

		015 "DIA CIRC CONCR	
	0590/3370	LEN=0050 INSTALLED UNKN	
		015 "DIA CIRC CONCR	
	0590/3085	LEN=0049 INSTALLED UNKN	
		024 "DIA CIRC CONCR	
	0590/2030	LEN=0055 INSTALLED UNKN	
		024 "DIA CIRC CONCR	
	0590/1527	LEN=0112 INSTALLED UNKN	
		024 "DIA CIRC CONCR	
	0590/1008	LEN=0040 INSTALLED UNKN	
		015 "DIA CIRC CONCR	
	0590/0480	LEN=0040 INSTALLED UNKN	
WESLEY CHAPEL RD (SR1015 SEG 0010/0000) 0590/0050			
172175 FT	172144 FT	1 0 00261 0 02 0593+32	
		VILLAGE: JACKSON CORNER	
		MARTINS GAP RD	
		(SR1017 SEG 0020/3112)	
	5 0590/0000	LENGTH(AH 3673 BK 2774)	
		027"H 42"W ELLIP METAL	
	0580/2763	LEN=0062 INSTALLED UNKN	
		024 "DIA CIRC CONCR	
	0580/2523	LEN=0047 INSTALLED UNKN	
		018 "DIA CIRC CONCR	
	0580/1900	LEN=0040 INSTALLED UNKN	
		018 "DIA CIRC CONCR	
	0580/0580	LEN=0044 INSTALLED UNKN	
		018 "DIA CIRC CONCR	
	0580/0200	LEN=0034 INSTALLED UNKN	
169401 FT	169370 FT	1 0 00261 0 01 0569+97	
	5 0580/0000	LENGTH(AH 2774 BK 3497)	
		018 "DIA CIRC CONCR	
	0570/3365	LEN=0037 INSTALLED UNKN	
		024 "DIA CIRC CONCR	
	0570/2835	LEN=0042 INSTALLED UNKN	
		030 "DIA CIRC CONCR	
	0570/1930	LEN=0048 INSTALLED 1980	
		024 "DIA CIRC CONCR	
	0570/1855	LEN=0044 INSTALLED UNKN	
		015 "DIA CAST IRON	
	0570/1310	LEN=0037 INSTALLED UNKN	
		015 "DIA CIRC CONCR	

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: MILLER T RIGHT MUN: MILLER T

```
                                                  0570/0864 LEN=0040 INSTALLED UNKN
                                                            030 "DIA CIRC CONCR
                                                  0570/0510 LEN=0045 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0570/0110 LEN=0038 INSTALLED UNKN
                     165904 FT                    165873 FT 1 0 00261 0 01 0535+00
                                                            STONE CREEK RIDGE RD
                                                            (SR1001 SEG 0310/1765)
                                                5 0570/0000 LENGTH(AH 3497 BK 2461)
                                                            036 "DIA CIRC CONCR
                                                  0560/2040 LEN=0056 INSTALLED UNKN
TIPPLING HOUSE LN
(T502)                0560/1837 ==
                                                            015 "DIA CIRC CONCR
                                                  0560/1610 LEN=0038 INSTALLED UNKN

                                                            036 "DIA CIRC CONCR
                                                  0560/0831 LEN=0040 INSTALLED UNKN

                     163443 FT                    163412 FT 1 0 00261 0 01 0510+49
                                                5 0560/0000 LENGTH(AH 2461 BK 3777)
                                                            018 "DIA CIRC CONCR
                                                  0550/3600 LEN=0040 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0550/3052 LEN=0035 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0550/2566 LEN=0035 INSTALLED UNKN

                                                            015 "DIA CIRC CONCR
                                                  0550/1962 LEN=0042 INSTALLED UNKN
                                                            036 "DIA CIRC CONCR
                                                  0550/1641 LEN=0035 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0550/1240 LEN=0050 INSTALLED UNKN


                                                            018 "DIA CIRC CONCR
                                                  0550/0250 LEN=0044 INSTALLED UNKN
                     159666 FT                    159635 FT 1 0 00261 0 01 0472+72
                                                            048"H 60"W CONC STRUCT
                                                            LEN=0030 INSTALLED 1967
                                                5 0550/0000 LENGTH(AH 3777 BK 3365)

                                                            MILLER
                                                  0540/2607 ONEIDA T
                                                            015 "DIA CIRC CONCR
                                                  0540/2406 LEN=0036 INSTALLED UNKN
                                                            036 "DIA CIRC CONCR
                                                  0540/1982 LEN=0038 INSTALLED UNKN
```

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: ONEIDA T RIGHT MUN: ONEIDA T

			018 "DIA CIRC CONCR
		0540/1193	LEN=0042 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0540/0270	LEN=0046 INSTALLED UNKN
1 0 00261 0 01 0438+87 156301 FT		156270 FT	
KYPER RD			
(T496) 0540/0000	==	S 0540/0000	LENGTH(AH 3365 BK 3909)
			018 "DIA CIRC CONCR
		0530/3586	LEN=0040 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0530/3010	LEN=0044 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0530/2736	LEN=0042 INSTALLED UNKN
			048"H 90"W CONC STRUCT
		0530/2310	LEN=0032 INSTALLED UNKN
		0530/2295	BMSEN 31/0026/0530/2285
			1 0 00261 0 01 0422+63
			TRIB.2 STANDING STONE
		0530/2285	BMSBG 31/0026/0530/2285
			015 "DIA CIRC CONCR
		0530/1006	LEN=0040 INSTALLED UNKN
			030 "DIA CIRC CONCR
		0530/0100	LEN=0062 INSTALLED UNKN
152392 FT		152361 FT	1 0 00261 0 01 0399+78
			VILLAGE: DONATION
		S 0530/0000	LENGTH(AH 3909 BK 3487)
	==		BLAIR RD
		0520/3065	(T497)
			015 "DIA CIRC CONCR
		0520/3045	LEN=0062 INSTALLED UNKN
LOOP RD			
(T500) 0520/2745	==		
			015 "DIA CIRC CONCR
		0520/2742	LEN=0050 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0520/1662	LEN=0043 INSTALLED UNKN
			015 "DIA CIRC CONCR
		0520/1255	LEN=0061 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0520/0753	LEN=0046 INSTALLED UNKN
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: ONEIDA T RIGHT MUN: ONEIDA T

148905 FT

LOVELAND DR
(T603) 0510/0897

1 0 00261 0 00 0329+50 145606 FT
COLD SPRINGS RD
(SR1009 SEG 0150/2432) 0510/0000

RBR

RBR

0520/0315 LEN=0037 INSTALLED UNKN
148874 FT 1 0 00261 0 01 0364+91
S 0520/0000 LENGTH(AH 3487 BK 3299)
015 "DIA CIRC CONCR
0510/2936 LEN=0037 INSTALLED UNKN
015 "DIA CIRC CONCR
0510/2565 LEN=0037 INSTALLED UNKN
015 "DIA CIRC CONCR
0510/2255 LEN=0036 INSTALLED UNKN

018 "DIA CIRC CONCR
0510/1270 LEN=0060 INSTALLED UNKN

0510/1021 BMSEN 31/0026/0510/0972
1 0 00261 0 01 0341+79
P3
HORN RUN
0510/0972 BMSBG 31/0026/0510/0972

018 "DIA CIRC CONCR
0510/0085 LEN=0070 INSTALLED UNKN
145575 FT
S 0510/0000 LENGTH(AH 3299 BK 3433)
018 "DIA CIRC CONCR
0500/3250 LEN=0060 INSTALLED UNKN

036 "DIA CIRC CONCR
0500/2505 LEN=0060 INSTALLED UNKN
0500/2239 BMSEN 31/0026/0500/2073
1 0 00261 0 00 0295+05
STANDING STONE CREEK
0500/2073 BMSBG 31/0026/0500/2073
018 "DIA CIRC CONCR
0500/1735 LEN=0041 INSTALLED UNKN
018 "DIA CIRC CONCR
0500/1391 LEN=0030 INSTALLED UNKN
015 "DIA CIRC CONCR
0500/1028 LEN=0046 INSTALLED UNKN
015 "DIA CIRC CONCR
0500/0734 LEN=0048 INSTALLED UNKN
024 "DIA CIRC CONCR
0500/0282 LEN=0048 INSTALLED UNKN
018 "DIA CIRC CONCR
0500/0131 LEN=0052 INSTALLED UNKN

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: ONEIDA T RIGHT MUN: ONEIDA T

142173 FT

142142 FT 1 0 00261 0 00 0295+05
S 0500/0000 LENGTH(AH 3433 BK 3710)
036 "DIA CIRC CONCR
0490/3615 LEN=0044 INSTALLED UNKN
015 "DIA CIRC CONCR
0490/3251 LEN=0052 INSTALLED UNKN
015 "DIA CIRC CONCR
0490/2982 LEN=0150 INSTALLED UNKN
015 "DIA CIRC CONCR
0490/2751 LEN=0045 INSTALLED UNKN
015 "DIA CIRC METAL
0490/2441 LEN=0043 INSTALLED UNKN
015 "DIA CIRC CONCR
0490/2285 LEN=0045 INSTALLED UNKN
024 "DIA CIRC CONCR
0490/1985 LEN=0058 INSTALLED UNKN
018 "DIA CIRC CONCR
0490/1770 LEN=0060 INSTALLED UNKN
015 "DIA CIRC CONCR
0490/0930 LEN=0046 INSTALLED UNKN

RBR

0490/0730 BMSEN 31/0026/0490/0654
1 0 00261 0 00 0264+54
P3
MURRAY RUN
RBR
0490/0654 BMSBG 31/0026/0490/0654
FOR SR 0026 AND 1011
0490/0187 (CONN)

138463 FT

138432 FT 1 0 00261 0 00 0257+99
VILLAGE: CENTER UNION
MURRAY RUN RD
(SR1011 SEG 0010/0000)
S 0490/0000 LENGTH(AH 3710 BK 3504)
018 "DIA CIRC CONCR
0480/3466 LEN=0036 INSTALLED UNKN
GORSUCH RD
0480/2875 (T462)
018 "DIA CIRC CONCR
0480/2766 LEN=0060 INSTALLED UNKN
018 "DIA CIRC CONCR
0480/2050 LEN=0065 INSTALLED UNKN

CENTER UNION BYPASS RD
(T463) 0480/1851

015 "DIA CIRC CONCR
0480/1760 LEN=0080 INSTALLED UNKN
030 "DIA CIRC CONCR

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: ONEIDA T RIGHT MUN: ONEIDA T

		0480/1530	LEN=0082 INSTALLED UNKN 030 "DIA CIRC CONCR
		0480/1080	LEN=0054 INSTALLED UNKN
CENTER UNION BYPASS RD (T463)	0480/1027		
			018 "DIA CIR PLASTIC
		0480/0862	LEN=0045 INSTALLED UNKN 018 "DIA CIRC CONCR
		0480/0450	LEN=0040 INSTALLED UNKN
1 0 00261 0 00 0222+95 134959 FT		134928 FT	
DEFORREST RD (T484)	0480/0000	S 0480/0000	LENGTH(AH 3504 BK 3623) 042"H 72"W ELLIP METAL
		0470/3564	LEN=0065 INSTALLED UNKN 018 "DIA CIRC CONCR
		0470/3209	LEN=0050 INSTALLED UNKN 018 "DIA CIRC CONCR
		0470/2685	LEN=0048 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0470/1946	LEN=0060 INSTALLED UNKN 024 "DIA CIRC METAL
		0470/1581	LEN=0050 INSTALLED UNKN 015 "DIA CIRC CONCR
		0470/1149	LEN=0050 INSTALLED UNKN
		0470/0098	BMSEN 31/0026/0470/0000
	131336 FT	131305 FT	1 0 00261 0 00 0186+62 STANDING STONE CREEK BMSBG 31/0026/0470/0000
		S 0470/0000	LENGTH(AH 3623 BK 3650) 018 "DIA CIRC CONCR
		0460/3617	LEN=0040 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0460/2935	LEN=0058 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0460/2298	LEN=0038 INSTALLED UNKN 015 "DIA CIRC CONCR
		0460/2065	LEN=0045 INSTALLED UNKN 015 "DIA CIRC CONCR
		0460/1693	LEN=0046 INSTALLED UNKN 015 "DIA CIRC CONCR
		0460/1365	LEN=0048 INSTALLED UNKN 048"H 77"W ELLIP METAL
		0460/0840	LEN=0045 INSTALLED UNKN
	127686 FT	127655 FT	1 0 00261 0 00 0150+51

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: ONEIDA T RIGHT MUN: ONEIDA T

		0460/0000	LENGTH(AH 3650 BK 3490)
			018 "DIA CIRC CONCR
		0450/3400	LEN=0052 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0450/2700	LEN=0064 INSTALLED UNKN
BLUE HOLE RD (T469)	0450/2596		
			048 "DIA CIRC CONCR
		0450/2400	LEN=0100 INSTALLED UNKN
BLUE HOLE RD (T469)	0450/2292		
			018 "DIA CIRC CONCR
		0450/2070	LEN=0020 INSTALLED UNKN
RIDGEVIEW RD (T605)	0450/1460		
			024 "DIA CIRC CONCR
		0450/1330	LEN=0056 INSTALLED UNKN
			042 "DIA CIRC CONCR
		0450/0677	LEN=0050 INSTALLED UNKN
	124196 FT	124165 FT	1 0 00261 0 00 0115+59
		0450/0000	LENGTH(AH 3490 BK 3584)
			024 "DIA CIRC CONCR
		0440/3323	LEN=0080 INSTALLED 1988
			018 "DIA CIRC METAL
		0440/3115	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0440/2949	LEN=0098 INSTALLED 1988
			018 "DIA CIRC CONCR
		0440/2900	LEN=0098 INSTALLED UNKN
			048"H 90"W CON BOX CUL
		0440/2255	LEN=0036 INSTALLED 1988
		0440/2247	BMSEN 31/0026/0440/2239
			1 0 00261 0 00 0101+81
			TRIB STANDING STONE CRE
		0440/2239	BMSBG 31/0026/0440/2239
			018 "DIA CIRC CONCR
		0440/1436	LEN=0049 INSTALLED 1988
			018 "DIA CIRC METAL
		0440/1280	LEN=0094 INSTALLED 1988
			018 "DIA CIRC CONCR
		0440/1028	LEN=0048 INSTALLED 1988
	120612 FT	120581 FT	1 0 00261 0 00 0079+30

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: ONEIDA T RIGHT MUN: ONEIDA T

				048 "DIA CIRC CONCR
				LEN=0048 INSTALLED UNKN
			S 0440/0000	LENGTH(AH 3584 BK 3231)
				018 "DIA CIRC CONCR
			0430/2860	LEN=0054 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0430/2442	LEN=0049 INSTALLED UNKN
				024 "DIA CIR PLASTIC
			0430/1959	LEN=0055 INSTALLED UNKN
				024 "DIA CIRC CONCR
			0430/1580	LEN=0050 INSTALLED UNKN
				036 "DIA CIRC CONCR
			0430/1093	LEN=0052 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0430/0833	LEN=0054 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0430/0316	LEN=0049 INSTALLED UNKN
FRAZIER CREST (T609)	0430/0149	==		
	117381 FT		117350 FT	1 0 00261 0 00 0047+05
			NC	STANDING STONE RD
				ONEIDA
				HUNTINGDON B
			S 0430/0000	LENGTH(AH 3231 BK 1493)
				048 "DIA CIRC CONCR
			0420/1377	LEN=0049 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0420/1094	LEN=0045 INSTALLED UNKN
				030 "DIA CIRC CONCR
			0420/0785	LEN=0054 INSTALLED UNKN
SIMPSON AV (BORO)	0420/0767	==		
				024 "DIA CIRC CONCR
			0420/0123	LEN=0041 INSTALLED UNKN
1 0 00261 0 00 0032+12	115888 FT		115857 FT	
AFRICA AV (BORO)	0420/0000	==	S 0420/0000	LENGTH(AH 1493 BK 2468)
				018 "DIA CIRC CONCR
			0410/2405	LEN=0027 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0410/1949	LEN=0026 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0410/1765	LEN=0026 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0410/1459	LEN=0026 INSTALLED UNKN
				030"H 48"W CON BOX CUL
			0410/1090	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0410/1077	LEN=0027 INSTALLED UNKN

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: HUNTINGDON B RIGHT MUN: HUNTINGDON B

			022"H 13"W BOX CULVRT*
		0410/0757	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0410/0600	LEN=0070 INSTALLED UNKN
			022"H 13"W ELLIP METAL
		0410/0574	LEN=0040 INSTALLED 1963
RIVERVIEW RD (BORO)	0410/0532		
			018 "DIA CIRC CONCR
		0410/0269	LEN=0040 INSTALLED UNKN
1 0 00261 0 00 0007+00	113420 FT		113389 FT
SECOND ST (BORO)			
CHURCH ST (BORO)	0410/0000		NC STANDING STONE AV
		S	0410/0000 LENGTH(AH 2468 BK 0749)
MIFFLIN ST (BORO)	0400/0520		
			WATER WORKS AL
		0400/0295	(BORO)
WASHINGTON ST (BORO)	0400/0260		
			018 "DIA CIRC CONCR
		0400/0230	LEN=0035 INSTALLED UNKN
	112671 FT		112640 FT 1 0 00261 0 00 0000+00
			PENN ST
			(BORO)
			NC SECOND ST
			SECOND ST
			(BORO)
			MFC BEGIN = C
		S	0400/0000 LENGTH(AH 0749 BK 1050)
			012 "DIA CIRC CONCR
		0390/0993	LEN=0013 INSTALLED 1990
			WILLIAM SMITH ST
			(BORO)
		0390/0525	
	111621 FT		111590 FT 1 0 00046 0 03 1120+75
			FOURTH ST
			(BORO)
		S	0390/0000 LENGTH(AH 1050 BK 1321)
			FIFTH ST
			(BORO)
		0380/0860	
			SIXTH ST
		0380/0409	(BORO)
			015 "DIA CIRC CONCR
		0380/0017	LEN=0035 INSTALLED UNKN
	110300 FT		110269 FT 1 0 00046 0 03 1107+59

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: HUNTINGDON B RIGHT MUN: HUNTINGDON B

			SEVENTH ST
			(BORO)
		0380/0000	LENGTH(AH 1321 BK 0228)
			MUDDY RUN
			STRUCTURE LENGTH 12 FT
		0374/0170	BMSID 31/0026/0374/0170
	110072 FT	110041 FT	1 0 00046 0 02 1104+71
			MFC BEGIN = B
		0374/0000	LENGTH(AH 0228 BK 0648)
			018 "DIA CIRC CONCR
		0372/0600	LEN=0025 INSTALLED 1988
			018 "DIA CIRC CONCR
		0372/0500	LEN=0035 INSTALLED 1980
018 "DIA CIRC CONCR			
LEN=0035 INSTALLED 1980	0373/0505		
EIGHTH ST			EIGHTH ST
(BORO)			(BORO)
	0373/0462	0372/0428	
018 "DIA CIRC CONCR			
LEN=0035 INSTALLED 1980	0373/0425		
CONSOLIDATED RAIL CORPO			CONSOLIDATED RAIL CORPO
OVERPASS IS RR X-ING	0373/0374	0372/0361	OVERPASS IS RR X-ING
			005 "DIA CIRC CONCR
		0372/0295	LEN=0045 INSTALLED 1980
018 "DIA CIRC CONCR			
LEN=0025 INSTALLED 1980	0373/0290		
ALLEGHENY ST			ALLEGHENY ST
(BORO)			(BORO)
PENN ST			PENN ST
(BORO)	0373/0165	0372/0149	(BORO)
			LC TO ALLEGHENY ST
		0372/0051	(BORO)
1 0 00046 0 02 1098+30	109393 FT	109393 FT	1 0 00046 0 02 1098+30
MFC BEGIN = B			MFC BEGIN = B
LENGTH(AH 0679 BK 2758)	0373/0000	0372/0000	LENGTH(AH 0648 BK 2758)
		0370/2684	BMSEN 31/0026/0370/2328
			012 "DIA CIRC CONCR
		0370/2680	LEN=0040 INSTALLED 1980
			HUNTINGDON
		0370/2509	SMITHFIELD T
			1 0 00046 0 02 1094+81
			JUNIATA RIVER
		0370/2328	BMSBG 31/0026/0370/2328
			012 "DIA CIRC OTHER
		0370/2291	LEN=0040 INSTALLED 1980
TO 0026/0370 SH			
(CONN)	0370/2268		
			PENNSYLVANIA AV
			(T504)

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T

			NC PENN ST
			FAIRGROUNDS RD
		0370/2194	(SR3035 SEG 0070/1004)
FROM 0026/0370 SH (CONN)	0370/2130		
			012 "DIA CIRC OTHER
		0370/1932	LEN=0040 INSTALLED 1980
			012 "DIA CIRC OTHER
		0370/1735	LEN=0040 INSTALLED 1980
			PINE ST
		0370/1702	(T456)
			012 "DIA CIRC OTHER
		0370/1590	LEN=0040 INSTALLED 1980
			SPRUCE ST
		0370/1366	(T455)
			012 "DIA CIRC OTHER
		0370/1280	LEN=0036 INSTALLED 1980
			SEVENTH ST
		0370/1075	(T563)
			012 "DIA CIRC CONCR
		0370/1074	LEN=0036 INSTALLED 1980
			EIGHTH ST
		0370/0779	(T560)
			015 "DIA CIRC CONCR
		0370/0700	LEN=0036 INSTALLED 1988
			NINTH ST
		0370/0219	(T459)
			030 "DIA CIRC CONCR
		0370/0200	LEN=0040 INSTALLED 1980
1 0 00046 0 02 1071+65 106635 FT		106635 FT	
PIKE ST (SR4005 SEG 0010/0000)	0370/0000	5 0370/0000	LENGTH(AH 2758 BK 3784)
			TENTH ST
		0360/3598	(T458)
INSTITUTION DR (TBC)	0360/3328		
			ELEVENTH ST
		0360/3140	(T460)
			TWELFTH ST
		0360/2693	(T462)
			024 "DIA CIR PLASTIC
		0360/2670	LEN=0030 INSTALLED 1999
			THIRTEENTH ST
		0360/2250	(T501)
			NC PENNSYLVANIA AV
			FOURTEENTH ST
		0360/1748	(T453)
			018 "DIA CIR UNKNOWN
		0360/1548	LEN=0030 INSTALLED 1999

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T

			ROTHROCK LN
		0360/1126	(T562)
			01B "DIA CIRC CONCR
		0360/0724	LEN=0057 INSTALLED UNKN
TO 8004/0254 SH (CONN)	0360/0449		
			RAMP B WEST RD
			(SR8004 SEG 0254/0000)
			RAMP B EAST RD
			(SR8004 SEG 0252/0775)
		0360/0344	
FROM 8004/0252 SH (CONN)	0360/0188		
			01B "DIA CIRC CONCR
		0360/0092	LEN=0100 INSTALLED UNKN
	102851 FT	102851 FT	1 0 00046 0 02 1033+41
			SR 0022 EBL
			OP ID 31/0022/0230/0000
		0360/0000	LENGTH(AH 3784 BK 0960)
			FROM 8004/0752 SH
		0350/0829	(CONN)
			RAMP A EAST RD
			(SR8004 SEG 0754/0000)
			RAMP A WEST RD
			(SR8004 SEG 0752/0727)
		0350/0718	
			036 "DIA CIRC CONCR
		0350/0689	LEN=0084 INSTALLED UNKN
		0350/0683	MFC BEGIN = B
			TO 8004/0754 SH
		0350/0564	(CONN)
			030 "DIA CIRC CONCR
		0350/0072	LEN=0074 INSTALLED UNKN
	101891 FT	101891 FT	1 0 00046 0 02 1024+00
			VILLAGE: SMITHFIELD
		NC	RIDGE RD
		0350/0000	LENGTH(AH 0960 BK 3584)
LC TO TOWNE CTR BL (CONN)	0340/3480		
TOWNE CTR BL (PRDR)	0340/3260	0340/3260	SHANER BL (PRDR)
LC FROM TOWNE CTR BL (CONN)	0340/3077		
			01B "DIA CIRC CONCR
		0340/2530	LEN=0046 INSTALLED UNKN
			01B "DIA CIRC CONCR
		0340/2190	LEN=0055 INSTALLED UNKN
			01B "DIA CIRC CONCR
		0340/1810	LEN=0057 INSTALLED UNKN
			01B "DIA CIRC CONCR

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T

```
                                                 0340/1445 LEN=0030 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0340/0855 LEN=0115 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0340/0625 LEN=0054 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0340/0335 LEN=0046 INSTALLED UNKN
                    098307 FT                    098307 FT 1 0 00046 0 01 0984+94
                                                S 0340/0000 LENGTH(AH 3584 BK 2832)
                                                           SMITHFIELD
                                                 0330/2774 WALKER T
                                                           018 "DIA CIRC CONCR
                                                 0330/2615 LEN=0041 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0330/2480 LEN=0044 INSTALLED UNKN
HILL RD
(T403)              0330/2102                 ==
                                                           024 "DIA CIRC CONCR
                                                 0330/2000 LEN=0045 INSTALLED UNKN
                                                           LEISTER LN
                                                      ==   0330/1670 (T401)
                                                           018 "DIA CIRC CONCR
                                                 0330/1180 LEN=0046 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0330/0800 LEN=0045 INSTALLED UNKN
WAGNER RD
(T405)              0330/0785                 ==
                                                           018 "DIA CIRC CONCR
                                                 0330/0460 LEN=0046 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0330/0125 LEN=0042 INSTALLED UNKN
                    095475 FT                    095475 FT 1 0 00046 0 01 0955+70
                                                S 0330/0000 LENGTH(AH 2832 BK 3561)
                                                           018 "DIA CIRC CONCR
                                                 0320/3515 LEN=0043 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0320/3060 LEN=0250 INSTALLED UNKN
                                                           MARGY DR
                                                      ==   0320/2807 (PRDR)
                                                           018 "DIA CIRC CONCR
                                                 0320/2780 LEN=0040 INSTALLED UNKN
                                                           018 "DIA CIRC CONCR
                                                 0320/2230 LEN=0045 INSTALLED UNKN
                                                           024 "DIA CIRC CONCR
                                                 0320/1770 LEN=0072 INSTALLED UNKN

                    091914 FT                    091914 FT 1 0 00046 0 01 0919+97
```

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: WALKER T RIGHT MUN: WALKER T

				FAIRGROUNDS RD
				(SR3035 SEG 0010/0000)
			S 0320/0000	LENGTH(AH 3561 BK 3630)
				024 "DIA CIRC CONCR
			0310/3420	LEN=0085 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0310/3120	LEN=0070 INSTALLED UNKN
JENNIFER DR (T470)	0310/2807			
				018 "DIA CIRC CONCR
			0310/2785	LEN=0042 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0310/2390	LEN=0045 INSTALLED UNKN
				NIKKI CT
			0310/2041	(PRDR)
				024 "DIA CIRC CONCR
			0310/1885	LEN=0072 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0310/1335	LEN=0036 INSTALLED UNKN
				024 "DIA CIRC CONCR
			0310/0854	LEN=0150 INSTALLED UNKN
SHENECOY RD (T471)	0310/0239			
	088284 FT		088284 FT	1 0 00046 0 01 0883+76
				CIDER PRESS RD
				(T445)
			S 0310/0000	LENGTH(AH 3630 BK 2392)
				018 "DIA CIRC CONCR
			0300/2140	LEN=0033 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0300/1982	LEN=0022 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0300/1230	LEN=0040 INSTALLED UNKN
				015 "DIA CIRC METAL
			0300/0570	LEN=0040 INSTALLED UNKN
				NEWTOWN AV
			0300/0468	(T437)
				015 "DIA CIRC CONCR
			0300/0200	LEN=0100 INSTALLED UNKN
	085892 FT		085892 FT	1 0 00046 0 01 0859+93
			S 0300/0000	LENGTH(AH 2392 BK 3742)
				018 "DIA CIRC CONCR
			0290/3200	LEN=0027 INSTALLED 1988
				018 "DIA CIRC CONCR
			0290/2889	LEN=9999 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0290/2465	LEN=0028 INSTALLED 1988

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: WALKER T RIGHT MUN: WALKER T

			018 "DIA CIRC CONCR
		0290/1770	LEN=0045 INSTALLED 1988
BOUQUET ST (T437)	0290/1627		
			015 "DIA CIRC CONCR
		0290/1605	LEN=0061 INSTALLED 1988
			STATION RD
		0290/1581	(T448)
			LANG LN
		0290/1277	(T446)
			018 "DIA CIRC CONCR
		0290/1160	LEN=0099 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0290/0829	LEN=0065 INSTALLED 1988
			RETAINING WALL END
		0290/0758	BMSID 31/0026/0290/0789
			RETAINING WALL BEGIN
		0290/0674	BMSID 31/0026/0290/0789
BOUQUET ST (T437)	0290/0609		
		0290/0552	BMSEN 31/0026/0290/0460
			1 0 00046 0 01 0827+19
			CROOKED CREEK
		0290/0460	BMSBG 31/0026/0290/0460
	082150 FT	082150 FT	1 0 00046 0 01 0822+50
HARTSLOG VALLEY RD (SR3039 SEG 0010/0000)	0290/0000		VILLAGE: MCCONNELLSTOWN
		S 0290/0000	LENGTH(AH 3742 BK 3613)
		0280/3594	BMSEN 31/0026/0280/3562
			1 0 00046 0 01 0821+69
			HARTSLOG CR
		0280/3562	BMSBG 31/0026/0280/3562
			018 "DIA CIRC CONCR
		0280/3190	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0280/2690	LEN=0058 INSTALLED UNKN
PEIGHTEL RD (T456)	0280/2311		
			018 "DIA CIRC CONCR
		0280/2126	LEN=0047 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0280/0218	LEN=0048 INSTALLED UNKN
1 0 00046 0 01 0786+14	078537 FT	078537 FT	
PEIGHTEL RD (T456)	0280/0000		
		S 0280/0000	LENGTH(AH 3613 BK 2960)

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: WALKER T RIGHT MUN: WALKER T

			015 "DIA CIRC CONCR
		0270/2750	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0270/2291	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0270/0822	LEN=0063 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0270/0510	LEN=0040 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0270/0287	LEN=0050 INSTALLED UNKN
1 0 00046 0 01 0756+55 075577 FT		075577 FT	
REDSTONE RIDGE RD			
(T426)	0270/0000	0270/0000	LENGTH(AH 2960 BK 3612)
			018 "DIA CIRC CONCR
		0260/3590	LEN=0069 INSTALLED UNKN
LOCUST RD			
(T427)	0260/2880		
			018 "DIA CIRC CONCR
		0260/2835	LEN=0025 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/2480	LEN=0051 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/1980	LEN=0049 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/1480	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/1175	LEN=0051 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/0710	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0260/0175	LEN=0040 INSTALLED UNKN
	071965 FT	071965 FT	1 0 00046 0 01 0720+73
		0260/0000	LENGTH(AH 3612 BK 2651)
			WALKER
		0250/2620	PENN T
			018 "DIA CIRC CONCR
		0250/2428	LEN=0049 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0250/1823	LEN=0046 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0250/0830	LEN=0055 INSTALLED 2004
			018 "DIA CIRC CONCR
		0250/0320	LEN=0064 INSTALLED 2004

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: PENN T RIGHT MUN: PENN T

				T.CROOKED CR
				STRUCTURE LENGTH 18 FT
			0250/0102	BMSID 31/0026/0250/0102
				SEVEN POINTS RD
1 0 00046 0 01 0694+70	069314 FT		069314 FT	(SR3011 SEG 0120/1009)
RACE TRACK RD				
(T429)	0250/0000		S 0250/0000	LENGTH(AH 2651 BK 1875)
				TO 3011/0120 SH
			0240/1712	(CONN)
				018 "DIA CIRC CONCR
			0240/0560	LEN=0106 INSTALLED 1980
				018 "DIA CIRC CONCR
			0240/0125	LEN=0061 INSTALLED UNKN
	067439 FT		067439 FT	1 0 00046 0 01 0675+95
			S 0240/0000	LENGTH(AH 1875 BK 2127)
				024 "DIA CIRC CONCR
			0230/2010	LEN=0090 INSTALLED 1980
				018 "DIA CIRC CONCR
			0230/0800	LEN=0050 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0230/0329	LEN=0084 INSTALLED UNKN
	065312 FT		065312 FT	1 0 00046 0 01 0654+81
				STATES RD
				(T427)
			S 0230/0000	LENGTH(AH 2127 BK 1361)
				072"H 72"W CON BOX CUL
			0220/1200	LEN=0044 INSTALLED UNKN
STATES RD				
(T427)	0220/1109			
				018 "DIA CIRC CONCR
			0220/0800	LEN=0039 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0220/0370	LEN=0067 INSTALLED UNKN
	063951 FT		063951 FT	1 0 00046 0 01 0640+88
			S 0220/0000	LENGTH(AH 1361 BK 3583)
				018 "DIA CIRC CONCR
			0210/3410	LEN=0040 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0210/2240	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0210/1850	LEN=0050 INSTALLED UNKN
				018 "DIA CIRC CONCR
			0210/1350	LEN=0054 INSTALLED UNKN

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: PENN T RIGHT MUN: PENN T

				018 "DIA CIRC CONCR
			0210/1050	LEN=0049 INSTALLED UNKN
			0210/0319	BMSEN 31/0026/0210/0291
				1 0 00046 0 01 0607+21
				HOOVER RUN
			0210/0291	BMSBG 31/0026/0210/0291
1 0 00046 0 01 0604+39	060368 FT			060368 FT
FLUKE RD				
(T425)	0210/0000	==	S 0210/0000	LENGTH(AH 3583 BK 1973)
	058395 FT		058395 FT	1 0 00046 0 01 0584+66
			S 0200/0000	LENGTH(AH 1973 BK 3395)
				015 "DIA CIRC CONCR
			0190/2145	LEN=0077 INSTALLED UNKN
				WELLER RD
		==	0190/0249	(T419)
WELLER RD				
(T419)	0190/0072	==		
	055000 FT		055000 FT	1 0 00046 0 01 0550+65
				TR.HOOVRS RN
				STRUCTURE LENGTH 16 FT
				BMSID 31/0026/0190/0000
			S 0190/0000	LENGTH(AH 3395 BK 2248)
				018 "DIA CIRC CONCR
			0180/1317	LEN=0030 INSTALLED UNKN
	052752 FT		052752 FT	1 0 00046 0 01 0528+35
				GARNER RD
				(SR3012 SEG 0010/0000)
			S 0180/0000	LENGTH(AH 2248 BK 3354)
				018 "DIA CIRC CONCR
			0170/2835	LEN=0045 INSTALLED UNKN
				018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: PENN T RIGHT MUN: PENN T

			0170/2251	LEN=0053 INSTALLED UNKN
				PENN
			0170/1589	MARKLESBURG B
				018 "DIA CIRC CONCR
			0170/0572	LEN=0084 INSTALLED UNKN
				MARKLESBURG
			0170/0532	PENN T
			0170/0216	BMSEN 31/0026/0170/0199
				1 0 00046 0 01 0496+91
				TR.HOOVERS R
			0170/0199	BMSBG 31/0026/0170/0199
	049398 FT		049398 FT	1 0 00046 0 01 0494+92
				018 "DIA CIRC CONCR
MOUNTAIN RD				LEN=0030 INSTALLED UNKN
(T420)	0170/0000		S 0170/0000	LENGTH(AH 3354 BK 1506)
				018 "DIA CIRC CONCR
			0160/1475	LEN=0105 INSTALLED UNKN
				PENN
			0160/1108	MARKLESBURG B
				018 "DIA CIRC CONCR
			0160/0940	LEN=0035 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0160/0380	LEN=0035 INSTALLED UNKN
				012 "DIA CIRC CONCR
			0160/0191	LEN=0029 INSTALLED UNKN
	047892 FT		047892 FT	1 0 00046 0 01 0479+00
			S 0160/0000	LENGTH(AH 1506 BK 3497)
				040"H 48"W BOX CULVRT*
			0150/3415	LEN=0040 INSTALLED UNKN
BEACH AL				
(BORO)	0150/3077			
				CHURCH ST
			0150/2949	(BORO)
				FILBERT ST
			0150/2742	(BORO)
				PLUM AL
			0150/2525	(BORO)
				PEACH AL
			0150/2332	(BORO)
				024"H 05"W CON BOX CUL
			0150/2277	LEN=0035 INSTALLED UNKN
CHESTNUT ST				AITCH RD
(BORO)	0150/2122		0150/2122	(SR3010 SEG 0010/0000)
				018 "DIA CIRC CONCR
			0150/2038	LEN=0035 INSTALLED UNKN
LAKEVIEW DR				WALNUT ST
(BORO)	0150/1702		0150/1702	(BORO)

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: MARKLESBURG B RIGHT MUN: MARKLESBURG B

				APPLE AL
			0150/1494	(BORO)
OLD MOUNTAIN RD (BORO)	0150/1215			
				065"H 65"W CON BOX CUL
			0150/0893	LEN=0026 INSTALLED UNKN
OAK ST (BORO)	0150/0619			
				012 "DIA CIRC CONCR
			0150/0379	LEN=0031 INSTALLED UNKN
	044395 FT		044395 FT	1 0 00046 0 01 0445+40
				MARKLESBURG
				LINCOLN T
			0150/0000	LENGTH(AH 3497 BK 2336)
				024 "DIA CIRC CONCR
			0140/1875	LEN=0041 INSTALLED UNKN
				036 "DIA CIRC CONCR
			0140/0374	LEN=0032 INSTALLED UNKN
	042059 FT		042059 FT	1 0 00046 0 00 0420+07
			0140/0000	LENGTH(AH 2336 BK 3630)
				018 "DIA CIRC CONCR
			0130/3090	LEN=0040 INSTALLED UNKN
				051"H 72"W ELLIP CONC
			0130/2630	LEN=0053 INSTALLED UNKN
			0130/0931	BMSEN 31/0026/0130/0923
				1 0 00046 0 00 0384+26
				BRANCH JAMES CREEK
			0130/0923	BMSBG 31/0026/0130/0923
				018 "DIA CIRC CONCR
			0130/0310	LEN=0040 INSTALLED UNKN
	038429 FT		038429 FT	1 0 00046 0 00 0384+26
				FOUSES CROSSING RD
				(T405)
			0130/0000	LENGTH(AH 3630 BK 3394)
				048"H 24"W CON BOX CUL
			0120/3304	LEN=0053 INSTALLED UNKN
				034 "DIA CIRC CONCR

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: LINCOLN T RIGHT MUN: LINCOLN T

```
                                                  0120/1673 LEN=0038 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0120/1330 LEN=0035 INSTALLED UNKN
WHITSEL RD
(TWP )                    0120/1047      ==
                                                            018 "DIA CIRC METAL
                                                  0120/0965 LEN=0040 INSTALLED UNKN

                          035035 FT               035035 FT 1 0 00046 0 00 0350+26
                                                S 0120/0000 LENGTH(AH 3394 BK 3693)

                                                            024 "DIA CIRC CONCR
                                                  0110/2980 LEN=0039 INSTALLED UNKN


                                                            018 "DIA CIRC CONCR
                                                  0110/1640 LEN=0048 INSTALLED UNKN

                                                            024 "DIA CIRC CONCR
                                                  0110/0545 LEN=0050 INSTALLED UNKN
                                                            015"H 00"W MULT CONCR
                                                  0110/0230 LEN=0050 INSTALLED UNKN
                          031342 FT               031342 FT 1 0 00046 0 00 0313+33
                                                            042"H 72"W CONCR ARCH
                                                            LEN=0044 INSTALLED UNKN
                                                S 0110/0000 LENGTH(AH 3693 BK 3758)



                                                            015 "DIA CIRC CONCR
                                                  0100/2000 LEN=0036 INSTALLED UNKN
                                                            015 "DIA CIRC CONCR
                                                  0100/1610 LEN=0036 INSTALLED UNKN

                                                            052"H 72"W CONCR ARCH
                                                  0100/0706 LEN=0042 INSTALLED UNKN
                          027584 FT               027584 FT 1 0 00046 0 00 0275+86
                                                            ENTRIKEN RD
                                                            (T406)
                                                ==  S 0100/0000 LENGTH(AH 3758 BK 2104)

                                                            052"H 72"W ELLIP CONC
                                                  0090/1054 LEN=0050 INSTALLED UNKN
```

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: LINCOLN T RIGHT MUN: LINCOLN T

		018 "DIA CIRC CONCR
	0090/1000	LEN=0060 INSTALLED 2001
		OLD PLANK RD
		(SR0994 SEG 0014/0000)
	0090/0794	
025480 FT	025480 FT	1 0 00046 0 00 0255+06
	S 0090/0000	LENGTH(AH 2104 BK 2687)
		052"H 72"W CON BOX CUL
	0080/2389	LEN=0045 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0080/2114	LEN=0038 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0080/1059	LEN=0048 INSTALLED 2001
	0080/0163	BMSEN 31/0026/0080/0153
		1 0 00046 0 00 0229+40
		TRIB COFFEE RUN
	0080/0153	BMSBG 31/0026/0080/0153
		036"H 72"W CON BOX CUL
	0080/0129	LEN=0045 INSTALLED UNKN
		LC FOR ENTRIKEN CEMETER
	0080/0110	(CONN)
022793 FT	022793 FT	1 0 00046 0 00 0228+54
		ENTRIKEN CEMETERY RD
		(T400)
	S 0080/0000	LENGTH(AH 2687 BK 2463)
		078"H 72"W CONCR ARCH
	0070/1122	LEN=0047 INSTALLED UNKN
020330 FT	020330 FT	1 0 00046 0 00 0203+16
		048"H 72"W CONC STRUCT
		LEN=0024 INSTALLED 1942
	S 0070/0000	LENGTH(AH 2463 BK 3248)
		015 "DIA CIRC CONCR
	0060/1527	LEN=0035 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0060/1200	LEN=0040 INSTALLED UNKN

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: LINCOLN T RIGHT MUN: LINCOLN T

```
017082 FT                    017082 FT 1 0 00046 0 00 0170+68
                                       018 "DIA CIRC CONCR
                                       LEN=0035 INSTALLED 2001
                                       LINCOLN
                                       HOPEWELL T
                             S 0060/0000 LENGTH(AH 3248 BK 3697)
                                       015 "DIA CIRC METAL
                               0050/3315 LEN=0039 INSTALLED UNKN
                                       036 "DIA CIRC CONCR
                               0050/2956 LEN=0042 INSTALLED UNKN
                                       032 "DIA CIRC METAL
                               0050/2359 LEN=0038 INSTALLED UNKN
                                       015 "DIA CIRC CONCR
                               0050/2090 LEN=0072 INSTALLED UNKN

                                       015 "DIA CIRC CONCR
                               0050/1343 LEN=0035 INSTALLED UNKN
                                       015 "DIA CIRC METAL
                               0050/0868 LEN=0035 INSTALLED UNKN
                                       042 "DIA CIRC CONCR
                               0050/0530 LEN=0081 INSTALLED UNKN
013385 FT                    013385 FT 1 0 00046 0 00 0134+00
                                       DOGTOWN RD
                                       (SR3004 SEG 0010/0000)
                             S 0050/0000 LENGTH(AH 3697 BK 3462)
                                       018 "DIA CIR PLASTIC
                               0040/3256 LEN=0035 INSTALLED UNKN
                                       018 "DIA CIRC METAL
                               0040/2945 LEN=0048 INSTALLED UNKN

                                       015 "DIA CIRC METAL
                               0040/2081 LEN=0040 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                               0040/1909 LEN=0036 INSTALLED UNKN
                                       018 "DIA CIRC CONCR
                               0040/1564 LEN=0036 INSTALLED UNKN

                                       018 "DIA CIRC CONCR
                               0040/0711 LEN=0065 INSTALLED UNKN
                                       036 "DIA CIRC CONCR
                               0040/0346 LEN=0051 INSTALLED UNKN
009923 FT                    009923 FT 1 0 00046 0 00 0099+38
                                       SHY BEAVER RD
                                       (SR3002 SEG 0010/0000)
                             S 0040/0000 LENGTH(AH 3462 BK 2950)
                                       015 "DIA CIRC CONCR
                               0030/2710 LEN=0050 INSTALLED UNKN

                                       024 "DIA CIRC CONCR
```

DIR: B TOTAL LEN: 44.955 MI. DIST: 09-5 SR: 26
LEFT MUN: HOPEWELL T RIGHT MUN: HOPEWELL T

```
                                                 0030/1909 LEN=0046 INSTALLED UNKN

DORMAN RD
(T401)                    0030/1161   ==
                                                           036 "DIA CIRC CONCR
                                                 0030/1150 LEN=0042 INSTALLED UNKN

                                                           015 "DIA CIRC CONCR
                                                 0030/0046 LEN=0035 INSTALLED UNKN
                          006973 FT              006973 FT 1 0 00046 0 00 0069+88
                                                           VILLAGE: CHERRYTOWN
                                                S 0030/0000 LENGTH(AH 2950 BK 3436)
                                                           015 "DIA CIRC CONCR
                                                 0020/3075 LEN=0123 INSTALLED UNKN
                                                           032 "DIA CIRC METAL
                                                 0020/2541 LEN=0053 INSTALLED UNKN
ACORN LN
(PRDR)                    0020/1949   ==
                                                           015 "DIA CIRC CONCR
                                                 0020/1457 LEN=0029 INSTALLED UNKN
                                                           015 "DIA CIRC METAL
                                                 0020/0972 LEN=0033 INSTALLED UNKN

                                                           015 "DIA CIRC CONCR
                                                 0020/0244 LEN=0039 INSTALLED UNKN
                          003537 FT              003537 FT 1 0 00046 0 00 0035+52
                                                S 0020/0000 LENGTH(AH 3436 BK 3537)
                                                           036 "DIA CIRC METAL
                                                 0010/3158 LEN=0042 INSTALLED UNKN
                                                           024 "DIA CIRC METAL
                                                 0010/2998 LEN=0031 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0010/2407 LEN=0041 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0010/2001 LEN=0035 INSTALLED UNKN
                                                           015 "DIA CIRC CONCR
                                                 0010/1547 LEN=0044 INSTALLED UNKN
                                                           012 "DIA CIRC CONCR
                                                 0010/1064 LEN=0033 INSTALLED UNKN

                                                           015 "DIA CIRC CONCR
                                                 0010/0340 LEN=0038 INSTALLED UNKN
                          000000 FT              000000 FT 1 0 00046 0 00 0000+00
                                                       NC RAYSTOWN RD
                                                * REF-BK   RAYSTOWN RD
                                                           (SR0026 SEG 0930/1052)
                                                           MFC BEGIN = C
                                                            BK-BEDFORD        (05)
                                                S 0010/0000 LENGTH(AH 3537 BK 0000)
```

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: BRADY T RIGHT MUN: BRADY T

SUBSTATION RD
(T775)

124706 FT

0490/1138

123403 FT

124754 FT AH-MIFFLIN (44)
REF-AHD WILLIAM PENN HW
0490/1303 (SR0022 SEG 0010/0000)

018 "DIA CIRC METAL
0490/0567 LEN=0061 INSTALLED UNKN
024 "DIA CIRC METAL
0490/0368 LEN=0061 INSTALLED UNKN
024 "DIA CIRC METAL
0490/0064 LEN=0061 INSTALLED UNKN
123451 FT 1 0 00033 0 01 0553+40
0490/0000 LENGTH(AH 1303 BK 3701)
RETAINING WALL END
0480/3639 BMSID 31/0022/0480/3535
RETAINING WALL BEGIN
0480/3535 BMSID 31/0022/0480/3535
018 "DIA CIRC METAL
0480/3300 LEN=0063 INSTALLED UNKN
018 "DIA CIRC METAL
0480/3003 LEN=0058 INSTALLED UNKN
018 "DIA CIRC METAL
0480/2781 LEN=0057 INSTALLED UNKN
018 "DIA CIRC METAL
0480/2628 LEN=0056 INSTALLED UNKN
024 "DIA CIRC METAL
0480/2302 LEN=0071 INSTALLED UNKN
024 "DIA CIRC METAL
0480/1985 LEN=0062 INSTALLED UNKN
024 "DIA CIRC METAL
0480/1666 LEN=0062 INSTALLED UNKN
024 "DIA CIRC METAL

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: BRADY T RIGHT MUN: BRADY T

```
                                        0480/1392 LEN=0076 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0480/1160 LEN=0074 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0480/0905 LEN=0071 INSTALLED UNKN
                                                  018 "DIA CAST IRON
                                        0480/0544 LEN=0065 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0480/0209 LEN=0083 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0480/0039 LEN=0078 INSTALLED UNKN
119702 FT                               119750 FT 1 0 00033 0 01 0516+11
                                      S 0480/0000 LENGTH(AH 3701 BK 3747)
                                                  018 "DIA CIRC METAL
                                        0470/3594 LEN=0063 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0470/3258 LEN=0068 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0470/3035 LEN=0071 INSTALLED UNKN
                                                  018 "DIA CIRC METAL
                                        0470/2796 LEN=0068 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0470/2542 LEN=0075 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0470/2264 LEN=0072 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0470/2079 LEN=0081 INSTALLED UNKN
                                                  024 "DIA CIR PLASTIC
                                        0470/1834 LEN=0068 INSTALLED UNKN
                                                  054"H 72"W ELLIP CONC
                                        0470/1603 LEN=0130 INSTALLED UNKN
                                                  030 "DIA CIRC METAL
                                        0470/1427 LEN=0082 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0470/1132 LEN=0100 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0470/0810 LEN=0075 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0470/0480 LEN=0065 INSTALLED UNKN
                                                  024 "DIA CIRC METAL
                                        0470/0162 LEN=0064 INSTALLED UNKN
115955 FT                               116003 FT 1 0 00033 0 01 0479+00
                                      S 0470/0000 LENGTH(AH 3747 BK 1766)
                                                  RETAINING WALL END
                                        0460/1766 BMSID 31/0022/0460/1294
                                                  RETAINING WALL BEGIN
                                        0460/1294 BMSID 31/0022/0460/1294
                                                  018 "DIA CIRC METAL
                                        0460/1135 LEN=0063 INSTALLED UNKN
                                                  RETAINING WALL END
```

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: BRADY T RIGHT MUN: BRADY T

	0460/1101	BMSID 31/0022/0460/0851
		RETAINING WALL BEGIN
	0460/0851	BMSID 31/0022/0460/0851
		018 "DIA CIRC METAL
	0460/0823	LEN=0050 INSTALLED 2001
		054"H 72"W ELLIP CONC
	0460/0706	LEN=0090 INSTALLED UNKN
		018 "DIA CIRC METAL
	0460/0440	LEN=0056 INSTALLED UNKN
114189 FT	114237 FT	1 0 00033 0 01 0461+28
		SR 2020 SH
		(SR2020 SEG 0020/1394)
	S 0460/0000	LENGTH(AH 1766 BK 3196)
		036 "DIA CIRC CONCR
	0450/1515	LEN=0075 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0450/1242	LEN=0060 INSTALLED UNKN
		015 "DIA CIRC CONCR
	0450/0935	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0450/0547	LEN=0060 INSTALLED UNKN
		015 "DIA CIRC METAL
	0450/0277	LEN=0060 INSTALLED UNKN
110993 FT	111041 FT	1 0 00033 0 01 0429+74
	S 0450/0000	LENGTH(AH 3196 BK 2912)
		018 "DIA CIRC CONCR
	0440/2895	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC METAL
	0440/2550	LEN=0060 INSTALLED UNKN
		024 "DIA CIRC METAL
	0440/2220	LEN=0100 INSTALLED UNKN
		024 "DIA CIRC METAL
	0440/1845	LEN=0090 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0440/1380	LEN=0060 INSTALLED UNKN
		024 "DIA CIRC CONCR
	0440/1014	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0440/0775	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC METAL
	0440/0475	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0440/0150	LEN=0060 INSTALLED UNKN
108081 FT	108129 FT	1 0 00033 0 01 0400+62
		MFC BEGIN = B
	S 0440/0000	LENGTH(AH 2912 BK 0542)

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: BRADY T RIGHT MUN: BRADY T

```
1 0 00033 0 01 0395+20 107537 FT                    107587 FT 1 0 00033 0 01 0395+20
MFC BEGIN = B                                                 MFC BEGIN = B
LENGTH(AH 0544 BK 3820) 0431/0000                   0430/0000 LENGTH(AH 0542 BK 3820)
                                                              018 "DIA CIRC CONCR
                                                    0420/3600 LEN=0195 INSTALLED UNKN
                                                              018 "DIA CIRC METAL
                                                    0420/3320 LEN=0060 INSTALLED UNKN
                                                              018 "DIA CIRC METAL
                                                    0420/3070 LEN=0092 INSTALLED UNKN

                                                              018 "DIA CIRC CONCR
                                                    0420/1985 LEN=0092 INSTALLED UNKN
                                                              024 "DIA CAST IRON
                                                    0420/1815 LEN=0065 INSTALLED UNKN
                                                              024 "DIA CIRC METAL
                                                    0420/1469 LEN=0066 INSTALLED UNKN
                                                              018 "DIA CIRC METAL
                                                    0420/1190 LEN=0060 INSTALLED UNKN
                                                    0420/0836 BMSEN 31/0022/0420/0704
                                                              1 0 00033 0 01 0363+93
                                                              NO UNDERPASS INFORMATIO
                                                    0420/0704 BMSBG 31/0022/0420/0704
                                                              018 "DIA CAST IRON
                                                    0420/0192 LEN=0054 INSTALLED UNKN
                                    103717 FT       103767 FT 1 0 00033 0 01 0357+00
                                                              ORISKANY RD
                                                              (SR0655 SEG 0490/2594)
                                                    0420/0000 LENGTH(AH 3820 BK 2184)
                                                              024 "DIA CIRC METAL
                                                    0410/2060 LEN=0131 INSTALLED UNKN
                                                              018 "DIA CIRC METAL
                                                    0410/1667 LEN=0085 INSTALLED UNKN
                                                              018 "DIA CIRC METAL
                                                    0410/1237 LEN=0073 INSTALLED UNKN
                                                              024 "DIA CIRC METAL
                                                    0410/0984 LEN=0089 INSTALLED UNKN
                                                              RETAINING WALL END
                                                    0410/0850 BMSID 31/0022/0410/0800
                                                              RETAINING WALL BEGIN
                                                    0410/0800 BMSID 31/0022/0410/0800
                                                              018 "DIA CAST IRON
                                                    0410/0764 LEN=0071 INSTALLED UNKN
                                                              018 "DIA CAST IRON
                                                    0410/0602 LEN=0058 INSTALLED UNKN
                                    101533 FT       101583 FT 1 0 00033 0 01 0335+12
                                                              DEXTER FALLOW RUN
                                                              STRUCTURE LENGTH 8 FT
```

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: BRADY T RIGHT MUN: BRADY T

			BMSID 31/0022/0410/0000
		0410/0000	LENGTH(AH 2184 BK 2905)
			018 "DIA CIRC METAL
		0400/2233	LEN=0077 INSTALLED UNKN
			018 "DIA CIRC METAL
		0400/1911	LEN=0061 INSTALLED UNKN
			060 "DIA CIRC CONCR
		0400/1400	LEN=0040 INSTALLED 1941
			(APRA) COUNTY MOBILE HO
			COUNTY MOBILE HOMES RD
	POI	0400/1170	(PRDR)
			036 "DIA CIRC METAL
		0400/0808	LEN=0167 INSTALLED UNKN
			018 "DIA CIRC METAL
		0400/0358	LEN=0069 INSTALLED UNKN
			BRADY
		0400/0277	MILL CREEK B
			018 "DIA CIRC METAL
		0400/0006	LEN=0070 INSTALLED UNKN
098628 FT		098678 FT	1 0 00033 0 01 0305+63
		0400/0000	LENGTH(AH 2905 BK 2320)
			018 "DIA CIRC METAL
		0390/1895	LEN=0070 INSTALLED UNKN
			015 "DIA CIRC METAL
		0390/1613	LEN=0061 INSTALLED UNKN
			015 "DIA CAST IRON
		0390/1143	LEN=0082 INSTALLED UNKN
			018 "DIA CIRC METAL
		0390/0871	LEN=0500 INSTALLED UNKN
			018 "DIA CIRC METAL
		0390/0657	LEN=0259 INSTALLED UNKN
WISTERIA LN (BORO)	0390/0535		
			VALLEY ST
		0390/0367	(BORO)
			018 "DIA CIR PLASTIC
		0390/0352	LEN=0030 INSTALLED 1999
VALLEY ST (BORO)	0390/0329		
	096308 FT	096358 FT	1 0 00033 0 01 0282+43
			WALNUT ST
			(BORO)
BIG VALLEY PK (SR0655 SEG 0500/0000)	0390/0000	0390/0000	LENGTH(AH 2320 BK 1798)
			MILL CREEK
			STRUCTURE LENGTH 50 FT
		0380/1437	BMSID 31/0022/0380/1437

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: MILL CREEK B RIGHT MUN: MILL CREEK B

		0380/0353	015 "DIA CIRC METAL LEN=0042 INSTALLED UNKN SUGAR GROVE RD
		0380/0102	(BORO)
094510 FT		094560 FT	1 0 00033 0 01 0264+51 MILL CREEK HENDERSON T
		S 0380/0000	LENGTH(AH 1798 BK 2214) SUGAR GR.RUN STRUCTURE LENGTH 20 FT
		0370/1943	BMSID 31/0022/0370/1943 018 "DIA CIRC METAL
		0370/1667	LEN=0055 INSTALLED UNKN 018 "DIA CIRC CONCR
		0370/1435	LEN=0040 INSTALLED UNKN 018 "DIA CIRC METAL
		0370/1242	LEN=0258 INSTALLED UNKN DRY RUN STRUCTURE LENGTH 8 FT
		0370/0851	BMSID 31/0022/0370/0851 BLUE MOON HOLLOW RD
		0370/0814	(T445)
092296 FT		092346 FT	1 0 00033 0 01 0242+43 TROUGH CREEK VALLEY PK (SR0829 SEG 0420/1509)
		S 0370/0000	LENGTH(AH 2214 BK 1308) 018 "DIA CIRC METAL
		0360/0925	LEN=0091 INSTALLED UNKN
		0360/0065	018 "DIA CIRC METAL LEN=0060 INSTALLED UNKN
090988 FT		091038 FT	1 0 00033 0 01 0228+63
		S 0360/0000	LENGTH(AH 1308 BK 3443)
SMOKERS HILL RD (T601)	0350/3204		
TOWNSHIP RD (TWP)	0350/3180		
		0350/3135	018"H 20"W ELLIP CONC LEN=0090 INSTALLED UNKN MAIN ST
		0350/3056	(T444)
		0350/2688	036 "DIA CIRC CONCR LEN=0102 INSTALLED UNKN 018 "DIA CIRC CONCR
		0350/2462	LEN=0065 INSTALLED UNKN 018 "DIA CIRC CONCR
		0350/2023	LEN=0087 INSTALLED UNKN

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

			024 "DIA CIRC CONCR
		0350/1349	LEN=0075 INSTALLED UNKN
			036 "DIA CIRC METAL
		0350/1050	LEN=0075 INSTALLED UNKN
GLENBURK DR (TWP)	0350/0997		
			018 "DIA CIRC CONCR
		0350/0452	LEN=0050 INSTALLED UNKN
	087545 FT	087595 FT	1 0 00033 0 00 0190+93
			PIKES RUN
			STRUCTURE LENGTH 22 FT
			BMSID 31/0022/0350/0000
		0350/0000	LENGTH(AH 3443 BK 2649)
			072"H 48"W CONC STRUCT
		0340/1600	LEN=0045 INSTALLED 1948
			018 "DIA CIRC CONCR
		0340/0989	LEN=0095 INSTALLED UNKN
	084896 FT	084946 FT	1 0 00033 0 00 0164+78
		0340/0000	LENGTH(AH 2649 BK 2696)
			JACOBS CROSSING RD
		0330/0583	(T443)
			048 "DIA CIRC CONCR
		0330/0179	LEN=0143 INSTALLED UNKN
1 0 00033 0 00 0137+82	082200 FT	082250 FT	
PENN WOODS RD (T570)	0330/0000	0330/0000	LENGTH(AH 2696 BK 2612)
			018 "DIA CIRC CONCR
		0320/2344	LEN=0050 INSTALLED UNKN
			048"H 50"W CON BOX CUL
		0320/1835	LEN=0141 INSTALLED UNKN
			032 "DIA CIRC CONCR
		0320/1576	LEN=0092 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0320/0953	LEN=0074 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0320/0105	LEN=0076 INSTALLED UNKN
	079588 FT	079638 FT	1 0 00033 0 00 0111+53

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

			VILLAGE: ARDENHEIM
		0320/0000	LENGTH(AH 2612 BK 3634)
			060"H 72"W CON BOX CUL
		0310/3300	LEN=0051 INSTALLED UNKN
			048"H 60"W CON BOX CUL
		0310/1835	LEN=0075 INSTALLED UNKN
SCHOOLHOUSE HOLLOW RD (T448)	0310/1668		
			018 "DIA CIRC CONCR
		0310/1350	LEN=0200 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0310/0980	LEN=0067 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0310/0710	LEN=0106 INSTALLED UNKN
NUMMERS HOLLOW RD (T450)	0310/0416		
LC FOR NUMMERS HOLLOW R (CONN)	0310/0281		
		0310/0023	BMSEN 31/0022/0310/0000
	075954 FT	076004 FT	1 0 00033 0 00 0075+19
			NO UNDERPASS INFORMATIO
			BMSBG 31/0022/0310/0000
		0310/0000	LENGTH(AH 3634 BK 2235)
			TR.JUN.RIV.
			STRUCTURE LENGTH 10 FT
		0300/2150	BMSID 31/0022/0300/2150
			024 "DIA CIRC CONCR
		0300/1968	LEN=0200 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0300/1545	LEN=0069 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0300/1077	LEN=0050 INSTALLED UNKN
			024 "DIA CIRC CONCR
		0300/0604	LEN=0052 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0300/0285	LEN=0050 INSTALLED UNKN
	073719 FT	073769 FT	1 0 00033 0 00 0052+30
		0300/0000	LENGTH(AH 2235 BK 1579)
			SNYDERS RUN
			STRUCTURE LENGTH 12 FT
		0290/1180	BMSID 31/0022/0290/1180
			PENN ST
		0290/0770	(SR1010 SEG 0032/1395)
1 0 00033 0 00 0036+13	072140 FT	072190 FT	
PENN ST (SR1010 SEG 0033/0575)	0290/0000	0290/0000	LENGTH(AH 1579 BK 1065)

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: HENDERSON T RIGHT MUN: HENDERSON T

		0280/0983	BMSEN 31/0022/0280/0000
			HENDERSON
		0280/0409	SMITHFIELD T
	071075 FT	071125 FT	1 0 00055 0 02 0963+38
			SR 1010 EBL
			BMSBG 31/0022/0280/0000
		S 0280/0000	LENGTH(AH 1065 BK 3357)
			SNYDERS RUN RD
		0270/1971	(SR3043 SEG 0080/2122)
			018 "DIA CIRC CONCR
		0270/1306	LEN=0078 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0270/1089	LEN=0090 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0270/0665	LEN=0020 INSTALLED UNKN
LAKE RAYSTOWN SHOP CTR			
(PRDR)	0270/0500	0270/0500	
1 0 00055 0 02 0929+89	067718 FT	067768 FT	
FOURTH ST			
(SR3047 SEG 0010/0000)	0270/0000	S 0270/0000	LENGTH(AH 3357 BK 3040)
			CROOKED CREEK RD
		0260/2580	(T564)
			MCDONALDS RD
SHOPPING CENTER RD			(PRDR)
(PRDR)	0260/2045	0260/2045	
		0260/1588	BMSEN 31/0022/0260/1517
			1 0 00055 0 02 0914+58
			CROOKED CRK.
		0260/1517	BMSBG 31/0022/0260/1517
TO 8006/0500 SH			
(CONN)	0260/0961		
			RAMP RD
			(SR8006 SEG 0500/0000)
			RAMP RD
			(SR8006 SEG 0510/0626)
		0260/0832	
FROM 8006/0510 SH			
(CONN)	0260/0741		
		0260/0503	BMSEN 31/0022/0260/0000
	064678 FT	064728 FT	1 0 00055 0 02 0899+37
			SR 3035
			BMSBG 31/0022/0260/0000
		S 0260/0000	LENGTH(AH 3040 BK 1776)
			018 "DIA CIRC CONCR
		0250/1237	LEN=0076 INSTALLED UNKN

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T

			018 "DIA CIRC CONCR
		0250/0236	LEN=0101 INSTALLED UNKN
1 0 00055 0 02 0881+56 062902 FT		062952 FT	WESTOVER HILL RD
TENTH ST			(T450)
(T458) 0250/0000		S 0250/0000	LENGTH(AH 1776 BK 2647)
			018 "DIA CIRC CONCR
		0240/2050	LEN=0060 INSTALLED UNKN
			TR.JUNIATA.R
			STRUCTURE LENGTH 25 FT
		0240/1799	BMSID 31/0022/0240/1799
			024 "DIA CIRC CONCR
		0240/0987	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0240/0705	LEN=0060 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0240/0410	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0240/0020	LEN=0200 INSTALLED UNKN
060255 FT		060305 FT	1 0 00055 0 02 0855+05
			MFC BEGIN = B
		S 0240/0000	LENGTH(AH 2647 BK 0740)
			018 "DIA CIRC CONCR
		0230/0590	LEN=0035 INSTALLED UNKN
018 "DIA CIRC CONCR			
LEN=0035 INSTALLED UNKN 0231/0572			
			RAMP A RD
		0230/0460	(SR8004 SEG 0754/0717)
			RAMP A WEST RD
		0230/0325	(SR8004 SEG 0752/0000)
	RBR RBR		
BMSEN 31/0022/0230/0000 0231/0082		0230/0082	BMSEN 31/0022/0230/0000
1 0 00055 0 02 0847+69 059522 FT		059565 FT	1 0 00055 0 02 0847+69
P3			P3
SR 0026			SR 0026
BMSBG 31/0022/0230/0000	RBR RBR		BMSBG 31/0022/0230/0000
LENGTH(AH 0733 BK 1671) 0231/0000	S	S 0230/0000	LENGTH(AH 0740 BK 1667)
RAMP B EAST RD			
(SR8004 SEG 0252/0000) 0221/1400			
RAMP B WEST RD			
(SR8004 SEG 0254/0808) 0221/1220			
018 "DIA CIRC CONCR			
LEN=0060 INSTALLED UNKN 0221/1147			
			018 "DIA CIRC CONCR

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: SMITHFIELD T RIGHT MUN: SMITHFIELD T



	0220/1142	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0220/1105	LEN=0055 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0220/0817	LEN=0054 INSTALLED UNKN
018 "DIA CIRC CONCR		
LEN=0055 INSTALLED UNKN 0221/0787		
		WALMART EXIT LT
	0220/0400	(PRDR)
024 "DIA CIRC CONCR		
LEN=0054 INSTALLED UNKN 0221/0296		
		WALMART ENTRANCE LT
	0220/0053	(PRDR)
1 0 00055 0 02 0839+28 057851 FT	057898 FT	1 0 00055 0 02 0839+28
MFC BEGIN = B		MFC BEGIN = B
LENGTH(AH 1671 BK 1046) 0221/0000	0220/0000	LENGTH(AH 1667 BK 1046)
		018 "DIA CIRC CONCR
	0210/0670	LEN=0066 INSTALLED UNKN
WALNUT TERRACE RD		
(T561) 0210/0598		
		018 "DIA CIRC CONCR
	0210/0460	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0210/0153	LEN=0073 INSTALLED UNKN
056805 FT	056852 FT	1 0 00055 0 02 0819+96
	0210/0000	LENGTH(AH 1046 BK 1654)
		024 "DIA CIRC CONCR
	0200/1536	LEN=0127 INSTALLED UNKN
WARRIOR OAK RD		
(T401) 0200/1200		
		SMITHFIELD
	0200/1179	PORTER T
		018 "DIA CIRC CONCR
	0200/0669	LEN=0066 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0200/0363	LEN=0060 INSTALLED UNKN
055151 FT	055198 FT	1 0 00055 0 02 0802+77
	0200/0000	LENGTH(AH 1654 BK 3716)
		045 "DIA CIRC CONCR
	0190/3680	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0190/3175	LEN=0030 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0190/2670	LEN=0060 INSTALLED UNKN
		018 "DIA CIRC CONCR
	0190/2120	LEN=0080 INSTALLED UNKN
		HARTSLOG VALLEY RD
	0190/2049	(SR3039 SEG 0130/1009)
		018 "DIA CIRC CONCR
	0190/1890	LEN=0100 INSTALLED UNKN

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: PORTER T RIGHT MUN: PORTER T

			018 "DIA CIRC CONCR
		0190/1475	LEN=0090 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0190/1150	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0190/0915	LEN=0070 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0190/0570	LEN=0080 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0190/0445	LEN=0080 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0190/0200	LEN=0080 INSTALLED UNKN
	051435 FT	051482 FT	1 0 00055 0 02 0765+20
		S 0190/0000	LENGTH(AH 3716 BK 0688)
	050747 FT	050794 FT	1 0 00055 0 02 0758+34
		S 0184/0000	LENGTH(AH 0688 BK 3449)
			018 "DIA CIRC CONCR
		0180/3195	LEN=0090 INSTALLED UNKN
RUNK RD (T432)	0180/2552		
			018 "DIA CIRC CONCR
		0180/2085	LEN=0080 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0180/1895	LEN=0080 INSTALLED UNKN
			OLD TWENTY-TWO RD
		0180/1715	(T613)
			018 "DIA CIRC CONCR
		0180/1625	LEN=0085 INSTALLED UNKN
			042"H 48"W ELLIP CONC
		0180/1125	LEN=0115 INSTALLED 1956
			024 "DIA CIRC CONCR
		0180/0045	LEN=0095 INSTALLED UNKN
	047298 FT	047345 FT	1 0 00055 0 02 0723+85
		S 0180/0000	LENGTH(AH 3449 BK 3245)
			040 "DIA CIRC CONCR
		0170/2325	LEN=0080 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0170/1945	LEN=0080 INSTALLED UNKN
			046"H 48"W ELLIP CONC
		0170/1146	LEN=0150 INSTALLED UNKN
			018 "DIA CIRC METAL
		0170/0450	LEN=0094 INSTALLED UNKN

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: PORTER T RIGHT MUN: PORTER T

044053 FT

015 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0161/3340

018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0161/2960

036"H 60"W ELLIP CONC
LEN=0050 INSTALLED UNKN 0161/2225

018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0161/1560

018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN 0161/1300

018 "DIA CIRC CONCR
LEN=0050 INSTALLED UNKN 0161/0825

1 0 00055 0 02 0657+27 040678 FT
LENGTH(AH 3375 BK 3594) 0161/0000 S
018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0151/3475

030 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0151/3160

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0151/2860

018 "DIA CIRC CONCR
LEN=0040 INSTALLED UNKN 0151/2715

018 "DIA CIRC CONCR

044100 FT 1 0 00055 0 02 0691+40
MFC BEGIN = B
S 0170/0000 LENGTH(AH 3245 BK 3413)

015 "DIA CIRC CONCR
0160/3335 LEN=0030 INSTALLED UNKN
018 "DIA CIRC CONCR
0160/2965 LEN=0040 INSTALLED UNKN

036"H 60"W ELLIP CONC
0160/2225 LEN=0050 INSTALLED UNKN

018 "DIA CIRC CONCR
0160/1545 LEN=0035 INSTALLED UNKN

018 "DIA CIRC CONCR
0160/1285 LEN=0035 INSTALLED UNKN

018 "DIA CIRC CONCR
0160/0815 LEN=0070 INSTALLED UNKN

040687 FT 1 0 00055 0 02 0657+27
S 0160/0000 LENGTH(AH 3413 BK 3603)

018 "DIA CIRC CONCR
0150/3445 LEN=0040 INSTALLED UNKN
030 "DIA CIRC CONCR
0150/3175 LEN=0030 INSTALLED UNKN

018 "DIA CIRC CONCR
0150/2875 LEN=0030 INSTALLED UNKN

018 "DIA CIRC CONCR
0150/2730 LEN=0030 INSTALLED UNKN

018 "DIA CIRC CONCR
0150/2673 LEN=0030 INSTALLED UNKN

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: PORTER T RIGHT MUN: PORTER T

LEN=0040 INSTALLED UNKN	0151/2658			
018 "DIA CIRC CONCR				
LEN=0045 INSTALLED UNKN	0151/2319			
TR.HEWITTS R				TR.HEWITTS R
STRUCTURE LENGTH 8 FT				STRUCTURE LENGTH 8 FT
BMSID 31/0022/0150/1800	0151/1820		0150/1800	BMSID 31/0022/0150/1800
				030 "DIA CAST IRON
			0150/1311	LEN=0045 INSTALLED UNKN
018 "DIA CIRC CONCR				018 "DIA CIRC CONCR
LEN=0030 INSTALLED UNKN	0151/0929		0150/0929	LEN=0040 INSTALLED UNKN
040 "DIA CAST IRON				
LEN=0030 INSTALLED UNKN	0151/0324			
1 0 00055 0 02 0621+23	037084 FT		037084 FT	1 0 00055 0 02 0621+23
MFC BEGIN = B				MFC BEGIN = B
LENGTH(AH 3594 BK 2091)	0151/0000	S	S 0150/0000	LENGTH(AH 3603 BK 2091)
HARTSLOG HOMES DR (PRDR)	0140/0989	POI	0140/0989	(APRA) HARTSLOG HOMES D
RIVER RD (T618)	0140/0358		0140/0358	OLD ROUTE 22 RD (T613)
			0140/0024	BMSEN 31/0022/0140/0000
	034993 FT		034993 FT	1 0 00055 0 02 0601+32
				EMMAS CREEK
				BMSBG 31/0022/0140/0000
			S 0140/0000	LENGTH(AH 2091 BK 2920)
				015 "DIA CIRC CONCR
			0130/1981	LEN=0099 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0130/1808	LEN=0085 INSTALLED UNKN
				015 "DIA CIRC CONCR
			0130/1625	LEN=0104 INSTALLED UNKN
				018 "DIA CAST IRON
			0130/1186	LEN=0101 INSTALLED UNKN
				015 "DIA CIRC METAL
			0130/0904	LEN=0119 INSTALLED UNKN
GRANGE HALL RD (T564)	0130/0726			
				024 "DIA CIRC METAL
			0130/0505	LEN=0100 INSTALLED UNKN
				024 "DIA CIRC METAL
			0130/0035	LEN=0067 INSTALLED UNKN
	032073 FT		032073 FT	1 0 00055 0 01 0559+68
			S 0130/0000	LENGTH(AH 2920 BK 2473)
				018 "DIA CIRC METAL
			0120/2102	LEN=0078 INSTALLED UNKN

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: PORTER T RIGHT MUN: PORTER T

		0120/1712	018 "DIA CIRC METAL LEN=0067 INSTALLED UNKN
BRIDGE ST (SR0305 SEG 0010/0000)	0120/0426		
		0120/0328	015 "DIA CIRC METAL LEN=0107 INSTALLED UNKN
1 0 00055 0 01 0534+30 FOR SR 0022 AND 0305 (CONN)	029600 FT	029600 FT	LOOP RD (T616)
	0120/0000	5 0120/0000	LENGTH(AH 2473 BK 3871) T.JUNIATA R. STRUCTURE LENGTH 16 FT
		0110/3842	BMSID 31/0022/0110/3842
		0110/3195	LOCUST LN (T611)
		0110/2778	018 "DIA CIRC METAL LEN=0168 INSTALLED UNKN
		0110/2310	018 "DIA CIRC METAL LEN=0067 INSTALLED UNKN
		0110/1730	018 "DIA CIRC METAL LEN=0100 INSTALLED UNKN
		0110/1304	016 "DIA CIRC METAL LEN=0072 INSTALLED UNKN
		0110/0949	018 "DIA CIRC METAL LEN=0072 INSTALLED UNKN
	025729 FT	025729 FT	1 0 00055 0 01 0495+13
		5 0110/0000	LENGTH(AH 3871 BK 3747)
		0100/3532	018 "DIA CIRC METAL LEN=0060 INSTALLED UNKN
		0100/3194	018 "DIA CIRC METAL LEN=0075 INSTALLED UNKN
		0100/3026	SPORTSMAN RD (T610)
		0100/2621	048 "DIA CIRC METAL LEN=0170 INSTALLED UNKN
		0100/2139	018 "DIA CIRC METAL LEN=0087 INSTALLED UNKN
		0100/0979	018 "DIA CIRC METAL LEN=0091 INSTALLED UNKN
		0100/0737	018 "DIA CIRC METAL LEN=0095 INSTALLED UNKN
		0100/0438	018 "DIA CIRC METAL LEN=0092 INSTALLED UNKN

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: PORTER T RIGHT MUN: PORTER T

	021982 FT		021982 FT	1 0 00055 0 01 0457+45
				072"H 72"W CONCR ARCH
				LEN=0119 INSTALLED 1941
			S 0100/0000	LENGTH(AH 3747 BK 1794)
				018 "DIA CIRC CONCR
			0090/1432	LEN=0072 INSTALLED UNKN
				DMS SIGN STRUCTURE
			0090/1270	BMSID 31/0022/0090/1270
				016 "DIA CAST IRON
			0090/1117	LEN=0065 INSTALLED UNKN
			0090/0724	BMSEN 31/0022/0090/0000
	020188 FT		020188 FT	1 0 00055 0 01 0439+67
				FRANKSTOWN BR JUNIATA R
				BMSBG 31/0022/0090/0000
			S 0090/0000	LENGTH(AH 1794 BK 2450)
MAIN ST (SR4014 SEG 0010/0000)	0080/2290			
				PORTER
			0080/2051	MORRIS T
				018 "DIA CIRC CONCR
			0080/2025	LEN=0064 INSTALLED UNKN
	017738 FT		017738 FT	1 0 00055 0 01 0415+17
			S 0080/0000	LENGTH(AH 2450 BK 1460)
				042 "DIA CIRC METAL
			0078/1201	LEN=0100 INSTALLED 2001
				SIGN: CANTILEVER
			0078/0435	BMSID 31/0022/0078/0435
				TR SHAFFER R
				STRUCTURE LENGTH 13 FT
			0078/0164	BMSID 31/0022/0078/0164
	016278 FT		016278 FT	0 0 00000 0 00 0000+00
				VILLAGE: WATER STREET
				SHAFFERSVILLE RD
				(SR4016 SEG 0030/1634)
BIRMINGHAM PK (SR0453 SEG 0010/0000)	0078/0000		S 0078/0000	LENGTH(AH 1460 BK 1480)
				018 "DIA CIRC CONCR
			0074/0470	LEN=0053 INSTALLED 2001
			0074/0455	BMSEN 31/0022/0074/0000
	014798 FT		014798 FT	0 0 00000 0 00 0000+00
				SR 4016

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: MORRIS T RIGHT MUN: MORRIS T

			BMSBG 31/0022/0074/0000
		S 0074/0000	LENGTH(AH 1480 BK 2378)
			018 "DIA CIRC CONCR
		0064/2350	LEN=0055 INSTALLED 2001
			024 "DIA CIRC CONCR
		0064/2250	LEN=0100 INSTALLED 2001
	012420 FT	012420 FT	0 0 00000 0 00 0000+00
		S 0064/0000	LENGTH(AH 2378 BK 2212)
			030 "DIA CIRC CONCR
		0054/2000	LEN=0230 INSTALLED 2001
			042 "DIA CIRC CONCR
		0054/1250	LEN=0210 INSTALLED 2001
			018 "DIA CIRC CONCR
		0054/0175	LEN=0060 INSTALLED 2001
			018 "DIA CIRC CONCR
		0054/0120	LEN=0055 INSTALLED 2001
		0054/0116	BMSEN 31/0022/0054/0000
	010208 FT	010208 FT	0 0 00000 0 00 0000+00
			T-482
			BMSBG 31/0022/0054/0000
		S 0054/0000	LENGTH(AH 2212 BK 2117)
			018 "DIA CIRC CONCR
		0044/2100	LEN=0055 INSTALLED 2002
SHAFFERSVILLE RD (SR4016 SEG 0010/0000)	0044/1601		
	008091 FT	008091 FT	1 0 00260 0 02 0082+71
		S 0044/0000	LENGTH(AH 2117 BK 1271)
			018 "DIA CIRC CONCR
		0040/1145	LEN=0054 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/0642	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0040/0292	LEN=0051 INSTALLED UNKN
	006820 FT	006820 FT	1 0 00260 0 01 0070+00
		S 0040/0000	LENGTH(AH 1271 BK 3425)
			016 "DIA CIRC CONCR
		0030/3379	LEN=0058 INSTALLED UNKN

DIR: B TOTAL LEN: 23.628 MI. DIST: 09-5 SR: 22
LEFT MUN: MORRIS T RIGHT MUN: MORRIS T

PAINT HORSE LN (PRDR)	0030/2912	0030/2912	(APRA) CANOE VALLEY AGG
			018 "DIA CIRC CONCR
		0030/2896	LEN=0055 INSTALLED UNKN
			KIMLER LN
		0030/1870	(PRDR)
			018 "DIA CIRC CONCR
		0030/1820	LEN=0054 INSTALLED UNKN
			015 "DIA CAST IRON
		0030/1368	LEN=0064 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/1050	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/0721	LEN=0050 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0030/0348	LEN=0054 INSTALLED UNKN
	003395 FT	003395 FT	1 0 00260 0 01 0035+80
		S 0030/0000	LENGTH(AH 3425 BK 1845)
			018 "DIA CIRC CONCR
		0020/1151	LEN=0080 INSTALLED UNKN
			018 "DIA CIRC METAL
		0020/0778	LEN=0075 INSTALLED UNKN
			BLACKBERRY LN
		0020/0676	(PRDR)
			018 "DIA CIRC CONCR
		0020/0285	LEN=0072 INSTALLED UNKN
	001550 FT	001550 FT	1 0 00260 0 01 0017+40
		S 0020/0000	LENGTH(AH 1845 BK 1550)
			018 "DIA CIRC CONCR
		0010/1401	LEN=0064 INSTALLED UNKN
SUNRISE DR (PRDR)	0010/1357		
			018 "DIA CIRC CONCR
		0010/1024	LEN=0036 INSTALLED UNKN
			018 "DIA CIRC CONCR
		0010/0713	LEN=0036 INSTALLED UNKN
			BRENNEMAN LN
		0010/0430	(PRDR)
BARKER RD (PRDR)	0010/0058		
	000000 FT	000000 FT	1 0 00260 0 00 0000+00
			NC WILLIAM PENN HW
		* REF-BK	WILLIAM PENN HW
			(SR0022 SEG 0620/0962)
			MFC BEGIN = B
			BK-BLAIR (07)
		S 0010/0000	LENGTH(AH 1550 BK 0000)