PENNDOT DRAINAGE MANUAL

CHAPTER **SUBJECT** **PAGE**

CHAPTER 1 INTRODUCTION

1.0 INTRODUCTION ..... 1 - 1
1.1 BACKGROUND ..... 1 - 1
1.2 CONTENTS OF PENNDOT DRAINAGE MANUAL ..... 1 - 2

CHAPTER 2 LEGAL ASPECTS

RESERVED FOR FUTURE DEVELOPMENT

CHAPTER 3 POLICY

RESERVED FOR FUTURE DEVELOPMENT

CHAPTER 4 DOCUMENTATION AND DOCUMENT RETENTION

4.0 OVERVIEW ..... 4 - 1
A. Introduction ..... 4 - 1
B. Purpose ..... 4 - 1
C. Documentation and District Project Files ..... 4 - 2
D. Roadway Management System (RMS) and Location Reference System (LRS) ..... 4 - 2
E. Phases ..... 4 - 2
4.1 DOCUMENTATION TYPES ..... 4 - 4
A. Documents ..... 4 - 4
B. National Pollutant Discharge Elimination System (NPDES) Permit Application ..... 4 - 5
C. Erosion and Sediment Pollution Control (E&SPC) Plan and Narrative ..... 4 - 5
D. Roadway Drainage Report (RDR) ..... 4 - 5
E. Post-Construction Stormwater Management (PCSM) Plan ..... 4 - 6
F. Preparedness, Prevention, & Contingency (PPC) Plan ..... 4 - 6
G. Water Obstruction and Encroachment Permit (Waterway Permit) ..... 4 - 6
H. Hydrology and Hydraulics (H&H) Report ..... 4 - 8
I. FEMA Conditional Letter of Map Revision (CLOMR) and Letter of Map Revision (LOMR) ..... 4 - 8
J. Pump Stations ..... 4 - 9
4.2 PROCEDURE ..... 4 - 9
A. File Overview ..... 4 - 9
B. Practices ..... 4 - 9
C. Filing and Retention ..... 4 - 10
D. Scheduling ..... 4 - 10
E. Responsibility ..... 4 - 11

APPENDIX A Documentation Quick Reference Guide ..... 4A - 1

APPENDIX B Sample Notice of Intent (NOI) Application Form ..... 4B - 1

APPENDIX C Sample Stormwater and Floodplain Management Consistency Letters ..... 4C - 1

APPENDIX D Sample PNDI Project Environmental Review Receipt ..... 4D - 1

CHAPTER 5 PLANNING AND LOCATION

RESERVED FOR FUTURE DEVELOPMENT

CHAPTER 6 DATA COLLECTION

6.0 OVERVIEW ..... 6 - 1
A. Introduction ..... 6 - 1
B. Data Requirements ..... 6 - 1
6.1 TYPES OF DATA REQUIRED AND DATA COLLECTION ..... 6 - 1
A. General ..... 6 - 1
B. Watershed Characteristics ..... 6 - 2
C. Geographic Information Systems (GIS) Data ..... 6 - 4
D. National Flood Insurance Program ..... 6 - 5
E. Field Investigation - Site Characteristics ..... 6 - 5
F. Survey Information ..... 6 - 8
G. Global Positioning System (GPS) ..... 6 - 10
H. Aerial Photogrammetry ..... 6 - 11
I. Channel Meander and Instability Data ..... 6 - 11
6.2 SOURCES OF DATA ..... 6 - 12
A. Objectives ..... 6 - 12
B. Sources ..... 6 - 12
6.3 DATA EVALUATION ..... 6 - 13
A. Objective ..... 6 - 13
B. Evaluation ..... 6 - 13
C. Sensitivity ..... 6 - 13
D. Accuracy of Data ..... 6 - 13
E. Data Merging ..... 6 - 13
6.4 REFERENCES ..... 6 - 14

APPENDIX A Sources of Data and Data Access Quick Reference Guide ..... 6A - 1

APPENDIX B Hydraulic Site Investigation Form ..... 6B - 1

APPENDIX C Hydraulic Survey Instructions ..... 6C - 1

CHAPTER 7 HYDROLOGY

7.0 INTRODUCTION TO HYDROLOGY ..... 7 - 1
A. General - Hydrology ..... 7 - 1
B. Peak Discharge versus Frequency Relations ..... 7 - 1
C. Flood Hydrographs ..... 7 - 2
D. Unit Hydrograph ..... 7 - 2
E. Site Investigation ..... 7 - 3
F. Interagency Coordination ..... 7 - 3
7.1 FACTORS AFFECTING FLOODS ..... 7 - 3
A. Rainfall versus Runoff Quantity/Volume ..... 7 - 3
B. Drainage Area ..... 7 - 4
C. Shape Factor ..... 7 - 5
D. Slope ..... 7 - 5
E. Land Use ..... 7 - 5
F. Soil and Geology ..... 7 - 6
G. Storage Area – Volume ..... 7 - 7
H. Slope and Orientation of the Basin ..... 7 - 7
I. Influence of Channel and Floodplain Geometry ..... 7 - 7
J. Stream and Drainage Densities ..... 7 - 7
K. Site-Specific Characteristics ..... 7 - 8
L. Aggradation and Degradation ..... 7 - 8
M. Ice and Debris ..... 7 - 8
N. Seasonal and Progressive Changes in Vegetation ..... 7 - 8
O. Channel Modifications ..... 7 - 8
P. Future Conditions ..... 7 - 9

Q. Climate ..... 7 - 9
7.2 DESIGN FREQUENCY ..... 7 - 9
A. The Concept of Frequency ..... 7 - 9
B. Design Storms ..... 7 - 10
C. Design by Cost Optimization Using Risk Assessment ..... 7 - 12
D. Check-Flood Frequencies ..... 7 - 12
E. Frequencies of Coincidental Occurrence ..... 7 - 13
F. Rainfall versus Flood Frequency ..... 7 - 14
7.3 HYDROLOGIC METHOD SELECTION ..... 7 - 15
A. Overview of Hydrologic Method Selection ..... 7 - 15
B. Peak Flow Rates versus Hydrographs ..... 7 - 15
C. Hydrologic Procedures ..... 7 - 15
D. Site Flood History ..... 7 - 15
E. FEMA Studies ..... 7 - 15
F. 1978 Act 167 Stormwater Management Studies ..... 7 - 16
G. Hydrologic Methods and Models ..... 7 - 16
H. Analysis of Stream Gage Records ..... 7 - 16
I. Rational Method ..... 7 - 17
J. Regression Methods ..... 7 - 17
K. HEC-1 & HEC-HMS ..... 7 - 23
L. WinTR-55 and TR-55 ..... 7 - 23
M. EFH-2 ..... 7 - 23
7.4 TIME OF CONCENTRATION ..... 7 - 24
A. Overview of Time of Concentration ..... 7 - 24
B. Overland Flow ..... 7 - 24
C. Segmental Method ..... 7 - 25
D. Conduit Flow and Open Channel Flow ..... 7 - 26
E. Other Methods for Estimating Travel Time ..... 7 - 28
F. Procedure to Estimate Time of Concentration ..... 7 - 28
7.5 PEAK DISCHARGE USING THE RATIONAL METHOD ..... 7 - 29
A. Introduction to the Rational Method ..... 7 - 29
B. Assumptions and Applicability of the Rational Method ..... 7 - 29
C. The Rational Method Equation ..... 7 - 30
D. Rainfall Intensity ..... 7 - 30
E. Runoff Coefficient ..... 7 - 30
F. Procedure for Rational Method ..... 7 - 32
G. Example Problem - Rational Method ..... 7 - 33
7.6 NRCS RUNOFF CURVE NUMBER METHODS ..... 7 - 36
A. Introduction to NRCS Methods ..... 7 - 36
B. NRCS Rainfall-Runoff Equation ..... 7 - 36
C. Accumulated Rainfall (P) ..... 7 - 37
D. Rainfall Distribution ..... 7 - 37
E. Soil Groups ..... 7 - 37
F. Runoff Curve Number (RCN) ..... 7 - 37
G. Procedure for NRCS Graphical Peak Discharge (TR-55) ..... 7 - 42
H. NRCS (SCS) Dimensionless Unit Hydrograph ..... 7 - 43
I. Procedure For Determining Flood Hydrographs Using the NRCS Dimensionless Unit Hydrograph 7 - 46
7.7 DESIGN RAINFALL HYETOGRAPH METHODS ..... 7 - 48
A. Use of the Rainfall Hyetograph ..... 7 - 48
B. NRCS 24-Hour Rainfall Distributions ..... 7 - 48
C. Example of Hyetograph Developed from NRCS 24-Hour Rainfall Distributions (Metric Units) ..... 7 - 49
D. Example of Hyetograph Developed from NRCS 24-Hour Rainfall Distributions (U.S. Customary Units) ..... 7 - 52
7.8 STORAGE ROUTING OF FLOOD HYDROGRAPHS ..... 7 - 53
A. Flood Routing ..... 7 - 53
B. Hydrograph Routing Methods ..... 7 - 53
C. Storage-Indication Routing Method ..... 7 - 54
D. Procedure for Storage-Indication Method ..... 7 - 55

E. Example of Storage-Indication Method ..... 7 - 56
7.9 CHANNEL ROUTING OF FLOOD HYDROGRAPHS ..... 7 - 59
A. Introduction to Channel Routing ..... 7 - 59
B. Hydrologic Routing ..... 7 - 60
C. Muskingum Method ..... 7 - 61
D. Example of Muskingum Method ..... 7 - 62
E. Muskingum-Cunge Method ..... 7 - 64
7.10 STATISTICAL ANALYSIS OF STREAM GAGE DATA ..... 7 - 66
A. Introduction to Statistical Analysis of Stream Gage Data ..... 7 - 66
B. Sources of Stream Gage Records ..... 7 - 66
C. Applicability and Limitations ..... 7 - 66
D. Log-Pearson Type III Distribution ..... 7 - 67
E. Log-Pearson Type III Analysis Procedure ..... 7 - 67
F. Skew ..... 7 - 68
G. Accommodating Outliers in the Data ..... 7 - 68
7.11 CHAPTER 7 NOMENCLATURE ..... 7 - 71
7.12 REFERENCES ..... 7 - 72

APPENDIX A Field Manual for Pennsylvania Design Rainfall Intensity Charts From NOAA Atlas 14 Version 3 Data ..... 7A - 1

APPENDIX B Frequently Asked Questions for Pennsylvania Design Rainfall Intensity Charts From NOAA Atlas 14 Version 3 Data ..... 7B - 1

APPENDIX C Implementation Guide for Pennsylvania Design Rainfall Intensity Charts From NOAA Atlas 14 Version 3 Data ..... 7C - 1

CHAPTER 8 OPEN CHANNELS

8.0 INTRODUCTION TO OPEN CHANNELS ..... 8 - 1
A. Open Channels ..... 8 - 1
B. Design Process ..... 8 - 1
8.1 CHANNEL DESIGN CRITERIA ..... 8 - 2
A. Stream Channel Criteria ..... 8 - 2
B. Roadside Channel Criteria ..... 8 - 2
8.2 OPEN CHANNEL HYDRAULIC PRINCIPLES ..... 8 - 2
A. Continuity Equation ..... 8 - 2
B. Channel Capacity ..... 8 - 2
C. Conveyance ..... 8 - 3
D. Total Energy ..... 8 - 3
E. Specific Energy ..... 8 - 4
F. Kinetic Energy Coefficient (α) ..... 8 - 4
G. Energy Balance and the Energy Grade Line ..... 8 - 5
H. Uniform Depth ..... 8 - 5
I. Critical Depth ..... 8 - 5
J. Froude Number ..... 8 - 6
K. Flow Types ..... 8 - 6
L. Steady, Uniform Flow ..... 8 - 7
M. Gradually Varied Flow ..... 8 - 7
N. Subcritical/Supercritical Flow ..... 8 - 7
O. Cross Sections ..... 8 - 7
P. Roughness Coefficients ..... 8 - 8
Q. Wetted Perimeter Weighted Manning's n-Value ..... 8 - 10
R. Cross Section Subdivision for Conveyance Calculations ..... 8 - 11
8.3 CHANNEL ANALYSIS ..... 8 - 13
A. Overview of Channel Analysis Methods ..... 8 - 13
B. Stage-Discharge Relationship ..... 8 - 13
8.4 SLOPE CONVEYANCE METHOD ..... 8 - 15

A. Introduction to the Slope-Conveyance Method ..... 8 - 15
B. Application and Limitations of the Slope-Conveyance Method ..... 8 - 15
C. Data Requirements ..... 8 - 15
D. Slope-Conveyance Procedure ..... 8 - 16
8.5 STANDARD STEP-BACKWATER METHOD ..... 8 - 22
A. Introduction to the Step-Backwater Method ..... 8 - 22
B. Application and Limitations of the Standard Step-Backwater Method ..... 8 - 22
C. Data Requirements for the Standard Step-Backwater Method ..... 8 - 23
D. Standard Step-Backwater Procedure ..... 8 - 23
E. Profile Convergence ..... 8 - 25
F. Example of the Standard Step-Backwater Method ..... 8 - 26
8.6 TWO-DIMENSIONAL BACKWATER MODELS ..... 8 - 31
A. Introduction to Two-Dimensional Modeling ..... 8 - 31
B. Finite Element Surface Water Modeling System (FESWMS) ..... 8 - 31
C. Application and Limitations of Two-Dimensional Models ..... 8 - 31
D. Data Requirements for FESWMS Application ..... 8 - 31
E. Surface-water Modeling System ..... 8 - 32
8.7 STREAM CHANNEL DESIGN ..... 8 - 32
8.8. ROADSIDE CHANNEL DESIGN ..... 8 - 34
A. Channel Design Considerations ..... 8 - 36
B. Channel Linings ..... 8 - 36
C. Rigid Linings ..... 8 - 36
D. Permanent Flexible Linings ..... 8 - 36
E. Temporary Flexible Linings ..... 8 - 37
F. Channel-Lining Design Procedure ..... 8 - 37
G. Vegetated Lining ..... 8 - 43
H. Rolled Erosion Control Products (RECPs) ..... 8 - 44
I. Rock (Riprap) and Concrete ..... 8 - 46
8.9 STREAM STABILITY ISSUES ..... 8 - 48
A. Stream Geomorphology ..... 8 - 48
B. Levels of Assessment ..... 8 - 49
C. Factors that Affect Stream Stability ..... 8 - 50
D. Stream Classification ..... 8 - 51
E. Stream Modifications ..... 8 - 55
F. Stream Meander Considerations ..... 8 - 56
8.10 THE EFFECTS OF CHANNEL ALTERATIONS ..... 8 - 59
A. Channel Realignment ..... 8 - 60
B. Slope Modification ..... 8 - 61
C. Section Modification ..... 8 - 61
D. Conveyance Modification ..... 8 - 62
8.11 CHANNEL STABILIZATION AND BANK PROTECTION ..... 8 - 63
A. Stabilization Considerations ..... 8 - 63
B. Selection of Protective Measures ..... 8 - 64
C. Revetments ..... 8 - 64
8.12 SUBSURFACE INVESTIGATIONS ..... 8 - 65
A. Reinforcement for Rigid Linings ..... 8 - 65
B. Buoyancy and Heave ..... 8 - 66
C. Seepage Control ..... 8 - 66
8.13 CONSTRUCTION RELATED HYDRAULIC CONSIDERATIONS ..... 8 - 66
8.14 MAINTENANCE RELATED HYDRAULIC CONSIDERATIONS ..... 8 - 66
A. Maintenance during Contract Period ..... 8 - 67
B. Hydraulic Related Maintenance Considerations ..... 8 - 67
8.15 CHAPTER 8 NOMENCLATURE ..... 8 - 67
8.16 REFERENCES ..... 8 - 68

CHAPTER 9 CULVERTS

9.0 INTRODUCTION TO CULVERTS ..... 9 - 1
A. General - Culverts ..... 9 - 1
B. Concepts ..... 9 - 2
C. General Culvert Considerations ..... 9 - 3
D. Economics ..... 9 - 4
9.1 DESIGN CONSIDERATIONS ..... 9 - 5
A. Design Frequency ..... 9 - 5
B. Headwater ..... 9 - 5
C. Site Data ..... 9 - 6
D. Culvert Locations ..... 9 - 10
E. Stream Modification ..... 9 - 11
F. Culvert Profile ..... 9 - 12
G. Temporary Diversion Channels ..... 9 - 13
H. Design and Allowable Outlet Velocity ..... 9 - 13
I. End Treatments ..... 9 - 14
J. Safety Considerations ..... 9 - 15
K. Culvert Type Selection ..... 9 - 16
L. Economics ..... 9 - 18
M. Hydraulic Properties ..... 9 - 18
N. Operation ..... 9 - 18
O. Fill Heights ..... 9 - 18
9.2 HYDRAULIC ANALYSIS OF CULVERTS ..... 9 - 18
A. General - Hydraulic Analysis of Culverts ..... 9 - 18
B. Computations for Culvert Hydraulics ..... 9 - 19
C. Supercritical versus Subcritical Flow ..... 9 - 19
D. Critical Depth in Culverts ..... 9 - 20
E. Uniform Depth in Culverts ..... 9 - 21
F. Friction Slope ..... 9 - 21
G. Steep Slope versus Mild Slope ..... 9 - 22
H. Headwater Under Inlet Control ..... 9 - 22
I. Headwater Under Outlet Control ..... 9 - 27
J. Outlet Control Headwater Due to Full Flow in Culverts ..... 9 - 29
K. Outlet Control Headwater Due to Free-Surface Flow in Culverts ..... 9 - 30
L. Slug Flow ..... 9 - 32
M. Determination of Outlet Velocity ..... 9 - 32
N. Direct Step Backwater Method Applied to Culverts ..... 9 - 33
O. Hydraulic Jump in Culverts ..... 9 - 34
P. Sequent Depth for Rectangular Culvert ..... 9 - 35
Q. Sequent Depth for Circular Culvert ..... 9 - 35
R. Sequent Depth for Other Shapes ..... 9 - 36
S. Roadway Overtopping ..... 9 - 36
T. Performance Curves ..... 9 - 39
9.3 CULVERT DESIGN/ANALYSIS PROCEDURE ..... 9 - 41
A. General - Culvert Design/Analysis Procedure ..... 9 - 41
B. Multiple Barrels ..... 9 - 41
C. Overview of Culvert Hydraulic Design ..... 9 - 41
D. Design Procedure for Culverts ..... 9 - 44
9.4 IMPROVED INLETS ..... 9 - 46
A. Conditions for Improved Inlets ..... 9 - 46
B. Beveled Edges ..... 9 - 47
C. Top-Tapered Transition ..... 9 - 48
D. Side-Tapered Inlet ..... 9 - 48
E. Slope-Tapered Inlet ..... 9 - 49
F. Flared Entrance Design for Circular Pipe ..... 9 - 49
9.5 VELOCITY PROTECTION AND CONTROL DEVICES ..... 9 - 49
A. General - Velocity Protection and Control Devices ..... 9 - 49

B. Velocity Protection Devices ..... 9 - 50
C. Velocity Control Devices ..... 9 - 50
D. Other Control Devices ..... 9 - 50
9.6 SPECIAL HYDRAULIC CONSIDERATIONS ..... 9 - 50
A. Anchorage ..... 9 - 50
B. Piping ..... 9 - 52
C. Joints ..... 9 - 52
D. Anti-Seep Collars ..... 9 - 53
E. Weep Holes ..... 9 - 53
F. Junctions and Bifurcations ..... 9 - 53
G. Training Walls ..... 9 - 53
H. Sag Culverts ..... 9 - 54
I. Irregular Alignment ..... 9 - 54
J. Cavitation ..... 9 - 54
K. Tidal Effects and Flood Protection ..... 9 - 55
9.7 MULTIPLE USE CULVERTS ..... 9 - 55
A. Utilities ..... 9 - 55
B. Stock and Wildlife Passage ..... 9 - 55
C. Land Access ..... 9 - 55
D. Fish Passage ..... 9 - 55
9.8 DEBRIS CONTROL ..... 9 - 57
A. Debris Control Structure Design ..... 9 - 57
B. Maintenance ..... 9 - 57
9.9 SERVICE LIFE ..... 9 - 58
A. Abrasion ..... 9 - 58
9.10 EXAMPLE ..... 9 - 59
9.11 CHAPTER 9 NOMENCLATURE ..... 9 - 64
9.12 REFERENCES ..... 9 - 64

APPENDIX A Joint Agency Guidance for the Analysis of Environmental Impacts and Other Issues for Short Span Structures ..... 9A - 1

CHAPTER 10 BRIDGE HYDRAULICS

10.0 INTRODUCTION TO BRIDGES ..... 10 - 1
A. General - Bridges ..... 10 - 1
B. Design Requirements ..... 10 - 1
10.1 PLANNING AND LOCATION CONSIDERATIONS ..... 10 - 1
A. Overview of Planning and Location Considerations ..... 10 - 1
B. Location and Orientation ..... 10 - 1
C. Structure Type ..... 10 - 2
D. Environmental Considerations ..... 10 - 2
E. Stream Characteristics ..... 10 - 3
F. Replacement, Repair and Rehabilitation ..... 10 - 3
10.2 COORDINATION WITH OTHER AGENCIES ..... 10 - 4
A. General - Coordination with Other Agencies ..... 10 - 4
B. Water Resource Development Projects ..... 10 - 5
C. FEMA Designated Flood Plains ..... 10 - 5
10.3 DATA COLLECTION ..... 10 - 5
A. Topographic Features ..... 10 - 5
B. Land Use and Development Resources ..... 10 - 6
C. Hydrologic Data ..... 10 - 6
D. Flood Data ..... 10 - 6
E. Highwater Information ..... 10 - 7
F. Existing Structures ..... 10 - 7
G. Channel Characteristics ..... 10 - 8
H. Environmental Data ..... 10 - 8
I. Site Plan ..... 10 - 9

J. Field Reviews ..... 10 - 9
10.4 BRIDGE HYDRAULIC CONSIDERATIONS ..... 10 - 9
A. General - Bridge Hydraulic Considerations ..... 10 - 9
B. Design Storm ..... 10 - 10
C. Flow Near Bridges ..... 10 - 10
D. Allowable Backwater Due to Bridges ..... 10 - 11
E. Flow Distribution ..... 10 - 12
F. Bridge Scour and Stream Degradation ..... 10 - 13
G. Freeboard and Low Chord ..... 10 - 13
10.5 STREAM CROSSING DESIGN ..... 10 - 13
A. Design Criteria for Highway-Stream Crossing System ..... 10 - 14
B. Analysis of the Stream Crossing System ..... 10 - 38
C. Protective and Preventive Measures ..... 10 - 50
D. Dolphins and Fender Systems ..... 10 - 61
10.6 HYDRAULICS OF BRIDGE OPENINGS ..... 10 - 62
A. Hydraulic Performance of Bridges ..... 10 - 62
B. Methodologies ..... 10 - 65
C. Bridge Modeling Methods ..... 10 - 66
D. Defining Ineffective Flow Areas ..... 10 - 71
E. Contraction and Expansion Losses ..... 10 - 73
F. Hydraulic Computations through the Bridge ..... 10 - 74
G. Selecting a Bridge Modeling Approach ..... 10 - 85
10.7 SINGLE OPENING DESIGN ..... 10 - 86
A. Single Opening Design Approach ..... 10 - 86
B. Recommended Procedure for Single Opening Design ..... 10 - 86
10.8 MULTIPLE OPENING DESIGN ..... 10 - 87
A. Multiple Opening Design Approach ..... 10 - 87
10.9 BRIDGE SCOUR ..... 10 - 87
A. Scour Components ..... 10 - 87
B. Rates of Scour ..... 10 - 87
C. Requirements for Scour Analysis ..... 10 - 88
D. Aggradation and Degradation ..... 10 - 88
E. Contraction Scour ..... 10 - 88
F. Pier Scour ..... 10 - 89
G. Abutment Scour ..... 10 - 89
H. Total Scour Envelope ..... 10 - 89
I. Pressure Flow ..... 10 - 89
J. Other Scour Considerations ..... 10 - 89
10.10 DECK DRAINAGE ..... 10 - 91
A. Deck Inlets ..... 10 - 91
B. Bridge End Drains ..... 10 - 92
10.11 HYDRAULIC-RELATED CONSTRUCTION CONSIDERATIONS ..... 10 - 92
A. Verification of Plans ..... 10 - 92
B. Plan Changes ..... 10 - 93
C. Borrow Areas ..... 10 - 93
D. Detours, Contractor Crossings and Work Areas ..... 10 - 93
E. Environmental and Ecological Aspects ..... 10 - 94
F. Hydrologic Information ..... 10 - 94
G. Cofferdams, Caissons, Barges, and Falsework ..... 10 - 94
H. Feedback ..... 10 - 94
10.12 HYDRAULIC-RELATED MAINTENANCE CONSIDERATIONS ..... 10 - 94
A. Maintenance Inspections ..... 10 - 95
B. Flood Damages ..... 10 - 95
10.13 APPURTENANCES ..... 10 - 96
A. Bridge Rail ..... 10 - 96
10.14 DESIGN DOCUMENTATION ..... 10 - 96
10.15 CHAPTER 10 NOMENCLATURE ..... 10 - 97
10.16 REFERENCES ..... 10 - 98

APPENDIX A Field Checklist for the Preliminary Design Permit Coordination ..... 10A - 1

CHAPTER 11 SURFACE WATER ENVIRONMENT

11.0 INTRODUCTION ..... 11 - 1
A. Introduction ..... 11 - 1
B. Purpose ..... 11 - 1
C. Surface Waters ..... 11 - 1
D. Sensitive Surface Waters ..... 11 - 1
E. Functional Values ..... 11 - 2
F. Effect and Significance ..... 11 - 2
G. Reversible Effects ..... 11 - 2
H. Practicable ..... 11 - 2
I. Design Alternatives ..... 11 - 3
11.1 POLICY ..... 11 - 3
A. Introduction ..... 11 - 3
B. Rules and Regulations ..... 11 - 3
C. Cost Effectiveness ..... 11 - 4
D. Enhancing Functional Values ..... 11 - 4
E. Evaluation Complexity ..... 11 - 4
F. Surface Water Assessment ..... 11 - 4
G. Surface Water Analysis ..... 11 - 5
H. Permit Criteria ..... 11 - 5
11.2 DESIGN CRITERIA ..... 11 - 5
A. General Criteria ..... 11 - 5
B. Design Criteria ..... 11 - 6
11.3 DESIGN CONSIDERATIONS ..... 11 - 8
A. Introduction ..... 11 - 8
B. Water Quality ..... 11 - 9
C. Channels ..... 11 - 13
D. Lakes or Ponds ..... 11 - 14
E. Wetlands ..... 11 - 14
F. Fish Passage Criteria ..... 11 - 14
G. Fish Passage Culverts ..... 11 - 15
H. Stream Geometry and Cover ..... 11 - 15
11.4 DESIGN PROCEDURES ..... 11 - 16
A. Design Steps ..... 11 - 16
B. Design Data ..... 11 - 16
C. Water Quality Measures ..... 11 - 18
D. Fish Passage Analyses Type ..... 11 - 21
11.5 GROUNDWATER ..... 11 - 21
A. Occurrence ..... 11 - 21
B. Groundwater Movement ..... 11 - 21
C. Loss of Groundwater ..... 11 - 22
D. Infiltration ..... 11 - 23
E. Groundwater Quality ..... 11 - 26
11.6 WATER BUDGET ..... 11 - 26
A. The Water Budget Equation ..... 11 - 26
B. Data Requirements ..... 11 - 28
C. Tidal Considerations ..... 11 - 37
D. Water Budget Computation Procedures ..... 11 - 37
E. Example Pennsylvania Water Budget Problem ..... 11 - 37
11.7 GLOSSARY ..... 11 - 43
11.8 CHAPTER 11 NOMENCLATURE ..... 11 - 44
11.9 REFERENCES ..... 11 - 45

CHAPTER 12 EROSION AND SEDIMENT POLLUTION CONTROL

12.0 INTRODUCTION ..... 12 - 1
12.1 REGULATORY REQUIREMENTS ..... 12 - 1
A. Overview of the Regulations ..... 12 - 1
B. Permitting Process – The NPDES Permit Application For Stormwater Discharges Associated With Construction Activities. ..... 12 - 3
12.2 OVERALL PROJECT COORDINATION ..... 12 - 4
A. Early Planning ..... 12 - 5
B. Agency Coordination. ..... 12 - 5
C. PennDOT District E&S Coordinator Role. ..... 12 - 6
12.3 DESIGN ..... 12 - 7
A. Introduction. ..... 12 - 7
B. Factors Influencing Erosion. ..... 12 - 8
C. Erosion and Sediment Pollution Control (E&SPC) Plan. ..... 12 - 8
D. Post-Construction Stormwater Management (PCSM) Plan. ..... 12 - 9
E. Ongoing Coordination. ..... 12 - 9
F. Hydrologic Analysis. ..... 12 - 10
G. BMP Selection. ..... 12 - 10
H. NPDES Permit Preparation. ..... 12 - 12
I. Erosion and Sediment Pollution Control Narrative Preparation. ..... 12 - 12
12.4 STABILIZATION BMPS. ..... 12 - 13
A. Seeding and Mulching. ..... 12 - 13
B. Rolled Erosion Control Products (RECP). ..... 12 - 13
C. Spray on Mulches. ..... 12 - 15
D. Geocell Slope Confinement. ..... 12 - 16
E. Articulated Concrete Block Revetment System (ACBR) ..... 12 - 32
F. Gabions. ..... 12 - 46
12.5 GENERAL E&SPC BMPS ..... 12 - 47
A. Rock Construction Entrance ..... 12 - 47
B. Rock Filter Outlet. ..... 12 - 48
C. Compost Filter Sock ..... 12 - 48
D. Compost Filter Berm. ..... 12 - 49
E. Silt Barrier Fence ..... 12 - 49
F. Heavy Duty Silt Barrier Fence. ..... 12 - 51
G. Vegetative Filter Strip for E&SPC ..... 12 - 52
H. Pumped Water Filter Bag ..... 12 - 54
I. Temporary Slope Pipe ..... 12 - 55
J. Storm Inlet Protection. ..... 12 - 55
K. Outlet Protection: Rock. ..... 12 - 56
L. Outlet Protection: Stilling Well ..... 12 - 61
M. Diversion Ditch. ..... 12 - 65
N. Channel Lining. ..... 12 - 66
O. Rock Barrier. ..... 12 - 66
P. Sediment Trap. ..... 12 - 67
Q. Sediment Basin. ..... 12 - 70
12.6 IN-CHANNEL E&SPC BMPS ..... 12 - 81
A. Bypass Channel with Non-Erosive Lining (For Channel Work) ..... 12 - 81
B. Temporary Stream Diversion: Flume through a Work Area. ..... 12 - 82
C. Temporary Stream Diversion: Pump around In-Channel Work Area. ..... 12 - 82
D. In-Stream Cofferdam. ..... 12 - 83
12.7 GLOSSARY ..... 12 - 84
12.8 CHAPTER 12 NOMENCLATURE ..... 12 - 89
12.9 REFERENCES ..... 12 - 90

APPENDIX A E&S Related Regulations ..... 12A - 1

APPENDIX B Recommended Notes for E&SPC Plans ..... 12B - 1

APPENDIX C Recommended Standards for E&SPC Plans ..... 12C - 1

APPENDIX D E&S Initiative Coordination Information ..... 12D - 1

CHAPTER 13 STORM DRAINAGE SYSTEMS

13.0 OVERVIEW ..... 13 - 1
A. Introduction ..... 13 - 1
B. Inadequate Drainage ..... 13 - 1
13.1 POLICY AND GUIDELINES ..... 13 - 1
A. Introduction ..... 13 - 1
B. Bridge Decks ..... 13 - 1
C. Curbs and Inlets ..... 13 - 1
D. Design Frequency ..... 13 - 2
E. Detention Storage ..... 13 - 2
F. Gutter Flow Calculations ..... 13 - 2
G. Hydrology ..... 13 - 2
H. Hydroplaning ..... 13 - 2
I. Inlets ..... 13 - 2
J. Manholes ..... 13 - 2
K. Pavement Drainage ..... 13 - 2
L. Roadside and Median Ditches ..... 13 - 2
M. Storm Pipes ..... 13 - 3
N. System Planning ..... 13 - 3
13.2 SYSTEM PLANNING ..... 13 - 3
A. Introduction ..... 13 - 3
B. General Design Approach ..... 13 - 3
C. Required Data ..... 13 - 3
D. Preliminary Sketch ..... 13 - 4
E. Location and Size of Storm Drain ..... 13 - 4
F. Outfall Policy ..... 13 - 4
13.3 HYDROLOGY ..... 13 - 5
A. Introduction ..... 13 - 5
B. Rational Method ..... 13 - 5
C. Other Hydrologic Methods ..... 13 - 7
D. Detention ..... 13 - 7
13.4 PAVEMENT DRAINAGE ..... 13 - 7
A. Introduction ..... 13 - 7
B. Longitudinal Slope ..... 13 - 7
C. Cross Slope ..... 13 - 7
D. Pavement Texture ..... 13 - 8
E. Curb and Gutter ..... 13 - 8
F. Roadside and Median Channels ..... 13 - 8
G. Bridge Decks ..... 13 - 9
H. Shoulder Gutter and/or Curbs ..... 13 - 9
I. Median/Median Barriers ..... 13 - 9
J. Impact Attenuators ..... 13 - 9
13.5 HYDROPLANING ..... 13 - 9
13.6 DESIGN FREQUENCY AND SPREAD ..... 13 - 10
A. Design Frequency ..... 13 - 10
B. Spread ..... 13 - 10
C. Selection ..... 13 - 10
D. Design Criteria ..... 13 - 11
13.7 GUTTER FLOW CALCULATIONS ..... 13 - 11
A. Introduction ..... 13 - 11
B. Manning's *n* for Pavements ..... 13 - 11
C. Uniform Cross Slope Procedure ..... 13 - 11

D. Composite Gutter Sections Procedure ..... 13 - 12
E. V-Type Gutter Sections (Procedures) ..... 13 - 18
13.8 INLETS ..... 13 - 20
A. General ..... 13 - 20
B. Types ..... 13 - 20
C. Inlet Locations ..... 13 - 21
13.9 INLET SPACING ..... 13 - 21
A. General ..... 13 - 21
13.10 STORM DRAIN MANHOLES ..... 13 - 22
A. Location ..... 13 - 22
B. Spacing ..... 13 - 22
C. Types and Sizing ..... 13 - 22
13.11 STORM PIPES ..... 13 - 22
A. Introduction ..... 13 - 22
B. Design Procedures ..... 13 - 23
C. Sag Point ..... 13 - 24
D. Hydraulic Capacity ..... 13 - 24
E. Minimum Pipe Sizes ..... 13 - 25
F. Minimum Grades ..... 13 - 25
G. Curved Alignment ..... 13 - 25
H. Placement ..... 13 - 25
13.12 HYDRAULIC GRADE LINE ..... 13 - 33
A. Introduction ..... 13 - 33
B. Tailwater ..... 13 - 33
C. Exit Loss ..... 13 - 34
D. Bend Loss ..... 13 - 34
E. Pipe Friction Losses ..... 13 - 34
F. Manhole Losses ..... 13 - 35
G. Hydraulic Grade Line Design Procedure ..... 13 - 38
13.13 WATER QUALITY TREATMENT ..... 13 - 42
13.14 INVERTED SIPHONS ..... 13 - 42
13.15 UNDERDRAINS ..... 13 - 42
13.16 COMPUTER PROGRAMS ..... 13 - 42
13.17 DEFINITIONS ..... 13 - 43
13.18 CHAPTER 13 NOMENCLATURE ..... 13 - 44
13.19 REFERENCES ..... 13 - 45

CHAPTER 14 POST-CONSTRUCTION STORMWATER MANAGEMENT

14.0 INTRODUCTION ..... 14 - 1
A. Overview ..... 14 - 1
B. Background ..... 14 - 1
14.1 HIGHWAY SPECIFIC STORMWATER ISSUES ..... 14 - 2
A. Increases in Runoff Rate and Volume ..... 14 - 2
B. Winter Maintenance Materials ..... 14 - 2
C. Thermal Impact ..... 14 - 2
14.2 POLICY ..... 14 - 3
A. Introduction ..... 14 - 3
B. Project Categories ..... 14 - 4
C. Act 167 Plans and Municipal Ordinances ..... 14 - 8
D. Limitations ..... 14 - 9
E. Special Considerations ..... 14 - 10
14.3 LEGAL ..... 14 - 10
A. The Federal Clean Water Act, 33 U.S.C. § 1251 et seq ..... 14 - 10
B. Pennsylvania's Clean Streams Law, Act of June 22, 1937 (P.L. 1987, No. 394) as amended 35 P.S. § 691.1 et seq ..... 14 - 11
C. Pennsylvania's Stormwater Management Act, Act of October 4, 1978, P.L. 864 No. 167, 32 P.S. § 680.1 et seq. (as amended by Act 63) ..... 14 - 11

D. Federal National Pollutant Discharge Elimination System Phase II ..... 14 - 12
E. Pennsylvania's Dam Safety and Encroachments Act (Act of November 26, 1978 (P.L. 1375 No. 325) as amended, 32 P.S. § 693.1 et seq.) ..... 14 - 12
F. Commonwealth of Pennsylvania, PA Code, Title 25, Chapter 105: Dam Safety and Waterway Management ..... 14 - 13
G. Pennsylvania's Flood Plain Management Act, Act of October 4, 1978, P.L. 851, No. 166, 32 P.S. § 679.101 et seq. ..... 14 - 13
H. Commonwealth of Pennsylvania, PA Code, Title 25, Chapter 106: Floodplain Management. ..... 14 - 13
I. Commonwealth of Pennsylvania, PA Code, Title 25, Chapter 92: National Pollutant Discharge Elimination System (NPDES) Permitting, Monitoring and Compliance ..... 14 - 13
J. Commonwealth of Pennsylvania, PA Code, Title 25, Chapter 93: Water Quality Standards ..... 14 - 14
K. Commonwealth of Pennsylvania, PA Code, Title 25, Chapter 102: Erosion and Sediment Control ..... 14 - 14
14.4 LEVEL 1 TOOLBOX ..... 14 - 16
A. Minimize Compaction ..... 14 - 16
B. Preserve Trees and Re-vegetate Using Native Species ..... 14 - 16
C. Maintenance of Dual-Purpose E&S/PCSM BMPs ..... 14 - 16
D. Restoration of Temporary Staging Areas ..... 14 - 16
E. Summary ..... 14 - 16
14.5 LEVEL 2 TOOLBOX ..... 14 - 17
A. Street Sweeping ..... 14 - 17
B. Impervious Disconnection ..... 14 - 17
C. Slope Roughening ..... 14 - 17
D. Pavement Width Reduction ..... 14 - 17
E. Riparian Buffer Restoration ..... 14 - 17
F. Landscaping and Planting ..... 14 - 17
G. Soil Amendments ..... 14 - 18
H. Vegetated Swale ..... 14 - 18
I. Bioretention ..... 14 - 19
J. Vegetated Filter Strip ..... 14 - 19
K. Constructed Wetland / Wet Pond ..... 14 - 19
L. Summary ..... 14 - 20
14.6 LEVEL 3 TOOLBOX ..... 14 - 20
A. Bioslope ..... 14 - 20
B. Dry Extended Detention Basin ..... 14 - 21
C. Infiltration Trench ..... 14 - 21
D. Infiltration Basin ..... 14 - 22
E. Infiltration Berm ..... 14 - 23
F. Summary ..... 14 - 23
14.7 LEVEL 4 TOOLBOX ..... 14 - 24
A. Constructed Wetland ..... 14 - 24
B. Wet Pond ..... 14 - 25
C. Permeable Pavement ..... 14 - 25
D. Manufactured Products ..... 14 - 26
E. Summary ..... 14 - 26
14.8 AREAS OF APPLICATION ..... 14 - 27
14.9 STORAGE FACILITIES ..... 14 - 28
A. Introduction ..... 14 - 28
B. Quality ..... 14 - 28
C. Quantity ..... 14 - 28
D. Objectives ..... 14 - 28
E. Detention and Retention ..... 14 - 29
F. Underground Storage ..... 14 - 29
G. Computer Programs ..... 14 - 29
14.10 DESIGN CRITERIA ..... 14 - 29
A. General Criteria ..... 14 - 29
B. Release Rate ..... 14 - 30
C. Storage ..... 14 - 30

D. Grading and Depth ..... 14 - 30
E. Outlet Works ..... 14 - 31
F. Location ..... 14 - 32
14.11 GENERAL PROCEDURE ..... 14 - 32
A. Data Needs ..... 14 - 32
B. Stage-Storage Curve ..... 14 - 32
C. Stage-Discharge Curve ..... 14 - 33
D. Procedure ..... 14 - 33
14.12 OUTLET HYDRAULICS ..... 14 - 34
A. Outlets ..... 14 - 34
B. Sharp-Crested Weirs ..... 14 - 34
C. Broad-Crested Weirs ..... 14 - 35
D. V-Notch Weirs ..... 14 - 37
E. Orifices ..... 14 - 37
14.13 PRELIMINARY DETENTION CALCULATIONS ..... 14 - 37
A. Storage Volume ..... 14 - 37
B. Alternative Method ..... 14 - 38
C. Peak-Flow Reduction ..... 14 - 39
D. Preliminary Storage Dimensions ..... 14 - 39
14.14 ROUTING PROCEDURE ..... 14 - 39
14.15 ROUTING EXAMPLE PROBLEM ..... 14 - 40
A. Example ..... 14 - 40
B. Design Discharge and Hydrographs ..... 14 - 45
C. Preliminary Volume Calculations ..... 14 - 47
D. Design and Routing Calculations ..... 14 - 47
E. Downstream Effects ..... 14 - 50
14.16 DRY POND (DETENTION BASIN) ..... 14 - 50
A. Introduction ..... 14 - 50
B. Design Objective ..... 14 - 52
14.17 WET POND ..... 14 - 54
A. Introduction ..... 14 - 54
B. Design Objective ..... 14 - 58
14.18 PROTECTIVE TREATMENT ..... 14 - 59
14.19 MAINTENANCE ..... 14 - 59
14.20 FREQUENTLY ASKED QUESTIONS ..... 14 - 60
A. What is the difference between stormwater management that may discharge to Special Protection waters, or EV wetlands, and all other waters? ..... 14 - 60
B. Are wetlands and streams treated the same in terms of PCSM requirements? ..... 14 - 60
C. Do maintenance projects require an NPDES construction permit? ..... 14 - 60
D. A project has between 0.4 hectares (1.0 acres) and 2.0 hectares (5.0 acres) of disturbance, but all of the runoff leaves the site via sheet flow. Does the project require an NPDES construction permit? ..... 14 - 60
E. Is a PCSM analysis required when the project does not require an NPDES construction permit and it is not located in an approved Act 167 plan watershed? ..... 14 - 60
F. Is it acceptable to leave parts of the NPDES permit application blank, or can questions be addressed by simply writing "not applicable?" ..... 14 - 60
G. Chapter 8 of *BMP Manual* provides for water quality calculations – when do these calculations have to be completed for PennDOT projects? ..... 14 - 60
H. What information should the PCSM section of an NPDES permit application submission contain? ..... 14 - 61
I. The Summary Data Table in the NPDES permit application requires calculations demonstrating the net change in peak discharge rate and volume of runoff. Is it necessary to complete this table for all projects that require an NPDES permit, and what design event should be indicated in the table? ..... 14 - 61
J. Do peak discharge rates and runoff volumes have to be mitigated at each source of disturbance and before runoff goes beyond PennDOT's right-of-way? ..... 14 - 61
K. What information should be contained in the thermal impact analysis section of the NPDES permit? ..... 14 - 61

14.21 DEFINITIONS ..... 14 - 61
14.22 CHAPTER 14 NOMENCLATURE ..... 14 - 63
14.23 REFERENCES ..... 14 - 63

CHAPTER 15 ENERGY DISSIPATORS

RESERVED FOR FUTURE DEVELOPMENT

CHAPTER 16 PUMP STATIONS

RESERVED FOR FUTURE DEVELOPMENT

CHAPTER 17 BANK PROTECTION

RESERVED FOR FUTURE DEVELOPMENT

CHAPTER 18 COASTAL ZONE

RESERVED FOR FUTURE DEVELOPMENT

CHAPTER 19 DESIGN-RELATED CONSTRUCTION CONSIDERATIONS

19.0 OVERVIEW ..... 19 - 1
19.1 DRAINAGE DESIGN AND CONSTRUCTION ..... 19 - 1
A. Relationship of Construction to Design ..... 19 - 1
B. Cost Considerations ..... 19 - 2
C. Environmental Considerations ..... 19 - 2
D. Water Quality ..... 19 - 2
E. Effects of Changes ..... 19 - 3
19.2 DESIGN PROCEDURES / PROCESSES RELATED TO CONSTRUCTION ..... 19 - 4
A. Construction Plans ..... 19 - 4
B. Constructability Review ..... 19 - 4
C. Shop Drawings ..... 19 - 4
D. Value Engineering ..... 19 - 5
E. Project Partnering ..... 19 - 5
F. Design-Build Projects ..... 19 - 5
19.3 TECHNICAL ANALYSES FOR CONSTRUCTION OPERATIONS ..... 19 - 6
A. Introduction ..... 19 - 6
B. Timing and Risk ..... 19 - 6
C. Temporary Conveyance ..... 19 - 7
D. Erosion Control ..... 19 - 8
E. Sequence of Operations ..... 19 - 8
F. Other ..... 19 - 9
19.4 DESIGN OF BRIDGES ..... 19 - 9
A. Bridge Considerations ..... 19 - 9
B. Foundation and Scour ..... 19 - 10
C. Environmental Aspects ..... 19 - 10
D. Stream Restoration ..... 19 - 10
19.5 DESIGN OF CULVERTS ..... 19 - 11
A. Preparation ..... 19 - 11
B. Installation ..... 19 - 11
C. Stream Restoration ..... 19 - 11
19.6 DESIGN OF OPEN CHANNELS ..... 19 - 11
A. Introduction ..... 19 - 11
B. Bank Stabilization ..... 19 - 12
C. Excavation ..... 19 - 12
D. Access ..... 19 - 12
E. Temporary Stockpiling of Materials in Regulatory Floodplains ..... 19 - 12
19.7 DESIGN OF STORM DRAINS ..... 19 - 13

A. Introduction ..... 19 - 13
B. Drain Locations ..... 19 - 13
19.8 PRE-CONSTRUCTION CONFERENCE ..... 19 - 13
A. Introduction ..... 19 - 13
B. Permit Review ..... 19 - 15
C. Other Concerns ..... 19 - 16
19.9 CONSTRUCTION ..... 19 - 16
A. Introduction ..... 19 - 16
B. Design and Construction ..... 19 - 16
C. As-Built Plans ..... 19 - 16
D. Final Inspection ..... 19 - 17
E. Construction Feedback ..... 19 - 17

CHAPTER 20 MAINTENANCE OF DRAINAGE FACILITIES

RESERVED FOR FUTURE DEVELOPMENT

LIST OF FIGURES

FIGURE	SUBJECT	PAGE
6.1	PAMAP Tile Structure	6 - 10
7.1	Typical Flood Frequency Curve	7 - 2
7.2	Watersheds and Gage Numbers with the Highest Over-Prediction from the Observed and Weighted Gage Flows	7 - 21
7.3	Watersheds and Gage Numbers with the Highest Under-Prediction from the Observed and Weighted Gage Flows	7 - 22
7.4	Velocities for Upland Method of Estimating Time of Concentration, t_c	7 - 25
7.5	NRCS Dimensionless Curvilinear Unit Hydrograph	7 - 44
7.6	Triangular Unit Hydrograph	7 - 45
7.7	Example of Rainfall Hyetograph (Metric)	7 - 51
7.8	Example of Rainfall Hyetograph (U.S. Customary)	7 - 53
7.9	Storage-Outflow Relation	7 - 55
7.10	Plot of Inflow and Outflow Hydrographs	7 - 59
7.11	Pennsylvania Generalized Skew Coefficients of Logarithms of Annual Maximum Streamflow (G)	7 - 70
7A.1	Map A. 15-, 30- and 60-minute durations for storms occurring with an ARI of 1-, 2-, 5-, 10-years and 30- and 60-minute durations for storms occurring with an ARI of 25-years	7A - 9
7A.2	Map B. 5-minute durations for storms occurring with an ARI of 25-, 50- and 100-years	7A - 10
7A.3	Map C. 5- and 10-minute durations for storms occurring with an ARI of 1-, 2-, 5-, and 10-years, 10- and 15-minute durations for storms occurring with an ARI of 25-years and 10-, 15-, 30-, 60-minute durations for storms occurring with an ARI of 50- and 100-years.	7A - 11
7A.4	Map D. 6-hour durations for storms occurring with an ARI of 1-, 2-, 5-, 10-, 25-, 50- and 100-years	7A - 12
7A.5	Map E. 2- and 3-hour durations for storms occurring with an ARI of 1-, 2-, 5-, 10-, 25-, 50- and 100-years	7A - 13
7A.6	Map F. 12- and 24-hour durations for storms occurring with an average recurrence interval (ARI) of 1-, 2-, 5-, 10-, 25-, 50-, and 100-years and the 24-hour duration for the 500-year frequency storm.	7A - 14
7A.7(a)	Rainfall Intensity for 1- through 100-year Storms for Region 1 (Metric).	7A - 15
7A.7(b)	Rainfall Amount for 1- through 100-year Storms for Region 1 (Metric).	7A - 15
7A.8(a)	Rainfall Intensity for 1- through 100-year Storms for Region 1 (U.S. Customary).	7A - 16
7A.8(b)	Rainfall Amount for 1- through 100-year Storms for Region 1 (U.S. Customary).	7A - 16
7A.9(a)	Rainfall Intensity for 1- through 100-year Storms for Region 2 (Metric).	7A - 17
7A.9(b)	Rainfall Amount for 1- through 100-year Storms for Region 2 (Metric).	7A - 17
7A.10(a)	Rainfall Intensity for 1- through 100-year Storms for Region 2 (U.S. Customary).	7A - 18
7A.10(b)	Rainfall Amount for 1- through 100-year Storms for Region 2 (U.S. Customary).	7A - 18
7A.11(a)	Rainfall Intensity for 1- through 100-year Storms for Region 3 (Metric).	7A - 19
7A.11(b)	Rainfall Amount for 1- through 100-year Storms for Region 3 (Metric).	7A - 19
7A.12(a)	Rainfall Intensity for 1- through 100-year Storms for Region 3 (U.S. Customary).	7A - 20
7A.12(b)	Rainfall Amount for 1- through 100-year Storms for Region 3 (U.S. Customary).	7A - 20
7A.13(a)	Rainfall Intensity for 1- through 100-year Storms for Region 4 (Metric).	7A - 21
7A.13(b)	Rainfall Amount for 1- through 100-year Storms for Region 4 (Metric).	7A - 21
7A.14(a)	Rainfall Intensity for 1- through 100-year Storms for Region 4 (U.S. Customary).	7A - 22
7A.14(b)	Rainfall Amount for 1- through 100-year Storms for Region 4 (U.S. Customary).	7A - 22
7A.15(a)	Rainfall Intensity for 1- through 100-year Storms for Region 5 (Metric).	7A - 23
7A.15(b)	Rainfall Amount for 1- through 100-year Storms for Region 5 (Metric).	7A - 23
7A.16(a)	Rainfall Intensity for 1- through 100-year Storms for Region 5 (U.S. Customary).	7A - 24
7A.16(b)	Rainfall Amount for 1- through 100-year Storms for Region 5 (U.S. Customary).	7A - 24
7A.17(a)	Initial Plot of the Data (Metric).	7A - 30
7A.17(b)	Initial Plot of the Data (U.S. Customary).	7A - 30
7A.18(a)	Logarithmic Curve Developed from 0 to 500 Minutes (Metric).	7A - 31
7A.18(b)	Logarithmic Curve Developed from 0 to 500 Minutes (U.S. Customary)	7A - 32

7A.19(a) Logarithmic Curve Developed from 500 to 1440 Minutes (Metric). ....7A - 33
7A.19(b) Logarithmic Curve Developed from 500 to 1440 Minutes (U.S. Customary)....7A - 33
7A.20(a) Hyetograph for the 50-year Storm, Region 5 (Metric). ....7A - 39
7A.20(b) Hyetograph for the 50-year Storm, Region 5 (U.S. Customary). ....7A - 39
7A.21 S-Curve for the 50-year Storm, Region 5 (Metric and U.S. Customary). ....7A - 40

8.1 EGL for Water Surface Profile ....8 - 5
8.2 Typical Specific Energy Diagram ....8 - 6
8.3 Typical Cross Sections ....8 - 9
8.4 Conveyance Subdivision ....8 - 12
8.5 Alternative Conveyance Subdivision Method (HEC-2 and WSPRO style) ....8 - 12
8.6 Typical Stage-Discharge Curve ....8 - 14
8.7 Switchback in Stage-Discharge Curve ....8 - 15
8.8 Sample Cross Section ....8 - 17
8.9 Example Stage-Discharge Curve ....8 - 17
8.10 Stream Profile ....8 - 18
8.11 Water Surface Profile Convergence ....8 - 24
8.12 Cross Section at Station 9.79 (Farthest Upstream) ....8 - 26
8.13 Cross Section at Station 9.7 ....8 - 27
8.14 Cross Section at Station 9.6 ....8 - 27
8.15 Cross Section at Station 9.5 (Farthest Downstream) ....8 - 28
8.16 Sample Roadside Channel ....8 - 35
8.17 Void Space in Riprap Channel Bottom ....8 - 47
8.18 Manning's n-Values for Riprap Channels ....8 - 48
8.19 Natural Stream Patterns ....8 - 51
8.20(a) Thalweg Location in Plan-View and Cross Section ....8 - 52
8.20(b) Various Degrees of Sinuosity ....8 - 52
8.21 Plan-View and Cross Section of a Braided Stream ....8 - 53
8.22 Plan-View and Cross Section of a Meandering Stream ....8 - 54
8.23 Migration Leading to Formation of Oxbow-Lake ....8 - 55
8.24 Meandering Stream Threatening Bridge and Approach Roadway ....8 - 57
8.25 Permeable Fence Spurs as Meander Migration Countermeasures ....8 - 58
8.26 Meander Migration in a Natural Stream ....8 - 59
8.27 Stabilization Measures Adapted to Improve Aquatic Habitat ....8 - 60
8.28 Flood Flow Channel Modifications ....8 - 61
8.29 Highway Encroachment on Natural Streams and Stream Relocation ....8 - 62
8.30 Gabions Used for Bank Protection ....8 - 64
8.31 Gabions Used as a Revetment ....8 - 65
8.32 Gabions Used as a Revetment ....8 - 65

9.1 USGS Flow Types ....9 - 2
9.2 Culvert Located in a Natural Streambed ....9 - 11
9.3 Stream Relocation Options ....9 - 12
9.4 Culvert Placement Locations ....9 - 13
9.5 Typical Culvert End Treatments ....9 - 15
9.6 Mitered End Treatment for Safety ....9 - 16
9.7 Plot of Depth of Flow versus Specific Energy for a Constant Flow Rate per Unit Width (q) ....9 - 19
9.8 Inlet Control Conditions ....9 - 25
9.9 Outlet Control ....9 - 31
9.10 Momentum Function and Specific Energy ....9 - 35
9.11(a) Metric Discharge Coefficients for Roadway Overtopping ....9 - 38
9.11(b) U.S. Customary Drainage Coefficients for Roadway Overtopping ....9 - 39
9.12 Typical Performance Curve ....9 - 40
9.13 Flow Chart A – Culvert Design Procedure ....9 - 42
9.14 Flow Chart B – Culvert Design Procedure (continued) ....9 - 43
9.15 Beveled Entrance ....9 - 48
9.16 Top-tapered Box Culvert ....9 - 48
9.17 Damage to Culvert Inlets Due to Hydraulic Forces and Drift ....9 - 51

9.18 Culvert and Roadway Fill Failure from Buoyant Forces: Culvert Carried Downstream....9 - 52
9.19 Void From Piping Along Culvert Barrel....9 - 52
9.20 Anti-seep Collars....9 - 53
9.21 Training Walls....9 - 54
9.22 Culvert on Spread Footings to Retain Streambed for Fish Passage....9 - 56
9.23 Culvert Invert Placed Below Streambed....9 - 56
9.24 Vertical Riser for Relief....9 - 57
9.25 Loss of Culvert Material from Abrasion....9 - 58
9.26 Chart 17 and Performance Curve for Design Example (Metric)....9 - 63

10.1 Backwater at a Stream Crossing....10 - 10
10.2 Typical Flow Directions through Bridge Opening....10 - 11
10.3 Flow Distribution (1m = 3.28ft)....10 - 12
10.4 Vertical Sag Curve Profile....10 - 16
10.5 Crest-Vertical Curve Profile....10 - 16
10.6 Level Profile....10 - 16
10.7 Lateral Scour at a Bridge....10 - 17
10.8 Upstream and Downstream Water Surface Elevations at a Skewed Crossing....10 - 18
10.9 Roadway Cut through the Embankment Caused by Head Differentials Across the Road at a Skewed Crossing....10 - 18
10.10 Diversion and Bridge Alternatives for Tributary Stream in the Floodplain....10 - 20
10.11 Delta Formed in Principal Stream by Divided Tributary....10 - 21
10.12 Stream Crossing in a Bend....10 - 21
10.13 Grade Separation for another Transportation Facility in the Floodplain Will Serve as an Auxiliary Waterway Opening....10 - 22
10.14 Scour at a Culvert in the Floodplain....10 - 26
10.15 Piers on Bank Undermined by Meander Bend Migration....10 - 27
10.16 Pier Damaged by Boulders in Bed Load....10 - 28
10.17 Spread Footings....10 - 29
10.18 Drilled Shaft Foundation....10 - 29
10.19 Typical Pile Foundation....10 - 29
10.20 Protected Pile Foundation....10 - 30
10.21 A Changing Channel can Undermine Foundation....10 - 30
10.22 Girder Spans Displaced by Buoyant and Drag Forces....10 - 32
10.23 Span Displaced by Force of Ice....10 - 33
10.24 Girder Twisted by Force of Ice....10 - 33
10.25 A Foundation Failure from Scour under an Ice Jam during a Small Flood....10 - 35
10.26 Channel Enlargement which Preserves the Section of the Low Flow Channel....10 - 36
10.27 Channel Realignment....10 - 37
10.28 Backwater at a Highway-Stream Crossing....10 - 39
10.29 Hydraulic Performance of a Highway-Stream Crossing....10 - 40
10.30 Schematic Representation of Scour at a Cylindrical Pier....10 - 42
10.31 Schematic Representation of Scour at an Embankment End....10 - 42
10.32 Combined Effect of General and Local Scour....10 - 43
10.33 Sediment Transport at a Control Section....10 - 44
10.34 Envelope of Worst General Scour....10 - 45
10.35 In-stream Borrow Area....10 - 47
10.36 Borrow Area Filled after One Moderate Rise in the Stream....10 - 47
10.37(a) Degradation in a Stream Mined for Sand and Gravel....10 - 48
10.37(b) Degradation in a Stream Mined for Sand and Gravel....10 - 48
10.38 Measures to Suppress Vortex and Reduce Local Scour....10 - 52
10.39 Drop Structure of Concrete Walls and Grouted Riprap....10 - 54
10.40 Grade Control Structure of Sheet Piling and Rock Riprap....10 - 54
10.41 Scour Abutments and Adjacent Pier....10 - 56
10.42 Sheet Pile Toe Wall....10 - 57
10.43 Cellular Concrete Revetment on Filter Cloth Revetment Toed in to Prevent Undermining....10 - 57
10.44 Rock Riprap at Abutment....10 - 58
10.45 Guide Bank....10 - 59

10.46 Partial Downstream Scour from Flood Redistribution ....10 - 60
10.47 Dolphin and Fender System ....10 - 62
10.48 Bridge Hydraulics Definition Sketch ....10 - 64
10.49 Bridge Flow Types ....10 - 65
10.50 Cross Section Locations at a Bridge ....10 - 67
10.51 Cross Section Locations at a Bridge ....10 - 69
10.52 WSPRO Cross Section Location for Stream Crossing with a Single Waterway Opening ....10 - 71
10.53 Cross Sections near Bridges ....10 - 72
10.54 Cross Sections Near and Inside the Bridge ....10 - 75
10.55 Example of a Bridge under a Sluice Gate Type of Pressure Flow ....10 - 79
10.56 Coefficient of Discharge for Sluice Gate Type Flow ....10 - 81
10.57 Example of a Bridge under Fully Submerged Pressure Flow ....10 - 81
10.58 Example Bridge with Pressure Flow and Weir Flow ....10 - 83
10.59 Factor for Reducing Weir Flow for Submergence ....10 - 84
10.60 Ineffective Bridge Deck Drainage Inlet ....10 - 92

11.1 Subsurface Water Zones and Processes ....11 - 22
11.2 Mechanisms for Saline Water Intrusion into Freshwater Aquifers ....11 - 25
11.3(a) Average Annual Precipitation of Pennsylvania (Metric) ....11 - 29
11.3(b) Average Annual Precipitation of Pennsylvania (U.S. Customary) ....11 - 30
11.4(a) Mean Annual Potential Evapotranspiration of Pennsylvania Landscapes (Metric) ....11 - 35
11.4(b) Mean Annual Potential Evapotranspiration of Pennsylvania Landscapes (U.S. Customary) ....11 - 36
11.5(a) Mean Base Flow at Example Site Using WRIR 90-4167 (Metric) ....11 - 41
11.5(a) Mean Base Flow at Example Site Using WRIR 90-4167 (U.S. Customary) ....11 - 42

12.1 Geocell Slope Confinement System ....12 - 16
12.2 Relationship Between Cell Depth, Slope Angle and Infill Material Minimum Angle of Repose ....12 - 19
12.3 Allowable Interface Friction Angle with Applied FOS ....12 - 21
12.4 Required Stake Array Resistance for Various Slopes and Interface Descriptions with 100 mm (4 in) Cell Depth ....12 - 22
12.5 Maximum Downslope Stake Spacing ....12 - 23
12.6 Required Stake Resistance for Standard 100 mm (4 in) Cell for 2 Cell Across by 3 Cell Down Staking Pattern ....12 - 24
12.7 Required Stake Length for #4 Rebar Typical Roadway Soil Embankment ....12 - 25
12.8 Basic Geocell Swale Protection System ....12 - 26
12.9 Stability Analysis of the Geocell Slope Protection System ....12 - 27
12.10 Geocell Selection for Various Slopes and Cell Depth ....12 - 29
12.11 Basic Geocell Slope Protection System Components ....12 - 30
12.12 Typical Geocell Anchorage System ....12 - 32
12.13 Typical ACBR System ....12 - 33
12.14 Termination Details for ACBR Systems ....12 - 37
12.15 Amorloc System Configuration ....12 - 39
12.16 A-Jacks ....12 - 40
12.17 Armorflex Block Configuration ....12 - 43
12.18 Cable Concrete Configuration ....12 - 44
12.19 Vegetative Filter Strip ....12 - 53
12.20 Riprap Apron Design, Minimum Tailwater Condition ....12 - 59
12.21 Riprap Apron Design, Maximum Tailwater Condition ....12 - 60
12.22 Stilling Well (Typical) ....12 - 62
12.23 Stilling Well Diameter (Metric) ....12 - 63
12.24 Stilling Well Diameter (U.S. Customary) ....12 - 64
12.25 Depth of Stilling Well Above Invert ....12 - 65
12.26 Sediment Trap (Embankment) ....12 - 69
12.27 Sediment Trap (Riser) ....12 - 70
12.28 Example Embankment Sediment Trap Summary Table ....12 - 70
12.29 Sediment Basin ....12 - 71
12.30 Sediment Basin Volume ....12 - 73
12.31 Anti-Seep Collar Design ....12 - 78

12.32 Graphical Determination of Anti-Seep Collar Size ....12 - 80
12.33 Example Bypass Channel Used For Culvert Installation....12 - 82
12.34 Flume Through Work Area ....12 - 82
12.35 Pump Around In-Channel Work Area....12 - 83
12.36 In-Stream Temporary Diversion Device ....12 - 84

13.1(a) Flow in Triangular Gutter Sections (Metric) ....13 - 13
13.1(b) Flow in Triangular Gutter Sections (U.S. Customary) ....13 - 14
13.2 Ratio of Frontal Flow to Total Gutter Flow....13 - 15
13.3(a) Flow in Composite Gutter Sections (Metric)....13 - 17
13.3(b) Flow in Composite Gutter Sections (U.S. Customary)....13 - 18
13.4(a) V-Type Gutter (Metric) ....13 - 19
13.4(b) V-Type Gutter (U.S. Customary) ....13 - 19
13.5(a) Manning's Formula for Full Flow in Storm Pipes (Metric). ....13 - 26
13.5(b) Manning's Formula for Full Flow in Storm Pipes (U.S. Customary). ....13 - 27
13.6(a) Nomograph for Computing Required Size of Circular Pipe for Full Flow (Metric) ....13 - 28
13.6(b) Nomograph for Computing Required Size of Circular Pipe for Full Flow (U.S. Customary) ....13 - 29
13.7(a) Concrete Pipe Flow Nomograph (Metric) ....13 - 30
13.7(b) Concrete Pipe Flow Nomograph (U.S. Customary) ....13 - 31
13.8 Values of Hydraulic Elements of Circular Section for Various Depths of Flow....13 - 32
13.9 Deflection Angle ....13 - 36
13.10 Relative Flow Effect....13 - 37
13.11 Schematic Representation of Benching Types ....13 - 38
13.12 Use of Energy Losses in Developing a Storm Drain System ....13 - 41

14.1 Bioslope Example....14 - 21
14.2 Common Structural BMP Applications....14 - 27
14.3 Sharp-Crested Weir (No End Contractions)....14 - 34
14.4 Sharp-Crested Weir (Two End Contractions)....14 - 35
14.5 Sharp-Crested Weir and Head ....14 - 35
14.6 Triangular Shaped Hydrographs (For Preliminary Estimate of Required Storage Volume) ....14 - 38
14.7(a) Example Storage Characteristics Curve (Metric) ....14 - 43
14.7(b) Example Storage Characteristics Curve (U.S. Customary) ....14 - 43
14.8(a) Example Stage-Storage Curve (Metric)....14 - 44
14.8(b) Example Stage-Storage Curve (U.S. Customary)....14 - 44
14.9(a) Stage-Discharge Curve (Metric)....14 - 45
14.9(b) Stage-Discharge Curve (U.S. Customary)....14 - 45
14.10(a) Runoff Hydrographs (Metric)....14 - 49
14.10(b) Runoff Hydrographs (U.S. Customary)....14 - 50
14.11 Concrete Riser Example....14 - 53
14.12 Example of Dry Pond Configuration....14 - 54
14.13 Example of Methods of Increasing the Length-to-Width Ratio of a Storage Facility ....14 - 57
14.14 Wet Pond ....14 - 58

BLANK PAGE

LIST OF TABLES

TABLE	SUBJECT	PAGE
6.1	Pennsylvania Stream Classifications	6 - 5
6A.1	Data Access Quick Reference Guide	6A - 5
7.1	Return Interval Terms	7 - 10
7.2	Suggested Design Return Intervals (years)	7 - 11
7.3	Frequencies for Coincidental Occurrence	7 - 14
7.4	Gages with the Highest Over- or Under-Predicted USGS SIR 08-5102 Values and Their Watershed Characteristics	7 - 20
7.5	Roughness Coefficients n-value for Manning's Equation (Pipes and Pavements)	7 - 27
7.6	Intercept Coefficients for Velocity versus Slope Relationship	7 - 28
7.7	Runoff Factors for the Rational Equation	7 - 31
7.7(a)	Runoff Coefficient for Rural Watersheds	7 - 32
7.8	Runoff Coefficient Adjustment Factors for Rational Method	7 - 32
7.9	Runoff Curve Numbers for Urban Areas	7 - 38
7.10	Runoff Curve Numbers for Cultivated Agricultural Land	7 - 39
7.11	Runoff Curve Numbers for Other Agricultural Lands	7 - 40
7.12	Runoff Curve Numbers for Arid and Semi-Arid Rangelands	7 - 41
7.13	Rainfall Groups for Antecedent Soil Moisture Conditions During Growing and Dormant Seasons	7 - 41
7.14	Coefficients for Equation 7.19	7 - 43
7.15	Ponding Adjustment Factor	7 - 43
7.16	NRCS 24-Hour Rainfall Distributions	7 - 49
7.17	Example of Incremental Rainfall Tabulation (Metric)	7 - 50
7.18	Example of Incremental Rainfall Tabulation (U.S. Customary)	7 - 52
7.19	Stage-Storage-Outflow and Computed Storage-Outflow Relation	7 - 57
7.20	Storage Routing Calculations	7 - 58
7.21	Channel Routing Using the Muskingum Method	7 - 63
7A.1	Appropriate Rainfall Region Map for each Storm Duration and Frequency	7A - 1
7A.2(a)	Five (5) minute through twenty-four (24) hour storm totals for Region 1 (Metric).	7A - 2
7A.2(b)	Five (5) minute through twenty-four (24) hour storm totals for Region 1 (U.S. Customary).	7A - 2
7A.3(a)	Five (5) minute through twenty-four (24) hour storm totals for Region 2 (Metric).	7A - 3
7A.3(b)	Five (5) minute through twenty-four (24) hour storm totals for Region 2 (U.S. Customary).	7A - 3
7A.4(a)	Five (5) minute through twenty-four (24) hour storm totals for Region 3 (Metric).	7A - 4
7A.4(b)	Five (5) minute through twenty-four (24) hour storm totals for Region 3 (U.S. Customary).	7A - 4
7A.5(a)	Five (5) minute through twenty-four (24) hour storm totals for Region 4 (Metric).	7A - 5
7A.5(b)	Five (5) minute through twenty-four (24) hour storm totals for Region 4 (U.S. Customary).	7A - 5
7A.6(a)	Five (5) minute through twenty-four (24) hour storm totals for Region 5 (Metric).	7A - 6
7A.6(b)	Five (5) minute through twenty-four (24) hour storm totals for Region 5 (U.S. Customary).	7A - 6
7A.7(a)	Composite 10-year storm in Region 5 (Metric).	7A - 8
7A.7(b)	Composite 10-year storm in Region 5 (U.S. Customary).	7A - 8
7A.8(a)	Values obtained from 2007 PDT-IDF (Metric).	7A - 29
7A.8(b)	Values obtained from 2007 PDT-IDF (U.S. Customary).	7A - 29
7A.9(a)	Data from Time 0 to 500 Minutes (Metric).	7A - 31
7A.9(b)	Data from Time 0 to 500 Minutes (U.S. Customary).	7A - 31
7A.10(a)	Data from Time 500 to 1440 Minutes (Metric).	7A - 32
7A.10(b)	Data from Time 500 to 1440 Minutes (U.S. Customary).	7A - 32
7A.11(a)	Composite Storm Development (Metric).	7A - 34
7A.11(b)	Composite Storm Development (U.S. Customary).	7A - 36
7C.1	Project location map for bridge replacement over Big Sandy Creek	7C - 2
7C.2	Project location map for culvert replacement over Queen Anne Creek Tributary	7C - 3
7C.3	Project location map for culvert replacement over Sherman Creek Tributary	7C - 4

7C.4 Project location map for bridge replacement over Baker Run ..... 7C - 5

8.1 Roughness Coefficients n-values for Manning's Equation (Channels, Flood Plains and Excavated Channels) ..... 8 - 11
8.2 Cross Section Data (Section "A" - Sta. 1+36) ..... 8 - 18
8.3 Cross Section Data at Elevation 221.83 m (727.80 ft) ..... 8 - 20
8.4 Cross Section Data at Elevation 222.14 m (728.80 ft) ..... 8 - 20
8.5 Cross Section Data at Elevation 222.14 m (729.81 ft) ..... 8 - 21
8.6 Cross Section Data at Elevation 222.74 m (730.61 ft) ..... 8 - 21
8.7 Cross Section Data at Elevation 222.74 m (730.78 ft) ..... 8 - 22
8.8 Water-Surface Calculations (Q = 57 m^3/s (2000 cfs)) ..... 8 - 29
8.9 Channel Lining Application and Considerations ..... 8 - 40
8.10 Adjusted Manning's n-Values for Various Channel Linings ..... 8 - 40
8.11 Allowable Shear Stresses for Various Linings ..... 8 - 41
8.12 Permissible Velocities for Various Linings ..... 8 - 42
8.13 Retardance Class for Lining Materials ..... 8 - 43
8.14 Manning's n Relationship for Vegetal Degree of Retardance ..... 8 - 44
8.15 Temporary RECPs by FHWA Class ..... 8 - 46
8.16 Permanent RECPs by FHWA Class ..... 8 - 46

9.1 Alternate Pipes Selection Criteria Based on Type of Installation ..... 9 - 16
9.2 Pipe Selection Criteria for Corrosion Protection Based on pH and Resistivity Values ..... 9 - 17
9.3 Constants for Inlet Control Design Equations ..... 9 - 23
9.4 Regression Coefficients for Inlet Control Equations ..... 9 - 26
9.5 Entrance Loss Coefficients (C_e) ..... 9 - 29
9.6 Quick References for Culvert Variables ..... 9 - 45

10.1 Bridge or Culvert ..... 10 - 25
10.2 Flow Classification According to Submergence Conditions ..... 10 - 70
10.3 Subcritical Flow Contraction and Expansion Coefficients ..... 10 - 74
10.4 Yarnell's Pier Coefficient, K, for Various Pier Shapes ..... 10 - 76
10.5 Low Flow Classes ..... 10 - 78

11.1 Fate of Pollutants by Management Measures ..... 11 - 11
11.2 Wapwallopen Creek Near Wapwallopen, PA ..... 11 - 39
11.3 Base Flows for Selected Recurrence Intervals ..... 11 - 41

12.1 Relationship of Earth Disturbance Activities, Regulations, and Associated Permits ..... 12 - 4
12.2 Suggested Points For Project Coordination with County Conservation Districts ..... 12 - 6
12.3 BMP Selection ..... 12 - 11
12.4 RECP Selection (Typical) ..... 12 - 15
12.5 Six-Step Geocell Static Design Procedure ..... 12 - 18
12.6 Typical Soil and Interface Characteristics ..... 12 - 20
12.7 General Guidelines for Selection of Swale Infill Materials ..... 12 - 26
12.8 Typical Tendons ..... 12 - 31
12.9 ACBR Systems ..... 12 - 33
12.10 ACBR System Design Procedures ..... 12 - 35
12.11 Actual Test Results ..... 12 - 36
12.12 Range of Articulation ..... 12 - 36
12.13 Summary of A-Jacks Dimensions ..... 12 - 40
12.14 ArmorFlex Block System ..... 12 - 42
12.15 Cable Concrete Block Specifications Original Block – Closed Cell ..... 12 - 45
12.16 Maximum Permissible Velocities for Mattress and Block Gabions ..... 12 - 47
12.17 Maximum Slope Length for Compost Filter Socks ..... 12 - 49
12.18 Silt Barrier Fence Slope Length ..... 12 - 51
12.19 Silt Barrier Fence Post Spacing and Geotextile Requirements ..... 12 - 51
12.20 Heavy Duty Silt Fence Slope Length ..... 12 - 52
12.21 Maximum Flow Length For Vegetative Filter Strip Slope ..... 12 - 53

12.22 Suggested Minimum Sizes ....12 - 55

12A.1 Relationship of Activities, Regulations, and Permits for Stream Work ....12A - 6

12D.1 Correlation between PA DEP Regions, PennDOT Engineering Districts, and Conservation Districts ....12D - 1

13.1 Manning's *n* for Street and Pavement Gutters ....13 - 11
13.2 Manhole Spacing Criteria ....13 - 22
13.3 Correction for Benching ....13 - 38
13.4 Hydraulic Grade Line Computation Form ....13 - 40

14.1 PCSM Levels for Projects Located in Non-sensitive Areas ....14 - 5
14.2 PCSM Levels for Projects Located in Sensitive Areas ....14 - 5
14.3 BMPs by ABACT Category ....14 - 8
14.4 Relationship of Activities, Regulations, and Permits for Stream Work ....14 - 15
14.5 Level 1 BMP Toolbox Summary ....14 - 16
14.6 Vegetated Swale Summary ....14 - 18
14.7 Bioretention Summary ....14 - 19
14.8 Vegetated Filter Strip Summary ....14 - 19
14.9 Level 2 BMP Toolbox Summary ....14 - 20
14.10 Bioslope Summary ....14 - 21
14.11 Infiltration Trench Summary ....14 - 22
14.12 Infiltration Basin Summary ....14 - 23
14.13 Infiltration Berm Summary ....14 - 23
14.14 Level 3 BMP Toolbox Summary ....14 - 24
14.15 Constructed Wetland Summary ....14 - 25
14.16 Wet Pond Summary ....14 - 25
14.17 Permeable Pavement Summary ....14 - 26
14.18 Level 4 BMP Toolbox Summary ....14 - 26
14.19(a) Broad-Crested Weir Coefficient C-Values as a Function of Weir Crest Breadth and Head (m) ....14 - 36
14.19(b) Broad-Crested Weir Coefficient C-Values as a Function of Weir Crest Breadth and Head (ft) ....14 - 36
14.20 Orifice Discharge Coefficients ....14 - 37
14.21(a) Stage-Discharge-Storage Data (Metric) ....14 - 41
14.21(b) Stage-Discharge-Storage Data (U.S. Customary) ....14 - 42
14.22(a) Example Runoff Hydrographs (Metric) ....14 - 46
14.22(b) Example Runoff Hydrographs (U.S. Customary) ....14 - 47
14.23(a) Storage Routing for the 10-Year Storm (Metric) ....14 - 48
14.23(b) Storage Routing for the 10-Year Storm (U.S. Customary) ....14 - 48

19.1 Changes that May Affect Drainage Designs and are Detectable during Field Observation ....19 - 15

BLANK PAGE