



TRANSMITTAL LETTER

PUBLICATION:

236

DATE:

11/19/2013 Change 1

SUBJECT:

Handbook of Approved Signs

INFORMATION AND SPECIAL INSTRUCTIONS:

This change consists of the following revisions:

Index	Added alphabetical listing
R1-5L	Revised justification
R1-5R	Revised justification
R4-2	Revised justification
R4-11	Revised justification
R8-10A	New Sign
R10-11D	New Sign
R10-16	New Sign
R13-1-1	Added reference to Buses
W11-7	Revised justification
W14-3	Revised justification
D3-1	Revised justification
D9-13DP	New Sign
D10-5	Revised justification
I18-1	Clarified use of Clearview
I60-1	Removed
I92-1	Removed
S1-1	Revised justification

CANCEL AND DESTROY THE FOLLOWING:

As noted on enclosed instructions

ADDITIONAL COPIES ARE AVAILABLE FROM:

- PennDOT SALES STORE
(717) 787-6746 phone
(717) 787-8779 fax
ra-penndotsalesstore@pa.gov
- PennDOT website - www.dot.state.pa.us
Click on Forms, Publications & Maps
- DGS warehouse (PennDOT employees ONLY)

APPROVED FOR ISSUANCE BY:

Brian G. Thompson, P.E.
Acting Director
Bureau of Maintenance & Operations

Publication 236
Change 1
Instructions

Remove Page	Add Page
N/A	Alphabetical Index
R1-4-1/R1-5L	R1-4-1/ R1-5L
R1-5R/R1-6	R1-5R /R1-6
R4-1A/R4-2	R4-1A/ R4-2
R4-11/R4-16	R4-11 /R4-16
R8-9/R8-20	R8-9/ R8-10A R8-20/Blank
R10-11C/R10-12	R10-11C/ R10-11D R10-12/Blank
R10-15R/R10-18	R10-15R/ R10-16 R10-18/Blank
R13-1-1/R13-2	R13-1-1 /R13-2
W11-7/W11-8	W11-7 /W11-8
W14-2AR/W14-3	W14-2AR/ W14-3
D2-3/D3-1	D2-3/ D3-1
D9-11/D9-14	D9-11/ D9-13DP D9-14/Blank
D10-5/D11-1	D10-5 /D11-1
I16-1/I18-1	I16-1/ I18-1
I47-2/I60-1	I47-2/Blank
I92-1/I98-1	Blank/I98-1
S1-1/S3-1	S1-1 /S3-1

HANDBOOK OF APPROVED SIGNS

PUBLICATION 236



PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
GEN NOTES	GENERAL NOTES SHEET							
R 1-1	STOP		30" x 30"	36" x 36"	48" x 48"		24" x 24"	18" x 18"
R 1-1A	RIGHT LANE KEEP MOVING		24" x 30"	30" x 36"				
R 1-1-2	RAMP		36" x 18"		48" x 24"			
R 1-1-3	RAMP STOP		36" x 48"		48" x 60"			
R 1-1-4	RAMP YIELD		36" x 48"		48" x 60"			
R 1-2	YIELD		36" x 36"	48" x 48"	60" x 60"			18" x 18"
R 1-2AP	TO ONCOMING TRAFFIC PLAQUE (for R 1-2)		24" x 18"					
R 1-3P	ALLWAY PLAQUE		18" x 6"					
R 1-4-1	STOP SIGN REMOVED FROM SIDE STREET		18" x 24"					
R 1-5L ★	YIELD HERE TO PEDESTRIAN WITH LEFT ARROW		36" x 36"					
R 1-5R ★	YIELD HERE TO PEDESTRIAN WITH RIGHT ARROW		36" x 36"					
R 1-6	IN - STREET PEDESTRIAN CROSSING		12" x 36"					
R1-9	OVERHEAD PEDESTRIAN CROSSING		90" x 24"					
R 1-10P	EXCEPT RIGHT TURN PLAQUE		24" x 18"					
R 2-1	SPEED LIMIT		24" x 30"	30" x 36"	48" x 60"			
R 2-2-1	TRUCKS OVER (____) LBS. SPEED		30" x 36"		36" x 48"			
R2-6P	FINES HIGHER PLAQUE		24" x 18"		48" x 36"		36" x 24"	
R2-6AP	FINES DOUBLE PLAQUE		24" x 18"		48" x 36"		36" x 24"	
R 2-9	NEXT (____)		30" x 18" / 36" x 24" / 48" x 30" *					
R2-10	BEGIN HIGHER FINES ZONE		24" x 30"		48" x 60"		36" x 48"	
R2-11	END HIGHER FINES ZONE		24" x 30"		48" x 60"		36" x 48"	
R 2-15	MAINTAIN SPEED THRU TUNNELS				60" x 60"			
R 2-101	TRUCK & BUS PLAQUE		24" x 24" / 36" x 24" / 48" x 36" *					
R 3-1	NO RIGHT TURN		24" x 24"	36" x 36"		48" x 48"	30" x 30"	
R 3-2	NO LEFT TURN		24" x 24"	36" x 36"		48" x 48"	30" x 30"	
R 3-3	NO TURNS		24" x 24"	36" x 36"		48" x 48"		
R 3-3-3	NO TURNS FROM SHOULDER		24" x 30"					
R 3-4	NO U-TURN		24" x 24"	36" x 36"		48" x 48"	30" x 30"	
R3-5A	STRAIGHT-THROUGH		30" x 36"					
R 3-5L	LEFT TURN		30" x 36"					
R 3-5R	RIGHT TURN		30" x 36"					
R 3-5-1	U-TURN OK		24" x 24"	36" x 36"	48" x 48"			
R 3-6LR	OPTIONAL LEFT OR RIGHT TURN		30" x 36"					
R 3-6LS	OPTIONAL LEFT TURN		30" x 36"					
R 3-6LSR	OPTIONAL LEFT, STRAIGHT & RIGHT TURN		30" x 36"					
R 3-6SR	OPTIONAL RIGHT TURN		30" x 36"					
R 3-7C	CENTER LANE MUST TURN LEFT		30" x 30"	36" x 36"		48" x 48"		
R 3-7L	LEFT LANE MUST TURN LEFT		30" x 30"	36" x 36"		48" x 48"		
R 3-7LA	LEFT LANE MUST TURN LEFT (narrow)		24" x 48"					
R 3-7R	RIGHT LANE MUST TURN RIGHT		30" x 30"	36" x 36"		48" x 48"		
R 3-7RA	RIGHT LANE MUST TURN RIGHT (narrow)		24" x 48"					
R 3-7-1L	ALL TRAFFIC MUST TURN LEFT		30" x 30"	36" x 36"		48" x 48"		
R 3-7-1R	ALL TRAFFIC MUST TURN RIGHT		30" x 30"	36" x 36"		48" x 48"		
R 3-7-2	LANE MUST TURN SUPPLEMENTARY PLAQUE		30" x 30"					
R 3-8A	LANE USE CONTROL (TWO LANES) (Two Sheets)		Varies x 30"					
R 3-8B	LANE USE CONTROL (THREE LANES)		48" x 30"					
R 3-9A	TWO-WAY LEFT TURN ONLY		30" x 36"					
R 3-9B	CENTER LANE - LEFT TURN ONLY		24" x 36"			36" x 48"		
R 3-9CP	BEGIN PLAQUE		24" x 12" / 30" x 15" / 36" x 18" *					

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
R 3-9DP	END PLAQUE		24" x 12" / 30" x 15" / 36" x 18" *					
R 3-10	HOV RESTRICTED LANE		30" x 42"		78" x 96"		36" x 60"	
R 3-11A	HOV PREFERENTIAL LANE		30" x 42"		78" x 96"		42" x 60"	
R 3-12	HOV PREFERENTIAL LANE AHEAD		30" x 42"		48" x 84"		36" x 60"	
R 3-12A	HOV PREFERENTIAL LANE ENDS		30" x 42"		48" x 84"		36" x 60"	
R 3-15	HOV PREFERENTIAL LANE AHEAD OVERHEAD		66" x 36"		102" x 60"		84" x 48"	
R 3-15B	HOV PREFERENTIAL LANE ENDS OVERHEAD		66" x 36"		102" x 60"		84" x 48"	
R 3-17	BIKE LANE		30" x 24"					
R3-20L	BEGIN LEFT TURN LANE		24" x 36"					
R3-20R	BEGIN RIGHT TURN LANE		24" x 36"					
R 3-23	ALL TURNS FROM RIGHT LANE		60" x 48"			96" x 48"		
R3-23A	U TURN FROM RIGHT LANE		60" x 36"					
R 3-24	ALL TURNS (45° ARROW)		72" x 18"					
R3-24A	U AND LEFT TURNS (45° ARROW)		60" x 24"					
R3-24B	U TURN (45° ARROW)		72" x 18"					
R3-25	ALL TURNS (RIGHT ARROW)		72" x 18"					
R3-25A	U AND LEFT TURNS (RIGHT ARROW)		60" x 24"					
R3-25B	U TURN (RIGHT ARROW)		72" x 18"					
R3-26	U AND LEFT TURNS (STRAIGHT ARROW)		60" x 24"					
R3-26A	U TURN (STRAIGHT ARROW)		72" x 18"					
R 3-101P	EXCEPT BUSES PLAQUE		24" x 18" / 30" x 24" *					
R 3-102P	TRUCKS OVER (____) FEET LONG PLAQUE		24" x 18" / 30" x 24" *					
R 3-103	PREFERENTIAL LANE		72" x 60"		108" x 84"		96" x 72"	
R 4-1	DO NOT PASS		24" x 30"		48" x 60"		36" x 48" / 12" x 18"	
R 4-1A	NO PASSING ZONE AHEAD		36" x 48"					
R 4-2 ★	PASS WITH CARE		24" x 30"		48" x 60"		36" x 48" / 12" x 18"	
R 4-4	RIGHT TURN LANE / BIKES		36" x 30"					
R 4-5	TRUCKS USE RIGHT LANE		24" x 30"		48" x 60"		36" x 48"	
R 4-6	TRUCK LANE (____) FEET		24" x 30"		48" x 60"		36" x 48"	
R 4-7	KEEP RIGHT		24" x 30"		48" x 60"		36" x 48" / 12" x 18"	
R 4-7B	KEEP RIGHT WITH 30° ARROW		24" x 30"		48" x 60"		36" x 48"	
R4-7C	KEEP RIGHT (NARROW)		18" x 30"					
R 4-8	KEEP LEFT		24" x 30"		48" x 60"		36" x 48"	
R 4-8B	KEEP LEFT WITH 30° ARROW		24" x 30"		48" x 60"		36" x 48"	
R4-8C	KEEP LEFT (NARROW)		18" x 30"					
R 4-9	STAY IN LANE		24" x 30"		48" x 60"		36" x 48"	
R 4-10	RUNAWAY VEHICLES ONLY		48" x 48"					
R 4-10-1	FORM SINGLE LANE			24" x 30"	36" x 48"			
R 4-11 ★	BICYCLES MAY USE FULL LANE		30" x 30"					
R 4-16	KEEP RIGHT EXCEPT TO PASS	18" x 24"	24" x 30"		48" x 60"		36" x 48" / 12" x 18"	
R 4-20	THRU TRAFFIC STAY LEFT				60" x 60"			
R 4-101	LEFT LANE NO BUSES			48" x 60"				
R 4-102	LEFT LANE NO TRUCKS	24" x 30"		30" x 36"	48" x 60"			
R 4-103	NO TRUCKS BUSES TRAILERS LEFT LANE			48" x 60"				
R 4-104	TRUCKS BUSES RIGHT LANE ONLY			48" x 60"				
R 4-105	TRUCK MINIMUM SPEED LIMIT			84" x 78"	102" x 96"			
R 4-106	ENTER HERE		24" x 30"			36" x 48"		
R 4-107	KEEP OFF SHOULDER		30" x 30"					
R 5-1	DO NOT ENTER		30" x 30"	36" x 36"	48" x 48"			
R 5-1A	WRONG WAY		36" x 24"	48" x 30"				

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
R 5-2	NO TRUCK		24" x 24"		36" x 36"	48" x 48"	30" x 30"	
R 5-2-3	EXCEPT LOCAL DELIVERIES (for R5-2, R12-1, R12-5A)		24" x 18" / 36" x 30" / 48" x 36" *					
R 5-2-4	TRUCK WEIGHT(LENGTH) RESTRICTION PANEL (for R5-2)		24" x 12"					
R 5-2-5	EXCEPT LOCAL TRAFFIC		30" x 30"					
R 5-3	NO MOTOR VEHICLES		24" x 24"					24" x 24"
R 5-3-1	MOTOR VEHICLES ONLY		24" x 30"					
R 5-3-1A	MOTOR VEHICLES AND BICYCLES ONLY				36" x 48"			
R 5-3-1B	BICYCLES MUST USE SHOULDER				48" x 48"			
R 5-3-1C	ALL BICYCLES MUST EXIT				48" x 48"			
R 5-3-1D	BICYCLE RESTRICTIONS				36" x 24"			
R 5-3-2	PEDESTRIANS ONLY		24" x 12"					
R 5-3-4	NO TRUCKS OR BUSES		30" x 24"					
R 5-3-5	NO RV'S BEYOND THIS POINT		30" x 30"	36" x 36"				
R 5-6	NO BICYCLES		24" x 24"				30" x 30"	18" x 18"
R 5-10C	NO PEDESTRIANS		24" x 12"					
R 5-20	FLAM LIQ & EXP LOADS PROHIBITED IN TUNNEL				48" x 72"			
R 5-20-1	FLAM LIQ & EXP LOADS MUST USE NEXT EXIT				48" x 72"			
R 5-21	HAZARDOUS LOADS WITH PLACARDS PROHIBITED				48" x 60"			
R 5-21-1	HAZARDOUS MATERIALS MUST FOLLOW DETOUR				48" x 60"			
R 5-101	EMERGENCY AND AUTHORIZED VEHICLES ONLY				24" x 30"			
R 5-102	SEMITRAILER MINIMUM UNDERCLEARANCE		60" x 60"					
R 5-103	VEHICLES OVER (____) (____) FOLLOW		36" x 48"					
R 5-104	VEHICLES OVER (____) TONS NO TURNS		36" x 48"					
R 5-105	SNOW EMERGENCY ROUTE		36" x 48"					
R 6-1L	HORIZONTAL LEFT ONE-WAY		36" x 12"	54" x 18"				
R 6-1R	HORIZONTAL RIGHT ONE-WAY		36" x 12"	54" x 18"				
R 6-2L	VERTICAL LEFT ONE-WAY	18" x 24"	24" x 30"	30" x 36"				
R 6-2R	VERTICAL RIGHT ONE-WAY	18" x 24"	24" x 30"	30" x 36"				
R 6-3	DIVIDED HIGHWAY CROSSING		30" x 24"		36" x 30"			
R 6-3A	DIVIDED HIGHWAY SIDEROAD CROSSING		30" x 24"		36" x 30"			
R 6-4	ROUNDBOUT DIRECTIONAL (2 CHEVRONS)		30" x 24"					
R 6-4A	ROUNDBOUT DIRECTIONAL (3 CHEVRONS)		48" x 24"					
R 6-4B	ROUNDBOUT DIRECTIONAL (4 CHEVRONS)		60" x 24"					
R 6-6	BEGIN ONE-WAY		24" x 30"	30" x 36"		36" x 48"		
R 6-7	END ONE-WAY		24" x 30"	30" x 36"		36" x 48"		
R 7-2	NO PARKING RESTRICTED HOURS		12" x 18"					
R 7-3-1	NO PARKING RESTRICTED DAYS		12" x 18"					
R 7-4	NO STANDING ANY TIME		12" x 18"					
R 7-4A	NO STOPPING OR STANDING		12" x 18"			24" x 36"		
R 7-5	LIMITED TIME PARKING		12" x 18"					
R 7-6-1	NO PARKING LOADING ZONE		12" x 18"					
R 7-8	RESERVED PARKING		12" x 18"					
R 7-8F	RESERVED PARKING PENALTIES		12" x 18"					
R 7-8P	VAN ACCESSIBLE PLAQUE		12" x 6"					
R 7-8-1	RESERVED PARKING-STATE POLICE ONLY		12" x 18"					
R 7-8-2	RESERVED PARKING EDUCATIONAL PLAQUE (for R7-8)		12" x 10"					
R 7-8-3	PERMIT PARKING FOR GOVERNOR'S RESIDENCE		12" x 18"					
R 7-9	ONE HOUR PARKING EXCEPT TURNPIKE EMPLOYEES		12" x 18"					
R 7-10	TEMPORARY NO PARKING		12" x 18"					
R7-100	NO IDLING		24" x 24"			48" x 48"		

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
R 7-107A	NO PARKING BUS STOP		12" x 30"					
R 7-201AP	TOW-AWAY ZONE PLAQUE		12" x 6"					
R 7-203-1	SNOW EMERGENCY ROUTE NO PARKING		18" x 24"					
R 7-203-2	NO PARKING UNTIL SNOW IS REMOVED		12" x 18"					
R 7-301	NO PARKING ARROW PLAQUE (for R8-3)	12" x 6"	24" x 12"	36" x 18"				
R 7-302	NO PARKING SYMBOL / ARROW		12" x 18"					
R 8-3	NO PARKING SYMBOL		12" x 12" / 24" x 24" **		48" x 48"		36" x 36"	
R 8-3CP	NO PARKING ON PAVEMENT PLAQUE	12" x 12"	24" x 18"					
R 8-3GP-1	NO PARKING LOADING ZONE PLAQUE	12" x 12"	24" x 18"					
R 8-3HP-1	NO PARKING RESTRICTED HOURS PLAQUE (for R8-3)	12" x 12"	24" x 18"					
R 8-4	EMERGENCY PARKING ONLY		30" x 24"		48" x 36"			
R 8-5	NO STOPPING ON PAVEMENT		24" x 30"		48" x 60"		36" x 48"	
R 8-7	EMERGENCY STOPPING ONLY		30" x 24"		48" x 36"			
R 8-8	DO NOT STOP ON TRACKS		24" x 30"				36" x 48"	
R 8-9	TRACKS OUT OF SERVICE		36" x 36"					
R 8-10A ★	STOP HERE WHEN FLASHING		24" x 30"			36" x 42"		
R 8-20	NO STOPPING ON BRIDGE		18" x 24"				24" x 30"	
R 9-1	WALK ON LEFT FACING TRAFFIC		18" x 24"					
R 9-2	CROSS ONLY AT CROSSWALKS		12" x 18"					
R 9-3	NO PEDESTRIAN CROSSING		18" x 18"				24" x 24"	18" x 18"
R 9-3BPL	USE CROSSWALK LEFT PLAQUE (for R9-3)		18" x 12"					
R 9-3BPR	USE CROSSWALK RIGHT PLAQUE (for R9-3)		18" x 12"					
R 9-4B	DO NOT PICK UP HITCHHIKERS		24" x 30"					
R 9-7	SHARED-USE PATH RESTRICTION							12" x 18"
R 9-9	SIDEWALK CLOSED		24" x 12"			30" x 18"		
R 9-10	SIDEWALK CLOSED USE OTHER SIDE		24" x 12"			48" x 24"		
R 9-11A	SIDEWALK CLOSED CROSS HERE		24" x 12"			48" x 24"		
R10-2	CROSS ON WALK SYMBOL ONLY		9" x 12"					
R10-3	PUSH BUTTON FOR WALKING PERSON SIGNAL		9" x 12"					
R10-3B	EDUCATIONAL PUSH BUTTON FOR WALKING PERSON SIGNAL		9" x 12"					
R10-3E	EDUC. PUSH BUTTON FOR WALK SIGNAL W/ COUNTDOWN TIMER		9" x 15"					
R10-4	PUSH BUTTON FOR GREEN SIGNAL		9" x 12"					
R10-5	LEFT ON GREEN ARROW ONLY	24" x 30"	30" x 36"					
R10-6AL	STOP HERE ON RED, (LEFT)		24" x 30"					
R10-6AR	STOP HERE ON RED, (RIGHT)		24" x 30"					
R10-6-1	LEFT LANE PLAQUE		24" x 18"					
R10-7	DO NOT BLOCK INTERSECTION		24" x 30"					
R10-10L	LEFT TURN SIGNAL		30" x 36"					
R10-10R	RIGHT TURN SIGNAL		30" x 36"					
R10-11	NO TURN ON RED SYMBOL		24" x 30"	36" x 48"				
R10-11B	NO TURN ON RED SQUARE-SHAPED		36" x 36"					
R10-11C	NO TURN ON RED EXCEPT FROM RIGHT LANE		30" x 42"					
R10-11D ★	NO TURN ON RED FROM THIS LANE		30" x 42"					
R10-12	LEFT TURN YIELD ON GREEN		30" x 36"					
R10-13	EMERGENCY SIGNAL		36" x 24"					
R10-15L	TURNING TRAFFIC MUST YIELD TO PEDESTRIANS (LEFT)		30" x 30"					
R10-15R	TURNING TRAFFIC MUST YIELD TO PEDESTRIANS (RIGHT)		30" x 30"					
R10-16 ★	U-TURN YIELD TO RIGHT TURN		30" x 36"					
R10-18	TRAFFIC LAWS PHOTO ENFORCED		36" x 24"		54" x 36"			
R10-19AP	PHOTO ENFORCED PLAQUE		24" x 18"		48" x 36"		36" x 30"	

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
R10-20AP	RESTRICTED HOURS PLAQUE - 24" WIDTH		12" / 18" / 24" / 30" HEIGHT *					
	RESTRICTED HOURS PLAQUE - 30" WIDTH		15" / 24" / 30" / 36" HEIGHT *					
R10-25	PUSH BUTTON TO TURN ON WARNING LIGHTS		9" x 12"					
R10-28	ONE VEHICLE PER GREEN		30" x 36"					
R10-29	ONE VEHICLE PER GREEN EACH LANE		36" x 24"					
R10-101	NO TURN ON RED WITH ONE-LINE RESTRICTION		24" x 30"	30" x 36"				
R10-102	FORM TWO LANES WHEN METERED		84" x 42"					
R10-103	RAMP METER ON WHEN FLASHING		84" x 42"					
R 11-1	KEEP OFF MEDIAN		24" x 30"			36" x 48"		
R11-2	ROAD CLOSED		48" x 30"					
R11-2-1	BRIDGE CLOSED		48" x 30"					
R11-3A	ROAD CLOSED - LOCAL TRAFFIC ONLY		60" x 30"					
R11-3B	BRIDGE OUT - LOCAL TRAFFIC ONLY		48" x 12"					
R11-4	ROAD CLOSED TO THRU TRAFFIC		60" x 30"					
R11-6	CLOSED FOR THE SEASON		36" x 30"					
R11-7	TRUCKS KEEP OFF SHOULDER		30" x 30"					
R11-10	STREET CLOSED (___) TO (___)		18" x 24"					
R11-11	SNOWMOBILE ROAD - CLOSED TO ALL OTHER VEHICLES		36" x 24"					
R11-11-1	ATV ROAD - CLOSED TO ALL OTHER VEHICLES		36" x 24"					
R11-11-2	SNOWMOBILE - ATV ROAD/CLOSED TO ALL OTHER VEHICLES		48" x 24"					
R12-1	WEIGHT LIMIT (___) TONS		24" x 30"			36" x 48"		
R12-1A	BRIDGE LIMITED TO ONE TRUCK		36" x 30"					
R12-1-2	BRIDGE (for R12-1 & W16-103P)		24" x 12"			36" x 12"		
R12-1-3	WEIGHT LIMIT FOR SAFETY PLAQUE (for R5-2, R12-1, R12-5A)		10" x 6"					
R12-1-4	SEASONAL WEIGHT LIMIT (for R12-1)		24" x 18"			36" x 24"		
R12-5A	EXCEPT COMBINATIONS (___) TONS (for R12-1)		24" x 18"			36" x 24"		
R12-6	102-INCH WIDE TRAILER ADVANCE PROHIBITED		24" x 36" / 36" x 48" / 60" x 72" **					
R12-6A	102-INCH WIDE TRAILER PROHIBITED		24" x 24" / 36" x 36" / 60" x 48" **					
R13-1-1 ★	ALL TRUCKS & BUSES MUST ENTER WEIGH STATION		72" x 48"		120" x 84"		96" x 66"	
R13-2	ALL TRUCKS MUST ENTER REST AREA		48" x 48"					
R14-1	TRUCK ROUTE		24" x 18"					
R14-2	HAZARDOUS MATERIAL ROUTE		24" x 24"		36" x 36"	48" x 48"	30" x 30"	
R14-3	HAZARDOUS MATERIAL PROHIBITED		24" x 24"		36" x 36"	48" x 48"	30" x 30"	
R14-6	WASTE TRUCKS PROHIBITED		36" x 36"					
R14-9	BRAKE RETARDERS PROHIBITED		30" x 36"					
R14-9A	END BRAKE RETARDER PROHIBITION		36" x 30"					
R14-10	TRUCKS REDUCE GEAR		48" x 36"					
R14-11	TRUCKS OVER (___) LBS GROSS WEIGHT REDUCE GEAR		36" x 48"					
R14-12	REDUCED GEAR ZONE		30" x 30"			48" x 48"		
R14-12-1	STAY IN REDUCED GEAR		30" x 30"		36" x 36"			
R14-13	END REDUCED GEAR ZONE		30" x 30"			48" x 48"		
R14-14	TRUCKS OVER (___) LBS STOP (___) FEET		48" x 60"			72" x 96"		
R14-15	TRUCKS OVER (___) LBS WITH ARROW		72" x 36"			96" x 48"		
R14-16-1	VEHICLES OVER (___) FT WIDE PROHIBITED		60" x 60"			96" x 96"		
R14-16(1)	BEYOND EXIT (for R14-16-1)		60" x 12"			96" x 24"		
R14-16(2)	BEYOND NEXT EXIT (for R14-16-1)		60" x 12"			96" x 24"		
R14-16(3)	BEYOND NEXT INTERSECTION (for R14-16-1)		60" x 18"			96" x 30"		
R14-17	TRUCKS OVER 10,000 GVWR RIGHT LANE		48" x 36"					
R14-17-1	VEHICLES OVER (___) FT IN HEIGHT PROHIBITED		60" x 60"			96" x 96"		
R14-18	TRUCKS OVER 10,000 GVWR ENTER		48" x 36"					

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
R14-19	BUSES RIGHT LANE		48" x 36"					
R14-20	BUSES ENTER HERE		48" x 36"					
R15-1	RAILROAD CROSSBUCK		48" x 9"					24" x 4.5"
R15-2P	TRACKS PLAQUE (for R15-1)		27" x 9"					13.5" x 9"
R15-3P	EXEMPT RAILROAD CROSSING PLAQUE		24" x 12"					
R15-101	HIGH SPEED TRAINS		24" x 24"					
R16-1	SCHOOL BUS LAW		36" x 36"					
R16-4	FENDER BENDER?		162" x 72"					
R16-8	TURN ON HEADLIGHTS		30" x 15"		60" x 30"		78" x 36"	
R16-9	CHECK HEADLIGHTS		30" x 15"		60" x 30"		78" x 36"	
R16-101	NO CRUISING		36" x 48"					
R16-102	WET PAINT		24" x 24"					
R16-103	NO FISHING, DIVING OR LOITERING		18" x 18"					
R16-104	USE FLASHERS BELOW (____) MPH				48" x 60"			
R20-4	THREE OR MORE AXLE TRUCKS		24 x 18"					
R22-1	WORK ZONE-TURN ON HEADLIGHTS		48" x 36"		72" x 48"			
W 1-1L	LEFT TURN		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-1R	RIGHT TURN		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-1LR	LEFT TURN WITH SIDE ROAD RIGHT (symbol)		30" x 30"	36" x 36"	48" x 48"			
W 1-1LS	LEFT TURN WITH SIDE ROAD STRAIGHT AHEAD (symbol)		30" x 30"	36" x 36"	48" x 48"			
W 1-1RL	RIGHT TURN WITH SIDE ROAD LEFT (symbol)		30" x 30"	36" x 36"	48" x 48"			
W 1-1RS	RIGHT TURN WITH SIDE ROAD STRAIGHT AHEAD (symbol)		30" x 30"	36" x 36"	48" x 48"			
W 1-2L	LEFT CURVE		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-2R	RIGHT CURVE		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-3L	LEFT REVERSE TURN		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-3R	RIGHT REVERSE TURN		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-4L	LEFT REVERSE CURVE		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-4R	RIGHT REVERSE CURVE		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-4BL	TWO-LANE LEFT REVERSE CURVE		36" x 36"		48" x 48"			
W 1-4BR	TWO-LANE RIGHT REVERSE CURVE		36" x 36"		48" x 48"			
W 1-5L	LEFT WINDING ROAD		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-5R	RIGHT WINDING ROAD		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 1-5-1	WINDING ROAD NEXT (____) MILES		36" x 36"					
W 1-6	LARGE SINGLE ARROW		48" x 24"		96" x 48"	120" x 60"		24" x 12"
W 1-7	LARGE DOUBLE ARROW		48" x 24"		96" x 48"	120" x 60"		24" x 12"
W 1-8	CHEVRON ALIGNMENT	18" x 24"	24" x 30"	30" x 36"	36" x 48"			
W 1-10L	LEFT CURVE RIGHT SIDE ROAD		36" x 36"		48" x 48"			
W 1-10R	RIGHT CURVE LEFT SIDE ROAD		36" x 36"		48" x 48"			
W 1-10BL	LEFT CURVE -- DIVERGING MINOR RIGHT SIDE ROAD		30" x 30"	36" x 36"	48" x 48"			
W 1-10CL	LEFT CURVE -- CONVERGING MINOR RIGHT SIDE ROAD		30" x 30"	36" x 36"	48" x 48"			
W 1-10BR	RIGHT CURVE -- DIVERGING MINOR LEFT SIDE ROAD		30" x 30"	36" x 36"	48" x 48"			
W 1-10CR	RIGHT CURVE -- CONVERGING MINOR LEFT SIDE ROAD		30" x 30"	36" x 36"	48" x 48"			
W 1-11L	LEFT HORSESHOE CURVE		30" x 30"	36" x 36"	48" x 48"			
W 1-11R	RIGHT HORSESHOE CURVE		30" x 30"	36" x 36"	48" x 48"			
W 1-13L	TRUCK ROLLOVER LEFT CURVE				48" x 48"			
W 1-13R	TRUCK ROLLOVER RIGHT CURVE				48" x 48"			
W 2-1	CROSS ROAD		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 2-2	SIDE ROAD		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 2-3L	45° SIDE ROAD LEFT		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 2-3R	45° SIDE ROAD RIGHT		30" x 30"	36" x 36"	48" x 48"			18" x 18"

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
W 2-3-1L	CURVE - SIDE ROAD LEFT		30" x 30"	36" x 36"	48" x 48"			
W 2-3-1R	CURVE - SIDE ROAD RIGHT		30" x 30"	36" x 36"	48" x 48"			
W 2-4	T SYMBOL		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 2-5	Y SYMBOL		30" x 30"	36" x 36"	48" x 48"			18" x 18"
W 2-5-1L	Y SYMBOL SECONDARY LEFT		30" x 30"	36" x 36"	48" x 48"			
W 2-5-1R	Y SYMBOL SECONDARY RIGHT		30" x 30"	36" x 36"	48" x 48"			
W 2-6	CIRCULAR INTERSECTION	24" x 24"	30" x 30"	36" x 36"	48" x 48"			
W 2-7L	OFFSET SIDE ROADS LEFT		30" x 30"	36" x 36"	48" x 48"			
W 2-7R	OFFSET SIDE ROADS RIGHT		30" x 30"	36" x 36"	48" x 48"			
W 2-8	DOUBLE SIDE ROAD		30" x 30"	36" x 36"	48" x 48"			
W 3-1	STOP AHEAD			36" x 36"	48" x 48"			18" x 18"
W 3-2	YIELD AHEAD			36" x 36"	48" x 48"			18" x 18"
W 3-3	SIGNAL AHEAD			36" x 36"	48" x 48"			18" x 18"
W 3-3-3	SIGNAL OUT OF SERVICE			36" x 36"	48" x 48"			
W 3-4	BE PREPARED TO STOP			36" x 36"	48" x 48"			
W 3-4A	POLICE CONTROL AHEAD			36" x 36"	48" x 48"			
W 3-5	SPEED REDUCTION SIGN			36" x 36"	48" x 48"			
W 4-1L	MERGE LEFT			36" x 36"	48" x 48"			
W 4-1R	MERGE RIGHT			36" x 36"	48" x 48"			
W 4-2L	PAVEMENT WIDTH TRANSITION - LEFT LANE ENDS			36" x 36"	48" x 48"			
W 4-2R	PAVEMENT WIDTH TRANSITION - RIGHT LANE ENDS			36" x 36"	48" x 48"			
W 4-3L	LEFT ADDED LANE				48" x 48"			
W 4-3R	RIGHT ADDED LANE				48" x 48"			
W 4-4P	CROSS TRAFFIC DOES NOT STOP PLAQUE			30" x 15"	36" x 18"			
W 4-4APL	TRAFFIC FROM LEFT DOES NOT STOP PLAQUE			30" x 15"	36" x 18"			
W 4-4APR	TRAFFIC FROM RIGHT DOES NOT STOP PLAQUE			30" x 15"	36" x 18"			
W 4-4BP	ONCOMING TRAFFIC DOES NOT STOP PLAQUE			30" x 15"	36" x 18"			
W 4-5	ENTERING ROADWAY MERGE	30" x 30"		36" x 36"	48" x 48"			
W 4-5P	NO MERGE AREA PLAQUE			18" x 24"	24" x 30"			
W 4-13	WEAVE AREA			36" x 36"				
W 5-1	ROAD NARROWS			36" x 36"				
W 5-1-1	NARROW ROAD NEXT (____) MILES			36" x 36"				
W 5-2	NARROW BRIDGE			36" x 36"	48" x 48"			18" x 18"
W 5-2A	NARROW UNDERPASS		30" x 30"	36" x 36"				
W 5-3	ONE LANE BRIDGE			36" x 36"	48" x 48"			
W 5-3A	ONE LANE UNDERPASS			36" x 36"	48" x 48"			
W 5-3B	TWO ONE LANE BRIDGES			36" x 36"	48" x 48"			
W 5-4	RAMP NARROWS			36" x 36"	48" x 48"			
W 5-4-1	LANES NARROW			36" x 36"	48" x 48"			
W 5-5	LANES SHIFT			36" x 36"	48" x 48"			
W 6-1	DIVIDED HIGHWAY - DIVIDED HIGHWAY ENDS			36" x 36"	48" x 48"			
W 6-3	TWO - WAY TRAFFIC			36" x 36"	48" x 48"			
W 7-1	HILL		30" x 30"	36" x 36"	48" x 48"			
W 7-3P	GRADE PLAQUE (for W7-1)			24" x 18"	30" x 24"			
W 7-3AP	NEXT (____) MILES PLAQUE (for W7-1)			24" x 18"	30" x 24"			
W 7-3BP	(____) GRADE / (____) MILES PLAQUE (for W7-1)			24" x 18"	30" x 24"			
W 7-4	ADVANCE RUNAWAY TRUCK RAMP				78" x 48"	144" x 72"		
W 7-4B	RUNAWAY TRUCK RAMP EXIT (right diag. arrow)				78" x 60"	114" x 72"		
W 7-4DP	SAND PLAQUE				78" x 18"	144" x 24"		
W 7-4EP	GRAVEL PLAQUE				78" x 18"	144" x 24"		

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
W 7-4FP	PAVED PLAQUE		78" x 18"			144" x 24"		
W 7-6	HILL BLOCKS VIEW		30" x 30"	36" x 36"				
W 8-1	BUMP		30" x 30"	36" x 36"				18" x 18"
W 8-2	DIP		30" x 30"	36" x 36"				18" x 18"
W 8-3	PAVEMENT ENDS		36" x 36"					18" x 18"
W 8-4	SOFT SHOULDER	30" x 30"	36" x 36"					
W 8-5	SLIPPERY WHEN WET		30" x 30"	36" x 36"	48" x 48"			
W 8-5P	SLIPPERY WHEN WET PLAQUE		24" x 18"		30" x 24"			
W 8-7	LOOSE GRAVEL	30" x 30"	36" x 36"					
W 8-8	ROUGH ROAD	30" x 30"	36" x 36"					
W 8-9	LOW SHOULDER	30" x 30"	36" x 36"					
W 8-11	UNEVEN LANES		36" x 36"		48" x 48"			
W 8-13	BRIDGE ICES BEFORE ROAD		36" x 36"		48" x 48"			
W 8-13B	BRIDGE MAY BE SLIPPERY		36" x 36"		48" x 48"			
W 8-14	FALLEN ROCKS		30" x 30"	36" x 36"	48" x 48"			
W 8-15	GROOVED PAVEMENT		36" x 36"		48" x 48"			
W8-17L	SHOULDER DROP OFF LEFT	24" x 24"	30" x 30"	36" x 36"	48" x 48"			
W8-17R	SHOULDER DROP OFF RIGHT	24" x 24"	30" x 30"	36" x 36"	48" x 48"			
W8-17P	SHOULDER DROP-OFF PLAQUE		24" x 18"		36" x 30"		30" x 24"	
W 8-18	ROAD MAY FLOOD		36" x 36"					
W 8-21	GUSTY WINDS AREA		36" x 36"		48" x 48"			
W 8-22	FOG AREA				48" x 48"			
W 8-101	RUMBLE STRIPS AHEAD		36" x 36"		48" x 48"			
W 8-102	CENTER LINE RUMBLE STRIPS		36" x 36"		48" x 48"			
W 8-103	OPEN GRATE BRIDGE		36" x 36"					
W 8-104	WATCH FOR ICE		36" x 36"		48" x 48"			
W 8-105	WATCH FOR MUD		36" x 36"		48" x 48"			
W 8-106	MUD SLIDE AREA		36" x 36"					
W 8-107	SLIPPERY WINTER CONDITIONS				48" x 48"			
W 8-108 & W 8-108P	ANTI-ICING IN PROGRESS AND WHEN FLASHING		36" x 36"		48" x 48"			
W 9-1L	LEFT LANE ENDS	30" x 30"	36" x 36"		48" x 48"			
W 9-1R	RIGHT LANE ENDS	30" x 30"	36" x 36"		48" x 48"			
W 9-2L	LANE ENDS MERGE LEFT	30" x 30"	36" x 36"		48" x 48"			
W 9-2R	LANE ENDS MERGE RIGHT	30" x 30"	36" x 36"		48" x 48"			
W 9-3	CENTER LANE CLOSED		36" x 36"		48" x 48"			
W 9-3A	CENTER LANE MUST SHIFT LEFT		30" x 30"	36" x 36"	48" x 48"			
W10-1	RAILROAD WARNING		36" DIA.		48" DIA.			24" DIA.
W10-1AP	EXEMPT RAILROAD WARNING PLAQUE (for W10-1)		24" x 12"					
W10-1B	BICYCLISTS DISMOUNT		18" x 18"		24" x 24"			
W10-2	RAILROAD CROSSING AT CROSS ROAD		36" x 36"		48" x 48"			
W10-3	RAILROAD CROSSING ON SIDE ROAD		36" x 36"		48" x 48"			
W10-4	RR CROSSING ON STEM OF "T" INTERSECTION (RIGHT)		36" x 36"		48" x 48"			
W10-4A	RR CROSSING ON STEM OF "T" INTERSECTION (LEFT)		36" x 36"		48" x 48"			
W10-5	LOW GROUND CLEARANCE HIGHWAY-RAIL GRADE CROSSING		36" x 36"					
W10-5P	LOW GROUND CLEARANCE HIGHWAY-RAIL GRADE CROSSING PLAQUE		24" x 18"					
W10-9P	NO TRAIN HORN PLAQUE		24" x 18"					
W11-1	BICYCLE WARNING		30" x 30"	36" x 36"				18" x 18"
W11-2	PEDESTRIAN		30" x 30"	36" x 36"				18" x 18"
W11-2A	RAISED PEDESTRIAN CROSSING		30" x 30"	36" x 36"				
W11-2B	HIKER CROSSING		30" x 30"	36" x 36"				

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
W11-3	DEER CROSSING		30" x 30"	36" x 36"	48" x 48"			
W11-4	CATTLE CROSSING		30" x 30"	36" x 36"				
W11-5	FARM MACHINERY		30" x 30"	36" x 36"				
W11-6	SNOWMOBILE CROSSING		30" x 30"	36" x 36"				
W11-6-1	ATV CROSSING		30" x 30"	36" x 36"				
W11-7 ★	EQUESTRIAN CROSSING		30" x 30"	36" x 36"				
W11-8	FIRE STATION		30" x 30"	36" x 36"				
W11-8-2	EMERGENCY VEHICLE ENTRANCE		30" x 30"	36" x 36"				
W11-9	HANDICAPPED AREA		30" x 30"	36" x 36"				
W11-10	TRUCK CROSSING		30" x 30"	36" x 36"	48" x 48"			
W11-10-1	HEAVY EQUIPMENT CROSSING		30" x 30"	36" x 36"				
W11-11	GOLF CART CROSSING		30" x 30"	36" x 36"				
W11-12	PLANT ENTRANCE		30" x 30"	36" x 36"				
W11-12P	EMERGENCY SIGNAL AHEAD PLAQUE		36" x 30"					
W11-13	PARK ENTRANCE		30" x 30"	36" x 36"				
W11-14	HORSEDRAWN VEHICLE		30" x 30"	36" x 36"				
W11-15	COMBINED BICYCLE / PEDESTRIAN	24" x 24"	30" x 30"	36" x 36"	48" x 48"			18" x 18"
W11-15P	TRAIL X-ING PLAQUE		24" x 18"		30" x 24"	36" x 30"		
W11-20	ELK CROSSING		30" x 30"	36" x 36"				
W11-25	BLIND PEDESTRIAN CROSSING		30" x 30"	36" x 36"				
W11-26	DUCK CROSSING		30" x 30"	36" x 36"				
W11-27	TANK CROSSING		30" x 30"	36" x 36"				
W11-28	CEMETERY ENTRANCE		30" x 30"	36" x 36"				
W11-101	HOSPITAL		30" x 30"	36" x 36"				
W11-102	CHURCH		30" x 30"	36" x 36"				
W11-103	HIDDEN DRIVEWAY		30" x 30"	36" x 36"				
W11-104	BRIDLE PATH		30" x 30"	36" x 36"				
W11-105	LEFT TURNS AND CROSS TRAFFIC				48" x 48"	60" x 60"		
W11-106	LEFT TURNS		30" x 30"	36" x 36"				
W11-107	WATCH FOR TURNS		30" x 30"	36" x 36"				
W11-108	IMPAIRED CHILD		30" x 30"	36" x 36"				
W12-1	DOUBLE ARROW		36" x 36"					
W12-2	LOW CLEARANCE		36" x 36"		48" x 48"			18" x 18"
W12-2-3	ON SHOULDER		36" x 18"		48" x 24"			
W12-2A	LOW CLEARANCE (overhead)		78" x 24"					
W13-1P	ADVISORY SPEED PLAQUE		18" x 18" / 24" x 24" / 30" x 30" **					
W13-2	ADVISORY EXIT SPEED				48" x 60"			
W13-3	ADVISORY RAMP SPEED				48" x 60"			
W14-2	NO OUTLET		30" x 30"	36" x 36"				
W14-2-1	NO THRU STREEET		36" x 36"					
W14-2AL	NO OUTLET (LEFT ARROW)		36" x 8"					
W14-2AR	NO OUTLET (RIGHT ARROW)		36" x 8"					
W14-3 ★	NO PASSING ZONE (pennant)		48" x 36"					
W14-5	NO WINTER MAINTENANCE		30" x 30"	36" x 36"				
W14-6	CONGESTED AREA NEXT (____) MILE(S)				60" x 60"			
W14-7	WATCH FOR STOPPED VEHICLES		36" x 36"		48" x 48"	60" x 60"		
W14-9	TRUCK WEIGHING AHEAD		36" x 36"		48" x 48"			
W14-11	VEHICLES ARE CLOSER THAN THEY APPEAR		18" x 18"					
W14-12	SLOW MOVING VEHICLES				48" x 48"	60" x 60"		
W14-13	LOW FLYING AIRCRAFT				48" x 48"			

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN-CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
W14-15	TRAFFIC SURVEY		36" x 36"		48" x 48"			
W14-16	BALLOON LAUNCH AREA		36" x 36"		48" x 48"			
W14-20	EFFECTIVE HOURS (panel) - 24" WIDTH		12" / 18" / 24" HEIGHTS *					
-	EFFECTIVE HOURS (panel) - 30" WIDTH		15" / 24" / 30" HEIGHTS *					
W14-22	ARE YOUR TURN SIGNALS ON ?		48" x 24"					
W15-1	PLAYGROUND		30" x 30"	36" x 36"				18" x 18"
W 15-2	WATCH CHILDREN		30" x 30"	36" x 36"				
W16-4P	NEXT (___) FEET (black-on-yellow) PLAQUE		30" x 24"					
W16-5PL	90° TURN - LEFT ARROW PLAQUE		24" x 18"					
W 16-5PR	90° TURN - RIGHT ARROW PLAQUE		24" x 18"					
W16-6PL	ADVANCE 90° TURN - LEFT ARROW PLAQUE		24" x 18"					
W16-6PR	ADVANCE 90° TURN - RIGHT ARROW PLAQUE		24" x 18"					
W16-7P	DIAGONAL DOWNWARD POINTING ARROW PLAQUE		24" x 12"			30" x 18"		24" x 12"
W16-8P	SINGLE-LINE ADVANCE STREET NAME PLAQUE		VAR x 8"	VAR. x 12"				
W16-8AP	DOUBLE-LINE ADVANCE STREET NAME PLAQUE		48" x 16"	72" x 24"				
W16-9P	AHEAD PLAQUE		24" x 12"	36" x 24"			48" x 30"	24" x 12"
W16-10AP	PHOTO ENFORCED PLAQUE		24" x 18"				36" x 30"	
W16-10-1	RED LIGHT PHOTO ENFORCED		30" x 30"				48" x 48"	
W16-12P	TRAFFIC CIRCLE PLAQUE		24" x 18"					
W16-17P	ROUNDBOUT PLAQUE		24" x 12"					
W16-101	SHARE THE ROAD		30" x 30"	36" x 36"				
W16-102P	CONSPICUITY PLAQUE		18" x 18"					
W16-103P	DISTANCE AHEAD PLAQUE		24" x 18"			36" x 24"		
W17-1	SPEED HUMP		30" x 30"	36" x 36"				
W19-1	FREEWAY ENDS XX MILE(S)				144" x 48"			
W19-2	EXPRESSWAY ENDS XX MILE(S)				144" x 48"			
W19-3	FREEWAY ENDS				48" x 48"	60" x 60"		
W19-4	EXPRESSWAY ENDS				48" x 48"	60" x 60"		
W20-1	ROAD WORK		36" x 36"		48" x 48"	60" x 60"		
W20-1S	RECTANGULAR ROAD WORK		36" x 36"					
W20-2	ADVANCE DETOUR		36" x 36"		48" x 48"			
W20-3	ROAD CLOSED		36" x 36"		48" x 48"			
W20-3A	ROAD OPEN		48" x 36"					
W20-4	ONE LANE ROAD		36" x 36"		48" x 48"			
W20-5AL	LEFT TWO LANES CLOSED				48" x 48"			
W20-5AR	RIGHT TWO LANES CLOSED				48" x 48"			
W20-5L	LEFT LANE CLOSED		36" x 36"		48" x 48"			
W20-5R	RIGHT LANE CLOSED		36" x 36"		48" x 48"			
W20-5-3	RECTANGULAR LEFT LANE CLOSED		36" x 48"					
W20-5-4	RECTANGULAR RIGHT LANE CLOSED		36" x 48"					
W20-7	FLAGGER SYMBOL		36" x 36"		48" x 48"			
W20-9	TEMPORARY ROADWAY		36" x 36"		48" x 48"			
W20-10A	BE PREPARED TO STOP NEXT (___) MI		36" x 36"		48" x 48"			
W20-11	SOBRIETY CHECK POINT AHEAD				48" x 48"			
W20-12	SAFETY CHECK POINT AHEAD				48" x 48"			
W20-13	TUNNEL TEMPORARILY CLOSED		30" x 30"	36" x 36"				
W20-15	EXPECT DELAYS		36" x 36"		48" x 48"			
W20-16	ROAD SURVEY NEXT (___) MILE		36" x 36"		48" x 48"			
W20-17	END ROADWAY SURVEY		30" x 30"					
W20-99	TUNNEL LANE CLOSED		36" x 36"		48" x 48"			

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
W20-101	LANES BLOCKED AHEAD		36" x 36"		48" x 48"			
W20-102	TRAFFIC ENFORCEMENT ZONE				48" x 48"			
W20-103	ARROW		30" x 30"	36" x 36"				
W21-2	FRESH OIL		30" x 30"	36" x 36"				
W21-2-1	TRAVEL AT YOUR OWN RISK		30" x 30"					
W21-5	SHOULDER WORK		30" x 30"	36" x 36"	48" x 48"			
W21-5BL	LEFT SHOULDER CLOSED (L)		30" x 30"	36" x 36"	48" x 48"			
W21-5BR	RIGHT SHOULDER CLOSED (L)		30" x 30"	36" x 36"	48" x 48"			
W21-5-1	FRESH OIL AND CHIPS		36" x 36"					
W21-5-2	OIL AND CHIPPING AHEAD		36" x 36"					
W21-6	SURVEY CREW		36" x 36"		48" x 48"			
W21-7	UTILITY WORK AHEAD		36" x 36"					
W21-9A	NO GUIDE RAIL		30" x 30"	36" x 36"	48" x 48"			
W21-10	STOP AND SLOW (paddle)	18" x 18"	24" x 24"					
W21-11	BRIDGE INSPECTION AHEAD		36" x 36"		48" x 48"			
W21-12	SAND BLASTING AHEAD CLOSE WINDOWS		60" x 36"					
W21-14	MOWING NEXT () MI		36" x 36"		48" x 48"			
W21-15	COUNTER INSTALLATION AHEAD		36" x 36"		48" x 48"			
W21-16	NO PAVEMENT MARKINGS		36" x 36"		48" x 48"			
W21-18	LITTER CREW AHEAD		36" x 36"		48" x 48"			
W21-18A	LITTER CREW AHEAD (Square)		36" x 36"		48" x 48"			
W21-19	ACTIVE WORK ZONE WHEN FLASHING		36" x 36"		48" x 48"			
W21-20	END ACTIVE WORK ZONE		36" x 36"		48" x 48"			
W21-101	RAMP WORK AHEAD				48" x 48"			
W21-102	WORK AREA AHEAD		36" x 36"		48" x 48"			
W21-103	RECTANGULAR WORK AREA AHEAD		36" x 48"					
W22-1	BLASTING ZONE AHEAD				48" x 48"			
W22-2	TURN OFF 2-WAY RADIOS AND CELL PHONES				48" x 36"			
W22-3	END BLASTING ZONE				42" x 36"			
W23-2	NEW TRAFFIC PATTERN AHEAD		36" x 36"					
W23-101	THIS BRIDGE TO BE CLOSED FOR MAINTENANCE		96" x 48"					
W23-102	ROAD TO BE OILED NEXT WEEK		36" x 36"					
W23-103	END OF PROPOSED OILING		36" x 36"					
W24-1L & W24-1R	SINGLE LANE DOUBLE REVERSE CURVE		30" x 30"	36" x 36"	48" x 48"			
W24-1AL & W24-1AR	TWO LANE DOUBLE REVERSE CURVE		30" x 30"	36" x 36"	48" x 48"			
W24-1BL & W24-1BR	THREE LANE DOUBLE REVERSE CURVE		30" x 30"	36" x 36"	48" x 48"			
W25-1	ONCOMING TRAFFIC HAS EXTENDED GREEN		24" x 30"					
W25-2	ONCOMING TRAFFIC MAY HAVE EXTENDED GREEN		24" x 30"					
W25-3	BUS INSPECTION AHEAD		36" x 36"		48" x 48"			
W25-4	EXIT GORE				48" x 48"			
W25-5	CONSTRUCTION ENTRANCE AHEAD		36" x 36"		48" x 48"			
W25-101	INCIDENT AHEAD		36" x 36"		48" x 48"			
W25-102	TRUCK INSPECTION AHEAD		36" x 36"		48" x 48"			
W30-1-1	DISTANCE (500 FT) (panel)		20" x 6"		30" x 10"			
W30-1-2	DISTANCE (1000 FT) (panel)		20" x 6"		30" x 10"			
W30-1-3	DISTANCE (1500 FT) (panel)		20" x 6"		30" x 10"			
W30-1-4	DISTANCE (1/2 MILE) (panel)		20" x 6"		30" x 10"			
W30-1-5	DISTANCE (1 MILE) (panel)		20" x 6"		30" x 10"			
W30-1-6	DISTANCE (AHEAD) (panel)		20" x 6"		30" x 10"			
W35-1	SAFETY CORRIDOR - FINES DOUBLED NEXT XX MILES		60" X 36"		120" X 54"			

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
W35-2	END FINES DOUBLED CORRIDOR		60" X 36"		108" X 54"			
G20-1	LENGTH OF WORK		60" x 30"			72" x 36"		
G20-1-2	ROAD WORK TO BEGIN NEXT WEEK		48" x 36"					
G20-2	END ROAD WORK		36" x 18"		60" x 24"			
G20-4	PILOT CAR		36" x 18"					
G20-4-1	TURNING VEHICLES -- WAIT FOR PILOT CAR		36" x 48"					
G20-5AP	WORK ZONE PLAQUE		24" x 18" / 36" x 24" / 48" x 36" *					
G20-6	DETOUR FOLLOW RED ARROW		48" x 30"					
G20-6-1	RED ARROW		24" x 12"					
G20-15	CROSSOVER (____) FEET		72" x 36"					
G20-16	MAINTAIN SAFE DISTANCE BETWEEN VEHICLES		60" x 60"					
G20-17	SINGLE LANE NEXT (____) MILES		60" x 60"					
G30-1	EMERGENCY PULL-OFF (____)		96" x 60"					
G30-2	EMERGENCY PULL-OFF ENTRANCE		96" x 60"					
G40-1	TEMPORARY ARROW	72" x 36"	96" x 48"					
G40-2	STRIPED (panel) (for G40-1)	72" x 36"	96" x 48"					
G60-1	ROAD WORK INFO TUNE RADIO TO (____) AM			132" x 60"			120" x 48"	
G60-1A	URGENT MESSAGE WHEN FLASHING			132" x 36"			120" x 24"	
G70-1	USE BOTH LANES TO MERGE POINT			132" x 42"				
G70-2	MERGE HERE TAKE YOUR TURN			132" x 42"				
M 1-1	INTERSTATE ROUTE (marker) - 1 OR 2 DIGITS		24" x 24"		36" x 36"			
	INTERSTATE ROUTE (marker) - 3 DIGITS		30" x 24"		45" x 36"			
M 1-2	INTERSTATE BUSINESS LOOP - 1 OR 2 DIGITS		24" x 24"		36" x 36"			
	INTERSTATE BUSINESS LOOP - 3 DIGITS		30" x 24"		45" x 36"			
M 1-3	INTERSTATE BUSINESS SPUR - 1 OR 2 DIGITS		24" x 24"		36" x 36"			
	INTERSTATE BUSINESS SPUR - 3 DIGITS		30" x 24"		45" x 36"			
M 1-4	U.S. ROUTE (marker) - 1 OR 2 DIGITS		24" x 24"		36" x 36"			
	U.S. ROUTE (marker) - 3 DIGITS		30" x 24"		45" x 36"			
M 1-5	PENNSYLVANIA ROUTE (marker) - 1 OR 2 DIGITS		24" x 24"		36" x 36"			
	PENNSYLVANIA ROUTE (marker) - 3 DIGITS		30" x 24"		45" x 36"			
M 1-5A	PENNSYLVANIA TURNPIKE (marker)		36" x 36"		45" x 36"			
M1-8	BICYCLEPA ROUTE (marker)		12" x 30"					
M1-8A	BICYCLEPA ROUTE MARKER TURN ASSEMBLY		12" x 30"					
M1-10	EISENHOWER INTERSTATE SYSTEM (2 pages)				36" x 36"			
M 2-1	JUNCTION (marker)		21" x 15"		30" x 18"			12" x 6"
M 2-1-1	INTERSTATE JUNCTION (marker)		21" x 15"		30" x 18"			
M 3-1	NORTH (marker)		24" x 12"		30" x 15"			12" x 6"
M 3-1-1	INTERSTATE NORTH (marker)		24" x 12"		30" x 15"			
M 3-1-2	INTERSTATE BUSINESS NORTH (marker)		24" x 12"		30" x 15"			
M 3-2	EAST (marker)		24" x 12"		30" x 15"			12" x 6"
M 3-2-1	INTERSTATE EAST (marker)		24" x 12"		30" x 15"			
M 3-3	SOUTH (marker)		24" x 12"		30" x 15"			12" x 6"
M 3-3-1	INTERSTATE SOUTH (marker)		24" x 12"		30" x 15"			
M 3-3-2	INTERSTATE BUSINESS SOUTH (marker)		24" x 12"		30" x 15"			
M 3-4	WEST (marker)		24" x 12"		30" x 15"			12" x 6"
M 3-4-1	INTERSTATE WEST (marker)		24" x 12"		30" x 15"			
M 4-1	ALTERNATE MARKER		24" x 12"		30" x 15"			12" x 6"
M 4-2	BY- PASS (marker)		24" x 12"		30" x 15"			12" x 6"
M 4-3	BUSINESS (marker)		24" x 12"		30" x 15"			12" x 6"
M 4-4	TRUCK (marker)		24" x 12"		30" x 15"			

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
M 4-5	TO (marker)		24" x 12"		30" x 15"		12" x 6"	
M 4-5-1	INTERSTATE TO (marker)		24" x 12"		30" x 15"			
M 4-6	END (marker)		24" x 12"		30" x 15"		12" x 6"	
M 4-8	DETOUR (marker)		24" x 12"		30" x 15"		12" x 6"	
M 4-8A	END DETOUR		24" x 18"		36" x 30"			
M 4-8-1	CAR DETOUR (marker)		24" x 24"					
M 4-8-2	TRUCK DETOUR (marker)		24" x 24"					
M4-9A	BICYCLE / PEDESTRIAN DETOUR		30" x 24"					
M4-9B	PEDESTRIAN DETOUR		30" x 24"					
M4-9C	BICYCLE DETOUR		30" x 24"					
M4-9L	DETOUR, LEFT		30" x 24"		48" x 36"			
M4-9R	DETOUR, RIGHT		30" x 24"		48" x 36"			
M4-9S	DETOUR, STRAIGHT		30" x 24"		48" x 36"			
M4-9SL	LEFT ADVANCE DETOUR		30" x 24"		48" x 36"			
M4-9SR	RIGHT ADVANCE DETOUR		30" x 24"		48" x 36"			
M4-9-1AL	LEFT ADVANCE 45° DETOUR		30" x 24"		48" x 36"			
M4-9-1AR	RIGHT ADVANCE 45° DETOUR		30" x 24"		48" x 36"			
M4-9-1BL	45° LEFT TURN DETOUR		30" x 24"		48" x 36"			
M4-9-1BR	45° RIGHT TURN DETOUR		30" x 24"		48" x 36"			
M4-10L	DETOUR ARROW, LEFT		48" x 18"					
M4-10R	DETOUR ARROW, RIGHT		48" x 18"					
M4-10S	DETOUR ARROW, STRAIGHT		48" x 18"					
M 4-12	END (for D11-1)		24" x 6"					
M 4-13	TO (for D11-1)		24" x 6"					
M 4-14-1	BEGIN (for D11-1)		24" x 6"					
M 5-1L	ADVANCE 90° LEFT TURN (marker)		21" x 15"		30" x 18"		12" x 9"	
M 5-1-1L	INTERSTATE ADVANCE 90° LEFT TURN (marker)		21" x 15"		30" x 18"			
M 5-1R	ADVANCE 90° RIGHT TURN (marker)		21" x 15"		30" x 18"		12" x 9"	
M 5-1-1R	INTERSTATE ADVANCE 90° RIGHT TURN (marker)		21" x 15"		30" x 18"			
M 5-2L	ADVANCE 45° LEFT TURN (marker)		21" x 15"		30" x 18"		12" x 9"	
M 5-2-1L	INTERSTATE ADVANCE 45° LEFT TURN (marker)		21" x 15"		30" x 18"			
M 5-2R	ADVANCE 45° RIGHT TURN (marker)		21" x 15"		30" x 18"		12" x 9"	
M 5-2-1R	INTERSTATE ADVANCE 45° RIGHT TURN (marker)		21" x 15"		30" x 18"			
M5-3	CURVED-STEM ADVANCE TURN ARROW		21" x 15"		30" x 21"			
M 6-1	90° TURN (marker)		21" x 15"		30" x 18"		12" x 9"	
M 6-1-1	INTERSTATE 90° TURN (marker)		21" x 15"		30" x 18"			
M 6-2L	45° LEFT TURN (marker)		21" x 15"		30" x 18"		12" x 9"	
M 6-2-1L	INTERSTATE 45° LEFT TURN (marker)		21" x 15"		30" x 18"			
M 6-2R	45° RIGHT TURN (marker)		21" x 15"		30" x 18"		12" x 9"	
M 6-2-1R	INTERSTATE 45° RIGHT TURN (marker)		21" x 15"		30" x 18"			
M 6-3	STRAIGHT THROUGH (marker)		21" x 15"		30" x 18"		12" x 9"	
M 6-3-1	INTERSTATE STRAIGHT THROUGH (marker)		21" x 15"		30" x 18"			
M 6-4	90° RIGHT AND LEFT TURN (marker)		21" x 15"		30" x 18"		12" x 9"	
M 7-1	HORIZONTAL ARROW (for D11-1)		12" x 9"					
M 7-2	VERTICAL ARROW (for D11-1)		12" x 9"					
M 7-3	DOUBLE HEADED DIAGONAL ARROW (for D11-1)		12" x 9"					
M 7-4	DIAGONAL ARROW (for D11-1)		12" x 9"					
M 7-5	DOUBLE HEADED HORIZONTAL ARROW (for D11-1)		12" x 9"					
M 7-6	HORIZONTAL AND VERTICAL ARROW (for D11-1)		12" x 9"					
M 7-7	VERTICAL AND DIAGONAL ARROW (for D11-1)		12" x 9"					

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
D 1-1	SINGLE-LINE DESTINATION	48" x 8"	72" x 12"					
D 1-1A	SINGLE-LINE DESTINATION MILEAGE	48" x 8"	72" x 12"					
D 1-2	DOUBLE-LINE DESTINATION	48" x 16"	72" x 24"					
D 1-2A	DOUBLE-LINE DESTINATION MILEAGE	48" x 16"	72" x 24"					
D 1-3	TRIPLE-LINE DESTINATION	48" x 24"	72" x 36"					
D 1-3A	TRIPLE-LINE DESTINATION MILEAGE	48" x 24"	72" x 36"					
D 2-1	SINGLE-LINE DISTANCE	48" x 8"	72" x 12"					
D 2-2	DOUBLE-LINE DISTANCE	48" x 16"	72" x 24"					
D 2-3	TRIPLE-LINE DISTANCE	48" x 24"	72" x 36"					
D 3-1 ★	STREET NAME	VAR." x 6"	VAR." x 9"	VAR." x 12"				
D 3-2	SINGLE-LINE ADVANCE STREET NAME		48" x 8"			72" x 12"		
D 3-3	DOUBLE-LINE ADVANCE STREET NAME		48" x 16"			72" x 24"		
D 3-4	SINGLE-LINE OVERHEAD STREET NAME		144" x 24" **					
D 3-5	DOUBLE-LINE OVERHEAD STREET NAME		144" x 42" **					
D 4-1	PARKING AREA	18" x 15"	30" x 24"					
D 4-2	PARK AND RIDE		30" x 36"			36" x 48"		
D 4-10	DEPARTMENT RIDE SHARING PARKING LOT		48" x 48"					
D 5-1	REST AREA (____) MILE		24" x 30"		36" x 48"			
D 5-2	REST AREA ENTRANCE		60" x 24"					
D 5-5A	ROADSIDE TABLE		24" x 24"					
D 5-5-1	(____) FEET (white-on-blue)		24" x 6"					
D 5-6-1	VISITOR INFO				96" x 18"			
D 5-6-2	VENDING MACHINES				96" x 18"			
D 5-6-3	FREE RESERVATION SERVICE				96" x 36"			
D 6-2	ADVANCE SCENIC OVERLOOK		48" x 36"					
D 6-3	SCENIC OVERLOOK ENTRANCE		72" x 24"					
D 7-4	ATTRACTION		48" x 16"		72" x 24"			
D 8-1	ADVANCE WEIGH STATION	60" x 48"	78" x 60"		96" x 72"			
D 8-2	WEIGH STATION NEXT RIGHT	66" x 54"	84" x 72"		108" x 90"			
D 8-3	WEIGH STATION	48" x 42"	66" x 60"		84" x 78"			
D 9-1A	TELEPHONE WITH ARROW	18" x 24"	24" x 30"		30" x 36"			
D 9-1B	TELEPHONE (____) MILE	18" x 24"	24" x 30"		30" x 36"			
D 9-1-2	EMERGENCY TELEPHONE		30" x 24"					
D 9-2	HOSPITAL		24" x 24"		30" x 30"			
D 9-2-2	SERVICES ARROW		24" x 12"		30" x 15"			
D 9-3	CAMPING		24" x 24"		30" x 30"			
D 9-7	GAS		24" x 24"		30" x 30"			
D 9-8	FOOD		24" x 24"		30" x 30"			
D 9-9	LODGING		24" x 24"		30" x 30"			
D 9-10	VISITOR INFORMATION		24" x 24"		30" x 30"			
D 9-11	DIESEL		24" x 24"		30" x 30"			
D 9-13DP ★	TRAUMA CENTER PLAQUE		24" x 12"		30" x 15"			
D 9-14	STATE POLICE		24" x 24"		30" x 30"			
D10-1	SINGLE-DIGIT REFERENCE LOCATION SIGN				12" x 24"			
D10-1A	SINGLE-DIGIT INTERMEDIATE REFERENCE LOCATION SIGN				12" x 36"			
D10-2	DOUBLE-DIGIT REFERENCE LOCATION SIGN				12" x 36"			
D10-2A	DOUBLE-DIGIT INTERMEDIATE REFERENCE LOCATION SIGN				12" x 48"			
D10-3	TRIPLE-DIGIT REFERENCE LOCATION SIGN				12" x 48"			
D10-3A	TRIPLE-DIGIT INTERMEDIATE REFERENCE LOCATION SIGN				12" x 60"			
D10-5 ★	ENHANCED REFERENCE LOCATION WITH DECIMAL SIGN				18" x 60"			

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
D11-1	BIKE ROUTE		24" x 18"			30" x 24"		24" x 18"
D12-2	CAR POOL INFORMATION	36" x 30"	54" x 42"		72" x 54"			
D12-5	TRAVEL INFO CALL 511		48" x 60"					
D13-3AL	FREEWAY ENTRANCE LEFT SIGN		48" x 48"					
D13-3AR	FREEWAY ENTRANCE RIGHT SIGN		48" x 48"					
D14-101	EMERGENCY DETOUR - FOLLOW (COLOR) ARROW		72" x 48"					
D14-102	EMERGENCY DETOUR (COLOR) TRAILBLAZER		18" x 24"		24" x 36"			
D14-103	ALL TRAFFIC MUST EXIT				60" x 60"			
I1-1	TRAFFIC SIGNAL SPEED		24" x 36"					
I2-1	SPEED CHECK (marker)		3" x 24"					
I4-1-2	INFORMATION ARROW		24" x 12"		30" x 15"			
I-5	AIRPORT		24" x 24"		30" x 30"			
I-5-1	SPECIFIC NAME (for I-5, I-6, and I-7)		24" x 12"		30" x 15"			
I-6	BUS STATION		24" x 24"		30" x 30"			
I-6-1	STATION		24" x 8"					
I-7	RAILROAD STATION		24" x 24"		30" x 30"			
I-8	LIBRARY		24" x 24"					
I10-1	CITY NAME		36" x 12"					
I10-2	BOROUGH NAME		36" x 12"					
I10-3	VILLAGE NAME		36" x 12"					
I10-4	TOWNSHIP NAME		36" x 12"					
I10-5	COUNTY NAME		36" x 12"					
I10-6	RIVER NAME		36" x 12"			48" x 24"		
I10-7	MUNICIPALITY NAME		36" x 12"					
I-11	RECYCLING CENTER		24" x 36"					
I12-1	SNOWMOBILE ROAD		24" x 24"					
I12-1-1	ATV ROAD		24" x 24"					
I-13A	EMERGENCY NOTIFICATION		30" x 18"					
I13-2	PENNSYLVANIA WELCOMES YOU		144" x 78"		192" x 108"	288" x 144"		
	PENNSYLVANIA WELCOMES YOU - INTERSTATE				264" x 144"			
I13-2A	WELCOME TO PENNSYLVANIA (ALTERNATE)		48" x 24"			72" x 36"		
I13-3	MOUNTAIN SUMMIT AND ELEVATION		120" x 60"		144" x 60"			
I14-1	KEEP PA BEAUTIFUL DO NOT LITTER		48" x 30"					
I14-2	KEEP PA BEAUTIFUL SYMBOL		30" x 30"		36" x 36"			
I14-3	KEEP PENNSYLVANIA BEAUTIFUL STATE OUTLINE		48" x 30"					
I14-4	LITTER FINE		30" x 24"					
I14-5	NO DUMPING ALLOWED		24" x 18"					
I14-6	BUCKLE - UP (Expressway and Freeway)				96" x 48"			
I14-6A	BUCKLE - UP	24" x 30"	30" x 36"					
I15-1	PHOTO CENTER		18" x 12"					
I15-2	PHOTO CENTER PARKING		18" x 18"					
I15-3	PHOTO DRIVERS LICENSE CENTER		30" x 30"					
I15-4	PHOTO CENTER DIRECTIONAL ARROW		18" x 6"					
I16-1	COMMERCIAL DRIVER LICENSE TESTING SITE		30" x 18"					
I18-1 ★	OVERHEAD ROADWAY ID (NUMBERED TR)				VAR x 18"			
I30-1	TRAFFIC SAFETY CHECK	36" x 36"	48" x 48"					
I30-2	TRUCK SURVEY AHEAD		48" x 48"					
I40-1	ADOPT-A-HIGHWAY, NEXT 2 MILES		36" x 18"		48" x 24"			
I40-2	ADOPT-A-HIGHWAY, NEXT (____) MILES		36" x 18"		48" x 24"			
I40-3	ADOPT-A-HIGHWAY, INTERCHANGE AREA		36" x 18"		48" x 24"			

PUBLICATION 236M
SIGN INDEX IN NOMENCLATURE ORDER

* Use sign width that matches primary sign width

★ Updated in Change 1

** See sign standard for size to be used

NOMEN- CLATURE	DESCRIPTION	SIZES - IN						
		Minimum	Conventional Road		Freeway	Oversized	Additional Sizes	Shared Used Path
			Single Lane	Multi-Lane				
I42-1	NAME OF PERSON (one person)		36" x 8"		48" x 8"			
I42-2	NAME OF PERSONS (two persons)		36" x 12"		48" x 18"			
I43-1	GROUP NAME (one line)		36" x 8"		48" x 8"			
I43-2	GROUP NAME (two line)		36" x 12"		48" x 18"			
I44-1	ADOPT-A- HIGHWAY THANK YOU		36" x 12"		48" x 18"			
I45-1	RECYCLING SERVICES		36" x 36"					
I47-1	BEAUTIFICATION AREA		36" x 12"					
I47-2	BEAUTIFICATION AREA SPONSOR		36" x 12"					
I70-1	AGILITY		36" x 36"		48" x 48"			
I80-1	WATER SUPPLY AREA		36" x 36"		48" x 48"	90" x 102"	48" x 60"	
I98-1	SAFETY BREAK FREE COFFEE		96" x 72"					
S 1-1 ★	SCHOOL	30" x 30"	36" x 36"			48" x 48"		
S 3-1	SCHOOL BUS STOP AHEAD	30" x 30"	36" x 36"			48" x 48"		
S 3-2	SCHOOL BUS TURN AHEAD	30" x 30"	36" x 36"			48" x 48"		
S 3-3	SCHOOL BUS CROSSING	30" x 30"	36" x 36"			48" x 48"		
S 4-3P	SCHOOL (panel)		24" x 8"			36" x 12"		
S 4-4P	WHEN FLASHING		24" x 10"			36" x 18"		
S 4-5	REDUCED SPEED (SCHOOL) ZONE AHEAD	30" x 30"	36" x 36"			48" x 48"		
S 5-2	END SCHOOL ZONE		24" x 30"			36" x 48"		
OM1-3	OBJECT MARKER (yellow reflectorized blank)		18" x 18"					
OM4-3	END OF ROADWAY MARKER (red reflectorized blank)		18" x 18"					
OM-3L	LEFT CLEARANCE MARKER (black & yellow)		12" x 36"		18" X 36"			6" x 18"
OM-3R	RIGHT CLEARANCE MARKER (black & yellow)		12" x 36"		18" x 36"			6" x 18"
-	STANDARD ARROW							